

# References

1. Anon. (1988). Age and dose of chemotherapy as major prognostic factors in a trial of adjuvant therapy of osteosarcoma combining two alternating drug combinations and early prophylactic lung irradiation. French Bone Tumor Study Group. *Cancer* 61: 1304-1311.
2. Anon. (1994). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 38-1994. A 55-year-old man with a paraspinal mass and a history of radiation treatment of a testicular tumor. *N Engl J Med* 331: 1079-1084.
3. Anon. (1997). Adjuvant chemotherapy for localised resectable soft-tissue sarcoma of adults: meta-analysis of individual data. Sarcoma Meta-analysis Collaboration. *Lancet* 350: 1647-1654.
4. Anon. (1997). *Polychlorinated Dibenzo-para-Dioxins and Polychlorinated Dibenzofurans*. In: IARC Monographs Vol. 69. IARC Press: Lyon.
5. Anon. (1998). Recommendations for the reporting of soft tissue sarcomas. Association of Directors of Anatomic and Surgical Pathology. *Mod Pathol* 11: 1257-1261.
6. Anon. (1999). Surgical implants and other foreign bodies. In: *IARC monographs on the evaluation of carcinogenic risks to humans*, Vol. 74. IARC Press: Lyon.
7. Abdul-Karim FW, el Naggar AK, Joyce MJ, Makley JT, Carter JR (1992). Diffuse and localized tenosynovial giant cell tumor and pigmented villonodular synovitis: a clinicopathologic and flow cytometric DNA analysis. *Hum Pathol* 23: 729-735.
8. Abraham SC, Montgomery EA, Giardiello FM, Wu TT (2001). Frequent beta-catenin mutations in juvenile nasopharyngeal angiofibromas. *Am J Pathol* 158: 1073-1078.
9. Abraham SC, Reynolds C, Lee JH, Montgomery EA, Baisden BL, Krasinskas AM, Wu TT (2002). Fibromatosis of the breast and mutations involving the APC/beta-catenin pathway. *Hum Pathol* 33: 39-46.
10. Abraham SC, Wu TT (2001). Nasopharyngeal angiofibroma. *Hum Pathol* 32: 455.
11. Abraham Z, Rozenbaum M, Rosner J, Naschitz Y, Boss Y, Rosenmann E (1997). Nuchal fibroma. *J Dermatol* 24: 262-265.
12. Abramson DH, Ellsworth RM, Kitchin FD, Tung G (1984). Second nonocular tumors in retinoblastoma survivors. Are they radiation-induced? *Ophthalmology* 91: 1351-1355.
13. Ackerman LV (1958). Extra-osseous localized non-neoplastic bone and cartilage formation (so-called myositis ossificans). *J Bone Joint Surg* 40A: 279-298.
14. Adamicova K, Fetisovova Z, Mellova Y, Statelova D, Hutka Z (1998). [Microstructure of subcutaneous lesions in juvenile hyaline fibromatosis]. *Cesk Patol* 34: 99-104.
15. Addison AK, Payne SR (1982). Primary liposarcoma of bone. Case report. *J Bone Joint Surg Am* 64: 301-304.
16. Adem C, Gisselsson D, Dal Cin P, Nascimento AG (2001). ETV6 rearrangements in patients with infantile fibrosarcomas and congenital mesoblastic nephromas by fluorescence in situ hybridization. *Mod Pathol* 14: 1246-1251.
17. Adickes ED, Goodrich P, Auchmoedy J, Bickers G, Bowden B, Koh J, Nelson RM, Shuman RM, Wilson RB (1985). Central nervous system involvement in congenital visceral fibromatosis. *Pediatr Pathol* 3: 329-340.
18. Adler CP (2000). Hemangioma of the Bone. In: *Bone Diseases*. Springer: Berlin, pp. 370-375.
19. Ahn C, Harvey JC (1990). Mediastinal hibernoma, a rare tumor. *Ann Thorac Surg* 50: 828-830.
20. Ahn J, Lüdecke HJ, Lindow S, Horton WA, Lee B, Wagner MJ, Horsthemke B, Wells DE (1995). Cloning of the putative tumour suppressor gene for hereditary multiple exostoses (EXT1). *Nat Genet* 11: 137-143.
21. Aiba M, Hirayama A, Kuramochi S (1988). Glomangiosarcoma in a glomus tumor. An immunohistochemical and ultrastructural study. *Cancer* 61: 1467-1471.
22. Aigner T, Dertinger S, Vornehm SI, Dudhia J, von der Mark K, Kirchner T (1997). Phenotypic diversity of neoplastic chondrocytes and extracellular matrix gene expression in cartilaginous neoplasms. *Am J Pathol* 150: 2133-2141.
23. Aigner T, Unni KK (1999). Is dedifferentiated chondrosarcoma a 'de-differentiated' chondrosarcoma? *J Pathol* 189: 445-447.
24. Aisen AM, Martel W, Braunstein EM, McMillin KI, Phillips WA, Kling TF (1986). MRI and CT evaluation of primary bone and soft-tissue tumors. *AJR Am J Roentgenol* 146: 749-756.
25. Akbarnia BA, Wirth CR, Colman N (1976). Fibrosarcoma arising from chronic osteomyelitis. Case report and review of the literature. *J Bone Joint Surg Am* 58: 123-125.
26. Alam M, Morehead RS, Weinstein MH (2000). Dermatomyositis as a presentation of pulmonary inflammatory pseudotumor (Myofibroblastic tumor). *Chest* 117: 1793-1795.
27. Alawi F, Stratton D, Freedman PD (2001). Solitary fibrous tumor of the oral soft tissues: a clinicopathologic and immunohistochemical study of 16 cases. *Am J Surg Pathol* 25: 900-910.
28. Albert DM, Lahav M, Lesser R, Craft J (1974). Recent observations regarding retinoblastoma. I. Ultrastructure, tissue culture growth, incidence, and animal models. *Trans Ophthalmol Soc U K* 94: 909-928.
29. Albert DM, McGhee CN, Seddon JM, Weichselbaum RR (1984). Development of additional primary tumors after 62 years in the first patient with retinoblastoma cured by radiation therapy. *Am J Ophthalmol* 97: 189-196.
30. Albores-Saavedra J, Manivel JC, Essendorf H, Dehner LP, Drut R, Gould E, Rosai J (1990). Pseudosarcomatous myofibroblastic proliferations in the urinary bladder of children. *Cancer* 66: 1234-1241.
31. Albright F, Butler AM, Hampton AO, Smith P (1937). Syndrome characterized by osteitis fibrosa disseminata, areas of pigmentation and endocrine dysfunction, with precocious puberty in females: report of five cases. *N Engl J Med* 216: 727-746.
32. Albright F, Reifenstein EC, Jr. (1948). *The Parathyroid Glands and Metabolic Bone Disease: Selected Studies*. Williams and Wilkins: Baltimore.
33. Albright F, Scoville B, Sulkowitch HW (1938). Syndrome characterized by osteitis fibrosa disseminata, areas of pigmentation, and a gonadal dysfunction: further observations including the report of two more cases. *Endocrinology* 22: 411-421.
34. Alders M, Ryan A, Hodges M, Blik J, Feinberg AP, Privitera O, Westerveld A, Little PF, Mannens M (2000). Disruption of a novel imprinted zinc-finger gene, ZNF215, in Beckwith-Wiedemann syndrome. *Am J Hum Genet* 66: 1473-1484.
35. Alguacil-Garcia A, Unni KK, Goellner JR (1978). Giant cell tumor of tendon sheath and pigmented villonodular synovitis: an ultrastructural study. *Am J Clin Pathol* 69: 6-17.
36. Alho A, Skjeldal S, Pettersen EO, Melvik JE, Larsen TE (1994). Aneuploidy in benign tumors and nonneoplastic lesions of musculoskeletal tissues. *Cancer* 73: 1200-1205.
37. Ali SZ, Smilari TF, Teichberg S, Hajdu SI (1995). Pleomorphic rhabdomyosarcoma of the heart metastatic to bone. Report of a case with fine needle aspiration biopsy findings. *Acta Cytol* 39: 555-558.
38. Allderice PW, Davis JG, Miller OJ, Klinger HP, Warburton D, Miller DA, Allen FH, Jr., Abrams CA, McGilvray E (1969). The 13q-deletion syndrome. *Am J Hum Genet* 21: 499-512.
39. Allen PW (1972). Nodular fasciitis. *Pathology* 4: 9-26.
40. Allen PW (1977). The fibromatoses: a clinicopathologic classification based on 140 cases. *Am J Surg Pathol* 1: 255-270.
41. Allen PW (2000). Myxoma is not a single entity: a review of the concept of myxoma. *Ann Diagn Pathol* 4: 99-123.
42. Allen PW (2001). Nuchal-type fibroma appearance in a desmoid fibromatosis. *Am J Surg Pathol* 25: 828-829.
43. Allen PW, Enzinger FM (1970). Juvenile aponeurotic fibroma. *Cancer* 26: 857-867.
44. Allen PW, Enzinger FM (1972). Hemangioma of skeletal muscle. An analysis of 89 cases. *Cancer* 29: 8-22.
45. Allen RA, Woolner LB, Ghormley RK (1955). Soft tissue tumors of the sole: with special reference to plantar fibromatosis. *J Bone Joint Surg Am* 37: 14.
46. Alman BA, Li C, Pajerski ME, Diaz-Cano S, Wolfe HJ (1997). Increased beta-catenin protein and somatic APC mutations in sporadic aggressive fibromatoses (desmoid tumors). *Am J Pathol* 151: 329-334.
47. Alqahtani A, Nguyen LT, Flageole H, Shaw K, Laberge JM (1999). 25 years' experience with lymphangiomas in children. *J Pediatr Surg* 34: 1164-1168.
48. Altemani AM, Amstalden EI, Martins FJ (1985). Congenital generalized fibromatosis causing spinal cord compression. *Hum Pathol* 16: 1063-1065.
49. Aluisio FV, Mair SD, Hall RL (1996). Plantar fibromatosis: treatment of primary and recurrent lesions and factors associated with recurrence. *Foot Ankle Int* 17: 672-678.
50. Alvegård TA, Berg NO, Baldetorp B, Fernö M, Killander D, Ranstam J, Rydholm A, Åkerman M (1990). Cellular DNA content

- and prognosis of high-grade soft tissue sarcoma: the Scandinavian Sarcoma Group experience. *J Clin Oncol* 8: 538-547.
51. Alvegård TA, Sigurdsson H, Mouridsen H, Solheim O, Unsgaard B, Ringborg U, Dahl O, Nordentoft AM, Blomqvist C, Rydholm A, . (1989). Adjuvant chemotherapy with doxorubicin in high-grade soft tissue sarcoma: a randomized trial of the Scandinavian Sarcoma Group. *J Clin Oncol* 7: 1504-1513.
52. Ambacher T, Maurer F, Weise K (1999). [Spontaneous healing of a juvenile bone cyst of the tibia after pathological fracture]. *Unfallchirurg* 102: 972-974.
53. Amir G, Mogle P, Sucher E (1992). Case report 729. Myositis ossificans and aneurysmal bone cyst. *Skeletal Radiol* 21: 257-259.
54. Anagnostou GD, Papademetriou DG, Toumazani MN (1973). Subcutaneous glomus tumors. *Surg Gynecol Obstet* 136: 945-950.
55. Anderson MW, Temple HT, Dussault RG, Kaplan PA (1999). Compartmental anatomy: relevance to staging and biopsy of musculoskeletal tumors. *AJR Am J Roentgenol* 173: 1663-1671.
56. Anderson RL, Jr., Popowitz L, Li JK (1969). An unusual sarcoma arising in a solitary osteochondroma. *J Bone Joint Surg Am* 51: 1199-1204.
57. Ando K, Goto Y, Hirabayashi N, Matsumoto Y, Ohashi M (1995). Cutaneous cartilaginous tumor. *Dermatol Surg* 21: 339-341.
58. Andreassen A, Oyjord T, Hovig E, Holm R, Florenes VA, Nesland JM, Myklebost O, Hoie J, Bruland OS, Borresen AL, . (1993). p53 abnormalities in different subtypes of human sarcomas. *Cancer Res* 53: 468-471.
59. Andriko JW, Kaldjian EP, Tsokos M, Abbondanzo SL, Jaffe ES (1998). Reticulum cell neoplasms of lymph nodes: a clinicopathologic study of 11 cases with recognition of a new subtype derived from fibroblastic reticular cells. *Am J Surg Pathol* 22: 1048-1058.
60. Angervall L, Dahl I, Kindblom LG, Save S (1976). Spindle cell lipoma. *Acta Pathol Microbiol Scand [A]* 84: 477-487.
61. Angervall L, Hagmar B, Kindblom LG, Merck C (1981). Malignant giant cell tumor of soft tissues: a clinicopathologic, cytologic, ultrastructural, angiographic, and microangiographic study. *Cancer* 47: 736-747.
62. Angervall L, Kindblom LG, Lindholm K, Eriksson S (1992). Plexiform fibrohistiocytic tumor. Report of a case involving preoperative aspiration cytology and immunohistochemical and ultrastructural analysis of surgical specimens. *Pathol Res Pract* 188: 350-356.
63. Angervall L, Nielsen JM, Stener B, Svendsen P (1979). Concomitant arteriovenous vascular malformation in skeletal muscle: a clinical, angiographic and histologic study. *Cancer* 44: 232-238.
64. Antman K, Ryan L, Borden E (1990). *Pooled results from three randomized adjuvant studies of doxorubicin versus observation in soft tissue sarcoma : 10-year results and review of the literature.* WB Saunders Company: Philadelphia.
65. Antonescu CR, Argani P, Erlandson RA, Healey JH, Ladanyi M, Huvos AG (1998). Skeletal and extraskelatal myxoid chondrosarcoma: a comparative clinicopathologic, ultrastructural, and molecular study. *Cancer* 83: 1504-1521.
66. Antonescu CR, Elahi A, Healey JH, Brennan MF, Lui MY, Lewis J, Jhanwar SC, Woodruff JM, Ladanyi M (2000). Monoclonality of multifocal myxoid liposarcoma: confirmation by analysis of TLS-CHOP or EWS-CHOP rearrangements. *Clin Cancer Res* 6: 2788-2793.
67. Antonescu CR, Elahi A, Humphrey M, Lui MY, Healey JH, Brennan MF, Woodruff JM, Jhanwar SC, Ladanyi M (2000). Specificity of TLS-CHOP rearrangement for classic myxoid/round cell liposarcoma: absence in predominantly myxoid well-differentiated liposarcomas. *J Mol Diagn* 2: 132-138.
68. Antonescu CR, Erlandson RA, Huvos AG (1997). Primary leiomyosarcoma of bone: a clinicopathologic, immunohistochemical, and ultrastructural study of 33 patients and a literature review. *Am J Surg Pathol* 21: 1281-1294.
69. Antonescu CR, Erlandson RA, Huvos AG (2000). Primary fibrosarcoma and malignant fibrous histiocytoma of bone – a comparative ultrastructural study: evidence of a spectrum of fibroblastic differentiation. *Ultrastruct Pathol* 24: 83-91.
70. Antonescu CR, Gerald WL, Magid MS, Ladanyi M (1998). Molecular variants of the EWS-WT1 gene fusion in desmoplastic small round cell tumor. *Diagn Mol Pathol* 7: 24-28.
71. Antonescu CR, Kawai A, Leung DH, Lonardo F, Woodruff JM, Healey JH, Ladanyi M (2000). Strong association of SYT-SSX fusion type and morphologic epithelial differentiation in synovial sarcoma. *Diagn Mol Pathol* 9: 1-8.
72. Antonescu CR, Rosenblum MK, Pereira P, Nascimento AG, Woodruff JM (2001). Sclerosing epithelioid fibrosarcoma: a study of 16 cases and confirmation of a clinicopathologically distinct tumor. *Am J Surg Pathol* 25: 699-709.
73. Antonescu CR, Tschernyavsky SJ, Decuseara R, Leung DH, Woodruff JM, Brennan MF, Bridge JA, Neff JR, Goldblum JR, Ladanyi M (2001). Prognostic impact of P53 status, TLS-CHOP fusion transcript structure, and histological grade in myxoid liposarcoma: a molecular and clinicopathologic study of 82 cases. *Clin Cancer Res* 7: 3977-3987.
74. Antonescu CR, Tschernyavsky SJ, Woodruff JM, Jungbluth AA, Brennan MF, Ladanyi M (2002). Molecular diagnosis of clear cell sarcoma: detection of EWS-ATF1 and MITF-M transcripts and histopathological and ultrastructural analysis of 12 cases. *J Mol Diagn* 4: 44-52.
75. Araki N, Uchida A, Kimura T, Yoshikawa H, Aoki Y, Ueda T, Takai S, Miki T, Ono K (1991). Involvement of the retinoblastoma gene in primary osteosarcomas and other bone and soft-tissue tumors. *Clin Orthop* 271-277.
76. Arden RL, Bahu SJ, Lucas DR (1997). Mandibular aneurysmal bone cyst associated with fibrous dysplasia. *Otolaryngol Head Neck Surg* 117: S153-S156.
77. Argani P, Antonescu CR, Illei PB, Lui MY, Timmons CF, Newbury R, Reuter VE, Garvin AJ, Perez-Atayde AR, Fletcher JA, Beckwith JB, Bridge JA, Ladanyi M (2001). Primary renal neoplasms with the ASPL-TFE3 gene fusion of alveolar soft part sarcoma: a distinctive tumor entity previously included among renal cell carcinomas of children and adolescents. *Am J Pathol* 159: 179-192.
78. Argani P, Facchetti F, Inghirami G, Rosai J (1997). Lymphocyte-rich well-differentiated liposarcoma: report of nine cases. *Am J Surg Pathol* 21: 884-895.
79. Argani P, Faria PA, Epstein JI, Reuter VE, Perlman EJ, Beckwith JB, Ladanyi M (2000). Primary renal synovial sarcoma: molecular and morphologic delineation of an entity previously included among embryonal sarcomas of the kidney. *Am J Surg Pathol* 24: 1087-1096.
80. Argani P, Fritsch MK, Shuster AE, Perlman EJ, Coffin CM (2001). Reduced sensitivity of paraffin-based RT-PCR assays for ETV6-NTRK3 fusion transcripts in morphologically defined infantile fibrosarcoma. *Am J Surg Pathol* 25: 1461-1464.
81. Argenyi ZB, Van Rybroek JJ, Kemp JD, Soper RT (1988). Congenital angiomatoid malignant fibrous histiocytoma. A light-microscopic, immunopathologic, and electron-microscopic study. *Am J Dermatopathol* 10: 59-67.
82. Argyle JC, Tomlinson GE, Stewart D, Schneider NR (1992). Ultrastructural, immunocytochemical, and cytogenetic characterization of a large congenital fibrosarcoma. *Arch Pathol Lab Med* 116: 972-975.
83. Armour A, Williamson JM (1993). Ectopic cervical hamartomatous thymoma showing extensive myoid differentiation. *J Laryngol Otol* 107: 155-158.
84. Armstrong SJ, Duncan AW, Mott MG (1991). Rhabdomyosarcoma associated with familial adenomatous polyposis. *Pediatr Radiol* 21: 445-446.
85. Arnold WH (1973). Hereditary bone dysplasia with sarcomatous degeneration. Study of a family. *Ann Intern Med* 78: 902-906.
86. Arnould L, Jouannelle C, Mege F, Maillefert F, Fargeot P, Devillebichot C, Collin F (2000). [Sclerosing epithelioid fibrosarcoma: a fibrosarcoma with a very long course]. *Ann Pathol* 20: 154-157.
87. Arthaud JB (1972). Pigmented nodular synovitis: report of 11 lesions in non-articular locations. *Am J Clin Pathol* 58: 511-517.
88. Arvand A, Bastians H, Welford SM, Thompson AD, Ruderman JV, Denny CT (1998). EWS/FLI1 up regulates mE2-C, a cyclin-selective ubiquitin conjugating enzyme involved in cyclin B destruction. *Oncogene* 17: 2039-2045.
89. Arvand A, Denny CT (2001). Biology of EWS/ETS fusions in Ewing's family tumors. *Oncogene* 20: 5747-5754.
90. Ashar HR, Schoenberg Fejzo M, Tkachenko A, Zhou X, Fletcher JA, Weremowicz S, Morton CC, Chada K (1995). Disruption of the architectural factor HMGI-C: DNA-binding AT hook motifs fused in lipomas to distinct transcriptional regulatory domains. *Cell* 82: 57-65.
91. Asp J, Sangiorgi L, Inerot SE, Lindahl A, Molendini L, Benassi MS, Picci P (2000). Changes of the p16 gene but not the p53 gene in human chondrosarcoma tissues. *Int J Cancer* 85: 782-786.
92. Aspberg F, Mertens F, Bauer HC, Lindholm J, Mitelman F, Mandahl N (1995). Near-haploidy in two malignant fibrous histiocytomas. *Cancer Genet Cytogenet* 79: 119-122.
93. Assoun J, Richardi G, Railhac JJ, Baunin C, Fajadet P, Giron J, Maquin P, Haddad J, Bonneville P (1994). Osteoid osteoma: MR imaging versus CT. *Radiology* 191: 217-223.
94. Athale UH, Shurtleff SA, Jenkins JJ, Poquette CA, Tan M, Downing JR, Pappo AS (2001). Use of reverse transcriptase polymerase chain reaction for diagnosis and staging of alveolar rhabdomyosarcoma, Ewing sarcoma family of tumors, and desmoplastic small round cell tumor. *Am J Pediatr Hematol Oncol* 23: 99-104.
95. Auerbach HE, Brooks JJ (1987). Alveolar soft part sarcoma. A clinicopathologic and immunohistochemical study. *Cancer* 60: 66-73.
96. Aurias A, Rimbaut C, Buffe D, Dubouset J, Mazabraud A (1983). Chromosomal translocations in Ewing's sarcoma. *N Engl J Med* 309: 496-497.
97. Ayala AG, Ro JY, Bolio-Solis A, Hernandez-Batres F, Eftekhari F, Edeiken J (1993). Mesenchymal hamartoma of the chest wall in infants and children: a clinicopathological study of five patients. *Skeletal Radiol* 22: 569-576.
98. Ayala AG, Ro JY, Raymond AK, Jaffe N, Chawla S, Carrasco H, Link M, Jimenez J, Edeiken J, Wallace S, . (1989). Small cell osteosarcoma. A clinicopathologic study of 27 cases. *Cancer* 64: 2162-2173.
99. Aymard B, Boman-Ferrand F, Vernhes L, Floquet A, Floquet J, Morel O, Merle M, Delagoutte JP (1987). [Fibrolipomatous hamartoma of the peripheral nerves. Anatomico-clinical study of 5 cases, including 2 with ultrastructural study]. *Ann Pathol* 7: 320-324.
100. Azouz EM (1995). Benign fibrous histiocytoma of the proximal tibial epiphysis in a 12-year-old girl. *Skeletal Radiol* 24: 375-378.

- 101.** Azumi N, Curtis J, Kempson RL, Hendrickson MR (1987). Atypical and malignant neoplasms showing lipomatous differentiation. A study of 111 cases. *Am J Surg Pathol* 11: 161-183.
- 102.** Azzopardi JG, Iocco J, Salm R (1983). Pleomorphic lipoma: a tumour simulating liposarcoma. *Histopathology* 7: 511-523.
- 103.** Azzopardi JG, Tanda F, Salm R (1983). Tenosynovial fibroma. *Diagn Histopathol* 6: 69-76.
- 104.** Åman P, Ron D, Mandahl N, Fioretos T, Heim S, Arheden K, Willén H, Rydholm A, Mitelman F (1992). Rearrangement of the transcription factor gene CHOP in myxoid liposarcomas with t(12;16)(q13;p11). *Genes Chromosomes Cancer* 5: 278-285.
- 105.** Åström A, d'Amore ES, Sainati L, Panarello C, Morerio C, Mark J, Stenman G (2000). Evidence of involvement of the PLAG1 gene in lipoblastomas. *Int J Oncol* 16: 1107-1110.
- 106.** Bacci G, Ferrari S, Ruggieri P, Biagini R, Fabbri N, Campanacci L, Bacchini P, Longhi A, Forni C, Bertoni F (2001). Telangiectatic osteosarcoma of the extremity: neoadjuvant chemotherapy in 24 cases. *Acta Orthop Scand* 72: 167-172.
- 107.** Bacci G, Picci P, Ferrari S, Ruggieri P, Casadei R, Tienghi A, Brach dP, Gherlizoni F, Mercuri M, Monti C (1993). Primary chemotherapy and delayed surgery for nonmetastatic osteosarcoma of the extremities. Results in 164 patients preoperatively treated with high doses of methotrexate followed by cisplatin and doxorubicin. *Cancer* 72: 3227-3238.
- 108.** Bae DK, Park YK, Chi SG, Lee CW, Unni KK (2000). Mutational alterations of the p16CDKN2A tumor suppressor gene have low incidence in mesenchymal chondrosarcoma. *Oncol Res* 12: 5-10.
- 109.** Bahk WJ, Mirra JM, Sohn KR, Shin DS (1998). Pseudoanaplastic chondromyxoid fibroma. *Ann Diagn Pathol* 2: 241-246.
- 110.** Bailey JS, Nikitakis NG, Lopes M, Ord RA (2001). Nonossifying fibroma of the mandible in a 6-year-old girl: a case report and review of the literature. *J Oral Maxillofac Surg* 59: 815-818.
- 111.** Bailly RA, Bosselut R, Zucman J, Cormier F, Delattre O, Roussel M, Thomas G, Ghysdael J (1994). DNA-binding and transcriptional activation properties of the EWS-FLI-1 fusion protein resulting from the t(11;22) translocation in Ewing sarcoma. *Mol Cell Biol* 14: 3230-3241.
- 112.** Baker PL, Dockerty MB, Coventry MB (1954). Adamantinoma (so-called) of the long bones. Review of the literature and a report of three new cases. *J Bone Joint Surg Am* 36A: 704-720.
- 113.** Balachandran K, Allen PW, MacCormac LB (1995). Nuchal fibroma. A clinicopathological study of nine cases. *Am J Surg Pathol* 19: 313-317.
- 114.** Baldassano MF, Rosenberg AE, Flotte TJ (1998). Atypical decubital fibroplasia: a series of three cases. *J Cutan Pathol* 25: 149-152.
- 115.** Baldini EH, Goldberg J, Jenner C, Manola JB, Demetri GD, Fletcher CD, Singer S (1999). Long-term outcomes after function-sparing surgery without radiotherapy for soft tissue sarcoma of the extremities and trunk. *J Clin Oncol* 17: 3252-3259.
- 116.** Ballance WA, Jr., Mendelsohn G, Carter JR, Abdul-Karim FW, Jacobs G, Makley JT (1988). Osteogenic sarcoma. Malignant fibrous histiocytoma subtype. *Cancer* 62: 763-771.
- 117.** Balsaver AM, Butler JJ, Martin RG (1967). Congenital fibrosarcoma. *Cancer* 20: 1607-1616.
- 118.** Bancroft LW, Berquist TH (1998). Erdheim-Chester disease: radiographic findings in five patients. *Skeletal Radiol* 27: 127-132.
- 119.** Bane BL, Evans HL, Ro JY, Carrasco CH, Grignon DJ, Benjamin RS, Ayala AG (1990). Extraskelletal osteosarcoma. A clinicopathologic review of 26 cases. *Cancer* 65: 2762-2770.
- 120.** Bansal M, Goldman AB, DiCarlo EF, McCormack R (1993). Soft tissue chondromas: diagnosis and differential diagnosis. *Skeletal Radiol* 22: 309-315.
- 121.** Barcelo M, Pathria MN, Abdul-Karim FW (1992). Intraosseous lipoma. A clinicopathologic study of four cases. *Arch Pathol Lab Med* 116: 947-950.
- 122.** Bardwick PA, Zvaifler NJ, Gill GN, Newman D, Greenway GD, Resnick DL (1980). Plasma cell dyscrasia with polyneuropathy, organomegaly, endocrinopathy, M protein, and skin changes: the POEMS syndrome. Report on two cases and a review of the literature. *Medicine (Baltimore)* 59: 311-322.
- 123.** Barlogie B, Epstein J, Selvanayagam P, Alexanian R (1989). Plasma cell myeloma - new biological insights and advances in therapy. *Blood* 73: 865-879.
- 124.** Barnoud R, Sabourin JC, Pasquier D, Ranchiere D, Bailly C, Terrier-Lacombe MJ, Pasquier B (2000). Immunohistochemical expression of WT1 by desmoplastic small round cell tumor: a comparative study with other small round cell tumors. *Am J Surg Pathol* 24: 830-836.
- 125.** Barr FG (1997). Molecular genetics and pathogenesis of rhabdomyosarcoma. *J Pediatr Hematol Oncol* 19: 483-491.
- 126.** Barr FG, Chatten J, D'Crum CM, Wilson AE, Nauta LE, Nycum LM, Biegel JA, Womer RB (1995). Molecular assays for chromosomal translocations in the diagnosis of pediatric soft tissue sarcomas. *JAMA* 273: 553-557.
- 127.** Barr FG, Galili N, Holick J, Biegel JA, Rovera G, Emanuel BS (1993). Rearrangement of the PAX3 paired box gene in the paediatric solid tumour alveolar rhabdomyosarcoma. *Nat Genet* 3: 113-117.
- 128.** Barr FG, Nauta LE, Davis RJ, Schafer BW, Nycum LM, Biegel JA (1996). In vivo amplification of the PAX3-FKHR and PAX7-FKHR fusion genes in alveolar rhabdomyosarcoma. *Hum Mol Genet* 5: 15-21.
- 129.** Barr FG, Qualman SJ, Macris MH, Melnyk N, Lawlor ER, Strzelecki DM, Triche TJ, Bridge JA, Sorensen PH (2002). Genetic heterogeneity in the alveolar rhabdomyosarcoma subset without typical gene fusions. *Cancer Res* 62: 4704-4710.
- 130.** Barrios C, Castresana JS, Ruiz J, Kreicbergs A (1993). Amplification of c-myc oncogene and absence of c-Ha-ras point mutation in human bone sarcoma. *J Orthop Res* 11: 556-563.
- 131.** Barros Filho TE, Oliveira RP, Taricco MA, Gonzalez CH (1995). Hereditary multiple exostoses and cervical ventral protuberance causing dysphagia. A case report. *Spine* 20: 1640-1642.
- 132.** Barry HC (1969). *Paget's Disease of Bone*. Livingstone: Edinburgh.
- 133.** Bartl R, Frisch B, Burkhardt R, Fateh-Moghadam A, Mahl G, Gierster P, Sund M, Kettner G (1982). Bone marrow histology in myeloma: its importance in diagnosis, prognosis, classification and staging. *Br J Haematol* 51: 361-375.
- 134.** Bartsch O, Wuyts W, Van Hul W, Hecht JT, Meinecke P, Hogue D, Werner W, Zabel B, Hinkel GK, Powell CM, Shaffer LG, Willems PJ (1996). Delineation of a contiguous gene syndrome with multiple exostoses, enlarged parietal foramina, craniofacial dysostosis, and mental retardation, caused by deletions in the short arm of chromosome 11. *Am J Hum Genet* 58: 734-742.
- 135.** Baruffi MR, Neto JB, Barbieri CH, Casartelli C (2001). Aneurysmal bone cyst with chromosomal changes involving 7q and 16p. *Cancer Genet Cytogenet* 129: 177-180.
- 136.** Baruffi MR, Volpon JB, Neto JB, Casartelli C (2001). Osteoid osteomas with chromosome alterations involving 22q. *Cancer Genet Cytogenet* 124: 127-131.
- 137.** Bataille R (1982). Localized Plasmacytomas. *Clin Haematol* 11: 113-122.
- 138.** Bataille R, Sany J (1981). Solitary myeloma: clinical and prognostic features of a review of 114 cases. *Cancer* 48: 845-851.
- 139.** Bathurst N, Sanerkin N, Watt I (1986). Osteoclast-rich osteosarcoma. *Br J Radiol* 59: 667-673.
- 140.** Batson OV (1940). The function of the vertebral veins and their role in the spread of metastases. *Ann Surg* 112: 138-149.
- 141.** Batstone P, Forsyth L, Goodlad J (2001). Clonal chromosome aberrations secondary to chromosome instability in an elastofibroma. *Cancer Genet Cytogenet* 128: 46-47.
- 142.** Battifora HA, Eisenstein R, Schild JA (1969). Rhabdomyoma of larynx. Ultrastructural study and comparison with granular cell tumors (myoblastomas). *Cancer* 23: 183-190.
- 143.** Bauer HC, Trovik CS, Alvegård TA, Berlin O, Erlanson M, Gustafson P, Klepp R, Moller TR, Rydholm A, Saeter G, Wahlström O, Wiklund T (2001). Monitoring referral and treatment in soft tissue sarcoma: study based on 1,851 patients from the Scandinavian Sarcoma Group Register. *Acta Orthop Scand* 72: 150-159.
- 144.** Bauer TW, Dorfman HD, Latham JT, Jr. (1982). Periosteal chondroma. A clinicopathologic study of 23 cases. *Am J Surg Pathol* 6: 631-637.
- 145.** Bechler JR, Robertson WW, Jr., Meadows AT, Womer RB (1992). Osteosarcoma as a second malignant neoplasm in children. *J Bone Joint Surg Am* 74: 1079-1083.
- 146.** Beck JC, Devaney KO, Weatherly RA, Koopmann CF, Jr., Lesperance MM (1999). Pediatric myofibromatosis of the head and neck. *Arch Otolaryngol Head Neck Surg* 125: 39-44.
- 147.** Beck K, Jensen OA (1961). Bilateral retinoblastoma in Denmark. *Arch Ophthalmol* 39: 561-568.
- 148.** Beckett JH, Jacobs AH (1977). Recurring digital fibrous tumors of childhood: a review. *Pediatrics* 59: 401-406.
- 149.** Beckwith J (1963). Extreme cytomegaly of the adrenal cortex, omphalocele, hyperplasia of kidneys and pancreas, and Leydig-cell hyperplasia: Another syndrome? *West Soc Ped Res (Los Angeles)* Nov 11.
- 150.** Begin LR, Clement PB, Kirk ME, Jothy S, McCaughey WT, Ferenczy A (1985). Aggressive angiomyxoma of pelvic soft parts: a clinicopathologic study of nine cases. *Hum Pathol* 16: 621-628.
- 151.** Beham A, Badve S, Suster S, Fletcher CD (1993). Solitary myofibroma in adults: clinicopathological analysis of a series. *Histopathology* 22: 335-341.
- 152.** Beham A, Fletcher CD (1991). Intramuscular angioma: a clinicopathological analysis of 74 cases. *Histopathology* 18: 53-59.
- 153.** Behrens GM, Stoll M, Schmidt RE (2000). Lipodystrophy syndrome in HIV infection: what is it, what causes it and how can it be managed? *Drug Saf* 23: 57-76.
- 154.** Belec L, Mohamed AS, Authier FJ, Hallouin MC, Soe AM, Cotigny S, Gaulard P, Gherardi RK (1999). Human herpesvirus 8 infection in patients with POEMS syndrome-associated multicentric Castleman's disease. *Blood* 93: 3643-3653.

155. Bell RS, O'Sullivan B, Liu FF, Powell J, Langer F, Fornasier VL, Cummings B, Miceli PN, Hawkins N, Quirt I. (1989). The surgical margin in soft-tissue sarcoma. *J Bone Joint Surg Am* 71: 370-375.
156. Bellaiche Y, The I, Perrimon N (1998). Tout-velu is a Drosophila homologue of the putative tumour suppressor EXT-1 and is needed for Hh diffusion. *Nature* 394: 85-88.
157. Ben Izhak O, Itin L, Feuchtwanger Z, Lifschitz-Mercer B, Czernobilsky B (2001). Calcifying fibrous pseudotumor of mesentery presenting with acute peritonitis: case report with immunohistochemical study and review of literature. *Int J Surg Pathol* 9: 249-253.
158. Bendl BJ, Asano K, Lewis RJ (1977). Nodular angioblastic hyperplasia with eosinophilia and lymphofolliculosis. *Cutis* 19: 327-329.
159. Benisch B, Peison B, Marquet E, Sobel HJ (1983). Pre-elastofibroma and elastofibroma (the continuum of elastic-producing fibrous tumors). A light and ultrastructural study. *Am J Clin Pathol* 80: 88-92.
160. Benjamin RS, Patel SR, Armen T, Carrasco CH, Raymond AK, Ayala A, Chawla SP, Yasko AW, Murray JA (1995). The value of ifosfamide in postoperative neoadjuvant chemotherapy of osteosarcoma. *Am Soc Clin Oncol* 14: 516.
161. Benjamin SP, Mercer RD, Hawk WA (1977). Myofibroblastic contraction in spontaneous regression of multiple congenital mesenchymal hamartomas. *Cancer* 40: 2343-2352.
162. Bennicelli JL, Advani S, Schafer BW, Barr FG (1999). PAX3 and PAX7 exhibit conserved cis-acting transcription repression domains and utilize a common gain of function mechanism in alveolar rhabdomyosarcoma. *Oncogene* 18: 4348-4356.
163. Bennicelli JL, Edwards RH, Barr FG (1996). Mechanism for transcriptional gain of function resulting from chromosomal translocation in alveolar rhabdomyosarcoma. *Proc Natl Acad Sci U S A* 93: 5455-5459.
164. Berger H, Hundeiker M (1967). [Multiple glomus tumors as a phakomatosis]. *Dermatol Wochenschr* 153: 673-678.
165. Berlin O, Angervall L, Kindblom LG, Berlin IC, Stener B (1987). Primary leiomyosarcoma of bone. A clinical, radiographic, pathologic-anatomic, and prognostic study of 16 cases. *Skeletal Radiol* 16: 364-376.
166. Berlin O, Stener B, Kindblom LG, Angervall L (1984). Leiomyosarcomas of venous origin in the extremities. A correlated clinical, roentgenologic, and morphologic study with diagnostic and surgical implications. *Cancer* 54: 2147-2159.
167. Bernado L, Admella C, Lucaya J, Sanchez dT, Bosch J (1987). Infantile fibrosarcoma of femur. *Pediatr Pathol* 7: 201-207.
168. Bernard MA, Hall CE, Hogue DA, Cole WG, Scott A, Snuggs MB, Clines GA, Lüdecke HJ, Lovett M, Van Winkle WB, Hecht JT (2001). Diminished levels of the putative tumor suppressor proteins EXT1 and EXT2 in exostosin chondrocytes. *Cell Motil Cytoskeleton* 48: 149-162.
169. Bernard MA, Hogue DA, Cole WG, Sanford T, Snuggs MB, Montufar-Solis D, Duke PJ, Carson DD, Scott A, Van Winkle WB, Hecht JT (2000). Cytoskeletal abnormalities in chondrocytes with EXT1 and EXT2 mutations. *J Bone Miner Res* 15: 442-450.
170. Bernasconi M, Rempis A, Fredericks WJ, Rauscher FJ, III, Schafer BW (1996). Induction of apoptosis in rhabdomyosarcoma cells through down-regulation of PAX proteins. *Proc Natl Acad Sci U S A* 93: 13164-13169.
171. Berner JM, Forus A, Elkahoun A, Meltzer PS, Fodstad O, Myklebost O (1996). Separate amplified regions encompassing CDK4 and MDM2 in human sarcomas. *Genes Chromosomes Cancer* 17: 254-259.
172. Berner JM, Meza-Zepeda LA, Kools PF, Forus A, Schoenmakers EF, Van de Ven WJ, Fodstad O, Myklebost O (1997). HMGIC, the gene for an architectural transcription factor, is amplified and rearranged in a subset of human sarcomas. *Oncogene* 14: 2935-2941.
173. Bernstein KE, Lattes R (1982). Nodular (pseudosarcomatous) fasciitis, a nonrecurrent lesion: clinicopathologic study of 134 cases. *Cancer* 49: 1668-1678.
174. Berrettoni BA, Carter JR (1986). Mechanisms of cancer metastasis to bone. *J Bone Joint Surg Am* 68: 308-312.
175. Bertario L, Russo A, Sala P, Eболи M, Giarola M, D'amico F, Gismondi V, Varesco L, Pierotti MA, Radice P (2001). Genotype and phenotype factors as determinants of desmoid tumors in patients with familial adenomatous polyposis. *Int J Cancer* 95: 102-107.
176. Berti E, Roncaroli F (1994). Fibrolipomatous hamartoma of a cranial nerve. *Histopathology* 24: 391-392.
177. Bertoni F, Bacchini P, Capanna R, Ruggieri P, Biagini R, Ferruzzi A, Bettelli G, Picci P, Campanacci M (1993). Solid variant of aneurysmal bone cyst. *Cancer* 71: 729-734.
178. Bertoni F, Bacchini P, Fabbri N, Mercuri M, Picci P, Ruggieri P, Campanacci M (1993). Osteosarcoma. Low-grade intraosseous-type osteosarcoma, histologically resembling parosteal osteosarcoma, fibrous dysplasia, and desmoplastic fibroma. *Cancer* 71: 338-345.
179. Bertoni F, Boriani S, Laus M, Campanacci M (1982). Periosteal chondrosarcoma and periosteal osteosarcoma. Two distinct entities. *J Bone Joint Surg Br* 64: 370-376.
180. Bertoni F, Calderoni P, Bacchini P, Sudanese A, Baldini N, Present D, Campanacci M (1986). Benign fibrous histiocytoma of bone. *J Bone Joint Surg Am* 68: 1225-1230.
181. Bertoni F, Capanna R, Calderoni P, Patrizia B, Campanacci M (1984). Primary central (medullary) fibrosarcoma of bone. *Semin Diagn Pathol* 1: 185-198.
182. Bertoni F, Picci P, Bacchini P, Capanna R, Innao V, Bacci G, Campanacci M (1983). Mesenchymal chondrosarcoma of bone and soft tissues. *Cancer* 52: 533-541.
183. Bertoni F, Present D, Bacchini P, Picci P, Pignatti G, Gherlinzoni F, Campanacci M (1989). Dedifferentiated peripheral chondrosarcomas. A report of seven cases. *Cancer* 63: 2054-2059.
184. Bertoni F, Present D, Bacchini P, Pignatti G, Picci P, Campanacci M (1989). The Istituto Rizzoli experience with small cell osteosarcoma. *Cancer* 64: 2591-2599.
185. Bertoni F, Present D, Hudson T, Enneking WF (1985). The meaning of radiolucencies in parosteal osteosarcoma. *J Bone Joint Surg Am* 67: 901-910.
186. Bertoni F, Unni KK, Beabout JW, Harner SG, Dahlin DC (1987). Chondroblastoma of the skull and facial bones. *Am J Clin Pathol* 88: 1-9.
187. Bertoni F, Unni KK, Beabout JW, Sim FH (1997). Malignant giant cell tumor of the tendon sheaths and joints (malignant pigmented villonodular synovitis). *Am J Surg Pathol* 21: 153-163.
188. Bessler W, Eich G, Stuckmann G, Zollkofer C (1997). Kissing osteochondromata leading to synostoses. *Eur Radiol* 7: 480-485.
189. Bibbo C, Warren AM (1994). Fibrolipomatous hamartoma of nerve. *J Foot Ankle Surg* 33: 64-71.
190. Biegel JA, Conard K, Brooks JJ (1993). Translocation (11;22)(p13;q12): primary change in intra-abdominal desmoplastic small round cell tumor. *Genes Chromosomes Cancer* 7: 119-121.
191. Biegel JA, Womer RB, Emanuel BS (1989). Complex karyotypes in a series of pediatric osteosarcomas. *Cancer Genet Cytogenet* 38: 89-100.
192. Biegel JA, Zhou JY, Rorke LB, Stenstrom C, Wainwright LM, Fogelgren B (1999). Germ-line and acquired mutations of INI1 in atypical teratoid and rhabdoid tumors. *Cancer Res* 59: 74-79.
193. Bielack SS, Schroeders A, Fuchs N, Bacci G, Bauer HC, Mapeli S, Tomeno B, Winkler K (1999). Malignant fibrous histiocytoma of bone: a retrospective EMSOS study of 125 cases. European Musculo-Skeletal Oncology Society. *Acta Orthop Scand* 70: 353-360.
194. Biggar RJ (2001). AIDS-related cancers in the era of highly active antiretroviral therapy. *Oncology (Huntingt)* 15: 439-448.
195. Billig R, Baker R, Immergut M, Maxted W (1975). Peyronie's disease. *Urology* 6: 409-418.
196. Billings SD, Folpe AL, Weiss SW (2001). Do leiomyomas of deep soft tissue exist? An analysis of highly differentiated smooth muscle tumors of deep soft tissue supporting two distinct subtypes. *Am J Surg Pathol* 25: 1134-1142.
197. Billings SD, Meisner LF, Cummings OW, Tejada E (2000). Synovial sarcoma of the upper digestive tract: a report of two cases with demonstration of the X;18 translocation by fluorescence in situ hybridization. *Mod Pathol* 13: 68-76.
198. Binder H, Eng GD, Gaiser JF, Koch B (1987). Congenital muscular torticollis: results of conservative management with long-term follow-up in 85 cases. *Arch Phys Med Rehabil* 68: 222-225.
199. Birdsall SH, Shipley JM, Summersgill BM, Black AJ, Jackson P, Kissin MW, Gusterson BA (1995). Cytogenetic findings in a case of nodular fasciitis of the breast. *Cancer Genet Cytogenet* 81: 166-168.
200. Biscaglia R, Bacchini P, Bertoni F (2000). Giant cell tumor of the bones of the hand and foot. *Cancer* 88: 2022-2032.
201. Bisceglia M, Magro G (1999). Low-grade myofibroblastic sarcoma of the salivary gland. *Am J Surg Pathol* 23: 1435-1436.
202. Biselli R, Boldrini R, Ferlini C, Bogliolo C, Inserra A, Bosman C (1999). Myofibroblastic tumours: neoplasias with divergent behaviour. Ultrastructural and flow cytometric analysis. *Pathol Res Pract* 195: 619-632.
203. Biselli R, Ferlini C, Fattorossi A, Boldrini R, Bosman C (1996). Inflammatory myofibroblastic tumor (inflammatory pseudotumor): DNA flow cytometric analysis of nine pediatric cases. *Cancer* 77: 778-784.
204. Bisgaard ML, Fenger K, Bulow S, Niebuhr E, Mohr J (1994). Familial adenomatous polyposis (FAP): frequency, penetrance, and mutation rate. *Hum Mutat* 3: 121-125.
205. Bjerkehaugen B, Dietrich C, Reed W, Micci F, Saeter G, Berner A, Nesland JM, Heim S (1999). Extraskelletal myxoid chondrosarcoma: multimodal diagnosis and identification of a new cytogenetic subgroup characterized by t(9;17)(q22;q11). *Virchows Arch* 435: 524-530.
206. Bjerregaard P, Hagen K, Daugaard S, Kofoed H (1989). Intramuscular lipoma of the lower limb. Long-term follow-up after local resection. *J Bone Joint Surg Br* 71: 812-815.
207. Bjornsson J, Inwards CY, Wold LE, Sim FH, Taylor WF (1993). Prognostic significance of spontaneous tumour necrosis in osteosarcoma. *Virchows Arch A Pathol Anat Histopathol* 423: 195-199.
208. Bjornsson J, McLeod RA, Unni KK, Ilstrup DM, Pritchard DJ (1998). Primary chondrosarcoma of long bones and limb girdles. *Cancer* 83: 2105-2119.

209. Björnsson J, Unni KK, Dahlin DC, Beabout JW, Sim FH (1984). Clear cell chondrosarcoma of bone. Observations in 47 cases. *Am J Surg Pathol* 8: 223-230.
210. Björnsson J, Wold LE, Ebersold MJ, Laws ER (1993). Chordoma of the mobile spine. A clinicopathologic analysis of 40 patients. *Cancer* 71: 735-740.
211. Black B, Dooley J, Pyper A, Reed M (1993). Multiple hereditary exostoses. An epidemiologic study of an isolated community in Manitoba. *Clin Orthop* 212-217.
212. Blanco P, Schaeferbeke T, Baillet L, Lequen L, Bannwarth B, Dehais J (1999). Chondrosarcoma in a patient with McCune-Albright syndrome. Report of a case. *Rev Rhum Engl Ed* 66: 177-179.
213. Bleiweiss IJ, Klein MJ (1990). Chondromyxoid fibroma: report of six cases with immunohistochemical studies. *Mod Pathol* 3: 664-666.
214. Blocker S, Koenig J, Ternberg J (1987). Congenital fibrosarcoma. *J Pediatr Surg* 22: 665-670.
215. Bloem JL, Mulder JD (1985). Chondroblastoma: a clinical and radiological study of 104 cases. *Skeletal Radiol* 14: 1-9.
216. Bloem JL, Taminiau AH, Eulderink F, Hermans J, Pauwels EK (1988). Radiologic staging of primary bone sarcoma: MR imaging, scintigraphy, angiography, and CT correlated with pathologic examination. *Radiology* 169: 805-810.
217. Bloem JL, van der Heul RO, Schuttevaer HM, Kuipers D (1991). Fibrous dysplasia vs adamantinoma of the tibia: differentiation based on discriminant analysis of clinical and plain film findings. *AJR Am J Roentgenol* 156: 1017-1023.
218. Blum MR, Danford M, Speight PM (1993). Soft tissue chondroma of the cheek. *J Oral Pathol Med* 22: 334-336.
219. Bode-Lesniewska B, Zhao J, Speel EJ, Biraima AM, Turina M, Komminoth P, Heitz PU (2001). Gains of 12q13-14 and overexpression of mdm2 are frequent findings in intimal sarcomas of the pulmonary artery. *Virchows Arch* 438: 57-65.
220. Boehm AK, Neff JR, Squire JA, Bayani J, Nelson M, Bridge JA (2000). Cytogenetic findings in 36 osteosarcoma specimens and a review of the literature. *Ped Pathol Mol Med* 19: 359-376.
221. Bohle RM, Brettreich S, Repp R, Borkhardt A, Kosmehl H, Altmannberger HM (1996). Single somatic ras gene point mutation in soft tissue malignant fibrous histiocytomas. *Am J Pathol* 148: 731-738.
222. Bohndorf K, Reiser M, Lochner B, Feaux dL, Steinbrich W (1986). Magnetic resonance imaging of primary tumours and tumour-like lesions of bone. *Skeletal Radiol* 15: 511-517.
223. Bolen JW, Thorning D (1980). Benign lipoblastoma and myxoid liposarcoma: a comparative light- and electron-microscopic study. *Am J Surg Pathol* 4: 163-174.
224. Boman F, Foliguet B, Metaizeau JP, Olive D, Rauber G (1984). [Myofibromatosis in children. Histopathologic and ultrastructural study of a localized form with a spontaneously regressive course]. *Ann Pathol* 4: 211-216.
225. Bonetti F, Martignoni G, Colato C, Manfrin E, Gambacorta M, Faleri M, Bacchi C, Sin VC, Wong NL, Coady M, Chan JK (2001). Abdominopelvic sarcoma of perivascular epithelioid cells. Report of four cases in young women, one with tuberous sclerosis. *Mod Pathol* 14: 563-568.
226. Bonetti F, Pea M, Martignoni G, Dogliani C, Zamboni G, Capelli P, Rimondi P, Andron A (1994). Clear cell ("sugar") tumor of the lung is a lesion strictly related to angiomyolipoma – the concept of a family of lesions characterized by the presence of the perivascular epithelioid cells (PEC). *Pathology* 26: 230-236.
227. Bonetti F, Pea M, Martignoni G, Zamboni G (1992). PEC and sugar. *Am J Surg Pathol* 16: 307-308.
228. Bookstein R, Lee EY, To H, Young LJ, Sery TW, Hayes RC, Friedmann T, Lee WH (1988). Human retinoblastoma susceptibility gene: genomic organization and analysis of heterozygous intragenic deletion mutants. *Proc Natl Acad Sci U S A* 85: 2210-2214.
229. Boon LM, Brouillard P, Irrthum A, Karttunen L, Warman ML, Rudolph R, Mulliken JB, Olsen BR, Vikkula M (1999). A gene for inherited cutaneous venous anomalies ("glomangiomas") localizes to chromosome 1p21-22. *Am J Hum Genet* 65: 125-133.
230. Bordet R, Ghawche F, Destee A (1991). [Epidural angioliipoma and multiple familial lipomatosis]. *Rev Neurol (Paris)* 147: 740-742.
231. Bos GD, Pritchard DJ, Reiman HM, Dobyms JH, Ilstrup DM, Landon GC (1988). Epithelioid sarcoma. An analysis of fifty-one cases. *J Bone Joint Surg Am* 70: 862-870.
232. Boudousquie AC, Lawce HJ, Sherman R, Olson S, Magen RE, Corless CL (1996). Complex translocation [7,22] identified in an epithelioid hemangioendothelioma. *Cancer Genet Cytogenet* 92: 116-121.
233. Boudova L, Michal M (1999). Atypical decubital fibroplasia associated with bizarre parosteal osteochondromatous proliferation (Nora's reaction). *Pathol Res Pract* 195: 99-103.
234. Boufassa F, Dulioust A, Lascaux AS, Meyer L, Boue F, Delfraissy JF, Sobel A, Goujard C (2001). Lipodystrophy in 685 HIV-1-treated patients: influence of antiretroviral treatment and immunovirological response. *HIV Clin Trials* 2: 339-345.
235. Bourgeois JM, Knezevich SR, Mathers JA, Sorensen PH (2000). Molecular detection of the ETV6-NTRK3 gene fusion differentiates congenital fibrosarcoma from other childhood spindle cell tumors. *Am J Surg Pathol* 24: 937-946.
236. Bovée JV, Cleton-Jansen AM, Kuipers-Dijkshoorn NJ, Van den Broek LJ, Taminiau AH, Cornelisse CJ, Hogendoorn PC (1999). Loss of heterozygosity and DNA ploidy point to a diverging genetic mechanism in the origin of peripheral and central chondrosarcoma. *Genes Chromosomes Cancer* 26: 237-246.
237. Bovée JV, Cleton-Jansen AM, Rosenberg C, Taminiau AH, Cornelisse CJ, Hogendoorn PC (1999). Molecular genetic characterization of both components of a dedifferentiated chondrosarcoma, with implications for its histogenesis. *J Pathol* 189: 454-462.
238. Bovée JV, Cleton-Jansen AM, Wuyts W, Caethoven G, Taminiau AH, Bakker E, Van Hul W, Cornelisse CJ, Hogendoorn PC (1999). EXT-mutation analysis and loss of heterozygosity in sporadic and hereditary osteochondromas and secondary chondrosarcomas. *Am J Hum Genet* 65: 689-698.
239. Bovée JV, Sakkars RJ, Geirnaerd MJ, Taminiau AH, Hogendoorn PC (2002). Intermediate grade osteosarcoma and chondrosarcoma arising in an osteochondroma. A case report of a patient with hereditary multiple exostoses. *J Clin Pathol* 55: 246-249.
240. Bovée JV, Sciort R, Dal Cin P, Debiec-Rychter M, van Zelder-Bhola SL, Cornelisse CJ, Hogendoorn PC (2001). Chromosome 9 alterations and trisomy 22 in central chondrosarcoma: a cytogenetic and DNA flow cytometric analysis of chondrosarcoma subtypes. *Diagn Mol Pathol* 10: 228-235.
241. Bovée JV, Van den Broek LJ, Cleton-Jansen AM, Hogendoorn PC (2000). Up-regulation of PTHrP and Bcl-2 expression characterizes the progression of osteochondroma towards peripheral chondrosarcoma and is a late event in central chondrosarcoma. *Lab Invest* 80: 1925-1934.
242. Bovée JV, Van den Broek LJ, de Boer WI, Hogendoorn PC (1998). Expression of growth factors and their receptors in adamantinoma of long bones and the implication for its histogenesis. *J Pathol* 184: 24-30.
243. Bovée JV, van Roggen JF, Cleton-Jansen AM, Taminiau AH, van der Woude HJ, Hogendoorn PC (2000). Malignant progression in multiple enchondromatosis (Ollier's disease): an autopsy-based molecular genetic study. *Hum Pathol* 31: 1299-1303.
244. Bracko M, Cindro L, Golouh R (1992). Familial occurrence of infantile myofibromatosis. *Cancer* 69: 1294-1299.
245. Bramwell V, Rouesse J, Steward W, Santoro A, Schraffordt-Koops H, Buesa J, Ruka W, Priario J, Wagener T, Burgers M (1994). Adjuvant CYVADIC chemotherapy for adult soft tissue sarcoma – reduced local recurrence but no improvement in survival: a study of the European Organization for Research and Treatment of Cancer Soft Tissue and Bone Sarcoma Group. *J Clin Oncol* 12: 1137-1149.
246. Bramwell VH, Steward WP, Nooij M, Whelan J, Craft AW, Grimer RJ, Taminiau AH, Cannon SR, Malcolm AJ, Hogendoorn PC, Uscinska B, Kirkpatrick AL, Machin D, Van Glabbeke MM (1999). Neoadjuvant chemotherapy with doxorubicin and cisplatin in malignant fibrous histiocytoma of bone: A European Osteosarcoma Intergroup study. *J Clin Oncol* 17: 3260-3269.
247. Brathwaite CD, Poppiti RJ, Jr. (1996). Malignant glomus tumor. A case report of widespread metastases in a patient with multiple glomus body hamartomas. *Am J Surg Pathol* 20: 233-238.
248. Braun BS, Frieden R, Lessnick SL, May WA, Denny CT (1995). Identification of target genes for the Ewing's sarcoma EWS/FLI fusion protein by representational difference analysis. *Mol Cell Biol* 15: 4623-4630.
249. Braunstein EM, White SJ (1980). Non-Hodgkin lymphoma of bone. *Radiology* 135: 59-63.
250. Breier F, Fang-Kircher S, Wolff K, Jurecka W (1997). Juvenile hyaline fibromatosis: impaired collagen metabolism in human skin fibroblasts. *Arch Dis Child* 77: 436-440.
251. Breiner JA, Nelson M, Bredthauer BD, Neff JR, Bridge JA (1999). Trisomy 8 and trisomy 14 in plantar fibromatosis. *Cancer Genet Cytogenet* 108: 176-177.
252. Brett D, Whitehouse S, Antonson P, Shytle J, Cooper C, Goodwin G (1997). The SYT protein involved in the t(X;18) synovial sarcoma translocation is a transcriptional activator localised in nuclear bodies. *Hum Mol Genet* 6: 1559-1564.
253. Bridge JA, Bhatia PS, Anderson JR, Neff JR (1993). Biologic and clinical significance of cytogenetic and molecular cytogenetic abnormalities in benign and malignant cartilaginous lesions. *Cancer Genet Cytogenet* 69: 79-90.
254. Bridge JA, DeBoer J, Travis J, Johansson SL, Elmberger G, Noel SM, Neff JR (1994). Simultaneous interphase cytogenetic analysis and fluorescence immunophenotyping of dedifferentiated chondrosarcoma. Implications for histopathogenesis. *Am J Pathol* 144: 215-220.
255. Bridge JA, DeBoer J, Walker CW, Neff JR (1995). Translocation t(3;12)(q28;q14) in parosteal lipoma. *Genes Chromosomes Cancer* 12: 70-72.
256. Bridge JA, Dembinski A, DeBoer J, Travis J, Neff JR (1994). Clonal chromosomal abnormalities in osteofibrous dysplasia. Implications for histopathogenesis and its relationship with adamantinoma. *Cancer* 73: 1746-1752.
257. Bridge JA, Fidler ME, Neff JR, Degenhardt J, Wang M, Walker C, Dorfman HD, Baker KS, Seemayer TA (1999). Adamantinoma-like Ewing's sarcoma: genomic confirmation, phenotypic drift. *Am J Surg Pathol* 23: 159-165.

258. Bridge JA, Kanamori M, Ma Z, Pickering D, Hill DA, Lydiatt W, Lui MY, Colleoni GW, Antonescu CR, Ladanyi M, Morris SW (2001). Fusion of the ALK gene to the clathrin heavy chain gene, CLTC, in inflammatory myofibroblastic tumor. *Am J Pathol* 159: 411-415.
259. Bridge JA, Liu J, Qualman SJ, Suijkerbuijk R, Wenger G, Zhang J, Wan X, Baker KS, Sorensen P, Barr FG (2002). Genomic gains and losses are similar in genetic and histologic subsets of rhabdomyosarcoma, whereas amplification predominates in embryonal with anaplasia and alveolar subtypes. *Genes Chromosomes Cancer* 33: 310-321.
260. Bridge JA, Liu J, Weibolt V, Baker KS, Perry D, Kruger R, Qualman S, Barr F, Sorensen P, Triche T, Suijkerbuijk R (2000). Novel genomic imbalances in embryonal rhabdomyosarcoma revealed by comparative genomic hybridization and fluorescence in situ hybridization: an intergroup rhabdomyosarcoma study. *Genes Chromosomes Cancer* 27: 337-344.
261. Bridge JA, Meloni AM, Neff JR, DeBoer J, Pickering D, Dalence C, Jeffrey B, Sandberg AA (1996). Deletion 5q in desmoid tumor and fluorescence in situ hybridization for chromosome 8 and/or 20 copy number. *Cancer Genet Cytogenet* 92: 150-151.
262. Bridge JA, Neff JR, Mouron BJ (1992). Giant cell tumor of bone. Chromosomal analysis of 48 specimens and review of the literature. *Cancer Genet Cytogenet* 58: 2-13.
263. Bridge JA, Nelson M, McComb E, McGuire MH, Rosenthal H, Vergara G, Maale GE, Spanier S, Neff JR (1997). Cytogenetic findings in 73 osteosarcoma specimens and a review of the literature. *Cancer Genet Cytogenet* 95: 74-87.
264. Bridge JA, Nelson M, Ördal C, Bhatia P, Neff JR (1998). Clonal karyotypic abnormalities of the hereditary multiple exostoses chromosomal loci 8q24.1 (EXT1) and 11p11-12 (EXT2) in patients with sporadic and hereditary osteochondromas. *Cancer* 82: 1657-1663.
265. Bridge JA, Persons DL, Neff JR, Bhatia P (1992). Clonal karyotypic aberrations in enchondromas. *Cancer Detect Prev* 16: 215-219.
266. Bridge JA, Sanger WG, Neff JR (1989). Translocations involving chromosomes 2 and 13 in benign and malignant cartilaginous neoplasms. *Cancer Genet Cytogenet* 38: 83-88.
267. Bridge JA, Swarts SJ, Buresh C, Nelson M, Degenhardt JM, Spanier S, Maale G, Meloni A, Lynch JC, Neff JR (1999). Trisomies 8 and 20 characterize a subgroup of benign fibrous lesions arising in both soft tissue and bone. *Am J Pathol* 154: 729-733.
268. Brien EW, Mirra JM, Ippolito V, Vaughan L (1996). Clear-cell chondrosarcoma with elevated alkaline phosphatase, mistaken for osteosarcoma on biopsy. *Skeletal Radiol* 25: 770-774.
269. Brien EW, Mirra JM, Kerr R (1997). Benign and malignant cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. I. The intramedullary cartilage tumors. *Skeletal Radiol* 26: 325-353.
270. Brien EW, Mirra JM, Luck JV, Jr. (1999). Benign and malignant cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. II. Juxtacortical cartilage tumors. *Skeletal Radiol* 28: 1-20.
271. Brien WW, Salvati EA, Healey JH, Bansal M, Ghelman B, Betts F (1990). Osteogenic sarcoma arising in the area of a total hip replacement. A case report. *J Bone Joint Surg Am* 72: 1097-1099.
272. Broders AC (1920). Squamous cell epithelioma of the lip: a study of 537 cases. *JAMA* 74: 656-664.
273. Broeders A, Smet MH, Breysen L, Marchal G (2000). Lipoblastoma: a rare mediastinal tumour in a child. *Pediatr Radiol* 30: 580.
274. Brostrom LA, Strander H, Nilsson U (1982). Survival in osteosarcoma in relation to tumor size and location. *Clin Orthop* 250-254.
275. Brotherston TM, Balakrishnan C, Milner RH, Brown HG (1994). Long term follow-up of dermofasciectomy for Dupuytren's contracture. *Br J Plast Surg* 47: 440-443.
276. Brower AC, Worsham GF, Dudley AH (1984). Erdheim-Chester disease: a distinct lipoidosis or part of the spectrum of histiocytosis? *Radiology* 151: 35-38.
277. Brown G, Shaw DG (1995). Inflammatory pseudotumours in children: CT and ultrasound appearances with histopathological correlation. *Clin Radiol* 50: 782-786.
278. Brown HK, Healey JH (2001). Metastatic cancer to the bone. In: *Cancer Principles and Practice of Oncology*, DeVita VT, Hellman S, Rosenberg SA, eds. 6th ed. Lippincott, Williams & Wilkins: Philadelphia, pp. 2713-2729.
279. Brown KT, Kattapuram SV, Rosenthal DI (1986). Computed tomography analysis of bone tumors: patterns of cortical destruction and soft tissue extension. *Skeletal Radiol* 15: 448-451.
280. Brown MJ, Logan PM, O'Connell JX, Janzen DL, Connell DG (1996). Diaphyseal telangiectatic osteosarcoma as a second tumor after bilateral retinoblastomas. *Skeletal Radiol* 25: 685-688.
281. Brownlee RD, Sevic RJ, Renwick NB, Tranmer BI (1997). Intracranial chondroma. *AJNR Am J Neuroradiol* 18: 889-893.
282. Bruder E, Zanetti M, Boos N, von Hochstetter AR (1999). Chondromyxoid fibroma of two thoracic vertebrae. *Skeletal Radiol* 28: 286-289.
283. Brunnemann RB, Ro JY, Ordóñez NG, Mooney J, el Naggar AK, Ayala AG (1999). Extraleural solitary fibrous tumor: a clinicopathologic study of 24 cases. *Mod Pathol* 12: 1034-1042.
284. Buchkovich K, Duffy LA, Harlow E (1989). The retinoblastoma protein is phosphorylated during specific phases of the cell cycle. *Cell* 58: 1097-1105.
285. Bulow S, Sondergaard JO, Witt I, Larsen E, Tetens G (1984). Mandibular osteomas in familial polyposis coli. *Dis Colon Rectum* 27: 105-108.
286. Burke A, Virami R (1996). Tumors of the great vessels. In: *AFIP Atlas of Tumor Pathology. Tumors of the Heart and Great Vessels*, Burke A, Virami R, eds. AFIP: Washington, DC, pp. 211-227.
287. Burke AP, Virmani R (1993). Sarcomas of the great vessels. A clinicopathologic study. *Cancer* 71: 1761-1773.
288. Busam KJ, Jungbluth AA (1999). Melan-A, a new melanocytic differentiation marker. *Adv Anat Pathol* 6: 12-18.
289. Byrne J, Blanc WA, Warburton D, Wigger J (1984). The significance of cystic hygroma in fetuses. *Hum Pathol* 15: 61-67.
290. Cai YC, McMenamin ME, Rose G, Sandy CJ, Cree IA, Fletcher CD (2001). Primary liposarcoma of the orbit: A clinicopathological study of seven cases. *Ann Diagn Pathol* 5: 255-266.
291. Caillaud JM, Gerard-Marchant R, Marsden HB, van Unnik AJ, Rodary C, Rey A, Flamant F (1989). Histopathological classification of childhood rhabdomyosarcoma: a report from the International Society of Pediatric Oncology pathology panel. *Med Pediatr Oncol* 17: 391-400.
292. Callister MD, Ballo MT, Pisters PW, Patel SR, Feig BW, Pollock RE, Benjamin RS, Zagars GK (2001). Epithelioid sarcoma: results of conservative surgery and radiotherapy. *Int J Radiat Oncol Biol Phys* 51: 384-391.
293. Calonje E, Fletcher CD (1995). Cutaneous intraneural glomus tumor. *Am J Dermatopathol* 17: 395-398.
294. Calonje E, Fletcher CD (2000). Hemangiopericytoma. In: *Diagnostic Histopathology of Tumors*, Fletcher CD, ed. 2nd ed. Churchill Livingstone: London, pp. 77-80.
295. Calonje E, Fletcher CD (2000). Tumors of blood vessels and lymphatics. In: *Diagnostic Histopathology of Tumors*, Fletcher CD, ed. 2nd ed. Churchill Livingstone: London, pp. 77-80.
296. Calonje E, Fletcher CD, Wilson-Jones E, Rosai J (1994). Retiform hemangiopericytoma. A distinctive form of low-grade angiosarcoma delineated in a series of 15 cases. *Am J Surg Pathol* 18: 115-125.
297. Calvert JT, Burns S, Riney TJ, Sahoo T, Orlow SJ, Nevin NC, Haisley-Royster C, Prose N, Simpson SA, Speer MC, Marchuk DA (2001). Additional glomangioma families link to chromosome 1p: no evidence for genetic heterogeneity. *Hum Hered* 51: 180-182.
298. Campanacci M (1999). *Bone and Soft Tissue Tumors*. Springer-Verlag: New York.
299. Campanacci M, Baldini N, Boriani S, Sudanese A (1987). Giant-cell tumor of bone. *J Bone Joint Surg Am* 69: 106-114.
300. Campanacci M, Boriani S, Giunti A (1980). Hemangiopericytoma of bone: a study of 29 cases. *Cancer* 46: 804-814.
301. Campanacci M, Laus M (1981). Osteofibrous dysplasia of the tibia and fibula. *J Bone Joint Surg Am* 63: 367-375.
302. Candelieri GA, Glorieux FH, Prud'homme J, St Arnaud R (1995). Increased expression of the c-fos proto-oncogene in bone from patients with fibrous dysplasia. *N Engl J Med* 332: 1546-1551.
303. Cannon SR, Sweetnam DR (1985). Multiple chondrosarcomas in dyschondroplasia (Ollier's disease). *Cancer* 55: 836-840.
304. Canpolat C, Evans HL, Corpron C, Andrassy RJ, Chan K, Eifel P, Elidemir O, Raney B (1996). Fibromyxoid sarcoma in a four-year-old child: case report and review of the literature. *Med Pediatr Oncol* 27: 561-564.
305. Capanna R, Bertoni F, Bacchini P, Bacci G, Guerra A, Campanacci M (1984). Malignant fibrous histiocytoma of bone. The experience at the Rizzoli Institute: report of 90 cases. *Cancer* 54: 177-187.
306. Caparros-Lefebvre D, Pruvo JP, Remy M, Wallaert B, Petit H (1995). Neuroradiologic aspects of Erdheim-Chester disease. *Am J Neuroradiol* 16: 735-740.
307. Carla TG, Filotico R, Filotico M (1991). Bizarre angiomyomas of superficial soft tissues. *Pathologica* 83: 237-242.
308. Carrasco CH, Charnsangavej C, Raymond AK, Richli WR, Wallace S, Chawla SP, Ayala AG, Murray JA, Benjamin RS (1989). Osteosarcoma: angiographic assessment of response to preoperative chemotherapy. *Radiology* 170: 839-842.
309. Carroll KL, Yandow SM, Ward K, Carey JC (1999). Clinical correlation to genetic variations of hereditary multiple exostosis. *J Pediatr Orthop* 19: 785-791.
310. Casadei R, Ricci M, Ruggieri P, Biagini R, Benassi S, Picci P, Campanacci M (1991). Chondrosarcoma of the soft tissues. Two different sub-groups. *J Bone Joint Surg Br* 73: 162-168.
311. Casalone R, Albini A, Righi R, Granata P, Toniolo A (2001). Nonrandom chromosome changes in Kaposi sarcoma: cytogenetic and FISH results in a new cell line (KS-IMM) and literature review. *Cancer Genet Cytogenet* 124: 16-19.

- 312.** Caspari R, Olschwang S, Friedl W, Mandl M, Boisson C, Boker T, Augustin A, Kadmon M, Moslein G, Thomas G, Propping P (1995). Familial adenomatous polyposis: desmoid tumours and lack of ophthalmic lesions (CHRPE) associated with APC mutations beyond codon 1444. *Hum Mol Genet* 4: 337-340.
- 313.** Castresana JS, Rubio MP, Gomez L, Kreibergs A, Zetterberg A, Barrios C (1995). Detection of TP53 gene mutations in human sarcomas. *Eur J Cancer* 31A: 735-738.
- 314.** Castro C, Winkelmann RK (1974). Angiolymphoid hyperplasia with eosinophilia in the skin. *Cancer* 34: 1696-1705.
- 315.** Cates JM, Rosenberg AE, O'Connell JX, Nielsen GP (2001). Chondroblastoma-like chondroma of soft tissue: an underrecognized variant and its differential diagnosis. *Am J Surg Pathol* 25: 661-666.
- 316.** Cavazzana AO, Schmidt D, Ninfo V, Harms D, Tollot M, Carli M, Treuner J, Betto R, Salvati G (1992). Spindle cell rhabdomyosarcoma. A prognostically favorable variant of rhabdomyosarcoma. *Am J Surg Pathol* 16: 229-235.
- 317.** Cavenee WK, Dryja TP, Phillips RA, Benedict WF, Godbout R, Gallie BL, Murphree AL, Strong LC, White RL (1983). Expression of recessive alleles by chromosomal mechanisms in retinoblastoma. *Nature* 305: 779-784.
- 318.** Cavenee WK, Hansen MF, Nordenskjöld M, Kock E, Maumenee I, Squire JA, Phillips RA, Gallie BL (1985). Genetic origin of mutations predisposing to retinoblastoma. *Science* 228: 501-503.
- 319.** Cavenee WK, Murphree AL, Shull MM, Benedict WF, Sparkes RS, Kock E, Nordenskjöld M (1986). Prediction of familial predisposition to retinoblastoma. *N Engl J Med* 314: 1201-1207.
- 320.** Cerilli LA, Huffman HT, Anand A (1998). Primary renal angiosarcoma: a case report with immunohistochemical, ultrastructural, and cytogenetic features and review of the literature. *Arch Pathol Lab Med* 122: 929-935.
- 321.** Cessna MH, Zhou H, Perkins SL, Tripp SR, Layfield L, Daines C, Coffin CM (2001). Are myogenin and myoD1 expression specific for rhabdomyosarcoma? A study of 150 cases, with emphasis on spindle cell mimics. *Am J Surg Pathol* 25: 1150-1157.
- 322.** Chabrel CM, Beilby JO (1980). Vaginal rhabdomyoma. *Histopathology* 4: 645-651.
- 323.** Chadwick EG, Connor EJ, Hanson IC, Joshi VV, Abu-Farsakh H, Yogev R, McSherry G, McClain K, Murphy SB (1990). Tumors of smooth-muscle origin in HIV-infected children. *JAMA* 263: 3182-3184.
- 324.** Chaljub G, Johnson PR (1996). In vivo MRI characteristics of lipoma arborescens utilizing fat suppression and contrast administration. *J Comput Assist Tomogr* 20: 85-87.
- 325.** Chan CW, Kung TM, Ma L (1986). Telangiectatic osteosarcoma of the mandible. *Cancer* 58: 2110-2115.
- 326.** Chan JK, Cheuk W, Shimizu M (2001). Anaplastic lymphoma kinase expression in inflammatory pseudotumors. *Am J Surg Pathol* 25: 761-768.
- 327.** Chan JK, Frizzera G, Fletcher CD, Rosai J (1992). Primary vascular tumors of lymph nodes other than Kaposi's sarcoma. Analysis of 39 cases and delineation of two new entities. *Am J Surg Pathol* 16: 335-350.
- 328.** Chan JK, Rosai J (1991). Tumors of the neck showing thymic or related branchial pouch differentiation: a unifying concept. *Hum Pathol* 22: 349-367.
- 329.** Chan JK, Tsang WY, Pau MY, Tang MC, Pang SW, Fletcher CD (1993). Lymphangiomyomatosis and angiomyolipoma: closely related entities characterized by hamartomatous proliferation of HMB-45-positive smooth muscle. *Histopathology* 22: 445-455.
- 330.** Chan YM, Hon E, Ngai SW, Ng TY, Wong LC, Chan IM (2000). Aggressive angiomyxoma in females: is radical resection the only option? *Acta Obstet Gynecol Scand* 79: 216-220.
- 331.** Chang CH, Piatt ED, Thomas KE, Watne AL (1968). Bone abnormalities in Gardner's syndrome. *Am J Roentgenol Radium Ther Nucl Med* 103: 645-652.
- 332.** Chang Y, Cesarman E, Pessin MS, Lee F, Culpepper J, Knowles DM, Moore PS (1994). Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. *Science* 266: 1865-1869.
- 333.** Chapurlat RD, Meunier PJ (2000). Fibrous dysplasia of bone. *Baillieres Best Pract Res Clin Rheumatol* 14: 385-398.
- 334.** Chase DR (1990). Rhabdoid versus epithelioid sarcoma. *Am J Surg Pathol* 14: 792-794.
- 335.** Chase DR (1997). Do "rhabdoid features" impart a poorer prognosis to proximal-type epithelioid sarcoma? *Adv Anat Pathol* 4: 293-299.
- 336.** Chase DR, Enzinger FM (1985). Epithelioid sarcoma. Diagnosis, prognostic indicators, and treatment. *Am J Surg Pathol* 9: 241-263.
- 336a.** Chauveinc L, Mosseri V, Quintana E, Desjardins L, Schlienger P, Doz F, Dutrillaux B (2001). Osteosarcoma following retinoblastoma: age at onset and latency period. *Ophthalmic Genet* 22: 77-88.
- 337.** Chen K (1996). Intraabdominal calcifying fibrous pseudotumor. *Int J Surg Pathol* 4: 9-12.
- 338.** Chen KT, Hoffman KD, Hendricks EJ (1979). Angiosarcoma following therapeutic irradiation. *Cancer* 44: 2044-2048.
- 339.** Chervenak FA, Isaacson G, Blakemore KJ, Breg WR, Hobbins JC, Berkowitz RL, Tortora M, Mayden K, Mahoney MJ (1983). Fetal cystic hygroma. Cause and natural history. *N Engl J Med* 309: 822-825.
- 340.** Cheung PK, McCormick C, Crawford BE, Esko JD, Tufaro F, Duncan G (2001). Etiological point mutations in the hereditary multiple exostoses gene EXT1: a functional analysis of heparan sulfate polymerase activity. *Am J Hum Genet* 69: 55-66.
- 341.** Chibon F, Mairal A, Freneaux P, Terrier P, Coindre JM, Sastre X, Aurias A (2000). The RB1 gene is the target of chromosome 13 deletions in malignant fibrous histiocytoma. *Cancer Res* 60: 6339-6345.
- 342.** Chigira M, Maehara S, Arita S, Udagawa E (1983). The aetiology and treatment of simple bone cysts. *J Bone Joint Surg Br* 65: 633-637.
- 343.** Chilosì M, Facchetti F, Dei Tos AP, Lestani M, Morassi ML, Martignoni G, Sorio C, Benedetti A, Morelli L, Dogliani C, Barberis M, Menestrina F, Viale G (1997). bcl-2 expression in pleural and extrapleural solitary fibrous tumours. *J Pathol* 181: 362-367.
- 344.** Choi KC, Hashimoto K, Setoyama M, Kagetsu N, Tronnier M, Sturman S (1990). Infantile digital fibromatosis. Immunohistochemical and immunoelectron microscopic studies. *J Cutan Pathol* 17: 225-232.
- 345.** Choong PF, Pritchard DJ, Rock MG, Sim FH, McLeod RA, Unni KK (1996). Low grade central osteogenic sarcoma. A long-term followup of 20 patients. *Clin Orthop* 198-206.
- 346.** Chow LT, Lee KC (1992). Intraosseous lipoma. A clinicopathologic study of nine cases. *Am J Surg Pathol* 16: 401-410.
- 347.** Christensen DR, Ramsamooj R, Gilbert TJ (1997). Sclerosing epithelioid fibrosarcoma: short T2 on MR imaging. *Skeletal Radiol* 26: 619-621.
- 348.** Chung EB, Enzinger FM (1973). Benign lipoblastomatosis. An analysis of 35 cases. *Cancer* 32: 482-492.
- 349.** Chung EB, Enzinger FM (1975). Proliferative fasciitis. *Cancer* 36: 1450-1458.
- 350.** Chung EB, Enzinger FM (1976). Infantile fibrosarcoma. *Cancer* 38: 729-739.
- 351.** Chung EB, Enzinger FM (1978). Chondroma of soft parts. *Cancer* 41: 1414-1424.
- 352.** Chung EB, Enzinger FM (1979). Fibroma of tendon sheath. *Cancer* 44: 1945-1954.
- 353.** Chung EB, Enzinger FM (1981). Infantile myofibromatosis. *Cancer* 48: 1807-1818.
- 354.** Chung EB, Enzinger FM (1983). Malignant melanoma of soft parts. A reassessment of clear cell sarcoma. *Am J Surg Pathol* 7: 405-413.
- 355.** Chung EB, Enzinger FM (1987). Extraskeletal osteosarcoma. *Cancer* 60: 1132-1142.
- 356.** Cibas ES, Goss GA, Kulke MH, Demetri GD, Fletcher CD (2001). Malignant epithelioid angiomyolipoma ('sarcoma ex angiomyolipoma') of the kidney: a case report and review of the literature. *Am J Surg Pathol* 25: 121-126.
- 357.** Cina SJ, Radentz SS, Smialek JE (1999). A case of familial angiolipomatosis with Lisch nodules. *Arch Pathol Lab Med* 123: 946-948.
- 358.** Clapton WK, James CL, Morris LL, Davey RB, Peacock MJ, Byard RW (1992). Myositis ossificans in childhood. *Pathology* 24: 311-314.
- 359.** Clark J, Benjamin H, Gill S, Sidhar S, Goodwin G, Crew J, Gusterson BA, Shipley J, Cooper CS (1996). Fusion of the EWS gene to CHN, a member of the steroid/thyroid receptor gene superfamily, in a human myxoid chondrosarcoma. *Oncogene* 12: 229-235.
- 360.** Clark J, Rocques PJ, Crew AJ, Gill S, Shipley J, Chan AM, Gusterson BA, Cooper CS (1994). Identification of novel genes, SYT and SSX, involved in the t(X;18)(p11.2;q11.2) translocation found in human synovial sarcoma. *Nat Genet* 7: 502-508.
- 361.** Clark SK, Pack K, Pritchard J, Hodgson SV (1997). Familial adenomatous polyposis presenting with childhood desmoids. *Lancet* 349: 471-472.
- 362.** Clark SK, Phillips RK (1996). Desmoids in familial adenomatous polyposis. *Br J Surg* 83: 1494-1504.
- 363.** Clark SK, Smith TG, Katz DE, Reznik RH, Phillips RK (1998). Identification and progression of a desmoid precursor lesion in patients with familial adenomatous polyposis. *Br J Surg* 85: 970-973.
- 364.** Clark TD, Stelling CB, Fechner RE (1985). Benign fibrous histiocytoma of the left 8th rib. Case report 328. *Skeletal Radiol* 14: 149-151.
- 365.** Clarke BE, Xipell JM, Thomas DP (1985). Benign fibrous histiocytoma of bone. *Am J Surg Pathol* 9: 806-815.
- 366.** Classen DA, Hurst LN (1992). Planter fibromatosis and bilateral flexion contractures: a review of the literature. *Ann Plast Surg* 28: 475-478.
- 367.** Clatch RJ, Drake WK, Gonzalez JG (1993). Aggressive angiomyxoma in men. A report of two cases associated with inguinal hernias. *Arch Pathol Lab Med* 117: 911-913.
- 368.** Cleveland DB, Chen SY, Allen CM, Ahing SI, Svirsky JA (1994). Adult rhabdomyoma. A light microscopic, ultrastructural, virologic, and immunologic analysis. *Oral Surg Oral Med Oral Pathol* 77: 147-153.
- 369.** Clines GA, Ashley JA, Shah S, Lovett M (1997). The structure of the human multiple exostoses 2 gene and characterization of homologs in mouse and *Caenorhabditis elegans*. *Genome Res* 7: 359-367.
- 370.** Cody JD, Singer FR, Roodman GD, Otterund B, Lewis TB, Leppert M, Leach RJ (1997). Genetic linkage of Paget disease of the bone to chromosome 18q. *Am J Hum Genet* 61: 1117-1122.

- 371.** Cofer BR, Vescio PJ, Wiener ES (1996). Infantile fibrosarcoma: complete excision is the appropriate treatment. *Ann Surg Oncol* 3: 159-161.
- 372.** Coffin CM, Dehner LP (1991). Fibroblastic-myofibroblastic tumors in children and adolescents: a clinicopathologic study of 108 examples in 103 patients. *Pediatr Pathol* 11: 569-588.
- 373.** Coffin CM, Dehner LP (1993). Vascular tumors in children and adolescents: a clinicopathologic study of 228 tumors in 222 patients. *Pathol Annu* 28 Pt 1: 97-120.
- 374.** Coffin CM, Dehner LP, Meis-Kindblom JM (1998). Inflammatory myofibroblastic tumor, inflammatory fibrosarcoma, and related lesions: a historical review with differential diagnostic considerations. *Semin Diagn Pathol* 15: 102-110.
- 375.** Coffin CM, Dehner LP, O'Shea PA (1997). *Pediatric Soft Tissue Tumors*. Williams & Wilkins.
- 376.** Coffin CM, Humphrey PA, Dehner LP (1998). Extrapulmonary inflammatory myofibroblastic tumor: a clinical and pathological survey. *Semin Diagn Pathol* 15: 85-101.
- 377.** Coffin CM, Jaszcz W, O'Shea PA, Dehner LP (1994). So-called congenital-infantile fibrosarcoma: does it exist and what is it? *Pediatr Pathol* 14: 133-150.
- 378.** Coffin CM, Patel A, Perkins S, Elenitoba-Johnson KS, Perlman E, Griffin CA (2001). ALK1 and p80 expression and chromosomal rearrangements involving 2p23 in inflammatory myofibroblastic tumor. *Mod Pathol* 14: 569-576.
- 379.** Coffin CM, Rulon J, Smith L, Bruggers C, White FV (1997). Pathologic features of rhabdomyosarcoma before and after treatment: a clinicopathologic and immunohistochemical analysis. *Mod Pathol* 10: 1175-1187.
- 380.** Coffin CM, Watterson J, Priest JR, Dehner LP (1995). Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). A clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol* 19: 859-872.
- 381.** Cohen DM, Dahlin DC, Pugh DG (1962). Fibrous dysplasia associated with adamantinoma of the long bones. *Cancer* 15: 515-521.
- 382.** Cohen MM, Jr. (2001). Fibrous dysplasia is a neoplasm. *Am J Med Genet* 98: 290-293.
- 383.** Cohen MM, Jr., Howell RE (1999). Etiology of fibrous dysplasia and McCune-Albright syndrome. *Int J Oral Maxillofac Surg* 28: 366-371.
- 384.** Coindre JM, de Mascarel A, Trojani M, de Mascarel I, Pages A (1988). Immunohistochemical study of rhabdomyosarcoma. Unexpected staining with S100 protein and cytokeratin. *J Pathol* 155: 127-132.
- 385.** Coindre JM, Terrier P, Bui NB, Bonichon F, Collin F, Le D, V, Mandard AM, Vilain MO, Jacquemier J, Duplay H, Sastre X, Barlier C, Henry-Amar M, Mace-Lesech J, Contesso G (1996). Prognostic factors in adult patients with locally controlled soft tissue sarcoma. A study of 546 patients from the French Federation of Cancer Centers Sarcoma Group. *J Clin Oncol* 14: 869-877.
- 386.** Coindre JM, Terrier P, Guillou L, Le D, V, Collin F, Ranchere D, Sastre X, Vilain MO, Bonichon F, N'Guyen BB (2001). Predictive value of grade for metastasis development in the main histologic types of adult soft tissue sarcomas: a study of 1240 patients from the French Federation of Cancer Centers Sarcoma Group. *Cancer* 91: 1914-1926.
- 387.** Coindre JM, Trojani M, Contesso G, David M, Rousseau J, Bui NB, Bodaert A, de Mascarel I, de Mascarel A, Goussot JF (1986). Reproducibility of a histopathologic grading system for adult soft tissue sarcoma. *Cancer* 58: 306-309.
- 388.** Coley BL (1960). *Neoplasms of Bone and Related Conditions*. 2nd ed. Hoeber: London.
- 389.** Colin D, Lazure T, Fabre M, De Watteville JC, Bedossa P (2001). Pleomorphic rhabdomyosarcoma of the uterine corpus: a case report. *Eur J Gynaecol Oncol* 22: 116-117.
- 390.** Collins DH (1956). Paget's disease of bone: incidence and subclinical forms. *Lancet* 2: 51.
- 391.** Collins MH, Chatten J (1997). Lipoblastoma/lipoblastomatosis: a clinicopathologic study of 25 tumors. *Am J Surg Pathol* 21: 1131-1137.
- 392.** Collins MT, Shenker A (1999). McCune-Albright syndrome: new insights. *Endocrinol Diabetes* 6: 119-125.
- 393.** Colombat M, Liard-Meillon ME, Saint-Maur P, Sevestre H, Gontier MF (2001). [Cellular angiofibroma. A rare vulvar tumor. Report of a case]. *Ann Pathol* 21: 145-148.
- 394.** Comtesse PP, Simons A, Siepmann A, Stellink F, Suijkerbuijk RF, Hulsbergen-van de Kaa CA, Van Haelst UG, van Kessel AG, Wobbes T (1999). Isochromosome (12p) and peritriploidy in a highly malignant extrarenal rhabdoid tumor. *Cancer Genet Cytogenet* 109: 175-177.
- 395.** Cook A, Raskind W, Blanton SH, Pauli RM, Gregg RG, Francomano CA, Puffenberger E, Conrad EU, Schmale G, Schellenberg G, Wijsman E, Hecht JT, Wells D, Wagner MJ (1993). Genetic heterogeneity in families with hereditary multiple exostoses. *Am J Hum Genet* 53: 71-79.
- 396.** Cook JR, Dehner LP, Collins MH, Ma Z, Morris SW, Coffin CM, Hill DA (2001). Anaplastic lymphoma kinase (ALK) expression in the inflammatory myofibroblastic tumor: a comparative immunohistochemical study. *Am J Surg Pathol* 25: 1364-1371.
- 397.** Cooper KL, Beabout JW, Dahlin DC (1984). Giant cell tumor: ossification in soft-tissue implants. *Radiology* 153: 597-602.
- 398.** Cordoba JC, Parham DM, Meyer WH, Douglass EC (1994). A new cytogenetic finding in an epithelioid sarcoma, t(8;22)(q22;q11). *Cancer Genet Cytogenet* 72: 151-154.
- 399.** Cordon-Cardo C, Latres E, Drobnjak M, Oliva MR, Pollack D, Woodruff JM, Marechal V, Chen J, Brennan MF, Levine AJ (1994). Molecular abnormalities of mdm2 and p53 genes in adult soft tissue sarcomas. *Cancer Res* 54: 794-799.
- 400.** Cossarizza A, Mussini C, Viganò A (2001). Mitochondria in the pathogenesis of lipodystrophy induced by anti-HIV antiretroviral drugs: actors or bystanders? *Bioessays* 23: 1070-1080.
- 401.** Costa J (1990). The grading and staging of soft tissue sarcomas. In: *Pathobiology of Soft Tissue Tumors*, Fletcher CD, McKee PH, eds. Churchill Livingstone: Edinburgh, pp. 221-238.
- 402.** Costa J, Wesley RA, Glatstein E, Rosenberg SA (1984). The grading of soft tissue sarcomas. Results of a clinicohistopathologic correlation in a series of 163 cases. *Cancer* 53: 530-541.
- 403.** Costa MJ, McGlothlen L, Pierce M, Munn R, Vogt PJ (1995). Angiomatoid features in fibrohistiocytic sarcomas. Immunohistochemical, ultrastructural, and clinical distinction from vascular neoplasms. *Arch Pathol Lab Med* 119: 1065-1071.
- 404.** Costa MJ, Weiss SW (1990). Angiomatoid malignant fibrous histiocytoma. A follow-up study of 108 cases with evaluation of possible histologic predictors of outcome. *Am J Surg Pathol* 14: 1126-1132.
- 405.** Costes V, Magen V, Legouffe E, Durand L, Baldet P, Rossi JF, Klein B, Brochier J (1999). The Mi15 monoclonal antibody (anti-syndecan-1) is a reliable marker for quantifying plasma cells in paraffin-embedded bone marrow biopsy specimens. *Hum Pathol* 30: 1405-1411.
- 406.** Costes V, Medioni D, Durand L, Sarran N, Marguerite G, Baldet P (1997). [Undifferentiated soft tissue tumor with rhabdoid phenotype (extra-renal rhabdoid tumor). Report of a congenital case associated with medulloblastoma in a brother]. *Ann Pathol* 17: 41-43.
- 407.** Crawford SC, Harnsberger HR, Johnson L, Aoki JR, Giley J (1988). Fibromatosis colli of infancy: CT and sonographic findings. *AJR Am J Roentgenol* 151: 1183-1184.
- 408.** Crew AJ, Clark J, Fisher C, Gill S, Grimer R, Chand A, Shipley J, Gusterson BA, Cooper CS (1995). Fusion of SYT to two genes, SSX1 and SSX2, encoding proteins with homology to the Kruppel-associated box in human synovial sarcoma. *EMBO J* 14: 2333-2340.
- 409.** Crotty PL, Nakhleh RE, Dehner LP (1993). Juvenile rhabdomyoma. An intermediate form of skeletal muscle tumor in children. *Arch Pathol Lab Med* 117: 43-47.
- 410.** Crozat A, Åman P, Mandahl N, Ron D (1993). Fusion of CHOP to a novel RNA-binding protein in human myxoid liposarcoma. *Nature* 363: 640-644.
- 411.** Culver JE, Jr., Sweet DE, McCue FC (1975). Chondrosarcoma of the hand arising from a pre-existent benign solitary enchondroma. *Clin Orthop* 128-131.
- 412.** Cummings OW, Ulbright TM, Young RH, Del Tos AP, Fletcher CD, Hull MT (1997). Desmoplastic small round cell tumors of the paratesticular region. A report of six cases. *Am J Surg Pathol* 21: 219-225.
- 413.** Curry JL, Olejnik JL, Wojcik EM (2001). Cellular angiofibroma of the vulva with DNA ploidy analysis. *Int J Gynecol Pathol* 20: 200-203.
- 414.** Cuvelier CA, Roels HJ (1979). Cytophotometric studies of the nuclear DNA content in cartilaginous tumors. *Cancer* 44: 1363-1374.
- 415.** D'Ambrosia R, Ferguson AB, Jr. (1968). The formation of osteochondroma by epiphyseal cartilage transplantation. *Clin Orthop* 61: 103-115.
- 416.** d'Amore ES, Ninfo V (1997). Clear cell tumors of the somatic soft tissues. *Semin Diagn Pathol* 14: 270-280.
- 417.** D'Andrea V, Lippolis G, Biancari F, Ruco LP, Marzullo A, Wedard BM, Di Matteo FM, Sarmiento R, Dibra A, De Antoni E (1999). [A uterine pecoma: a case report]. *G Chir* 20: 163-164.
- 418.** D'Haen B, De Jaegere T, Goffin J, Dom R, Demaerel P, Plets C (1995). Chordoma of the lower cervical spine. *Clin Neurol Neurosurg* 97: 245-248.
- 419.** Dabska M (1969). Malignant endovascular papillary angioendothelioma of the skin in childhood. Clinicopathologic study of 6 cases. *Cancer* 24: 503-510.
- 420.** Dabska M (1977). Parachordoma: a new clinicopathologic entity. *Cancer* 40: 1586-1592.
- 421.** Dabska M, Huvos AG (1983). Mesenchymal chondrosarcoma in the young. *Virchows Arch A Pathol Anat Histopathol* 399: 89-104.
- 422.** Daffner RH, Kirks DR, Gehweiler JA, Jr., Heaston DK (1982). Computed tomography of fibrous dysplasia. *AJR Am J Roentgenol* 139: 943-948.
- 423.** Dahl I, Angervall L (1974). Cutaneous and subcutaneous leiomyosarcoma. A clinicopathologic study of 47 patients. *Pathol Eur* 9: 307-315.
- 424.** Dahl I, Save-Soderbergh J, Angervall L (1973). Fibrosarcoma in early infancy. *Pathol Eur* 8: 193-209.
- 425.** Dahlin DC (1982). Case report 189. Infantile fibrosarcoma (congenital fibrosarcoma-like fibromatosis). *Skeletal Radiol* 8: 77-78.



426. Dahlin DC, Coventry MB (1967). Osteogenic sarcoma. A study of six hundred cases. *J Bone Joint Surg Am* 49: 101-110.
427. Dahlin DC, Johnson EW, Jr. (1954). Giant osteoid osteoma. *J Bone Joint Surg Am* 36: 559-572.
428. Dahlin DC, Salvador AH (1974). Cartilaginous tumors of the soft tissues of the hands and feet. *Mayo Clin Proc* 49: 721-726.
429. Dahlin DC, Unni KK (1973). *Bone Tumors: General Aspects and Data on 3,987 Cases*. 2nd ed. Charles C. Thomas: Springfield.
430. Dahlin DC, Unni KK (1977). Osteosarcoma of bone and its important recognizable varieties. *Am J Surg Pathol* 1: 61-72.
431. Daimaru Y, Hashimoto H, Enjoji M (1989). Myofibromatosis in adults (adult counterpart of infantile myofibromatosis). *Am J Surg Pathol* 13: 859-865.
432. Daimaru Y, Hashimoto H, Tsuneyoshi M, Enjoji M (1987). Epithelial profile of epithelioid sarcoma. An immunohistochemical analysis of eight cases. *Cancer* 59: 134-141.
433. Dal Cin P, De Smet L, Sciot R, Van Damme B, van den Berghe H (1999). Trisomy 7 and trisomy 8 in dividing and non-dividing tumor cells in Dupuytren's disease. *Cancer Genet Cytogenet* 108: 137-140.
434. Dal Cin P, Kools P, Sciot R, de Wever I, Van Damme B, van de Ven W, van den Berghe H (1993). Cytogenetic and fluorescence in situ hybridization investigation of ring chromosomes characterizing a specific pathologic subgroup of adipose tissue tumors. *Cancer Genet Cytogenet* 68: 85-90.
435. Dal Cin P, Kozakewich HP, Goumnerova L, Mankin HJ, Rosenberg AE, Fletcher JA (2000). Variant translocations involving 16q22 and 17p13 in solid variant and extraosseous forms of aneurysmal bone cyst. *Genes Chromosomes Cancer* 28: 233-234.
436. Dal Cin P, Pauwels P, Sciot R, van den Berghe H (1996). Multiple chromosome rearrangements in a fibrosarcoma. *Cancer Genet Cytogenet* 87: 176-178.
437. Dal Cin P, Qi H, Sciot R, van den Berghe H (1997). Involvement of chromosomes 6 and 11 in a soft tissue chondroma. *Cancer Genet Cytogenet* 93: 177-178.
438. Dal Cin P, Sciot R, Aly MS, Delabie J, Stas M, de Wever I, Van Damme B, van den Berghe H (1994). Some desmoid tumors are characterized by trisomy 8. *Genes Chromosomes Cancer* 10: 131-135.
439. Dal Cin P, Sciot R, Brys P, de Wever I, Dorfman H, Fletcher CD, Jonsson K, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Samson I, Tallini G, Van den Berghe H, Vanni R, Willén H (2000). Recurrent chromosome aberrations in fibrous dysplasia of the bone: a report of the CHAMP study group. *Cancer Genet Cytogenet* 122: 30-32.
440. Dal Cin P, Sciot R, De Smet L, van den Berghe H (1998). Translocation 2;11 in a fibroma of tendon sheath. *Histopathology* 32: 433-435.
441. Dal Cin P, Sciot R, Fletcher CD, Hilliker C, de Wever I, Van Damme B, van den Berghe H (1996). Trisomy 21 in solitary fibrous tumor. *Cancer Genet Cytogenet* 86: 58-60.
442. Dal Cin P, Sciot R, Polito P, Stas M, de Wever I, Cornelis A, van den Berghe H (1997). Lesions of 13q may occur independently of deletion of 16q in spindle cell/pleomorphic lipomas. *Histopathology* 31: 222-225.
443. Dal Cin P, Sciot R, Samson I, de Wever I, van den Berghe H (1998). Osteoid osteoma and osteoblastoma with clonal chromosome changes. *Br J Cancer* 78: 344-348.
444. Dal Cin P, Sciot R, Van Damme B, de Wever I, van den Berghe H (1995). Trisomy 20 characterizes a second group of desmoid tumors. *Cancer Genet Cytogenet* 79: 189.
445. Dal Cin P, van den Berghe H, Pauwels P (1999). Epithelioid sarcoma of the proximal type with complex karyotype including i(8q). *Cancer Genet Cytogenet* 114: 80-82.
446. Daluiski A, Seeger LL, Doberneck SA, Finerman GA, Eckardt JJ (1995). A case of iuxta-articular myxoma of the knee. *Skeletal Radiol* 24: 389-391.
447. Dangel A, Meloni AM, Lynch HT, Sandberg AA (1994). Deletion (5q) in a desmoid tumor of a patient with Gardner's syndrome. *Cancer Genet Cytogenet* 78: 94-98.
448. Dargent JL, Delplace J, Roufosse C, Laget JP, Lespagnard L (1999). Development of a calcifying fibrous pseudotumour within a lesion of Castleman disease, hyaline-vascular subtype. *J Clin Pathol* 52: 547-549.
449. Darling JM, Goldring SR, Harada Y, Handel ML, Glowacki J, Gravalles EM (1997). Multinucleated cells in pigmented villonodular synovitis and giant cell tumor of tendon sheath express features of osteoclasts. *Am J Pathol* 150: 1383-1393.
450. Daroca PJ, Jr., Pulitzer DR, LoCicero J, III (1982). Ossifying fasciitis. *Arch Pathol Lab Med* 106: 682-685.
451. Davies DR, Armstrong JG, Thakker N, Horner K, Guy SP, Clancy T, Sloan P, Blair V, Dodd C, Warnes TW, Harris R, Evans DG (1995). Severe Gardner syndrome in families with mutations restricted to a specific region of the APC gene. *Am J Hum Genet* 57: 1151-1158.
452. Davies JD, Rees GJ, Mera SL (1983). Angiosarcoma in irradiated post-mastectomy chest wall. *Histopathology* 7: 947-956.
453. Davis AM, Bell RS, Goodwin PJ (1994). Prognostic factors in osteosarcoma: a critical review. *J Clin Oncol* 12: 423-431.
454. Davis RI, Hamilton A, Biggart JD (1998). Primary synovial chondromatosis: a clinicopathologic review and assessment of malignant potential. *Hum Pathol* 29: 683-688.
455. Davis RJ, Barr FG (1997). Fusion genes resulting from alternative chromosomal translocations are overexpressed by gene-specific mechanisms in alveolar rhabdomyosarcoma. *Proc Natl Acad Sci U S A* 94: 8047-8051.
456. Davis RJ, D'Cruz CM, Lovell MA, Biegel JA, Barr FG (1994). Fusion of PAX7 to FKHR by the variant t(1;13)(p36;q14) translocation in alveolar rhabdomyosarcoma. *Cancer Res* 54: 2869-2872.
457. Dawson EK (1955). Liposarcoma of bone. *J Pathol Bacteriol* 70: 513-520.
458. Day DL, Sane S, Dehner LP (1986). Inflammatory pseudotumor of the mesentery and small intestine. *Pediatr Radiol* 16: 210-215.
459. Day SJ, Nelson M, Rosenthal H, Vergara GG, Bridge JA (1997). Der(16)t(1;16)(q21;q13) as a secondary structural aberration in yet a third sarcoma, extraskelatal myxoid chondrosarcoma. *Genes Chromosomes Cancer* 20: 425-427.
460. de Alava E, Kawai A, Healey JH, Fligman I, Meyers PA, Huvos AG, Gerald WL, Jhanwar SC, Argani P, Antonescu CR, Pardo-Mindan FJ, Ginsberg J, Womer R, Lawlor ER, Wunder J, Andrulis I, Sorensen PH, Barr FG, Ladanyi M (1998). EWS-FLI1 fusion transcript structure is an independent determinant of prognosis in Ewing's sarcoma. *J Clin Oncol* 16: 1248-1255.
461. de Alava E, Ladanyi M, Rosai J, Gerald WL (1995). Detection of chimeric transcripts in desmoplastic small round cell tumor and related developmental tumors by reverse transcriptase polymerase chain reaction. A specific diagnostic assay. *Am J Pathol* 147: 1584-1591.
462. de Alava E, Lozano MD, Patino A, Sierrasesumaga L, Pardo-Mindan FJ (1998). Ewing family tumors: potential prognostic value of reverse-transcriptase polymerase chain reaction detection of minimal residual disease in peripheral blood samples. *Diagn Mol Pathol* 7: 152-157.
463. de Baere T, Vanel D, Shapeero LG, Charpentier A, Terrier P, di Paola M (1992). Osteosarcoma after chemotherapy: evaluation with contrast material-enhanced subtraction MR imaging. *Radiology* 185: 587-592.
464. De Beuckeleer LH, De Schepper AM, Ramon F (1996). Magnetic resonance imaging of cartilaginous tumors: is it useful or necessary? *Skeletal Radiol* 25: 137-141.
465. De Beuckeleer LH, De Schepper AM, Vandevenne JE, Bloem JL, Davies AM, Oudkerk M, Hauben E, Van Marck E, Somville J, Vanel D, Steinbach LS, Guinebretiere JM, Hogendoorn PC, Mooi WJ, Verstraete K, Zaloudek C, Jones H (2000). MR imaging of clear cell sarcoma (malignant melanoma of the soft parts): a multicenter correlative MRI-pathology study of 21 cases and literature review. *Skeletal Radiol* 29: 187-195.
466. de Bruijn DR, Baats E, Zechner U, de Leeuw B, Balemans M, Olde Weghuis DE, Hirling-Folz U, van Kessel AG (1996). Isolation and characterization of the mouse homolog of SYT, a gene implicated in the development of human synovial sarcomas. *Oncogene* 13: 643-648.
467. de Bruijn DR, don Santos NR, Kater-Baats E, Thijssen J, van den Berk L, Stap J, Balemans M, Schepens M, Merckx G, Geurts van Kessel AG (2002). The cancer-related protein SSX2 interacts with the human homologue of a RAS-like GTPase interactor, RAB31P, and a novel nuclear protein, SSX21P. *Genes Chromosomes Cancer* 34: 285-298.
468. de Bruijn DR, dos Santos NR, Thijssen J, Balemans M, Debernardi S, Linder B, Young BD, Geurts van Kessel AG (2001). The synovial sarcoma associated protein SYT interacts with the acute leukemia associated protein AF10. *Oncogene* 20: 3281-3289.
469. de Bruijn DR, Kater-Baats E, Eleveld M, Merckx G, Geurts van Kessel AG (2001). Mapping and characterization of the mouse and human SS18 genes, two human SS18-like genes and a mouse Ss18 pseudo-gene. *Cytogenet Cell Genet* 92: 310-319.
470. de Gauzy JS, Kany J, Darodes P, Dequae P, Cahuzac JP (1999). Kienbock's disease and multiple hereditary osteochondromata: a case report. *J Hand Surg [Am]* 24: 642-646.
471. de Leeuw B, Balemans M, Olde Weghuis DE, van Kessel AG (1995). Identification of two alternative fusion genes, SYT-SSX1 and SYT-SSX2, in t(X;18)(p11.2;q11.2)-positive synovial sarcomas. *Hum Mol Genet* 4: 1097-1099.
472. de Leeuw B, Balemans M, Weghuis DO, Seruca R, Janz M, Geraghty MT, Gilgenkrantz S, Ropers HH, Geurts van Kessel AG (1994). Molecular cloning of the synovial sarcoma-specific translocation (X;18)(p11.2;q11.2) breakpoint. *Hum Mol Genet* 3: 745-749.
473. de Leeuw B, Suijkerbuijk RF, Olde Weghuis DE, Meloni AM, Stenman G, Kindblom LG, Balemans M, van den Berg E, Molenaar WM, Sandberg AA, Geurts van Kessel AG (1994). Distinct Xp11.2 breakpoint regions in synovial sarcoma revealed by metaphase and interphase FISH: relationship to histologic subtypes. *Cancer Genet Cytogenet* 73: 89-94.
474. De Maeseneer M, Jaovisidha S, Lenchik L, Witte D, Schweitzer ME, Sartoris DJ, Resnick D (1997). Fibrolipomatous hamartoma: MR imaging findings. *Skeletal Radiol* 26: 155-160.
475. de Pinieux G, Beabout JW, Unni KK, Sim FH (2001). Primary mixed tumor of bone. *Skeletal Radiol* 30: 534-536.

476. de Wever I, Dal Cin P, Fletcher CD, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, van den Berghe H, Vanni R, Willén H (2000). Cytogenetic, clinical, and morphologic correlations in 78 cases of fibromatosis: a report from the CHAMP Study Group. *Chromosomes And Morphology. Mod Pathol* 13: 1080-1085.
477. De Young BR, Frierson HF, Jr., Ly MN, Smith D, Swanson PE (1998). CD31 immunoreactivity in carcinomas and mesotheliomas. *Am J Clin Pathol* 110: 374-377.
478. De Zen L, Sommaggio A, d'Amore ES, Masiero L, di Montezemolo LC, Linari A, Madon E, Dominici C, Bosco S, Bisogno G, Carli M, Ninfo V, Basso G (1997). Clinical relevance of DNA ploidy and proliferative activity in childhood rhabdomyosarcoma: a retrospective analysis of patients enrolled onto the Italian Cooperative Rhabdomyosarcoma Study RMS88. *J Clin Oncol* 15: 1198-1205.
479. DeBaun MR, Tucker MA (1998). Risk of cancer during the first four years of life in children from The Beckwith-Wiedemann Syndrome Registry. *J Pediatr* 132: 398-400.
480. Debiec-Rychter M, Sciort R, Hagemeyer A (2000). Common chromosome aberrations in the proximal type of epithelioid sarcoma. *Cancer Genet Cytogenet* 123: 133-136.
481. DeCaprio JA, Ludlow JW, Figge J, Shew JY, Huang CM, Lee WH, Marsilio E, Paucha E, Livingston DM (1988). SV40 large tumor antigen forms a specific complex with the product of the retinoblastoma susceptibility gene. *Cell* 54: 275-283.
482. DeCaprio JA, Ludlow JW, Lynch D, Furukawa Y, Griffin J, Pivnicka-Worms H, Huang CM, Livingston DM (1989). The product of the retinoblastoma susceptibility gene has properties of a cell cycle regulatory element. *Cell* 58: 1085-1095.
483. DeCristofaro MF, Betz BL, Wang W, Weissman BE (1999). Alteration of hSNF5/IN11/BAF47 detected in rhabdoid cell lines and primary rhabdomyosarcomas but not Wilms' tumors. *Oncogene* 18: 7559-7565.
484. Deenik W, Mooi WJ, Rutgers EJ, Peterse JL, Hart AA, Kroon BB (1999). Clear cell sarcoma (malignant melanoma) of soft parts: A clinicopathologic study of 30 cases. *Cancer* 86: 969-975.
485. Dehner LP, Enzinger FM, Font RL (1972). Fetal rhabdomyoma. An analysis of nine cases. *Cancer* 30: 160-166.
486. Dei Tos AP (2000). Liposarcoma: new entities and evolving concepts. *Ann Diagn Pathol* 4: 252-266.
487. Dei Tos AP, Doglioni C, Piccinin S, Maestro R, Mentzel T, Barbareschi M, Boiocchi M, Fletcher CD (1997). Molecular abnormalities of the p53 pathway in dedifferentiated liposarcoma. *J Pathol* 181: 8-13.
488. Dei Tos AP, Maestro R, Doglioni C, Piccinin S, Libera DD, Boiocchi M, Fletcher CD (1996). Tumor suppressor genes and related molecules in leiomyosarcoma. *Am J Pathol* 148: 1037-1045.
489. Dei Tos AP, Mentzel T, Fletcher CD (1998). Primary liposarcoma of the skin: a rare neoplasm with unusual high grade features. *Am J Dermatopathol* 20: 332-338.
490. Dei Tos AP, Mentzel T, Newman PL, Fletcher CD (1994). Spindle cell liposarcoma, a hitherto unrecognized variant of liposarcoma. Analysis of six cases. *Am J Surg Pathol* 18: 913-921.
491. Dei Tos AP, Seregard S, Calonje E, Chan JK, Fletcher CD (1995). Giant cell angiofibroma. A distinctive orbital tumor in adults. *Am J Surg Pathol* 19: 1286-1293.
492. Dei Tos AP, Wadden C, Calonje E, Sciort R, Pauwels P, Knight JC, Dal Cin P, Fletcher CD (1995). Immunohistochemical demonstration of glycoprotein p30/32mic2 (CD99) in synovial sarcoma. A potential cause of diagnostic confusion. *Appl Immunohistochem* 3: 168-173.
493. Dei Tos AP, Wadden C, Fletcher CD (1996). S-100 protein staining in liposarcoma. Its diagnostic utility in the high grade myxoid (round cell) variant. *Appl Immunohistochem* 4: 95-101.
494. Dei Tos AP, Wadden C, Fletcher CD (1997). Extraskeletal myxoid chondrosarcoma: an immunohistochemical reappraisal of 39 cases. *Appl Immunohistochem* 5: 73-77.
495. del Peso L, Gonzalez VM, Hernandez R, Barr FG, Nunez G (1999). Regulation of the forkhead transcription factor FKHR, but not the PAX3-FKHR fusion protein, by the serine/threonine kinase Akt. *Oncogene* 18: 7328-7333.
496. Delattre O, Zucman J, Melot T, Garau XS, Zucker JM, Lenoir GM, Ambros PF, Sheer D, Turc-Carel C, Triche TJ, Aurias A, Thomas G (1994). The Ewing family of tumors - a subgroup of small-round-cell tumors defined by specific chimeric transcripts. *N Engl J Med* 331: 294-299.
497. Delattre O, Zucman J, Plougastel B, Desmaze C, Melot T, Peter M, Kovar H, Joubert I, de Jong P, Rouleau G, Aurias A, Thomas G (1992). Gene fusion with an ETS DNA-binding domain caused by chromosome translocation in human tumours. *Nature* 359: 162-165.
498. Delsol G, Gatter KC, Stein H, Erber WN, Pulford KA, Zinne K, Mason DY (1984). Human lymphoid cells express epithelial membrane antigen. Implications for diagnosis of human neoplasms. *Lancet* 2: 1124-1129.
499. Dembinski A, Bridge JA, Neff JR, Berger C, Sandberg AA (1992). Trisomy 2 in proliferative fasciitis. *Cancer Genet Cytogenet* 60: 27-30.
500. Demircan M, Sayan A, Eriksi V, Bayol U, Arkan A (1998). An hourglass type of intrathoracic lipoblastoma manifested by edema in right upper limb. *J Pak Med Assoc* 48: 108-110.
501. Deneen B, Denny CT (2001). Loss of p16 pathways stabilizes EWS/FL1 expression and complements EWS/FL1 mediated transformation. *Oncogene* 20: 6731-6741.
502. Derkinderen DJ, Kotev JW, Wolterbeek R, Beemer FA, Tan KE, Den Otter W (1987). Non-ocular cancer in hereditary retinoblastoma survivors and relatives. *Ophthalmic Paediatr Genet* 8: 23-25.
503. Desai P, Perino G, Present D, Steiner GC (1996). Sarcoma in association with bone infarcts. Report of five cases. *Arch Pathol Lab Med* 120: 482-489.
504. Desai S, Jambhekar N (1995). Clinicopathological evaluation of metastatic carcinomas of bone: a retrospective analysis of 114 cases over 10 years. *Indian J Pathol Microbiol* 38: 49-54.
505. deSantos LA, Edeiken B (1982). Purely lytic osteosarcoma. *Skeletal Radiol* 9: 1-7.
506. Destouet JM, Kyriakos M, Gilula LA (1980). Fibrous histiocytoma (fibroxanthoma) of a cervical vertebra. A report with a review of the literature. *Skeletal Radiol* 5: 241-246.
507. Devaney DM, Dervan P, O'Neill S, Carney D, Leader M (1990). Low-grade fibromyxoid sarcoma. *Histopathology* 17: 463-465.
508. Devaney K, Vinh TN, Sweet DE (1993). Small cell osteosarcoma of bone: an immunohistochemical study with differential diagnostic considerations. *Hum Pathol* 24: 1211-1225.
509. Devaney K, Vinh TN, Sweet DE (1993). Synovial hemangioma: a report of 20 cases with differential diagnostic considerations. *Hum Pathol* 24: 737-745.
510. Devaney K, Vinh TN, Sweet DE (1994). Skeletal-extraskeletal angiomatosis. A clinicopathological study of fourteen patients and nosologic considerations. *J Bone Joint Surg Am* 76: 878-891.
511. Devesa SS (1975). The incidence of retinoblastoma. *Am J Ophthalmol* 80: 263-265.
512. Devesa SS, Silverman DT, Young JL, Jr., Pollack ES, Brown CC, Horn JW, Percy CL, Myers MH, McKay FW, Fraumeni JF, Jr. (1987). Cancer incidence and mortality trends among whites in the United States, 1947-84. *J Natl Cancer Inst* 79: 701-770.
513. Devoe K, Weidner N (2000). Immunohistochemistry of small round-cell tumors. *Semin Diagn Pathol* 17: 216-224.
514. DeYoung BR, Wick MR (2000). Immunohistologic evaluation of metastatic carcinomas of unknown origin: an algorithmic approach. *Semin Diagn Pathol* 17: 184-193.
515. di Sant'Agnese PA, Knowles DM (1980). Extracardiac rhabdomyoma: a clinicopathologic study and review of the literature. *Cancer* 46: 780-789.
516. Dias P, Chen B, Dilday B, Palmer H, Hosoi H, Singh S, Wu C, Li X, Thompson J, Parham D, Qualman S, Houghton P (2000). Strong immunostaining for myogenin in rhabdomyosarcoma is significantly associated with tumors of the alveolar subclass. *Am J Pathol* 156: 399-408.
517. Dias P, Parham DM, Shapiro DN, Webber BL, Houghton PJ (1990). Myogenic regulatory protein (MyoD1) expression in childhood solid tumors: diagnostic utility in rhabdomyosarcoma. *Am J Pathol* 137: 1283-1291.
518. Dickersin GR, Rosenberg AE (1991). The ultrastructure of small-cell osteosarcoma, with a review of the light microscopy and differential diagnosis. *Hum Pathol* 22: 267-275.
519. Dickey GE, Sotelo-Avila C (1999). Fibrous hamartoma of infancy: current review. *Pediatr Dev Pathol* 2: 236-243.
520. Dickman PS, Triche TJ (1986). Extrasosseous Ewing's sarcoma versus primitive rhabdomyosarcoma: diagnostic criteria and clinical correlation. *Hum Pathol* 17: 881-893.
521. Dictor M, Ferno M, Baldetorp B (1991). Flow cytometric DNA content in Kaposi's sarcoma by histologic stage. Comparison with angiosarcoma. *Anal Quant Cytol Histol* 13: 201-208.
522. Dimitrakopoulou-Strauss A, Strauss LG, Schwarzbach M, Burger C, Heichel T, Willeke F, Mechttersheimer G, Lehnert T (2001). Dynamic PET 18F-FDG studies in patients with primary and recurrent soft-tissue sarcomas: impact on diagnosis and correlation with grading. *J Nucl Med* 42: 713-720.
523. Dimmick JE, Wood WS (1983). Congenital multiple fibromatosis. *Am J Dermatopathol* 5: 289-295.
524. DiSanto S, Abt AB, Boal DK, Krummel TM (1992). Fetal rhabdomyoma and nevoid basal cell carcinoma syndrome. *Pediatr Pathol* 12: 441-447.
525. Dishop MK, O'Connor WN, Abraham S, Cottrill CM (2001). Primary cardiac lipoblastoma. *Pediatr Dev Pathol* 4: 276-280.
526. Diwan AH, Graves ED, King JA, Horenstein MG (2000). Nuchal-type fibroma in two related patients with Gardner's syndrome. *Am J Surg Pathol* 24: 1563-1567.
527. Dixon AY, McGregor DH, Lee SH (1981). Angiolipomas: an ultrastructural and clinicopathological study. *Hum Pathol* 12: 739-747.
528. Djindjian R, Cophignon J, Theron J, Merland JJ, Houdart R (1973). Embolization by superselective arteriography from the femoral route in neuroradiology. Review of 60 cases. 1. Technique, indications, complications. *Neuroradiology* 6: 20-26.
529. Dobin SM, Donner LR, Speights VO, Jr. (1995). Mesenchymal chondrosarcoma. A cytogenetic, immunohistochemical and ultrastructural study. *Cancer Genet Cytogenet* 83: 56-60.

530. Dobson L (1956). Spontaneous regression of malignant tumors. *Am J Surg* 92: 162-173.
531. Donahoo JS, Miller JA, Lal B, Rosario PG (1996). Chest wall hamartoma in an adult: an unusual chest wall tumor. *Thorac Cardiovasc Surg* 44: 110-111.
532. Donato G, Lavano A, Volpentesta G, Chirchiglia D, Veraldi A, De Rose F, Iannello AN, Stroschio C, Signorelli CD (1997). Telangiectatic osteosarcoma of the skull. A post-Paget case. *Clin Neuropathol* 16: 201-203.
533. Donner LR (1992). Ossifying fibromyxoid tumor of soft parts: evidence supporting Schwann cell origin. *Hum Pathol* 23: 200-202.
534. Donner LR, Clawson K, Dobin SM (2000). Sclerosing epithelioid fibrosarcoma: a cytogenetic, immunohistochemical, and ultrastructural study of an unusual histological variant. *Cancer Genet Cytogenet* 119: 127-131.
535. Donner LR, Trompler RA, Dobin S (1998). Clear cell sarcoma of the ileum: the crucial role of cytogenetics for the diagnosis. *Am J Surg Pathol* 22: 121-124.
536. Donner LR, Trompler RA, White RR (1996). Progression of inflammatory myofibroblastic tumor (inflammatory pseudotumor) of soft tissue into sarcoma after several recurrences. *Hum Pathol* 27: 1095-1098.
537. Dorfman HD, Czerniak B (1995). Bone cancers. *Cancer* 75: 203-210.
538. Dorfman HD, Czerniak B (1998). *Bone Tumors*. Mosby: St.Louis.
539. Dorfman HD, Czerniak B (1998). Vascular lesions. In: *Bone Tumors*. Mosby: St.Louis, pp. 729-814.
540. Dorfman HD, Habermann ET (1988). The risk of bone sarcoma in patients with bone infarction. *Proc Am Acad Orthop Surg* February (abstract).
541. Dorfman HD, Weiss SW (1984). Borderline osteoblastic tumors: problems in the differential diagnosis of aggressive osteoblastoma and low-grade osteosarcoma. *Semin Diagn Pathol* 1: 215-234.
542. Dorwart RH, Genant HK, Johnston WH, Morris JM (1984). Pigmented villonodular synovitis of synovial joints: clinical, pathologic, and radiologic features. *AJR Am J Roentgenol* 143: 877-885.
543. dos Santos NR, de Bruijn DR, van Kessel AG (2001). Molecular mechanisms underlying human synovial sarcoma development. *Genes Chromosomes Cancer* 30: 1-14.
544. Dosoretz DE, Raymond AK, Murphy GF, Doppke KP, Schiller AL, Wang CC, Suit HD (1982). Primary lymphoma of bone: the relationship of morphologic diversity to clinical behavior. *Cancer* 50: 1009-1014.
545. Dotan ZA, Mor Y, Olchovsky D, Aviel-Ronen S, Engelberg S, Pinthus J, Shefi S, Leibovitch I, Ramon J (1999). Solitary fibrous tumor presenting as perirenal mass associated with hypoglycemia. *J Urol* 162: 2087-2088.
546. Douglass EC, Valentine M, Rowe ST, Parham DM, Wilimas JA, Sanders JM, Houghton PJ (1990). Malignant rhabdoid tumor: a highly malignant childhood tumor with minimal karyotypic changes. *Genes Chromosomes Cancer* 2: 210-216.
547. Dowler JG, Sanders MD, Brown PM (1995). Bilateral sudden visual loss due to sphenoid mucocele in Albright's syndrome. *Br J Ophthalmol* 79: 503-504.
548. Downes KA, Goldblum JR, Montgomery EA, Fisher C (2001). Pleomorphic liposarcoma: a clinicopathologic analysis of 19 cases. *Mod Pathol* 14: 179-184.
549. Downing JR, Head DR, Parham DM, Douglass EC, Hulshof MG, Link MP, Motroni TA, Grier HE, Curcio-Brint AM, Shapiro DN (1993). Detection of the (11;22)(q24;q12) translocation of Ewing's sarcoma and peripheral neuroectodermal tumor by reverse transcription polymerase chain reaction. *Am J Pathol* 143: 1294-1300.
550. Draper GJ, Sanders BM, Kingston JE (1986). Second primary neoplasms in patients with retinoblastoma. *Br J Cancer* 53: 661-671.
551. Drut R (1988). Ossifying fibrolipomatous hamartoma of the ulnar nerve. *Pediatr Pathol* 8: 179-184.
552. Dryja TP, Cavenee W, White R, Rapaport JM, Petersen R, Albert DM, Bruns GA (1984). Homozygosity of chromosome 13 in retinoblastoma. *N Engl J Med* 310: 550-553.
553. Dubus P, Coindre JM, Groppi A, Jouan H, Ferrer J, Cohen C, Rivel J, Copin MC, Leroy JP, de Muret A, Merlio JP (2001). The detection of Tel-TrkC chimeric transcripts is more specific than TrkC immunoreactivity for the diagnosis of congenital fibrosarcoma. *J Pathol* 193: 88-94.
554. Dudgeon J, Lee WR (1983). The trilateral retinoblastoma syndrome. *Trans Ophthalmol Soc U K* 103 ( Pt 5): 523-529.
555. Duhig JT, Ayer JP (1959). Vascular leiomyoma: a study of sixty-one cases. *Arch Pathol Lab Med* 68: 424-430.
556. Duke D, Dvorak A, Harris TJ, Cohen LM (1996). Multiple retiform hemangioidotheliomas. A low-grade angiosarcoma. *Am J Dermatopathol* 18: 606-610.
557. Dumont P, de Muret A, Skrobala D, Robin P, Toumieux B (1997). Calcifying fibrous pseudotumor of the mediastinum. *Ann Thorac Surg* 63: 543-544.
558. Dunn JM, Phillips RA, Zhu X, Becker A, Gallie BL (1989). Mutations in the RB1 gene and their effects on transcription. *Mol Cell Biol* 9: 4596-4604.
559. Dupree WB, Enzinger FM (1986). Fibro-osseous pseudotumor of the digits. *Cancer* 58: 2103-2109.
560. Durie BG (1986). Staging and kinetics of multiple myeloma. *Semin Oncol* 13: 300-309.
561. Durie BG, Salmon SE (1975). A clinical staging system for multiple myeloma. Correlation of measured myeloma cell mass with presenting clinical features, response to treatment, and survival. *Cancer* 36: 842-854.
562. Durroux R, Ducoin H, Gaubert J (1993). [Adamantinoma of the tibia and osteofibrodysplasia. Report of a case]. *Ann Pathol* 13: 336-340.
563. Dvornik G, Barbareschi M, Gallotta P, Dalla PP (1997). Low grade fibromyxoid sarcoma. *Histopathology* 30: 274-276.
564. Dyson N, Howley PM, Munger K, Harlow E (1989). The human papilloma virus-16 E7 oncoprotein is able to bind to the retinoblastoma gene product. *Science* 243: 934-937.
565. Eary JF, Conrad EU, Bruckner JD, Folpe A, Hunt KJ, Mankoff DA, Howlett AT (1998). Quantitative [<sup>18</sup>F]fluorodeoxyglucose positron emission tomography in pretreatment and grading of sarcoma. *Clin Cancer Res* 4: 1215-1220.
566. Eccles DM, Lunt PW, Wallis Y, Griffiths M, Sandhu B, McKay S, Morton D, Shea-Simonds J, Macdonald F (1997). An unusually severe phenotype for familial adenomatous polyposis. *Arch Dis Child* 77: 431-435.
567. Eckardt JJ, Pritchard DJ, Soule EH (1983). Clear cell sarcoma. A clinicopathologic study of 27 cases. *Cancer* 52: 1482-1488.
568. Edeiken J, Raymond AK, Ayala AG, Benjamin RS, Murray JA, Carrasco HC (1987). Small-cell osteosarcoma. *Skeletal Radiol* 16: 621-628.
569. Edel G, Ueda Y, Nakanishi J, Brinker KH, Roessner A, Blasius S, Vestring T, Muller-Miny H, Erlemann R, Wuisman P (1992). Chondroblastoma of bone. A clinical, radiological, light and immunohistochemical study. *Virchows Arch A Pathol Anat Histopathol* 421: 355-366.
570. Efem SE, Ekpo MD (1993). Clinicopathological features of untreated fibrous hamartoma of infancy. *J Clin Pathol* 46: 522-524.
571. Eftekhari F, Ater JL, Ayala AG, Czerniak BA (2001). Case report: Calcifying fibrous pseudotumor of the adrenal gland. *Br J Radiol* 74: 452-454.
572. Eich GF, Hoeffel JC, Tschappeler H, Gassner I, Willi UV (1998). Fibrous tumours in children: imaging features of a heterogeneous group of disorders. *Pediatr Radiol* 28: 500-509.
573. Ekfors TO, Kujari H, Isomaki M (1993). Clear cell sarcoma of tendons and aponeuroses (malignant melanoma of soft parts) in the duodenum: the first visceral case. *Histopathology* 22: 255-259.
574. el Jabbour JN, Bennett MH, Burke MM, Lessells A, O'Halloran A (1991). Proliferative myositis. An immunohistochemical and ultrastructural study. *Am J Surg Pathol* 15: 654-659.
575. el Jabbour JN, Wilson GD, Bennett MH, Burke MM, Davey AT, Eames K (1991). Flow cytometric study of nodular fasciitis, proliferative fasciitis, and proliferative myositis. *Hum Pathol* 22: 1146-1149.
576. el Naggat AK, Hurr K, Tu ZN, Teague K, Raymond KA, Ayala AG, Murray J (1995). DNA and RNA content analysis by flow cytometry in the pathobiologic assessment of bone tumors. *Cytometry* 19: 256-262.
577. el Rifai W, Sarlomo-Rikala M, Knuutila S, Miettinen M (1998). DNA copy number changes in development and progression in leiomyosarcomas of soft tissues. *Am J Pathol* 153: 985-990.
578. Elgar F, Goldblum JR (1997). Well-differentiated liposarcoma of the retroperitoneum: a clinicopathologic analysis of 20 cases, with particular attention to the extent of low-grade dedifferentiation. *Mod Pathol* 10: 113-120.
579. Elkahloun AG, Bittner M, Hoskins K, Gemmill R, Meltzer PS (1996). Molecular cytogenetic characterization and physical mapping of 12q13-15 amplification in human cancers. *Genes Chromosomes Cancer* 17: 205-214.
580. Elliott M, Bayly R, Cole T, Temple IK, Maher ER (1994). Clinical features and natural history of Beckwith-Wiedemann syndrome: presentation of 74 new cases. *Clin Genet* 46: 168-174.
581. Ellis JH, Siegel CL, Martel W, Weatherbee L, Dorfman H (1988). Radiologic features of well-differentiated osteosarcoma. *AJR Am J Roentgenol* 151: 739-742.
582. Ellsworth RM (1969). The practical management of retinoblastoma. *Trans Am Ophthalmol Soc* 67: 462-534.
583. Elzay RP, Mills S, Kay S (1984). Fibrous defect (nonossifying fibroma) of the mandible. *Oral Surg Oral Med Oral Pathol* 58: 402-407.
584. Emile JF, Wechsler J, Brousse N, Boulland ML, Cologon R, Fraitag S, Voinis MC, Gaulard P, Boumsell L, Zafrani ES (1995). Langerhans' cell histiocytosis. Definitive diagnosis with the use of monoclonal antibody O10 on routinely paraffin-embedded samples. *Am J Surg Pathol* 19: 636-641.
585. Enjoji M, Sumiyoshi K, Sueyoshi K (1985). Elastofibromatous lesion of the stomach in a patient with elastofibroma dorsi. *Am J Surg Pathol* 9: 233-237.
586. Enneking WF, Kagan A (1975). "Skip" metastases in osteosarcoma. *Cancer* 36: 2192-2205.

587. Ensoli B, Sgadari C, Barillari G, Sirianni MC, Sturzl M, Monini P (2001). Biology of Kaposi's sarcoma. *Eur J Cancer* 37: 1251-1269.
588. Enzinger FM (1962). Liposarcoma. A study of 103 cases. *Virchows Arch Pathol Anat* 335: 367-388.
589. Enzinger FM (1965). Clear cell sarcoma of tendons and aponeuroses. An analysis of 21 cases. *Cancer* 18: 1163-1174.
590. Enzinger FM (1965). Fibrous hamartoma of infancy. *Cancer* 18: 241-248.
591. Enzinger FM (1965). Intramuscular myxoma. A review and follow-up study of 34 cases. *Am J Clin Pathol* 43: 104-113.
592. Enzinger FM (1970). Epithelioid sarcoma. A sarcoma simulating a granuloma or a carcinoma. *Cancer* 26: 1029-1041.
593. Enzinger FM (1979). Angiomatoid malignant fibrous histiocytoma: a distinct fibrohistiocytic tumor of children and young adults simulating a vascular neoplasm. *Cancer* 44: 2147-2157.
594. Enzinger FM, Dulcey F (1967). Proliferative myositis. Report of thirty-three cases. *Cancer* 20: 2213-2223.
595. Enzinger FM, Harvey DA (1975). Spindle cell lipoma. *Cancer* 36: 1852-1859.
596. Enzinger FM, Shiraki M (1969). Alveolar rhabdomyosarcoma. An analysis of 110 cases. *Cancer* 24: 18-31.
597. Enzinger FM, Shiraki M (1972). Extraskeletal myxoid chondrosarcoma. An analysis of 34 cases. *Hum Pathol* 3: 421-435.
598. Enzinger FM, Smith BH (1976). Hemangiopericytoma. An analysis of 106 cases. *Hum Pathol* 7: 61-82.
599. Enzinger FM, Weiss SW (1983). Malignant fibrohistiocytic tumors. In: *Soft Tissue Tumors*. 1st ed. C.V.Mosby: St.Louis, pp. 166-198.
600. Enzinger FM, Weiss SW (1988). Benign tumors and tumorlike lesions of fibrous tissue. In: *Soft Tissue Tumors*. 2nd ed. C.V.Mosby: St.Louis.
601. Enzinger FM, Weiss SW (1988). *Soft Tissue Tumors*. 2nd ed. C.V.Mosby: St.Louis.
602. Enzinger FM, Weiss SW, Liang CY (1989). Ossifying fibromyxoid tumor of soft parts. A clinicopathological analysis of 59 cases. *Am J Surg Pathol* 13: 817-827.
603. Enzinger FM, Zhang RY (1988). Plexiform fibrohistiocytic tumor presenting in children and young adults. An analysis of 65 cases. *Am J Surg Pathol* 12: 818-826.
604. Epstein CJ, Martin GM, Schultz AL, Motulsky AG (1966). Werner's syndrome a review of its symptomatology, natural history, pathologic features, genetics and relationship to the natural aging process. *Medicine (Baltimore)* 45: 177-221.
605. Epstein JA, Lam P, Jepeal L, Maas RL, Shapiro DN (1995). Pax3 inhibits myogenic differentiation of cultured myoblast cells. *J Biol Chem* 270: 11719-11722.
606. Erasmus JJ, McAdams HP, Patz EF, Jr., Murray JG, Pinkard NB (1996). Calcifying fibrous pseudotumor of pleura: radiologic features in three cases. *J Comput Assist Tomogr* 20: 763-765.
607. Eriksson M, Hardell L, Adami HO (1990). Exposure to dioxins as a risk factor for soft tissue sarcoma: a population-based case-control study. *J Natl Cancer Inst* 82: 486-490.
608. Eriksson M, Hardell L, Berg NO, Möller T, Axelson O (1981). Soft-tissue sarcomas and exposure to chemical substances: a case-referent study. *Br J Ind Med* 38: 27-33.
609. Erlandson RA (1987). The ultrastructural distinction between rhabdomyosarcoma and other undifferentiated "sarcomas". *Ultrastruct Pathol* 11: 83-101.
610. Esnaola NF, Rubin BP, Baldini EH, Vasudevan N, Demetri GD, Fletcher CD, Singer S (2001). Response to chemotherapy and predictors of survival in adult rhabdomyosarcoma. *Ann Surg* 234: 215-223.
611. Esparza J, Castro S, Portillo JM, Roger R (1978). Vertebral hemangiomas: spinal angiography and preoperative embolization. *Surg Neurol* 10: 171-173.
612. Essner R, Selch M, Eilber FR (1990). Reirradiation for extremity soft tissue sarcomas: local control and complications (meeting abstract). *Proc 72 Ann Am Radium Soc Meeting* April, 1990.
613. Etcubanas E, Peiper S, Stass S, Green A (1989). Rhabdomyosarcoma, presenting as disseminated malignancy from an unknown primary site: a retrospective study of ten pediatric cases. *Med Pediatr Oncol* 17: 39-44.
614. Eto H, Toriyama K, Tsuda N, Tagawa Y, Itakura H (1992). Flow cytometric DNA analysis of vascular soft tissue tumors, including African endemic-type Kaposi's sarcoma. *Hum Pathol* 23: 1055-1060.
615. Eulderink F, de Graaf PW (1998). Ectopic hamartomatous thymoma located preternally. *Eur J Surg* 164: 629-630.
616. Eusebi V, Ceccarelli C, Daniele E, Collina G, Viale G, Mancini AM (1988). Extracardiac rhabdomyoma: An immunocytochemical study and review of the literature. *Appl Pathol* 6: 197-207.
617. Evans HL (1979). Liposarcoma: a study of 55 cases with a reassessment of its classification. *Am J Surg Pathol* 3: 507-523.
618. Evans HL (1985). Alveolar soft-part sarcoma. A study of 13 typical examples and one with a histologically atypical component. *Cancer* 55: 912-917.
619. Evans HL (1987). Low-grade fibromyxoid sarcoma. A report of two metastasizing neoplasms having a deceptively benign appearance. *Am J Clin Pathol* 88: 615-619.
620. Evans HL (1988). Liposarcoma and atypical lipomatous tumors: a study of 66 cases followed for a minimum of 10 years. *Surg Pathol* 1: 41-54.
621. Evans HL (1993). Low-grade fibromyxoid sarcoma. A report of 12 cases. *Am J Surg Pathol* 17: 595-600.
622. Evans HL (1995). Desmoplastic fibroblastoma. A report of seven cases. *Am J Surg Pathol* 19: 1077-1081.
623. Evans HL (2002). Multinucleated giant cells in plantar fibromatosis. *Am J Surg Pathol* 26: 244-248.
624. Evans HL, Ayala AG, Romsdahl MM (1977). Prognostic factors in chondrosarcoma of bone: a clinicopathologic analysis with emphasis on histologic grading. *Cancer* 40: 818-831.
625. Evans HL, Baer SC (1993). Epithelioid sarcoma: a clinicopathologic and prognostic study of 26 cases. *Semin Diagn Pathol* 10: 286-291.
626. Evans HL, Soule EH, Winkelmann RK (1979). Atypical lipoma, atypical intramuscular lipoma, and well differentiated retroperitoneal liposarcoma: a reappraisal of 30 cases formerly classified as well differentiated liposarcoma. *Cancer* 43: 574-584.
627. Evans S, Williams F (1986). Case report: Erdheim-Chester disease: polyostotic sclerosing histiocytosis. *Clin Radiol* 37: 93-96.
628. Exelby PR, Knapper WH, Huvos AG, Beattie EJ, Jr. (1973). Soft-tissue fibrosarcoma in children. *J Pediatr Surg* 8: 415-420.
629. Eyden BP, Manson C, Banerjee SS, Roberts IS, Harris M (1998). Sclerosing epithelioid fibrosarcoma: a study of five cases emphasizing diagnostic criteria. *Histopathology* 33: 354-360.
630. Faivre L, Nivelon-Chevallier A, Kottler ML, Robinet C, Van Kien PK, Lorcerie B, Munnich A, Maroteaux P, Cormier-Daire V, LeMerrer M (2001). Mazabraud syndrome in two patients: clinical overlap with McCune-Albright syndrome. *Am J Med Genet* 99: 132-136.
631. Falk S, Schmidts HL, Muller H, Berger K, Schneider M, Schlote W, Helm EB, Stille W, Hubner K, Stutte HJ (1987). Autopsy findings in AIDS - a histopathological analysis of fifty cases. *Klin Wochenschr* 65: 654-663.
632. Fanburg-Smith JC, Bratthauer GL, Miettinen M (1999). Osteocalcin and osteonectin immunoreactivity in extraskeletal osteosarcoma: a study of 28 cases. *Hum Pathol* 30: 32-38.
633. Fanburg-Smith JC, Devaney KO, Miettinen M, Weiss SW (1998). Multiple spindle cell lipomas: a report of 7 familial and 11 nonfamilial cases. *Am J Surg Pathol* 22: 40-48.
634. Fanburg-Smith JC, Hengge M, Hengge UR, Smith JS, Jr., Miettinen M (1998). Extrarenal rhabdoid tumors of soft tissue: a clinicopathologic and immunohistochemical study of 18 cases. *Ann Diagn Pathol* 2: 351-362.
635. Fanburg-Smith JC, Michal M, Partanen TA, Alitalo K, Miettinen M (1999). Papillary intralymphatic angioendothelioma (PILA): a report of twelve cases of a distinctive vascular tumor with phenotypic features of lymphatic vessels. *Am J Surg Pathol* 23: 1004-1010.
636. Fanburg-Smith JC, Miettinen M (1998). Liposarcoma with meningothelial-like whorls: a study of 17 cases of a distinctive histological pattern associated with dedifferentiated liposarcoma. *Histopathology* 33: 414-424.
637. Fanburg-Smith JC, Miettinen M (1998). Malignant giant cell tumors of the tendon sheath: histologic classification with clinical correlation. *Clin Exp Pathol* 46: 16A.
638. Fanburg-Smith JC, Miettinen M (1999). Angiomatoid "malignant" fibrous histiocytoma: a clinicopathologic study of 158 cases and further exploration of the myoid phenotype. *Hum Pathol* 30: 1336-1343.
639. Fanburg JC, Meis-Kindblom JM, Rosenberg AE (1995). Multiple enchondromas associated with spindle-cell hemangiopericytomas. An overlooked variant of Maffucci's syndrome. *Am J Surg Pathol* 19: 1029-1038.
640. Fanburg JC, Rosenberg AE, Weaver DL, Leslie KO, Mann KG, Taatjes DJ, Tracy RP (1997). Osteocalcin and osteonectin immunoreactivity in the diagnosis of osteosarcoma. *Am J Clin Pathol* 108: 464-473.
641. Faria SL, Schlupp WR, Chiminazzo H, Jr. (1985). Radiotherapy in the treatment of vertebral hemangiomas. *Int J Radiat Oncol Biol Phys* 11: 387-390.
642. Farshid G, Pradhan M, Goldblum J, Weiss SW (2002). Leiomyosarcoma of somatic soft tissues: a tumor of vascular origin with multivariate analysis of outcome in 42 cases. *Am J Surg Pathol* 26: 14-24.
643. Fechner RE, Mills SE (1993). Lesions of the synovium. In: *Tumours of the Bones and Joints. Atlas of Tumour Pathology*. AFIP: Washington DC, pp. 279-282.
644. Fechner RE, Mills SE (1993). *Tumors of the Bones and Joints. Atlas of Tumour Pathology*. AFIP: Washington, D.C.
645. Feely MG, Boehm AK, Bridge RS, Krallman PM, Neff JR, Nelson M, Bridge JA (2002). Cytogenetic and molecular cytogenetic evidence of recurrent 8q24.1 loss in osteochondroma. *Hum Pathol* (in press).
646. Feely MG, Fidler ME, Nelson M, Neff JR, Bridge JA (2000). Cytogenetic findings in a case of epithelioid sarcoma and a review of the literature. *Cancer Genet Cytogenet* 119: 155-157.
647. Feldman F, Norman D (1972). Intra- and extraosseous malignant histiocytoma (malignant fibrous xanthoma). *Radiology* 104: 497-508.

648. Felix CA, Kappel CC, Mitsudomi T, Nau MM, Tsokos M, Crouch GD, Nisen PD, Winick NJ, Helman LJ (1992). Frequency and diversity of p53 mutations in childhood rhabdomyosarcoma. *Cancer Res* 52: 2243-2247.
649. Ferber L, Lampe I (1942). Hemangioma of vertebra associated with compression of the cord: response to radiation therapy. *Arch Neurol* 47: 19.
650. Ferguson RJ, Yunis EJ (1978). The ultrastructure of human osteosarcoma: a study of nine cases. *Clin Orthop* 234-246.
651. Fergusson IL (1972). Haemangiomas of skeletal muscle. *Br J Surg* 59: 634-637.
652. Ferracini R, Di Renzo MF, Scotlandi K, Baldini N, Olivero M, Lollini P, Cremona O, Campanacci M, Comoglio PM (1995). The Met/HGF receptor is over-expressed in human osteosarcomas and is activated by either a paracrine or an autocrine circuit. *Oncogene* 10: 739-749.
653. Ferracini R, Scotlandi K, Cagliero E, Acquarone F, Olivero M, Wunder J, Baldini N (2000). The expression of Met/hepatocyte growth factor receptor gene in giant cell tumors of bone and other benign musculoskeletal tumors. *J Cell Physiol* 184: 191-196.
654. Ferreiro JA, Nascimento AG (1995). Hyaline-cell rich chondroid syringoma. A tumor mimicking malignancy. *Am J Surg Pathol* 19: 912-917.
655. Ferry JA, Malt RA, Young RH (1991). Renal angiomyolipoma with sarcomatous transformation and pulmonary metastases. *Am J Surg Pathol* 15: 1083-1088.
656. Fetsch JF, Laskin WB, Lefkowitz M, Kindblom LG, Meis-Kindblom JM (1996). Aggressive angiomyxoma: a clinicopathologic study of 29 female patients. *Cancer* 78: 79-90.
657. Fetsch JF, Miettinen M (1998). Calcifying aponeurotic fibroma: a clinicopathologic study of 22 cases arising in uncommon sites. *Hum Pathol* 29: 1504-1510.
658. Fetsch JF, Miettinen M, Laskin WB, Michal M, Enzinger FM (2000). A clinicopathologic study of 45 pediatric soft tissue tumors with an admixture of adipose tissue and fibroblastic elements, and a proposal for classification as lipofibromatosis. *Am J Surg Pathol* 24: 1491-1500.
659. Fetsch JF, Montgomery EA, Meis JM (1993). Calcifying fibrous pseudotumor. *Am J Surg Pathol* 17: 502-508.
660. Fetsch JF, Weiss SW (1990). Ectopic hamartomatous thymoma: clinicopathologic, immunohistochemical, and histogenetic considerations in four new cases. *Hum Pathol* 21: 662-668.
661. Fetsch JF, Weiss SW (1991). Observations concerning the pathogenesis of epithelioid hemangioma (angiolymphoid hyperplasia). *Mod Pathol* 4: 449-455.
662. Feugeas O, Guriec N, Babin-Boilletot A, Marcellin L, Simon P, Babin S, Thyss A, Hofman P, Terrier P, Kalifa C, Brunat-Mentigny M, Patricot LM, Oberling F (1996). Loss of heterozygosity of the RB gene is a poor prognostic factor in patients with osteosarcoma. *J Clin Oncol* 14: 467-472.
663. Fine G, Stout AP (1956). Osteogenic sarcoma of the extraskelatal soft tissues. *Cancer* 9: 1027-1043.
664. Fink MG, Levinson DJ, Brown NL, Sreekanth S, Sobel GW (1991). Erdheim-Chester disease. Case report with autopsy findings. *Arch Pathol Lab Med* 115: 619-623.
665. Fisher C (1986). Synovial sarcoma: ultrastructural and immunohistochemical features of epithelial differentiation in monophasic and biphasic tumors. *Hum Pathol* 17: 996-1008.
666. Fisher C (1988). Epithelioid sarcoma: the spectrum of ultrastructural differentiation in seven immunohistochemically defined cases. *Hum Pathol* 19: 265-275.
667. Fisher C (1990). The value of electronmicroscopy and immunohistochemistry in the diagnosis of soft tissue sarcomas: a study of 200 cases. *Histopathology* 16: 441-454.
668. Fisher C (1998). Synovial sarcoma. *Ann Diagn Pathol* 2: 401-421.
669. Fisher C, Hedges M, Weiss SW (1994). Ossifying fibromyxoid tumor of soft parts with stromal cyst formation and ribosome-lamella complexes. *Ultrastruct Pathol* 18: 593-600.
670. Fitzgerald RH, Jr., Dahlin DC, Sim FH (1973). Multiple metachronous osteogenic sarcoma. Report of twelve cases with two long-term survivors. *J Bone Joint Surg Am* 55: 595-605.
671. Flanagan BP, Helwig EB (1977). Cutaneous lymphangioma. *Arch Dermatol* 113: 24-30.
672. Fleming ID, Cooper JS, Henson GE, et al. (1997). *AJCC Cancer Staging Manual*. 5th ed. Lippincott-Raven: Philadelphia.
673. Fletcher CD (1990). Benign fibrous histiocytoma of subcutaneous and deep soft tissue: a clinicopathologic analysis of 21 cases. *Am J Surg Pathol* 14: 801-809.
674. Fletcher CD (1991). Angiomatoid "malignant fibrous histiocytoma": an immunohistochemical study indicative of myoid differentiation. *Hum Pathol* 22: 563-568.
675. Fletcher CD (1992). Pleomorphic malignant fibrous histiocytoma: fact or fiction? A critical reappraisal based on 159 tumors diagnosed as pleomorphic sarcoma. *Am J Surg Pathol* 16: 213-228.
676. Fletcher CD (1994). Haemangiopericytoma - a dying breed? Reappraisal of an 'entity' and its variants. *Curr Diagn Pathol* 1: 19-23.
677. Fletcher CD (1997). Will we ever reliably predict prognosis in a patient with myxoid and round cell liposarcoma? *Adv Anat Pathol* 4: 108-113.
678. Fletcher CD (2000). Soft tissue tumours. In: *Diagnostic Histopathology of Tumors*, Fletcher CD, ed. 2nd ed. Churchill Livingstone: London.
679. Fletcher CD, Achu P, van Noorden S, McKee PH (1987). Infantile myofibromatosis: a light microscopic, histochemical and immunohistochemical study suggesting true smooth muscle differentiation. *Histopathology* 11: 245-258.
680. Fletcher CD, Åkerman M, Dal Cin P, de Wever I, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, van den Berghe H, van de Ven W, Vanni R, Willén H (1996). Correlation between clinicopathological features and karyotype in lipomatous tumors. A report of 178 cases from the chromosomes and morphology (CHAMP) collaborative study group. *Am J Pathol* 148: 623-630.
681. Fletcher CD, Beham A, Bekir S, Clarke AM, Marley NJ (1991). Epithelioid angiosarcoma of deep soft tissue: a distinctive tumor readily mistaken for an epithelial neoplasm. *Am J Surg Pathol* 15: 915-924.
682. Fletcher CD, Dal Cin P, de Wever I, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, van den Berghe H, Vanni R, Willén H (1999). Correlation between clinicopathological features and karyotype in spindle cell sarcomas. A report of 130 cases from the CHAMP study group. *Am J Pathol* 154: 1841-1847.
683. Fletcher CD, Gustafson P, Rydholm A, Willén H, Åkerman M (2001). Clinicopathologic re-evaluation of 100 malignant fibrous histiocytomas: prognostic relevance of subclassification. *J Clin Oncol* 19: 3045-3050.
684. Fletcher CD, Martin-Bates E (1987). Spindle cell lipoma: a clinicopathologic study with some original observations. *Histopathology* 11: 803-817.
685. Fletcher CD, Martin-Bates E (1988). Intramuscular and intermuscular lipoma: neglected diagnoses. *Histopathology* 12: 275-287.
686. Fletcher CD, Powell G, van Noorden S, McKee PH (1988). Fibrous hamartoma of infancy: a histochemical and immunohistochemical study. *Histopathology* 12: 65-74.
687. Fletcher CD, Tsang WY, Fisher C, Lee KC, Chan JK (1992). Angiomyofibroblastoma of the vulva. A benign neoplasm distinct from aggressive angiomyxoma. *Am J Surg Pathol* 16: 373-382.
688. Fletcher JA, Gebhardt MC, Kozakewich HP (1994). Cytogenetic aberrations in osteosarcomas. Nonrandom deletions, rings, and double-minute chromosomes. *Cancer Genet Cytogenet* 77: 81-88.
689. Fletcher JA, Naeem R, Xiao S, Corson JM (1995). Chromosome aberrations in desmoid tumors. Trisomy 8 may be a predictor of recurrence. *Cancer Genet Cytogenet* 79: 139-143.
690. Flieder DB, Moran CA (1998). Primary cutaneous synovial sarcoma: a case report. *Am J Dermatopathol* 20: 509-512.
691. Flieder DB, Moran CA, Suster S (1997). Primary alveolar soft-part sarcoma of the mediastinum: a clinicopathological and immunohistochemical study of two cases. *Histopathology* 31: 469-473.
692. Florenes VA, Maelandsmo GM, Forus A, Andreassen A, Myklebost O, Fodstad O (1994). MDM2 gene amplification and transcript levels in human sarcomas: relationship to TP53 gene status. *J Natl Cancer Inst* 86: 1297-1302.
693. Fodde R, Smits R, Clevers H (2001). APC, signal transduction and genetic instability in colorectal cancer. *Nature Rev Cancer* 1: 55-67.
694. Folpe AL, Agoff SN, Willis J, Weiss SW (1999). Parachordoma is immunohistochemically and cytogenetically distinct from axial chordoma and extraskelatal myxoid chondrosarcoma. *Am J Surg Pathol* 23: 1059-1067.
695. Folpe AL, Chand EM, Goldblum JR, Weiss SW (2001). Expression of Fl-1, a nuclear transcription factor, distinguishes vascular neoplasms from potential mimics. *Am J Surg Pathol* 25: 1061-1066.
696. Folpe AL, Devaney K, Weiss SW (1999). Lipomatous hemangiopericytoma: a rare variant of hemangiopericytoma that may be confused with liposarcoma. *Am J Surg Pathol* 23: 1201-1207.
697. Folpe AL, Fanburg-Smith JC, Miettinen M, Weiss SW (2001). Atypical and malignant glomus tumors: analysis of 52 cases, with a proposal for the reclassification of glomus tumors. *Am J Surg Pathol* 25: 1-12.
698. Folpe AL, Goodman ZD, Ishak SG, Paulino AF, Taboada EM, Meehan SA, Weiss SW (2000). Clear cell myoelanocytic tumor of the falciiform ligament/ligamentum teres: a novel member of the perivascular epithelioid clear cell family of tumors with a predilection for children and young adults. *Am J Surg Pathol* 24: 1239-1246.
699. Folpe AL, Lane KL, Paull G, Weiss SW (2000). Low-grade fibromyxoid sarcoma and hyalinizing spindle cell tumor with giant rosettes: a clinicopathologic study of 73 cases supporting their identity and assessing the impact of high-grade areas. *Am J Surg Pathol* 24: 1353-1360.
700. Folpe AL, Lyles RH, Sprouse JT, Conrad EU, III, Eary JF (2000). (F-18) fluorodeoxyglucose positron emission tomography as a predictor of pathologic grade and other prognostic variables in bone and soft tissue sarcoma. *Clin Cancer Res* 6: 1279-1287.
701. Folpe AL, McKenney JK, Li Z, Smith SJ, Weiss SW (2002). Clear cell myoelanocytic tumor of the thigh: report of a unique case. *Am J Surg Pathol* 26: 809-812.

- 702.** Folpe AL, Morris RJ, Weiss SW (1999). Soft tissue giant cell tumor of low malignant potential: a proposal for the reclassification of malignant giant cell tumor of soft parts. *Mod Pathol* 12: 894-902.
- 703.** Folpe AL, Schmidt RA, Chapman D, Gown AM (1998). Poorly differentiated synovial sarcoma: immunohistochemical distinction from primitive neuroectodermal tumors and high-grade malignant peripheral nerve sheath tumors. *Am J Surg Pathol* 22: 673-682.
- 704.** Folpe AL, Veikkola T, Valtola R, Weiss SW (2000). Vascular endothelial growth factor receptor-3 (VEGFR-3): a marker of vascular tumors with presumed lymphatic differentiation, including Kaposi's sarcoma, kaposiform and Dabska-type hemangioendotheliomas, and a subset of angiosarcomas. *Mod Pathol* 13: 180-185.
- 705.** Folpe AL, Weiss SW, Fletcher CD, Gown AM (1998). Tenosynovial giant cell tumors: evidence for a desmin-positive dendritic cell subpopulation. *Mod Pathol* 11: 939-944.
- 706.** Font RL, Hidayat AA (1982). Fibrous histiocytoma of the orbit. A clinicopathologic study of 150 cases. *Hum Pathol* 13: 199-209.
- 707.** Fornasier VL, Horne JG (1975). Metastases to the vertebral column. *Cancer* 36: 590-594.
- 708.** Forus A, Berner JM, Meza-Zepeda LA, Saeter G, Mischke D, Fodstad O, Myklebost O (1998). Molecular characterization of a novel amplicon at 1q21-q22 frequently observed in human sarcomas. *Br J Cancer* 78: 495-503.
- 709.** Forus A, D'Angelo A, Henriksen J, Merla G, Maelandsmo GM, Florenes VA, Olivieri S, Bjerkehagen B, Meza-Zepeda LA, del Vecchio BF, Muller C, Sanvito F, Kononen J, Nesland JM, Fodstad O, Reymond A, Kallioniemi OP, Arrighoni G, Ballabio A, Myklebost O, Zollo M (2001). Amplification and overexpression of PRUNE in human sarcomas and breast carcinomas—a possible mechanism for altering the nm23-H1 activity. *Oncogene* 20: 6881-6890.
- 710.** Forus A, Florenes VA, Maelandsmo GM, Fodstad O, Myklebost O (1994). 12q13-14 amplica in human sarcomas without MDM2 include CDK4, SAS and GADD153/CHOP. *Cancer Genet Cytogenet* 77: 200.
- 711.** Forus A, Florenes VA, Maelandsmo GM, Fodstad O, Myklebost O (1994). The protooncogene CHOP/GADD153, involved in growth arrest and DNA damage response, is amplified in a subset of human sarcomas. *Cancer Genet Cytogenet* 78: 165-171.
- 712.** Forus A, Florenes VA, Maelandsmo GM, Meltzer PS, Fodstad O, Myklebost O (1993). Mapping of amplification units in the q13-14 region of chromosome 12 in human sarcomas: some amplica do not include MDM2. *Cell Growth Differ* 4: 1065-1070.
- 713.** Foschini MP, Eusebi V (1994). Alveolar soft-part sarcoma: a new type of rhabdomyosarcoma? *Semin Diagn Pathol* 11: 58-68.
- 714.** Francannet C, Cohen-Tanugi A, Le Merrer M, Munnich A, Bonaventure J, Legeai-Mallet L (2001). Genotype-phenotype correlation in hereditary multiple exostoses. *J Med Genet* 38: 430-434.
- 715.** Franceschina MJ, Hankin RC, Irwin RB (1997). Low-grade central osteosarcoma resembling fibrous dysplasia. A report of two cases. *Am J Orthop* 26: 432-440.
- 716.** Francke U (1976). Retinoblastoma and chromosome 13. *Cytogenet Cell Genet* 16: 131-134.
- 717.** Francke U, Kung F (1976). Sporadic bilateral retinoblastoma and 13q- chromosomal deletion. *Med Pediatr Oncol* 2: 379-385.
- 718.** Francois J (1978). Differential diagnosis of leukocoria in children. *Ann Ophthalmol* 10: 1375-1378.
- 719.** Frassica DA, Frassica FJ, Schray MF, Sim FH, Kyle RA (1989). Solitary plasmacytoma of bone: Mayo Clinic experience. *Int J Radiat Oncol Biol Phys* 16: 43-48.
- 720.** Frassica FJ, Waltrip RL, Sponseller PD, Ma LD, McCarthy EF, Jr. (1996). Clinicopathologic features and treatment of osteoid osteoma and osteoblastoma in children and adolescents. *Orthop Clin North Am* 27: 559-574.
- 721.** Freeburn AM, McAloon J (2001). Infantile chest hamartoma – case outcome aged 11. *Arch Dis Child* 85: 244-245.
- 722.** Freud E, Bilik R, Yaniv I, Horev G, Cohen D, Mimouni M, Zer M (1991). Inflammatory pseudotumor in childhood. A diagnostic and therapeutic dilemma. *Arch Surg* 126: 653-655.
- 723.** Friedman L, Patel M, Lew E, Silberberg P (1989). Benign histiocytic fibroma of rib with CT correlation. *Can Assoc Radiol J* 40: 114-116.
- 724.** Friend SH, Bernards R, Rogelj S, Weinberg RA, Rapaport JM, Albert DM, Dryja TP (1986). A human DNA segment with properties of the gene that predisposes to retinoblastoma and osteosarcoma. *Nature* 323: 643-646.
- 725.** Frierson HF, Jr., Fechner RE, Stallings RG, Wang GJ (1987). Malignant fibrous histiocytoma in bone infarct. Association with sickle cell trait and alcohol abuse. *Cancer* 59: 496-500.
- 726.** Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin LH, Parkin DM, Whelan S (2000). *International Classification of Diseases for Oncology*. 3rd ed. World Health Organization: Geneva.
- 727.** Fu YS, Kay S (1974). A comparative ultrastructural study of mesenchymal chondrosarcoma and myxoid chondrosarcoma. *Cancer* 33: 1531-1542.
- 728.** Fujimura Y, Ohno T, Siddique H, Lee L, Rao VN, Reddy ES (1996). The EWS-ATF-1 gene involved in malignant melanoma of soft parts with t(12;22) chromosome translocation, encodes a constitutive transcriptional activator. *Oncogene* 12: 159-167.
- 729.** Fujimura Y, Siddique H, Lee L, Rao VN, Reddy ES (2001). EWS-ATF-1 chimeric protein in soft tissue clear cell sarcoma associates with CREB-binding protein and interferes with p53-mediated trans-activation function. *Oncogene* 20: 6653-6659.
- 730.** Fukuda T, Ishikawa H, Ohnishi Y, Tachikawa S, Onizuka S, Sakashita I (1986). Extraskeletal myxoid chondrosarcoma arising from the retroperitoneum. *Am J Clin Pathol* 85: 514-519.
- 731.** Fukuda T, Kahirata T, Baba K, Yamaki T, Yamaguchi T, Suzuki T (2000). Clear cell sarcoma arising in the transverse colon. *Pathol Int* 50: 412-416.
- 732.** Fukuda T, Tsuneyoshi M, Enjoji M (1988). Malignant fibrous histiocytoma of soft parts: an ultrastructural quantitative study. *Ultrastruct Pathol* 12: 117-129.
- 733.** Fukuda Y, Miyake H, Masuda Y, Masugi Y (1987). Histogenesis of unique elastophilic fibers of elastofibroma: ultrastructural and immunohistochemical studies. *Hum Pathol* 18: 424-429.
- 734.** Fukunaga M, Endo Y, Masui F, Yoshikawa T, Ishikawa E, Ushigome S (1996). Retiform haemangioendothelioma. *Virchows Arch* 428: 301-304.
- 735.** Fukunaga M, Endo Y, Ushigome S (1999). Radiation-induced inflammatory malignant fibrous histiocytoma of the ileum. *APMIS* 107: 837-842.
- 736.** Fukunaga M, Naganuma H, Nikaido T, Harada T, Ushigome S (1997). Extrapleural solitary fibrous tumor: a report of seven cases. *Mod Pathol* 10: 443-450.
- 737.** Fukunaga M, Naganuma H, Ushigome S, Endo Y, Ishikawa E (1996). Malignant solitary fibrous tumour of the peritoneum. *Histopathology* 28: 463-466.
- 738.** Fukunaga M, Nomura K, Matsumoto K, Doi K, Endo Y, Ushigome S (1997). Vulval angiomofibrosarcoma. Clinicopathologic analysis of six cases. *Am J Clin Pathol* 107: 45-51.
- 739.** Fukunaga M, Shimoda T, Nikaido T, Ushigome S, Ishikawa E (1993). Soft tissue vascular tumors. A flow cytometric DNA analysis. *Cancer* 71: 2233-2241.
- 740.** Fukunaga M, Ushigome S (1998). Giant cell angiofibroma of the mediastinum. *Histopathology* 32: 187-189.
- 741.** Fukunaga M, Ushigome S (1998). Periosteal Ewing-like adamantinoma. *Virchows Arch* 433: 385-389.
- 742.** Fukunaga M, Ushigome S, Fukunaga N (1996). Low-grade fibromyxoid sarcoma. *Virchows Arch* 429: 301-303.
- 743.** Fuller CE, Pfeifer J, Humphrey P, Bruch LA, Dehner LP, Perry A (2001). Chromosome 22q dosage in composite extrarenal rhabdoid tumors: clonal evolution or a phenotypic mimic? *Hum Pathol* 32: 1102-1108.
- 744.** Fung YK, Murphree AL, T'Ang A, Qian J, Hinrichs SH, Benedict WF (1987). Structural evidence for the authenticity of the human retinoblastoma gene. *Science* 236: 1657-1661.
- 745.** Furin MM, Eisele DW, Carson BS (1997). McCune-Albright syndrome (polyostotic fibrous dysplasia) with intracranial frontoethmoid mucocoele. *Otolaryngol Head Neck Surg* 116: 559-562.
- 746.** Furlong MA, Fanburg-Smith JC (2001). Pleomorphic rhabdomyosarcoma in children: four cases in the pediatric age group. *Ann Diagn Pathol* 5: 199-206.
- 747.** Furlong MA, Fanburg-Smith JC, Miettinen M (2001). The morphologic spectrum of hibernoma: a clinicopathologic study of 170 cases. *Am J Surg Pathol* 25: 809-814.
- 748.** Furlong MA, Mentzel T, Fanburg-Smith JC (2001). Pleomorphic rhabdomyosarcoma in adults: a clinicopathologic study of 38 cases with emphasis on morphologic variants and recent skeletal muscle-specific markers. *Mod Pathol* 14: 595-603.
- 749.** Furuichi Y (2001). Premature aging and predisposition to cancers caused by mutations in RecQ family helicases. *Ann N Y Acad Sci* 928: 121-131.
- 750.** Gad A, Eusebi V (1975). Rhabdomyoma of the vagina. *J Pathol* 115: 179-181.
- 751.** Gaertner EM, Steinberg DM, Huber M, Hayashi T, Tsuda N, Askin FB, Bell SW, Nguyen B, Colby TV, Nishimura SL, Miettinen M, Travis WD (2000). Pulmonary and mediastinal glomus tumors – report of five cases including a pulmonary glomangiosarcoma: a clinicopathologic study with literature review. *Am J Surg Pathol* 24: 1105-1114.
- 752.** Gaffey MJ, Mills SE, Askin FB, Ross GW, Sale GE, Kulander BG, Visscher DW, Yousem SA, Colby TV (1990). Clear cell tumor of the lung. A clinicopathologic, immunohistochemical, and ultrastructural study of eight cases. *Am J Surg Pathol* 14: 248-259.
- 753.** Gaffney EF, Dervan PA, Fletcher CD (1993). Pleomorphic rhabdomyosarcoma in adulthood. Analysis of 11 cases with definition of diagnostic criteria. *Am J Surg Pathol* 17: 601-609.
- 754.** Gaffney EF, Hargreaves HK, Semple E, Vellios F (1983). Hibernoma: distinctive light and electron microscopic features and relationship to brown adipose tissue. *Hum Pathol* 14: 677-687.
- 755.** Gailani MR, Bale SJ, Leffell DJ, DiGiovanna JJ, Peck GL, Poliak S, Drum MA, Pastakia B, McBride OW, Kase R, Greene M, Mulvihill JJ, Bale AE (1992). Developmental defects in Gorlin syndrome related to a putative tumor suppressor gene on chromosome 9. *Cell* 69: 111-117.

- 756.** Galasko CS (1982). Mechanisms of lytic and blastic metastatic disease of bone. *Clin Orthop* 20:27.
- 757.** Galasko CSB (1986). Incidence and distribution of skeletal metastases. In: *Skeletal Metastases*. Butterworth & Co: 17.
- 758.** Galed-Placed I, Garcia-Ureta E, Sanchez-Blas M, Lago-Novoa M (1998). Giant-cell tumor in soft parts in a patient with osseous Paget's disease: diagnosis by fine-needle aspiration. *Diagn Cytopathol* 19: 352-354.
- 759.** Galili N, Davis RJ, Fredericks WJ, Mukhopadhyay S, Rauscher FJ, III, Emanuel BS, Rovera G, Barr FG (1993). Fusion of a fork head domain gene to PAX3 in the solid tumour alveolar rhabdomyosarcoma. *Nat Genet* 5: 230-235.
- 760.** Galli SJ, Weintraub HP, Proppe KH (1978). Malignant fibrous histiocytoma and pleomorphic sarcoma in association with medullary bone infarcts. *Cancer* 41: 607-619.
- 761.** Gamberi G, Benassi MS, Böhling T, Ragazzini P, Molendini L, Sollazzo MR, Pompetti F, Merli M, Magagnoli G, Ballardelli A, Picci P (1998). C-myc and c-fos in human osteosarcoma: prognostic value of mRNA and protein expression. *Oncology* 55: 556-563.
- 762.** Gangopadhyay AN, Khurana SK, Rastogi BL, Kulshrestha S (1991). Soft tissue chondroma in an infant. *J Indian Med Assoc* 89: 315.
- 763.** Gao SJ, Kingsley L, Hoover DR, Spira TJ, Rinaldo CR, Saah A, Phair J, Detels R, Parry P, Chang Y, Moore PS (1996). Seroconversion to antibodies against Kaposi's sarcoma-associated herpesvirus-related latent nuclear antigens before the development of Kaposi's sarcoma. *N Engl J Med* 335: 233-241.
- 764.** Garcia-Bustinduy M, Alvarez-Arguelles H, Guimera F, Garcia-Castro C, Sanchez-Gonzalez R, Hernandez N, Diaz-Flores L, Garcia-Montelongo R (1999). Malignant rhabdoid tumor beside benign skin mesenchymal neoplasm with myofibromatous features. *J Cutan Pathol* 26: 509-515.
- 765.** Gardiner GA, Linda L (1974). Clavicular nonosteogenic fibroma. An old tumor in a new location. *Am J Dis Child* 127: 734-735.
- 766.** Gardner EJ (1950). Cancer of the lower digestive tract in one family group. *Am J Hum Genet* 2: 41-48.
- 767.** Gardner EJ (1951). A genetic and clinical study of intestinal polyposis, a predisposing factor for carcinoma of the colon and rectum. *Am J Hum Genet* 3: 167-176.
- 768.** Gardner EJ (1960). Follow-up study of a family group exhibiting dominant inheritance for a syndrome including intestinal polyps, osteomas, fibromas, and epidermal cysts. *Am J Hum Genet* 14: 376-390.
- 769.** Gardner EJ, Richards RC (1953). Multiple cutaneous and subcutaneous lesions occurring simultaneously with hereditary polyposis and osteomatosis. *Am J Hum Genet* 5: 139-147.
- 770.** Garijo MF, Val-Bernal JF (1998). Extravulvar subcutaneous cellular angiofibroma. *J Cutan Pathol* 25: 327-332.
- 771.** Gaumann A, Petrow P, Mentzel T, Mayer E, Dahm M, Otto M, Kirkpatrick CJ, Kriegsmann J (2001). Osteopontin expression in primary sarcomas of the pulmonary artery. *Virchows Arch* 439: 668-674.
- 772.** Gaumann A, Tews DS, Mayer E, Dahm M, Petrow PK, Otto M, James C, Kriegsmann J (2001). Expression of apoptosis-related proteins, p53, and DNA fragmentation in sarcomas of the pulmonary artery. *Cancer* 92: 1237-1244.
- 773.** Gaynor JJ, Tan CC, Casper ES, Collin CF, Friedrich C, Shiu M, Hajdu SI, Brennan MF (1992). Refinement of clinicopathologic staging for localized soft tissue sarcoma of the extremity: a study of 423 adults. *J Clin Oncol* 10: 1317-1329.
- 774.** Gebhard S, Coindre JM, Michels JJ, Terrier P, Bertrand G, Trassard M, Taylor S, Chateau MC, Marques B, Picot V, Guillou L (2002). Pleomorphic liposarcoma. Clinicopathologic and immunohistochemical study of 63 cases. A study of the French Sarcoma Group. *Am J Surg Pathol* 26: 601-616.
- 775.** Geirnaerd MJ, Hogendoorn PC, Bloem JL, Taminiau AH, van der Woude HJ (2000). Cartilaginous tumors: fast contrast-enhanced MR imaging. *Radiology* 214: 539-546.
- 776.** Gerald WL, Ladanyi M, de Alava E, Cuatrecasas M, Kushner BH, LaQuaglia MP, Rosai J (1998). Clinical, pathologic, and molecular spectrum of tumors associated with t(11;22)(p13;q12): desmoplastic small round-cell tumor and its variants. *J Clin Oncol* 16: 3028-3036.
- 777.** Gerald WL, Miller HK, Battifora H, Miettinen M, Silva EG, Rosai J (1991). Intra-abdominal desmoplastic small round-cell tumor. Report of 19 cases of a distinctive type of high-grade polyphenotypic malignancy affecting young individuals. *Am J Surg Pathol* 15: 499-513.
- 778.** Gerald WL, Rosai J (1989). Case 2. Desmoplastic small cell tumor with divergent differentiation. *Pediatr Pathol* 9: 177-183.
- 779.** Gerald WL, Rosai J (1993). Desmoplastic small cell tumor with multiphenotypic differentiation. *Zentralbl Pathol* 139: 141-151.
- 780.** Gerald WL, Rosai J, Ladanyi M (1995). Characterization of the genomic breakpoint and chimeric transcripts in the EWS-WT1 gene fusion of desmoplastic small round cell tumor. *Proc Natl Acad Sci U S A* 92: 1028-1032.
- 781.** Gherlinzoni F, Rock M, Picci P (1983). Chondromyxoid fibroma. The experience at the Istituto Ortopedico Rizzoli. *J Bone Joint Surg Am* 65: 198-204.
- 782.** Giannini C, Scheithauer BW, Wenger DE, Unni KK (1996). Pigmented villonodular synovitis of the spine: a clinical, radiological, and morphological study of 12 cases. *J Neurosurg* 84: 592-597.
- 783.** Giard F, Bonneau R, Raymond GP (1991). Plexiform fibrohistiocytic tumor. *Dermatologica* 183: 290-293.
- 784.** Giardiello FM, Hamilton SR, Krush AJ, Offerhaus JA, Booker SV, Petersen GM (1993). Nasopharyngeal angiofibroma in patients with familial adenomatous polyposis. *Gastroenterology* 105: 1550-1552.
- 785.** Giarola M, Wells D, Mondini P, Pilotti S, Sala P, Azzarelli A, Bertario L, Pierotti MA, Delhanty JD, Radice P (1998). Mutations of adenomatous polyposis coli (APC) gene are uncommon in sporadic desmoid tumours. *Br J Cancer* 78: 582-587.
- 786.** Giebel GD, Bierhoff E, Vogel J (1996). Elastofibroma and pre-elastofibroma – a biopsy and autopsy study. *Eur J Surg Oncol* 22: 93-96.
- 787.** Gil-Benso R, Lopez-Gines C, Soriano P, Almenar S, Vazquez C, Llombart-Bosch A (1994). Cytogenetic study of angiosarcoma of the breast. *Genes Chromosomes Cancer* 10: 210-212.
- 788.** Gillespie WJ, Frampton CM, Henderson RJ, Ryan PM (1988). The incidence of cancer following total hip replacement. *J Bone Joint Surg Br* 70: 539-542.
- 789.** Gillespy T, III, Manfrini M, Ruggieri P, Spanier SS, Pettersson H, Springfield DS (1988). Staging of intraosseous extent of osteosarcoma: correlation of preoperative CT and MR imaging with pathologic macroslides. *Radiology* 167: 765-767.
- 790.** Giovannini M, Biegel JA, Serra M, Wang JY, Wei YH, Nycum L, Emanuel BS, Evans GA (1994). EWS-erg and EWS-Flt1 fusion transcripts in Ewing's sarcoma and primitive neuroectodermal tumors with variant translocations. *J Clin Invest* 94: 489-496.
- 791.** Gisselsson D, Andreasson P, Meis-Kindblom JM, Kindblom LG, Mertens F, Mandahl N (1998). Amplification of 12q13 and 12q15 sequences in a sclerosing epithelioid fibrosarcoma. *Cancer Genet Cytogenet* 107: 102-106.
- 792.** Gisselsson D, Hibbard MK, Dal Cin P, Sciot R, Hsi BL, Kozakewich HP, Fletcher JA (2001). PLAG1 alterations in lipoblastoma: involvement in varied mesenchymal cell types and evidence for alternative oncogenic mechanisms. *Am J Pathol* 159: 955-962.
- 793.** Gisselsson D, Höglund M, Mertens F, Dal Cin P, Mandahl N (1999). Hibernomas are characterized by homozygous deletions in the multiple endocrine neoplasia type I region. Metaphase fluorescence in situ hybridization reveals complex rearrangements not detected by conventional cytogenetics. *Am J Pathol* 155: 61-66.
- 794.** Gisselsson D, Höglund M, Mertens F, Johansson B, Dal Cin P, van den Berghe H, Earnshaw WC, Mitelman F, Mandahl N (1999). The structure and dynamics of ring chromosomes in human neoplastic and non-neoplastic cells. *Hum Genet* 104: 315-325.
- 795.** Gisselsson D, Höglund M, Mertens F, Mitelman F, Mandahl N (1998). Chromosomal organization of amplified chromosome 12 sequences in mesenchymal tumors detected by fluorescence in situ hybridization. *Genes Chromosomes Cancer* 23: 203-212.
- 796.** Gisselsson D, Pålsson E, Höglund M, Domanski H, Mertens F, Pandis N, Sciot R, Dal Cin P, Bridge JA, Mandahl N (2002). Differentially amplified chromosome 12 sequences in low- and high-grade osteosarcoma. *Genes Chromosomes Cancer* 33: 133-140.
- 797.** Giunti A, Laus M (1978). Malignant tumours in chronic osteomyelitis. (A report of thirty nine cases, twenty six with long term follow up). *Ital J Orthop Traumatol* 4: 171-182.
- 798.** Glass RB, Poznanski AK, Fisher MR, Shkolnik A, Dias L (1986). MR imaging of osteoid osteoma. *J Comput Assist Tomogr* 10: 1065-1067.
- 799.** Godette GA, O'Sullivan M, Menelaus MB (1997). Plantar fibromatosis of the heel in children: a report of 14 cases. *J Pediatr Orthop* 17: 16-17.
- 800.** Goedert JJ (2000). The epidemiology of acquired immunodeficiency syndrome malignancies. *Semin Oncol* 27: 390-401.
- 801.** Goetz SP, Robinson RA, Landas SK (1992). Extraskelletal myxoid chondrosarcoma of the pleura. Report of a case clinically simulating mesothelioma. *Am J Clin Pathol* 97: 498-502.
- 802.** Goh SG, Ho JM, Chuah KL, Tan PH, Poh WT, Riddell RH (2001). Leiomyomatosis-like lymphangioleiomyomatosis of the colon in a female with tuberous sclerosis. *Mod Pathol* 14: 1141-1146.
- 803.** Gold JH, Bossen EH (1976). Benign vaginal rhabdomyoma: a light and electron microscopic study. *Cancer* 37: 2283-2294.
- 804.** Goldblum JR, Rice TW (1995). Epithelioid angiosarcoma of the pulmonary artery. *Hum Pathol* 26: 1275-1277.
- 805.** Goldman AB (1976). Myositis ossificans circumscripta: a benign lesion with a malignant differential diagnosis. *Am J Roentgenol* 126: 32-40.
- 806.** Gomez-Roman JJ, Ocejo-Vinyals G, Sanchez-Velasco P, Nieto EH, Leyva-Cobian F, Val-Bernal JF (2000). Presence of human herpesvirus-8 DNA sequences and overexpression of human IL-6 and cyclin D1 in inflammatory myofibroblastic tumor (inflammatory pseudotumor). *Lab Invest* 80: 1121-1126.
- 807.** Gonzalez-Crussi F, Campbell RJ (1970). Juvenile xanthogranuloma: ultrastructural study. *Arch Pathol* 89: 65-72.

- 808.** Gonzalez-Crussi F, Chou P, Crawford SE (1991). Congenital, infiltrating giant-cell angioblastoma. A new entity? *Am J Surg Pathol* 15: 175-183.
- 809.** Gonzalez-Crussi F, deMello DE, Sotelo-Avila C (1983). Omental-mesenteric myxoid hamartomas. Infantile lesions simulating malignant tumors. *Am J Surg Pathol* 7: 567-578.
- 810.** Gonzalez-Crussi F, Wiederhold MD, Sotelo-Avila C (1980). Congenital fibrosarcoma: presence of a histiocytic component. *Cancer* 46: 77-86.
- 811.** Good DA, Busfield F, Fletcher BH, Duffy DL, Kesting JB, Andersen J, Shaw JT (2002). Linkage of Paget disease of bone to a novel region on human chromosome 18q23. *Am J Hum Genet* 70: 517-525.
- 812.** Goodlad JR, Fletcher CD (1990). Intradermal variant of nodular fasciitis. *Histopathology* 17: 569-571.
- 813.** Goodlad JR, Mentzel T, Fletcher CD (1995). Low grade fibromyxoid sarcoma: clinicopathological analysis of eleven new cases in support of a distinct entity. *Histopathology* 26: 229-237.
- 814.** Gordon AT, Brinkschmidt C, Anderson J, Coleman N, Dockhorn-Dworniczak B, Pritchard-Jones K, Shipley J (2000). A novel and consistent amplicon at 13q31 associated with alveolar rhabdomyosarcoma. *Genes Chromosomes Cancer* 28: 220-226.
- 815.** Gordon SL, Buchanan JR, Ladda RL (1981). Hereditary multiple exostoses: report of a kindred. *J Med Genet* 18: 428-430.
- 816.** Gordon T, McManus A, Anderson J, Min T, Swansbury J, Pritchard-Jones K, Shipley J (2001). Cytogenetic abnormalities in 42 rhabdomyosarcoma: a United Kingdom Cancer Cytogenetics Group Study. *Med Pediatr Oncol* 36: 259-267.
- 817.** Gorlick R, Huvos AG, Heller G, Aledo A, Beardsley GP, Healey JH, Meyers PA (1999). Expression of HER2/erbB-2 correlates with survival in osteosarcoma. *J Clin Oncol* 17: 2781-2788.
- 818.** Gorlin RJ (1995). Nevoid basal cell carcinoma syndrome. *Dermatol Clin* 13: 113-125.
- 819.** Goto M (1997). Hierarchical deterioration of body systems in Werner's syndrome: implications for normal ageing. *Mech Ageing Dev* 98: 239-254.
- 820.** Goto M, Miller RW, Ishikawa Y, Sugano H (1996). Excess of rare cancers in Werner syndrome (adult progeria). *Cancer Epidemiol Biomarkers Prev* 5: 239-246.
- 821.** Goto M, Yamabe Y, Shiratori M, Okada M, Kawabe T, Matsumoto T, Sugimoto M, Furuichi Y (1999). Immunological diagnosis of Werner syndrome by down-regulated and truncated gene products. *Hum Genet* 105: 301-307.
- 822.** Goto T, Kojima T, Iijima T, Yokokura S, Motoi T, Kawano H, Yamamoto A, Matsuda K (2002). Intraosseous lipoma: a clinical study of 12 patients. *J Orthop Sci* 7: 274-280.
- 823.** Gould EW, Manivel JC, Albores-Saavedra J, Monforte H (1990). Locally infiltrative glomus tumors and glomangiomas. A clinical, ultrastructural, and immunohistochemical study. *Cancer* 65: 310-318.
- 824.** Grace J, McCarthy S, Stankovic R, Marsden W (1993). Malignant transformation of osteoblastoma: study using image analysis microdensitometry. *J Clin Pathol* 46: 1024-1029.
- 825.** Granter SR, Badizadegan K, Fletcher CD (1998). Myofibromatosis in adults, glomangiopericytoma, and myopericytoma: a spectrum of tumors showing perivascular myoid differentiation. *Am J Surg Pathol* 22: 513-525.
- 826.** Granter SR, Nucci MR, Fletcher CD (1997). Aggressive angioyxoma: reappraisal of its relationship to angiofibroblastoma in a series of 16 cases. *Histopathology* 30: 3-10.
- 827.** Granter SR, Renshaw AA, Fletcher CD, Bhan AK, Rosenberg AE (1996). CD99 reactivity in mesenchymal chondrosarcoma. *Hum Pathol* 27: 1273-1276.
- 828.** Granter SR, Renshaw AA, Kozakewich HP, Fletcher JA (1998). The pericentromeric inversion, inv(6)(p25q13), is a novel diagnostic marker in chondromyxoid fibroma. *Mod Pathol* 11: 1071-1074.
- 829.** Granter SR, Weilbaecher KN, Quigley C, Fletcher CD, Fisher DE (2001). Clear cell sarcoma shows immunoreactivity for microphthalmia transcription factor: further evidence for melanocytic differentiation. *Mod Pathol* 14: 6-9.
- 830.** Greco MA, Schinella RA, Vuletin JC (1984). Fibrous hamartoma of infancy: an ultrastructural study. *Hum Pathol* 15: 717-723.
- 831.** Green FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG, Morrow M (2002). *AJCC Cancer Staging Manual*. 6th ed. Springer: New York.
- 832.** Green MF, Sirikumara M (1987). Desmoplastic fibroma of the mandible. *Ann Plast Surg* 19: 284-290.
- 833.** Green P, Whittaker RP (1975). Benign chondroblastoma. Case report with pulmonary metastasis. *J Bone Joint Surg Am* 57: 418-420.
- 834.** Greenberg P, Parker RG, Fu YS, Abemayor E (1987). The treatment of solitary plasmacytoma of bone and extramedullary plasmacytoma. *Am J Clin Oncol* 10: 199-204.
- 835.** Greenspan A, Azouz EM, Matthews J, Decarie JC (1995). Synovial hemangioma: imaging features in eight histologically proven cases, review of the literature, and differential diagnosis. *Skeletal Radiol* 24: 583-590.
- 836.** Greiss ME, Williams DH (1991). Macrodystrophia lipomatosis in the foot. A case report and review of the literature. *Arch Orthop Trauma Surg* 110: 220-221.
- 837.** Grieten M, Buckwalter KA, Cardinal E, Rougraff B (1994). Case report 873: Lipoma arborescens (villous lipomatous proliferation of the synovial membrane). *Skeletal Radiol* 23: 652-655.
- 838.** Griffin CA, Hawkins AL, Dvorak C, Henkle C, Ellingham T, Perlman EJ (1999). Recurrent involvement of 2p23 in inflammatory myofibroblastic tumors. *Cancer Res* 59: 2776-2780.
- 839.** Grimmitt GM, Hall MG, Jr., Aird CC, Kurtz LH (1973). Pelvic lipomatosis. *Am J Surg* 125: 347-349.
- 840.** Groden J, Thliveris A, Samowitz W, Carlson M, Gelbert L, Albertsen H, Joslyn G, Stevens J, Spirio L, Robertson M, . (1991). Identification and characterization of the familial adenomatous polyposis coli gene. *Cell* 66: 589-600.
- 841.** Grogan TM, Durie BG, Lomen C, Spier C, Wirt DP, Nagle R, Wilson GS, Richter L, Vela E, Maxey V, . (1987). Delineation of a novel pre-B cell component in plasma cell myeloma: immunohistochemical, immunophenotypic, genotypic, cytologic, cell culture, and kinetic features. *Blood* 70: 932-942.
- 842.** Grogan TM, Durie BG, Spier CM, Richter L, Vela E (1989). Myelomonocytic antigen positive multiple myeloma. *Blood* 73: 763-769.
- 843.** Grogan TM, Spier CM (2001). The B cell immunoproliferative disorders, including multiple myeloma and amyloidosis. In: *Neoplastic Hematopathology*, Knowles DM, ed. 2nd ed. Lippincott Williams and Wilkins: Philadelphia.
- 844.** Grogan TM, Van Camp B, Kyle RA, Muller-Hermelink HK, Harris NL (2001). Plasma cell neoplasms. In: *WHO Classification of Tumours. Pathology and Genetics of Tumours of Haematopoietic and Lymphoid Tissues*, Jaffe ES, Harris NL, Stein H, Vardiman JW, eds. IARC Press: Lyon, pp. 142-156.
- 845.** Groisman G, Lichtig C (1991). Fibrous hamartoma of infancy: an immunohistochemical and ultrastructural study. *Hum Pathol* 22: 914-918.
- 846.** Grovas A, Fremgen A, Rauck A, Ruymann FB, Hutchinson CL, Winchester DP, Menck HR (1997). The National Cancer Data Base report on patterns of childhood cancers in the United States. *Cancer* 80: 2321-2332.
- 847.** Grubb RL, Jr., Dehner LP (1974). Congenital fibrosarcoma of the thoracolumbar region. *J Pediatr Surg* 9: 785-786.
- 848.** Guccion JG, Enzinger FM (1972). Malignant giant cell tumor of soft parts. An analysis of 32 cases. *Cancer* 29: 1518-1529.
- 849.** Guccion JG, Font RL, Enzinger FM, Zimmerman LE (1973). Extraskeletal mesenchymal chondrosarcoma. *Arch Pathol* 95: 336-340.
- 850.** Guertl B, Beham A, Zechner R, Stammberger H, Hoeffler G (2000). Nasopharyngeal angiofibroma: an APC-gene-associated tumor? *Hum Pathol* 31: 1411-1413.
- 851.** Guillou L, Coindre JM, Bonichon F, Nguyen BB, Terrier P, Collin F, Vilain MO, Mandard AM, Le D, V, Leroux A, Jacquemier J, Duplay H, Sastre-Garau X, Costa J (1997). Comparative study of the National Cancer Institute and French Federation of Cancer Centers Sarcoma Group grading systems in a population of 410 adult patients with soft tissue sarcoma. *J Clin Oncol* 15: 350-362.
- 852.** Guillou L, Gebhard S, Coindre JM (2000). Lipomatous hemangiopericytoma: a fat-containing variant of solitary fibrous tumor? Clinicopathologic, immunohistochemical, and ultrastructural analysis of a series in favor of a unifying concept. *Hum Pathol* 31: 1108-1115.
- 853.** Guillou L, Gebhard S, Coindre JM (2000). Orbital and extraorbital giant cell angiofibroma: a giant cell-rich variant of solitary fibrous tumor? Clinicopathologic and immunohistochemical analysis of a series in favor of a unifying concept. *Am J Surg Pathol* 24: 971-979.
- 854.** Guillou L, Kraus MD, Dei Tos AP, Fletcher CD (1996). S-100 protein reactivity in synovial sarcomas – a potentially frequent diagnostic pitfall. Immunohistochemical analysis of 100 cases. *Appl Immunohistochem* 4: 167-175.
- 855.** Guillou L, Wadden C, Coindre JM, Krausz T, Fletcher CD (1997). "Proximal-type" epithelioid sarcoma, a distinctive aggressive neoplasm showing rhabdoid features. Clinicopathologic, immunohistochemical, and ultrastructural study of a series. *Am J Surg Pathol* 21: 130-146.
- 856.** Gunawan B, Weber M, Bergmann F, Wildberger J, Niethard FU, Füzesi L (2000). Clonal chromosome abnormalities in enchondromas and chondrosarcomas. *Cancer Genet Cytogenet* 120: 127-130.
- 857.** Gunawardena S, Chintagumpala M, Trautwein L, Brewer E, Gresik MV, Hicks MJ, Harrison WR, Morad A, Cooley LD (1999). Multifocal osteosarcoma: an unusual presentation. *J Pediatr Hematol Oncol* 21: 58-62.
- 858.** Guo W, Gorlick R, Ladanyi M, Meyers PA, Huvos AG, Bertino JR, Healey JH (1999). Expression of bone morphogenetic proteins and receptors in sarcomas. *Clin Orthop* 175-183.
- 859.** Gurbuz AK, Giardiello FM, Petersen GM, Krush AJ, Offerhaus GJ, Booker SV, Kerr MC, Hamilton SR (1994). Desmoid tumors in familial adenomatous polyposis. *Gut* 35: 377-381.
- 860.** Gurney JG, Davis S, Severson RK, Fang JY, Ross JA, Robison LL (1996). Trends in cancer incidence among children in the U.S. *Cancer* 78: 532-541.
- 861.** Gustafson P (1994). Soft tissue sarcoma. Epidemiology and prognosis in 508 patients. *Acta Orthop Scand Suppl* 259: 1-31.
- 862.** Gustafson P, Dreinhofer KE, Rydholm A (1994). Soft tissue sarcoma should be treated at a tumor center. A comparison of quality of surgery in 375 patients. *Acta Orthop Scand* 65: 47-50.



- 863.** Hachisuga T, Hashimoto H, Enjoji M (1984). Angioleiomyoma. A clinicopathologic reappraisal of 562 cases. *Cancer* 54: 126-130.
- 864.** Hachitanda Y, Tsuneyoshi M, Daimaru Y, Enjoji M, Nakagawara A, Ikeda K, Sueishi K (1988). Extraskelatal myxoid chondrosarcoma in young children. *Cancer* 61: 2521-2526.
- 865.** Hahn KB, Cho K, Lee C, Im YH, Chang J, Choi SG, Sorensen PH, Thiele CJ, Kim SJ (1999). Repression of the gene encoding the TGF-beta type II receptor is a major target of the EWS-FLI1 oncoprotein. *Nat Genet* 23: 222-227.
- 866.** Hahn H, Wicking C, Zaphiropoulos PG, Gailani MR, Shanley S, Chidambaram A, Vorechovsky I, Holmberg E, Unden AB, Gillies S, Negus K, Smyth I, Pressman C, Leffell DJ, Gerrard B, Goldstein AM, Dean M, Toftgård R, Chenevix-Trench G, Wainwright B, Bale AE (1996). Mutations of the human homolog of Drosophila patched in the nevoid basal cell carcinoma syndrome. *Cell* 85: 841-851.
- 867.** Haibach H, Farrell C, Dittich FJ (1985). Neoplasms arising in Paget's disease of bone: a study of 82 cases. *Am J Clin Pathol* 83: 594-600.
- 868.** Hainaut P, Lesage V, Weynand B, Coche E, Noirhomme P (1999). Calcifying fibrous pseudotumor (CFPT): a patient presenting with multiple pleural lesions. *Acta Clin Belg* 54: 162-164.
- 869.** Hakimi M, Pai RP, Fine G, Davila JC (1975). Fibrous histiocytoma of the trachea. *Chest* 68: 367-368.
- 870.** Halbert AR, Harrison WR, Hicks MJ, Davino N, Cooley LD (1998). Cytogenetic analysis of a scapular chondromyxoid fibroma. *Cancer Genet Cytogenet* 104: 52-56.
- 871.** Hall FM, Gore SM (1988). Osteosclerotic myeloma variants. *Skeletal Radiol* 17: 101-105.
- 872.** Hall MB, Sclar AG, Gardner DF (1984). Albright's syndrome with reactivation of fibrous dysplasia secondary to pituitary adenoma and further complicated by osteogenic sarcoma. Report of a case. *Oral Surg Oral Med Oral Pathol* 57: 616-619.
- 873.** Hall PN, Fitzgerald A, Sterne GD, Logan AM (1997). Skin replacement in Dupuytren's disease. *J Hand Surg [Br]* 22: 193-197.
- 874.** Hall RB, Robinson LH, Malawar MM, Dunham WK (1985). Periosteal osteosarcoma. *Cancer* 55: 165-171.
- 875.** Hallel T, Lew S, Bansal M (1988). Villous lipomatous proliferation of the synovial membrane (lipoma arborescens). *J Bone Joint Surg Am* 70: 264-270.
- 876.** Halling AC, Wollan PC, Pritchard DJ, Vlasak R, Nascimato AG (1996). Epithelioid sarcoma: a clinicopathologic review of 55 cases. *Mayo Clin Proc* 71: 636-642.
- 877.** Hamada T, Ito H, Araki Y, Fujii K, Inoue M, Ishida O (1996). Benign fibrous histiocytoma of the femur: review of three cases. *Skeletal Radiol* 25: 25-29.
- 878.** Hamakawa H, Hino H, Sumida T, Tanioka H (2000). Infiltrating angiolipoma of the cheek: a case report and a review of the literature. *J Oral Maxillofac Surg* 58: 674-677.
- 879.** Hamblen DL, Carter RL (1984). Sarcoma and joint replacement. *J Bone Joint Surg Br* 66: 625-627.
- 880.** Hamper K, Renninghoff J, Schafer H (1989). Rhabdomyoma of the larynx recurring after 12 years: immunocytochemistry and differential diagnosis. *Arch Otorhinolaryngol* 246: 222-226.
- 881.** Handgretinger R, Kimmig A, Koscielna E, Schmidt D, Rudolph G, Wolburg H, Paulus W, Schilbach-Stueckle K, Ottenlinger C, Menrad A (1990). Establishment and characterization of a cell line (Wa-2) derived from an extrarenal rhabdoid tumor. *Cancer Res* 50: 2177-2182.
- 882.** Hansen MF, Koufos A, Gallie BL, Phillips RA, Fodstad O, Brogger A, Gedde-Dahl T, Cavenee WK (1985). Osteosarcoma and retinoblastoma: a shared chromosomal mechanism revealing recessive predisposition. *Proc Natl Acad Sci U S A* 82: 6216-6220.
- 883.** Hansen MF, Nellisery MJ, Bhatia P (1999). Common mechanisms of osteosarcoma and Paget's disease. *J Bone Miner Res* 14 Suppl 2: 39-44.
- 884.** Happle R, Konig A (1999). Type 2 segmental manifestation of multiple glomus tumors: A review and reclassification of 5 case reports. *Dermatology* 198: 270-272.
- 885.** Haque S, Modlin IM, West AB (1992). Multiple glomus tumors of the stomach with intravascular spread. *Am J Surg Pathol* 16: 291-299.
- 886.** Hardcastle P, Nade S, Arnold W (1986). Hereditary bone dysplasia with malignant change. Report of three families. *J Bone Joint Surg Am* 68: 1079-1089.
- 887.** Harms D (1995). Alveolar rhabdomyosarcoma: a prognostically unfavorable rhabdomyosarcoma type and its necessary distinction from embryonal rhabdomyosarcoma. *Curr Top Pathol* 89: 273-296.
- 888.** Harms D (1995). New entities, concepts, and questions in childhood tumor pathology. *Gen Diagn Pathol* 141: 1-14.
- 889.** Harris M, Coyne J, Tariq M, Eyden BP, Atkinson M, Freemont AJ, Varley J, Attwooll C, Telford N (2000). Extraskelatal myxoid chondrosarcoma with neuroendocrine differentiation: a pathologic, cytogenetic, and molecular study of a case with a novel translocation t(9;17)(q22;q11.2). *Am J Surg Pathol* 24: 1020-1026.
- 890.** Harris WH, Dudley HR, Barry RJ (1962). The natural history of fibrous dysplasia. *J Bone Joint Surg Am* 44: 207-233.
- 891.** Harwood AR, Krajchich JI, Fornasier VL (1981). Mesenchymal chondrosarcoma: a report of 17 cases. *Clin Orthop* 144-148.
- 892.** Hasegawa T, Dorfman H, Habermann ET (1988). Sarcoma associated with bone infarction: a clinicopathologic and immunohistochemical study of 22 cases (in press).
- 893.** Hasegawa T, Hirose T, Kudo E, Hizawa K, Usui M, Ishii S (1991). Immunophenotypic heterogeneity in osteosarcomas. *Hum Pathol* 22: 583-590.
- 894.** Hasegawa T, Hirose T, Seki K, Hizawa K, Okada J, Nakanishi H (1993). Solitary infantile myofibromatosis of bone. An immunohistochemical and ultrastructural study. *Am J Surg Pathol* 17: 308-313.
- 895.** Hasegawa T, Hirose T, Seki K, Yang P, Sano T (1996). Solitary fibrous tumor of the soft tissue. An immunohistochemical and ultrastructural study. *Am J Clin Pathol* 106: 325-331.
- 896.** Hasegawa T, Matsuno Y, Shimoda T, Hasegawa F, Sano T, Hirohashi S (1999). Extrathoracic solitary fibrous tumors: their histological variability and potentially aggressive behavior. *Hum Pathol* 30: 1464-1473.
- 897.** Hasegawa T, Matsuno Y, Shimoda T, Umeda T, Yokoyama R, Hirohashi S (2001). Proximal-type epithelioid sarcoma: a clinicopathologic study of 20 cases. *Mod Pathol* 14: 655-663.
- 898.** Hasegawa T, Seki K, Ono K, Hirohashi S (2000). Angiomatoid (malignant) fibrous histiocytoma: a peculiar low-grade tumor showing immunophenotypic heterogeneity and ultrastructural variations. *Pathol Int* 50: 731-738.
- 899.** Hasegawa T, Seki K, Yang P, Hirose T, Hizawa K (1994). Mechanism of pain and cytoskeletal properties in angioleiomyomas: an immunohistochemical study. *Pathol Int* 44: 66-72.
- 900.** Hasegawa T, Shimoda T, Hirohashi S, Hizawa K, Sano T (1998). Collagenous fibroma (desmoplastic fibroblastoma): report of four cases and review of the literature. *Arch Pathol Lab Med* 122: 455-460.
- 901.** Hashimoto H (1995). Incidence of soft tissue sarcomas in adults. *Curr Top Pathol* 89: 1-16.
- 902.** Hashimoto H, Daimaru Y, Takeshita S, Tsuneyoshi M, Enjoji M (1992). Prognostic significance of histologic parameters of soft tissue sarcomas. *Cancer* 70: 2816-2822.
- 903.** Hashimoto H, Daimaru Y, Tsuneyoshi M, Enjoji M (1986). Leiomyosarcoma of the external soft tissues. A clinicopathologic, immunohistochemical, and electron microscopic study. *Cancer* 57: 2077-2088.
- 904.** Hashimoto H, Tsuneyoshi M, Daimaru Y, Enjoji M, Shinohara N (1986). Intramuscular myxoma. A clinicopathologic, immunohistochemical, and electron microscopic study. *Cancer* 58: 740-747.
- 905.** Hashimoto H, Tsuneyoshi M, Daimaru Y, Ushijima M, Enjoji M (1985). Fibroma of tendon sheath: a tumor of myofibroblasts. A clinicopathologic study of 18 cases. *Acta Pathol Jpn* 35: 1099-1107.
- 906.** Hashimoto H, Tsuneyoshi M, Enjoji M (1985). Malignant smooth muscle tumors of the retroperitoneum and mesentery: a clinicopathologic analysis of 44 cases. *J Surg Oncol* 28: 177-186.
- 907.** Hassel B (1992). Calcifying aponeurotic fibroma. A case of multiple primary tumours. Case report. *Scand J Plast Reconstr Surg Hand Surg* 26: 115-116.
- 908.** Hauben E, van den Broek LC, Van Marck E, Hogendoorn PC (2001). Adamantinoma-like Ewing's sarcoma and Ewing's-like adamantinoma. The t(11; 22), t(21; 22) status. *J Pathol* 195: 218-221.
- 909.** Hauben EI, Weeden S, Pringle J, Van Marck EA, Hogendoorn PCW (2002). Does the histological subtype of high-grade central osteosarcoma influence the response to treatment with chemotherapy and does it affect overall survival? A study on 570 patients of two consecutive trials of the European Osteosarcoma Intergroup. *Eur J Cancer* 38: 1218-1225.
- 910.** Hawkins WG, Hoos A, Antonescu CR, Urist MJ, Leung DH, Gold JS, Woodruff JM, Lewis JJ, Brennan MF (2001). Clinicopathologic analysis of patients with adult rhabdomyosarcoma. *Cancer* 91: 794-803.
- 911.** Hawley IC, Krausz T, Evans DJ, Fletcher CD (1994). Spindle cell lipoma – a pseudoangiomatous variant. *Histopathology* 24: 565-569.
- 912.** Hayashi N, Borodic G, Karesh JW, Tolentino MJ, Remulla HD, Van Wesep RA, Grossniklaus HE, Jakobiec FA, Green WR (1999). Giant cell angiofibroma of the orbit and eyelid. *Ophthalmology* 106: 1223-1229.
- 913.** Hayashi T, Tsuda N, Chowdhury PR, Anami M, Kishikawa M, Iseki M, Kobayashi K (1995). Infantile digital fibromatosis: a study of the development and regression of cytoplasmic inclusion bodies. *Mod Pathol* 8: 548-552.
- 914.** Hayry P, Reitamo JJ, Totterman S, Hopfner-Hallikainen D, Sivula A (1982). The desmoid tumor. II. Analysis of factors possibly contributing to the etiology and growth behavior. *Am J Clin Pathol* 77: 674-680.
- 915.** Hays DM, Mirabal VQ, Karlan MS, Patel HR, Landing BH (1970). Fibrosarcomas in infants and children. *J Pediatr Surg* 5: 176-183.
- 916.** Hazelbag HM, Fleuren GJ, Cornelisse CJ, Van den Broek LJ, Taminiau AH, Hogendoorn PC (1995). DNA aberrations in the epithelial cell component of adamantinoma of long bones. *Am J Pathol* 147: 1770-1779.
- 917.** Hazelbag HM, Fleuren GJ, Van den Broek LJ, Taminiau AH, Hogendoorn PC (1993). Adamantinoma of the long bones: keratin subclass immunoreactivity pattern with reference to its histogenesis. *Am J Surg Pathol* 17: 1225-1233.

- 918.** Hazelbag HM, Taminiau AH, Fleuren GJ, Hogendoorn PC (1994). Adamantinoma of the long bones. A clinicopathological study of thirty-two patients with emphasis on histological subtype, precursor lesion, and biological behavior. *J Bone Joint Surg Am* 76: 1482-1499.
- 919.** Hazelbag HM, Van den Broek LJ, Fleuren GJ, Taminiau AH, Hogendoorn PC (1997). Distribution of extracellular matrix components in adamantinoma of long bones suggests fibrous-to-epithelial transformation. *Hum Pathol* 28: 183-188.
- 920.** Hazelbag HM, Wessels JW, Mollevangers P, van den Berg E, Molenaar WM, Hogendoorn PC (1997). Cytogenetic analysis of adamantinoma of long bones: further indications for a common histogenesis with osteofibrous dysplasia. *Cancer Genet Cytogenet* 97: 5-11.
- 921.** He TC, Sparks AB, Rago C, Hermeking H, Zawel L, da Costa LT, Morin PJ, Vogelstein B, Kinzler KW (1998). Identification of c-MYC as a target of the APC pathway. *Science* 281: 1509-1512.
- 922.** Healey JH, Ghelman B (1986). Osteoid osteoma and osteoblastoma. Current concepts and recent advances. *Clin Orthop* 76-85.
- 923.** Healey JH, Turnbull AD, Miedema B, Lane JM (1986). Acrometastases. A study of twenty-nine patients with osseous involvement of the hands and feet. *J Bone Joint Surg Am* 68: 743-746.
- 924.** Hecht JT, Hogue D, Strong LC, Hansen MF, Blanton SH, Wagner M (1995). Hereditary multiple exostosis and chondrosarcoma: linkage to chromosome 11 and loss of heterozygosity for EXT-linked markers on chromosomes 11 and 8. *Am J Hum Genet* 56: 1125-1131.
- 925.** Heffelfinger MJ, Dahlin DC, MacCarty CS, Beabout JW (1973). Chordomas and cartilaginous tumors at the skull base. *Cancer* 32: 410-420.
- 926.** Heim S, Mandahl N, Kristoffersson U, Mitelman F, Rösser B, Rydholm A, Willén H (1986). Structural chromosome aberrations in a case of angioleiomyoma. *Cancer Genet Cytogenet* 20: 325-330.
- 927.** Heimann P, Devalck C, Debusscher C, Sariban E, Vamos E (1998). Alveolar soft-part sarcoma: further evidence by FISH for the involvement of chromosome band 17q25. *Genes Chromosomes Cancer* 23: 194-197.
- 928.** Heimann P, El Housni H, Ogur G, Weterman MA, Petty EM, Vassart G (2001). Fusion of a novel gene, RCC17, to the TFE3 gene in t(X;17)(p11.2;q25.3)-bearing papillary renal cell carcinomas. *Cancer Res* 61: 4130-4135.
- 929.** Heimann P, Ogur G, Debusscher C, Devalck C, Sariban F, Vamos E (1993). Multiple complex chromosome aberrations in a case of childhood hepatic angiosarcoma. *Cancer Genet Cytogenet* 63: 171.
- 930.** Heise HW, Myers MH, Russell WO, Suit HD, Enzinger FM, Edmonson JH, Cohen J, Martin RG, Miller WT, Hajdu SI (1986). Recurrence-free survival time for surgically treated soft tissue sarcoma patients. Multivariate analysis of five prognostic factors. *Cancer* 57: 172-177.
- 931.** Heiskanen I, Jarvinen HJ (1996). Occurrence of desmoid tumours in familial adenomatous polyposis and results of treatment. *Int J Colorectal Dis* 11: 157-162.
- 932.** Heller AJ, DiNardo LJ, Massey D (2001). Fibrous dysplasia, chondrosarcoma, and McCune-Albright syndrome. *Am J Otolaryngol* 22: 297-301.
- 933.** Helliwell TR, Sissons MC, Stoney PJ, Ashworth MT (1988). Immunohistochemistry and electron microscopy of head and neck rhabdomyoma. *J Clin Pathol* 41: 1058-1063.
- 934.** Helson C, Melamed M, Braverman S, Tragano F, Preti RA, Helson L (1995). VA-ES-BJ: an epithelioid sarcoma cell line. *Int J Oncol* 7: 51-56.
- 935.** Henderson CJ, Gupta L (2000). Ectopic hamartomatous thymoma: a case study and review of the literature. *Pathology* 32: 142-146.
- 936.** Hennig Y, Caselitz J, Stern C, Bartnitzke S, Bullerdiek J (1999). Karyotype evolution in a case of uterine angioleiomyoma. *Cancer Genet Cytogenet* 108: 79-80.
- 937.** Henricks WH, Chu YC, Goldblum JR, Weiss SW (1997). Dedifferentiated liposarcoma: a clinicopathological analysis of 155 cases with a proposal for an expanded definition of dedifferentiation. *Am J Surg Pathol* 21: 271-281.
- 938.** Herens C, Thiry A, Dresse MF, Born J, Flaghothier C, Vanstraelen G, Allington N, Bex V (2001). Translocation (16;17)(q22;p13) is a recurrent anomaly of aneurysmal bone cysts. *Cancer Genet Cytogenet* 127: 83-84.
- 939.** Hermann G, Steiner GC, Sherry HH (1988). Case report 465: Benign fibrous histiocytoma (BFH). *Skeletal Radiol* 17: 195-198.
- 940.** Herrera L, Kakati S, Gibas L, Pietrzak E, Sandberg AA (1986). Gardner syndrome in a man with an interstitial deletion of 5q. *Am J Med Genet* 25: 473-476.
- 941.** Hethcote HW, Knudson AG, Jr. (1978). Model for the incidence of embryonal cancers: application to retinoblastoma. *Proc Natl Acad Sci U S A* 75: 2453-2457.
- 942.** Heymann WR, Fiorillo A, Simons J (1988). Eruptive familial angiolipomas occurring during pregnancy. *Cutis* 42: 525-526.
- 943.** Heyning FH, Hogendoorn PC, Kramer MH, Hermans J, Kluijn-Nelemans JC, Noordijk EM, Kluijn PM (1999). Primary non-Hodgkin's lymphoma of bone: a clinicopathological investigation of 60 cases. *Leukemia* 13: 2094-2098.
- 944.** Heyns CF (1991). Pelvic lipomatosis: a review of its diagnosis and management. *J Urol* 146: 267-273.
- 945.** Hibbard MK, Kozakewich HP, Dal Cin P, Sciot R, Tan X, Xiao S, Fletcher JA (2000). PLG1 fusion oncogenes in lipoblastoma. *Cancer Res* 60: 4869-4872.
- 946.** Higginson J, Muir CS, Munoz N (1992). Bone. In: *Human cancer: epidemiology and environmental causes*. University Press: Cambridge, pp. 353-357.
- 947.** Hill DA, Pfeifer JD, Marley EF, Dehner LP, Humphrey PA, Zhu X, Swanson PE (2000). WT1 staining reliably differentiates desmoplastic small round cell tumor from Ewing sarcoma/primitive neuroectodermal tumor. An immunohistochemical and molecular diagnostic study. *Am J Clin Pathol* 114: 345-353.
- 948.** Hill KA, Gonzalez-Crussi F, Chou PM (2001). Calcifying fibrous pseudotumor versus inflammatory myofibroblastic tumor: a histological and immunohistochemical comparison. *Mod Pathol* 14: 784-790.
- 949.** Hinrichs SH, Jaramillo MA, Gumerlock PH, Gardner MB, Lewis JP, Freeman AE (1985). Myxoid chondrosarcoma with a translocation involving chromosomes 9 and 22. *Cancer Genet Cytogenet* 14: 219-226.
- 950.** Hirabayashi Y, Ishida T, Yoshida MA, Kojima T, Ebihara Y, Machinami R, Ikeuchi T (1995). Translocation (9;22)(q22;q12). A recurrent chromosome abnormality in extraskeletal myxoid chondrosarcoma. *Cancer Genet Cytogenet* 81: 33-37.
- 951.** Hirata M, Kusuzaki K, Hirasawa Y (2001). Eleven cases of intraosseous lipoma of the calcaneus. *Anticancer Res* 21: 4099-4103.
- 952.** Hirose T, Hasegawa T, Seki K, Yang P, Sano T, Morizumi H, Tsuyuguchi M (1996). Atypical glomus tumor in the mediastinum: a case report with immunohistochemical and ultrastructural studies. *Ultrastruct Pathol* 20: 451-456.
- 953.** Hiruta N, Kameda N, Tokudome T, Tsuchiya K, Nonaka H, Hatori T, Akima M, Miura M (1997). Malignant glomus tumor: a case report and review of the literature. *Am J Surg Pathol* 21: 1096-1103.
- 954.** Hisada M, Garber JE, Fung CY, Fraumeni JF, Jr., Li FP (1998). Multiple primary cancers in families with Li-Fraumeni syndrome. *J Natl Cancer Inst* 90: 606-611.
- 955.** Hisaoka M, Morimitsu Y, Hashimoto H, Ishida T, Mukai H, Satoh H, Motoi T, Machinami R (1999). Retroperitoneal liposarcoma with combined well-differentiated and myxoid malignant fibrous histiocytoma-like myxoid areas. *Am J Surg Pathol* 23: 1480-1492.
- 956.** Hisaoka M, Tsuji S, Hashimoto H, Aoki T, Uru K (1997). Dedifferentiated liposarcoma with an inflammatory malignant fibrous histiocytoma-like component presenting a leukemoid reaction. *Pathol Int* 47: 642-646.
- 957.** Hizawa K, Iida M, Mibu R, Aoyagi K, Yao T, Fujishima M (1997). Desmoid tumors in familial adenomatous polyposis / Gardner's syndrome. *J Clin Gastroenterol* 25: 334-337.
- 958.** Hoang MP, Suarez PA, Donner LR, Ro Y, Ordonez NG, Ayala AG, Czerniak B (2000). Mesenchymal Chondrosarcoma: A Small Cell Neoplasm with Polyphenotypic Differentiation. *Int J Surg Pathol* 8: 291-301.
- 959.** Hoefel JC, Boman-Ferrand F, Tachet F, Lascombes P, Czorny A, Bernard C (1992). So-called benign fibrous histiocytoma: report of a case. *J Pediatr Surg* 27: 672-674.
- 960.** Hojo H, Newton WA, Jr., Hamoudi AB, Qualman SJ, Wakasa H, Suzuki S, Jaynes F (1995). Pseudosarcomatous myofibroblastic tumor of the urinary bladder in children: a study of 11 cases with review of the literature. An Intergroup Rhabdomyosarcoma Study. *Am J Surg Pathol* 19: 1224-1236.
- 961.** Hollowood K, Fletcher CD (1995). Malignant fibrous histiocytoma: morphologic pattern or pathologic entity? *Semin Diagn Pathol* 12: 210-220.
- 962.** Hollowood K, Holley MP, Fletcher CD (1991). Plexiform fibrohistiocytic tumour: clinicopathological, immunohistochemical and ultrastructural analysis in favour of a myofibroblastic lesion. *Histopathology* 19: 503-513.
- 963.** Hollstein M, Marion MJ, Lehman T, Welsh J, Harris CC, Martel-Planche G, Kusters I, Montesano R (1994). p53 mutations at A:T base pairs in angiosarcomas of vinyl chloride-exposed factory workers. *Carcinogenesis* 15: 1-3.
- 964.** Holscher HC, Bloem JL, Vanel D, Hermans J, Nooy MA, Taminiau AH, Henry-Amar M (1992). Osteosarcoma: chemotherapy-induced changes at MR imaging. *Radiology* 182: 839-844.
- 965.** Hoogerwerf WA, Hawkins AL, Perlman EJ, Griffin CA (1994). Chromosome analysis of nine osteosarcomas. *Genes Chromosomes Cancer* 9: 88-92.
- 966.** Hoos A, Lewis JJ, Antonescu CR, Dudas ME, Leon L, Woodruff JM, Brennan MF, Cordon-Cardo C (2001). Characterization of molecular abnormalities in human fibroblastic neoplasms: a model for genotype-phenotype association in soft tissue tumors. *Cancer Res* 61: 3171-3175.
- 967.** Hoovers JM, Kalikin LM, Johnson LA, Alders M, Redeker B, Law DJ, Bliet J, Steenman M, Benedict M, Wiegant J, Cremer T, Taillon-Miller P, Schlessinger D, Ivens A, Westerveld A, Little PF, Mannens M, Feinberg AP (1995). Multiple genetic loci within 11p15 defined by Beckwith-Wiedemann syndrome rearrangement breakpoints and subchromosomal transferable fragments. *Proc Natl Acad Sci U S A* 92: 12456-12460.
- 968.** Hopyan S, Gokgoz N, Poon R, Gensure RC, Yu C, Cole WG, Bell RS, Juppner H, Andrusis IL, Wunder JS, Alman BA (2002). A mutant PTH/PTHrP type I receptor in enchondromatosis. *Nat Genet* 30: 306-310.

969. Horowitz JM, Park SH, Bogenmann E, Cheng JC, Yandell DW, Kaye FJ, Minna JD, Dryja TP, Weinberg RA (1990). Frequent inactivation of the retinoblastoma anti-oncogene is restricted to a subset of human tumor cells. *Proc Natl Acad Sci U S A* 87: 2775-2779.
970. Horsthemke B, Barnert HJ, Greger V, Passarge E, Hopping W (1987). Early diagnosis in hereditary retinoblastoma by detection of molecular deletions at gene locus. *Lancet* 1: 511-512.
971. Hosaka T, Kanoe H, Nakayama T, Murakami H, Yamamoto H, Nakamata T, Tsuboyama T, Oka M, Kasai M, Sasaki MS, Nakamura T, Toguchida J (2000). Translin binds to the sequences adjacent to the breakpoints of the TLS and CHOP genes in liposarcomas with translocation t(12;6). *Oncogene* 19: 5821-5825.
972. Hosli I, Holzgreve W, Danzer E, Tercanli S (2001). Two case reports of rare fetal tumors: an indication for surface rendering? *Ultrasound Obstet Gynecol* 17: 522-526.
973. Hostein I, Menard A, Bui BN, Lussan C, Wafflard J, Delattre O, Peter M, Benhatter J, Guillou L, Coindre JM (2002). Molecular detection of the synovial sarcoma translocation t(X;18) by real-time polymerase chain reaction in paraffin-embedded material. *Diagn Mol Pathol* 11: 16-21.
974. Hottenrott G, Mentzel T, Peters A, Schroder A, Katenkamp D (1999). Intravascular ("intimal") epithelioid angiosarcoma: clinicopathological and immunohistochemical analysis of three cases. *Virchows Arch* 435: 473-478.
975. Hou J, Parrish J, Lüdecke HJ, Sapru M, Wang Y, Chen W, Hill A, Siegel-Bartelt J, Northrup H, Elder FF, Chinault C, Horsthemke B, Wagner MJ, Wells DE (1995). A 4-megabase YAC contig that spans the Langer-Giedion syndrome region on human chromosome 8q24.1: use in refining the location of the trichorhinophalangeal syndrome and multiple exostoses genes (TRPS1 and EXT1). *Genomics* 29: 87-97.
976. Howard GM, Ellsworth RM (1965). Differential diagnosis of retinoblastoma: a statistical study of 500 children. *Am J Ophthalmol* 60: 610-621.
977. Howard WR, Helwig EB (1960). Angiolipoma. *Arch Dermatol* 82: 924-931.
978. Howat AJ, Campbell PE (1987). Angiomatosis: a vascular malformation of infancy and childhood. Report of 17 cases. *Pathology* 19: 377-382.
979. Howat AJ, Dickens DR, Boldt DW, Waters KD, Campbell PE (1986). Bilateral metachronous periosteal osteosarcoma. *Cancer* 58: 1139-1143.
980. Hsueh C, Kuo TT (1998). Congenital malignant rhabdoid tumor presenting as a cutaneous nodule: report of 2 cases with review of the literature. *Arch Pathol Lab Med* 122: 1099-1102.
981. Humphreys S, McKee PH, Fletcher CD (1986). Fibroma of tendon sheath: a clinicopathologic study. *J Cutan Pathol* 13: 331-338.
982. Humphreys S, Pambakian H, McKee PH, Fletcher CD (1986). Soft tissue chondroma - a study of 15 tumours. *Histopathology* 10: 147-159.
983. Hunt SJ, Santa Cruz DJ, Barr RJ (1990). Cellular angiolipoma. *Am J Surg Pathol* 14: 75-81.
984. Hussong JW, Brown M, Perkins SL, Dehner LP, Coffin CM (1999). Comparison of DNA ploidy, histologic, and immunohistochemical findings with clinical outcome in inflammatory myofibroblastic tumors. *Mod Pathol* 12: 279-286.
985. Hutter RVP, Stewart FW, Foote FW (1962). Fasciitis: a report of 70 cases with follow-up proving the benignity of the lesion. *Cancer* 15: 992-1003.
986. Huvo AG (1986). Osteogenic sarcoma of bones and soft tissues in older persons. A clinicopathologic analysis of 117 patients older than 60 years. *Cancer* 57: 1442-1449.
987. Huvo AG (1991). Adamantinoma of extragnathic bones. In: *Bone Tumors. Diagnosis, Treatment, and Prognosis*, Huvo AG, ed. W.B. Saunders Company: Philadelphia, pp. 677-693.
988. Huvo AG (1999). *Bone Tumors: Diagnosis, Treatment and Prognosis*. 2nd ed. W.B. Saunders Company.
989. Huvo AG, Butler A, Bretsky SS (1983). Osteogenic sarcoma associated with Paget's disease of bone. A clinicopathologic study of 65 patients. *Cancer* 52: 1489-1495.
990. Huvo AG, Heilweil M, Bretsky SS (1985). The pathology of malignant fibrous histiocytoma of bone. A study of 130 patients. *Am J Surg Pathol* 9: 853-871.
991. Huvo AG, Higinbotham NL (1975). Primary fibrosarcoma of bone. A clinicopathologic study of 130 patients. *Cancer* 35: 837-847.
992. Huvo AG, Higinbotham NL, Miller TR (1972). Bone sarcomas arising in fibrous dysplasia. *J Bone Joint Surg Am* 54: 1047-1056.
993. Huvo AG, Marcove RC, Erlandson RA, Mike V (1972). Chondroblastoma of bone. A clinicopathologic and electron microscopic study. *Cancer* 29: 760-771.
994. Huvo AG, Rosen G, Dabska M, Marcove RC (1983). Mesenchymal chondrosarcoma. A clinicopathologic analysis of 35 patients with emphasis on treatment. *Cancer* 51: 1230-1237.
995. Huvo AG, Sundaresan N, Bretsky SS, Butler A (1985). Osteogenic sarcoma of the skull. A clinicopathologic study of 19 patients. *Cancer* 56: 1214-1221.
996. Huvo AG, Woodard HQ, Cahan WG, Higinbotham NL, Stewart FW, Butler A, Bretsky SS (1985). Postirradiation osteogenic sarcoma of bone and soft tissues. A clinicopathologic study of 66 patients. *Cancer* 55: 1244-1255.
997. Huvo AG, Woodard HQ, Heilweil M (1986). Postirradiation malignant fibrous histiocytoma of bone. A clinicopathologic study of 20 patients. *Am J Surg Pathol* 10: 9-18.
998. Iczkowski KA, Shanks JH, Gadaleanu V, Cheng L, Jones EC, Neumann R, Nascimento AG, Bostwick DG (2001). Inflammatory pseudotumor and sarcoma of urinary bladder: differential diagnosis and outcome in thirty-eight spindle cell neoplasms. *Mod Pathol* 14: 1043-1051.
999. Iemoto Y, Ushigome S, Fukunaga M, Nikaïdo T, Asanuma K (1991). Case report 679. Central low-grade osteosarcoma with foci of dedifferentiation. *Skeletal Radiol* 20: 379-382.
1000. Iezzoni JC, Fechner RE, Wong LS, Rosai J (1995). Aggressive angiomyxoma in males. A report of four cases. *Am J Clin Pathol* 104: 391-396.
1001. Ihara C, Shimatsu A, Murabe H, Kataoka K, Kondo C, Nakao K (1996). Growth hormone-secreting pituitary adenoma associated with multiple bone cysts, skin pigmentation and arthritis syndrome. *J Endocrinol Invest* 19: 753-757.
1002. Ilhan H, Tokar B, Isiksoy S, Koku N, Pasaoglu O (1999). Giant mesenteric lipoma. *J Pediatr Surg* 34: 639-640.
1003. Im YH, Kim HT, Lee C, Poulin D, Welford S, Sorensen PH, Denny CT, Kim SJ (2000). EWS-FLI1, EWS-ERG, and EWS-ETV1 oncoproteins of Ewing tumor family all suppress transcription of transforming growth factor beta type II receptor gene. *Cancer Res* 60: 1536-1540.
1004. Inagaki H, Murase T, Otsuka T, Eimoto T (1999). Detection of SYT-SSX fusion transcript in synovial sarcoma using archival cytologic specimens. *Am J Clin Pathol* 111: 528-533.
1005. Inoue YZ, Frassica FJ, Sim FH, Unni KK, Petersen IA, McLeod RA (2000). Clinicopathologic features and treatment of postirradiation sarcoma of bone and soft tissue. *J Surg Oncol* 75: 42-50.
1006. Inwards CY, Unni KK (1995). Classification and grading of bone sarcomas. *Hematol Oncol Clin North Am* 9: 545-569.
1007. Inwards CY, Unni KK, Beabout JW, Shives TC (1991). Solitary congenital fibromatosis (infantile myofibromatosis) of bone. *Am J Surg Pathol* 15: 935-941.
1008. Ioachim HL, Adsay V, Giancotti FR, Dorsett B, Melamed J (1995). Kaposi's sarcoma of internal organs. A multiparameter study of 86 cases. *Cancer* 75: 1376-1385.
1009. Iolascon A, Faienza MF, Coppola B, Rosolen A, Basso G, Della Ragione F, Schettini F (1996). Analysis of cyclin-dependent kinase inhibitor genes (CDKN2A, CDKN2B, and CDKN2C) in childhood rhabdomyosarcoma. *Genes Chromosomes Cancer* 15: 217-222.
1010. Irgau I, McNicholas KW (1998). Mediastinal lipoblastoma involving the left innominate vein and the left phrenic nerve. *J Pediatr Surg* 33: 1540-1542.
1011. Isaacs H, Jr. (1985). Perinatal (congenital and neonatal) neoplasms: a report of 110 cases. *Pediatr Pathol* 3: 165-216.
1012. Isayama T, Iwasaki H, Kikuchi M (1991). Chondroblastomalike extraskeletal chondroma. *Clin Orthop* 214-217.
1013. Ishida T, Iijima T, Kikuchi F, Kitagawa T, Tanida T, Imamura T, Machinami R (1992). A clinicopathological and immunohistochemical study of osteofibrous dysplasia, differentiated adamantinoma, and adamantinoma of long bones. *Skeletal Radiol* 21: 493-502.
1014. Ishida T, Yamamoto M, Goto T, Kawano H, Yamamoto A, Machinami R (1999). Clear cell chondrosarcoma of the pelvis in a skeletally immature patient. *Skeletal Radiol* 28: 290-293.
1015. Iwama T, Mishima Y, Utsunomiya J (1993). The impact of familial adenomatous polyposis on the tumorigenesis and mortality at the several organs. Its rational treatment. *Ann Surg* 217: 101-108.
1016. Iwasaki H, Enjoji M (1974). Fibrous hamartoma of infancy: report of two cases. *Jpn J Cancer Clin* 20: 216-220.
1017. Iwasaki H, Enjoji M (1979). Infantile and adult fibrosarcomas of the soft tissues. *Acta Pathol Jpn* 29: 377-388.
1018. Iwasaki H, Ishiguro M, Ohjimi Y, Ikegami H, Takeuchi T, Kikuchi M, Kaneko Y, Ariyoshi A (1999). Synovial sarcoma of the prostate with t(X;18)(p11.2;q11.2). *Am J Surg Pathol* 23: 220-226.
1019. Iwasaki H, Kikuchi M, Eimoto T, Enjoji M, Yoh S, Sakurai H (1983). Juvenile aponeurotic fibroma: an ultrastructural study. *Ultrastruct Pathol* 4: 75-83.
1020. Iwasaki H, Kikuchi M, Mori R, Miyazono J, Enjoji M, Shinohara N, Matsuzaki A (1980). Infantile digital fibromatosis. Ultrastructural, histochemical, and tissue culture observations. *Cancer* 46: 2238-2247.
1021. Iwasaki H, Ohjimi Y, Ishiguro M, Isayama T, Kaneko Y, Yoh S, Emoto G, Kikuchi M (1996). Epithelioid sarcoma with an 18q aberration. *Cancer Genet Cytogenet* 91: 46-52.
1022. Jackson RP, Reckling FW, Mants FA (1977). Osteoid osteoma and osteoblastoma. Similar histologic lesions with different natural histories. *Clin Orthop* 303-313.
1023. Jacobs JL, Merriam JC, Chadburn A, Garvin J, Housepian E, Hilal SK (1994). Mesenchymal chondrosarcoma of the orbit. Report of three new cases and review of the literature. *Cancer* 73: 399-405.
1024. Jaffe HL (1935). Osteoid osteoma: a benign osteoblastic tumor composed of osteoid and atypical bone. *Arch Surg* 31: 709.
1025. Jaffe HL (1958). *Tumors and tumorous conditions of the bones and joints*. Lea & Febiger: Philadelphia.

- 1026.** Jaffe HL, Lichtenstein L (1944). Eosinophilic granuloma of bone: a condition affecting one, several or many bones, but apparently limited to the skeleton and representing the mildest clinical expression of the peculiar inflammatory histiocytosis also underlying Letterer-Siwe disease and Schuller-Christian disease. *Arch Pathol* 37: 99.
- 1027.** Jaffe HL, Lichtenstein L, Sutro CJ (1941). Pigmented villonodular synovitis, bursitis and tenosynovitis: a discussion of the synovial and bursal equivalents of the tenosynovial lesion commonly denoted as xanthoma, xanthogranuloma, giant cell tumor or myeloplaxoma of the tendon sheath, with some consideration of this tendon sheath lesion itself. *Arch Pathol* 31: 731-765.
- 1028.** Jambhekar NA, Baraniya J, Barush R, Joshi U, Badhwar R (1997). Extraskeletal myxoid chondrosarcoma: a clinicopathologic, histochemical, and immunohistochemical study of 10 cases. *Int J Surg Pathol* 5: 77-82.
- 1029.** Janoyer M, Reau AF, Pontallier JR, Zipoli B, Colombani JF (1999). Congenital fibrous hamartoma of the hand: a case report. *J Pediatr Orthop B* 8: 129-131.
- 1030.** Jarvi OH, Lansimies PH (1975). Subclinical elastofibromas in the scapular region in an autopsy series. *Acta Pathol Microbiol Scand [A]* 83: 87-108.
- 1031.** Jarvi OH, Saxen AE, Hopsu-Havu VK, Wartiovaara JJ, Vaissalo VT (1969). Elastofibroma – a degenerative pseudotumor. *Cancer* 23: 42-63.
- 1032.** Jarvinen HJ (1987). Desmoid disease as a part of familial adenomatous polyposis coli. *Acta Chir Scand* 153: 379-383.
- 1033.** Jarvinen HJ (1992). Epidemiology of familial adenomatous polyposis in Finland: impact of family screening on the colorectal cancer rate and survival. *Gut* 33: 357-360.
- 1034.** Jebson PJ, Louis DS (1997). Fibrous hamartoma of infancy in the hand: a case report. *J Hand Surg [Am]* 22: 740-742.
- 1035.** Jee WH, Choi KH, Choe BY, Park JM, Shinn KS (1996). Fibrous dysplasia: MR imaging characteristics with radiopathologic correlation. *AJR Am J Roentgenol* 167: 1523-1527.
- 1036.** Jelinek JS, Kransdorf MJ, Shmookler BM, Abouafia AA, Malawer MM (1994). Giant cell tumor of the tendon sheath: MR findings in nine cases. *AJR Am J Roentgenol* 162: 919-922.
- 1037.** Jennings TA, Duray PH, Collins FS, Sabetta J, Enzinger FM (1984). Infantile myofibromatosis. Evidence for an autosomal-dominant disorder. *Am J Surg Pathol* 8: 529-538.
- 1038.** Jeon IS, Davis JN, Braun BS, Sublett JE, Roussel MF, Denny CT, Shapiro DN (1995). A variant Ewing's sarcoma translocation (7;22) fuses the EWS gene to the ETS gene ETV1. *Oncogene* 10: 1229-1234.
- 1039.** Johansson L, Carlen B (1994). Sarcoma of the pulmonary artery: report of four cases with electron microscopic and immunohistochemical examinations, and review of the literature. *Virchows Arch* 424: 217-224.
- 1040.** Johnson DB, McGrath F, Ryan MJ (1995). Laryngeal chondroma: an unusual cause of upper airway obstruction. *Clin Radiol* 50: 412-413.
- 1041.** Johnson L (1972). Congenital pseudoarthrosis, adamantinoma of long bone and intracortical fibrous dysplasia of the tibia. *J Bone Joint Surg Am* 54A: 1355.
- 1042.** Johnson LL, Kempson RL (1965). Epidermoid carcinoma in chronic osteomyelitis: diagnostic problems and management. *J Bone Joint Surg* 47A: 133-144.
- 1043.** Johnson RL, Rothman AL, Xie J, Goodrich LV, Bare JW, Bonifas JM, Quinn AG, Myers RM, Cox DR, Epstein EH, Jr., Scott MP (1996). Human homolog of patched, a candidate gene for the basal cell nevus syndrome. *Science* 272: 1668-1671.
- 1044.** Jones EC, Clement PB, Young RH (1993). Inflammatory pseudotumor of the urinary bladder. A clinicopathological, immunohistochemical, ultrastructural, and flow cytometric study of 13 cases. *Am J Surg Pathol* 17: 264-274.
- 1045.** Jones EW, Winkelmann RK, Zachary CB, Reda AM (1990). Benign lymphangi endothelioma. *J Am Acad Dermatol* 23: 229-235.
- 1046.** Jones FE, Soule EH, Coventry MB (1969). Fibrous xanthoma of synovium (giant-cell tumor of tendon sheath, pigmented nodular synovitis). A study of one hundred and eighteen cases. *J Bone Joint Surg Am* 51: 76-86.
- 1047.** Jones IT, Jagelman DG, Fazio VW, Lavery IC, Weakley FL, McGannon E (1986). Desmoid tumors in familial polyposis coli. *Ann Surg* 204: 94-97.
- 1048.** Joyama S, Ueda T, Shimizu K, Kudawara I, Mano M, Funai H, Takemura K, Yoshikawa H (1999). Chromosome rearrangement at 17q25 and xp11.2 in alveolar soft-part sarcoma: A case report and review of the literature. *Cancer* 86: 1246-1250.
- 1049.** Jundt G, Moll C, Nidecker A, Schilt R, Remagen W (1994). Primary leiomyosarcoma of bone: report of eight cases. *Hum Pathol* 25: 1205-1212.
- 1050.** Jundt G, Remberger K, Roessner A, Schulz A, Bohndorf K (1995). Adamantinoma of long bones. A histopathological and immunohistochemical study of 23 cases. *Pathol Res Pract* 191: 112-120.
- 1051.** Kaiser TE, Pritchard DJ, Unni KK (1984). Clinicopathologic study of sacrococcygeal chordoma. *Cancer* 53: 2574-2578.
- 1052.** Kaiserling E, Ruck P, Handgretinger R, Leipoldt M, Hipfel R (1996). Immunohistochemical and cytogenetic findings in malignant rhabdoid tumor. *Gen Diagn Pathol* 141: 327-337.
- 1053.** Kaji M, Konishi K, Funaki K, Nukui A, Goka T, Arakawa G, Onishi I, Kimura H, Maeda K, Yabushita K, Tsuji M, Yamashita H, Miwa A (1999). [A case of low-grade fibromyxoid sarcoma of the small bowel mesentery]. *Nippon Shokakibyō Gakkai Zasshi* 96: 670-674.
- 1054.** Kalil RK, Inwards CY, Unni KK, Bertoni F, Bacchini P, Wenger DE, Sim FH (2000). Dedifferentiated clear cell chondrosarcoma. *Am J Surg Pathol* 24: 1079-1086.
- 1055.** Kamineni S, Briggs TW, Saifuddin A, Sandison A (2001). Osteofibrous dysplasia of the ulna. *J Bone Joint Surg Br* 83: 1178-1180.
- 1056.** Kamysz JW, Zawin JK, Gonzalez-Crussi F (1996). Soft tissue chondroma of the neck: a case report and review of the literature. *Pediatr Radiol* 26: 145-147.
- 1057.** Kan AE, Rogers M (1989). Juvenile hyaline fibromatosis: an expanded clinicopathologic spectrum. *Pediatr Dermatol* 6: 68-75.
- 1058.** Kanamori M, Antonescu CR, Scott M, Bridge RS, Jr., Neff JR, Spanier SS, Scarborough MT, Vergara G, Rosenthal HG, Bridge JA (2001). Extra copies of chromosomes 7, 8, 12, 19, and 21 are recurrent in adamantinoma. *J Mol Diagn* 3: 16-21.
- 1059.** Kandii E (1970). Dermal angiolymphoid hyperplasia with eosinophilia versus pseudopyogenic granuloma. *Br J Dermatol* 83: 405-408.
- 1060.** Kaneko Y, Yoshida K, Handa M, Toyoda Y, Nishihira H, Tanaka Y, Sasaki Y, Ishida S, Higashino F, Fujinaga K (1996). Fusion of an ETS-family gene, EIAF, to EWS by t(17;22)(q12;q12) chromosome translocation in an undifferentiated sarcoma of infancy. *Genes Chromosomes Cancer* 15: 115-121.
- 1061.** Kanoe H, Nakayama T, Hosaka T, Murakami H, Yamamoto H, Nakashima Y, Tsuboyama T, Nakamura T, Ron D, Sasaki MS, Toguchida J (1999). Characteristics of genomic breakpoints in TLS-CHOP translocations in liposarcomas suggest the involvement of Translin and topoisomerase II in the process of translocation. *Oncogene* 18: 721-729.
- 1062.** Kanter WR, Wolford FG (1988). Multiple familial angiolipomatosis: treatment of liposuction. *Ann Plast Surg* 20: 277-279.
- 1063.** Kapadia SB, Barnes L (1996). Muscle Tissue Neoplasms. In: *Surgical Pathology of Laryngeal Neoplasms*, Ferlito A, ed. Chapman & Hall: London, pp. 321-340.
- 1064.** Kapadia SB, Meis JM, Frisman DM, Ellis GL, Hefner DK (1993). Fetal rhabdomyoma of the head and neck: a clinicopathologic and immunophenotypic study of 24 cases. *Hum Pathol* 24: 754-765.
- 1065.** Kapadia SB, Meis JM, Frisman DM, Ellis GL, Hefner DK, Hyams VJ (1993). Adult rhabdomyoma of the head and neck: a clinicopathologic and immunophenotypic study. *Hum Pathol* 24: 608-617.
- 1066.** Kapadia SB, Norris HJ (1993). Rhabdomyoma of the vagina. *Mod Pathol* 6: 75A.
- 1067.** Kaplan RP, Wang JT, Amron DM, Kaplan L (1993). Maffucci's syndrome: two case reports with a literature review. *J Am Acad Dermatol* 29: 894-899.
- 1068.** Karakousis CP, Berjian RA, Lopez R, Rao U (1978). Mesenteric fibromatosis in Gardner's syndrome. *Arch Surg* 113: 998-1000.
- 1069.** Karlis V, Glickman RS, Zaslow M (1998). Synovial chondromatosis of the temporomandibular joint with intracranial extension. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86: 664-666.
- 1070.** Karlsson P, Holmberg E, Samuelsson A, Johansson KA, Wallgren A (1998). Soft tissue sarcoma after treatment for breast cancer – a Swedish population-based study. *Eur J Cancer* 34: 2068-2075.
- 1071.** Karnak I, Senocak ME, Ciftci AO, Caglar M, Bingol-Kologlu M, Tanyel FC, Buyukpamukcu N (2001). Inflammatory myofibroblastic tumor in children: diagnosis and treatment. *J Pediatr Surg* 36: 908-912.
- 1072.** Karras SC, Wolford LM, Cottrell DA (1996). Concurrent osteochondroma of the mandibular condyle and ipsilateral cranial base resulting in temporomandibular joint ankylosis: report of a case and review of the literature. *J Oral Maxillofac Surg* 54: 640-646.
- 1073.** Katagiri K, Takasaki S, Fujiwara S, Kayashima K, Ono T, Shinkai H (1996). Purification and structural analysis of extracellular matrix of a skin tumor from a patient with juvenile hyaline fibromatosis. *J Dermatol Sci* 13: 37-48.
- 1074.** Kataoka Y, Matsuda M, Katsura T, Tanaka K, Ebara H, Yoshida F, Takaba E, Takimoto M (1997). [Case of low-grade fibromyxoid sarcoma]. *Nippon Naika Gakkai Zasshi* 86: 1458-1460.
- 1075.** Katou F, Motegi K, Baba S (1989). Mandibular lesions in patients with adenomatosis coli. *J Craniomaxillofac Surg* 17: 354-358.
- 1076.** Kawagishi N, Kashiwagi T, Ibe M, Manabe A, Ishida-Yamamoto A, Hashimoto Y, Iizuka H (2000). Pleomorphic angioleiomyoma. *Am J Dermatopathol* 22: 268-271.
- 1077.** Kawai A, Woodruff J, Healey JH, Brennan MF, Antonescu CR, Ladanyi M (1998). SYT-SSX gene fusion as a determinant of morphology and prognosis in synovial sarcoma. *N Engl J Med* 338: 153-160.
- 1078.** Kawasaki G, Yamamoto S, Mizuno A, Fujita S (2001). Juvenile hyaline fibromatosis complicated with oral squamous cell carcinoma: a case report. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91: 200-204.

- 1079.** Kawashima A, Magid D, Fishman EK, Hruban RH, Ney DR (1993). Parosteal ossifying lipoma: CT and MR findings. *J Comput Assist Tomogr* 17: 147-150.
- 1080.** Kazmierczak B, Dal Cin P, Sciort R, van den Berghe H, Bullerdiek J (1999). Inflammatory myofibroblastic tumor with HMGIC rearrangement. *Cancer Genet Cytogenet* 112: 156-160.
- 1081.** Kazmierczak B, Dal Cin P, Wanschura S, Barntitzke S, van den Berghe H, Bullerdiek J (1998). Cloning and molecular characterization of part of a new gene fused to HMGIC in mesenchymal tumors. *Am J Pathol* 152: 431-435.
- 1082.** Kazmierczak B, Dal Cin P, Wanschura S, Borrmann L, Fusco A, van den Berghe H, Bullerdiek J (1998). HMGIC is the target of 6p21.3 rearrangements in various benign mesenchymal tumors. *Genes Chromosomes Cancer* 23: 279-285.
- 1083.** Keel SB, Jaffe KA, Petur NG, Rosenberg AE (2001). Orthopaedic implant-related sarcoma: a study of twelve cases. *Mod Pathol* 14: 969-977.
- 1084.** Keeney GL, Unni KK, Beabout JW, Pritchard DJ (1989). Adamantinoma of long bones. A clinicopathologic study of 85 cases. *Cancer* 64: 730-737.
- 1085.** Kelly KM, Womer RB, Sorensen PH, Xiong QB, Barr FG (1997). Common and variant gene fusions predict distinct clinical phenotypes in rhabdomyosarcoma. *J Clin Oncol* 15: 1831-1836.
- 1086.** Kempson RL, Fletcher CD, Evans HL, Hendrickson MR, Sibley RK (2001). *Atlas of Tumor Pathology. Tumors of Soft Tissues.* AFIP: Washington, DC.
- 1087.** Kempson RL, Fletcher CD, Evans HL, Hendrickson MR, Sibley RK (2001). Cartilaginous and osseous tumors. In: *Atlas of Tumor Pathology. Tumors of Soft Tissues.* AFIP: Washington, DC.
- 1088.** Kempson RL, Kyriakos M (1972). Fibroxanthosarcoma of the soft tissues. A type of malignant fibrous histiocytoma. *Cancer* 29: 961-976.
- 1089.** Kenan S, Floman Y, Robin GC, Laufer A (1985). Aggressive osteoblastoma. A case report and review of the literature. *Clin Orthop* 294-298.
- 1090.** Kenan S, Lewis MM, Abdelwahab IF, Hermann G, Klein MJ (1991). Case report 652: Primary intraosseous low grade myxoid sarcoma of the scapula (myxoid liposarcoma). *Skeletal Radiol* 20: 73-75.
- 1091.** Kenn W, Stabler A, Zachoval R, Zietz C, Raum W, Wittenberg G (1999). Erdheim-Chester disease: a case report and literature overview. *Eur Radiol* 9: 153-158.
- 1092.** Kenney PJ, Gilula LA, Murphy WA (1981). The use of computed tomography to distinguish osteochondroma and chondrosarcoma. *Radiology* 139: 129-137.
- 1093.** Kern WH (1960). Proliferative myositis: a pseudosarcomatous reaction to injury: a report of seven cases. *Arch Pathol* 69: 209-215.
- 1094.** Keser G, Karabulut B, Oksel F, Calli C, Ustun EE, Akalin T, Kocanaogullari H, Gumudis G, Doganavsargil E (1999). Two siblings with juvenile hyaline fibromatosis: case reports and review of the literature. *Clin Rheumatol* 18: 248-252.
- 1095.** Kevorkian J, Cento DP (1973). Leiomyosarcoma of large arteries and veins. *Surgery* 73: 390-400.
- 1096.** Khalidi HS, Singleton TP, Weiss SW (1997). Inflammatory malignant fibrous histiocytoma: distinction from Hodgkin's disease and non-Hodgkin's lymphoma by a panel of leukocyte markers. *Mod Pathol* 10: 438-442.
- 1097.** Khan J, Bittner ML, Saal LH, Teichmann U, Azorsa DO, Gooden GC, Pavan WJ, Trent JM, Meltzer PS (1999). cDNA microarrays detect activation of a myogenic transcription program by the PAX3-FKHR fusion oncogene. *Proc Natl Acad Sci U S A* 96: 13264-13269.
- 1098.** Khatib ZA, Matsushime H, Valentine M, Shapiro DN, Sherr CJ, Look AT (1993). Coamplification of the CDK4 gene with MDM2 and GLI in human sarcomas. *Cancer Res* 53: 5535-5541.
- 1099.** Khoddami M, Bedard YC, Bell RS, Kandel RA (1996). Primary leiomyosarcoma of bone: report of seven cases and review of the literature. *Arch Pathol Lab Med* 120: 671-675.
- 1100.** Kido A, Schneider-Stock R, Hauptmann K, Roessner A (1999). Telomerase activity in benign bone tumors and tumor-like lesions. *Pathol Res Pract* 195: 753-757.
- 1101.** Kihara S, Nehlsen-Cannarella N, Kirsch WM, Chase D, Garvin AJ (1996). A comparative study of apoptosis and cell proliferation in infantile and adult fibrosarcomas. *Am J Clin Pathol* 106: 493-497.
- 1102.** Kilpatrick SE (1999). Histologic prognostication in soft tissue sarcomas: grading versus subtyping or both? A comprehensive review of the literature with proposed practical guidelines. *Ann Diagn Pathol* 3: 48-61.
- 1103.** Kilpatrick SE, Doyon J, Choeng PF, Sim FH, Nascimento AG (1996). The clinicopathologic spectrum of myxoid and round cell liposarcoma. A study of 95 cases. *Cancer* 77: 1450-1458.
- 1104.** Kilpatrick SE, Hitchcock MG, Kraus MD, Calonje E, Fletcher CD (1997). Mixed tumors and myoepitheliomas of soft tissue: a clinicopathologic study of 19 cases with a unifying concept. *Am J Surg Pathol* 21: 13-22.
- 1105.** Kilpatrick SE, Inwards CY, Fletcher CD, Smith MA, Gitelis S (1997). Myxoid chondrosarcoma (chordoid sarcoma) of bone: a report of two cases and review of the literature. *Cancer* 79: 1903-1910.
- 1106.** Kilpatrick SE, Mentzel T, Fletcher CD (1994). Leiomyoma of deep soft tissue. Clinicopathologic analysis of a series. *Am J Surg Pathol* 18: 576-582.
- 1107.** Kilpatrick SE, Teot LA, Geisinger KR, Martin PL, Shumate DK, Zbieranski N, Russell GB, Fletcher CD (1994). Relationship of DNA ploidy to histology and prognosis in rhabdomyosarcoma. Comparison of flow cytometry and image analysis. *Cancer* 74: 3227-3233.
- 1108.** Kim BT, Kitagawa H, Tamura J, Saito T, Kusche-Gullberg M, Lindahl U, Sugahara K (2001). Human tumor suppressor EXT gene family members EXTL1 and EXTL3 encode alpha 1,4-N-acetylglucosaminyltransferases that likely are involved in heparan sulfate/heparin biosynthesis. *Proc Natl Acad Sci U S A* 98: 7176-7181.
- 1109.** Kim YC (2000). An additional case of solitary subungual glomus tumor associated with neurofibromatosis 1. *J Dermatol* 27: 418-419.
- 1110.** Kim YH, Reiner L (1982). Ultrastructure of lipoma. *Cancer* 50: 102-106.
- 1111.** Kindblom LG, Angervall L (1978). Congenital solitary fibromatosis of the skeleton: case report of a variant of congenital generalized fibromatosis. *Cancer* 41: 636-640.
- 1112.** Kindblom LG, Angervall L, Fassina AS (1982). Atypical lipoma. *Acta Pathol Microbiol Immunol Scand [A]* 90: 27-36.
- 1113.** Kindblom LG, Angervall L, Stener B, Wickbom I (1974). Intermuscular and intramuscular lipomas and hibernomas. A clinical, roentgenologic, histologic, and prognostic study of 46 cases. *Cancer* 33: 754-762.
- 1114.** Kindblom LG, Angervall L, Svendsen P (1975). Liposarcoma a clinicopathologic, radiographic and prognostic study. *Acta Pathol Microbiol Scand Suppl* 1-71.
- 1115.** Kindblom LG, Lodding P, Angervall L (1983). Clear-cell sarcoma of tendons and aponeuroses. An immunohistochemical and electron microscopic analysis indicating neural crest origin. *Virchows Arch A Pathol Anat Histopathol* 401: 109-128.
- 1116.** Kindblom LG, Meis-Kindblom JM (1995). Chondroid lipoma: an ultrastructural and immunohistochemical analysis with further observations regarding its differentiation. *Hum Pathol* 26: 706-715.
- 1117.** Kindblom LG, Merck C, Angervall L (1979). The ultrastructure of myxofibrosarcoma. A study of 11 cases. *Virchows Arch A Pathol Anat Histol* 381: 121-139.
- 1118.** Kindblom LG, Spicer SS (1982). Elastofibroma. A correlated light and electron microscopic study. *Virchows Arch A Pathol Anat Histol* 396: 127-140.
- 1119.** Kindblom LG, Stener B, Angervall L (1974). Intramuscular myxoma. *Cancer* 34: 1737-1744.
- 1120.** Kindblom LG, Stenman G, Angervall L (1991). Morphological and cytogenetic studies of angiosarcoma in Stewart-Treves syndrome. *Virchows Arch A Pathol Anat Histopathol* 419: 439-445.
- 1121.** King DG, Saifuddin A, Preston HV, Hardy GJ, Reeves BF (1995). Magnetic resonance imaging of juxta-articular myxoma. *Skeletal Radiol* 24: 145-147.
- 1122.** Kinoshita Y, Shiratsuchi H, Tamiya S, Oshiro Y, Hachitanda Y, Oda Y, Suita S, Tsuneyoshi M (2001). Mutations of the p53 gene in malignant rhabdoid tumors of soft tissue and the kidney: immunohistochemical and DNA direct sequencing analysis. *J Cancer Res Clin Oncol* 127: 351-358.
- 1123.** Kinzler KW, Nilbert MC, Su LK, Vogelstein B, Bryan TM, Levy DB, Smith KJ, Preisinger AC, Hedge P, McKechnie D (1991). Identification of FAP locus genes from chromosome 5q21. *Science* 253: 661-665.
- 1124.** Kinzler KW, Vogelstein B (1996). Lessons from hereditary colorectal cancer. *Cell* 87: 159-170.
- 1125.** Kirkpatrick CJ, Alves A, Kohler H, Kriegsmann J, Bittinger F, Otto M, Williams DF, Eloy R (2000). Biomaterial-induced sarcoma: A novel model to study preneoplastic change. *Am J Pathol* 156: 1455-1467.
- 1126.** Kirwan EO, Hutton PA, Pozo JL, Ransford AO (1984). Osteoid osteoma and benign osteoblastoma of the spine. Clinical presentation and treatment. *J Bone Joint Surg Br* 66: 21-26.
- 1127.** Kitagawa H, Shimakawa H, Sugahara K (1999). The tumor suppressor EXT-like gene EXTL2 encodes an alpha1, 4-N-acetylhexosaminyltransferase that transfers N-acetylgalactosamine and N-acetylglucosamine to the common glycosaminoglycan-protein linkage region. The key enzyme for the chain initiation of heparan sulfate. *J Biol Chem* 274: 13933-13937.
- 1128.** Kitao S, Shimamoto A, Goto M, Miller RW, Smithson WA, Lindor NM, Furuichi Y (1999). Mutations in RECQL4 cause a subset of cases of Rothmund-Thomson syndrome. *Nat Genet* 22: 82-84.
- 1129.** Kitho H, Nogami H (1999). A simple bone cyst containing secretory cells in its lining membrane in a patient with polyostotic fibrous dysplasia. *Pediatr Radiol* 29: 481-483.
- 1130.** Kiuru-Kuhlefelt S, Sarlomo-Rikala M, Larramendy ML, Soderlund M, Hedman K, Miettinen M, Knuutila S (2000). FGF4 and INT2 oncogenes are amplified and expressed in Kaposi's sarcoma. *Mod Pathol* 13: 433-437.
- 1131.** Kivioja A, Ervasti H, Kinnunen J, Kaitila I, Wolf M, Böhling T (2000). Chondrosarcoma in a family with multiple hereditary exostoses. *J Bone Joint Surg Br* 82: 261-266.
- 1132.** Kiyosawa T, Umebayashi Y, Nakayama Y, Soeda S (1995). Hereditary multiple glomus tumors involving the glans penis. A case report and review of the literature. *Dermatol Surg* 21: 895-899.
- 1133.** Kjellman M, Larsson C, Backdahl M (2001). Genetic background of adrenocortical tumor development. *World J Surg* 25: 948-956.

- 1134.** Kleer CG, Unni KK, McLeod RA (1996). Epithelioid hemangioendothelioma of bone. *Am J Surg Pathol* 20: 1301-1311.
- 1135.** Klein FA, Smith MJ, Kasenetz I (1988). Pelvic lipomatosis: 35-year experience. *J Urol* 139: 998-1001.
- 1136.** Kleinstiver BJ, Rodriguez HA (1968). Nodular fasciitis. A study of forty-five cases and review of the literature. *J Bone Joint Surg Am* 50: 1204-1212.
- 1137.** Klemmer S, Pascoe L, DeCosse J (1987). Occurrence of desmoids in patients with familial adenomatous polyposis of the colon. *Am J Med Genet* 28: 385-392.
- 1138.** Klieger MR, Schultz E, Elkowitz DE, Arlen M, Hajdu SI (2002). Erdheim-Chester Disease: A Unique Presentation with Multiple Osteolytic Lesions of the Spine and Pelvis that Spared the Appendicular Skeleton. *AJR Am J Roentgenol* 178: 429-432.
- 1139.** Klimstra DS, Moran CA, Perino G, Koss MN, Rosai J (1995). Liposarcoma of the anterior mediastinum and thymus. A clinicopathologic study of 28 cases. *Am J Surg Pathol* 19: 782-791.
- 1140.** Klopstock T, Naumann M, Seibel P, Shalke B, Reiners K, Reichmann H (1997). Mitochondrial DNA mutations in multiple symmetric lipomatosis. *Mol Cell Biochem* 174: 271-275.
- 1141.** Knezevich SR, Garnett MJ, Pysher TJ, Beckwith JB, Grundy PE, Sorensen PH (1998). ETV6-NTRK3 gene fusions and trisomy 11 establish a histogenetic link between mesoblastic nephroma and congenital fibrosarcoma. *Cancer Res* 58: 5046-5048.
- 1142.** Knezevich SR, McFadden DE, Tao W, Lim JF, Sorensen PH (1998). A novel ETV6-NTRK3 gene fusion in congenital fibrosarcoma. *Nat Genet* 18: 184-187.
- 1143.** Knight JC, Renwick PJ, Dal Cin P, van den Berghe H, Fletcher CD (1995). Translocation t(12;16)(q13;p11) in myxoid liposarcoma and round cell liposarcoma: molecular and cytogenetic analysis. *Cancer Res* 55: 24-27.
- 1144.** Knowles DM, Pirog EC (2001). Pathology of AIDS-related lymphomas and other AIDS-defining neoplasms. *Eur J Cancer* 37: 1236-1250.
- 1145.** Knudson AG, Jr. (1971). Mutation and cancer: statistical study of retinoblastoma. *Proc Natl Acad Sci U S A* 68: 820-823.
- 1146.** Knuutila S, Autio K, Aalto Y (2000). Online access to CGH data of DNA sequence copy number changes. *Am J Pathol* 157: 689.
- 1147.** Kobayashi S, Yamadori I, Ohmori M, Akaeda T (1992). Benign fibrous histiocytoma of the renal capsule. *Acta Pathol Jpn* 42: 217-220.
- 1148.** Kocova L, Michal M, Sulc M, Zamecnik M (1997). Calcifying fibrous pseudotumour of visceral peritoneum. *Histopathology* 31: 182-184.
- 1149.** Kodet R, Newton WA, Jr., Hamoudi AB, Asmar L, Jacobs DL, Maurer HM (1993). Childhood rhabdomyosarcoma with anaplastic (pleomorphic) features. A report of the Intergroup Rhabdomyosarcoma Study. *Am J Surg Pathol* 17: 443-453.
- 1150.** Kodet R, Newton WA, Jr., Sachs N, Hamoudi AB, Raney RB, Asmar L, Gehan EA (1991). Rhabdoid tumors of soft tissues: a clinicopathologic study of 26 cases enrolled on the Intergroup Rhabdomyosarcoma Study. *Hum Pathol* 22: 674-684.
- 1151.** Kodet R, Stejskal J, Pilat D, Kocourkova M, Smelhaus V, Eckschlagler T (1996). Congenital-infantile fibrosarcoma: a clinicopathological study of five patients entered on the Prague children's tumor registry. *Pathol Res Pract* 192: 845-853.
- 1152.** Koi M, Johnson LA, Kalikin LM, Little PF, Nakamura Y, Feinberg AP (1993). Tumor cell growth arrest caused by subchromosomal transferable DNA fragments from chromosome 11. *Science* 260: 361-364.
- 1153.** Kondo S, Yoshizaki T, Minato H, Horikawa I, Tatsumi A, Furukawa M (2001). Myofibrosarcoma of the nasal cavity and paranasal sinus. *Histopathology* 39: 216-217.
- 1154.** Konigsberg R, Zojer N, Ackermann J, Kromer E, Kittler H, Fritz E, Kaufmann H, Nosslinger T, Riedl L, Gisslinger H, Jager U, Simonitsch I, Heinz R, Ludwig H, Huber H, Drach J (2000). Predictive role of interphase cytogenetics for survival of patients with multiple myeloma. *J Clin Oncol* 18: 804-812.
- 1155.** Konrad EA, Meister P, Hubner G (1982). Extracardiac rhabdomyoma: report of different types with light microscopic and ultrastructural studies. *Cancer* 49: 898-907.
- 1156.** Konwaler B, Keasbey L, Kaplan L (1955). Subcutaneous pseudosarcomatous fibromatosis (fasciitis). *Am J Clin Pathol* 25: 241-252.
- 1157.** Kopelman JE, McLean IW, Rosenberg SH (1987). Multivariate analysis of risk factors for metastasis in retinoblastoma treated by enucleation. *Ophthalmology* 94: 371-377.
- 1158.** Koscielniak E, Rodary C, Flamant F, Carli M, Treuner J, Pinkerton CR, Grotto P (1992). Metastatic rhabdomyosarcoma and histologically similar tumors in childhood: a retrospective European multi-center analysis. *Med Pediatr Oncol* 20: 209-214.
- 1159.** Kotz R, Salzer-Kuntschik M, Lechner G, Immenkamp M, Kogelnik HD, Salzer M (1984). *Knochentumoren*. Georg Thieme Verlag: Stuttgart, New York.
- 1160.** Koufos A, Hansen MF, Copeland NG, Jenkins NA, Lampkin BC, Cavenee WK (1985). Loss of heterozygosity in three embryonal tumours suggests a common pathogenetic mechanism. *Nature* 316: 330-334.
- 1161.** Kouho H, Aoki T, Hisaoka M, Hashimoto H (1997). Clinicopathological and interphase cytogenetic analysis of desmoid tumours. *Histopathology* 31: 336-341.
- 1162.** Kovar H, Jug G, Aryee DN, Zoubek A, Ambros P, Gruber B, Windhager R, Gardner H (1997). Among genes involved in the RB dependent cell cycle regulatory cascade, the p16 tumor suppressor gene is frequently lost in the Ewing family of tumors. *Oncogene* 15: 2225-2232.
- 1163.** Kovarik P, et al. (1998). Ploidy, proliferative activity, and p53 as biologic markers in inflammatory myofibroblastic tumors. *Mod Pathol* 11: 43A.
- 1164.** Kozlowski K, Scougall JS, Oates RK (1980). Osteosarcoma in a boy with Rothmund-Thomson syndrome. *Pediatr Radiol* 10: 42-45.
- 1165.** Kragh LV, Dahlin DC, Erich JB (1958). Osteogenic sarcoma of the jaws and facial bones. *Am J Surg* 96: 496-505.
- 1166.** Kramer K, Hicks DG, Palis J, Rosier RN, Oppenheimer J, Fallon MD, Cohen HJ (1993). Epithelioid osteosarcoma of bone. Immunocytochemical evidence suggesting divergent epithelial and mesenchymal differentiation in a primary osseous neoplasm. *Cancer* 71: 2977-2982.
- 1167.** Krane JF, Bertoni F, Fletcher CD (1999). Myxoid synovial sarcoma: an underappreciated morphologic subset. *Mod Pathol* 12: 456-462.
- 1168.** Kransdorf MJ (1995). Malignant soft-tissue tumors in a large referral population: distribution of diagnoses by age, sex, and location. *AJR Am J Roentgenol* 164: 129-134.
- 1169.** Kransdorf MJ, Meis JM, Jelinek JS (1991). Myositis ossificans: MR appearance with radiologic-pathologic correlation. *AJR Am J Roentgenol* 157: 1243-1248.
- 1170.** Kransdorf MJ, Meis JM, Montgomery E (1992). Elastofibroma: MR and CT appearance with radiologic-pathologic correlation. *AJR Am J Roentgenol* 159: 575-579.
- 1171.** Kransdorf MJ, Moser RP, Jr., Jelinek JS, Weiss SW, Buetow PC, Berrey BH (1989). Intramuscular myxoma: MR features. *J Comput Assist Tomogr* 13: 836-839.
- 1172.** Kransdorf MJ, Moser RP, Jr., Meis JM, Meyer CA (1991). Fat-containing soft-tissue masses of the extremities. *Radiographics* 11: 81-106.
- 1173.** Kransdorf MJ, Sweet DE (1995). Aneurysmal bone cyst: concept, controversy, clinical presentation, and imaging. *AJR Am J Roentgenol* 164: 573-580.
- 1174.** Kraus MD, Guillou L, Fletcher CD (1997). Well-differentiated inflammatory liposarcoma: an uncommon and easily overlooked variant of a common sarcoma. *Am J Surg Pathol* 21: 518-527.
- 1175.** Kravcik S (2000). HIV lipodystrophy: a review. *HIV Clin Trials* 1: 37-50.
- 1176.** Krawczak M, Cooper DN (1997). The human gene mutation database. *Trends Genet* 13: 121-122.
- 1177.** Kreml GA, McGuff HS, Pulitzer DR, Otto RA (1997). Lipoblastoma in the parotid gland of an infant. *Otolaryngol Head Neck Surg* 117: S234-S237.
- 1178.** Kronland R, Grogan T, Spier C, Wirt D, Rangel C, Richter L, Durie B, Greenberg B, Miller T, Jones S (1985). Immunotopographic assessment of lymphoid and plasma cell malignancies in the bone marrow. *Hum Pathol* 16: 1247-1254.
- 1179.** Kruzlock RP, Murphy EC, Strong LC, Naylor SL, Hansen MF (1997). Localization of a novel tumor suppressor locus on human chromosome 3q important in osteosarcoma tumorigenesis. *Cancer Res* 57: 106-109.
- 1180.** Kubo K, Miyatani H, Takenoshita Y, Abe K, Oka M, Iida M, Itoh H (1989). Widespread radiopacity of jaw bones in familial adenomatous coli. *J Craniomaxillofac Surg* 17: 350-353.
- 1181.** Kumar S, Pack S, Kumar D, Walker R, Quezado M, Zhuang Z, Meltzer P, Tsokos M (1999). Detection of EWS-FLI-1 fusion in Ewing's sarcoma/peripheral primitive neuroectodermal tumor by fluorescence in situ hybridization using formalin-fixed paraffin-embedded tissue. *Hum Pathol* 30: 324-330.
- 1182.** Kumaratilake JS, Krishnan R, Lomax-Smith J, Cleary EG (1991). Elastofibroma: disturbed elastic fibrillogenesis by periosteal-derived cells? An immunoelectron microscopic and in situ hybridization study. *Hum Pathol* 22: 1017-1029.
- 1183.** Kunisada T, Ozaki T, Kawai A, Sugihara S, Taguchi K, Inoue H (1999). Imaging assessment of the responses of osteosarcoma patients to preoperative chemotherapy: imaging compared with thallium-201 scintigraphy. *Cancer* 86: 949-956.
- 1184.** Kunze E, Enderle A, Radig K, Schneider-Stock R (1996). Aggressive osteoblastoma with focal malignant transformation and development of pulmonary metastases. A case report with a review of literature. *Gen Diagn Pathol* 141: 377-392.
- 1185.** Kurkchubasche AG, Halvorson EG, Forman EN, Terek RM, Ferguson WS (2000). The role of preoperative chemotherapy in the treatment of infantile fibrosarcoma. *J Pediatr Surg* 35: 880-883.
- 1186.** Kurt AM, Unni KK, McLeod RA, Pritchard DJ (1990). Low-grade intrasosseous osteosarcoma. *Cancer* 65: 1418-1428.
- 1187.** Kurtycz DF, Logrono R, Hoerl HD, Heatley DG (2000). Diagnosis of fibromatosis colli by fine-needle aspiration. *Diagn Cytopathol* 23: 338-342.
- 1188.** Kuruvilla G, Steiner GC (1998). Osteofibrous dysplasia-like adamantinoma of bone: a report of five cases with immunohistochemical and ultrastructural studies. *Hum Pathol* 29: 809-814.

- 1189.** Kushner BH, LaQuaglia MP, Wollner N, Meyers PA, Lindsley KL, Ghavimi F, Merchant TE, Boulad F, Cheung NK, Bonilla MA, Crouch G, Kelleher JF, Jr., Steinherz PG, Gerald WL (1996). Desmoplastic small round-cell tumor: prolonged progression-free survival with aggressive multimodality therapy. *J Clin Oncol* 14: 1526-1531.
- 1190.** Kusuzaki K, Murata H, Takeshita H, Hirata M, Hashiguchi S, Tsuji Y, Nakamura S, Ashihara T, Hirasawa Y (1999). Usefulness of cytofluorometric DNA ploidy analysis in distinguishing benign cartilaginous tumors from chondrosarcomas. *Mod Pathol* 12: 863-872.
- 1191.** Kusuzaki K, Takeshita H, Murata H, Hirata M, Hashiguchi S, Ashihara T, Hirasawa Y (1999). Prognostic significance of DNA ploidy pattern in osteosarcomas in association with chemotherapy. *Cancer Lett* 137: 27-33.
- 1192.** Kwak JY, Ha DH, Kim YA, Shim YJ (1999). Lipoblastoma of the parietal pleura in a 7-month-old infant. *J Comput Assist Tomogr* 23: 952-954.
- 1193.** Kwitken J, Branche M (1969). Fasciitis ossificans. *Am J Clin Pathol* 51: 251-255.
- 1194.** Kyle RA (1978). Monoclonal gammopathy of undetermined significance. Natural history in 241 cases. *Am J Med* 64: 814-826.
- 1195.** Kynaston JA, Malcolm AJ, Craft AW, Davies SM, Jones PH, King DJ, Mitchell CD, Oakhill A, Stiller CA (1993). Chemotherapy in the management of infantile fibrosarcoma. *Med Pediatr Oncol* 21: 488-493.
- 1196.** Kyriakos M (1980). Intracortical osteosarcoma. *Cancer* 46: 2525-2533.
- 1197.** Kyriakos M, Hardy D (1991). Malignant transformation of aneurysmal bone cyst, with an analysis of the literature. *Cancer* 68: 1770-1780.
- 1198.** Kyriakos M, Kempson RL (1976). Inflammatory fibrous histiocytoma. An aggressive and lethal lesion. *Cancer* 37: 1584-1606.
- 1199.** L'Hostis H, Deminiere C, Ferriere JM, Coindre JM (1999). Renal angiomyolipoma: a clinicopathologic, immunohistochemical, and follow-up study of 46 cases. *Am J Surg Pathol* 23: 1011-1020.
- 1200.** La Quaglia MP, Heller G, Ghavimi F, Casper ES, Vlamis V, Hajdu S, Brennan MF (1994). The effect of age at diagnosis on outcome in rhabdomyosarcoma. *Cancer* 73: 109-117.
- 1201.** Labelle Y, Zucman J, Stenman G, Kindblom LG, Knight J, Turc-Carel C, Dockhorn-Dworniczak B, Mandahl N, Desmaziere C, Peter M, Aurias A, Delattre O, Thomas G (1995). Oncogenic conversion of a novel orphan nuclear receptor by chromosome translocation. *Hum Mol Genet* 4: 2219-2226.
- 1202.** Ladanyi M, Antonescu CR, Drobnjak M, Baren A, Lui MY, Golde DW, Cordon-Cardo C (2002). The pre-crystalline cytoplasmic granules of alveolar soft part sarcoma contain MCT1 and CD147. *Am J Pathol* 160: 1215-1221.
- 1203.** Ladanyi M, Argani P, Hutchinson B, Reuter VE (2002). Prominent nuclear immunoreactivity for TFE3 as a specific marker for alveolar soft part sarcoma and pediatric renal tumors containing TFE3 gene fusions. *Mod Pathol* 15: 312A.
- 1204.** Ladanyi M, Bridge JA (2000). Contribution of molecular genetic data to the classification of sarcomas. *Hum Pathol* 31: 532-538.
- 1205.** Ladanyi M, Cha C, Lewis R, Jhanwar SC, Huvos AG, Healey JH (1993). MDM2 gene amplification in metastatic osteosarcoma. *Cancer Res* 53: 16-18.
- 1206.** Ladanyi M, Gerald W (1994). Fusion of the EWS and WT1 genes in the desmoplastic small round cell tumor. *Cancer Res* 54: 2837-2840.
- 1207.** Ladanyi M, Lui MY, Antonescu CR, Krause-Boehm A, Meindl A, Argani P, Healey JH, Ueda T, Yoshikawa H, Meloni-Ehrig A, Sorensen PH, Mertens F, Mandahl N, van den Berghe H, Sciort R, Dal Cin P, Bridge J (2001). The der(17)t(X;17)(p11;q25) of human alveolar soft part sarcoma fuses the TFE3 transcription factor gene to ASPL, a novel gene at 17q25. *Oncogene* 20: 48-57.
- 1208.** Ladanyi M, Park CK, Lewis R, Jhanwar SC, Healey JH, Huvos AG (1993). Sporadic amplification of the MYC gene in human osteosarcomas. *Diagn Mol Pathol* 2: 163-167.
- 1209.** Lagace R, Delage C, Seemayer TA (1979). Myxoid variant of malignant fibrous histiocytoma: ultrastructural observations. *Cancer* 43: 526-534.
- 1210.** Lagier R, Cox JN (1975). Pseudo-malignant myositis ossificans. A pathological study of eight cases. *Hum Pathol* 6: 653-665.
- 1211.** Lam PY, Sublett JE, Hollenbach AD, Roussel MF (1999). The oncogenic potential of the Pax3-FKHR fusion protein requires the Pax3 homeodomain recognition helix but not the Pax3 paired-box DNA binding domain. *Mol Cell Biol* 19: 594-601.
- 1212.** Lamant L, Dastugue N, Pulford K, Delsol G, Mariame B (1999). A new fusion gene TPM3-ALK in anaplastic large cell lymphoma created by a (1;2)(q25;p23) translocation. *Blood* 93: 3088-3095.
- 1213.** Lambert I, Debiec-Rychter M, Guelinckx P, Hagemeijer A, Sciort R (2001). Acral myxoinflammatory fibroblastic sarcoma with unique clonal chromosomal changes. *Virchows Arch* 438: 509-512.
- 1214.** Lamovec J, Spiler M, Jevtic V (1999). Osteosarcoma arising in a solitary osteochondroma of the fibula. *Arch Pathol Lab Med* 123: 832-834.
- 1215.** Lamovec J, Zidar A, Cucek-Plenicar M (1988). Synovial sarcoma associated with total hip replacement. A case report. *J Bone Joint Surg Am* 70: 1558-1560.
- 1216.** Lane JE, Walker AN, Mullis EN, Jr., Etheridge JG (2001). Cellular angiofibroma of the vulva. *Gynecol Oncol* 81: 326-329.
- 1217.** Lane KL, Shannon RJ, Weiss SW (1997). Hyalinizing spindle cell tumor with giant rosettes: a distinctive tumor closely resembling low-grade fibromyxoid sarcoma. *Am J Surg Pathol* 21: 1481-1488.
- 1218.** Lantz B, Lange TA, Heiner J, Herring GF (1989). Erdheim-Chester disease. A report of three cases. *J Bone Joint Surg Am* 71: 456-464.
- 1219.** Larramendy ML, Tarkkanen M, Blomqvist C, Virolainen M, Wiklund T, Asko-Seljavaara S, Elomaa I, Knuutila S (1997). Comparative genomic hybridization of malignant fibrous histiocytoma reveals a novel prognostic marker. *Am J Pathol* 151: 1153-1161.
- 1220.** Larramendy ML, Tarkkanen M, Valle J, Kivioja AH, Ervasti H, Karaharju E, Salmivalli T, Elomaa I, Knuutila S (1997). Gains, losses, and amplifications of DNA sequences evaluated by comparative genomic hybridization in chondrosarcomas. *Am J Pathol* 150: 685-691.
- 1221.** Larsson SE, Lorentzon R, Boquist L (1976). Fibrosarcoma of bone. A demographic, clinical and histopathological study of all cases recorded in the Swedish cancer registry from 1958 to 1968. *J Bone Joint Surg Br* 58-B: 412-417.
- 1222.** Laskin WB, Fetsch JF, Mostofi FK (1998). Angiomyofibroblastomalike tumor of the male genital tract: analysis of 11 cases with comparison to female angiomyofibroblastoma and spindle cell lipoma. *Am J Surg Pathol* 22: 6-16.
- 1223.** Laskin WB, Fetsch JF, Tavassoli FA (1997). Angiomyofibroblastoma of the female genital tract: analysis of 17 cases including a lipomatous variant. *Hum Pathol* 28: 1046-1055.
- 1224.** Laskin WB, Silverman TA, Enzinger FM (1988). Postirradiation soft tissue sarcomas. An analysis of 53 cases. *Cancer* 62: 2330-2340.
- 1225.** Lauer DH, Enzinger FM (1980). Cranial fasciitis of childhood. *Cancer* 45: 401-406.
- 1226.** Lawrence B, Perez-Atayde A, Hibbard MK, Rubin BP, Dal Cin P, Pinkus JL, Pinkus GS, Xiao S, Yi ES, Fletcher CD, Fletcher JA (2000). TPM3-ALK and TPM4-ALK oncogenes in inflammatory myofibroblastic tumors. *Am J Pathol* 157: 377-384.
- 1227.** Lawrence W, Jr., Donegan WL, Natarajan N, Mettlin C, Beart R, Winchester D (1987). Adult soft tissue sarcomas. A pattern of care survey of the American College of Surgeons. *Ann Surg* 205: 349-359.
- 1228.** Lawrence WT, Azizkhan RG (1989). Congenital muscular torticollis: a spectrum of pathology. *Ann Plast Surg* 23: 523-530.
- 1229.** Le Merrer M, Legeai-Mallet L, Jeannin PM, Horsthemke B, Schinzel A, Plauchu H, Toutain A, Achard F, Munnich A, Maroteaux P (1994). A gene for hereditary multiple exostoses maps to chromosome 19p. *Hum Mol Genet* 3: 717-722.
- 1230.** Lee FY, Mankin HJ, Fondren G, Gebhardt MC, Springfield DS, Rosenberg AE, Jennings LC (1999). Chondrosarcoma of bone: an assessment of outcome. *J Bone Joint Surg Am* 81: 326-338.
- 1231.** Lee JS, Fetsch JF, Wasdhal DA, Lee BP, Pritchard DJ, Nascimento AG (1995). A review of 40 patients with extraskeletal osteosarcoma. *Cancer* 76: 2253-2259.
- 1232.** Lee SP, Nicholson GI, Hitchcock G (1977). Familial abdominal chemodectomas with associated cutaneous angioliopomas. *Pathology* 9: 173-177.
- 1233.** Lee WH, Bookstein R, Hong F, Young LJ, Shew JY, Lee EY (1987). Human retinoblastoma susceptibility gene: cloning, identification, and sequence. *Science* 235: 1394-1399.
- 1234.** Lee WH, Shew JY, Hong FD, Sery TW, Donoso LA, Young LJ, Bookstein R, Lee EY (1987). The retinoblastoma susceptibility gene encodes a nuclear phosphoprotein associated with DNA binding activity. *Nature* 329: 642-645.
- 1235.** Legeai-Mallet L, Margaritte-Jeannin P, Lemdani M, Le Merrer M, Plauchu H, Maroteaux P, Munnich A, Clerget-Darpoux F (1997). An extension of the admixture test for the study of genetic heterogeneity in hereditary multiple exostoses. *Hum Genet* 99: 298-302.
- 1236.** Legeai-Mallet L, Munnich A, Maroteaux P, Le Merrer M (1997). Incomplete penetrance and expressivity skewing in hereditary multiple exostoses. *Clin Genet* 52: 12-16.
- 1237.** Legeai-Mallet L, Rossi A, Benoist-Lasselin C, Piazza R, Mallet JF, Delezoide AL, Munnich A, Bonaventure J, Zylberberg L (2000). EXT 1 gene mutation induces chondrocyte cytoskeletal abnormalities and defective collagen expression in the exostoses. *J Bone Miner Res* 15: 1489-1500.
- 1238.** Legier JF, Tauber LN (1968). Solitary metastasis of occult prostatic carcinoma simulating osteogenic sarcoma. *Cancer* 22: 168-172.
- 1239.** Leithner A, Windhager R, Lang S, Haas OA, Kainberger F, Kotz R (1999). Aneurysmal bone cyst. A population based epidemiologic study and literature review. *Clin Orthop* 176-179.
- 1240.** Leone PG, Taylor HB (1973). Ultrastructure of a benign polypoid rhabdomyoma of the vagina. *Cancer* 31: 1414-1417.

- 1241.** Leppert M, Dobbs M, Scambler P, O'Connell P, Nakamura Y, Stauffer D, Woodward S, Burt R, Hughes J, Gardner E (1987). The gene for familial polyposis coli maps to the long arm of chromosome 5. *Science* 238: 1411-1413.
- 1242.** Lessnick SL, Braun BS, Denny CT, May WA (1995). Multiple domains mediate transformation by the Ewing's sarcoma EWS/FLI-1 fusion gene. *Oncogene* 10: 423-431.
- 1243.** Leu HJ, Makek M (1986). Intramural venous leiomyosarcomas. *Cancer* 57: 1395-1400.
- 1244.** Lewis JE, Olsen KD, Inwards CY (1997). Cartilaginous tumors of the larynx: clinicopathologic review of 47 cases. *Ann Otol Rhinol Laryngol* 106: 94-100.
- 1245.** Lewis JJ, Antonescu CR, Leung DH, Blumberg D, Healey JH, Woodruff JM, Brennan MF (2000). Synovial sarcoma: a multivariate analysis of prognostic factors in 112 patients with primary localized tumors of the extremity. *J Clin Oncol* 18: 2087-2094.
- 1246.** Lewis JJ, Boland PJ, Leung DH, Woodruff JM, Brennan MF (1999). The enigma of desmoid tumors. *Ann Surg* 229: 866-872.
- 1247.** Lewis JJ, Leung D, Woodruff JM, Brennan MF (1998). Retroperitoneal soft-tissue sarcoma: analysis of 500 patients treated and followed at a single institution. *Ann Surg* 228: 355-365.
- 1248.** Lewis MM, Kenan S, Yabut SM, Norman A, Steiner G (1990). Periosteal chondroma. A report of ten cases and review of the literature. *Clin Orthop* 185-192.
- 1249.** Li C, Bapat B, Alman BA (1998). Adenomatous polyposis coli gene mutation alters proliferation through its beta-catenin-regulatory function in aggressive fibromatosis (desmoid tumor). *Am J Pathol* 153: 709-714.
- 1250.** Li JJ, Huang YQ, Moscatelli D, Nicolaides A, Zhang WC, Friedman-Kien AE (1993). Expression of fibroblast growth factors and their receptors in acquired immunodeficiency syndrome-associated Kaposi sarcoma tissue and derived cells. *Cancer* 72: 2253-2259.
- 1251.** Li M, Squire JA, Weksberg R (1998). Molecular genetics of Wiedemann-Beckwith syndrome. *Am J Med Genet* 79: 253-259.
- 1252.** Libson E, Bloom RA, Husband JE, Stoker DJ (1987). Metastatic tumours of bones of the hand and foot. A comparative review and report of 43 additional cases. *Skeletal Radiol* 16: 387-392.
- 1253.** Lichtenstein L (1953). Histiocytosis X: integration of eosinophilic granuloma of bone, "Letterer-Siwe disease" and "Schuller-Christian disease" as related manifestations of a single nosologic entity. *Arch Pathol* 56: 84-102.
- 1254.** Lichtenstein L (1972). *Bone Tumors*. 4th ed. Mosby: St.Louis.
- 1255.** Lichtenstein L, Goldman RL (1964). Cartilage tumours in soft tissues, particularly in the hand and foot. *Cancer* 17: 1203-1208.
- 1256.** Lichtenstein L, Hall JE (1952). Periosteal chondroma: a distinctive benign cartilage tumor. *J Bone Joint Surg* 34-A: 691-697.
- 1257.** Lidang JM, Schumacher B, Myhre JO, Steen NO, Keller J (1998). Extraskelletal osteosarcomas: a clinicopathologic study of 25 cases. *Am J Surg Pathol* 22: 588-594.
- 1258.** Lieberman PH, Brennan MF, Kimmel M, Erlandson RA, Garin-Chesa P, Flehinger BY (1989). Alveolar soft-part sarcoma. A clinico-pathologic study of half a century. *Cancer* 63: 1-13.
- 1259.** Lieberman PH, Jones CR, Steinman RM, Erlandson RA, Smith J, Gee T, Huvos A, Garin-Chesa P, Filipponi DA, Urmacher C, Gangi MD, Sperber M (1996). Langerhans cell (eosinophilic) granulomatosis. A clinicopathologic study encompassing 50 years. *Am J Surg Pathol* 20: 519-552.
- 1260.** Liebross RH, Ha CS, Cox JD, Weber D, Delasalle K, Alexanian R (1998). Solitary bone plasmacytoma: outcome and prognostic factors following radiotherapy. *Int J Radiat Oncol Biol Phys* 41: 1063-1067.
- 1261.** Lillehei KO, Kleinschmidt-DeMasters B, Mitchell DH, Spector E, Kruse CA (1993). Alveolar soft part sarcoma: an unusually long interval between presentation and brain metastasis. *Hum Pathol* 24: 1030-1034.
- 1262.** Limon J, Debiec-Rychter M, Nedoszytko B, Liberski PP, Babinska M, Szadowska A (1994). Aberrations of chromosome 22 and polysomy of chromosome 8 as non-random changes in clear cell sarcoma. *Cancer Genet Cytogenet* 72: 141-145.
- 1263.** Limon J, Szadowska A, Iliszko J, Babinska M, Mrozek K, Jaskiewicz J, Kopacz A, Roszkiewicz A, Debiec-Rychter M (1998). Recurrent chromosome changes in two adult fibrosarcomas. *Genes Chromosomes Cancer* 21: 119-123.
- 1264.** Lin JJ, Lin F (1974). Two entities in angiolipoma. A study of 459 cases of lipoma with review of literature on infiltrating angiolipoma. *Cancer* 34: 720-727.
- 1265.** Lin X, Gan L, Klein WH, Wells D (1998). Expression and functional analysis of mouse EXT1, a homolog of the human multiple exostoses type 1 gene. *Biochem Biophys Res Commun* 248: 738-743.
- 1266.** Lin X, Wells D (1997). Isolation of the mouse cDNA homologous to the human EXT1 gene responsible for Hereditary Multiple Exostoses. *DNA Seq* 7: 199-202.
- 1267.** Lind T, Tufaro F, McCormick C, Lindahl U, Lidholt K (1998). The putative tumor suppressors EXT1 and EXT2 are glycosyltransferases required for the biosynthesis of heparan sulfate. *J Biol Chem* 273: 26265-26268.
- 1268.** Lindberg GM, Maitra A, Gokaslan ST, Saboorian MH, Albores-Saavedra J (1999). Low grade fibromyxoid sarcoma: fine-needle aspiration cytology with histologic, cytogenetic, immunohistochemical, and ultrastructural correlation. *Cancer* 87: 75-82.
- 1269.** Lindor NM, Furuichi Y, Kitao S, Shimamoto A, Arndt C, Jalal S (2000). Rothmund-Thomson syndrome due to RECQ4 helicase mutations: report and clinical and molecular comparisons with Bloom syndrome and Werner syndrome. *Am J Med Genet* 90: 223-228.
- 1270.** Ling NR, MacLennan IC, Mason DY (1987). B-cell and plasma cell antigens: new and previously defined clusters. In: *Leukocyte Typing III: White Cell Differentiation Antigens*, McMichael AJ, Beverly PCL, Cobbold S, et al, eds. Oxford University Press: Oxford, p. 302.
- 1271.** Ling RSM (1963). The genetic factor in Dupuytren's disease. *J Bone Joint Surg Br* 45: 709.
- 1272.** Link TM, Haeussler MD, Poppek S, Woertler K, Blasius S, Lindner N, Rummeny EJ (1998). Malignant fibrous histiocytoma of bone: conventional X-ray and MR imaging features. *Skeletal Radiol* 27: 552-558.
- 1273.** Lipper S, Kahn LB (1983). Case report 235. Ewing-like adamantinoma of the left radial head and neck. *Skeletal Radiol* 10: 61-66.
- 1274.** Liu J, Hudkins PG, Swee RG, Unni KK (1987). Bone sarcomas associated with Ollier's disease. *Cancer* 59: 1376-1385.
- 1275.** Liu W, Litwack ED, Stanley MJ, Langford JK, Lander AD, Sanderson RD (1998). Heparan sulfate proteoglycans as adhesive and anti-invasive molecules. Syndecans and glypican have distinct functions. *J Biol Chem* 273: 22825-22832.
- 1276.** Lockhart R, Menard P, Martin JP, Aurioi M, Vaillant JM, Bertrand JC (1998). Mesenchymal chondrosarcoma of the jaws. Report of four cases. *Int J Oral Maxillofac Surg* 27: 358-362.
- 1277.** Logan PM, Janzen DL, O'Connell JX, Munk PL, Connell DG (1996). Chondroid lipoma: MRI appearances with clinical and histologic correlation. *Skeletal Radiol* 25: 592-595.
- 1278.** Loh WE, Jr., Scrabble HJ, Livanos E, Arboleda MJ, Cavenee WK, Oshimura M, Weissman BE (1992). Human chromosome 11 contains two different growth suppressor genes for embryonal rhabdomyosarcoma. *Proc Natl Acad Sci U S A* 89: 1755-1759.
- 1279.** Lohmann DR, Buiting K, Lüdecke HJ, Horsthemke B (1997). The murine Ext1 gene shows a high level of sequence similarity with its human homologue and is part of a conserved linkage group on chromosome 15. *Cytogenet Cell Genet* 76: 164-166.
- 1280.** Lopez-Barea F, Hardisson D, Rodriguez-Peralto JL, Sanchez-Herrera S, Lamas M (1998). Intracortical hemangioma of bone. Report of two cases and review of the literature. *J Bone Joint Surg Am* 80: 1673-1678.
- 1281.** Lopez-Barea F, Rodriguez-Peralto JL, Burgos-Lizalde E, Alvarez-Linera J, Sanchez-Herrera S (1996). Primary aneurysmal cyst of soft tissue. Report of a case with ultrastructural and MRI studies. *Virchows Arch* 428: 125-129.
- 1282.** Lopez-Ben R, Pitt MJ, Jaffe KA, Siegal GP (1999). Osteosarcoma in a patient with McCune-Albright syndrome and Mazabraud's syndrome. *Skeletal Radiol* 28: 522-526.
- 1283.** Lopez VC, Lopez dIR, La Cruz PC (1994). Vaginal rhabdomyomas. *Int J Gynaecol Obstet* 47: 169-170.
- 1284.** Lorentzon R, Larsson SE, Boquist L (1979). Extra-osseous osteosarcoma: a clinical and histopathological study of four cases. *J Bone Joint Surg Br* 61-B: 205-208.
- 1285.** Lorigan JG, O'Keeffe FN, Evans HL, Wallace S (1989). The radiologic manifestations of alveolar soft-part sarcoma. *AJR Am J Roentgenol* 153: 335-339.
- 1286.** Lotfi AM, Dozois RR, Gordon H, Hruska LS, Weiland LH, Carryer PW, Hurt RD (1989). Mesenteric fibromatosis complicating familial adenomatous polyposis: predisposing factors and results of treatment. *Int J Colorectal Dis* 4: 30-36.
- 1287.** Lubin J, Rywlin AM (1971). Lymphoma-like lymph node changes in Kaposi's sarcoma. Two additional cases. *Arch Pathol* 92: 338-341.
- 1288.** Lucarelli MJ, Bilyk JR, Shore JW, Rubin PA, Yaremchuk MJ (1995). Aneurysmal bone cyst of the orbit associated with fibrous dysplasia. *Plast Reconstr Surg* 96: 440-445.
- 1289.** Lucas DR, Fletcher CD, Adsay NV, Zalupski MM (1999). High-grade extraskeletal myxoid chondrosarcoma: a high-grade epithelioid malignancy. *Histopathology* 35: 201-208.
- 1290.** Lucas DR, Nascimento AG, Sanjay BK, Rock MG (1994). Well-differentiated liposarcoma. The Mayo Clinic experience with 58 cases. *Am J Clin Pathol* 102: 677-683.
- 1291.** Lucas DR, Nascimento AG, Sim FH (1992). Clear cell sarcoma of soft tissues. Mayo Clinic experience with 35 cases. *Am J Surg Pathol* 16: 1197-1204.
- 1292.** Lucas DR, Unni KK, McLeod RA, O'Connor MI, Sim FH (1994). Osteoblastoma: clinicopathologic study of 306 cases. *Hum Pathol* 25: 117-134.
- 1293.** Lucas JD, O'Doherty MJ, Cronin BF, Marsden PK, Lodge MA, McKee PH, Smith MA (1999). Prospective evaluation of soft tissue masses and sarcomas using fluorodeoxyglucose positron emission tomography. *Br J Surg* 86: 550-556.
- 1294.** Lumley JS, Stansfeld AG (1972). Infiltrating glomus tumour of lower limb. *Br Med J* 1: 484-485.



- 1295.** Lundgren L, Kindblom LG, Willems J, Falkmer U, Angervall L (1992). Proliferative myositis and fasciitis. A light and electron microscopic, cytologic, DNA-cytometric and immunohistochemical study. *APMIS* 100: 437-448.
- 1296.** Lüdecke HJ, Ahn J, Lin X, Hill A, Wagner MJ, Schomburg L, Horsthemke B, Wells DE (1997). Genomic organization and promoter structure of the human EXT1 gene. *Genomics* 40: 351-354.
- 1297.** Lüdecke HJ, Johnson C, Wagner MJ, Wells DE, Turleau C, Tommerup N, Latos-Bielenska A, Sandig KR, Meinecke P, Zabel B, Horsthemke B (1991). Molecular definition of the shortest region of deletion overlap in the Langer-Giedion syndrome. *Am J Hum Genet* 49: 1197-1206.
- 1298.** Lüdecke HJ, Wagner MJ, Nardmann J, La Pillo B, Parrish JE, Willems PJ, Haan EA, Frydman M, Hamers GJ, Wells DE, Horsthemke B (1995). Molecular dissection of a contiguous gene syndrome: localization of the genes involved in the Langer-Giedion syndrome. *Hum Mol Genet* 4: 31-36.
- 1299.** Lynch HT, Ruma TA, Albano WA, Lynch JF, Lynch PM (1982). Phenotypic variation in hereditary adenomatosis: unusual tumor spectrum. *Dis Colon Rectum* 25: 235-238.
- 1300.** Mac-Moune LF, To KF, Choi PC, Leung PC, Kumta SM, Yuen PP, Lam WY, Cheung AN, Allen PW (2001). Kaposiform hemangioendothelioma: five patients with cutaneous lesion and long follow-up. *Mod Pathol* 14: 1087-1092.
- 1301.** Macdonald D, Fornasier V, Holtby R (2000). Chondromyxoid fibroma of the acromion with soft tissue extension. *Skeletal Radiol* 29: 168-170.
- 1302.** Macdonald RL, Deck JH (1990). Immunohistochemistry of echordosis physaliphora and chordoma. *Can J Neurol Sci* 17: 420-423.
- 1303.** Machen SK, Fisher C, Gautam RS, Tubbs RR, Goldblum JR (1998). Utility of cytokeratin subsets for distinguishing poorly differentiated synovial sarcoma from peripheral primitive neuroectodermal tumour. *Histopathology* 33: 501-507.
- 1304.** Mack TM (1995). Sarcomas and other malignancies of soft tissue, retroperitoneum, peritoneum, pleura, heart, mediastinum, and spleen. *Cancer* 75: 211-244.
- 1305.** Madden NP, Spicer RD, Allibone EB, Lewis IJ (1992). Spontaneous regression of neonatal fibrosarcoma. *Br J Cancer Suppl* 18: S72-S75.
- 1306.** Maeda T, Hirose T, Furuya K, Kameoka K (1999). Calcifying fibrous pseudotumor: an ultrastructural study. *Ultrastruct Pathol* 23: 189-192.
- 1307.** Maelandsmo GM, Berner JM, Florenes VA, Forus A, Hovig E, Fodstad O, Myklebost O (1995). Homozygous deletion frequency and expression levels of the CDKN2 gene in human sarcomas – relationship to amplification and mRNA levels of CDK4 and CCND1. *Br J Cancer* 72: 393-398.
- 1308.** Magliato HJ, Nastasi A (1967). Non-osteogenic fibroma occurring in the ilium. Report of a case. *J Bone Joint Surg Am* 49: 384-386.
- 1309.** Magner D, Hill DP (1961). Encapsulated angiomyoma of the skin and subcutaneous tissue. *Am J Clin Pathol* 35: 137-141.
- 1310.** Mahoney JP, Spanier SS, Morris JL (1979). Multifocal osteosarcoma: a case report with review of the literature. *Cancer* 44: 1897-1907.
- 1311.** Mairal A, Terrier P, Chibon F, Sastre X, Lecesne A, Aurias A (1999). Loss of chromosome 13 is the most frequent genomic imbalance in malignant fibrous histiocytomas. A comparative genomic hybridization analysis of a series of 30 cases. *Cancer Genet Cytogenet* 111: 134-138.
- 1312.** Majeste RM, Beckman EN (1988). Synovial sarcoma with an overwhelming epithelial component. *Cancer* 61: 2527-2531.
- 1313.** Mancini GM, Stojanov L, Willemsen R, Kleijer WJ, Huijman JG, van Diggelen OP, de Klerk JB, Vuzevski VD, Oranje AP (1999). Juvenile hyaline fibromatosis: clinical heterogeneity in three patients. *Dermatology* 198: 18-25.
- 1314.** Mandahl N, Fletcher CD, Dal Cin P, de Wever I, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, van den Berghe H, Vanni R, Willén H (2000). Comparative cytogenetic study of spindle cell and pleomorphic leiomyosarcomas of soft tissues: a report from the CHAMP study group. *Cancer Genet Cytogenet* 116: 66-73.
- 1315.** Mandahl N, Gustafson P, Mertens F, Åkerman M, Baldetorp B, Gisselsson D, Knuutila S, Bauer HC, Larsson O (2002). Cytogenetic aberrations and their prognostic impact in chondrosarcoma. *Genes Chromosomes Cancer* 33: 188-200.
- 1316.** Mandahl N, Heim S, Arheden K, Rydholm A, Willén H, Mitelman F (1990). Chromosomal rearrangements in chondromatous tumors. *Cancer* 65: 242-248.
- 1317.** Mandahl N, Heim S, Kristoffersson U, Mitelman F, Rööser B, Rydholm A, Willén H (1985). Telomeric association in a malignant fibrous histiocytoma. *Hum Genet* 71: 321-324.
- 1318.** Mandahl N, Heim S, Rydholm A, Willén H, Mitelman F (1989). Structural chromosome aberrations in an adamantinoma. *Cancer Genet Cytogenet* 42: 187-190.
- 1319.** Mandahl N, Heim S, Willén H, Rydholm A, Eneroth M, Nilbert M, Kreicbergs A, Mitelman F (1989). Characteristic karyotypic anomalies identify subtypes of malignant fibrous histiocytoma. *Genes Chromosomes Cancer* 1: 9-14.
- 1320.** Mandahl N, Höglund M, Mertens F, Rydholm A, Willén H, Brosjö O, Mitelman F (1994). Cytogenetic aberrations in 188 benign and borderline adipose tissue tumors. *Genes Chromosomes Cancer* 9: 207-215.
- 1321.** Mandahl N, Jin YS, Heim S, Willén H, Wennerberg J, Biörklund A, Mitelman F (1990). Trisomy 5 and loss of the Y chromosome as the sole cytogenetic anomalies in a cavernous hemangioma/angiosarcoma. *Genes Chromosomes Cancer* 1: 315-316.
- 1322.** Mandahl N, Mertens F, Willén H, Rydholm A, Kreicbergs A, Mitelman F (1998). Nonrandom pattern of telomeric associations in atypical lipomatous tumors with ring and giant marker chromosomes. *Cancer Genet Cytogenet* 103: 25-34.
- 1323.** Mandahl N, Willén H, Rydholm A, Heim S, Mitelman F (1993). Rearrangement of band q13 on both chromosomes 12 in a periosteal chondroma. *Genes Chromosomes Cancer* 6: 121-123.
- 1324.** Manivel JC, Wick MR, Dehner LP, Sibley RK (1987). Epithelioid sarcoma. An immunohistochemical study. *Am J Clin Pathol* 87: 319-326.
- 1325.** Mannens M (2000). Beckwith-Wiedemann syndrome. *Atlas Genet Cytogenet Oncol Haematol*. November 2000. URL: <http://www.infobiogen.fr/services/chromcancer/Kprones/BeckwithWiede mannID10037.html>
- 1326.** Mannens M (2001). BWS associated childhood tumours. In: *Cancer Research, an encyclopedic reference*, Schwab M, ed. Springer Verlag: 111-118.
- 1327.** Marcove RC, Mike V, Hajek JV, Levin AG, Hutter RV (1970). Osteogenic sarcoma under the age of twenty-one. A review of one hundred and forty-five operative cases. *J Bone Joint Surg Am* 52: 411-423.
- 1328.** Margau R, Babyn P, Cole W, Smith C, Lee F (2000). MR imaging of simple bone cysts in children: not so simple. *Pediatr Radiol* 30: 551-557.
- 1329.** Marin C, Gallego C, Manjon P, Martinez-Tello FJ (1997). Juxtacortical chondromyxoid fibroma: imaging findings in three cases and a review of the literature. *Skeletal Radiol* 26: 642-649.
- 1330.** Marion MJ, Boivin-Angele S (1999). Vinyl chloride-specific mutations in humans and animals. IARC Press, Lyon: 315-324.
- 1331.** Marion MJ, Froment O, Trepo C (1991). Activation of Ki-ras gene by point mutation in human liver angiosarcoma associated with vinyl chloride exposure. *Mol Carcinog* 4: 450-454.
- 1332.** Mark-Vendel E, Terrier P, Turc-Carel C (1991). Rearrangement of 9q22: a crucial event in extraskeletal myxoid chondrosarcoma? *Cancer Genet Cytogenet* 52: 267.
- 1333.** Mark J, Wedell B, Dahlenfors R, Grepp C, Burian P (1992). Human benign chondroblastoma with a pseudodiploid stemline characterized by a complex and balanced translocation. *Cancer Genet Cytogenet* 58: 14-17.
- 1334.** Mark RJ, Poen J, Tran LM, Fu YS, Selch MT, Parker RG (1994). Postirradiation sarcomas. A single-institution study and review of the literature. *Cancer* 73: 2653-2662.
- 1335.** Markhede G, Angervall L, Stener B (1982). A multivariate analysis of the prognosis after surgical treatment of malignant soft-tissue tumors. *Cancer* 49: 1721-1733.
- 1336.** Marom EM, Helms CA (1999). Fibrolipomatous hamartoma: pathognomonic on MR imaging. *Skeletal Radiol* 28: 260-264.
- 1337.** Martignetti JA, Desnick RJ, Aliprandis E, Norton KI, Hardcastle P, Nade S, Gelb BD (1999). Diaphyseal medullary stenosis with malignant fibrous histiocytoma: a hereditary bone dysplasia/cancer syndrome maps to 9p21-22. *Am J Hum Genet* 64: 801-807.
- 1338.** Martignetti JA, Gelb BD, Pierce H, Picci P, Desnick RJ (2000). Malignant fibrous histiocytoma: inherited and sporadic forms have loss of heterozygosity at chromosome bands 9p21-22-evidence for a common genetic defect. *Genes Chromosomes Cancer* 27: 191-195.
- 1339.** Martignoni G, Pea M, Bonetti F, Zamboni G, Carbonara C, Longa L, Zancanaro C, Maran M, Brigotti M, Mariuzzi GM (1998). Carcinomalike monotypic epithelioid angiomylipoma in patients without evidence of tuberous sclerosis: a clinicopathologic and genetic study. *Am J Surg Pathol* 22: 663-672.
- 1340.** Martin SE, Dwyer A, Kissane JM, Costa J (1982). Small-cell osteosarcoma. *Cancer* 50: 990-996.
- 1341.** Martinez-Tello FJ, Navas-Palacios JJ (1982). The ultrastructure of conventional, parosteal, and periosteal osteosarcomas. *Cancer* 50: 949-961.
- 1342.** Martinez-Tello FJ, Navas-Palacios JJ (1982). Ultrastructural study of conventional chondrosarcomas and myxoid- and mesenchymal-chondrosarcomas. *Virchows Arch A Pathol Anat Histol* 396: 197-211.
- 1343.** Martinez D, Millner PA, Coral A, Newman RJ, Hardy GJ, Butt WP (1992). Case report 745: Synovial lipoma arborescens. *Skeletal Radiol* 21: 393-395.
- 1344.** Martinez JA, Quecedo E, Fortea JM, Oliver V, Aliaga A (1996). Pleomorphic angioleiomyoma. *Am J Dermatopathol* 18: 409-412.
- 1345.** Martinez V, Sissons HA (1988). Aneurysmal bone cyst. A review of 123 cases including primary lesions and those secondary to other bone pathology. *Cancer* 61: 2291-2304.
- 1346.** Marui T, Yamamoto T, Yoshihara H, Kurosaka M, Mizuno K, Akamatsu T (2001). De novo malignant transformation of giant cell tumor of bone. *Skeletal Radiol* 30: 104-108.
- 1347.** Maruyama R, Nakano M, Yamashita S, Morooka K, Daimon Y, Tsuchimochi T, Ochiai T, Kono M (1992). Fine needle aspiration cytology of clear cell sarcoma. Report of a case with immunocytochemical, immunohistochemical and ultrastructural studies. *Acta Cytol* 36: 937-942.

- 1348.** Mascarello JT, Krous HF, Carpenter PM (1993). Unbalanced translocation resulting in the loss of the chromosome 17 short arm in an osteoblastoma. *Cancer Genet Cytogenet* 69: 65-67.
- 1349.** Masuda H, Miller C, Koeffler HP, Battifora H, Cline MJ (1987). Rearrangement of the p53 gene in human osteogenic sarcomas. *Proc Natl Acad Sci U S A* 84: 7716-7719.
- 1350.** Masui F, Ushigome S, Fujii K (1998). Giant cell tumor of bone: a clinicopathologic study of prognostic factors. *Pathol Int* 48: 723-729.
- 1351.** Masuzaki H, Masuzaki M, Ishimaru T, Yamabe T (1996). Chest wall hamartoma diagnosed prenatally using ultrasonography and computed tomography. *J Clin Ultrasound* 24: 83-85.
- 1352.** Mathew J, Sen S, Chandi SM, Kumar NK, Zachariah N, Chacko J, Thomas G (2001). Pulmonary lipoblastoma: a case report. *Pediatr Surg Int* 17: 543-544.
- 1353.** Matsubara O, Tan-Liu NS, Kenney RM, Mark EJ (1988). Inflammatory pseudotumors of the lung: progression from organizing pneumonia to fibrous histiocytoma or to plasma cell granuloma in 32 cases. *Hum Pathol* 19: 807-814.
- 1354.** Matsumoto K, Ishizawa M, Okabe H, Taniguchi I (2000). Hemangioma of bone arising in the ulna: imaging findings with emphasis on MR. *Skeletal Radiol* 29: 231-234.
- 1355.** Matsuno T (1990). Benign fibrous histiocytoma involving the ends of long bone. *Skeletal Radiol* 19: 561-566.
- 1356.** Matsuno T, Ichioka Y, Yagi T, Ishii S (1988). Spindle-cell sarcoma in patients who have osteochondromatosis. A report of two cases. *J Bone Joint Surg Am* 70: 137-141.
- 1357.** Matsuno T, Unni KK, McLeod RA, Dahlin DC (1976). Telangiectatic osteogenic sarcoma. *Cancer* 38: 2538-2547.
- 1358.** Mawad JK, Mackay B, Raymond AK, Ayala AG (1994). Electron microscopy in the diagnosis of small round cell tumors of bone. *Ultrastruct Pathol* 18: 263-268.
- 1359.** May WA, Arvand A, Thompson AD, Braun BS, Wright M, Denny CT (1997). EWS/FLI1-induced manic fringe renders NIH 3T3 cells tumorigenic. *Nat Genet* 17: 495-497.
- 1360.** May WA, Gishizky ML, Lessnick SL, Lunsford LB, Lewis BC, Delatte O, Zucman J, Thomas G, Denny CT (1993). Ewing sarcoma 11;22 translocation produces a chimeric transcription factor that requires the DNA-binding domain encoded by FLI1 for transformation. *Proc Natl Acad Sci U S A* 90: 5752-5756.
- 1361.** May WA, Lessnick SL, Braun BS, Klemsz M, Lewis BC, Lunsford LB, Hromas R, Denny CT (1993). The Ewing's sarcoma EWS/FLI-1 fusion gene encodes a more potent transcriptional activator and is a more powerful transforming gene than FLI-1. *Mol Cell Biol* 13: 7393-7398.
- 1362.** Mayer-da-Silva A, Poiaraes-Baptista A, Guerra RF, Teresa-Lopes M (1988). Juvenile hyaline fibromatosis. A histologic and histochemical study. *Arch Pathol Lab Med* 112: 928-931.
- 1363.** Mayr-Kanhauser S, Behmel A, Aberer W (2001). Multiple glomus tumors of the skin with male-to-male transmission over four generations. *J Invest Dermatol* 116: 475-476.
- 1364.** Mazabraud A (1974). [Mesenchymatous chondrosarcoma. Apropos of 6 cases]. *Rev Chir Orthop Reparatrice Appar Mot* 60: 197-203.
- 1365.** McCarthy DM, Dorr CA, Mackintosh CE (1969). Unilateral localised gigantism of the extremities with lipomatosis, arthropathy and psoriasis. *J Bone Joint Surg Br* 51: 348-353.
- 1366.** McCarthy EF (1996). Osteochondroma vs. Surface Chondrosarcoma vs Periosteal Chondroma. In: *Differential Diagnosis in Pathology: Bone and Joint Disorders*, McCarthy EF, ed. Igaku-Shoin: New York, pp. 48-51.
- 1367.** McCarthy EF, Matsuno T, Dorfman HD (1979). Malignant fibrous histiocytoma of bone: a study of 35 cases. *Hum Pathol* 10: 57-70.
- 1368.** McClain KL, Leach CT, Jenson HB, Joshi VV, Pollock BH, Parmley RT, DiCarlo FJ, Chadwick EG, Murphy SB (1995). Association of Epstein-Barr virus with leiomyosarcomas in children with AIDS. *N Engl J Med* 332: 12-18.
- 1369.** McCluggage WG, Patterson A, Maxwell P (2000). Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity. *J Clin Pathol* 53: 603-605.
- 1370.** McComb EN, Feely MG, Neff JR, Johansson SL, Nelson M, Bridge JA (2001). Cytogenetic instability, predominantly involving chromosome 1, is characteristic of elastofibroma. *Cancer Genet Cytogenet* 126: 68-72.
- 1371.** McComb EN, Neff JR, Johansson SL, Nelson M, Bridge JA (1997). Chromosomal anomalies in a case of proliferative myositis. *Cancer Genet Cytogenet* 98: 142-144.
- 1372.** McCormick C, Duncan G, Goutsos KT, Tufaro F (2000). The putative tumor suppressors EXT1 and EXT2 form a stable complex that accumulates in the Golgi apparatus and catalyzes the synthesis of heparan sulfate. *Proc Natl Acad Sci U S A* 97: 668-673.
- 1373.** McCormick C, Leduc Y, Martindale D, Mattison K, Esford LE, Dyer AP, Tufaro F (1998). The putative tumour suppressor EXT1 alters the expression of cell-surface heparan sulfate. *Nat Genet* 19: 158-161.
- 1374.** McCormick D, Mentzel T, Beham A, Fletcher CD (1994). Dedifferentiated liposarcoma. Clinicopathologic analysis of 32 cases suggesting a better prognostic subgroup among pleomorphic sarcomas. *Am J Surg Pathol* 18: 1213-1223.
- 1375.** McCune DJ, Bruch H (1937). Progress in pediatrics: ostedystrophia fibrosa. *Am J Dis Child* 54: 806-848.
- 1376.** McKusick VA (1998). Mendelian inheritance in Man. *Catalogs of Human Genes and Genetic Disorders*. 12th ed. Johns Hopkins University Press: Baltimore.
- 1377.** McKusick VA (2000). *Online Mendelian Inheritance in Man, OMIM (TM)*. McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, World Wide Web URL: <http://www.ncbi.nlm.nih.gov/omim>
- 1378.** McLeod RA, Berquist TH (1988). Bone tumor imaging: contribution of CT and MRI. *Contemp Issues Surg Pathol* 11: 1-34.
- 1379.** McLeod RA, Dahlin DC (1979). Hamartoma (mesenchymoma) of the chest wall in infancy. *Radiology* 131: 657-661.
- 1380.** McManus AP, Gusterson BA, Pinkerton CR, Shipley JM (1995). Diagnosis of Ewing's sarcoma and related tumours by detection of chromosome 22q12 translocations using fluorescence in situ hybridization on tumour touch imprints. *J Pathol* 176: 137-142.
- 1381.** McMenamin ME, DeSchryver K, Fletcher CD (2000). Fibrous lesions of the breast. A review. *Int J Surg Pathol* 8: 99-108.
- 1382.** McMenamin ME, Fletcher CD (2001). Mammary-type myofibroblastoma of soft tissue: a tumor closely related to spindle cell lipoma. *Am J Surg Pathol* 25: 1022-1029.
- 1383.** McMenamin ME, Fletcher CDM (2002). Malignant myopericytoma: expanding the spectrum of tumours with myopericytic differentiation. *Histopathology* (in press).
- 1384.** Mehregan AH, Shapiro L (1971). Angiolymphoid hyperplasia with eosinophilia. *Arch Dermatol* 103: 50-57.
- 1385.** Meis-Kindblom JM, Bergh P, Gunterberg B, Kindblom LG (1999). Extraskeletal myxoid chondrosarcoma: a reappraisal of its morphologic spectrum and prognostic factors based on 117 cases. *Am J Surg Pathol* 23: 636-650.
- 1386.** Meis-Kindblom JM, Kindblom LG (1998). Acral myxoinflammatory fibroblastic sarcoma: a low-grade tumor of the hands and feet. *Am J Surg Pathol* 22: 911-924.
- 1387.** Meis-Kindblom JM, Kindblom LG (1998). Angiosarcoma of soft tissue: a study of 80 cases. *Am J Surg Pathol* 22: 683-697.
- 1388.** Meis-Kindblom JM, Kindblom LG, Enzinger FM (1995). Sclerosing epithelioid fibrosarcoma. A variant of fibrosarcoma simulating carcinoma. *Am J Surg Pathol* 19: 979-993.
- 1389.** Meis-Kindblom JM, Sjögren H, Kindblom LG, Peydro-Mellquist A, Roijer E, Åman P, Stenman G (2001). Cytogenetic and molecular genetic analyses of liposarcoma and its soft tissue simulators: recognition of new variants and differential diagnosis. *Virchows Arch* 439: 141-151.
- 1390.** Meis JM, Butler JJ, Osborne BM, Manning JT (1986). Granulocytic sarcoma in nonleukemic patients. *Cancer* 58: 2697-2709.
- 1391.** Meis JM, Butler JJ, Osborne BM, Ordonez NG (1987). Solitary plasmacytomas of bone and extramedullary plasmacytomas. A clinicopathologic and immunohistochemical study. *Cancer* 59: 1475-1485.
- 1392.** Meis JM, Enzinger FM (1991). Inflammatory fibrosarcoma of the mesentery and retroperitoneum. A tumor closely simulating inflammatory pseudotumor. *Am J Surg Pathol* 15: 1146-1156.
- 1393.** Meis JM, Enzinger FM (1991). Myolipoma of soft tissue. *Am J Surg Pathol* 15: 121-125.
- 1394.** Meis JM, Enzinger FM (1992). Juxta-articular myxoma: a clinical and pathologic study of 65 cases. *Hum Pathol* 23: 639-646.
- 1395.** Meis JM, Enzinger FM (1992). Proliferative fasciitis and myositis of childhood. *Am J Surg Pathol* 16: 364-372.
- 1396.** Meis JM, Enzinger FM (1993). Chondroid lipoma. A unique tumor simulating liposarcoma and myxoid chondrosarcoma. *Am J Surg Pathol* 17: 1103-1112.
- 1397.** Meis JM, Mackay B, Ordonez NG (1988). Epithelioid sarcoma: an immunohistochemical and ultrastructural study. *Surg Pathol* 1: 13-31.
- 1398.** Meis JM, Raymond AK, Evans HL, Charles RE, Giraldo AA (1987). "Dedifferentiated" chordoma. A clinicopathologic and immunohistochemical study of three cases. *Am J Surg Pathol* 11: 516-525.
- 1399.** Meister P, Buckmann FW, Konrad E (1978). Nodular fasciitis (analysis of 100 cases and review of the literature). *Pathol Res Pract* 162: 133-165.
- 1400.** Meister P, Konrad E, Hubner G (1979). Malignant tumor of humerus with features of "adamantinoma" and Ewing's sarcoma. *Pathol Res Pract* 166: 112-122.
- 1401.** Melhem MF, Meisler AI, Saito R, Finley GG, Hockman HR, Koski RA (1993). Cytokines in inflammatory malignant fibrous histiocytoma presenting with leukemoid reaction. *Blood* 82: 2038-2044.
- 1402.** Meloni-Ehrig AM, Chen Z, Guan XY, Notohamiprodjo M, Shepard RR, Spanier SS, Trent JM, Sandberg AA (1999). Identification of a ring chromosome in a myxoid malignant fibrous histiocytoma with chromosome microdissection and fluorescence in situ hybridization. *Cancer Genet Cytogenet* 109: 81-85.

- 1403.** Mendlick MR, Nelson M, Pickering D, Johansson SL, Seemayer TA, Neff JR, Vergara G, Rosenthal H, Bridge JA (2001). Translocation t(1;3)(p36.3;q25) is a nonrandom aberration in epithelioid hemangioidendothelioma. *Am J Surg Pathol* 25: 684-687.
- 1404.** Menghi-Sartorio S, Mandahl N, Mertens F, Picci P, Knuutila S (2001). DNA copy number amplifications in sarcomas with homogeneously staining regions and double minutes. *Cytometry* 46: 79-84.
- 1405.** Mentzel T (2001). Myofibroblastic sarcomas: a brief review of sarcomas showing a myofibroblastic line of differentiation and discussion of the differential diagnosis. *Curr Diagn Pathol* 7: 17-24.
- 1406.** Mentzel T, Bainbridge TC, Katenkamp D (1997). Solitary fibrous tumour: clinicopathological, immunohistochemical, and ultrastructural analysis of 12 cases arising in soft tissues, nasal cavity and nasopharynx, urinary bladder and prostate. *Virchows Arch* 430: 445-453.
- 1407.** Mentzel T, Beham A, Calonje E, Katenkamp D, Fletcher CD (1997). Epithelioid hemangioidendothelioma of skin and soft tissues: clinicopathologic and immunohistochemical study of 30 cases. *Am J Surg Pathol* 21: 363-374.
- 1408.** Mentzel T, Bosenberg M, Fletcher CD (1999). Pleomorphic liposarcoma. Clinicopathologic and prognostic study of 31 cases. *Mod Pathol* 12: 13A.
- 1409.** Mentzel T, Brown LF, Dvorak HF, Kuhnen C, Stiller KJ, Katenkamp D, Fletcher CD (2001). The association between tumour progression and vascularity in myxofibrosarcoma and myxoid/round cell liposarcoma. *Virchows Arch* 438: 13-22.
- 1410.** Mentzel T, Calonje E, Fletcher CD (1993). Lipoblastoma and lipoblastomatosis: a clinicopathological study of 14 cases. *Histopathology* 23: 527-533.
- 1411.** Mentzel T, Calonje E, Fletcher CD (1994). Leiomyosarcoma with prominent osteoclast-like giant cells. Analysis of eight cases closely mimicking the so-called giant cell variant of malignant fibrous histiocytoma. *Am J Surg Pathol* 18: 258-265.
- 1412.** Mentzel T, Calonje E, Nascimento AG, Fletcher CD (1994). Infantile hemangiopericytoma versus infantile myofibromatosis. Study of a series suggesting a continuous spectrum of infantile myofibroblastic lesions. *Am J Surg Pathol* 18: 922-930.
- 1413.** Mentzel T, Calonje E, Wadden C, Camplejohn RS, Beham A, Smith MA, Fletcher CD (1996). Myxofibrosarcoma. Clinicopathologic analysis of 75 cases with emphasis on the low-grade variant. *Am J Surg Pathol* 20: 391-405.
- 1414.** Mentzel T, Dry S, Katenkamp D, Fletcher CD (1998). Low-grade myofibroblastic sarcoma: analysis of 18 cases in the spectrum of myofibroblastic tumors. *Am J Surg Pathol* 22: 1228-1238.
- 1415.** Mentzel T, Fletcher CD (1994). Malignant mesenchymomas of soft tissue associated with numerous osteoclast-like giant cells mimicking the so-called giant cell variant of "malignant fibrous histiocytoma". *Virchows Arch* 424: 539-545.
- 1416.** Mentzel T, Fletcher CD (1997). Dedifferentiated myxoid liposarcoma: a clinicopathological study suggesting a closer relationship between myxoid and well-differentiated liposarcoma. *Histopathology* 30: 457-463.
- 1417.** Mentzel T, Katenkamp D, Fletcher CD (1996). [Low malignancy myxofibrosarcoma versus low malignancy fibromyxoid sarcoma. Distinct entities with similar names but different clinical course]. *Pathologe* 17: 116-121.
- 1418.** Mentzel T, Mazzoleni G, Dei Tos AP, Fletcher CD (1997). Kaposiform hemangioidendothelioma in adults. Clinicopathologic and immunohistochemical analysis of three cases. *Am J Clin Pathol* 108: 450-455.
- 1419.** Mentzel T, Stengel B, Katenkamp D (1997). [Retiform hemangioidendothelioma. Clinicopathologic case report and discussion of the group of low malignancy vascular tumors]. *Pathologe* 18: 390-394.
- 1420.** Merchant NB, Lewis JJ, Woodruff JM, Leung DH, Brennan MF (1999). Extremity and trunk desmoid tumors: a multifactorial analysis of outcome. *Cancer* 86: 2045-2052.
- 1421.** Merchant W, Calonje E, Fletcher CD (1995). Inflammatory leiomyosarcoma: a morphological subgroup within the heterogeneous family of so-called inflammatory malignant fibrous histiocytoma. *Histopathology* 27: 525-532.
- 1422.** Merck C, Angervall L, Kindblom LG, Oden A (1983). Myxofibrosarcoma. A malignant soft tissue tumor of fibroblastic-histiocytic origin. A clinicopathologic and prognostic study of 110 cases using multivariate analysis. *Acta Pathol Microbiol Immunol Scand Suppl* 282: 1-40.
- 1423.** Merino S, Arrazola J, Saiz A, Blanco JA, Ortega L (1999). Post-Paget telangiectatic osteosarcoma of the skull. *Skeletal Radiol* 28: 470-472.
- 1424.** Merkel H (1906). On a pseudolipoma of the breast (peculiar fat tumor). *Beitr Pathol Anat* 39: 152-157.
- 1425.** Mertens F, Fletcher CD, Dal Cin P, de Wever I, Mandahl N, Mitelman F, Rosai J, Rydholm A, Sciot R, Tallini G, van den Berghe H, Vanni R, Willén H (1998). Cytogenetic analysis of 46 pleomorphic soft tissue sarcomas and correlation with morphologic and clinical features: a report of the CHAMP study group. *Genes Chromosomes Cancer* 22: 16-25.
- 1426.** Mertens F, Jonsson K, Willén H, Rydholm A, Kreicbergs A, Eriksson L, Olsson-Sandin G, Mitelman F, Mandahl N (1996). Chromosome rearrangements in synovial chondromatous lesions. *Br J Cancer* 74: 251-254.
- 1427.** Mertens F, Larramendy M, Gustavsson A, Gisselsson D, Rydholm A, Brosjö O, Mitelman F, Knuutila S, Mandahl N (2000). Radiation-associated sarcomas are characterized by complex karyotypes with frequent rearrangements of chromosome arm 3p. *Cancer Genet Cytogenet* 116: 89-96.
- 1428.** Mertens F, Mandahl N, Örndal C, Baldetorp B, Bauer HC, Rydholm A, Wiebe T, Willén H, Åkerman M, Heim S, Mitelman F (1993). Cytogenetic findings in 33 osteosarcomas. *Int J Cancer* 55: 44-50.
- 1429.** Mertens F, Pålsson E, Lindstrand A, Toksvig-Larsen S, Knuutila S, Larramendy ML, el Rifai W, Limon J, Mitelman F, Mandahl N (1996). Evidence of somatic mutations in osteoarthritis. *Hum Genet* 98: 651-656.
- 1430.** Mertens F, Rydholm A, Kreicbergs A, Willén H, Jonsson K, Heim S, Mitelman F, Mandahl N (1994). Loss of chromosome band 8q24 in sporadic osteocartilaginous exostoses. *Genes Chromosomes Cancer* 9: 8-12.
- 1431.** Mertens F, Willén H, Rydholm A, Brosjö O, Carlen B, Mitelman F, Mandahl N (1995). Trisomy 20 is a primary chromosome aberration in desmoid tumors. *Int J Cancer* 63: 527-529.
- 1432.** Mervak TR, Unni KK, Pritchard DJ, McLeod RA (1991). Telangiectatic osteosarcoma. *Clin Orthop* 135-139.
- 1433.** Mess D, Songer M (1986). Head and neck carcinoma metastases to the hand and foot. A case report of simultaneous involvement. *Orthopedics* 9: 975-977.
- 1434.** Messineo A, Mognato G, d'Amore ES, Antoniello L, Guglielmi M, Cecchetto G (1998). Inflammatory pseudotumors of the lung in children: conservative or aggressive approach? *Med Pediatr Oncol* 31: 100-104.
- 1435.** Meza-Zepeda LA, Forus A, Lygren B, Dahlberg AB, Godager LH, South A, Serra M, Nezevic D, Tarikkanen M, Knuutila S, Myklebost O (2002). Positional cloning identifies a novel cyclophilin as a candidate amplified oncogene in 1q21. *Oncogene* 21: 2261-2269.
- 1436.** Mezzelani A, Sozzi G, Nessling M, Riva C, Della Torre G, Testi MA, Azzarelli A, Pierotti MA, Lichter P, Pilotti S (2000). Low grade fibromyxoid sarcoma. A further low-grade soft tissue malignancy characterized by a ring chromosome. *Cancer Genet Cytogenet* 122: 144-148.
- 1437.** Michal M (1998). Inflammatory myxoid tumor of the soft parts with bizarre giant cells. *Pathol Res Pract* 194: 529-533.
- 1438.** Michal M, Fetsch JF, Hes O, Miettinen M (1999). Nuchal-type fibroma: a clinicopathologic study of 52 cases. *Cancer* 85: 156-163.
- 1439.** Michal M, Miettinen M (1999). Myoepitheliomas of the skin and soft tissues. Report of 12 cases. *Virchows Arch* 434: 393-400.
- 1440.** Michal M, Mukensnabl P, Chlumska A, Kodet R (1992). Fibrous hamartoma of infancy. A study of eight cases with immunohistochemical and electron microscopic findings. *Pathol Res Pract* 188: 1049-1053.
- 1441.** Michal M, Zamecnik M (2000). Hyalinized Uterine Mesenchymal Neoplasms with HMB-45-Positive Epithelioid Cells: Epithelioid Leiomyomas or Angiomyolipomas? Report of Four Cases. *Int J Surg Pathol* 8: 323-328.
- 1442.** Michal M, Zamecnik M, Gogora M, Mukensnabl P, Neubauer L (1996). Pitfalls in the diagnosis of ectopic hamartomatous thymoma. *Histopathology* 29: 549-555.
- 1443.** Miettinen M (1991). Keratin subsets in spindle cell sarcomas. Keratins are widespread but synovial sarcoma contains a distinctive keratin polypeptide pattern and desmoplakins. *Am J Pathol* 138: 505-513.
- 1444.** Miettinen M (1991). Ossifying fibromyxoid tumor of soft parts. Additional observations of a distinctive soft tissue tumor. *Am J Clin Pathol* 95: 142-149.
- 1445.** Miettinen M, Enzinger FM (1999). Epithelioid variant of pleomorphic liposarcoma: a study of 12 cases of a distinctive variant of high-grade liposarcoma. *Mod Pathol* 12: 722-728.
- 1446.** Miettinen M, Fanburg-Smith JC, Virolainen M, Shmookler BM, Fetsch JF (1999). Epithelioid sarcoma: an immunohistochemical analysis of 112 classical and variant cases and a discussion of the differential diagnosis. *Hum Pathol* 30: 934-942.
- 1447.** Miettinen M, Fetsch JF (1998). Collagenous fibroma (desmoplastic fibroblastoma): a clinicopathologic analysis of 63 cases of a distinctive soft tissue lesion with stellate-shaped fibroblasts. *Hum Pathol* 29: 676-682.
- 1448.** Miettinen M, Hockerstedt K, Reitamo J, Totterman S (1985). Intramuscular myxoma – a clinicopathological study of twenty-three cases. *Am J Clin Pathol* 84: 265-272.
- 1449.** Miettinen M, Lehto VP, Virtanen I (1983). Glomus tumor cells: evaluation of smooth muscle and endothelial cell properties. *Virchows Arch B Cell Pathol Incl Mol Pathol* 43: 139-149.
- 1450.** Miettinen M, Rapola J (1989). Immunohistochemical spectrum of rhabdomyosarcoma and rhabdomyosarcoma-like tumors. Expression of cytokeratin and the 68-kD neurofilament protein. *Am J Surg Pathol* 13: 120-132.
- 1451.** Miettinen M, Virtanen I (1984). Synovial sarcoma – a misnomer. *Am J Pathol* 117: 18-25.
- 1452.** Miettinen MM, el Rifai W, Sarlomo-Rikala M, Andersson LC, Knuutila S (1997). Tumor size-related DNA copy number changes occur in solitary fibrous tumors but not in hemangiopericytomas. *Mod Pathol* 10: 1194-1200.

- 1453.** Mii Y, Miyauchi Y, Hohnoki K, Maruyama H, Tsutsumi M, Dohmae K, Tamai S, Konishi Y, Yamanouchi T (1989). Neural crest origin of clear cell sarcoma of tendons and aponeuroses. Ultrastructural and enzyme cytochemical study of human and nude mouse-transplanted tumours. *Virchows Arch A Pathol Anat Histopathol* 415: 51-60.
- 1454.** Mikami Y, Shimizu M, Hirokawa M, Manabe T (1997). Extraorbital giant cell angiofibromas. *Mod Pathol* 10: 1082-1087.
- 1455.** Mikkelsen OA (1977). Dupuytren's disease – initial symptoms, age of onset and spontaneous course. *Hand* 9: 11-15.
- 1456.** Milchgrub S, Ghandur-Mnaymneh L, Dorfman HD, Albores-Saavedra J (1993). Synovial sarcoma with extensive osteoid and bone formation. *Am J Surg Pathol* 17: 357-363.
- 1457.** Milgram JW (1983). The origins of osteochondromas and enchondromas. A histopathologic study. *Clin Orthop* 264-284.
- 1458.** Milgram JW (1988). Intraosseous lipomas. A clinicopathologic study of 66 cases. *Clin Orthop* 277-302.
- 1459.** Miller CW, Aslo A, Tsay C, Slamon D, Ishizaki K, Toguchida J, Yamamuro T, Lampkin B, Koeffler HP (1990). Frequency and structure of p53 rearrangements in human osteosarcoma. *Cancer Res* 50: 7950-7954.
- 1460.** Miller F, Whitehill R (1984). Carcinoma of the breast metastatic to the skeleton. *Clin Orthop* 121-127.
- 1461.** Miller KK, Daly PA, Sentochnik D, Doweiko J, Samore M, Basgoz NO, Grinspoon SK (1998). Pseudo-Cushing's syndrome in human immunodeficiency virus-infected patients. *Clin Infect Dis* 27: 68-72.
- 1462.** Miller MD, Ragsdale BD, Sweet DE (1992). Parosteal lipomas: a new perspective. *Pathology* 24: 132-139.
- 1463.** Miller RL, Sheeler LR, Bauer TW, Bukowski RM (1986). Erdheim-Chester disease. Case report and review of the literature. *Am J Med* 80: 1230-1236.
- 1464.** Mintzer CM, Klein JD, Kasser JR (1994). Osteochondroma formation after a Salter II fracture. *J Orthop Trauma* 8: 437-439.
- 1465.** Miozzo M, Dalpra L, Riva P, Volonta M, Macciardi F, Pericotti S, Tibiletti MG, Cerati M, Rohde K, Larizza L, Fahrman Conti AM (2000). A tumor suppressor locus in familial and sporadic chordoma maps to 1p36. *Int J Cancer* 87: 68-72.
- 1466.** Miracco C, Laurini L, Santopietro R, De Santi MM, Sassi C, Neri E, Pepi F, Luzi P (1999). Intimal-type primary sarcoma of the aorta. Report of a case with evidence of rhabdomyosarcomatous differentiation. *Virchows Arch* 435: 62-66.
- 1467.** Miralles GD, O'Fallon JR, Talley NJ (1992). Plasma-cell dyscrasia with polyneuropathy. The spectrum of POEMS syndrome. *N Engl J Med* 327: 1919-1923.
- 1468.** Mirra JM (1989). *Bone Tumors. Clinical, Radiologic, and Pathologic Correlations*. Lea & Febiger: Philadelphia.
- 1469.** Mirra JM (1989). Intramedullary cartilage- and chondroid-producing tumors. In: *Bone Tumors. Clinical, Radiologic, and Pathologic Correlations*. Lea & Febiger: Philadelphia.
- 1470.** Mirra JM (1989). Metastases. In: *Bone Tumor: Clinical, Radiologic and Pathologic Correlations*. Lea & Febiger: Philadelphia, p. 1497.
- 1471.** Mirra JM, Bullough PG, Marcove RC, Jacobs B, Huvos AG (1974). Malignant fibrous histiocytoma and osteosarcoma in association with bone infarcts; report of four cases, two in caisson workers. *J Bone Joint Surg Am* 56: 932-940.
- 1472.** Mirra JM, Kameda N, Rosen G, Eckardt J (1988). Primary osteosarcoma of toe phalanx: first documented case. Review of osteosarcoma of short tubular bones. *Am J Surg Pathol* 12: 300-307.
- 1473.** Mirra JM, Kessler S, Bhuta S, Eckardt J (1992). The fibroma-like variant of epithelioid sarcoma. A fibrohistiocytic/myoid cell lesion often confused with benign and malignant spindle cell tumors. *Cancer* 69: 1382-1395.
- 1474.** Mirra JM, Wang S, Bhuta S (1984). Synovial sarcoma with squamous differentiation of its mesenchymal glandular elements. A case report with light-microscopic, ultramicroscopic, and immunologic correlation. *Am J Surg Pathol* 8: 791-796.
- 1475.** Mirra M, Falconieri G, Zanconati F, Di Bonito L (1996). Inflammatory fibrosarcoma: another imitator of Hodgkin's disease? *Pathol Res Pract* 192: 474-478.
- 1476.** Mitchell ML, di Sant'Agnese PA, Gerber JE (1982). Fibrous hamartoma of infancy. *Hum Pathol* 13: 586-588.
- 1477.** *Mitelman Database of Chromosome Aberrations in Cancer* (2002). <http://cgap.nci.nih.gov/Chromosomes/Mitelman>.
- 1478.** Mitra A, Goldstein RY (1994). Dupuytren's contracture in the black population: a review. *Ann Plast Surg* 32: 619-622.
- 1479.** Miyajima K, Oda Y, Oshiro Y, Tamiya S, Kinukawa N, Masuda K, Tsuneyoshi M (2002). Clinicopathological prognostic factors in soft tissue leiomyosarcoma: a multivariate analysis. *Histopathology* 40: 353-359.
- 1480.** Miyake I, Tokumaru H, Sugino H, Tanno M, Yamamoto T (1995). Juvenile hyaline fibromatosis. Case report with five years' follow-up. *Am J Dermatopathol* 17: 584-590.
- 1481.** Miyaki M, Konishi M, Kikuchi-Yanoshita R, Enomoto M, Tanaka K, Takahashi H, Muraoka M, Mori T, Konishi F, Iwama T (1993). Coexistence of somatic and germ-line mutations of APC gene in desmoid tumors from patients with familial adenomatous polyposis. *Cancer Res* 53: 5079-5082.
- 1482.** Miyamoto Y, Satomura K, Rikimaru K, Hayashi Y (1995). Desmoplastic fibroma of the mandible associated with tuberosus sclerosis. *J Oral Pathol Med* 24: 93-96.
- 1483.** Miyoshi Y, Iwao K, Nawa G, Yoshikawa H, Ochi T, Nakamura Y (1998). Frequent mutations in the beta-catenin gene in desmoid tumors from patients without familial adenomatous polyposis. *Oncol Res* 10: 591-594.
- 1484.** Mizukawa N, Nishijima Y, Nishijima K (1997). Metaphyseal fibrous defect (nonossifying fibroma) in the mandible. A case report. *Int J Oral Maxillofac Surg* 26: 129-130.
- 1485.** Mohamed AN, Zalupski MM, Ryan JR, Koppitch F, Balcerzak S, Kempf R, Wolman SR (1997). Cytogenetic aberrations and DNA ploidy in soft tissue sarcoma. A Southwest Oncology Group Study. *Cancer Genet Cytogenet* 99: 45-53.
- 1486.** Molenaar WM, DeJong B, Buist J, Idenburg VJ, Seruca R, Vos AM, Hoekstra HJ (1989). Chromosomal analysis and the classification of soft tissue sarcomas. *Lab Invest* 60: 266-274.
- 1487.** Molenaar WM, DeJong B, Dam-Meiring A, Postma A, DeVries J, Hoekstra HJ (1989). Epithelioid sarcoma or malignant rhabdoid tumor of soft tissue? Epithelioid immunophenotype and rhabdoid karyotype. *Hum Pathol* 20: 347-351.
- 1488.** Molenaar WM, van den Berg E, Dolfin AC, Zorgrader H, Hoekstra HJ (1995). Cytogenetics of fine needle aspiration biopsies of sarcomas. *Cancer Genet Cytogenet* 84: 27-31.
- 1489.** Molina A, Bangs CD, Donlon T (1989). Angiosarcoma of the scalp with complex hypotetraploid karyotype. *Cancer Genet Cytogenet* 41: 268.
- 1490.** Momand J, Zambetti GP, Olson DC, George D, Levine AJ (1992). The mdm-2 oncogene product forms a complex with the p53 protein and inhibits p53-mediated transactivation. *Cell* 69: 1237-1245.
- 1491.** Momeni P, Glockner G, Schmidt O, von Holtum D, Albrecht B, Gillesen-Kaesbach G, Hennekam R, Meinecke P, Zabel B, Rosenthal A, Horsthemke B, Lüdecke HJ (2000). Mutations in a new gene, encoding a zinc-finger protein, cause tricho-rhino-phalangeal syndrome type I. *Nat Genet* 24: 71-74.
- 1492.** Monaghan H, Salter DM, Al Nafussi A (2001). Giant cell tumour of tendon sheath (localised nodular tenosynovitis): clinicopathological features of 71 cases. *J Clin Pathol* 54: 404-407.
- 1493.** Monda L, Wick MR (1985). S-100 protein immunostaining in the differential diagnosis of chondroblastoma. *Hum Pathol* 16: 287-293.
- 1494.** Monnat RJ, Jr. (2001). Cancer pathogenesis in the human RecQ helicase deficiency syndromes. In: *From Premature Gray Hair to Helicase: Werner Syndrome Implications for Aging and Cancer*, Goto M, Miller RW, eds. GANN Monograph on Cancer Research: 83-94.
- 1495.** Montgomery E, Goldblum JR, Fisher C (2001). Myofibrosarcoma: a clinicopathologic study. *Am J Surg Pathol* 25: 219-228.
- 1496.** Montgomery EA, Devaney KO, Giordano TJ, Weiss SW (1998). Inflammatory myxohyaline tumor of distal extremities with virocyte or Reed-Sternberg-like cells: a distinctive lesion with features simulating inflammatory conditions, Hodgkin's disease, and various sarcomas. *Mod Pathol* 11: 384-391.
- 1497.** Montgomery EA, Meis JM (1991). Nodular fasciitis. Its morphologic spectrum and immunohistochemical profile. *Am J Surg Pathol* 15: 942-948.
- 1498.** Montgomery EA, Meis JM, Mitchell MS, Enzinger FM (1992). Atypical decubital fibroplasia. A distinctive fibroblastic pseudotumor occurring in debilitated patients. *Am J Surg Pathol* 16: 708-715.
- 1499.** Montgomery EA, Meis JM, Ramos AG, et al. (1993). Clear cell sarcoma of tendons and aponeuroses. A clinicopathologic study of 58 cases with analysis of prognostic factors. *Int J Surg Pathol* 1: 89-100.
- 1500.** Montgomery H, Winkelmann RK (1959). Smooth-muscle tumors of the skin. *Arch Dermatol* 79: 32-41.
- 1501.** Mooi WJ, Deenik W, Peterse JL, Hogendoorn PC (1995). Keratin immunoreactivity in melanoma of soft parts (clear cell sarcoma). *Histopathology* 27: 61-65.
- 1502.** Moon NF (1994). Adamantinoma of the appendicular skeleton in children. *Int Orthop* 18: 379-388.
- 1503.** Moon NF, Mori H (1986). Adamantinoma of the appendicular skeleton – updated. *Clin Orthop* 215-237.
- 1504.** Moore JR, Weiland AJ, Curtis RM (1984). Localized nodular tenosynovitis: experience with 115 cases. *J Hand Surg [Am]* 9: 412-417.
- 1505.** Moore PS, Chang Y (1995). Detection of herpesvirus-like DNA sequences in Kaposi's sarcoma in patients with and without HIV infection. *N Engl J Med* 332: 1181-1185.
- 1506.** Morimitsu Y, Aoki T, Yokoyama K, Hashimoto H (2000). Sarcomatoid chordoma: chordoma with a massive malignant spindle-cell component. *Skeletal Radiol* 29: 721-725.
- 1507.** Morris DM, House HC (1985). The significance of metastasis to the bones and soft tissues of the hand. *J Surg Oncol* 28: 146-150.
- 1508.** Morris EJ, Dyson NJ (2001). Retinoblastoma protein partners. *Adv Cancer Res* 82: 1-54.
- 1509.** Moser MJ, Bigbee WL, Grant SG, Emond MJ, Langlois RG, Jensen RH, Oshima J, Monnat RJ, Jr. (2000). Genetic instability and hematologic disease risk in Werner syndrome patients and heterozygotes. *Cancer Res* 60: 2492-2496.

- 1510.** Moser MJ, Kamath-Loeb AS, Jacob JE, Bennett SE, Oshima J, Monnat RJ, Jr. (2000). WRN helicase expression in Werner syndrome cell lines. *Nucleic Acids Res* 28: 648-654.
- 1511.** Moser MJ, Oshima J, Monnat RJ, Jr. (1999). WRN mutations in Werner syndrome. *Hum Mutat* 13: 271-279.
- 1512.** Moses AM, Spencer H (1963). Hypercalcemia in patients with malignant lymphoma. *Ann Int Med* 59: 531-536.
- 1513.** Motoyama T, Ogose A, Watanabe H (1996). Ossifying fibromyxoid tumor of the retroperitoneum. *Pathol Int* 46: 79-83.
- 1514.** Muggia FM, Hansen HH (1972). Osteoblastic metastases in small-cell (oat-cell) carcinoma of the lung. *Cancer* 30: 801-805.
- 1515.** Mukai M, Torikata C, Iri H, Hata J, Naito M, Shimoda T (1992). Immunohistochemical identification of aggregated actin filaments in formalin-fixed, paraffin-embedded sections. I. A study of infantile digital fibromatosis by a new pretreatment. *Am J Surg Pathol* 16: 110-115.
- 1516.** Mukai M, Torikata C, Iri H, Hata J, Naito M, Shimoda T, Kageyama K (1986). Infantile digital fibromatosis. An electron microscopic and immunohistochemical study. *Acta Pathol Jpn* 36: 1605-1615.
- 1517.** Mukai M, Torikata C, Iri H, Mikata A, Kawai T, Hanaoka H, Yakumaru K, Kageyama K (1984). Histogenesis of clear cell sarcoma of tendons and aponeuroses. An electron-microscopic, biochemical, enzyme histochemical, and immunohistochemical study. *Am J Pathol* 114: 264-272.
- 1518.** Mulder JD, Schutte HE, Kroon HM, Taconis WK (1993). *Radiologic Atlas of Bone Tumors*. Elsevier: Amsterdam.
- 1519.** Mulligan LM, Matlashewski GJ, Scrabble HJ, Cavenee WK (1990). Mechanisms of p53 loss in human sarcomas. *Proc Natl Acad Sci U S A* 87: 5863-5867.
- 1520.** Mundy GR (1988). Hypercalcemia of malignancy revisited. *J Clin Invest* 82: 1-6.
- 1521.** Muroya K, Nishimura G, Douya H, Hasegawa T, Ogata T (2002). Diaphyseal medullary stenosis with malignant fibrous histiocytoma: further evidence for loss of heterozygosity involving 9p21-22 in tumor tissue. *Genes Chromosomes Cancer* 33: 326-328.
- 1522.** Murphey MD, Gross TM, Rosenthal HG (1994). From the archives of the AFIP. Musculoskeletal malignant fibrous histiocytoma: radiologic-pathologic correlation. *Radiographics* 14: 807-826.
- 1523.** Myers BW, Masi AT (1980). Pigmented villonodular synovitis and tenosynovitis: a clinical epidemiologic study of 166 cases and literature review. *Medicine (Baltimore)* 59: 223-238.
- 1524.** Myhre-Jensen O (1981). A consecutive 7-year series of 1331 benign soft tissue tumours. Clinicopathologic data. Comparison with sarcomas. *Acta Orthop Scand* 52: 287-293.
- 1525.** Myhre-Jensen O, Kaae S, Madsen EH, Sneppen O (1983). Histopathological grading in soft-tissue tumours. Relation to survival in 261 surgically treated patients. *Acta Pathol Microbiol Immunol Scand [A]* 91: 145-150.
- 1526.** Nagamine N, Nohara Y, Ito E (1982). Elastofibroma in Okinawa. A clinicopathologic study of 170 cases. *Cancer* 50: 1794-1805.
- 1527.** Naka N, Tomita Y, Nakanishi H, Araki N, Hongyo T, Ochi T, Aozasa K (1997). Mutations of p53 tumor-suppressor gene in angiosarcoma. *Int J Cancer* 71: 952-955.
- 1528.** Naka T, Fukuda T, Shinohara N, Iwamoto Y, Sugioka Y, Tsuneyoshi M (1995). Osteosarcoma versus malignant fibrous histiocytoma of bone in patients older than 40 years. A clinicopathologic and immunohistochemical analysis with special reference to malignant fibrous histiocytoma-like osteosarcoma. *Cancer* 76: 972-984.
- 1529.** Nakajima H, Sim FH, Bond JR, Unni KK (1997). Small cell osteosarcoma of bone. Review of 72 cases. *Cancer* 79: 2095-2106.
- 1530.** Nakajima T, Watanabe S, Sato Y, Shimosato Y, Motoi M, Lennert K (1982). S-100 protein in Langerhans cells, interdigitating reticulum cells and histiocytosis X cells. *Gann* 73: 429-432.
- 1531.** Nakamura Y, Okamoto K, Tanimura A, Kato M, Morimatsu M (1986). Elastase digestion and biochemical analysis of the elastin from an elastofibroma. *Cancer* 58: 1070-1075.
- 1532.** Nakanishi H, Tomita Y, Myoui A, Yoshikawa H, Sakai K, Kato Y, Ochi T, Aozasa K (1998). Mutation of the p53 gene in postirradiation sarcoma. *Lab Invest* 78: 727-733.
- 1533.** Nakashima Y, Unni KK, Shives TC, Swee RG, Dahlin DC (1986). Mesenchymal chondrosarcoma of bone and soft tissue. A review of 111 cases. *Cancer* 57: 2444-2453.
- 1534.** Nakashima Y, Yamamuro T, Fujiwara Y, Kotoura Y, Mori E, Hamashima Y (1983). Osteofibrous dysplasia (ossifying fibroma of long bones). A study of 12 cases. *Cancer* 52: 909-914.
- 1535.** Nappi O, Ritter JH, Pettinato G, Wick MR (1995). Hemangiopericytoma: histopathological pattern or clinicopathologic entity? *Semin Diagn Pathol* 12: 221-232.
- 1536.** Nascimento AG, Huvos AG, Marcove RC (1979). Primary malignant giant cell tumor of bone: a study of eight cases and review of the literature. *Cancer* 44: 1393-1402.
- 1537.** Nascimento AG, Keeney GL, Sciort R, Fletcher CD (1997). Polymorphous hemangiopericytoma: a report of two cases, one affecting extranodal soft tissues, and review of the literature. *Am J Surg Pathol* 21: 1083-1089.
- 1538.** Nascimento AG, Kurtin PJ, Guillou L, Fletcher CD (1998). Dedifferentiated liposarcoma: a report of nine cases with a peculiar neurallike whorling pattern associated with metaplastic bone formation. *Am J Surg Pathol* 22: 945-955.
- 1539.** Nascimento AG, Ruiz R, Hornick JL, Fletcher CD (2002). Calcifying fibrous 'pseudotumour': clinicopathologic study of 15 cases and analysis of its relationship to inflammatory myofibroblastic tumour. *Int J Surg Pathol* (in press).
- 1540.** Nascimento AG, Unii KK, Pritchard DJ, Cooper KL, Dahlin DC (1980). A clinicopathologic study of 20 cases of large-cell (atypical) Ewing's sarcoma of bone. *Am J Surg Pathol* 4: 29-36.
- 1541.** Naumann M, Schalke B, Klopstock T, Reichmann H, Lange KW, Wiesbeck G, Toyka KV, Reiners K (1995). Neurological multisystem manifestation in multiple symmetric lipomatosis: a clinical and electrophysiological study. *Muscle Nerve* 18: 693-698.
- 1542.** Naumann S, Krallman PA, Unni KK, Fidler ME, Neff JR, Bridge JA (2002). Translocation der(13;21)(q10;q10) in skeletal and extraskeletal mesenchymal chondrosarcoma. *Mod Pathol* 15: 572-576.
- 1543.** Naylor SJ, Rubin BP, Calonje E, Chan JK, Fletcher CD (2000). Composite hemangiopericytoma: a complex, low-grade vascular lesion mimicking angiosarcoma. *Am J Surg Pathol* 24: 352-361.
- 1544.** Naylor EW, Gardner EJ, Richards RC (1979). Desmoid tumors and mesenteric fibromatosis in Gardner's syndrome: report of kindred 109. *Arch Surg* 114: 1181-1185.
- 1545.** Naylor MF, Nascimento AG, Sherrick AD, McLeod RA (1996). Elastofibroma dorsi: radiologic findings in 12 patients. *AJR Am J Roentgenol* 167: 683-687.
- 1546.** Nellissery MJ, Padalecki SS, Brkanac Z, Singer FR, Roodman GD, Unni KK, Leach RJ, Hansen MF (1998). Evidence for a novel osteosarcoma tumor-suppressor gene in the chromosome 18 region genetically linked with Paget disease of bone. *Am J Hum Genet* 63: 817-824.
- 1547.** Nemoto O, Moser RP, Jr., Van Dam BE, Aoki J, Gilkey FW (1990). Osteoblastoma of the spine. A review of 75 cases. *Spine* 15: 1272-1280.
- 1548.** Newsham I, Daub D, Besnard-Guerin C, Cavenee W (1994). Molecular sublocalization and characterization of the 11;22 translocation breakpoint in a malignant rhabdoid tumor. *Genomics* 19: 433-440.
- 1549.** Newton WA, Jr., Gehan EA, Webber BL, Marsden HB, van Unnik AJ, Hamoudi AB, Tsokos MG, Shimada H, Harms D, Schmidt D. (1995). Classification of rhabdomyosarcomas and related sarcomas. Pathologic aspects and proposal for a new classification - an Intergroup Rhabdomyosarcoma Study. *Cancer* 76: 1073-1085.
- 1550.** Newton WA, Jr., Soule EH, Hamoudi AB, Reiman HM, Shimada H, Beltangady M, Maurer H (1988). Histopathology of childhood sarcomas, Intergroup Rhabdomyosarcoma Studies I and II: clinicopathologic correlation. *J Clin Oncol* 6: 67-75.
- 1551.** Ng SH, Ko SF, Wan YL, Tang LM, Ho YS (1998). Cervical echordosis physaliphora: CT and MR features. *Br J Radiol* 71: 329-331.
- 1552.** Nichols GE, Cooper PH (1994). Low-grade fibromyxoid sarcoma: case report and immunohistochemical study. *J Cutan Pathol* 21: 356-362.
- 1553.** Nicolaides A, Huang YQ, Li JJ, Zhang WG, Friedman-Kien AE (1994). Gene amplification and multiple mutations of the K-ras oncogene in Kaposi's sarcoma. *Anticancer Res* 14: 921-926.
- 1554.** Niedt GW, Greco MA, Wiecek R, Blanc WA, Knowles DM (1989). Hemangioma with Kaposi's sarcoma-like features: report of two cases. *Pediatr Pathol* 9: 567-575.
- 1555.** Nielsen AL, Kiaer T (1989). Malignant giant cell tumor of synovium and locally destructive pigmented villonodular synovitis: ultrastructural and immunohistochemical study and review of the literature. *Hum Pathol* 20: 765-771.
- 1556.** Nielsen GP, Dickersin GR, Provenzal JM, Rosenberg AE (1995). Lipomatous hemangiopericytoma. A histologic, ultrastructural and immunohistochemical study of a unique variant of hemangiopericytoma. *Am J Surg Pathol* 19: 748-756.
- 1557.** Nielsen GP, Fletcher CD, Smith MA, Rybak L, Rosenberg AE (2002). Soft tissue aneurysmal bone cyst: a clinicopathologic study of five cases. *Am J Surg Pathol* 26: 64-69.
- 1558.** Nielsen GP, Keel SB, Dickersin GR, Selig MK, Bhan AK, Rosenberg AE (1999). Chondromyxoid fibroma: a tumor showing myofibroblastic, myochondroblastic, and chondrocytic differentiation. *Mod Pathol* 12: 514-517.
- 1559.** Nielsen GP, O'Connell JX, Dickersin GR, Rosenberg AE (1995). Chondroid lipoma, a tumor of white fat cells. A brief report of two cases with ultrastructural analysis. *Am J Surg Pathol* 19: 1272-1276.
- 1560.** Nielsen GP, O'Connell JX, Dickersin GR, Rosenberg AE (1996). Collagenous fibroma (desmoplastic fibroblastoma): a report of seven cases. *Mod Pathol* 9: 781-785.
- 1561.** Nielsen GP, O'Connell JX, Dickersin GR, Rosenberg AE (1997). Solitary fibrous tumor of soft tissue: a report of 15 cases, including 5 malignant examples with light microscopic, immunohistochemical, and ultrastructural data. *Mod Pathol* 10: 1028-1037.
- 1562.** Nielsen GP, O'Connell JX, Rosenberg AE (1998). Intramuscular myxoma: a clinicopathologic study of 51 cases with emphasis on hypercellular and hypervascular variants. *Am J Surg Pathol* 22: 1222-1227.

- 1563.** Nielsen GP, Oliva E, Young RH, Rosenberg AE, Dickersin GR, Scully RE (1995). Alveolar soft-part sarcoma of the female genital tract: a report of nine cases and review of the literature. *Int J Gynecol Pathol* 14: 283-292.
- 1564.** Nielsen GP, Rosenberg AE, Young RH, Dickersin GR, Clement PB, Scully RE (1996). Angiomyofibroblastoma of the vulva and vagina. *Mod Pathol* 9: 284-291.
- 1565.** Nielsen GP, Selig MK, O'Connell JX, Keel SB, Dickersin GR, Rosenberg AE (1999). Hyalinizing spindle cell tumor with giant rosettes: a report of three cases with ultrastructural analysis. *Am J Surg Pathol* 23: 1227-1232.
- 1566.** Nielsen GP, Young RH, Dickersin GR, Rosenberg AE (1997). Angiomyofibroblastoma of the vulva with sarcomatous transformation ("angiomyofibrosarcoma"). *Am J Surg Pathol* 21: 1104-1108.
- 1567.** Nilbert M, Mandahl N, Heim S, Rydholm A, Willén H, Mitelman F (1989). Cytogenetic abnormalities in an angioleiomyoma. *Cancer Genet Cytogenet* 37: 61-64.
- 1568.** Nilbert M, Rydholm A, Willén H, Mitelman F, Mandahl N (1994). MDM2 gene amplification correlates with ring chromosome in soft tissue tumors. *Genes Chromosomes Cancer* 9: 261-265.
- 1569.** Nilsson G, Skytting B, Xie Y, Brodin B, Perfekt R, Mandahl N, Lundeberg J, Uhlen M, Larsson O (1999). The SYT-SSX1 variant of synovial sarcoma is associated with a high rate of tumor cell proliferation and poor clinical outcome. *Cancer Res* 59: 3180-3184.
- 1570.** Nilsson G, Wang M, Wejde J, Kanter L, Karlen J, Tani E, Kreicbergs A, Larsson O (1998). Reverse transcriptase polymerase chain reaction on fine needle aspirates for rapid detection of translocations in synovial sarcoma. *Acta Cytol* 42: 1317-1324.
- 1571.** Nishida J, Sim FH, Wenger DE, Unni KK (1997). Malignant fibrous histiocytoma of bone. A clinicopathologic study of 81 patients. *Cancer* 79: 482-493.
- 1572.** Nishida N, Yutani C, Ishibashi-Ueda H, Tsukamoto Y, Ikeda Y, Nakamura Y (2000). Histopathological characterization of aortic intimal sarcoma with multiple tumor emboli. *Pathol Int* 50: 923-927.
- 1573.** Nistal M, Paniagua R, Picazo ML, Cermeno dG, Ramos Guerreira JL (1980). Granular changes in vascular leiomyosarcoma. *Virchows Arch A Pathol Anat Histol* 386: 239-248.
- 1574.** Nixon HH, Scobie WG (1971). Congenital lipomatosis: a report of four cases. *J Pediatr Surg* 6: 742-745.
- 1575.** Noer H, Krogdahl A (1991). Glomangiosarcoma of the lower extremity. *Histopathology* 18: 365-366.
- 1576.** Nojima T, Yamashiro K, Fujita M, Isu K, Ubayama Y, Yamawaki S (1991). A case of osteosarcoma arising in a solitary osteochondroma. *Acta Orthop Scand* 62: 290-292.
- 1577.** Nonomura A, Kurumaya H, Kono N, Nakanuma Y, Ohta G, Terahata S, Matsubara F, Matsuda T, Asaka T, Nishino T (1988). Primary pulmonary artery sarcoma. Report of two autopsy cases studied by immunohistochemistry and electron microscopy, and review of 110 cases reported in the literature. *Acta Pathol Jpn* 38: 883-896.
- 1578.** Nora FE, Unni KK, Pritchard DJ, Dahlin DC (1983). Osteosarcoma of extracraniofacial bones. *Mayo Clin Proc* 58: 268-272.
- 1579.** Norman A, Abdelwahab IF, Buyon J, Matzkin E (1986). Osteoid osteoma of the hip stimulating an early onset of osteoarthritis. *Radiology* 158: 417-420.
- 1580.** Norman A, Dorfman HD (1970). Juxtacortical circumscribed myositis ossificans: evolution and radiographic features. *Radiology* 96: 301-306.
- 1581.** Norman A, Ulin R (1969). A comparative study of periosteal new-bone response in metastatic bone tumors (solitary) and primary sarcomas. *Radiology* 92: 705-708.
- 1582.** North PE, Waner M, Mizeracki A, Mihm MC, Jr. (2000). GLUT1: a newly discovered immunohistochemical marker for juvenile hemangiomas. *Hum Pathol* 31: 11-22.
- 1583.** Norton KI, Wagreich JM, Granowetter L, Martignetti JA (1996). Diaphyseal medullary stenosis (sclerosis) with bone malignancy (malignant fibrous histiocytoma): Hardcastle syndrome. *Pediatr Radiol* 26: 675-677.
- 1584.** Nucci MR, Fletcher CD (2000). Vulvovaginal soft tissue tumours: update and review. *Histopathology* 36: 97-108.
- 1585.** Nucci MR, Granter SR, Fletcher CD (1997). Cellular angiofibroma: a benign neoplasm distinct from angiofibroblastoma and spindle cell lipoma. *Am J Surg Pathol* 21: 636-644.
- 1586.** Nucci MR, Weremowicz S, Neskey DM, Sornberger K, Tallini G, Morton CC, Quade BJ (2001). Chromosomal translocation t(8;12) induces aberrant HMGIC expression in aggressive angiofibroma of the vulva. *Genes Chromosomes Cancer* 32: 172-176.
- 1587.** Nunnery EW, Kahn LB, Guilford WB (1979). Locally aggressive fibrous histiocytoma of bone. A case report. *S Afr Med J* 55: 763-767.
- 1588.** Nuovo MA, Norman A, Chumas J, Ackerman LV (1992). Myositis ossificans with atypical clinical, radiographic, or pathologic findings: a review of 23 cases. *Skeletal Radiol* 21: 87-101.
- 1589.** O'Brien JE, Stout AP (1964). Malignant fibrous xanthomas. *Cancer* 17: 1445.
- 1590.** O'Connell JX, Fanburg JC, Rosenberg AE (1995). Giant cell tumor of tendon sheath and pigmented villonodular synovitis: immunophenotype suggests a synovial cell origin. *Hum Pathol* 26: 771-775.
- 1591.** O'Connell JX, Wehrli BM, Nielsen GP, Rosenberg AE (2000). Giant cell tumors of soft tissue: a clinicopathologic study of 18 benign and malignant tumors. *Am J Surg Pathol* 24: 386-395.
- 1592.** O'Malley DP, Opheim KE, Barry TS, Chapman DB, Emond MJ, Conrad EU, Norwood TH (2001). Chromosomal changes in a dedifferentiated chondrosarcoma: a case report and review of the literature. *Cancer Genet Cytogenet* 124: 105-111.
- 1593.** Ockner DM, Sayadi H, Swanson PE, Ritter JH, Wick MR (1997). Genital angiofibroblastoma. Comparison with aggressive angiofibroma and other myxoid neoplasms of skin and soft tissue. *Am J Clin Pathol* 107: 36-44.
- 1594.** Oda Y, Miyajima K, Kawaguchi K, Tamiya S, Oshiro Y, Hachitanda Y, Oya M, Iwamoto Y, Tsuneyoshi M (2001). Pleomorphic leiomyosarcoma: clinicopathologic and immunohistochemical study with special emphasis on its distinction from ordinary leiomyosarcoma and malignant fibrous histiocytoma. *Am J Surg Pathol* 25: 1030-1038.
- 1595.** Odink AE, van Asperen CJ, Vandembroucke JP, Cleton-Jansen AM, Hogendoorn PC (2001). An association between cartilaginous tumours and breast cancer in the national pathology registration in The Netherlands points towards a possible genetic trait. *J Pathol* 193: 190-192.
- 1596.** Ogunsalu C, Smith NJ, Lewis A (1998). Fibrous dysplasia of the jaw bone: a review of 15 new cases and two cases of recurrence in Jamaica together with a case report. *Aust Dent J* 43: 390-394.
- 1597.** Ohjimi Y, Iwasaki H, Ishiguro M, Isayama T, Kaneko Y (1994). Trisomy 2 found in proliferative myositis cultured cell. *Cancer Genet Cytogenet* 76: 157.
- 1598.** Ohno T, Rao VN, Reddy ES (1993). EWS/Flt-1 chimeric protein is a transcriptional activator. *Cancer Res* 53: 5859-5863.
- 1599.** Okada K, Frassica FJ, Sim FH, Beabout JW, Bond JR, Unni KK (1994). Parosteal osteosarcoma. A clinicopathological study. *J Bone Joint Surg Am* 76: 366-378.
- 1600.** Okada K, Unni KK, Sweeney RG, Sim FH (1999). High grade surface osteosarcoma: a clinicopathologic study of 46 cases. *Cancer* 85: 1044-1054.
- 1601.** Okada K, Wold LE, Beabout JW, Shives TC (1993). Osteosarcoma of the hand. A clinicopathologic study of 12 cases. *Cancer* 72: 719-725.
- 1602.** Okada O, Demitsu T, Manabe M, Yoneda K (1999). A case of multiple subungual glomus tumors associated with neurofibromatosis type 1. *J Dermatol* 26: 535-537.
- 1603.** Okamoto S, Hisaoka M, Ishida T, Imamura T, Kanda H, Shimajiri S, Hashimoto H (2001). Extraskeletal myxoid chondrosarcoma: a clinicopathologic, immunohistochemical, and molecular analysis of 18 cases. *Hum Pathol* 32: 1116-1124.
- 1604.** Okamoto S, Hisaoka M, Meis-Kindblom JM, Kindblom LG, Hashimoto H (2002). Juxta-articular myxoma and intramuscular myxoma are two distinct entities - Activating Gsa mutation at Arg201 codon does not occur in juxta-articular myxoma. *Virchows Arch* 440: 12-15.
- 1605.** Okamoto S, Hisaoka M, Ushijima M, Nakahara S, Toyoshima S, Hashimoto H (2000). Activating Gs(alpha) mutation in intramuscular myxomas with and without fibrous dysplasia of bone. *Virchows Arch* 437: 133-137.
- 1606.** Oldfield MC (1954). The association of familial polyposis of the colon with multiple sebaceous cysts. *Br J Surg* 41: 534-541.
- 1607.** Oliner JD, Kinzler KW, Meltzer PS, George DL, Vogelstein B (1992). Amplification of a gene encoding a p53-associated protein in human sarcomas. *Nature* 358: 80-83.
- 1608.** Oliveira AM, Dei Tos AP, Fletcher CD, Nascimento AG (2000). Primary giant cell tumor of soft tissues: a study of 22 cases. *Am J Surg Pathol* 24: 248-256.
- 1609.** Oliveira AM, Nascimento AG (2001). Pleomorphic liposarcoma. *Semin Diagn Pathol* 18: 274-285.
- 1610.** Oliveira AM, Nascimento AG, Lloyd RV (2001). Leptin and leptin receptor mRNA are widely expressed in tumors of adipocytic differentiation. *Mod Pathol* 14: 549-555.
- 1611.** Oliveira AM, Sebo TJ, McGrory JE, Gaffey TA, Rock MG, Nascimento AG (2000). Extraskeletal myxoid chondrosarcoma: a clinicopathologic, immunohistochemical, and ploidy analysis of 23 cases. *Mod Pathol* 13: 900-908.
- 1612.** Olsen TG, Helwig EB (1985). Angiolymphoid hyperplasia with eosinophilia. A clinicopathologic study of 116 patients. *J Am Acad Dermatol* 12: 781-796.
- 1613.** Onda M, Matsuda S, Higaki S, Iijima T, Fukushima J, Yokokura A, Kojima T, Horiuchi H, Kurokawa T, Yamamoto T (1996). ErbB-2 expression is correlated with poor prognosis for patients with osteosarcoma. *Cancer* 77: 71-78.
- 1614.** Onikul E, Fletcher BD, Parham DM, Chen G (1996). Accuracy of MR imaging for estimating intraosseous extent of osteosarcoma. *AJR Am J Roentgenol* 167: 1211-1215.
- 1615.** Ono K, Oshiro M, Uemura K, Ota H, Matsushita Y, Iijima S, Iwase T, Uchida M, Katsuyama T (1996). Erdheim-Chester disease: a case report with immunohistochemical and biochemical examination. *Hum Pathol* 27: 91-95.
- 1616.** Oosthuizen SF, Barnetson J (1947). Two cases of lipomatosis involving bone. *Br J Radiol* 20: 426.
- 1617.** Ordóñez NG (1999). Alveolar soft part sarcoma: a review and update. *Adv Anat Pathol* 6: 125-139.

- 1618.** Ordóñez NG, Mackay B (1998). Alveolar soft-part sarcoma: a review of the pathology and histogenesis. *Ultrastruct Pathol* 22: 275-292.
- 1619.** Ordóñez NG, Ro JY, Mackay B (1989). Alveolar soft part sarcoma. An ultrastructural and immunocytochemical investigation of its histogenesis. *Cancer* 63: 1721-1736.
- 1620.** Osgood PJ, Damron TA, Rooney MT, Goldschmidt AM, Sullivan TJ (1998). Benign fetal rhabdomyoma of the upper extremity. A case report. *Clin Orthop* 200-204.
- 1621.** Oshiro Y, Fukuda T, Tsuneyoshi M (1994). Fibrosarcoma versus fibromatoses and cellular nodular fasciitis. A comparative study of their proliferative activity using proliferating cell nuclear antigen, DNA flow cytometry, and p53. *Am J Surg Pathol* 18: 712-719.
- 1622.** Oshiro Y, Shiratsuchi H, Tamiya S, Oda Y, Toyoshima S, Tsuneyoshi M (2000). Extraskeletal myxoid chondrosarcoma with rhabdoid features, with special reference to its aggressive behavior. *Int J Surg Pathol* 8: 145-152.
- 1623.** Ostrowski ML, Inwards CY, Strickler JG, Witzig TE, Wenger DE, Unni KK (1999). Osseous Hodgkin disease. *Cancer* 85: 1166-1178.
- 1624.** Ostrowski ML, Johnson ME, Truong LD, Hicks MJ, Smith FE, Spjut HJ (1999). Malignant chondroblastoma presenting as a recurrent pelvic tumor with DNA aneuploidy and p53 mutation as supportive evidence of malignancy. *Skeletal Radiol* 28: 644-650.
- 1625.** Ostrowski ML, McEnery KW (2002). Cartilaginous lesions of the skeleton. *Am J Clin Pathol* (in press).
- 1626.** Ostrowski ML, Unni KK, Banks PM, Shives TC, Evans RG, O'Connell MJ, Taylor WF (1986). Malignant lymphoma of bone. *Cancer* 58: 2646-2655.
- 1627.** Otano-Joos M, Mechttersheimer G, Ohl S, Wilgenbus KK, Scheurlen W, Lehnert T, Willeke F, Otto HF, Lichter P, Joos S (2000). Detection of chromosomal imbalances in leiomyosarcoma by comparative genomic hybridization and interphase cytogenetics. *Cytogenet Cell Genet* 90: 86-92.
- 1628.** Otero LJ, Aragon dIC (1977). [Radiotherapy of osseous angiomas. Critical study on its indication]. *Rev Clin Esp* 144: 367-373.
- 1629.** Outwater EK, Marchetto BE, Wagner BJ, Siegelman ES (1999). Aggressive angiomyxoma: findings on CT and MR imaging. *AJR Am J Roentgenol* 172: 435-438.
- 1630.** Ozaki T, Inoue H, Sugihara S, Sumii H (1992). Radiological long-term follow-up of grafted xenogeneic bone in patients with bone tumors. *Acta Med Okayama* 46: 87-92.
- 1631.** Ozisik YY, Meloni AM, Peier A, Altungoz O, Spanier SS, Zalupski MM, Leong SP, Sandberg AA (1994). Cytogenetic findings in 19 malignant bone tumors. *Cancer* 74: 2268-2275.
- 1632.** Ozzello L, Stout AP, Murray MR (1963). Cultural characteristic of malignant histiocytomas and fibrous xanthomas. *Cancer* 16: 331.
- 1633.** Örndal C, Carlen B, Åkerman M, Willén H, Mandahl N, Heim S, Rydholm A, Mitelman F (1991). Chromosomal abnormality t(9;22)(q22;q12) in an extraskeletal myxoid chondrosarcoma characterized by fine needle aspiration cytology, electron microscopy, immunohistochemistry and DNA flow cytometry. *Cytopathology* 2: 261-270.
- 1634.** Örndal C, Mandahl N, Rydholm A, Willén H, Brosjö O, Mitelman F (1993). Chromosome aberrations and cytogenetic intratumor heterogeneity in chondrosarcomas. *J Cancer Res Clin Oncol* 120: 51-56.
- 1635.** Örndal C, Rydholm A, Willén H, Mitelman F, Mandahl N (1994). Cytogenetic intratumor heterogeneity in soft tissue tumors. *Cancer Genet Cytogenet* 78: 127-137.
- 1636.** Paal E, Miettinen M (2001). Retroperitoneal leiomyomas: a clinicopathologic and immunohistochemical study of 56 cases with a comparison to retroperitoneal leiomyosarcomas. *Am J Surg Pathol* 25: 1355-1363.
- 1637.** Pack SD, Kirschner LS, Pak E, Zhuang Z, Carney JA, Stratakis CA (2000). Genetic and histologic studies of somatomatotrophic pituitary tumors in patients with the "complex of spotty skin pigmentation, myxomas, endocrine overactivity and schwannomas" (Carney complex). *J Clin Endocrinol Metab* 85: 3860-3865.
- 1638.** Paller AS, Gonzalez-Crussi F, Sherman JO (1989). Fibrous hamartoma of infancy. Eight additional cases and a review of the literature. *Arch Dermatol* 125: 88-91.
- 1639.** Palmieri AJ, Kovarik JL (1962). Nonsteogenic fibroma of the rib. *Am Surg* 28: 794-798.
- 1640.** Palmirotta R, Curia MC, Esposito DL, Valanzano R, Messerini L, Ficari F, Brandi ML, Tonelli F, Mariani-Costantini R, Battista P, Cama A (1995). Novel mutations and inactivation of both alleles of the APC gene in desmoid tumors. *Hum Mol Genet* 4: 1979-1981.
- 1641.** Panagopoulos I, Höglund M, Mertens F, Mandahl N, Mitelman F, Aman P (1996). Fusion of the EWS and CHOP genes in myxoid liposarcoma. *Oncogene* 12: 489-494.
- 1642.** Panagopoulos I, Mandahl N, Ron D, Höglund M, Nilbert M, Mertens F, Mitelman F, Aman P (1994). Characterization of the CHOP breakpoints and fusion transcripts in myxoid liposarcomas with the 12;16 translocation. *Cancer Res* 54: 6500-6503.
- 1643.** Panagopoulos I, Mencinger M, Dietrich CU, Bjerkehagen B, Saeter G, Mertens F, Mandahl N, Heim S (1999). Fusion of the RBP56 and CHN genes in extraskeletal myxoid chondrosarcomas with translocation t(9;17)(q22;q11). *Oncogene* 18: 7594-7598.
- 1644.** Panagopoulos I, Mertens F, Domanski HA, Isaksson M, Brosjö O, Gustafson P, Mandahl N (2001). No EWS/FLI1 fusion transcripts in giant-cell tumors of bone. *Int J Cancer* 93: 769-772.
- 1645.** Panoutsakopoulos G, Pandis N, Kyriazoglou I, Gustafson P, Mertens F, Mandahl N (1999). Recurrent t(16;17)(q22;p13) in aneurysmal bone cysts. *Genes Chromosomes Cancer* 26: 265-266.
- 1646.** Papadimitriou JC, Drachenberg CB (1994). Ultrastructural features of the matrix of small cell osteosarcoma. *Hum Pathol* 25: 430-431.
- 1647.** Papagelopoulos PJ, Galanis E, Frassica FJ, Sim FH, Larson DR, Wold LE (2000). Primary fibrosarcoma of bone. Outcome after primary surgical treatment. *Clin Orthop* 88-103.
- 1648.** Papagelopoulos PJ, Galanis EC, Sim FH, Unni KK (2000). Clinicopathologic features, diagnosis, and treatment of malignant fibrous histiocytoma of bone. *Orthopedics* 23: 59-65.
- 1649.** Papkoff J, Rubinfeld B, Schryver B, Polakis P (1996). Wnt-1 regulates free pools of catenins and stabilizes APC-catenin complexes. *Mol Cell Biol* 16: 2128-2134.
- 1650.** Pardo-Mindan FJ, Ayala H, Joly M, Gimeno E, Vazquez JJ (1981). Primary liposarcoma of bone: light and electron microscopic study. *Cancer* 48: 274-280.
- 1651.** Parente F, Grosgeorge J, Coindre JM, Terrier P, Vilain O, Turc-Carel C (1999). Comparative genomic hybridization reveals novel chromosome deletions in 90 primary soft tissue tumors. *Cancer Genet Cytogenet* 115: 89-95.
- 1652.** Parham DM, Reynolds AB, Webber BL (1995). Use of monoclonal antibody 1H1, anticortactin, to distinguish normal and neoplastic smooth muscle cells: comparison with anti-alpha-smooth muscle actin and antimuscle-specific actin. *Hum Pathol* 26: 776-783.
- 1653.** Parham DM, Webber B, Holt H, Williams WK, Maurer H (1991). Immunohistochemical study of childhood rhabdomyosarcomas and related neoplasms. Results of an Intergroup Rhabdomyosarcoma study project. *Cancer* 67: 3072-3080.
- 1654.** Park CH, Kim KI, Lim YT, Chung SW, Lee CH (2000). Ruptured giant intrathoracic lipoblastoma in a 4-month-old infant: CT and MR findings. *Pediatr Radiol* 30: 38-40.
- 1655.** Park IC, Lee SY, Jeon DG, Lee JS, Hwang SI, Hwang BG, Lee SH, Hong WS, Hong SI (1996). Enhanced expression of cathepsin L in metastatic bone tumors. *J Korean Med Sci* 11: 144-148.
- 1656.** Park KJ, Shin KH, Ku JL, Cho TJ, Lee SH, Choi IH, Phillippe C, Monaco AP, Porter DE, Park JG (1999). Germline mutations in the EXT1 and EXT2 genes in Korean patients with hereditary multiple exostoses. *J Hum Genet* 44: 230-234.
- 1657.** Park YK, Cho CH, Chi SG, Han CS, Ushigome S, Unni KK (2001). Low incidence of genetic alterations of the p16CDKN2a in clear cell chondrosarcoma. *Int J Oncol* 19: 749-753.
- 1658.** Park YK, Joo M (2001). Multicentric telangiectatic osteosarcoma. *Pathol Int* 51: 200-203.
- 1659.** Park YK, Park HR, Chi SG, Kim CJ, Sohn KR, Koh JS, Kim CW, Yang WI, Ro JY, Ahn KW, Joo M, Kim YW, Lee J, Yang MH, Unni KK (2000). Overexpression of p53 and rare genetic mutation in mesenchymal chondrosarcoma. *Oncol Rep* 7: 1041-1047.
- 1660.** Park YK, Unni KK, Beabout JW, Hodgson SF (1994). Oncogenic osteomalacia: a clinicopathologic study of 17 bone lesions. *J Korean Med Sci* 9: 289-298.
- 1661.** Park YK, Unni KK, Kim YW, Han CS, Yang MH, Wenger DE, Sim FH, Lucas DR, Ryan JR, Nadim YA, Nojima T, Fletcher CD (1999). Primary alveolar soft part sarcoma of bone. *Histopathology* 35: 411-417.
- 1662.** Parker JB, Marcus PB, Martin JH (1980). Spinal melanotic clear-cell sarcoma: a light and electron microscopic study. *Cancer* 46: 718-724.
- 1663.** Parker SL, Tong T, Bolden S, Wingo PA (1996). Cancer statistics, 1996. *CA Cancer J Clin* 46: 5-27.
- 1664.** Parkin DM, Stiller CA, Draper GJ, Bieber CA (1988). The international incidence of childhood cancer. *Int J Cancer* 42: 511-520.
- 1665.** Parkin DM, Whelan SL, Ferlay J, Raymond L, Young J (1997). *Cancer Incidence in Five Continents*. IARC Press: Lyon.
- 1666.** Paschall HA, Paschall MM (1975). Electron microscopic observations of 20 human osteosarcomas. *Clin Orthop* 42-56.
- 1667.** Paterson DC (1970). Myositis ossificans circumscripta. Report of four cases without history of injury. *J Bone Joint Surg Br* 52: 296-301.
- 1668.** Patterson H, Gill S, Fisher C, Law MG, Jayatilake H, Fletcher CD, Thomas M, Grimer R, Gusterson BA, Cooper CS (1994). Abnormalities of the p53 MDM2 and DCC genes in human leiomyosarcomas. *Br J Cancer* 69: 1052-1058.
- 1669.** Pauwels P, Dal Cin P, Roumen R, van den Berghe H, Sciort R (1999). Intramuscular mixed tumour with clonal chromosomal changes. *Virchows Arch* 434: 167-171.
- 1670.** Pauwels P, Sciort R, Croiset F, Rutten H, van den Berghe H, Dal Cin P (2000). Myofibroblastoma of the breast: genetic link with spindle cell lipoma. *J Pathol* 191: 282-285.
- 1671.** Pavelic K, Spaventi S, Gluncic V, Matejic A, Pavicic D, Karapandza N, Kusic Z, Lukac J, Dohoczky C, Cabrijan T, Pavelic J (1999). The expression and role of insulin-like growth factor II in malignant hemangiopericytomas. *J Mol Med* 77: 865-869.

- 1672.** Payne C, Dardick I, Mackay B (1994). Extraskeletal myxoid chondrosarcoma with intracisternal microtubules. *Ultrastruct Pathol* 18: 257-261.
- 1673.** Pea M, Bonetti F, Martignoni G, Henske EP, Manfrin E, Colato C, Bernstein J (1998). Apparent renal cell carcinomas in tuberosus sclerosis are heterogeneous: the identification of malignant epithelioid angiomylipoma. *Am J Surg Pathol* 22: 180-187.
- 1674.** Pea M, Bonetti F, Zamboni G, Martignoni G, Riva M, Colombari R, Mombello A, Bonzanini M, Scarpa A, Ghimenton C. (1991). Melanocyte-marker HMB-45 is regularly expressed in angiomylipoma of the kidney. *Pathology* 23: 185-188.
- 1675.** Pea M, Martignoni G, Bonetti F, Zamboni G, Colombari C, Manfrin E, et al. (1977). Tumors characterized by the presence of HMB45-positive perivascular epithelioid cell (PEC)-A novel entity in surgical pathology. *Electron J Pathol Histol* 3: 28-40.
- 1676.** Pea M, Martignoni G, Zamboni G, Bonetti F (1996). Perivascular epithelioid cell. *Am J Surg Pathol* 20: 1149-1153.
- 1677.** Peabody TD, Gibbs CP, Jr., Simon MA (1998). Evaluation and staging of musculoskeletal neoplasms. *J Bone Joint Surg Am* 80: 1204-1218.
- 1678.** Pedeutour F, Forus A, Coindre JM, Berner JM, Nicolo G, Michiels JF, Terrier P, Ranchere-Vince D, Collin F, Myklebost O, Turc-Carel C (1999). Structure of the supernumerary ring and giant rod chromosomes in adipose tissue tumors. *Genes Chromosomes Cancer* 24: 30-41.
- 1679.** Pedeutour F, Quade BJ, Sornberger K, Tallini G, Ligon AH, Weremowicz S, Morton CC (2000). Dysregulation of HMGIC in a uterine lipoleiomyoma with a complex rearrangement including chromosomes 7, 12, and 14. *Genes Chromosomes Cancer* 27: 209-215.
- 1680.** Pedeutour F, Suijkerbuijk RF, Forus A, Van Gaal J, van de Klundert W, Coindre JM, Nicolo G, Collin F, Van Haelst U, Huffermann K, Turc-Carel C (1994). Complex composition and co-amplification of SAS and MDM2 in ring and giant rod marker chromosomes in well-differentiated liposarcoma. *Genes Chromosomes Cancer* 10: 85-94.
- 1681.** Peh WC, Shek TW, Davies AM, Wong JW, Chien EP (1999). Osteochondroma and secondary synovial osteochondromatosis. *Skeletal Radiol* 28: 169-174.
- 1682.** Pellat-Deceunynck C, Barille S, Jegou G, Puthier D, Robillard N, Pineau D, Rapp MJ, Harousseau JL, Amiot M, Bataille R (1998). The absence of CD56 (NCAM) on malignant plasma cells is a hallmark of plasma cell leukemia and of a special subset of multiple myeloma. *Leukemia* 12: 1977-1982.
- 1683.** Penman HG, Ring PA (1984). Osteosarcoma in association with total hip replacement. *J Bone Joint Surg Br* 66: 632-634.
- 1684.** Penn I (1979). Kaposi's sarcoma in organ transplant recipients: report of 20 cases. *Transplantation* 27: 8-11.
- 1685.** Penna C, Tiret E, Parc R, Sfairi A, Kartheuser A, Hannoun L, Nordlinger B (1993). Operation and abdominal desmoid tumors in familial adenomatous polyposis. *Surg Gynecol Obstet* 177: 263-268.
- 1686.** Perez-Atayde AR, Newbury R, Fletcher JA, Barnhill R, Gellis S (1994). Congenital "neurovascular hamartoma" of the skin. A possible marker of malignant rhabdoid tumor. *Am J Surg Pathol* 18: 1030-1038.
- 1687.** Perez-Losada J, Pintado B, Gutierrez-Adan A, Flores T, Banares-Gonzalez B, del Campo JC, Martin-Martin JF, Battaner E, Sanchez-Garcia I (2000). The chimeric FUS/TLS-CHOP fusion protein specifically induces liposarcomas in transgenic mice. *Oncogene* 19: 2413-2422.
- 1688.** Perkins P, Weiss SW (1996). Spindle cell hemangi endothelioma. An analysis of 78 cases with reassessment of its pathogenesis and biologic behavior. *Am J Surg Pathol* 20: 1196-1204.
- 1689.** Perlman EJ, Ali SZ, Robinson R, Lindato R, Griffin CA (1998). Infantile extrarenal rhabdoid tumor. *Pediatr Dev Pathol* 1: 149-152.
- 1690.** Pernicario C (1995). Gardner's syndrome. *Dermatol Clin* 13: 51-56.
- 1691.** Perosis PM, Weiss SW (1993). Ischemic fasciitis: a juxta-skeletal fibroblastic proliferation with a predilection for elderly patients. *Mod Pathol* 6: 69-72.
- 1692.** Perrone T, Swanson PE, Twigg L, Ulbright TM, Dehner LP (1989). Malignant rhabdoid tumor of the vulva: is distinction from epithelioid sarcoma possible? A pathologic and immunohistochemical study. *Am J Surg Pathol* 13: 848-858.
- 1693.** Peter M, Couturier J, Pacquement H, Michon J, Thomas G, Magdelenat H, Delattre O (1997). A new member of the ETS family fused to EWS in Ewing tumors. *Oncogene* 14: 1159-1164.
- 1694.** Peter M, Gilbert E, Delattre O (2001). A multiplex real-time PCR assay for the detection of gene fusions observed in solid tumors. *Lab Invest* 81: 905-912.
- 1695.** Peterson HA (1989). Multiple hereditary osteochondromata. *Clin Orthop* 222-230.
- 1696.** Petit MM, Mols R, Schoenmakers EF, Mandahl N, Van de Ven WJ (1996). LPP, the preferred fusion partner gene of HMGIC in lipomas, is a novel member of the LIM protein gene family. *Genomics* 36: 118-129.
- 1697.** Petit MM, Schoenmakers EF, Huysmans C, Geurts JM, Mandahl N, Van de Ven WJ (1999). LHFP, a novel translocation partner gene of HMGIC in a lipoma, is a member of a new family of LHFP-like genes. *Genomics* 57: 438-441.
- 1698.** Petit MM, Swarts S, Bridge JA, Van de Ven WJ (1998). Expression of reciprocal fusion transcripts of the HMGIC and LPP genes in parosteal lipoma. *Cancer Genet Cytogenet* 106: 18-23.
- 1699.** Petrik PK, Findlay JM, Sherlock RA (1993). Aneurysmal cyst, bone type, primary in an artery. *Am J Surg Pathol* 17: 1062-1066.
- 1700.** Pettinato G, Manivel JC, De Rosa G, Petrella G, Jaszcz W (1990). Angiomatoid malignant fibrous histiocytoma: cytologic, immunohistochemical, ultrastructural, and flow cytometric study of 20 cases. *Mod Pathol* 3: 479-487.
- 1701.** Pettinato G, Manivel JC, De Rosa N, Dehner LP (1990). Inflammatory myofibroblastic tumor (plasma cell granuloma). Clinicopathologic study of 20 cases with immunohistochemical and ultrastructural observations. *Am J Clin Pathol* 94: 538-546.
- 1702.** Pettinato G, Manivel JC, Gould EW, Albores-Saavedra J (1994). Inclusion body fibromatosis of the breast. Two cases with immunohistochemical and ultrastructural findings. *Am J Clin Pathol* 101: 714-718.
- 1703.** Pettit CK, Zukerberg LR, Gray MH, Ferry JA, Rosenberg AE, Harmon DC, Harris NL (1990). Primary lymphoma of bone. A B-cell neoplasm with a high frequency of multilobated cells. *Am J Surg Pathol* 14: 329-334.
- 1704.** Picci P, Bacci G, Campanacci M, Gasparini M, Pilotti S, Cerasoli S, Bertoni F, Guerra A, Capanna R, Albinetti U, . (1985). Histologic evaluation of necrosis in osteosarcoma induced by chemotherapy. Regional mapping of viable and nonviable tumor. *Cancer* 56: 1515-1521.
- 1705.** Pierce ER (1970). Gardner's syndrome: formal genetics and statistical analysis of a large canadian kindred. *Clin Genet* 1: 65-80.
- 1706.** Pilotti S, Della Torre G, Lavarino C, Di Palma S, Sozzi G, Minoletti F, Rao S, Pasquini G, Azzarelli A, Rilke F, Pierotti MA (1997). Distinct mdm2/p53 expression patterns in liposarcoma subgroups: implications for different pathogenetic mechanisms. *J Pathol* 181: 14-24.
- 1707.** Pinkard NB, Wilson RW, Lawless N, Dodd LG, McAdams HP, Koss MN, Travis WD (1996). Calcifying fibrous pseudotumor of pleura. A report of three cases of a newly described entity involving the pleura. *Am J Clin Pathol* 105: 189-194.
- 1708.** Pinto A, Dold OR, Mueller D, Gilbert-Barness E (1993). Pathological cases of the month. Infantile fibrosarcoma. *Am J Dis Child* 147: 691-692.
- 1709.** Pinto A, Tallini G, Novak RW, Bowen T, Parham DM (1997). Undifferentiated rhabdomyosarcoma with lymphoid phenotype expression. *Med Pediatr Oncol* 28: 165-170.
- 1710.** Pisciotto PT, Gray GF, Jr., Miller DR (1978). Abdominal plasma cell pseudotumor. *J Pediatr* 93: 628-630.
- 1711.** Pisters PW, Leung DH, Woodruff J, Shi W, Brennan MF (1996). Analysis of prognostic factors in 1,041 patients with localized soft tissue sarcomas of the extremities. *J Clin Oncol* 14: 1679-1689.
- 1712.** Pollock M, Nicholson GI, Nukada H, Cameron S, Frankish P (1988). Neuropathy in multiple symmetric lipomatosis. Madelung's disease. *Brain* 111 ( Pt 5): 1157-1171.
- 1713.** Pollono DG, Tomarchio S, Drut R, Zaritzky M, Otero L, Vazquez AJ, Ripoll MC (1999). Retroperitoneal and deep-seated lipoblastoma: diagnosis by CT scan and fine-needle aspiration biopsy. *Diagn Cytopathol* 20: 295-297.
- 1714.** Pomplun S, Goldstraw P, Davies SE, Burke MM, Nicholson AG (2000). Calcifying fibrous pseudotumor arising within an inflammatory pseudotumor: evidence of progression from one lesion to the other? *Histopathology* 37: 380-382.
- 1715.** Popescu NC, Zimonjic DB, Leventon-Kriss S, Bryant JL, Lunardi-Iskandar Y, Gallo RC (1996). Deletion and translocation involving chromosome 3 (p14) in two tumorigenic Kaposi's sarcoma cell lines. *J Natl Cancer Inst* 88: 450-455.
- 1716.** Popper H, Thomas LB, Telles NC, Falk H, Selikoff IJ (1978). Development of hepatic angiosarcoma in man induced by vinyl chloride, thorotrast, and arsenic. Comparison with cases of unknown etiology. *Am J Pathol* 92: 349-369.
- 1717.** Porter DE, Emerton ME, Villanueva-Lopez F, Simpson AH (2000). Clinical and radiographic analysis of osteochondromas and growth disturbance in hereditary multiple exostoses. *J Pediatr Orthop* 20: 246-250.
- 1718.** Porter DE, Simpson AH (1999). The neoplastic pathogenesis of solitary and multiple osteochondromas. *J Pathol* 188: 119-125.
- 1719.** Portera CA, Jr., Ho V, Patel SR, Hunt KK, Feig BW, Respondek PM, Yasko AW, Benjamin RS, Pollock RE, Pisters PW (2001). Alveolar soft part sarcoma: clinical course and patterns of metastasis in 70 patients treated at a single institution. *Cancer* 91: 585-591.
- 1720.** Posey Y, Valdivia E, Persons DL, Ally S, Smith DL, Pantazis CG, Smith SD (1998). Lipoblastoma presenting as a mesenteric mass in an infant. *J Pediatr Hematol Oncol* 20: 580-582.
- 1720a.** Potepan P, Luksch R, Sozzi G, Testi A, Laffranchi A, Danesini GM, Parafioriti A, Giardini R, Spagnoli I (1999). Multifocal osteosarcoma as second tumor after childhood retinoblastoma. *Skeletal Radiol* 28: 415-421.
- 1721.** Potocki L, Shaffer LG (1996). Interstitial deletion of 11(p11.2p12): a newly described contiguous gene deletion syndrome involving the gene for hereditary multiple exostoses (EXT2). *Am J Med Genet* 62: 319-325.
- 1722.** Povysil C, Matejovsky Z (1979). Ultrastructural evidence of myofibroblasts in pseudomalignant myositis ossificans. *Virchows Arch A Pathol Anat Histol* 381: 189-203.
- 1723.** Prat J, Woodruff JM, Marcove RC (1978). Epithelioid sarcoma: an analysis of 22 cases indicating the prognostic significance of vascular invasion and regional lymph node metastasis. *Cancer* 41: 1472-1487.



- 1723a.** Pratt CB, Michalkiewicz EN, Rao BN, Lipson M, Cain A, Kaste S (1999). Multifocal osteosarcoma following retinoblastoma. *Ophthalmic Genet* 20: 23-29.
- 1724.** Present D, Bacchini P, Pignatti G, Picci P, Bertoni F, Campanacci M (1991). Clear cell chondrosarcoma of bone. A report of 8 cases. *Skeletal Radiol* 20: 187-191.
- 1725.** Present D, Bertoni F, Enneking WF (1986). Osteosarcoma of the mandible arising in fibrous dysplasia. A case report. *Clin Orthop* 238-244.
- 1726.** Price AJ, Compson JP, Calonje E (1995). Fibrolipomatous hamartoma of nerve arising in the brachial plexus. *J Hand Surg [Br]* 20: 16-18.
- 1727.** Price EB, Silliphant WM, Shuman R (1961). Nodular fasciitis: a clinicopathologic analysis of 65 cases. *Am J Clin Pathol* 35: 122-136.
- 1728.** Prince PR, Emond MJ, Monnat RJ, Jr. (2001). Loss of Werner syndrome protein function promotes aberrant mitotic recombination. *Genes Dev* 15: 933-938.
- 1729.** Pritchard-Jones K, Fleming S (1991). Cell types expressing the Wilms' tumour gene (WT1) in Wilms' tumours: implications for tumour histogenesis. *Oncogene* 6: 2211-2220.
- 1730.** Pritchard DJ, Sim FH, Ivins JC, Soule EH, Dahlin DC (1977). Fibrosarcoma of bone and soft tissues of the trunk and extremities. *Orthop Clin North Am* 8: 869-881.
- 1731.** Pritchard DJ, Soule EH, Taylor WF, Ivins JC (1974). Fibrosarcoma – a clinicopathologic and statistical study of 199 tumors of the soft tissues of the extremities and trunk. *Cancer* 33: 888-897.
- 1732.** Propeck T, Bullard MA, Lin J, Doi K, Martel W (2000). Radiologic-pathologic correlation of intraosseous lipomas. *AJR Am J Roentgenol* 175: 673-678.
- 1733.** Proust F, Laquerriere A, Constantin B, Ruchoux MM, Vannier JP, Freger P (1999). Simultaneous presentation of atypical teratoid/rhabdoid tumor in siblings. *J Neurooncol* 43: 63-70.
- 1734.** Przygodzki RM, Finkelstein SD, Keohavong P, Zhu D, Bakker A, Swalsky PA, Soini Y, Ishak KG, Bennett WP (1997). Sporadic and Thorotrast-induced angiosarcomas of the liver manifest frequent and multiple point mutations in K-ras-2. *Lab Invest* 76: 153-159.
- 1735.** Pujol LA, Erickson RP, Heidenreich RA, Cuniff C (2000). Variable presentation of Rothmund-Thomson syndrome. *Am J Med Genet* 95: 204-207.
- 1736.** Pulitzer DR, Martin PC, Reed RJ (1989). Fibroma of tendon sheath. A clinicopathologic study of 32 cases. *Am J Surg Pathol* 13: 472-479.
- 1737.** Pulitzer DR, Martin PC, Reed RJ (1995). Epithelioid glomus tumor. *Hum Pathol* 26: 1022-1027.
- 1738.** Purdy LJ, Colby TV (1984). Infantile digital fibromatosis occurring outside the digit. *Am J Surg Pathol* 8: 787-790.
- 1739.** Qureshi AA, Shott S, Mallin BA, Gitelis S (2000). Current trends in the management of adamantinoma of long bones. An international study. *J Bone Joint Surg Am* 82-A: 1122-1131.
- 1740.** Rab GT, Ivins JC, Childs DS, Jr., Cupps RE, Pritchard DJ (1976). Elective whole lung irradiation in the treatment of osteogenic sarcoma. *Cancer* 38: 939-942.
- 1741.** Rabbitts TH, Forster A, Larson R, Nathan P (1993). Fusion of the dominant negative transcription regulator CHOP with a novel gene FUS by translocation (t(12;16) in malignant liposarcoma. *Nat Genet* 4: 175-180.
- 1742.** Radig K, Buhtz P, Roessner A (1998). Alveolar soft part sarcoma of the uterine corpus. Report of two cases and review of the literature. *Pathol Res Pract* 194: 59-63.
- 1743.** Radig K, Schneider-Stock R, Mittler U, Neumann HW, Roessner A (1998). Genetic instability in osteoblastic tumors of the skeletal system. *Pathol Res Pract* 194: 669-677.
- 1744.** Radin R, Ma Y (2001). Malignant epithelioid renal angiomyolipoma in a patient with tuberous sclerosis. *J Comput Assist Tomogr* 25: 873-875.
- 1745.** Rafal RB, Nichols JN, Markisz JA (1995). Pulmonary artery sarcoma: diagnosis and postoperative follow-up with gadolinium-diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging. *Mayo Clin Proc* 70: 173-176.
- 1746.** Ragab AH, Heyn R, Tefft M, Hays DN, Newton WA, Jr., Beltangady M (1986). Infants younger than 1 year of age with rhabdomyosarcoma. *Cancer* 58: 2606-2610.
- 1747.** Ragazzini P, Gamberi G, Benassi MS, Orlando C, Sestini R, Ferrari C, Molendini L, Sollazzo MR, Merli M, Magagnoli G, Bertoni F, Böhlting T, Pazzagli M, Picci P (1999). Analysis of SAS gene and CDK4 and MDM2 proteins in low-grade osteosarcoma. *Cancer Detect Prev* 23: 129-136.
- 1748.** Rahimi A, Beabout JW, Ivins JC, Dahlin DC (1972). Chondromyxoid fibroma: a clinicopathologic study of 76 cases. *Cancer* 30: 726-736.
- 1749.** Rajani B, Smith TA, Reith JD, Goldblum JR (1999). Retroperitoneal leiomyosarcomas unassociated with the gastrointestinal tract: a clinicopathologic analysis of 17 cases. *Mod Pathol* 12: 21-28.
- 1750.** Ramachandra S, Hollowood K, Bisceglia M, Fletcher CD (1995). Inflammatory pseudotumour of soft tissues: a clinicopathological and immunohistochemical analysis of 18 cases. *Histopathology* 27: 313-323.
- 1751.** Ramani P, Cowell JK (1996). The expression pattern of Wilms' tumour gene (WT1) product in normal tissues and paediatric renal tumours. *J Pathol* 179: 162-168.
- 1752.** Ramos A, Castello J, Sartoris DJ, Greenway GD, Resnick D, Haghghi P (1985). Osseous lipoma: CT appearance. *Radiology* 157: 615-619.
- 1753.** Ramos CV, Gillespie W, Narconis RJ (1978). Elastofibroma. A pseudotumor of myofibroblasts. *Arch Pathol Lab Med* 102: 538-540.
- 1754.** Ranchod M, Kempson RL (1977). Smooth muscle tumors of the gastrointestinal tract and retroperitoneum: a pathologic analysis of 100 cases. *Cancer* 39: 255-262.
- 1755.** Raney RB, Anderson JR, Barr FG, Donaldson SS, Pappo AS, Qualman SJ, Wiener ES, Maurer HM, Crist WM (2001). Rhabdomyosarcoma and Undifferentiated Sarcoma in the First Two Decades of Life: A Selective Review of Intergroup Rhabdomyosarcoma Study Group Experience and Rationale for Intergroup Rhabdomyosarcoma Study V. *Am J Pediatr Hematol Oncol* 23: 215-220.
- 1756.** Raney RB, Jr., Tefft M, Maurer HM, Ragab AH, Hays DM, Soule EH, Foulkes MA, Gehan EA (1988). Disease patterns and survival rate in children with metastatic soft-tissue sarcoma. A report from the Intergroup Rhabdomyosarcoma Study (IRS)-I. *Cancer* 62: 1257-1266.
- 1757.** Rao AS, Vigorita VJ (1984). Pigmented villonodular synovitis (giant-cell tumor of the tendon sheath and synovial membrane). A review of eighty-one cases. *J Bone Joint Surg Am* 66: 76-94.
- 1758.** Rao VK, Weiss SW (1992). Angiomatosis of soft tissue. An analysis of the histologic features and clinical outcome in 51 cases. *Am J Surg Pathol* 16: 764-771.
- 1759.** Rappaport ZH (1989). Aneurysmal bone cyst associated with fibrous dysplasia of the skull. *Neurochirurgia (Stuttg)* 32: 192-194.
- 1760.** Raskind WH, Conrad EU, Chansky H, Matsushita M (1995). Loss of heterozygosity in chondrosarcomas for markers linked to hereditary multiple exostoses loci on chromosomes 8 and 11. *Am J Hum Genet* 56: 1132-1139.
- 1761.** Raskind WH, Conrad EU, III, Matsushita M, Wijsman EM, Wells DE, Chapman N, Sandell LJ, Wagner M, Houck J (1998). Evaluation of locus heterogeneity and EXT1 mutations in 34 families with hereditary multiple exostoses. *Hum Mutat* 11: 231-239.
- 1762.** Rasmussen IS, Kirkegaard J, Kaasbol M (1997). Intermittent airway obstruction in a child caused by a cervical lipoblastoma. *Acta Anaesthesiol Scand* 41: 945-946.
- 1763.** Raymond AK, Ayala AG (1988). Specimen management after osteosarcoma chemotherapy. *Contemp Issues Surg Pathol* 11: 157-183.
- 1764.** Raymond AK, Chawla SP, Carrasco CH, Ayala AG, Fanning CV, Grice B, Armen T, Plager C, Papadopoulos NE, Edeiken J, (1987). Osteosarcoma chemotherapy effect: a prognostic factor. *Semin Diagn Pathol* 4: 212-236.
- 1765.** Raymond AK, Murphy GF, Rosenthal DI (1987). Case report 425: Chondroblastic osteosarcoma: clear-cell variant of femur. *Skeletal Radiol* 16: 336-341.
- 1766.** Reddick RL, Michelitch HJ, Levine AM, Triche TJ (1980). Osteogenic sarcoma: a study of the ultrastructure. *Cancer* 45: 64-71.
- 1767.** Redlich GC, Montgomery KD, Allgood GA, Joste NE (1999). Plexiform fibrohistiocytic tumor with a clonal cytogenetic anomaly. *Cancer Genet Cytogenet* 108: 141-143.
- 1768.** Redmond OM, Stack JP, Dervan PA, Hurson BJ, Carney DN, Ennis JT (1989). Osteosarcoma: use of MR imaging and MR spectroscopy in clinical decision making. *Radiology* 172: 811-815.
- 1769.** Reed RJ, Terazakis N (1972). Subcutaneous angioblastic lymphoid hyperplasia with eosinophilia (Kimura's disease). *Cancer* 29: 489-497.
- 1770.** Reeves BR, Fisher C, Smith S, Courtenay VD, Robertson D (1987). Ultrastructural, immunocytochemical, and cytogenetic characterization of a human epithelioid sarcoma cell line (RM-HS1). *J Natl Cancer Inst* 78: 7-18.
- 1771.** Rehring TF, Deutchman A, Cross JS (1999). Polymorphous hemangioendothelioma. *Ann Thorac Surg* 68: 1396-1397.
- 1772.** Reid AH, Tsai MM, Venzon DJ, Wright CF, Lack EE, O'Leary TJ (1996). MDM2 amplification, P53 mutation, and accumulation of the P53 gene product in malignant fibrous histiocytoma. *Diagn Mol Pathol* 5: 65-73.
- 1773.** Reid R, Barrett A, Hamblen DL (1996). Sclerosing epithelioid fibrosarcoma. *Histopathology* 28: 451-455.
- 1774.** Reilly KE, Stern PJ, Dale JA (1999). Recurrent giant cell tumors of the tendon sheath. *J Hand Surg [Am]* 24: 1298-1302.
- 1775.** Reiman HM, Dahlin DC (1986). Cartilage- and bone-forming tumors of the soft tissues. *Semin Diagn Pathol* 3: 288-305.
- 1776.** Reis-Filho JS, Paiva ME, Lopes JM (2002). Congenital composite hemangioendothelioma: case report and reappraisal of the hemangioendothelioma spectrum. *J Cutan Pathol* 29: 226-231.
- 1777.** Reiseter T, Nordshus T, Borthne A, Roald B, Naess P, Schistad O (1999). Lipoblastoma: MRI appearances of a rare paediatric soft tissue tumour. *Pediatr Radiol* 29: 542-545.
- 1778.** Reissmann PT, Simon MA, Lee WH, Slamon DJ (1989). Studies of the retinoblastoma gene in human sarcomas. *Oncogene* 4: 839-843.
- 1779.** Reitamo JJ, Hayry P, Nykyri E, Saxen E (1982). The desmoid tumor. I. Incidence, sex-, age- and anatomical distribution in the Finnish population. *Am J Clin Pathol* 77: 665-673.
- 1780.** Reith JD, Bauer TW, Joyce MJ (1997). Paraarticular osteochondroma of the knee: report of 2 cases and review of the literature. *Clin Orthop* 225-232.

- 1781.** Remagen W, Nidecker A, Prein J (1986). Case report 359: gigantic benign fibrous histiocytoma (nonossifying fibroma). *Skeletal Radiol* 15: 251-253.
- 1782.** Remstein ED, Arndt CA, Nascimento AG (1999). Plexiform fibrohistiocytic tumor: clinicopathologic analysis of 22 cases. *Am J Surg Pathol* 23: 662-670.
- 1783.** Renshaw AA (1995). O13 (CD99) in spindle cell tumors. Reactivity with hemangiopericytoma, solitary fibrous tumor, synovial sarcoma, and meningioma but rarely with sarcomatoid mesothelioma. *Appl Immunohistochem* 3: 250-256.
- 1784.** Renwick PJ, Reeves BR, Dal Cin P, Fletcher CD, Kempinski H, Sciort R, Kazmierczak B, Jani K, Sonobe H, Knight JC (1995). Two categories of synovial sarcoma defined by divergent chromosome translocation breakpoints in Xp11.2, with implications for the histologic sub-classification of synovial sarcoma. *Cytogenet Cell Genet* 70: 58-63.
- 1785.** Resnick D, Greenway G, Genant H, Brower A, Haghighi P, Emmett M (1982). Erdheim-Chester disease. *Radiology* 142: 289-295.
- 1786.** Ribalta T, Lloreta J, Munne A, Serrano S, Cardesa A (2000). Malignant pigmented clear cell epithelioid tumor of the kidney: clear cell ("sugar") tumor versus malignant melanoma. *Hum Pathol* 31: 516-519.
- 1787.** Richkind KE, Romansky SG, Finklestein JZ (1996). t(4;19)(q35;q13.1): a recurrent change in primitive mesenchymal tumors? *Cancer Genet Cytogenet* 87: 71-74.
- 1788.** Riddell RJ, Louis CJ, Bromberger NA (1973). Pulmonary metastases from chondroblastoma of the tibia. Report of a case. *J Bone Joint Surg Br* 55: 848-853.
- 1789.** Ries LAG, Kosary CL, Hankey BF, et al (1999). *SEER Cancer Statistics Review, 1973-1996*. National Cancer Institute: Bethesda, MD.
- 1790.** Rieske P, Bartkowiak J, Szadowska A, Debiec-Rychter M (1999). Malignant fibrous histiocytomas and H-ras-1 oncogene point mutations. *Mol Pathol* 52: 64-67.
- 1791.** Rimareix F, Bardot J, Andrac L, Vasse D, Galinier P, Magalon G (1997). Infantile digital fibroma – report on eleven cases. *Eur J Pediatr Surg* 7: 345-348.
- 1792.** Ritts GD, Pritchard DJ, Unni KK, Beabout JW, Eckardt JJ (1987). Periosteal osteosarcoma. *Clin Orthop* 299-307.
- 1793.** Roarty JD, McLean IW, Zimmerman LE (1988). Incidence of second neoplasms in patients with bilateral retinoblastoma. *Ophthalmology* 95: 1583-1587.
- 1794.** Robbins LB, Hoffman S, Kahn S (1970). Fibrous hamartoma of infancy; case report. *Plast Reconstr Surg* 46: 197-200.
- 1795.** Roberts PF, Taylor JG (1980). Multifocal benign chondroblastomas: report of a case. *Hum Pathol* 11: 296-298.
- 1796.** Roberts WM, Douglass EC, Peiper SC, Houghton PJ, Look AT (1989). Amplification of the gli gene in childhood sarcomas. *Cancer Res* 49: 5407-5413.
- 1797.** Robinson W, Crawford AH (1990). Infantile fibrosarcoma. Report of a case with long-term follow-up. *J Bone Joint Surg Am* 72: 291-294.
- 1798.** Rodgers WB, Mankin HJ (1996). Metastatic malignant chondroblastoma. *Am J Orthop* 25: 846-849.
- 1799.** Rodriguez-Bigas MA, Mahoney MC, Karakousis CP, Petrelli NJ (1994). Desmoid tumors in patients with familial adenomatous polyposis. *Cancer* 74: 1270-1274.
- 1800.** Rodriguez-Peralto JL, Lopez-Barea F, Gonzalez-Lopez J, Lamas-Lorenzo M (1994). Case report 821: Parosteal ossifying lipoma of femur. *Skeletal Radiol* 23: 67-69.
- 1801.** Rodriguez E, Sreekantaiah C, Gerald W, Reuter VE, Motzer RJ, Chaganti RS (1993). A recurring translocation, t(11;22)(p13;q11.2), characterizes intra-abdominal desmoplastic small round-cell tumors. *Cancer Genet Cytogenet* 69: 17-21.
- 1802.** Roebuck DJ (1996). The role of imaging in renal and extra-renal rhabdoid tumours. *Australas Radiol* 40: 310-318.
- 1803.** Rogalla P, Lemke I, Kazmierczak B, Bullerdiek J (2000). An identical HMGIC-LPP fusion transcript is consistently expressed in pulmonary chondroid hamartomas with t(3;12)(q27-28;q14-15). *Genes Chromosomes Cancer* 29: 363-366.
- 1804.** Rong S, Jeffers M, Resau JH, Tsarfaty I, Oskarsson M, Vande Woude GF (1993). Met expression and sarcoma tumorigenicity. *Cancer Res* 53: 5355-5360.
- 1805.** Rosai J (1982). Angiolymphoid hyperplasia with eosinophilia of the skin. Its nosological position in the spectrum of histiocytoid hemangioma. *Am J Dermatopathol* 4: 175-184.
- 1806.** Rosai J, Limas C, Husband EM (1984). Ectopic hamartomatous thymoma. A distinctive benign lesion of lower neck. *Am J Surg Pathol* 8: 501-513.
- 1807.** Rose NC, Coleman BG, Wallace D, Gaupman K, Ruchelli E (1996). Prenatal diagnosis of a chest wall hamartoma and sternal cleft. *Ultrasound Obstet Gynecol* 7: 453-455.
- 1808.** Rosenberg HS, Stenback WA, Spjut HJ (1978). The fibromatoses of infancy and childhood. *Perspect Pediatr Pathol* 4: 269-348.
- 1809.** Rosenthal NS, Abdul-Karim FW (1988). Childhood fibrous tumor with psammoma bodies. Clinicopathologic features in two cases. *Arch Pathol Lab Med* 112: 798-800.
- 1810.** Ross HM, Lewis JJ, Woodruff JM, Brennan MF (1997). Epithelioid sarcoma: clinical behavior and prognostic factors of survival. *Ann Surg Oncol* 4: 491-495.
- 1811.** Ross JS, Del Rosario A, Bui HX, Sonbati H, Solis O (1992). Primary hepatic leiomyosarcoma in a child with the acquired immunodeficiency syndrome. *Hum Pathol* 23: 69-72.
- 1812.** Rougraff BT, Kneisl JS, Simon MA (1993). Skeletal metastases of unknown origin. A prospective study of a diagnostic strategy. *J Bone Joint Surg Am* 75: 1276-1281.
- 1813.** Rousseau-Merck MF, Versteeg I, Legrand I, Couturier J, Mairal A, Delattre O, Aurias A (1999). hSNF5/INI1 inactivation is mainly associated with homozygous deletions and mitotic recombinations in rhabdoid tumors. *Cancer Res* 59: 3152-3156.
- 1814.** Roux S, Amazit L, Meduri G, Guiochon-Mantel A, Milgrom E, Mariette X (2002). RANK (receptor activator of nuclear factor kappa B) and RANK ligand are expressed in giant cell tumors of bone. *Am J Clin Pathol* 117: 210-216.
- 1815.** Rozmaryn LM, Sadler AH, Dorfman HD (1987). Intraosseous glomus tumor in the ulna. A case report. *Clin Orthop* 126-129.
- 1816.** Rubin BP, Chen CJ, Morgan TW, Xiao S, Grier HE, Kozakewich HP, Perez-Atayde AR, Fletcher JA (1998). Congenital mesoblastic nephroma t(12;15) is associated with ETV6-NTRK3 gene fusion: cytogenetic and molecular relationship to congenital (infantile) fibrosarcoma. *Am J Pathol* 153: 1451-1458.
- 1817.** Rubin BP, Fletcher JA, Renshaw AA (1999). Clear cell sarcoma of soft parts: report of a case primary in the kidney with cytogenetic confirmation. *Am J Surg Pathol* 23: 589-594.
- 1818.** Rubin BP, Hasserjian RP, Singer S, Janecka I, Fletcher JA, Fletcher CD (1998). Spindle cell rhabdomyosarcoma (so-called) in adults: report of two cases with emphasis on differential diagnosis. *Am J Surg Pathol* 22: 459-464.
- 1819.** Rubinfeld B, Albert I, Porfiri E, Fiol C, Munemitsu S, Polakis P (1996). Binding of GSK3beta to the APC-beta-catenin complex and regulation of complex assembly. *Science* 272: 1023-1026.
- 1820.** Rubinfeld B, Souza B, Albert I, Muller O, Chamberlain SH, Masiarz FR, Munemitsu S, Polakis P (1993). Association of the APC gene product with beta-catenin. *Science* 262: 1731-1734.
- 1821.** Ruco LP, Pillozzi E, Wedard BM, Marzullo A, D'Andrea V, De Antoni E, Silvestrini G, Bonetti F (1998). Epithelioid lymphangioliomyomatosis-like tumour of the uterus in a patient without tuberous sclerosis: a lesion mimicking epithelioid leiomyosarcoma. *Histopathology* 33: 91-93.
- 1822.** Ruggieri P, Sim FH, Bond JR, Unni KK (1994). Malignancies in fibrous dysplasia. *Cancer* 73: 1411-1424.
- 1823.** Ruggieri P, Sim FH, Bond JR, Unni KK (1995). Osteosarcoma in a patient with polyostotic fibrous dysplasia and Albright's syndrome. *Orthopedics* 18: 71-75.
- 1824.** Rushing EJ, Armonda RA, Ansari Q, Mena H (1996). Mesenchymal chondrosarcoma: a clinicopathologic and flow cytometric study of 13 cases presenting in the central nervous system. *Cancer* 77: 1884-1891.
- 1825.** Rusin LJ, Harrell ER (1976). Arteriovenous fistula. Cutaneous manifestations. *Arch Dermatol* 112: 1135-1138.
- 1826.** Russell WO, Cohen J, Enzinger F, Hajdu SI, Heise H, Martin RG, Meissner W, Miller WT, Schmitz RL, Suit HD (1977). A clinical and pathological staging system for soft tissue sarcomas. *Cancer* 40: 1562-1570.
- 1827.** Ruzszzak Z, Mayer-da-Silva A, Orfanos CE (1987). Angioproliferative changes in clinically noninvolved, perilesional skin in AIDS-associated Kaposi's sarcoma. *Dermatologica* 175: 270-279.
- 1828.** Rutigliano MJ, Pollack IF, Ahdab-Barmada M, Pang D, Albright AL (1994). Intracranial infantile myofibromatosis. *J Neurosurg* 81: 539-543.
- 1829.** Ruymann FB (1987). Rhabdomyosarcoma in children and adolescents. A review. *Hematol Oncol Clin North Am* 1: 621-654.
- 1830.** Rydholm A (1983). Management of patients with soft-tissue tumors. Strategy developed at a regional oncology center. *Acta Orthop Scand Suppl* 203: 13-77.
- 1831.** Rydholm A (1998). Improving the management of soft tissue sarcoma. Diagnosis and treatment should be given in specialist centres. *BMJ* 317: 93-94.
- 1832.** Rydholm A, Gustafson P, Rööser B, Willén H, Åkerman M, Herrlin K, Alvegard T (1991). Limb-sparing surgery without radiotherapy based on anatomic location of soft tissue sarcoma. *J Clin Oncol* 9: 1757-1765.
- 1833.** Saddegh MK, Lindholm J, Lundberg A, Nilsson U, Kreicbergs A (1992). Staging of soft-tissue sarcomas. Prognostic analysis of clinical and pathological features. *J Bone Joint Surg Br* 74: 495-500.
- 1834.** Saeed IT, Fletcher CD (1990). Ectopic hamartomatous thymoma containing myoid cells. *Histopathology* 17: 572-574.
- 1835.** Saeter G, Elomaa I, Wahlqvist Y, Alvegard TA, Wiebe T, Monge O, Forrester E, Solheim OP (1997). Prognostic factors in bone sarcomas. *Acta Orthop Scand Suppl* 273: 156-160.
- 1836.** Safar A, Nelson M, Neff JR, Maale GE, Bayani J, Squire J, Bridge JA (2000). Recurrent anomalies of 6q25 in chondromyxoid fibroma. *Hum Pathol* 31: 306-311.
- 1837.** Sagerman RH, Cassidy JR, Tretter P, Ellsworth RM (1969). Radiation induced neoplasia following external beam therapy for children with retinoblastoma. *Am J Roentgenol Radium Ther Nucl Med* 105: 529-535.
- 1838.** Saikewych IA, Mayer M, White RL, Ho RC (1988). Cytogenetic study of Kaposi's sarcoma associated with acquired immunodeficiency syndrome. *Arch Pathol Lab Med* 112: 825-828.
- 1839.** Saint Aubain SN, Fletcher CD (1999). Leiomyosarcoma of soft tissue in children: clinicopathologic analysis of 20 cases. *Am J Surg Pathol* 23: 755-763.

- 1840.** Saito R, Caines MJ (1977). Atypical fibrous histiocytoma of the humerus: a light and electron microscopic study. *Am J Clin Pathol* 68: 409-415.
- 1841.** Saito T, Oda Y, Tanaka K, Matsuda S, Tamiya S, Iwamoto Y, Tsuneyoshi M (2001). beta-catenin nuclear expression correlates with cyclin D1 overexpression in sporadic desmoid tumours. *J Pathol* 195: 222-228.
- 1842.** Sakabe T, Shinomiya T, Mori T, Ariyama Y, Fukuda Y, Fujiwara T, Nakamura Y, Inazawa J (1999). Identification of a novel gene, MASL1, within an amplicon at 8p23.1 detected in malignant fibrous histiocytomas by comparative genomic hybridization. *Cancer Res* 59: 511-515.
- 1843.** Sakakibara N, Seki T, Maru A, Koyanagi T (1989). Benign fibrous histiocytoma of the kidney. *J Urol* 142: 1558-1559.
- 1844.** Sakamoto A, Oda Y, Iwamoto Y, Tsuneyoshi M (1999). Expression of membrane type 1 matrix metalloproteinase, matrix metalloproteinase 2 and tissue inhibitor of metalloproteinase 2 in human cartilaginous tumors with special emphasis on mesenchymal and dedifferentiated chondrosarcoma. *J Cancer Res Clin Oncol* 125: 541-548.
- 1845.** Sakamoto A, Oda Y, Iwamoto Y, Tsuneyoshi M (2000). A comparative study of fibrous dysplasia and osteofibrous dysplasia with regard to Gsalpha mutation at the Arg201 codon: polymerase chain reaction-restriction fragment length polymorphism analysis of paraffin-embedded tissues. *J Mol Diagn* 2: 67-72.
- 1846.** Salamah MM, Hammoudi SM, Sadi AR (1988). Infantile myofibromatosis. *J Pediatr Surg* 23: 975-977.
- 1847.** Saleh G, Evans HL, Ro JY, Ayala AG (1992). Extraskelatal myxoid chondrosarcoma. A clinicopathologic study of ten patients with long-term follow-up. *Cancer* 70: 2827-2830.
- 1848.** Salloum E, Caillaud JM, Flamant F, Landman J, Lemerle J (1990). Poor prognosis infantile fibrosarcoma with pathologic features of malignant fibrous histiocytoma after local recurrence. *Med Pediatr Oncol* 18: 295-298.
- 1849.** Salm R, Sissons HA (1972). Giant-cell tumours of soft tissues. *J Pathol* 107: 27-39.
- 1850.** Salmon SE, Cassady JR (1988). Plasma cell neoplasms. In: *Cancer, Principles and Practice of Oncology*, DeVita VT, Hellman S, Rosenberg S, eds. J.B.Lippincott: Philadelphia, p. 1854.
- 1851.** Salmon SE, Seligmann M (1974). B-cell neoplasia in man. *Lancet* 2: 1230-1233.
- 1852.** Salvati M, Ciappetta P, Raco A (1993). Osteosarcomas of the skull. Clinical remarks on 19 cases. *Cancer* 71: 2210-2216.
- 1853.** Samaniego F, Markham PD, Gendelman R, Watanabe Y, Kao V, Kowalski K, Sonnabend JA, Pintus A, Gallo RC, Enslin B (1998). Vascular endothelial growth factor and basic fibroblast growth factor present in Kaposi's sarcoma (KS) are induced by inflammatory cytokines and synergize to promote vascular permeability and KS lesion development. *Am J Pathol* 152: 1433-1443.
- 1854.** Sandberg AA, Bridge JA (1994). *The Cytogenetics of Bone and Soft Tissue Tumors*. RG Landers Company: Austin, Texas.
- 1855.** Sandberg AA, Bridge JA (2002). Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors. Synovial sarcoma. *Cancer Genet Cytogenet* 133: 1-23.
- 1856.** Sanders BM, Draper GJ, Kingston JE (1988). Retinoblastoma in Great Britain 1969-80: incidence, treatment, and survival. *Br J Ophthalmol* 72: 576-583.
- 1857.** Sanerkin NG (1980). Definitions of osteosarcoma, chondrosarcoma, and fibrosarcoma of bone. *Cancer* 46: 178-185.
- 1858.** Sanerkin NG (1980). The diagnosis and grading of chondrosarcoma of bone: a combined cytologic and histologic approach. *Cancer* 45: 582-594.
- 1859.** Sanerkin NG, Mott MG, Roynance J (1983). An unusual intraosseous lesion with fibroblastic, osteoclastic, osteoblastic, aneurysmal and fibromyxoid elements. "Solid" variant of aneurysmal bone cyst. *Cancer* 51: 2278-2286.
- 1860.** Sang DN, Albert DM (1982). Retinoblastoma: clinical and histopathologic features. *Hum Pathol* 13: 133-147.
- 1861.** Santonja C, Martin-Hita AM, Dotor A, Costa-Subias J (2001). Intimal angiosarcoma of the aorta with tumour embolisation causing mesenteric ischaemia. Report of a case diagnosed using CD31 immunohistochemistry in an intestinal resection specimen. *Virchows Arch* 438: 404-407.
- 1862.** Sara AS, Evans HL, Benjamin RS (1990). Malignant melanoma of soft parts (clear cell sarcoma). A study of 17 cases, with emphasis on prognostic factors. *Cancer* 65: 367-374.
- 1863.** Sartoris DJ, Mochizuki RM, Parker BR (1983). Lytic clavicular lesions in fibromatosis colli. *Skeletal Radiol* 10: 34-36.
- 1864.** Sato K, Kubota T, Yoshida K, Murata H (1993). Intracranial extraskelatal myxoid chondrosarcoma with special reference to lamellar inclusions in the rough endoplasmic reticulum. *Acta Neuropathol (Berl)* 86: 525-528.
- 1865.** Satoh H, Nishiyama T, Horiguchi A, Nakashima J, Saito S, Murai M (2000). [A case of Collet-Sicard syndrome caused by skull base metastasis of prostate carcinoma]. *Nippon Hinyokika Gakkai Zasshi* 91: 562-564.
- 1866.** Saw D, Tse CH, Chan J, Watt CY, Ng CS, Poon YF (1986). Clear cell sarcoma of the penis. *Hum Pathol* 17: 423-425.
- 1867.** Sawada S, Honda M, Kamide R, Niimura M (1995). Three cases of subungual glomus tumors with von Recklinghausen neurofibromatosis. *J Am Acad Dermatol* 32: 277-278.
- 1868.** Sawyer JR, Binz RL, Gilliland JC, Nicholas RW, Thomas JR (2001). A novel reciprocal (10;17)(p11.2;q23) in myxoid fibrosarcoma. *Cancer Genet Cytogenet* 124: 144-146.
- 1869.** Sawyer JR, Sammartino G, Baker GF, Bell JM (1994). Clonal chromosome aberrations in a case of nodular fasciitis. *Cancer Genet Cytogenet* 76: 154-156.
- 1870.** Sawyer JR, Swanson CM, Lukacs JL, Nicholas RW, North PE, Thomas JR (1998). Evidence of an association between 6q13-21 chromosome aberrations and locally aggressive behavior in patients with cartilage tumors. *Cancer* 82: 474-483.
- 1871.** Sawyer JR, Tryka AF, Lewis JM (1992). A novel reciprocal chromosome translocation t(11;22)(p13;q12) in an intraabdominal desmoplastic small round-cell tumor. *Am J Surg Pathol* 16: 411-416.
- 1872.** Schaberg J, Gainer BJ (1985). A profile of metastatic carcinoma of the spine. *Spine* 10: 19-20.
- 1873.** Schaffler G, Raith J, Ranner G, Weybora W, Jeserscheck R (1997). Radiographic appearance of an ossifying fibromyxoid tumor of soft parts. *Skeletal Radiol* 26: 615-618.
- 1874.** Schajowicz F (1994). Cartilage-forming tumors. In: *Tumors and Tumor-like Lesions of Bone*. Springer: Berlin-Heidelberg-New York.
- 1875.** Schajowicz F (1994). *Tumors and Tumor-like Lesions of Bone*. Springer: Berlin-Heidelberg-New York.
- 1876.** Schajowicz F, Ackerman LV, Sissons HA (1972). *Histologic typing of bone tumors. International Histological Classification of Tumors*. World Health Organization: Geneva, Switzerland.
- 1877.** Schajowicz F, de Prospero JD, Cosentino E (1990). Case report 641: Chondroblastoma-like osteosarcoma. *Skeletal Radiol* 19: 603-606.
- 1878.** Schajowicz F, Gallardo H (1970). Epiphysal chondroblastoma of bone. A clinicopathological study of sixty-nine cases. *J Bone Joint Surg Br* 52: 205-226.
- 1879.** Schajowicz F, Santini AE, Berenstein M (1983). Sarcoma complicating Paget's disease of bone. A clinicopathological study of 62 cases. *J Bone Joint Surg Br* 65: 299-307.
- 1880.** Scheil S, Bruderlein S, Liehr T, Starke H, Herms J, Schulte M, Moller P (2001). Genome-wide analysis of sixteen chordomas by comparative genomic hybridization and cytogenetics of the first human chordoma cell line, U-CH1. *Genes Chromosomes Cancer* 32: 203-211.
- 1881.** Scheithauer BW, Rubinstein LJ (1978). Meningeal mesenchymal chondrosarcoma: report of 8 cases with review of the literature. *Cancer* 42: 2744-2752.
- 1882.** Scheithauer BW, Woodruff JM, Erlanson RE (1997). *Tumors of the Peripheral Nerve System*. Armed Forces Institute of Pathology: Washington.
- 1883.** Schellenberg GD, Miki T, Yu CE, Nakura J (2001). Werner syndrome. In: *The Metabolic & Molecular Basis of Inherited Disease*, Scriver CR, Beaudet AL, Sly WS, Valle D, eds. McGraw-Hill: New York, pp. 785-797.
- 1884.** Schepel JA, Wille J, Seldenrijk CA, van Ramshorst B (1998). Elastofibroma: a familial occurrence. *Eur J Surg* 164: 557-558.
- 1885.** Schipani E, Kruse K, Juppner H (1995). A constitutively active mutant PTHrP receptor in Jansen-type metaphyseal chondrodysplasia. *Science* 268: 98-100.
- 1886.** Schlesinger AE, Smith MB, Genez BM, McMahon DP, Swaney JJ (1989). Chest wall mesenchymoma (hamartoma) in infancy. CT and MR findings. *Pediatr Radiol* 19: 212-213.
- 1887.** Schmale GA, Conrad EU, III, Raskind WH (1994). The natural history of hereditary multiple exostoses. *J Bone Joint Surg Am* 76: 986-992.
- 1888.** Schmidt D, Harms D (1987). Epithelioid sarcoma in children and adolescents. An immunohistochemical study. *Virchows Arch A Pathol Anat Histopathol* 410: 423-431.
- 1889.** Schneider-Stock R, Walter H, Radig K, Rys J, Bosse A, Kuhnen C, Hoang-Vu C, Roessner A (1998). MDM2 amplification and loss of heterozygosity at Rb and p53 genes: no simultaneous alterations in the oncogenesis of liposarcomas. *J Cancer Res Clin Oncol* 124: 532-540.
- 1890.** Schoenmakers EF, Wanschura S, Mols R, Bullerdiek J, van den Berghe H, Van de Ven WJ (1995). Recurrent rearrangements in the high mobility group protein gene, HMGI-C, in benign mesenchymal tumours. *Nat Genet* 10: 436-444.
- 1891.** Schofield DE, Conrad EU, Liddell RM, Yunis EJ (1995). An unusual round cell tumor of the tibia with granular cells. *Am J Surg Pathol* 19: 596-603.
- 1892.** Schofield DE, Fletcher JA, Grier HE, Yunis EJ (1994). Fibrosarcoma in infants and children. Application of new techniques. *Am J Surg Pathol* 18: 14-24.
- 1893.** Schofield DE, Yunis EJ, Fletcher JA (1993). Chromosome aberrations in mesoblastic nephroma. *Am J Pathol* 143: 714-724.
- 1894.** Schofield JB, Krausz T, Stamp GW, Fletcher CD, Fisher C, Azzopardi JG (1993). Ossifying fibromyxoid tumour of soft parts: immunohistochemical and ultrastructural analysis. *Histopathology* 22: 101-112.
- 1895.** Schreiber H, Barry FM, Russell WC, Macon WL, Ponsky JL, Pories WJ (1979). Stewart-Treves syndrome. A lethal complication of postmastectomy lymphedema and regional immune deficiency. *Arch Surg* 114: 82-85.
- 1896.** Schuborg C, Mertens F, Rydholm A, Brosjö O, Dictor M, Mitelman F, Mandahl N (1998). Cytogenetic analysis of four angiosarcomas from deep and superficial soft tissue. *Cancer Genet Cytogenet* 100: 52-56.
- 1897.** Schurch W, Begin LR, Seemayer TA, Lagace R, Boivin JC, Lamoureux C, Bluteau P, Piche J, Gabbiani G (1996). Pleomorphic soft tissue myogenic sarcomas of adulthood. A reappraisal in the mid-1990s. *Am J Surg Pathol* 20: 131-147.

- 1898.** Schwartz HS, Dahir GA, Butler MG (1993). Telomere reduction in giant cell tumor of bone and with aging. *Cancer Genet Cytogenet* 71: 132-138.
- 1899.** Schwartz HS, Unni KK, Pritchard DJ (1989). Pigmented villonodular synovitis. A retrospective review of affected large joints. *Clin Orthop* 243:255.
- 1900.** Schwartz HS, Walker R (1997). Recognizable magnetic resonance imaging characteristics of intramuscular myxoma. *Orthopedics* 20: 431-435.
- 1901.** Schwartz HS, Zimmerman NB, Simon MA, Wroble RR, Millar EA, Bonfiglio M (1987). The malignant potential of enchondromatosis. *J Bone Joint Surg Am* 69: 269-274.
- 1902.** Schweitzer G, Pirie D (1971). Osteosarcoma arising in a solitary osteochondroma. *S Afr Med J* 45: 810-811.
- 1903.** Schwindinger WF, Francomano CA, Levine MA (1992). Identification of a mutation in the gene encoding the alpha subunit of the stimulatory G protein of adenyl cyclase in McCune-Albright syndrome. *Proc Natl Acad Sci U S A* 89: 5152-5156.
- 1904.** Scinicariello F, Dolan MJ, Nedelcu I, Tying SK, Hilliard JK (1994). Occurrence of human papillomavirus and p53 gene mutations in Kaposi's sarcoma. *Virology* 203: 153-157.
- 1905.** Sciort R, Åkerman M, Dal Cin P, de Wever I, Fletcher CD, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Tallini G, van den Berghe H, Vanni R, Willén H (1997). Cytogenetic analysis of subcutaneous angiolipoma: further evidence supporting its difference from ordinary pure lipomas: a report of the CHAMP study group. *Am J Surg Pathol* 21: 441-444.
- 1906.** Sciort R, Dal Cin P, Bellemans J, Samson I, Van den Berghe H, Van Damme B (1998). Synovial chondromatosis: clonal chromosome changes provide further evidence for a neoplastic disorder. *Virchows Arch* 433: 189-191.
- 1907.** Sciort R, Dal Cin P, De Vos R, Van Damme B, de Wever I, van den Berghe H, Desmet VJ (1993). Alveolar soft-part sarcoma: evidence for its myogenic origin and for the involvement of 17q25. *Histopathology* 23: 439-444.
- 1908.** Sciort R, Dal Cin P, Samson I, van den Berghe H, Van Damme B (1999). Clonal chromosomal changes in juxta-articular myxoma. *Virchows Arch* 434: 177-180.
- 1909.** Sciort R, Dorfman H, Brys P, Dal Cin P, de Wever I, Fletcher CD, Jonson K, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Samson I, Tallini G, van den Berghe H, Vanni R, Willén H (2000). Cytogenetic-morphologic correlations in aneurysmal bone cyst, giant cell tumor of bone and combined lesions. A report from the CHAMP study group. *Mod Pathol* 13: 1206-1210.
- 1910.** Sciort R, Rosai J, Dal Cin P, de Wever I, Fletcher CD, Mandahl N, Mertens F, Mitelman F, Rydholm A, Tallini G, van den Berghe H, Vanni R, Willén H (1999). Analysis of 35 cases of localized and diffuse tenosynovial giant cell tumor: a report from the chromosomes and morphology (CHAMP) study group. *Mod Pathol* 12: 576-579.
- 1911.** Sciort R, Samson I, van den Berghe H, Van Damme B, Dal Cin P (1999). Collagenous fibroma (desmoplastic fibroblastoma): genetic link with fibroma of tendon sheath? *Mod Pathol* 12: 565-568.
- 1912.** Scott L, Blair G, Taylor G, Dimmick J, Fraser G (1988). Inflammatory pseudotumors in children. *J Pediatr Surg* 23: 755-758.
- 1913.** Scott RJ, Froggatt NJ, Trembath RC, Evans DG, Hodgson SV, Maher ER (1996). Familial infiltrative fibromatosis (desmoid tumours) (MIM135290) caused by a recurrent 3' APC gene mutation. *Hum Mol Genet* 5: 1921-1924.
- 1914.** Scott SM, Reiman HM, Pritchard DJ, Ilstrup DM (1989). Soft tissue fibrosarcoma. A clinicopathologic study of 132 cases. *Cancer* 64: 925-931.
- 1915.** Scoble HJ, Witte DP, Lampkin BC, Cavenee WK (1987). Chromosomal localization of the human rhabdomyosarcoma locus by mitotic recombination mapping. *Nature* 329: 645-647.
- 1916.** Seelig MH, Klingler PJ, Oldenburg WA, Blackshear JL (1998). Angiosarcoma of the aorta: report of a case and review of the literature. *J Vasc Surg* 28: 732-737.
- 1917.** Seki H, Kubota T, Ikegawa S, Haga N, Fujioka F, Ohzeki S, Wakui K, Yoshikawa H, Takaoka K, Fukushima Y (2001). Mutation frequencies of EXT1 and EXT2 in 43 Japanese families with hereditary multiple exostoses. *Am J Med Genet* 99: 59-62.
- 1918.** Semmelink HJ, Pruszczynski M, Wiersma-van Tilburg A, Smedts F, Ramaekers FC (1990). Cytokeratin expression in chondroblastomas. *Histopathology* 16: 257-263.
- 1919.** Sen-Gupta S, Van der Luijt RB, Bowles LV, Meera Khan P, Delhanty JD (1993). Somatic mutation of APC gene in desmoid tumour in familial adenomatous polyposis. *Lancet* 342: 552-553.
- 1920.** Senzaki H, Kiyozuka Y, Uemura Y, Shikata N, Ueda S, Tsubura A (1998). Juvenile hyaline fibromatosis: a report of two unrelated adult sibling cases and a literature review. *Pathol Int* 48: 230-236.
- 1921.** Sevenet N, Lellouch-Tubiana A, Schofield D, Hoang-Xuan K, Gessler M, Birnbaum D, Jeanpierre C, Juvet A, Delattre O (1999). Spectrum of hSNF5/INI1 somatic mutations in human cancer and genotype-phenotype correlations. *Hum Mol Genet* 8: 2359-2368.
- 1922.** Sevenet N, Sheridan E, Amram D, Schneider P, Handgretinger R, Delattre O (1999). Constitutional mutations of the hSNF5/INI1 gene predispose to a variety of cancers. *Am J Hum Genet* 65: 1342-1348.
- 1923.** Shankman S, Desai P, Beltran J (1997). Subperiosteal osteoid osteoma: radiographic and pathologic manifestations. *Skeletal Radiol* 26: 457-462.
- 1924.** Shankwiler RA, Athey PA, Lamki N (1989). Aggressive infantile fibromatosis. Pulmonary metastases documented by plain film and computed tomography. *Clin Imaging* 13: 127-129.
- 1925.** Shannon FJ, Antonescu CR, Athanasian EA (2000). Metastatic thymic carcinoma in a digit: a case report. *J Hand Surg [Am]* 25: 1169-1172.
- 1926.** Shannon P, Bedard Y, Bell R, Kandel R (1997). Aneurysmal cyst of soft tissue: report of a case with serial magnetic resonance imaging and biopsy. *Hum Pathol* 28: 255-257.
- 1927.** Shapeero LG, Vanel D, Couanet D, Contesso G, Ackerman LV (1993). Extraskeletal mesenchymal chondrosarcoma. *Radiology* 186: 819-826.
- 1928.** Shapiro DN, Parham DM, Douglass EC, Ashmun R, Webber BL, Newton WA, Jr., Hancock ML, Maurer HM, Look AT (1991). Relationship of tumor-cell ploidy to histologic subtype and treatment outcome in children and adolescents with unresectable rhabdomyosarcoma. *J Clin Oncol* 9: 159-166.
- 1929.** Shapiro F, Simon S, Glimcher MJ (1979). Hereditary multiple exostoses. Anthropometric, roentgenographic, and clinical aspects. *J Bone Joint Surg Am* 61: 815-824.
- 1930.** Shek TW, Peh WC, Leung G (1999). Chondromyxoid fibroma of skull base: a tumour prone to local recurrence. *J Laryngol Otol* 113: 380-385.
- 1931.** Shen JC, Loeb LA (2000). The Werner syndrome gene: the molecular basis of RecQ helicase-deficiency diseases. *Trends Genet* 16: 213-220.
- 1932.** Shen SH, Steinbach LS, Wang SF, Chen WY, Chen WM, Chang CY (2001). Primary leiomyosarcoma of bone. *Skeletal Radiol* 30: 600-603.
- 1933.** Sheng WQ, Hisaoka M, Okamoto S, Tanaka A, Meis-Kindblom JM, Kindblom LG, Ishida T, Nojima T, Hashimoto H (2001). Congenital-infantile fibrosarcoma. A clinicopathologic study of 10 cases and molecular detection of the ETV6-NTRK3 fusion transcripts using paraffin-embedded tissues. *Am J Clin Pathol* 115: 348-355.
- 1934.** Shenker A (1996). Activating mutations in G protein-coupled signaling pathways as a cause of endocrine disease. *Growth Genet Horm* 12: 33-37.
- 1935.** Shenker A, Chanson P, Weinstein LS, Chi P, Spiegel AM, Lomri A, Marie PJ (1995). Osteoblastic cells derived from isolated lesions of fibrous dysplasia contain activating somatic mutations of the Gs alpha gene. *Hum Mol Genet* 4: 1675-1676.
- 1936.** Shenker A, Weinstein LS, Moran A, Pescovitz OH, Charest NJ, Boney CM, Van Wyk JJ, Merino MJ, Feuillan PP, Spiegel AM (1993). Severe endocrine and nonendocrine manifestations of the McCune-Albright syndrome associated with activating mutations of stimulatory G protein Gs. *J Pediatr* 123: 509-518.
- 1937.** Shenker A, Weinstein LS, Sweet DE, Spiegel AM (1994). An activating Gs alpha mutation is present in fibrous dysplasia of bone in the McCune-Albright syndrome. *J Clin Endocrinol Metab* 79: 750-755.
- 1938.** Shetty AK, Yu LC, Gardner RV, Warrior RP (1999). Role of chemotherapy in the treatment of infantile fibrosarcoma. *Med Pediatr Oncol* 33: 425-427.
- 1939.** Shidham VB, Ayala GE, Lahaniatis JE, Garcia FU (1999). Low-grade fibromyxoid sarcoma: clinicopathologic case report with review of the literature. *Am J Clin Oncol* 22: 150-155.
- 1940.** Shimizu S, Hashimoto H, Enjoji M (1984). Nodular fasciitis: an analysis of 250 patients. *Pathology* 16: 161-166.
- 1941.** Shinjo K, Miyake N, Takahashi Y (1993). Malignant giant cell tumor of the tendon sheath: an autopsy report and review of the literature. *Jpn J Clin Oncol* 23: 317-324.
- 1942.** Shipley J, Crew J, Birdsall S, Gill S, Clark J, Fisher C, Kelsey A, Nojima T, Sonobe H, Cooper C, Gusterson B (1996). Interphase fluorescence in situ hybridization and reverse transcription polymerase chain reaction as a diagnostic aid for synovial sarcoma. *Am J Pathol* 148: 559-567.
- 1943.** Shives TC, Dahlin DC, Sim FH, Pritchard DJ, Earle JD (1986). Osteosarcoma of the spine. *J Bone Joint Surg Am* 68: 660-668.
- 1944.** Shmookler BM, Enzinger FM (1981). Pleomorphic lipoma: a benign tumor simulating liposarcoma. A clinicopathologic analysis of 48 cases. *Cancer* 47: 126-133.
- 1945.** Shmookler BM, Lauer DH (1983). Retroperitoneal leiomyosarcoma. A clinicopathologic analysis of 36 cases. *Am J Surg Pathol* 7: 269-280.
- 1946.** Shugart RR, Soule EH, Johnson EW (1963). Glomus tumor. *Surg Gynecol Obstet* 117: 334.
- 1947.** Siebenrock KA, Unni KK, Rock MG (1998). Giant-cell tumour of bone metastasising to the lungs. A long-term follow-up. *J Bone Joint Surg Br* 80: 43-47.
- 1948.** Siegal GP (1998). Primary tumors of bone. In: *Pathology of Solid Tumors in Children*, Stocker JT, Askin FB, eds. Chapman & Hall Medical: London, pp. 183-212.
- 1949.** Siegel MJ (2001). Magnetic resonance imaging of musculoskeletal soft tissue masses. *Radiol Clin North Am* 39: 701-720.
- 1950.** Sigel JE, Fisher C, Vogt D, Goldblum JR (2000). Giant cell angiofibroma of the inguinal region. *Ann Diagn Pathol* 4: 240-244.
- 1951.** Sigel JE, Smith TA, Reith JD, Goldblum JR (2001). Immunohistochemical analysis of anaplastic lymphoma kinase expression in deep soft tissue calcifying fibrous pseudotumor: evidence of a late sclerosing stage of inflammatory myofibroblastic tumor? *Ann Diagn Pathol* 5: 10-14.
- 1952.** Silverman TA, Enzinger FM (1985). Fibrolipomatous hamartoma of nerve. A clinicopathologic analysis of 26 cases. *Am J Surg Pathol* 9: 7-14.

- 1953.** Sim FH, Unni KK, Beabout JW, Dahlin DC (1979). Osteosarcoma with small cells simulating Ewing's tumor. *J Bone Joint Surg Am* 61: 207-215.
- 1954.** Simmons AD, Musy MM, Lopes CS, Hwang LY, Yang YP, Lovett M (1999). A direct interaction between EXT proteins and glycosyltransferases is defective in hereditary multiple exostoses. *Hum Mol Genet* 8: 2155-2164.
- 1955.** Simon MA, Aschliman MA, Thomas N, Mankin HJ (1986). Limb-salvage treatment versus amputation for osteosarcoma of the distal end of the femur. *J Bone Joint Surg Am* 68: 1331-1337.
- 1956.** Simon RG, Irwin RB (1996). An unusual presentation of telangiectatic osteosarcoma. *Am J Orthop* 25: 375-379.
- 1957.** Simons A, Schepens M, Jeuken J, Sprenger S, van de Zande G, Bjerkehagen B, Forus A, Weibolt V, Molenaar I, van den Berg E, Myklebost O, Bridge J, van Kessel AG, Suijkerbuijk R (2000). Frequent loss of 9p21 (p16INK4A) and other genomic imbalances in human malignant fibrous histiocytoma. *Cancer Genet Cytogenet* 118: 89-98.
- 1958.** Singer S, Baldini EH, Demetri GD, Fletcher JA, Corson JM (1996). Synovial sarcoma: prognostic significance of tumor size, margin of resection, and mitotic activity for survival. *J Clin Oncol* 14: 1201-1208.
- 1959.** Singer S, Corson JM, Demetri GD, Healey EA, Marcus K, Eberlein TJ (1995). Prognostic factors predictive of survival for truncal and retroperitoneal soft-tissue sarcoma. *Ann Surg* 221: 185-195.
- 1960.** Singer S, Demetri GD, Baldini EH, Fletcher CD (2000). Management of soft tissue sarcomas: an overview and update. *Lancet Oncol* 1: 75-85.
- 1961.** Sinovic JF, Bridge JA, Neff JR (1992). Ring chromosome in parosteal osteosarcoma. Clinical and diagnostic significance. *Cancer Genet Cytogenet* 62: 50-52.
- 1962.** Sirvent N, Forus A, Lescaut W, Burel F, Benzaken S, Chazal M, Bourgeon A, Vermeesch JR, Myklebost O, Turc-Carel C, Ayrault N, Coindre JM, Pedeutour F (2000). Characterization of centromere alterations in liposarcomas. *Genes Chromosomes Cancer* 29: 117-129.
- 1963.** Sjögren H, Meis-Kindblom J, Kindblom LG, Åman P, Stenman G (1999). Fusion of the EWS-related gene TAF2N to TEC in extraskeletal myxoid chondrosarcoma. *Cancer Res* 59: 5064-5067.
- 1964.** Sjögren H, Wedell B, Kindblom JM, Kindblom LG, Stenman G (2000). Fusion of the NH2-terminal domain of the basic helix-loop-helix protein TCF12 to TEC in extraskeletal myxoid chondrosarcoma with translocation t(9;15)(q22;q21). *Cancer Res* 60: 6832-6835.
- 1965.** Skalova A, Michal M, Husek K, Zamecnik M, Leivo I (1993). Aggressive angiosarcoma of the pelvioperineal region. Immunohistological and ultrastructural study of seven cases. *Am J Dermatopathol* 15: 446-451.
- 1966.** Skytting B, Nilsson G, Brodin B, Xie Y, Lundeberg J, Uhlen M, Larsson O (1999). A novel fusion gene, SYT-SSX4, in synovial sarcoma. *J Natl Cancer Inst* 91: 974-975.
- 1967.** Slater DN, Cotton DW, Azzopardi JG (1987). Oncocytic glomus tumour: a new variant. *Histopathology* 11: 523-531.
- 1968.** Slullitel JA, Schajowicz F, Slullitel J (1971). [Solitary osteochondroma with malignant degeneration into osteogenic sarcoma]. *Rev Chir Orthop Reparatrice Appar Mot* 57: 471-478.
- 1969.** Smith DM, Mahmoud HH, Jenkins JJ, III, Rao B, Hopkins KP, Parham DM (1995). Myofibrosarcoma of the head and neck in children. *Pediatr Pathol Lab Med* 15: 403-418.
- 1970.** Smith KJ, Skelton HG, Barrett TL, Lupton GP, Graham JH (1989). Cutaneous myofibroma. *Mod Pathol* 2: 603-609.
- 1971.** Smith ME, Costa MJ, Weiss SW (1991). Evaluation of CD68 and other histiocytic antigens in angiomatoid malignant fibrous histiocytoma. *Am J Surg Pathol* 15: 757-763.
- 1972.** Smith ME, Fisher C, Weiss SW (1996). Pleomorphic hyalinizing angiectatic tumor of soft parts. A low-grade neoplasm resembling neurilemoma. *Am J Surg Pathol* 20: 21-29.
- 1973.** Smith NM, Davies JB, Shrimankar JS, Malcolm AJ (1990). Deep fibrous histiocytoma with giant cells and bone metaplasia. *Histopathology* 17: 365-367.
- 1974.** Smith S, Fletcher CD, Smith MA, Gusterson BA (1990). Cytogenetic analysis of a plexiform fibrohistiocytic tumor. *Cancer Genet Cytogenet* 48: 31-34.
- 1975.** Smith SH, Weiss SW, Jankowski SA, Coccia MA, Meltzer PS (1992). SAS amplification in soft tissue sarcomas. *Cancer Res* 52: 3746-3749.
- 1976.** Smith TA, Easley KA, Goldblum JR (1996). Myxoid/round cell liposarcoma of the extremities. A clinicopathologic study of 29 cases with particular attention to extent of round cell liposarcoma. *Am J Surg Pathol* 20: 171-180.
- 1977.** Smith TA, Machen SK, Fisher C, Goldblum JR (1999). Usefulness of cytokeratin subsets for distinguishing monophasic synovial sarcoma from malignant peripheral nerve sheath tumor. *Am J Clin Pathol* 112: 641-648.
- 1978.** Smythe JF, Dyck JD, Smallhorn JF, Freedom RM (1990). Natural history of cardiac rhabdomyoma in infancy and childhood. *Am J Cardiol* 66: 1247-1249.
- 1979.** Sobin LH, Wittekind C (2002). *UICC TNM Classification of Malignant Tumours*. 6th ed. Wiley: New York.
- 1980.** Soder S, Inwards C, Muller S, Kirchner T, Aigner T (2001). Cell biology and matrix biochemistry of chondromyxoid fibroma. *Am J Clin Pathol* 116: 271-277.
- 1981.** Soini Y, Welsh JA, Ishak KG, Bennett WP (1995). p53 mutations in primary hepatic angiosarcomas not associated with vinyl chloride exposure. *Carcinogenesis* 16: 2879-2881.
- 1982.** Sola JB, Wright RW (1998). Arthroscopic treatment for lipoma arborescens of the knee: a case report. *J Bone Joint Surg Am* 80: 99-103.
- 1983.** Soler JM, Piza G, Aliaga F (1997). Special characteristics of osteoid osteoma in the proximal phalanx. *J Hand Surg [Br]* 22: 793-797.
- 1984.** Somerhausen NS, Fletcher CD (2000). Diffuse-type giant cell tumor: clinicopathologic and immunohistochemical analysis of 50 cases with extraarticular disease. *Am J Surg Pathol* 24: 479-492.
- 1985.** Somers GR, Tesoriero AA, Hartland E, Robertson CF, Robinson PJ, Venter DJ, Chow CW (1998). Multiple leiomyosarcomas of both donor and recipient origin arising in a heart-lung transplant patient. *Am J Surg Pathol* 22: 1423-1428.
- 1986.** Somers KD, Winters BA, Dawson DM, Leffell MS, Wright GL, Jr., Devine CJ, Jr., Gilbert DA, Horton CE (1987). Chromosome abnormalities in Peyronie's disease. *J Urol* 137: 672-675.
- 1987.** Sonobe H, Furihata M, Iwata J, Oka T, Ohtsuki Y, Hamasato S, Fujimoto S (1993). Morphological characterization of a new human epithelioid sarcoma cell line, ES020488, in vitro and in vivo. *Virchows Arch B Cell Pathol Incl Mol Pathol* 63: 219-225.
- 1988.** Sonobe H, Iwata J, Komatsu T, Fukushima A, Hayashi N, Moriki T, Shimizu K, Ohtsuki Y (2000). A giant cell angiofibroma involving 6q. *Cancer Genet Cytogenet* 116: 47-49.
- 1989.** Sonobe H, Ohtsuki Y, Mizobuchi H, Toda M, Shimizu K (1996). An angiomoma with t(X;10)(q22;q23.2). *Cancer Genet Cytogenet* 90: 54-56.
- 1990.** Sonobe H, Ohtsuki Y, Sugimoto T, Shimizu K (1997). Involvement of 8q, 22q, and monosomy 21 in an epithelioid sarcoma. *Cancer Genet Cytogenet* 96: 178-180.
- 1991.** Sonobe H, Ro JY, Ordenez NG, Ayala AG (1994). Alveolar soft part sarcoma of the lung. *Int J Surg Pathol* 2: 57-62.
- 1992.** Soper JR, De Silva M (1993). Infantile myofibromatosis: a radiological review. *Pediatr Radiol* 23: 189-194.
- 1993.** Soravia C, Berk T, McLeod RS, Cohen Z (2000). Desmond disease in patients with familial adenomatous polyposis. *Dis Colon Rectum* 43: 363-369.
- 1994.** Sordillo PP, Hajdu SI, Magill GB, Golbey RB (1983). Extrasosseous osteogenic sarcoma. A review of 48 patients. *Cancer* 51: 727-734.
- 1995.** Sorensen PH, Lessnick SL, Lopez-Terrada D, Liu XF, Triche TJ, Denny CT (1994). A second Ewing's sarcoma translocation, t(21;22), fuses the EWS gene to another ETS-family transcription factor, ERG. *Nat Genet* 6: 146-151.
- 1996.** Sorensen PH, Liu XF, Delattre O, Rowland JM, Biggs CA, Thomas G, Triche TJ (1993). Reverse transcriptase PCR amplification of EWS/FLI-1 fusion tran-
- scripts as a diagnostic test for peripheral primitive neuroectodermal tumors of childhood. *Diagn Mol Pathol* 2: 147-157.
- 1997.** Sorensen SA, Mulvihill JJ, Nielsen A (1981). Long-term follow-up of von Recklinghausen neurofibromatosis. *N Engl J Med* 305: 1617.
- 1998.** Sotelo-Avila C, Bale PM (1994). Subdermal fibrous hamartoma of infancy: pathology of 40 cases and differential diagnosis. *Pediatr Pathol* 14: 39-52.
- 1999.** Souid AK, Ziemba MC, Dubansky AS, Mazur M, Oliphant M, Thomas FD, Ratner M, Sadowitz PD (1993). Inflammatory myofibroblastic tumor in children. *Cancer* 72: 2042-2048.
- 2000.** Soule EH (1962). Proliferative (nodular) fasciitis. *Arch Pathol* 73: 437-444.
- 2001.** Soule EH, Pritchard DJ (1977). Fibrosarcoma in infants and children: a review of 110 cases. *Cancer* 40: 1711-1721.
- 2002.** Southwick GJ, Karamoskos P (1990). Fibroma of tendon sheath with bone involvement. *J Hand Surg [Br]* 15: 373-375.
- 2003.** Sovani V, Velagaleti GV, Filipowicz E, Gatalica Z, Knisely AS (2001). Ossifying fibromyxoid tumor of soft parts: report of a case with novel cytogenetic findings. *Cancer Genet Cytogenet* 127: 1-6.
- 2004.** Sozzi G, Miozzo M, Di Palma S, Minelli A, Calderone C, Danesino C, Pastorino U, Pierotti MA, Della Porta G (1990). Involvement of the region 13q14 in a patient with adamantinoma of the long bones. *Hum Genet* 85: 513-515.
- 2005.** Spanta R, Lawrence WD (1995). Soft tissue chondroma of the fallopian tube. Differential diagnosis and histogenetic considerations. *Pathol Res Pract* 191: 174-176.
- 2006.** Sparkes RS, Sparkes MC, Wilson MG, Towner JW, Benedict W, Murphree AL, Yunis JJ (1980). Regional assignment of genes for human esterase D and retinoblastoma to chromosome band 13q14. *Science* 208: 1042-1044.
- 2007.** Speleman F, Colpaert C, Goovaerts G, Leroy JG, Van Marck E (1992). Malignant melanoma of soft parts. Further cytogenetic characterization. *Cancer Genet Cytogenet* 60: 176-179.
- 2008.** Spencer H (1984). The pulmonary plasma cell/histiocytoma complex. *Histopathology* 8: 903-916.
- 2009.** Spicer RD (1992). Neonatal soft tissue tumours. *Br J Cancer Suppl* 18: S80-S83.
- 2010.** Spillane AJ, A'Hern R, Judson IR, Fisher C, Thomas JM (2000). Synovial sarcoma: a clinicopathologic, staging, and prognostic assessment. *J Clin Oncol* 18: 3794-3803.
- 2011.** Spirio L, Olschwang S, Groden J, Robertson M, Samowitz W, Joslyn G, Gelbert L, Thliveris A, Carlson M, Otterud B (1993). Alleles of the APC gene: an attenuated form of familial polyposis. *Cell* 75: 951-957.

- 2012.** Spitsbergen JM, Tsai HW, Reddy A, Miller T, Arbogast D, Hendricks JD, Bailey GS (2000). Neoplasia in zebrafish (*Danio rerio*) treated with N-methyl-N'-nitro-N-nitrosoguanidine by three exposure routes at different developmental stages. *Toxicol Pathol* 28: 716-725.
- 2013.** Spjut HJ, Ayala AG, deSantos LA, et al (1977). *Proceedings of the Annual Clinical Conference on Cancer. Sponsored by The University of Texas System Cancer Center.* Year Book Medical Publishers: Chicago.
- 2014.** Spouge AR, Thain LM (2000). Osteoid osteoma: MR imaging revisited. *Clin Imaging* 24: 19-27.
- 2015.** Springfield DS, Capanna R, Gherlinzoni F, Picci P, Campanacci M (1985). Chondroblastoma. A review of seventy cases. *J Bone Joint Surg Am* 67: 748-755.
- 2016.** Springfield DS, Rosenberg AE, Mankin HJ, Mindell ER (1994). Relationship between osteofibrous dysplasia and adamantinoma. *Clin Orthop* 234-244.
- 2017.** Squire J, Gallie BL, Phillips RA (1985). A detailed analysis of chromosomal changes in heritable and non-heritable retinoblastoma. *Hum Genet* 70: 291-301.
- 2018.** Sreekantaiah C, Karakousis CP, Leong SP, Sandberg AA (1992). Cytogenetic findings in liposarcoma correlate with histopathologic subtypes. *Cancer* 69: 2484-2495.
- 2019.** Sreekantaiah C, Leong SP, Davis JR, Sandberg AA (1991). Cytogenetic and flow cytometric analysis of a clear cell chondrosarcoma. *Cancer Genet Cytogenet* 52: 193-199.
- 2020.** Sreekantaiah C, Leong SP, Karakousis CP, McGee DL, Rappaport WD, Villar HV, Neal D, Fleming S, Wankel A, Herrington PN, Carmona R, Sandberg AA (1991). Cytogenetic profile of 109 lipomas. *Cancer Res* 51: 422-433.
- 2021.** Staehelin F, Bissig H, Hosli I, Betts DR, Schafer BW, Scholl FA, Holzgreve W, Kuhne T (2000). Inv(11)(p13p15) and myf-3(MyoD1) in a malignant extrarenal rhabdoid tumor of a premature newborn. *Pediatr Res* 48: 463-467.
- 2022.** Stanton RP, Abdel-Mota'al MM (1998). Growth arrest resulting from unicameral bone cyst. *J Pediatr Orthop* 18: 198-201.
- 2023.** Steenman M, Westerveld A, Mannens M (2000). Genetics of Beckwith-Wiedemann syndrome-associated tumors: common genetic pathways. *Genes Chromosomes Cancer* 28: 1-13.
- 2024.** Steeper TA, Rosai J (1983). Aggressive angiomyxoma of the female pelvis and perineum. Report of nine cases of a distinctive type of gynecologic soft-tissue neoplasm. *Am J Surg Pathol* 7: 463-475.
- 2025.** Steiner GC (1979). Ultrastructure of benign cartilaginous tumors of intraosseous origin. *Hum Pathol* 10: 71-86.
- 2026.** Steiner GC, Mirra JM, Bullough PG (1973). Mesenchymal chondrosarcoma. A study of the ultrastructure. *Cancer* 32: 926-939.
- 2027.** Stener B, Gunterberg B (1978). High amputation of the sacrum for extirpation of tumors. Principles and technique. *Spine* 3: 351-366.
- 2028.** Stenman G, Andersson H, Mandahl N, Meis-Kindblom JM, Kindblom LG (1995). Translocation t(9;22)(q22;q12) is a primary cytogenetic abnormality in extraskeletal myxoid chondrosarcoma. *Int J Cancer* 62: 398-402.
- 2029.** Stenman G, Kindblom LG, Willems J, Angervall L (1990). A cell culture, chromosomal and quantitative DNA analysis of a metastatic epithelioid sarcoma. Deletion 1p, a possible primary chromosomal abnormality in epithelioid sarcoma. *Cancer* 65: 2006-2013.
- 2030.** Stickens D, Brown D, Evans GA (2000). EXT genes are differentially expressed in bone and cartilage during mouse embryogenesis. *Dev Dyn* 218: 452-464.
- 2031.** Stickens D, Clines G, Burbee D, Ramos P, Thomas S, Hogue D, Hecht JT, Lovett M, Evans GA (1996). The EXT2 multiple exostoses gene defines a family of putative tumour suppressor genes. *Nat Genet* 14: 25-32.
- 2032.** Stickens D, Evans GA (1997). Isolation and characterization of the murine homolog of the human EXT2 multiple exostoses gene. *Biochem Mol Med* 61: 16-21.
- 2033.** Stock C, Kager L, Fink FM, Gadner H, Ambros PF (2000). Chromosomal regions involved in the pathogenesis of osteosarcomas. *Genes Chromosomes Cancer* 28: 329-336.
- 2034.** Stone CH, Lee MW, Amin MB, Yaziji H, Gown AM, Ro JY, Tetu B, Paraf F, Zarbo RJ (2001). Renal angiomyolipoma: further immunophenotypic characterization of an expanding morphologic spectrum. *Arch Pathol Lab Med* 125: 751-758.
- 2035.** Stout AP (1948). Fibrosarcoma. The malignant tumor of fibroblasts. *Cancer* 1: 30-63.
- 2036.** Stout AP (1949). Hemangiopericytoma. A study of twenty five new cases. *Cancer* 2: 1027-1035.
- 2037.** Stout AP (1954). Juvenile fibromatosis. *Cancer* 7: 953.
- 2038.** Stout AP (1962). Fibrosarcoma in infants and children. *Cancer* 15: 1028-1040.
- 2039.** Stout AP, Hill WT (1964). Leiomyosarcoma of the superficial soft tissue. *Cancer* 11: 844-854.
- 2040.** Stout AP, Murray MR (1942). Hemangiopericytoma: a vascular tumor featuring Zimmerman's pericytes. *Ann Surg* 116: 26-33.
- 2041.** Stratton MR, Fisher C, Gusterson BA, Cooper CS (1989). Detection of point mutations in N-ras and K-ras genes of human embryonal rhabdomyosarcomas using oligonucleotide probes and the polymerase chain reaction. *Cancer Res* 49: 6324-6327.
- 2042.** Stratton MR, Moss S, Warren W, Patterson H, Clark J, Fisher C, Fletcher CD, Ball A, Thomas M, Gusterson BA, Cooper CS (1990). Mutation of the p53 gene in human soft tissue sarcomas: association with abnormalities of the RB1 gene. *Oncogene* 5: 1297-1301.
- 2043.** Stringer MD, Ramani P, Yeung CK, Capps SN, Kiely EM, Spitz L (1992). Abdominal inflammatory myofibroblastic tumours in children. *Br J Surg* 79: 1357-1360.
- 2044.** Strong LC, Riccardi VM, Ferrell RE, Sparkes RS (1981). Familial retinoblastoma and chromosome 13 deletion transmitted via an insertional translocation. *Science* 213: 1501-1503.
- 2045.** Strouse PJ, Ellis BI, Shifrin LZ, Shah AR (1992). Case report 710: Symmetrical eosinophilic granuloma of the lower extremities (proven) and Erdheim-Chester disease (probable). *Skeletal Radiol* 21: 64-67.
- 2046.** Strutton G, Weedon D (1987). Acro-angiokeratosis. A simulant of Kaposi's sarcoma. *Am J Dermatopathol* 9: 85-89.
- 2047.** Su LD, Atayde-Perez A, Sheldon S, Fletcher JA, Weiss SW (1998). Inflammatory myofibroblastic tumor: cytogenetic evidence supporting clonal origin. *Mod Pathol* 11: 364-368.
- 2048.** Su W, Ko A, O'Connell T, Applebaum H (2000). Treatment of pseudotumors with nonsteroidal antiinflammatory drugs. *J Pediatr Surg* 35: 1635-1637.
- 2049.** Suarez VD, Gimenez PA, Rio SM (1990). Vaginal rhabdomyoma and adenosis. *Histopathology* 16: 393-394.
- 2050.** Sudo T, Kuramoto T, Komiya S, Inoue A, Itoh K (1997). Expression of MAGE genes in osteosarcoma. *J Orthop Res* 15: 128-132.
- 2051.** Suh CH, Ordóñez NG, Mackay B (2000). Malignant fibrous histiocytoma: an ultrastructural perspective. *Ultrastruct Pathol* 24: 243-250.
- 2052.** Suh JS, Cho J, Lee SH, Shin KH, Yang WI, Lee JH, Cho JH, Suh KJ, Lee YJ, Ryu KN (2000). Alveolar soft part sarcoma: MR and angiographic findings. *Skeletal Radiol* 29: 680-689.
- 2053.** Suijkerbuijk RF, Olde Weghuis DE, van den Berg M, Peddeutour F, Forus A, Myklebost O, Glier C, Turc-Carel C, van Kessel AG (1994). Comparative genomic hybridization as a tool to define two distinct chromosome 12-derived amplification units in well-differentiated liposarcomas. *Genes Chromosomes Cancer* 9: 292-295.
- 2054.** Sumiyoshi K, Tsuneyoshi M, Enjoji M (1985). Myositis ossificans. A clinicopathologic study of 21 cases. *Acta Pathol Jpn* 35: 1109-1122.
- 2055.** Sun TC, Sweet RG, Shives TC, Unni KK (1985). Chondrosarcoma in Maffucci's syndrome. *J Bone Joint Surg Am* 67: 1214-1219.
- 2056.** Sundaram M, Akduman I, White LM, McDonald DJ, Kandel R, Janney C (1999). Primary leiomyosarcoma of bone. *AJR Am J Roentgenol* 172: 771-776.
- 2057.** Sundaram M, Herbold DR, McGuire MH (1986). Case report 370: Low grade (well-differentiated) intramedullary osteosarcoma. *Skeletal Radiol* 15: 338-342.
- 2058.** Sundareshan N, Galicich JH, Chu FC, Huvos AG (1979). Spinal chordomas. *J Neurosurg* 50: 312-319.
- 2059.** Suster S, Fisher C (1997). Immunoreactivity for the human hematopoietic progenitor cell antigen (CD34) in lipomatous tumors. *Am J Surg Pathol* 21: 195-200.
- 2060.** Suster S, Fisher C, Moran CA (1998). Expression of bcl-2 oncoprotein in benign and malignant spindle cell tumors of soft tissue, skin, serosal surfaces, and gastrointestinal tract. *Am J Surg Pathol* 22: 863-872.
- 2061.** Suster S, Moran CA (1997). Malignant cartilaginous tumors of the mediastinum: clinicopathological study of six cases presenting as extraskelatal soft tissue masses. *Hum Pathol* 28: 588-594.
- 2062.** Suster S, Nascimento AG, Miettinen M, Sichel JZ, Moran CA (1995). Solitary fibrous tumors of soft tissue. A clinicopathologic and immunohistochemical study of 12 cases. *Am J Surg Pathol* 19: 1257-1266.
- 2063.** Suster S, Wong TY, Moran CA (1993). Sarcomas with combined features of liposarcoma and leiomyosarcoma. Study of two cases of an unusual soft-tissue tumor showing dual lineage differentiation. *Am J Surg Pathol* 17: 905-911.
- 2064.** Swanson PE, Lillemo T, Manivel JC, Wick MR (1990). Mesenchymal chondrosarcoma. An immunohistochemical study. *Arch Pathol Lab Med* 114: 943-948.
- 2065.** Swanson PE, Wick MR (1989). Clear cell sarcoma. An immunohistochemical analysis of six cases and comparison with other epithelioid neoplasms of soft tissue. *Arch Pathol Lab Med* 113: 55-60.
- 2066.** Swanson PE, Wick MR, Dehner LP (1991). Leiomyosarcoma of somatic soft tissues in childhood: an immunohistochemical analysis of six cases with ultrastructural correlation. *Hum Pathol* 22: 569-577.
- 2067.** Swarts SJ, Neff JR, Johansson SL, Bridge JA (1996). Cytogenetic analysis of dedifferentiated chondrosarcoma. *Cancer Genet Cytogenet* 89: 49-51.
- 2068.** Swarts SJ, Neff JR, Johansson SL, Nelson M, Bridge JA (1998). Significance of abnormalities of chromosomes 5 and 8 in chondroblastoma. *Clin Orthop* 189-193.
- 2069.** Sweet DE, Vinh TN, Devaney K (1992). Cortical osteofibrous dysplasia of long bone and its relationship to adamantinoma. A clinicopathologic study of 30 cases. *Am J Surg Pathol* 16: 282-290.

- 2070.** Sybert V (1997). *Genetic Skin Disorders*. 1st ed. Oxford University Press: New York.
- 2071.** Szymanska J, Mandahl N, Mertens F, Tarkkanen M, Karaharju E, Knuutila S (1996). Ring chromosomes in parosteal osteosarcoma contain sequences from 12q13-15: a combined cytogenetic and comparative genomic hybridization study. *Genes Chromosomes Cancer* 16: 31-34.
- 2072.** Szymanska J, Tarkkanen M, Wiklund T, Virolainen M, Blomqvist C, Asko-Seljavaara S, Tukiainen E, Elomaa I, Knuutila S (1996). Gains and losses of DNA sequences in liposarcomas evaluated by comparative genomic hybridization. *Genes Chromosomes Cancer* 15: 89-94.
- 2073.** Taccagni G, Sambade C, Nesland J, Terreni MR, Sobrinho-Simoes M (1993). Solitary fibrous tumour of the thyroid: clinicopathological, immunohistochemical and ultrastructural study of three cases. *Virchows Arch A Pathol Anat Histopathol* 422: 491-497.
- 2074.** Taconis WK (1988). Osteosarcoma in fibrous dysplasia. *Skeletal Radiol* 17: 163-170.
- 2075.** Taconis WK, Mulder JD (1984). Fibrosarcoma and malignant fibrous histiocytoma of long bones: radiographic features and grading. *Skeletal Radiol* 11: 237-245.
- 2076.** Takahashi K, Kimura Y, Naito M, Yoshimura T, Uchida H, Araki S (1989). Inflammatory fibrous histiocytoma presenting leukemoid reaction. *Pathol Res Pract* 184: 498-506.
- 2077.** Takanami I, Takeuchi K, Naruke M (1999). Low-grade fibromyxoid sarcoma arising in the mediastinum. *J Thorac Cardiovasc Surg* 118: 970-971.
- 2078.** Takaoka K, Yoshikawa H, Masuhara K, Sugano N, Ono K (1994). Ectopic ossification associated with osteoid osteoma in the acetabulum. A case report. *Clin Orthop* 209-211.
- 2079.** Takata H, Ikuta Y, Ishida O, Kimori K (2001). Treatment of subungual glomus tumour. *Hand Surg* 6: 25-27.
- 2080.** Takeuchi T, Takenoshita Y, Kubo K, Iida M (1993). Natural course of jaw lesions in patients with familial adenomatous polyposis coli (Gardner's syndrome). *Int J Oral Maxillofac Surg* 22: 226-230.
- 2081.** Takigawa K (1971). Chondroma of the bones of the hand. A review of 110 cases. *J Bone Joint Surg Am* 53: 1591-1600.
- 2082.** Tallini G, Dorfman H, Brys P, Dal Cin P, de Wever I, Fletcher CD, Jonson K, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Samson I, Sciort R, van den Berghe H, Vanni R, Willén H (2002). Correlation between clinicopathological features and karyotype in 100 cartilaginous and chordoid tumours. A report from the chromosomes and morphology (CHAMP) collaborative study group. *J Pathol* 196: 194-203.
- 2083.** Tallini G, Vanni R, Manfioletti G, Kazmierczak B, Faa G, Pauwels P, Bullerdiek J, Giancotti V, van den Berghe H, Dal Cin P (2000). HMGI-C and HMGI(Y) immunoreactivity correlates with cytogenetic abnormalities in lipomas, pulmonary chondroid hamartomas, endometrial polyps, and uterine leiomyomas and is compatible with rearrangement of the HMGI-C and HMGI(Y) genes. *Lab Invest* 80: 359-369.
- 2084.** Tanaka Y, Ijiri R, Kato K, Kato Y, Misugi K, Nakatani Y, Hara M (2000). HMB-45/melan-A and smooth muscle actin-positive clear-cell epithelioid tumor arising in the ligamentum teres hepatis: additional example of clear cell 'sugar' tumors. *Am J Surg Pathol* 24: 1295-1299.
- 2085.** Tanda F, Rocca PC, Bosincu L, Massarelli G, Cossu A, Manca A (1997). Rhabdomyoma of the tunica vaginalis of the testis: a histologic, immunohistochemical, and ultrastructural study. *Mod Pathol* 10: 608-611.
- 2086.** Tang TT, Segura AD, Oechler HW, Harb JM, Adair SE, Gregg DC, Camitta BM, Franciosi RA (1990). Inflammatory myofibrohistiocytic proliferation simulating sarcoma in children. *Cancer* 65: 1626-1634.
- 2087.** Tarkkanen M, Aaltonen LA, Böhling T, Kivioja A, Karaharju E, Elomaa I, Knuutila S (1996). No evidence of microsatellite instability in bone tumours. *Br J Cancer* 74: 453-455.
- 2088.** Tarkkanen M, Böhling T, Gamberi G, Ragazzini P, Benassi MS, Kivioja A, Kallio P, Elomaa I, Picci P, Knuutila S (1998). Comparative genomic hybridization of low-grade central osteosarcoma. *Mod Pathol* 11: 421-426.
- 2089.** Tarkkanen M, Elomaa I, Blomqvist C, Kivioja AH, Kellokumpu-Lehtinen P, Böhling T, Valle J, Knuutila S (1999). DNA sequence copy number increase at 8q: a potential new prognostic marker in high-grade osteosarcoma. *Int J Cancer* 84: 114-121.
- 2090.** Tarkkanen M, Kaipainen A, Karaharju E, Böhling T, Szymanska J, Helio H, Kivioja A, Elomaa I, Knuutila S (1993). Cytogenetic study of 249 consecutive patients examined for a bone tumor. *Cancer Genet Cytogenet* 68: 1-21.
- 2091.** Tarkkanen M, Karhu R, Kallioniemi A, Elomaa I, Kivioja AH, Nevalainen J, Böhling T, Karaharju E, Hyytinen E, Knuutila S, Kallioniemi OP (1995). Gains and losses of DNA sequences in osteosarcomas by comparative genomic hybridization. *Cancer Res* 55: 1334-1338.
- 2092.** Tarkkanen M, Nordling S, Böhling T, Kivioja A, Karaharju E, Szymanska J, Elomaa I, Knuutila S (1996). Comparison of cytogenetics, interphase cytogenetics, and DNA flow cytometry in bone tumors. *Cytometry* 26: 185-191.
- 2093.** Tarkkanen M, Wiklund T, Virolainen M, Elomaa I, Knuutila S (1994). Dedifferentiated chondrosarcoma with t(9;22)(q34;q11-12). *Genes Chromosomes Cancer* 9: 136-140.
- 2094.** Tarkkanen M, Wiklund TA, Virolainen MJ, Larramendy M, Mandahl N, Mertens F, Blomqvist C, Tukiainen E, Miettinen M, Elomaa I, Knuutila S (2001). Comparative genomic hybridization of postirradiation sarcomas. *Cancer* 92: 1992-1998.
- 2095.** Tarkkanen M, Wolf M, Knuutila S (2002). *Genomic imbalances, their putative target genes and clinical significance in sarcomas and benign mesenchymal tumors* (in press).
- 2096.** Taubert H, Berger D, Hinze R, Meye A, Wurl P, Hogendoorn PC, Holzhausen HJ, Schmidt H, Rath FW (1998). How is the mutational status for tumor suppressors p53 and p16INK4A in MFH of the bone? *Cancer Lett* 123: 147-151.
- 2097.** Taubert H, Wurl P, Meye A, Berger D, Thamm B, Neumann K, Hinze R, Schmidt H, Rath FW (1995). Molecular and immunohistochemical p53 status in liposarcoma and malignant fibrous histiocytoma: identification of seven new mutations for soft tissue sarcomas. *Cancer* 76: 1187-1196.
- 2098.** Taylor WF, Ivins JC, Dahlin DC, Edmonson JH, Pritchard DJ (1978). Trends and variability in survival from osteosarcoma. *Mayo Clin Proc* 53: 695-700.
- 2099.** Taylor WF, Ivins JC, Unni KK, Beabout JW, Golenzer HJ, Black LE (1989). Prognostic variables in osteosarcoma: a multi-institutional study. *J Natl Cancer Inst* 81: 21-30.
- 2100.** Tazelaar HD, Batts KP, Srigley JR (2001). Primary extrapulmonary sugar tumor (PEST): a report of four cases. *Mod Pathol* 14: 615-622.
- 2101.** Tejpar S, Nollet F, Li C, Wunder JS, Michils G, Dal Cin P, Van Cutsem E, Bapat B, van Roy F, Cassiman JJ, Alman BA (1999). Predominance of beta-catenin mutations and beta-catenin dysregulation in sporadic aggressive fibromatosis (desmoid tumor). *Oncogene* 18: 6615-6620.
- 2102.** Templeton SF, Solomon AR, Jr. (1996). Spindle cell lipoma is strongly CD34 positive. An immunohistochemical study. *J Cutan Pathol* 23: 546-550.
- 2103.** Terzis JK, Daniel RK, Williams HB, Spencer PS (1978). Benign fatty tumors of the peripheral nerves. *Ann Plast Surg* 1: 193-216.
- 2104.** Tetsu O, McCormick F (1999). Beta-catenin regulates expression of cyclin D1 in colon carcinoma cells. *Nature* 398: 422-426.
- 2105.** Teyssier JR, Ferre D (1989). Frequent clonal chromosomal changes in human non-malignant tumors. *Int J Cancer* 44: 828-832.
- 2106.** Thaete C, Brett D, Monaghan P, Whitehouse S, Rennie G, Rayner E, Cooper CS, Goodwin G (1999). Functional domains of the SYT and SYT-SSX synovial sarcoma translocation proteins and co-localization with the SNF protein BRM in the nucleus. *Hum Mol Genet* 8: 585-591.
- 2107.** The I, Bellaiche Y, Perrimon N (1999). Hedgehog movement is regulated through tout velu-dependent synthesis of a heparan sulfate proteoglycan. *Mol Cell* 4: 633-639.
- 2108.** Thomachot B, Daumen-Legre V, Pham T, Acquaviva PC, Lafforgue P (1999). Fibrous dysplasia with intramuscular myxoma (Mazabraud's syndrome). Report of a case and review of the literature. *Rev Rhum Engl Ed* 66: 180-183.
- 2109.** Thomas R, Banerjee SS, Eyden BP, Shanks JH, Bisset DL, Hunt R, Byers RJ, Oogarah P, Harris M (2001). A study of four cases of extra-orbital giant cell angiofibroma with documentation of some unusual features. *Histopathology* 39: 390-396.
- 2110.** Thompson AD, Braun BS, Arvand A, Stewart SD, May WA, Chen E, Korenberg J, Denny CT (1996). EAT-2 is a novel SH2 domain containing protein that is up regulated by Ewing's sarcoma EVS/FLI1 fusion gene. *Oncogene* 13: 2649-2658.
- 2111.** Thompson J, Castillo M, Reddick RL, Smith JK, Shockley W (1995). Nasopharyngeal nonossifying variant of ossifying fibromyxoid tumor: CT and MR findings. *AJNR Am J Neuroradiol* 16: 1132-1134.
- 2112.** Thurer RL, Thorsen A, Parker JA, Karp DD (2000). FDG imaging of a pulmonary artery sarcoma. *Ann Thorac Surg* 70: 1414-1415.
- 2113.** Tigani D, Pignatti G, Picci P, Savini R, Campanacci M (1988). Vertebral osteosarcoma. *Ital J Orthop Traumatol* 14: 5-13.
- 2114.** Tihy F, Scott P, Russo P, Champagne M, Tabet JC, Lemieux N (1998). Cytogenetic analysis of a parachordoma. *Cancer Genet Cytogenet* 105: 14-19.
- 2115.** Tillotson C, Rosenberg A, Gebhardt M, Rosenthal DI (1988). Postradiation multicentric osteosarcoma. *Cancer* 62: 67-71.
- 2116.** Toguchida J, Ishizaki K, Sasaki MS, Ikenaga M, Sugimoto M, Kotoura Y, Yamamuro T (1988). Chromosomal reorganization for the expression of recessive mutation of retinoblastoma susceptibility gene in the development of osteosarcoma. *Cancer Res* 48: 3939-3943.
- 2117.** Toguchida J, Yamaguchi T, Ritchie B, Beauchamp RL, Dayton SH, Herrera GE, Yamamuro T, Kotoura Y, Sasaki MS, Little JB, . (1992). Mutation spectrum of the p53 gene in bone and soft tissue sarcomas. *Cancer Res* 52: 6194-6199.
- 2118.** Tokano H, Sugimoto T, Noguchi Y, Kitamura K (2001). Sequential computed tomography images demonstrating characteristic changes in fibrous dysplasia. *J Laryngol Otol* 115: 757-759.
- 2119.** Tomares SM, Jabra AA, Conrad CK, Beauchamp N, Phoon CK, Carroll JL (1994). Hemithorax in a child as a result of costal exostosis. *Pediatrics* 93: 523-525.
- 2120.** Tongaonkar HB, Kulkarni JN, Kamat MR (1992). Solitary metastases from renal cell carcinoma: a review. *J Surg Oncol* 49: 45-48.

- 2121.** Torok G, Meller Y, Maor E (1983). Primary liposarcoma of bone. Case report and review of the literature. *Bull Hosp Jt Dis Orthop Inst* 43: 28-37.
- 2122.** Torres FX, Kyriakos M (1992). Bone infarct-associated osteosarcoma. *Cancer* 70: 2418-2430.
- 2123.** Tosi P, Cintonio M, Toti P, Ninfo V, Montesco MC, Frezzotti R, Hadjistilianou T, Acquaviva A, Barbini P (1989). Histopathological evaluation for the prognosis of retinoblastoma. *Ophthalmic Paediatr Genet* 10: 173-177.
- 2124.** Toth B, Patil K, Erickson J, Gannett P (1998). Carcinogenesis by benzenediazonium sulfate in mice. *In Vivo* 12: 379-382.
- 2125.** Touriol C, Greenland C, Lamant L, Pulford K, Bernard F, Rousset T, Mason DY, Delsol G (2000). Further demonstration of the diversity of chromosomal changes involving *2p23* in ALK-positive lymphoma: 2 cases expressing ALK kinase fused to CLTCL (clathrin chain polypeptide-like). *Blood* 95: 3204-3207.
- 2126.** Toyoda H, Kinoshita-Toyoda A, Selleck SB (2000). Structural analysis of glycosaminoglycans in *Drosophila* and *Caenorhabditis elegans* and demonstration that tout-velu, a *Drosophila* gene related to EXT tumor suppressors, affects heparan sulfate in vivo. *J Biol Chem* 275: 2269-2275.
- 2127.** Trattner A, Hodak E, David M, Sandbank M (1993). The appearance of Kaposi sarcoma during corticosteroid therapy. *Cancer* 72: 1779-1783.
- 2128.** Travis JA, Bridge JA (1992). Significance of both numerical and structural chromosomal abnormalities in clear cell sarcoma. *Cancer Genet Cytogenet* 64: 104-106.
- 2129.** Trivers GE, Cawley HL, DeBenedetti VM, Hollstein M, Marion MJ, Bennett WP, Hoover ML, Prives CC, Tamburro CC, Harris CC (1995). Anti-p53 antibodies in sera of workers occupationally exposed to vinyl chloride. *J Natl Cancer Inst* 87: 1400-1407.
- 2130.** Trojan A, Stallmach T, Kollias S, Pestalozzi BC (2001). Inflammatory myofibroblastic tumor with CNS involvement. *Onkologie* 24: 368-372.
- 2131.** Trojani M, Contesso G, Coindre JM, Rouesse J, Bui NB, de Mascarel A, Goussot JF, David M, Bonichon F, Lagarde C (1984). Soft-tissue sarcomas of adults; study of pathological prognostic variables and definition of a histopathological grading system. *Int J Cancer* 33: 37-42.
- 2132.** Troum S, Dalton ML, Donner RS, Besser AS (1996). Multifocal mesenchymal hamartoma of the chest wall in infancy. *J Pediatr Surg* 31: 713-715.
- 2133.** Troup JB, Dahlin DC, Coventry MB (1960). The significance of giant cells in osteosarcoma: do they indicate a relationship between osteogenic sarcoma and giant cell tumor of bone? *Proc Staff Meet Mayo Clin* 35: 179-186.
- 2134.** Tsai H, Whitney K, Kogan SJ (1997). Perineal lipoblastoma in a neonate. *J Urol* 158: 2272-2273.
- 2135.** Tsang WY, Chan JK (1991). Kaposi-like infantile hemangioendothelioma. A distinctive vascular neoplasm of the retroperitoneum. *Am J Surg Pathol* 15: 982-989.
- 2136.** Tsang WY, Chan JK, Lee KC, Fisher C, Fletcher CD (1992). Aggressive angiomyxoma. A report of four cases occurring in men. *Am J Surg Pathol* 16: 1059-1065.
- 2137.** Tsokos M, Kouraklis G, Chandra RS, Bhagavan BS, Triche TJ (1989). Malignant rhabdoid tumor of the kidney and soft tissues. Evidence for a diverse morphological and immunocytochemical phenotype. *Arch Pathol Lab Med* 113: 115-120.
- 2138.** Tsokos M, Webber BL, Parham DM, Wesley RA, Miser A, Miser JS, Etcubanas E, Kinsella T, Grayson J, Glatstein E, . (1992). Rhabdomyosarcoma. A new classification scheme related to prognosis. *Arch Pathol Lab Med* 116: 847-855.
- 2139.** Tsuchiya H, Morikawa S, Tomita K (1990). Osteosarcoma arising from a multiple exostoses lesion: case report. *Jpn J Clin Oncol* 20: 296-298.
- 2140.** Tsuchiya T, Sekine K, Hinohara S, Namiki T, Nobori T, Kaneko Y (2000). Analysis of the p16INK4, p14ARF, p15, TP53, and MDM2 genes and their prognostic implications in osteosarcoma and Ewing sarcoma. *Cancer Genet Cytogenet* 120: 91-98.
- 2141.** Tsuneyoshi M, Daimaru Y, Hashimoto H, Enjoji M (1985). Malignant soft tissue neoplasms with the histologic features of renal rhabdoid tumors: an ultrastructural and immunohistochemical study. *Hum Pathol* 16: 1235-1242.
- 2142.** Tsuneyoshi M, Dorfman HD, Bauer TW (1986). Epithelioid hemangioendothelioma of bone. A clinicopathologic, ultrastructural, and immunohistochemical study. *Am J Surg Pathol* 10: 754-764.
- 2143.** Tsuneyoshi M, Enjoji M, Iwasaki H, Shinohara N (1981). Extraskeletal myxoid chondrosarcoma – a clinicopathologic and electron microscopic study. *Acta Pathol Jpn* 31: 439-447.
- 2144.** Turc-Carel C, Dal Cin P, Rao U, Karakousis C, Sandberg AA (1988). Recurrent breakpoints at 9q31 and 22q12.2 in extraskeletal myxoid chondrosarcoma. *Cancer Genet Cytogenet* 30: 145-150.
- 2145.** Turc-Carel C, Limon J, Dal Cin P, Rao U, Karakousis C, Sandberg AA (1986). Cytogenetic studies of adipose tissue tumors. II. Recurrent reciprocal translocation t(12;16)(q13;p11) in myxoid liposarcomas. *Cancer Genet Cytogenet* 23: 291-299.
- 2146.** Turc-Carel C, Philip I, Berger MP, Philip T, Lenoir GM (1983). Chromosomal translocations in Ewing's sarcoma. *N Engl J Med* 309: 497-498.
- 2147.** Turcotte RE, Kurt AM, Sim FH, Unni KK, McLeod RA (1993). Chondroblastoma. *Hum Pathol* 24: 944-949.
- 2148.** Turgut M (1999). Spinal angioliomas: report of a case and review of the cases published since the discovery of the tumour in 1890. *Br J Neurosurg* 13: 30-40.
- 2149.** Turner DT, Shah SM, Jones R (1998). Intracrotal lipoblastoma. *Br J Urol* 81: 166-167.
- 2150.** Ugai K, Kizaki T, Morimoto K, Sashikata T (1994). A case of low-grade fibromyxoid sarcoma of the thigh. *Pathol Int* 44: 793-799.
- 2151.** Umiker WO, Iverson L (1954). Postinflammatory "tumors" of the lung. Report of four cases simulating xanthoma, fibroma, or plasma cell tumor. *J Thorac Cardiovasc Surg* 28: 55-63.
- 2152.** Unger EC, Gilula LA, Kyriakos M (1987). Case report 430: Ischemic necrosis of osteochondroma of tibia. *Skeletal Radiol* 16: 416-421.
- 2153.** Unni KK (1996). Benign vascular tumors. In: *Dahlin's Bone Tumors: General Aspects and Data on 11,087 Cases*. 5th ed. Lippincott-Raven: Philadelphia, pp. 307-316.
- 2154.** Unni KK (1996). Conditions that commonly simulate primary neoplasms of bone. In: *Dahlin's Bone Tumors: General Aspects and Data on 11,087 Cases*. 5th ed. Lippincott-Raven: Philadelphia, p. 369.
- 2155.** Unni KK (1996). *Dahlin's Bone Tumors General Aspects and Data on 11,087 Cases*. 5th ed. Lippincott-Raven: Philadelphia.
- 2156.** Unni KK, Dahlin DC, Beabout JW (1976). Periosteal osteogenic sarcoma. *Cancer* 37: 2476-2485.
- 2157.** Unni KK, Dahlin DC, Beabout JW, Ivins JC (1974). Adamantinomas of long bones. *Cancer* 34: 1796-1805.
- 2158.** Unni KK, Dahlin DC, McLeod RA, Pritchard DJ (1977). Intraosseous well-differentiated osteosarcoma. *Cancer* 40: 1337-1347.
- 2159.** Urano F, Umezawa A, Hong W, Kikuchi H, Hata J (1996). A novel chimera gene between EWS and E1A-F, encoding the adenovirus E1A enhancer-binding protein, in extraosseous Ewing's sarcoma. *Biochem Biophys Res Commun* 219: 608-612.
- 2160.** Uriburu IJ, Levy VD (1998). Intraosseous growth of giant cell tumors of the tendon sheath (localized nodular tenosynovitis) of the digits: report of 15 cases. *J Hand Surg [Am]* 23: 732-736.
- 2161.** Ushigome S, Shimoda T, Nikaido T, Nakamori K, Miyazawa Y, Shishikura A, Takakuwa T, Ubayama Y, Spjut HJ (1992). Primitive neuroectodermal tumors of bone and soft tissue. With reference to histologic differentiation in primary or metastatic foci. *Acta Pathol Jpn* 42: 483-493.
- 2162.** Ushigome S, Takakuwa T, Shinagawa T, Kishida H, Yamazaki M (1982). Chondromyxoid fibroma of bone. An electron microscopic observation. *Acta Pathol Jpn* 32: 113-122.
- 2163.** Ushijima M, Hashimoto H, Tsuneyoshi M, Enjoji M (1986). Giant cell tumor of the tendon sheath (nodular tenosynovitis). A study of 207 cases to compare the large joint group with the common digit group. *Cancer* 57: 875-884.
- 2164.** Ushijima M, Hashimoto H, Tsuneyoshi M, Enjoji M, Miyamoto Y, Okue A (1985). Malignant giant cell tumor of tendon sheath. Report of a case. *Acta Pathol Jpn* 35: 699-709.
- 2165.** Uzoaru I, Chou P, Reyes-Mugica M, Shen-Schwartz S, Gonzalez-Crussi F (1993). Inflammatory myofibroblastic tumor of the pancreas. *Surg Pathol* 5: 181-188.
- 2166.** Vaillo-Vinagre A, Ballestin-Carcavilla C, Madero-Garcia S, Pastor GS, Checa GA, Martinez-Tello FJ (2000). Primary angioleiomyoma of the iliac bone: clinical pathological study of one case with flow cytometric DNA content and S-phase fraction analysis. *Skeletal Radiol* 29: 181-185.
- 2167.** Vallat-Decouvelaere AV, Dry SM, Fletcher CD (1998). Atypical and malignant solitary fibrous tumors in extrathoracic locations: evidence of their comparability to intra-thoracic tumors. *Am J Surg Pathol* 22: 1501-1511.
- 2168.** Valmaggia C, Neuweiler J, Fretz C, Gottlob I (1997). A case of Erdheim-Chester disease with orbital involvement. *Arch Ophthalmol* 115: 1467-1468.
- 2169.** Van Camp B, Durie BG, Spier C, De Waele M, van Riet I, Vela E, Frutiger Y, Richter L, Grogan TM (1990). Plasma cells in multiple myeloma express a natural killer cell-associated antigen: CD56 (NKH-1; Leu-19). *Blood* 76: 377-382.
- 2170.** van de Rijn M, Barr FG, Xiong QB, Hedges M, Shipley J, Fisher C (1999). Poorly differentiated synovial sarcoma: an analysis of clinical, pathologic, and molecular genetic features. *Am J Surg Pathol* 23: 106-112.
- 2171.** van de Rijn M, Barr FG, Xiong QB, Salhany KE, Fraker DL, Fisher C (1997). Radiation-associated synovial sarcoma. *Hum Pathol* 28: 1325-1328.
- 2172.** van de Rijn M, Rouse RV (1994). CD34: a review. *Appl Immunohistochem* 2: 71-80.
- 2173.** van den Berg E, Molenaar WM, Hoekstra HJ, Kamps WA, de Jong B (1992). DNA ploidy and karyotype in recurrent and metastatic soft tissue sarcomas. *Mod Pathol* 5: 505-514.
- 2174.** van der Rest M, Garrone R (1991). Collagen family of proteins. *FASEB J* 5: 2814-2823.
- 2175.** van der Woude HJ, Bloem JL, Holscher HC, Nooy MA, Taminiau AH, Hermans J, Falke TH, Hogendoorn PC (1994). Monitoring the effect of chemotherapy in Ewing's sarcoma of bone with MR imaging. *Skeletal Radiol* 23: 493-500.
- 2176.** Van Dorpe J, Ectors N, Geboes K, D'Hoore A, Sciort R (1999). Is calcifying fibrous pseudotumor a late sclerosing stage of inflammatory myofibroblastic tumor? *Am J Surg Pathol* 23: 329-335.



- 2177.** Van Geertruyden J, Lorea P, Goldschmidt D, de Fontaine S, Schuind F, Kinnen L, Ledoux P, Moermans JP (1996). Glomus tumours of the hand. A retrospective study of 51 cases. *J Hand Surg [Br]* 21: 257-260.
- 2178.** van Haelst UJ, de Haas van Dorsser AH (1975). A perplexing malignant bone tumor. Highly malignant so-called adamantinoma or non-typical Ewing's sarcoma. *Virchows Arch A Pathol Anat Histol* 365: 63-74.
- 2179.** van Hoeven KH, Factor SM, Kress Y, Woodruff JM (1993). Visceral myogenic tumors. A manifestation of HIV infection in children. *Am J Surg Pathol* 17: 1176-1181.
- 2180.** Van Hul W, Wuyts W, Hendrickx J, Speleman F, Wauters J, De Boule K, Van Roy N, Bossuyt P, Willems PJ (1998). Identification of a third EXT-like gene (EXTL3) belonging to the EXT gene family. *Genomics* 47: 230-237.
- 2181.** van Lerberghe E, Van Damme B, van Holsbeek M, Burssens A, Hoogmartens M (1990). Case report 626: Osteosarcoma arising in a solitary osteochondroma of the femur. *Skeletal Radiol* 19: 594-597.
- 2182.** van Roggen JF, McMenamin ME, Fletcher CD (2001). Cellular myxoma of soft tissue: a clinicopathological study of 38 cases confirming indolent clinical behaviour. *Histopathology* 39: 287-297.
- 2183.** van Unnik JA, Coindre JM, Contesso C, Albus-Lutter CE, Schiold T, Sylvester R, Thomas D, Bramwell V, Mouridsen HT (1993). Grading of soft tissue sarcomas: experience of the EORTC Soft Tissue and Bone Sarcoma Group. *Eur J Cancer* 29A: 2089-2093.
- 2184.** van Zelder-Bhola SL, Bovée JV, Wessels HW, Mollevanger P, Nijhuis JV, van Eendenburg JD, Taminiau AH, Hogendoorn PC (1998). Ring chromosome 4 as the sole cytogenetic anomaly in a chondroblastoma: a case report and review of the literature. *Cancer Genet Cytogenet* 105: 109-112.
- 2185.** Vanel D, Henry-Amar M, Lumbroso J, Lemalet E, Couanet D, Piekarski JD, Masselot J, Boddart A, Kalifa C, Le Chevalier T. (1984). Pulmonary evaluation of patients with osteosarcoma: roles of standard radiography, tomography, CT, scintigraphy, and tomoscintigraphy. *AJR Am J Roentgenol* 143: 519-523.
- 2186.** Vang R, Kempson RL (2002). Perivascular epithelioid cell tumor ('PEComa') of the uterus: a subset of HMB-45-positive epithelioid mesenchymal neoplasms with an uncertain relationship to pure smooth muscle tumors. *Am J Surg Pathol* 26: 1-13.
- 2187.** Vanhoenacker FM, Van Hul W, Wuyts W, Willems PJ, De Schepper AM (2001). Hereditary multiple exostoses: from genetics to clinical syndrome and complications. *Eur J Radiol* 40: 208-217.
- 2188.** Vanni R, Marras S, Faa G, Uccheddu A, Dal Cin P, Sciot R, Samson I, van den Berghe H (1999). Chromosome instability in elastofibroma. *Cancer Genet Cytogenet* 111: 182-183.
- 2189.** Vaquero J, Carrillo R, Leunda G, Cabezedo JM (1979). Primary osteogenic sarcoma of the skull. *Acta Neurochir (Wien)* 51: 97-104.
- 2190.** Varela-Duran J, Dehner LP (1980). Postirradiation osteosarcoma in childhood. A clinicopathologic study of three cases and review of the literature. *Am J Pediatr Hematol Oncol* 2: 263-271.
- 2191.** Varela-Duran J, Enzinger FM (1982). Calcifying synovial sarcoma. *Cancer* 50: 345-352.
- 2192.** Varela-Duran J, Oliva H, Rosai J (1979). Vascular leiomyosarcoma: the malignant counterpart of vascular leiomyoma. *Cancer* 44: 1684-1691.
- 2193.** Vargas SO, Perez-Atayde AR, Gonzalez-Crussi F, Kozakewich HP (2001). Giant cell angioblastoma: three additional occurrences of a distinct pathologic entity. *Am J Surg Pathol* 25: 185-196.
- 2194.** Variend S, Bax NM, van Gorp J (1995). Are infantile myofibromatosis, congenital fibrosarcoma and congenital haemangiopericytoma histogenetically related? *Histopathology* 26: 57-62.
- 2195.** Vayego SA, De Conti OJ, Varella-Garcia M (1996). Complex cytogenetic rearrangement in a case of unicameral bone cyst. *Cancer Genet Cytogenet* 86: 46-49.
- 2196.** Vellios F, Baez J, Shumacker HB (1958). Lipoblastomatosis: a tumor of fetal fat different from hibernoma. Report of a case, with observations on the embryogenesis of human adipose tissue. *Am J Pathol* 34: 1149-1159.
- 2197.** Vencio EF, Reeve CM, Unni KK, Nascimento AG (1998). Mesenchymal chondrosarcoma of the jaw bones: clinicopathologic study of 19 cases. *Cancer* 82: 2350-2355.
- 2198.** Vennos EM, Collins M, James WD (1992). Rothmund-Thomson syndrome: review of the world literature. *J Am Acad Dermatol* 27: 750-762.
- 2199.** Vennos EM, James WD (1995). Rothmund-Thomson syndrome. *Dermatol Clin* 13: 143-150.
- 2200.** Vergel De Dios AM, Bond JR, Shives TC, McLeod RA, Unni KK (1992). Aneurysmal bone cyst. A clinicopathologic study of 238 cases. *Cancer* 69: 2921-2931.
- 2201.** Versteeg I, Sevenet N, Lange J, Rousseau-Merck MF, Ambros P, Handgretinger R, Aurias A, Delattre O (1998). Truncating mutations of hSNF5/INI1 in aggressive paediatric cancer. *Nature* 394: 203-206.
- 2202.** Verstraete KL, De Deene Y, Roels H, Dierick A, Uyttendaele D, Kunnen M (1994). Benign and malignant musculoskeletal lesions: dynamic contrast-enhanced MR imaging – parametric "first-pass" images depict tissue vascularization and perfusion. *Radiology* 192: 835-843.
- 2203.** Veysier-Belot C, Cacoub P, Caparros-Lefebvre D, Wechsler J, Brun B, Remy M, Wallaert B, Petit H, Grimaldi A, Wechsler B, Godeau P (1996). Erdheim-Chester disease. Clinical and radiologic characteristics of 59 cases. *Medicine (Baltimore)* 75: 157-169.
- 2204.** Vin-Christian K, McCalmont TH, Frieden IJ (1997). Kaposiform hemangioendothelioma. An aggressive, locally invasive vascular tumor that can mimic hemangioma of infancy. *Arch Dermatol* 133: 1573-1578.
- 2205.** von Hochstetter AR (1990). Spontaneous necrosis in osteosarcomas. *Virchows Arch A Pathol Anat Histopathol* 417: 5-8.
- 2206.** Voutsinas S, Wynne-Davies R (1983). The infrequency of malignant disease in diaphyseal aclasis and neurofibromatosis. *J Med Genet* 20: 345-349.
- 2207.** Vujanic GM, Milovanovic D, Aleksandrovic S (1992). Aggressive inflammatory pseudotumor of the abdomen 9 years after therapy for Wilms tumor. A complication, coincidence, or association? *Cancer* 70: 2362-2366.
- 2208.** Wadayama B, Toguchida J, Shimizu T, Ishizaki K, Sasaki MS, Kotoura Y, Yamamuro T (1994). Mutation spectrum of the retinoblastoma gene in osteosarcomas. *Cancer Res* 54: 3042-3048.
- 2209.** Walsh SV, Evangelista F, Khettry U (1998). Inflammatory myofibroblastic tumor of the pancreaticobiliary region: morphologic and immunocytochemical study of three cases. *Am J Surg Pathol* 22: 412-418.
- 2210.** Wang-Wuu S, Soukup S, Ballard E, Gotwals B, Lampkin B (1988). Chromosomal analysis of sixteen human rhabdomyosarcomas. *Cancer Res* 48: 983-987.
- 2211.** Wang DH, Guan XL, Xiao LF, Zhang XP, Chen MG, Sun KM (1998). Soft tissue chondroma of the parapharyngeal space: a case report. *J Laryngol Otol* 112: 294-295.
- 2212.** Wang LL, Levy ML, Lewis RA, Chintagumpala MM, Lev D, Rogers M, Plon SE (2001). Clinical manifestations in a cohort of 41 Rothmund-Thomson syndrome patients. *Am J Med Genet* 102: 11-17.
- 2213.** Wang NP, Bacchi CE, Jiang JJ, McNutt MA, Gown AM (1996). Does alveolar soft-part sarcoma exhibit skeletal muscle differentiation? An immunocytochemical and biochemical study of myogenic regulatory protein expression. *Mod Pathol* 9: 496-506.
- 2214.** Wang NP, Marx J, McNutt MA, Rutledge JC, Gown AM (1995). Expression of myogenic regulatory proteins (myogenin and MyoD1) in small blue round cell tumors of childhood. *Am J Pathol* 147: 1799-1810.
- 2215.** Wang R, Lu YJ, Fisher C, Bridge JA, Shipley J (2001). Characterization of chromosome aberrations associated with soft-tissue leiomyosarcomas by twenty-four-color karyotyping and comparative genomic hybridization analysis. *Genes Chromosomes Cancer* 31: 54-64.
- 2216.** Wapner KL, Ververeli PA, Moore JH, Jr., Hecht PJ, Becker CE, Lackman RD (1995). Plantar fibromatosis: a review of primary and recurrent surgical treatment. *Foot Ankle Int* 16: 548-551.
- 2217.** Wargotz ES, Weiss SW, Norris HJ (1987). Myofibroblastoma of the breast. Sixteen cases of a distinctive benign mesenchymal tumor. *Am J Surg Pathol* 11: 493-502.
- 2218.** Warter A, Satge D, Roeslin N (1987). Angioinvasive plasma cell granulomas of the lung. *Cancer* 59: 435-443.
- 2219.** Watanabe K, Hoshi N, Tsu-Ura Y, Suzuki T (1995). A case of glomangiosarcoma. *Fukushima J Med Sci* 41: 71-77.
- 2220.** Watanabe K, Sugino T, Saito A, Kusakabe T, Suzuki T (1998). Glomangiosarcoma of the hip: report of a highly aggressive tumour with widespread distant metastases. *Br J Dermatol* 139: 1097-1101.
- 2221.** Watanabe K, Tajino T, Sekiguchi M, Suzuki T (2000). Inflammatory myofibroblastic tumor (inflammatory fibrosarcoma) of the bone. *Arch Pathol Lab Med* 124: 1514-1517.
- 2222.** Waters BL, Panagopoulos I, Allen EF (2000). Genetic characterization of angiomatoid fibrous histiocytoma identifies fusion of the FUS and ATF-1 genes induced by a chromosomal translocation involving bands 12q13 and 16p11. *Cancer Genet Cytogenet* 121: 109-116.
- 2223.** Weber-Hall S, Anderson J, McManus A, Abe S, Nijima T, Pinkerton R, Pritchard-Jones K, Shipley J (1996). Gains, losses, and amplification of genomic material in rhabdomyosarcoma analyzed by comparative genomic hybridization. *Cancer Res* 56: 3220-3224.
- 2224.** Weeks DA, Malott RL, Arnesen M, Zuppan C, Aitken D, Mierau G (1991). Hepatic angiomyolipoma with striated granules and positivity with melanoma – specific antibody (HMB-45): a report of two cases. *Ultrastruct Pathol* 15: 563-571.
- 2225.** Wehner MS, Humphreys JL, Sharkey FE (2000). Epididymal rhabdomyoma: report of a case, including histologic and immunohistochemical findings. *Arch Pathol Lab Med* 124: 1518-1519.
- 2226.** Wehrli BM, Weiss SW, Coffin CM (2001). Gardner syndrome. *Am J Surg Pathol* 25: 694-696.
- 2227.** Wehrli BM, Weiss SW, Yandow S, Coffin CM (2001). Gardner-associated fibromas (GAF) in young patients: a distinct fibrous lesion that identifies unsuspected Gardner syndrome and risk for fibromatosis. *Am J Surg Pathol* 25: 645-651.
- 2228.** Wei G, Antonescu CR, de Alava E, Leung D, Huvos AG, Meyers PA, Healey JH, Ladanyi M (2000). Prognostic impact of INK4A deletion in Ewing sarcoma. *Cancer* 89: 793-799.
- 2229.** Weibolt VM, Buresh CJ, Roberts CA, Suijkerbuijk RF, Pickering DL, Neff JR, Bridge JA (1998). Involvement of 3q21 in nodular fasciitis. *Cancer Genet Cytogenet* 106: 177-179.

- 2230.** Weinstein LS, Shenker A, Gejman PV, Merino MJ, Friedman E, Spiegel AM (1991). Activating mutations of the stimulatory G protein in the McCune-Albright syndrome. *N Engl J Med* 325: 1688-1695.
- 2231.** Weiss LM, Warhol MJ (1984). Ultrastructural distinctions between adult pleomorphic rhabdomyosarcomas, pleomorphic liposarcomas, and pleomorphic malignant fibrous histiocytomas. *Hum Pathol* 15: 1025-1033.
- 2232.** Weiss RA, Whitby D, Talbot S, Kellam P, Boshoff C (1998). Human herpesvirus type 8 and Kaposi's sarcoma. *J Natl Cancer Inst Monogr* 51-54.
- 2233.** Weiss SW (1982). Malignant fibrous histiocytoma. A reaffirmation. *Am J Surg Pathol* 6: 773-784.
- 2234.** Weiss SW (1994). *Histologic Typing of Soft Tissue Tumours. World Health Organization Histological Classification of Tumours.* Springer: Berlin.
- 2235.** Weiss SW, Dorfman HD (1977). Adamantinoma of long bone. An analysis of nine new cases with emphasis on metastasizing lesions and fibrous dysplasia-like changes. *Hum Pathol* 8: 141-153.
- 2236.** Weiss SW, Enzinger FM (1977). Myxoid variant of malignant fibrous histiocytoma. *Cancer* 39: 1672-1685.
- 2237.** Weiss SW, Enzinger FM (1978). Malignant fibrous histiocytoma: an analysis of 200 cases. *Cancer* 41: 2250-2266.
- 2238.** Weiss SW, Enzinger FM (1982). Epithelioid hemangioendothelioma: a vascular tumor often mistaken for a carcinoma. *Cancer* 50: 970-981.
- 2239.** Weiss SW, Goldblum JR (2001). Benign tumors and tumor-like lesions of synovial tissue. In: *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby-Harcourt: Philadelphia, pp. 1037-1062.
- 2240.** Weiss SW, Goldblum JR (2001). Benign tumours and tumour-like lesions of blood vessels. In: *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby-Harcourt: Philadelphia, pp. 873-875.
- 2241.** Weiss SW, Goldblum JR (2001). Cartilaginous soft tissue tumors. In: *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby-Harcourt: Philadelphia, pp. 1361-1388.
- 2242.** Weiss SW, Goldblum JR (2001). *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby: St.Louis.
- 2243.** Weiss SW, Goldblum JR (2001). Malignant fibrous histiocytoma. In: *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby-Harcourt: Philadelphia, pp. 539-569.
- 2244.** Weiss SW, Goldblum JR (2001). Malignant vascular tumours. In: *Enzinger and Weiss's Soft Tissue Tumours.* 4th ed. Mosby-Harcourt: Philadelphia, pp. 917-954.
- 2245.** Weiss SW, Ishak KG, Dail DH, Sweet DE, Enzinger FM (1986). Epithelioid hemangioendothelioma and related lesions. *Semin Diagn Pathol* 3: 259-287.
- 2246.** Weiss SW, Rao VK (1992). Well-differentiated liposarcoma (atypical lipoma) of deep soft tissue of the extremities, retroperitoneum, and miscellaneous sites. A follow-up study of 92 cases with analysis of the incidence of "dedifferentiation". *Am J Surg Pathol* 16: 1051-1058.
- 2247.** Welch P, Grossi C, Carroll A, Dunham W, Royal S, Wilson E, Crist W (1986). Granulocytic sarcoma with an indolent course and destructive skeletal disease. Tumor characterization with immunologic markers, electron microscopy, cytochemistry, and cytogenetic studies. *Cancer* 57: 1005-1010.
- 2248.** Wells GC, Whimster IW (1969). Subcutaneous angiolymphoid hyperplasia with eosinophilia. *Br J Dermatol* 81: 1-14.
- 2249.** Wenger DE, Wold LE (2000). Benign vascular lesions of bone: radiologic and pathologic features. *Skeletal Radiol* 29: 63-74.
- 2250.** Wenig BM, Devaney K, Bisceglia M (1995). Inflammatory myofibroblastic tumor of the larynx. A clinicopathologic study of eight cases simulating a malignant spindle cell neoplasm. *Cancer* 76: 2217-2229.
- 2251.** Wesche WA, Fletcher CD, Dias P, Houghton PJ, Parham DM (1995). Immunohistochemistry of MyoD1 in adult pleomorphic soft tissue sarcomas. *Am J Surg Pathol* 19: 261-269.
- 2252.** West DC, Grier HE, Swallow MM, Demetri GD, Granowetter L, Sklar J (1997). Detection of circulating tumor cells in patients with Ewing's sarcoma and peripheral primitive neuroectodermal tumor. *J Clin Oncol* 15: 583-588.
- 2253.** Wester SM, Beabout JW, Unni KK, Dahlin DC (1982). Langerhans' cell granulomatosis (histiocytosis X) of bone in adults. *Am J Surg Pathol* 6: 413-426.
- 2254.** Westra WH, Grenko RT, Epstein J (2000). Solitary fibrous tumor of the lower urogenital tract: a report of five cases involving the seminal vesicles, urinary bladder, and prostate. *Hum Pathol* 31: 63-68.
- 2255.** Wetherington RW, Lyle WG, Sanguenza OP (1997). Malignant glomus tumor of the thumb: a case report. *J Hand Surg [Am]* 22: 1098-1102.
- 2256.** Weynand B, Draguet AP, Bernard P, Marbaix E, Galant C (1999). Calcifying fibrous pseudotumour: first case report in the peritoneum with immunostaining for CD34. *Histopathology* 34: 86-87.
- 2257.** Whang-Peng J, Triche TJ, Knutsen T, Miser J, Douglass EC, Israel MA (1984). Chromosome translocation in peripheral neuroepithelioma. *N Engl J Med* 311: 584-585.
- 2258.** Whitby D, Howard MR, Tenant-Flowers M, Brink NS, Copas A, Boshoff C, Hatzioannou T, Suggett FE, Aldam DM, Denton AS, . (1995). Detection of Kaposi sarcoma associated herpesvirus in peripheral blood of HIV-infected individuals and progression to Kaposi's sarcoma. *Lancet* 346: 799-802.
- 2259.** White FV, Dehner LP, Belchis DA, Conard K, Davis MM, Stocker JT, Zuppan CW, Biegel JA, Perlman EJ (1999). Congenital disseminated malignant rhabdoid tumor: a distinct clinicopathologic entity demonstrating abnormalities of chromosome 22q11. *Am J Surg Pathol* 23: 249-256.
- 2260.** White J, Chan YF (1994). Aggressive angiomyxoma of the vulva in an 11-year-old girl. *Pediatr Pathol* 14: 27-37.
- 2261.** Whitehead RE, Melhem ER, Kasznica J, Eustace S (1998). Telangiectatic osteosarcoma of the skull base. *AJNR Am J Neuroradiol* 19: 754-757.
- 2262.** Whyte P, Buchkovich KJ, Horowitz JM, Friend SH, Raybuck M, Weinberg RA, Harlow E (1988). Association between an oncogene and an anti-oncogene: the adenovirus E1A proteins bind to the retinoblastoma gene product. *Nature* 334: 124-129.
- 2263.** Wick MR, Siegal GP, Unni KK, McLeod RA, Greditzer HG, III (1981). Sarcomas of bone complicating osteitis deformans (Paget's disease): fifty years' experience. *Am J Surg Pathol* 5: 47-59.
- 2264.** Wicking C, Shanley S, Smyth I, Gillies S, Negus K, Graham S, Suthers G, Haites N, Edwards M, Wainwright B, Chenevix-Trench G (1997). Most germ-line mutations in the neurofibromin gene are inactivating in the neurofibromin gene syndrome lead to a premature termination of the PTCHE protein, and no genotype-phenotype correlations are evident. *Am J Hum Genet* 60: 1-26.
- 2265.** Wicklund CL, Pauli RM, Johnston D, Hecht JT (1995). Natural history study of hereditary multiple exostoses. *Am J Med Genet* 55: 43-46.
- 2266.** Wiedemann H (1964). Complexe malformatif familial avec hernie ombilicale et macroglossie, un "syndrome nouveau". *J Genet Hum* 13: 223-232.
- 2267.** Wiggs J, Nordenskjöld M, Yandell D, Rapaport J, Grondin V, Janson M, Werelius B, Petersen R, Craft A, Riedel K, Liberfarb R, Walton D, Wilson W, Dryja TP (1988). Prediction of the risk of hereditary retinoblastoma, using DNA polymorphisms within the retinoblastoma gene. *N Engl J Med* 318: 151-157.
- 2268.** Wile AG, Evans HL, Romsdahl MM (1981). Leiomyosarcoma of soft tissue: a clinicopathologic study. *Cancer* 48: 1022-1032.
- 2269.** Wilke W, Maillet M, Robinson R (1993). H-ras-1 point mutations in soft tissue sarcomas. *Mod Pathol* 6: 129-132.
- 2270.** Wilken JJ, Meier FA, Kornstein MJ (2000). Kaposiform hemangioendothelioma of the thymus. *Arch Pathol Lab Med* 124: 1542-1544.
- 2271.** Willén L, Åkerman M, Dal Cin P, de Wever I, Fletcher CD, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Sciort R, Tallini G, van den Berghe H, Vanni R (1998). Comparison of chromosomal patterns with clinical features in 165 lipomas: a report of the CHAMP study group. *Cancer Genet Cytogenet* 102: 46-49.
- 2272.** Williams AH, Schwinn CP, Parker JW (1976). The ultrastructure of osteosarcoma. A review of twenty cases. *Cancer* 37: 1293-1301.
- 2273.** Williams SB, Ellis GL, Meis JM, Heffner DK (1993). Ossifying fibromyxoid tumour (of soft parts) of the head and neck: a clinicopathological and immunohistochemical study of nine cases. *J Laryngol Otol* 107: 75-80.
- 2274.** Willis J, Abdul-Karim FW, di Sant'Agnes PA (1994). Extracardiac rhabdomyomas. *Semin Diagn Pathol* 11: 15-25.
- 2275.** Willman CL, Busque L, Griffith BB, Favara BE, McClain KL, Duncan MH, Gilliland DG (1994). Langerhans'-cell histiocytosis (histiocytosis X) – a clonal proliferative disease. *N Engl J Med* 331: 154-160.
- 2276.** Willms R, Hartwig CH, Bohm P, Sell S (1997). Malignant transformation of a multiple cartilaginous exostosis – a case report. *Int Orthop* 21: 133-136.
- 2277.** Wilson JD, Montague CJ, Salcuni P, Bordini C, Rosai J (1999). Heterotopic mesenteric ossification ('intraabdominal myositis ossificans'): report of five cases. *Am J Surg Pathol* 23: 1464-1470.
- 2278.** Wilson MB, Stanley W, Sens D, Garvin AJ (1990). Infantile fibrosarcoma – a misnomer? *Pediatr Pathol* 10: 901-907.
- 2279.** Winik BC, Boente MC, Asial R (1998). Juvenile hyaline fibromatosis: ultrastructural study. *Am J Dermatopathol* 20: 373-378.
- 2280.** Winnepeninckx V, De Vos R, Debiec-Rychter M, Samson I, Brys P, Hagemeyer A, Sciort R (2001). Calcifying/ossifying synovial sarcoma shows t(X;18) with SSX2 involvement and mitochondrial calcifications. *Histopathology* 38: 141-145.
- 2281.** Winnepeninckx V, Debiec-Rychter M, Jorissen M, Bogaerts S, Sciort R (2001). Aneurysmal bone cyst of the nose with 17p13 involvement. *Virchows Arch* 439: 636-639.
- 2282.** Wirman JA, Crissman JD, Aron BF (1979). Metastatic chondroblastoma: report of an unusual case treated with radiotherapy. *Cancer* 44: 87-93.
- 2283.** Wise CA, Clines GA, Massa H, Trask BJ, Lovett M (1997). Identification and localization of the gene for EXTL, a third member of the multiple exostoses gene family. *Genome Res* 7: 10-16.
- 2284.** Wiswell TE, Davis J, Cunningham BE, Solenberger R, Thomas PJ (1988). Infantile myofibromatosis: the most common fibrous tumor of infancy. *J Pediatr Surg* 23: 315-318.
- 2285.** Woertler K, Lindner N, Gosheger G, Brinkschmidt C, Heindel W (2000). Osteochondroma: MR imaging of tumor-related complications. *Eur Radiol* 10: 832-840.
- 2286.** Wold LE (1998). Fibrohistiocytic tumors of bone. In: *Bone Tumors*, Unni KK, ed. Livingstone: New York, pp. 183-197.

- 2287.** Wold LE, McLeod RA, Sim FH, Unni KK (1990). *Atlas of Orthopedic Pathology*. Saunders: Philadelphia-London.
- 2288.** Wold LE, Unni KK, Beabout JW, Ivins JC, Bruckman JE, Dahlin DC (1982). Hemangioendothelial sarcoma of bone. *Am J Surg Pathol* 6: 59-70.
- 2289.** Wold LE, Unni KK, Beabout JW, Sim FH, Dahlin DC (1984). Dedifferentiated parosteal osteosarcoma. *J Bone Joint Surg Am* 66: 53-59.
- 2290.** Wolf M, el Rifai W, Tarkkanen M, Kononen J, Serra M, Eriksen EF, Elomaa I, Kallioniemi A, Kallioniemi OP, Knuutila S (2000). Novel findings in gene expression detected in human osteosarcoma by cDNA microarray. *Cancer Genet Cytogenet* 123: 128-132.
- 2291.** Wolf RE, Enneking WF (1996). The staging and surgery of musculoskeletal neoplasms. *Orthop Clin North Am* 27: 473-481.
- 2292.** Wong FL, Boice JD, Jr., Abramson DH, Tarone RE, Kleinerman RA, Stovall M, Goldman MB, Seddon JM, Tarbell N, Fraumeni JF, Jr., Li FP (1997). Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk. *JAMA* 278: 1262-1267.
- 2293.** Wong KF, So CC, Wong N, Siu LL, Kwong YL, Chan JK (2001). Sinonasal angiosarcoma with marrow involvement at presentation mimicking malignant lymphoma: cytogenetic analysis using multiple techniques. *Cancer Genet Cytogenet* 129: 64-68.
- 2294.** Wong L, Dellon AL (1992). Soft tissue chondroma presenting as a painful finger: diagnosis by magnetic resonance imaging. *Ann Plast Surg* 28: 304-306.
- 2295.** Wood GS, Beckstead JH, Medeiros LJ, Kempson RL, Warnke RA (1988). The cells of giant cell tumor of tendon sheath resemble osteoclasts. *Am J Surg Pathol* 12: 444-452.
- 2296.** Woodruff JM, Antonescu CR, Erlandson RA, Boland PJ (1999). Low-grade fibrosarcoma with palisaded granuloma-like bodies (giant rosettes): report of a case that metastasized. *Am J Surg Pathol* 23: 1423-1428.
- 2297.** Wreesmann V, van Eijck CH, Naus DC, van Velthuysen ML, Jeekel J, Mooi WJ (2001). Inflammatory pseudotumour (inflammatory myofibroblastic tumour) of the pancreas: a report of six cases associated with obliterative phlebitis. *Histopathology* 38: 105-110.
- 2298.** Wright CJE (1953). Benign giant cell synovium. *Br J Surg* 38: 257.
- 2299.** Wright RA, Hermann RC, Parisi JE (1999). Neurological manifestations of Erdheim-Chester disease. *J Neural Neurosurg Psychiatry* 66: 72-75.
- 2300.** Wu CT, Inwards CY, O'Laughlin S, Rock MG, Beabout JW, Unni KK (1998). Chondromyxoid fibroma of bone: a clinicopathologic review of 278 cases. *Hum Pathol* 29: 438-446.
- 2301.** Wu JP, Yunis EJ, Fetterman G, Jaeschke WF, Gilbert EF (1973). Inflammatory pseudo-tumours of the abdomen: plasma cell granulomas. *J Clin Pathol* 26: 943-948.
- 2302.** Wu JX, Carpenter PM, Gresens C, Keh R, Niman H, Morris JW, Mercola D (1990). The proto-oncogene c-fos is over-expressed in the majority of human osteosarcomas. *Oncogene* 5: 989-1000.
- 2303.** Wu YQ, Badano JL, McCaskill C, Vogel H, Potocki L, Shaffer LG (2000). Haploinsufficiency of ALX4 as a potential cause of parietal foramina in the 11p11.2 contiguous gene-deletion syndrome. *Am J Hum Genet* 67: 1327-1332.
- 2304.** Wunder JS, Czitrom AA, Kandel R, Andrulis IL (1991). Analysis of alterations in the retinoblastoma gene and tumor grade in bone and soft-tissue sarcomas. *J Natl Cancer Inst* 83: 194-200.
- 2305.** Wunder JS, Eppert K, Burrow SR, Gokgoz N, Bell RS, Andrulis IL, Gokgoz N (1999). Co-amplification and overexpression of CDK4, SAS and MDM2 occurs frequently in human parosteal osteosarcomas. *Oncogene* 18: 783-788.
- 2306.** Wuyts W, Van Hul W (2000). Molecular basis of multiple exostoses: mutations in the EXT1 and EXT2 genes. *Hum Mutat* 15: 220-227.
- 2307.** Wuyts W, Van Hul W, Bartsch O, Wilkie AO, Meinecke P (2001). Burning down DEFECT11. *Am J Med Genet* 100: 331-335.
- 2308.** Wuyts W, Van Hul W, De Boule K, Hendrickx J, Bakker E, Vanhoenacker F, Mollica F, Lüdecke HJ, Sayli BS, Pazzaglia UE, Mortier G, Hamel B, Conrad EU, Matsushita M, Raskind WH, Willems PJ (1998). Mutations in the EXT1 and EXT2 genes in hereditary multiple exostoses. *Am J Hum Genet* 62: 346-354.
- 2309.** Wuyts W, Van Hul W, Hendrickx J, Speleman F, Wauters J, De Boule K, Van Roy N, Van Agtmael T, Bossuyt P, Willems PJ (1997). Identification and characterization of a novel member of the EXT gene family, EXTL2. *Eur J Hum Genet* 5: 382-389.
- 2310.** Wuyts W, Van Hul W, Wauters J, Nemtsova M, Reyniers E, Van Hul EV, De Boule K, de Vries BB, Hendrickx J, Herrygers I, Bossuyt P, Balemans W, Fransens E, Vits L, Coucke P, Nowak NJ, Shows TB, Mallet L, van den Ouweland AM, McGaughan J, Halley DJ, Willems PJ (1996). Positional cloning of a gene involved in hereditary multiple exostoses. *Hum Mol Genet* 5: 1547-1557.
- 2311.** Wyatt-Ashmead J, Bao L, Eilert RE, Gibbs P, Glancy G, McGavran L (2001). Primary aneurysmal bone cysts: 16q22 and/or 17p13 chromosome abnormalities. *Pediatr Dev Pathol* 4: 418-419.
- 2312.** Xipell JM, Rush J (1985). Case report 340: Well differentiated intraosseous osteosarcoma of the left femur. *Skeletal Radiol* 14: 312-316.
- 2313.** Xu L, Xia J, Jiang H, Zhou J, Li H, Wang D, Pan Q, Long Z, Fan C, Deng HX (1999). Mutation analysis of hereditary multiple exostoses in the Chinese. *Hum Genet* 105: 45-50.
- 2314.** Yamada T, Irida T, Nakano S, Tokunaga O (1995). Extraskelatal chondroma with chondroblastic and granuloma-like elements. *Clin Orthop* 257-261.
- 2315.** Yamaguchi T, Dorfman HD (1998). Radiographic and histologic patterns of calcification in chondromyxoid fibroma. *Skeletal Radiol* 27: 559-564.
- 2316.** Yamaguchi T, Toguchida J, Yamamoto T, Kotoura Y, Takada N, Kawaguchi N, Kaneko Y, Nakamura Y, Sasaki MS, Ishizaki K (1992). Allelotype analysis in osteosarcomas: frequent allele loss on 3q, 13q, 17p, and 18q. *Cancer Res* 52: 2419-2423.
- 2317.** Yamamoto T, Marui T, Akisue T, Hitora T, Nagira K, Ohta R, Yoshiya S, Kurosaka M (2002). Intracortical lipoma of the femur. *Am J Surg Pathol* 26: 804-808.
- 2318.** Yandell DW, Campbell TA, Dayton SH, Petersen R, Walton D, Little JB, McConkie-Rosell A, Buckley EG, Dryja TP (1989). Oncogenic point mutations in the human retinoblastoma gene: their application to genetic counseling. *N Engl J Med* 321: 1689-1695.
- 2319.** Yang P, Hirose T, Hasegawa T, Gao Z, Hizawa K (1994). Ossifying fibromyxoid tumor of soft parts: a morphological and immunohistochemical study. *Pathol Int* 44: 448-453.
- 2320.** Yang YJ, Damron TA, Ambrose JL (2001). Diagnosis of chondroid lipoma by fine-needle aspiration biopsy. *Arch Pathol Lab Med* 125: 1224-1226.
- 2321.** Yaziji H, Ranaldi R, Verdolini R, Morroni M, Haggitt R, Bearzi I (2000). Primary alveolar soft part sarcoma of the stomach: a case report and review. *Pathol Res Pract* 196: 519-525.
- 2322.** Yi ES, Shmookler BM, Malawer MM, Sweet DE (1991). Well-differentiated extraskeletal osteosarcoma. A soft-tissue homologue of parosteal osteosarcoma. *Arch Pathol Lab Med* 115: 906-909.
- 2323.** Yip SK, Sim CS, Tan BS (2001). Liver metastasis and local recurrence after radical nephrectomy for an atypical angiosarcoma. *J Urol* 165: 898-899.
- 2324.** Yokoyama R, Mukai K, Hirota T, Beppu Y, Fukuma H (1996). Primary malignant melanoma (clear cell sarcoma) of bone: report of a case arising in the ulna. *Cancer* 77: 2471-2475.
- 2325.** Yokoyama R, Tsuneyoshi M, Enjoji M, Shinohara N, Masuda S (1993). Prognostic factors of malignant fibrous histiocytoma of bone. A clinical and histopathologic analysis of 34 cases. *Cancer* 72: 1902-1908.
- 2326.** Yoo J, Lee HK, Kang CS, Park WS, Lee JY, Shim SI (1997). p53 gene mutations and p53 protein expression in human soft tissue sarcomas. *Arch Pathol Lab Med* 121: 395-399.
- 2327.** Yoshida MA, Ikeuchi T, Iwama T, Miyaki M, Mori T, Ushijima Y, Hara A, Miyakita M, Tomomura A (1991). Chromosome changes in desmoid tumors developed in patients with familial adenomatous polyposis. *Jpn J Cancer Res* 82: 916-921.
- 2328.** Yoshimoto K, Iwahana H, Fukuda A, Sano T, Itakura M (1993). Rare mutations of the Gs alpha subunit gene in human endocrine tumors. Mutation detection by polymerase chain reaction-primer-introduced restriction analysis. *Cancer* 72: 1386-1393.
- 2329.** Yotov WV, Hamel H, Rivard GE, Champagne MA, Russo PA, Leclerc JM, Bernstein ML, Levy E (1999). Amplifications of DNA primase 1 (PRIM1) in human osteosarcoma. *Genes Chromosomes Cancer* 26: 62-69.
- 2330.** Yousem SA, Shaw H, Cieply K (2001). Involvement of 2p23 in pulmonary inflammatory pseudotumors. *Hum Pathol* 32: 428-433.
- 2331.** Yu CE, Oshima J, Fu YH, Wijsman EM, Hisama F, Alisch R, Matthews S, Nakura J, Miki T, Ouais S, Martin GM, Mulligan J, Schellenberg GD (1996). Positional cloning of the Werner's syndrome gene. *Science* 272: 258-262.
- 2332.** Zagars GK, Goswitz MS, Pollack A (1996). Liposarcoma: outcome and prognostic factors following conservation surgery and radiation therapy. *Int J Radiat Oncol Biol Phys* 36: 311-319.
- 2333.** Zahm SH, Fraumeni JF, Jr. (1997). The epidemiology of soft tissue sarcoma. *Semin Oncol* 24: 504-514.
- 2334.** Zalupski MM, Ensley JF, Ryan J, Selvaggi S, Baker LH, Wolman SR (1990). A common cytogenetic abnormality and DNA content alterations in dedifferentiated chondrosarcoma. *Cancer* 66: 1176-1182.
- 2335.** Zamboni G, Pea M, Martignoni G, Zancanaro C, Faccioli G, Gilioi E, Pederzoli P, Bonetti F (1996). Clear cell "sugar" tumor of the pancreas. A novel member of the family of lesions characterized by the presence of perivascular epithelioid cells. *Am J Surg Pathol* 20: 722-730.
- 2336.** Zamecnik M, Dorociak F, Vesely L (1997). Calcifying fibrous pseudotumor after trauma. *Pathol Int* 47: 812.
- 2337.** Zamecnik M, Michal M (2001). Nuchal-type fibroma is positive for CD34 and CD99. *Am J Surg Pathol* 25: 970.
- 2338.** Zamecnik M, Michal M, Patrikova J (1994). [Atypical decubital fibroplasia (ischemic fasciitis) – a new pseudosarcomatous entity]. *Cesk Patol* 30: 130-132.
- 2339.** Zavala-Pompa A, Folpe AL, Jimenez RE, Lim SD, Cohen C, Eble JN, Amin MB (2001). Immunohistochemical study of microphthalmia transcription factor and tyrosinase in angiosarcoma of the kidney, renal cell carcinoma, and renal and retroperitoneal sarcomas: comparative evaluation with traditional diagnostic markers. *Am J Surg Pathol* 25: 65-70.

- 2340.** Zelger B, Weinlich G, Steiner H, Zelger BG, Egarter-Vigl E (1997). Dermal and subcutaneous variants of plexiform fibrohistiocytic tumor. *Am J Surg Pathol* 21: 235-241.
- 2341.** Zhao C, Yamada T, Kuramochi S, Yamazaki K, Mukai M, Kameyama K, Hata J (2000). Two cases of ectopic hamartomatous thymoma. *Virchows Arch* 437: 643-647.
- 2342.** Zheng MH, Robbins P, Xu J, Huang L, Wood DJ, Papadimitriou JM (2001). The histogenesis of giant cell tumour of bone: a model of interaction between neoplastic cells and osteoclasts. *Histol Histopathol* 16: 297-307.
- 2343.** Zheng MH, Siu P, Papadimitriou JM, Wood DJ, Murch AR (1999). Telomeric fusion is a major cytogenetic aberration of giant cell tumors of bone. *Pathology* 31: 373-378.
- 2344.** Zietz C, Rossle M, Haas C, Sendelhofert A, Hirschmann A, Sturzl M, Lohrs U (1998). MDM-2 oncoprotein over-expression, p53 gene mutation, and VEGF up-regulation in angiosarcomas. *Am J Pathol* 153: 1425-1433.
- 2345.** Zillmer DA, Dorfman HD (1989). Chondromyxoid fibroma of bone: thirty-six cases with clinicopathologic correlation. *Hum Pathol* 20: 952-964.
- 2346.** Zimmerman LE, Burns RP, Wankum G, Tully R, Esterly JA (1982). Trilateral retinoblastoma: ectopic intracranial retinoblastoma associated with bilateral retinoblastoma. *J Pediatr Ophthalmol Strabismus* 19: 320-325.
- 2347.** Zlatkin MB, Lander PH, Begin LR, Hadjipavlou A (1985). Soft-tissue chondromas. *AJR Am J Roentgenol* 144: 1263-1267.
- 2348.** Zoubek A, Ladenstein R, Windhager R, Amann G, Fischmeister G, Kager L, Jugovic D, Ambros PF, Gadner H, Kovar H (1998). Predictive potential of testing for bone marrow involvement in Ewing tumor patients by RT-PCR: a preliminary evaluation. *Int J Cancer* 79: 56-60.
- 2349.** Zu Y, Perle MA, Yan Z, Liu J, Kumar A, Waisman J (2001). Chromosomal abnormalities and p53 gene mutation in a cardiac angiosarcoma. *Appl Immunohistochem Mol Morphol* 9: 24-28.
- 2350.** Zucman J, Delattre O, Desmaze C, Epstein AL, Stenman G, Speleman F, Fletchers CD, Aurias A, Thomas G (1993). EWS and ATF-1 gene fusion induced by t(12;22) translocation in malignant melanoma of soft parts. *Nat Genet* 4: 341-345.
- 2351.** Zucman J, Melot T, Desmaze C, Ghysdael J, Plougastel B, Peter M, Zucker JM, Triche TJ, Sheer D, Turc-Carel C, Ambros P, Combaret V, Lenoir GM, Aurias A, Thomas G, Delattre O (1993). Combinatorial generation of variable fusion proteins in the Ewing family of tumours. *EMBO J* 12: 4481-4487.
- 2352.** Zukerberg LR, Nickoloff BJ, Weiss SW (1993). Kaposiform hemangioendothelioma of infancy and childhood. An aggressive neoplasm associated with Kasabach-Merritt syndrome and lymphangiomatosis. *Am J Surg Pathol* 17: 321-328.
- 2353.** Zura RD, Minasi JS, Kahler DM (1999). Tumor-induced osteomalacia and symptomatic looser zones secondary to mesenchymal chondrosarcoma. *J Surg Oncol* 71: 58-62.