

# References

1. Anon. (1985). Tobacco habits other than smoking; betel-quid and areca-nut chewing; and some related nitrosamines. IARC Working Group. Lyon, 23-30 October 1984. IARC Monogr Eval Carcinog Risk Chem Hum 37: 1-268.
2. Anon. (1993). Immunoglobulin gene rearrangement in low-grade B-cell MALT lymphomas of salivary gland, myoepithelial sialadenitis and Sjogren's syndrome. *J Pathol* 169 suppl: 123A.
3. Anon. (1997). Recommendations for the reporting of specimens containing laryngeal neoplasms. Association of Directors of Anatomic and Surgery Pathology. *Mod Pathol* 10: 384-386.
4. Abbey LM, Page DG, Sawyer DR (1980). The clinical and histopathologic features of a series of 464 oral squamous cell papillomas. *Oral Surg Oral Med Oral Pathol* 49: 419-428.
5. Abbondanzo SL, Wenig BM (1995). Non-Hodgkin's lymphoma of the sinonasal tract. A clinicopathologic and immunophenotypic study of 120 cases. *Cancer* 75: 1281-1291.
6. Abdelkader M, Riad M, Williams A (2001). Aggressive fibromatosis of the head and neck (desmoid tumours). *J Laryngol Otol* 115: 772-776.
7. Abdelsayed RA, Eversole LR, Singh BS, Scarbrough FE (2001). Gigantiform cementoma: clinicopathologic presentation of 3 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91: 438-444.
8. Abemayor E, Newman A, Bergstrom L, Dudley J, Magidson JG, Ljung BM (1984). Teratomas of the head and neck in childhood. *Laryngoscope* 94: 1489-1492.
9. Abrams AM, Melrose RJ (1978). Acinic cell tumors of minor salivary gland origin. *Oral Surg Oral Med Oral Pathol* 46: 220-233.
10. Abramson AL, Steinberg BM, Winkler B (1987). Laryngeal papillomatosis: clinical, histopathologic and molecular studies. *Laryngoscope* 97: 678-685.
11. Abu-El-Naaj I, Ardekian L, Liberman R, Peled M (2002). Central giant cell granuloma of the mandibular condyle: a rare presentation. *J Oral Maxillofac Surg* 60: 939-941.
12. Ackerman LV (1948). Verrucous carcinoma of the oral cavity. *Surgery* 670-678.
13. Ackermann GL, Altini M, Shear M (1988). The unicystic ameloblastoma: a clinicopathological study of 57 cases. *J Oral Pathol* 17: 541-546.
14. Adair CF, Thompson LDR, Wenig BM, Heffner DK (1996). Chondro-osseous and respiratory epithelial hamartomas of the sinonasal tract and nasopharynx. *Lab Invest* 74.
15. Aden KK, Adams GL, Niehans G (1988). Adenosquamous Carcinoma of the Larynx and Hypopharynx with Five New Case Presentations. *Trans Am Laryngol Assoc* 216-221.
16. Agathangelou A, Niedobitek G, Chen R, Nicholls J, Yin W, Young LS (1995). Expression of immune regulatory molecules in Epstein-Barr virus-associated nasopharyngeal carcinomas with prominent lymphoid stroma. Evidence for a functional interaction between epithelial tumor cells and infiltrating lymphoid cells. *Am J Pathol* 147: 1152-1160.
17. Aguiar PH, Tatagiba M, Samii M, Dankoweit-Timpe E, Ostertag H (1995). The comparison between the growth fraction of bilateral vestibular schwannomas in neurofibromatosis 2 (NF2) and unilateral vestibular schwannomas using the monoclonal antibody MIB 1. *Acta Neurochir (Wien)* 134: 40-45.
18. Aguilera NS, Kapadia SB, Nalesnik MA, Swerdlow SH (1995). Extramedullary plasmacytoma of the head and neck: use of paraffin sections to assess clonality with in situ hybridization, growth fraction, and the presence of Epstein-Barr virus. *Mod Pathol* 8: 503-508.
19. Aguilera NS, Uusaf M, Wenig BM, Abbondanzo SL (1998). The blastic variant of mantle cell lymphoma arising in Waldeyer's tonsillar ring. *J Laryngol Otol* 112: 991-994.
20. Aguirre JM, Echebarria MA, Martinez-Conde R, Rodriguez C, Burgos JJ, Rivera JM (1998). Warthin tumor. A new hypothesis concerning its development. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85: 60-63.
21. Ahlbom HE (1936). Simple achlorhydric anaemia, plummer-vinson syndrome and carcinoma of the mouth, pharynx, and oesophagus in women. *Brit Med J* 2: 331-333.
22. Ahlfors E, Larsson Å, Sjogren S (1984). The odontogenic keratocyst: a benign cystic tumor? *J Oral Maxillofac Surg* 42: 10-19.
23. Ahmad R, Mayol BR, Davis M, Rougraff BT (1999). Extraskeletal Ewing's sarcoma. *Cancer* 85: 725-731.
24. Ahmadi AJ, Pirinjian GE, Sires BS (2003). Optic neuropathy and macular chorioretinal folds caused by orbital cherrubism. *Arch Ophthalmol* 121: 570-573.
25. Akyol MU, Sozeri B, Kucukali T, Ogretmenoglu O (1998). Laryngeal pleomorphic rhabdomyosarcoma. *Eur Arch Otorhinolaryngol* 255: 307-310.
26. Al Khafaji BM, Nestok BR, Katz RL (1998). Fine-needle aspiration of 154 parotid masses with histologic correlation: ten-year experience at the University of Texas M. D. Anderson Cancer Center. *Cancer* 84: 153-159.
27. al Otieschan AA, Saleem M, Manohar MB, Larson S, Atallah A (1998). Malignant schwannoma of the parapharyngeal space. *J Laryngol Otol* 112: 883-887.
28. al Saleem T, Tucker GF Jr, Peale AR, Norris CM (1970). Cartilaginous tumors of the larynx. Clinical-pathologic study of ten cases. *Ann Otol Rhinol Laryngol* 79: 33-41.
29. al Sarraf M, LeBlanc M, Giri PG, Fu KK, Cooper J, Vuong T, Forastiere AA, Adams G, Sakr WA, Schuller DE, Ensley JF (1998). Chemoradiotherapy versus radiotherapy in patients with advanced nasopharyngeal cancer: phase III randomized Intergroup study 0099. *J Clin Oncol* 16: 1310-1317.
30. Alameda F, Fontane J, Corominas JM, Lloreta J, Serrano S (2000). Reactive vascular lesion of nasal septum simulating angiosarcoma in a cocaine abuser. *Hum Pathol* 31: 239-241.
31. Albeck H, Bentzen J, Ockelmann HH, Nielsen NH, Bretlau P, Hansen HS (1993). Familial clusters of nasopharyngeal carcinoma and salivary gland carcinomas in Greenland natives. *Cancer* 72: 196-200.
32. Albeck H, Nielsen NH, Hansen HE, Bentzen J, Ockelmann HH, Bretlau P, Hansen HS (1992). Epidemiology of nasopharyngeal and salivary gland carcinoma in Greenland. *Arctic Med Res* 51: 189-195.
33. Albino AP, Kimmelman CP, Parisier SC (1998). Cholesteatoma: a molecular and cellular puzzle. *Am J Otol* 19: 7-19.
34. Alevizos I, Blaeser B, Gallagher G, Ohyama H, Wong DT, Todd R (2002). Odontogenic carcinoma: a functional genomic comparison with oral mucosal squamous cell carcinoma. *Oral Oncol* 38: 504-507.
35. Allen Chan KC, Dennis Lo YM (2002). Circulating EBV DNA as a tumor marker for nasopharyngeal carcinoma. *Semin Cancer Biol* 12: 489-496.
36. Allen CM, Damm D, Neville B, Rodu B, Page D, Weathers DR (1994). Necrosis in benign salivary gland neoplasms. Not necessarily a sign of malignant transformation. *Oral Surg Oral Med Oral Pathol* 78: 455-461.
37. Allen CM, Hammond HL, Stimson PG (1992). Central odontogenic fibroma, WHO type. A report of three cases with an unusual associated giant cell reaction. *Oral Surg Oral Med Oral Pathol* 73: 62-66.
38. Allen MS Jr, Fitz-Hugh GS, Marsh WL Jr (1974). Low-grade papillary adenocarcinoma of the palate. *Cancer* 33: 153-158.
39. Alles JU, Schulz A (1986). Immunocytochemical markers (endothelial and histiocytic) and ultrastructure of primary aneurysmal bone cysts. *Hum Pathol* 17: 39-45.
40. Allon D, Kaplan I, Manor R, Calderon S (2002). Carcinoma cuniculatum of the jaw: a rare variant of oral carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 94: 601-608.
41. Alos L, Cardesa A, Bombi JA, Mallofre C, Cuchi A, Traserra J (1996). Myoepithelial tumors of salivary glands: a clinicopathologic, immunohistochemical, ultrastructural, and flow-cytometric study. *Semin Diagn Pathol* 13: 138-147.
42. Alos L, Carrillo R, Ramos J, Baez JM, Mallofre C, Fernandez PL, Cardesa A (1999). High-grade carcinoma component in epithelial-myoeplithelial carcinoma of salivary glands clinicopathological, immunohistochemical and flow-cytometric study of three cases. *Virchows Arch* 434: 291-299.
43. Alos L, Castillo M, Nadal A, Caballero M, Mallofre C, Palacin A, Cardesa A (2004). Adenosquamous carcinoma of the head and neck: criteria for diagnosis in a study of 12 cases. *Histopathology* 44: 570-579.
44. Aloulou S, Farhat H, Bosq J, Vanel D, Ribrag V, Turhan AG, Girinsky T, Ferme C (2002). Hodgkin's disease primarily involving the oropharynx: case report and review of the literature. *Hematol J* 3: 164-167.
45. Alrawi M, McDermott M, Orr D, Russell J (2003). Nasal chondromesenchymal hamartoma presenting in an adolescent. *Int J Pediatr Otorhinolaryngol* 67: 669-672.
46. Altini M, Thompson SH, Lownie JF, Berezowski BB (1985). Ameloblastic sarcoma of the mandible. *J Oral Maxillofac Surg* 43: 789-794.
47. Alvarez-Canas C, Rodilla IG (1996). True malignant mixed tumor (carcinosarcoma) of the parotid gland. Report of a case with immunohistochemical study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 454-458.
48. Alvarez-Mendoza A, Calderon-Elvir C, Carrasco-Daza D (1999). Diagnostic and therapeutic approach to sialoblastoma: report of a case. *J Pediatr Surg* 34: 1875-1877.
49. Amedee RG, Marks HW, Lyons GD (1987). Cholesterol granuloma of the petrous apex. *Am J Otol* 8: 48-55.
50. Ameerally P, McGurk M, Shaheen O (1996). Atypical ameloblastoma: report of 3 cases and a review of the literature. *Br J Oral Maxillofac Surg* 34: 235-239.
51. Amin HH, Petruzzelli GJ, Husain AN, Nickoloff BJ (2001). Primary malignant melanoma of the larynx. *Arch Pathol Lab Med* 125: 271-273.
52. Amin KS, Ehsan A, McGuff HS, Albright SC (2002). Minimally differentiated acute myelogenous leukemia (AML-M0) granulocytic sarcoma presenting in the oral cavity. *Oral Oncol* 38: 516-519.
53. Amir R, Danahey D, Ferrer K, Maffee M (2002). Inflammatory myofibroblastic tumor presenting with tracheal obstruction in a pregnant woman. *Am J Otolaryngol* 23: 362-367.
54. Ampil FL, Misra RP (1987). Factors influencing survival of patients with adenoid cystic carcinoma of the salivary glands. *J Oral Maxillofac Surg* 45: 1005-1010.
55. Anand VK, Osborne CM, Harkey HLI (1993). Infiltrative clival pituitary adenoma of ectopic origin. *Otolaryngol Head Neck Surg* 108: 178-183.
56. Anaya JM, McGuff HS, Banks PM, Talal N (1996). Clinicopathological factors relating malignant lymphoma with Sjogren's syndrome. *Semin Arthritis Rheum* 25: 337-346.
57. Andersen PE, Cambronero E, Shaha AR, Shah JP (1996). The extent of neck disease after regional failure during observation of the N0 neck. *Am J Surg* 172: 689-691.
58. Anderson JR, Armitage JO, Weisenburger DD (1998). Epidemiology of the non-Hodgkin's lymphomas: distributions of the major subtypes differ by geo-

- graphic locations. Non-Hodgkin's Lymphoma Classification Project. *Ann Oncol* 9: 717-720.
59. Anderson LG, Talal N (1972). The spectrum of benign to malignant lymphoproliferation in Sjogren's syndrome. *Clin Exp Immunol* 10: 199-221.
60. Andl T, Kahn T, Pfuhl A, Nicola T, Erber R, Conradt C, Klein W, Helbig M, Dietz A, Weidauer H, Bosch FX (1998). Etiological involvement of oncogenic human papillomavirus in tonsillar squamous cell carcinomas lacking retinoblastoma cell cycle control. *Cancer Res* 58: 5-13.
61. Annino DJ Jr, Domanowski GF, Vaughan CW (1991). A rare cause of nasal obstruction: a solitary neurofibroma. *Otolaryngol Head Neck Surg* 104: 484-488.
62. Ansari-Lari MA, Hoque MO, Califano J, Westra WH (2002). Immunohistochemical p53 expression patterns in sarcomatoid carcinomas of the upper respiratory tract. *Am J Surg Pathol* 26: 1024-1031.
63. Ansell SM, Habermann TM, Hoyer JD, Strickler JG, Chen MG, McDonald TJ (1997). Primary laryngeal lymphoma. *Laryngoscope* 107: 1502-1506.
64. Anson BJ (1966). *Morris' Human Anatomy*. 12th ed. McGraw Hill: New York.
65. Antonescu CR, Terzakis JA (1997). Multiple malignant cylindromas of skin in association with basal cell adenocarcinoma with adenoid cystic features of minor salivary gland. *J Cutan Pathol* 24: 449-453.
66. Antoniadis K, Eleftheriades I, Karakasis D (1987). The Gardner syndrome. *Int J Surg Maxillofac Surg* 16: 480-483.
67. Araujo VC, Martins MT, Salmen FS, Araujo NS (1999). Extranodal follicular dendritic cell sarcoma of the palate. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 87: 209-214.
68. Arber DA, Weiss LM, Albuja PF, Chen YY, Jaffe ES (1993). Nasal lymphomas in Peru. High incidence of T-cell immunophenotype and Epstein-Barr virus infection. *Am J Surg Pathol* 17: 392-399.
69. Archard HO, Heck HW, Stanley HR (1965). Focal epithelial hyperplasia: an unusual mucosal lesion found in Indian children. *Oral Surg Oral Med Oral Pathol* 20: 201-212.
70. Archer KF, Hurwitz JJ, Balogh JM, Fernandes BJ (1989). Orbital nonchromaffin paraganglioma. A case report and review of the literature. *Ophthalmology* 96: 1659-1666.
71. Ardekian L, Manor R, Peled M, Laufer D (1999). Malignant oncocytoma of the parotid gland: case report and analysis of the literature. *J Oral Maxillofac Surg* 57: 325-328.
72. Argani P, Perez-Ordenez B, Xiao H, Caruana SM, Huvos AG, Ladanyi M (1998). Olfactory neuroblastoma is not related to the Ewing family of tumors: absence of EWS/FL1 gene fusion and MIC2 expression. *Am J Surg Pathol* 22: 391-398.
73. Armstrong LR, Preston EJ, Reichert M, Phillips DL, Nisenbaum R, Todd NW, Jacobs IN, Inglis AF, Manning SC, Reeves WC (2000). Incidence and prevalence of recurrent respiratory papillomatosis among children in Atlanta and Seattle. *Clin Infect Dis* 31: 107-109.
74. Armstrong RW, Imrey PB, Lye MS, Armstrong MJ, Yu MC, Sani S (2000). Nasopharyngeal carcinoma in Malaysian Chinese: occupational exposures to particles, formaldehyde and heat. *Int J Epidemiol* 29: 991-998.
75. Arnold B, Zietz C, Muller-Hocker J, Wustrow TP (1996). Adenoma of the middle ear mucosa. *Eur Arch Otorhinolaryngol* 253: 65-68.
76. Arnott DG (1978). Cherubism—an initial unilateral presentation. *Br J Oral Surg* 16: 38-46.
77. Asare-Owusu L, Shotton JC, Schofield JB (1999). Adjuvant radiotherapy for primary mucosal malignant melanoma of the larynx. *J Laryngol Otol* 113: 932-934.
78. Asaumi J, Konouchi H, Hisatomi M, Matsuzaki H, Shigehara H, Honda Y, Kishi K (2003). MR features of aneurysmal bone cyst of the mandible and characteristics distinguishing it from other lesions. *Eur J Radiol* 45: 108-112.
79. Assimakopoulos D, Kolettas E, Zagorianakou N, Evangelou A, Skevas A, Agnantis NJ (2000). Prognostic significance of p53 in the cancer of the larynx. *Anticancer Res* 20: 3555-3564.
80. Assimakopoulos D, Patrikakos G (2002). The role of gastroesophageal reflux in the pathogenesis of laryngeal carcinoma. *Am J Otolaryngol* 23: 351-357.
81. Astor FC, Donegan JO, Gluckman JL (1985). Unusual anatomic presentations of inverting papilloma. *Head Neck Surg* 7: 243-245.
82. Astrom AK, Voz ML, Kas K, Roijer E, Wedell B, Mandahl N, Van de Ven W, Mark J, Stenman G (1999). Conserved mechanism of PLAG1 activation in salivary gland tumors with and without chromosome 8q12 abnormalities: identification of SII as a new fusion partner gene. *Cancer Res* 59: 918-923.
83. Auclair PL (1994). Tumor-associated lymphoid proliferation in the parotid gland. A potential diagnostic pitfall. *Oral Surg Oral Med Oral Pathol* 77: 19-26.
84. Auclair PL, Cuenin P, Kratochvil FJ, Slater LJ, Ellis GL (1988). A clinical and histomorphologic comparison of the central giant cell granuloma and the giant cell tumor. *Oral Surg Oral Med Oral Pathol* 66: 197-208.
85. Auclair PL, Ellis GL (1996). Atypical features in salivary gland mixed tumors: their relationship to malignant transformation. *Mod Pathol* 9: 652-657.
86. Auclair PL, Goode RK, Ellis GL (1992). Mucoepidermoid carcinoma of intraoral salivary glands. Evaluation and application of grading criteria in 143 cases. *Cancer* 69: 2021-2030.
87. Auclair PL, Langloss JM, Weiss SW, Corio RL (1986). Sarcomas and sarcomatoid neoplasms of the major salivary gland regions. A clinicopathologic and immunohistochemical study of 67 cases and review of the literature. *Cancer* 58: 1305-1315.
88. Aughton DJ, Sloan CT, Milad MP, Huang TE, Michael C, Harper C (1990). Nasopharyngeal teratoma ('hairy polyp'), Dandy-Walker malformation, diaphragmatic hernia, and other anomalies in a female infant. *J Med Genet* 27: 788-790.
89. Aust MR, Olsen KD, Lewis JS, Nascimento AG, Meland NB, Foote RL, Suman VJ (1997). Angiosarcomas of the head and neck: clinical and pathologic characteristics. *Ann Otol Rhinol Laryngol* 106: 943-951.
90. Austin DF, Reynolds P (1996). Laryngeal cancer. In: *Cancer Epidemiology and Prevention*, Schottenfeld D, Fraumeni JF Jr, eds., 2nd ed. Oxford University Press: New York, pp. 619-636.
91. Autio-Harmainen H, Paakko P, Alavaikko M, Karvonen J, Leisti J (1988). Familial occurrence of malignant lymphoepithelial lesion of the parotid gland in a Finnish family with dominantly inherited trichoeplithelioma. *Cancer* 61: 161-166.
92. Auvinen A, Hietanen M, Luukkonen R, Koskela RS (2002). Brain tumors and salivary gland cancers among cellular telephone users. *Epidemiology* 13: 356-359.
93. Awange DO (1992). Fibrous dysplasia of the jaws: a review of literature. *East Afr Med J* 69: 205-209.
94. Axell T (1976). A prevalence study of oral mucosal lesions in an adult Swedish population. *Odontol Revy* 27: 1-103.
95. Azarschab P, Stembalska A, Loncar MB, Pfister M, Sasiadek MM, Blin N (2003). Epigenetic control of E-cadherin (CDH1) by CpG methylation in metastasizing laryngeal cancer. *Oncol Rep* 10: 501-503.
96. Azevedo-Gamas A, Gloor F (1968). [A very unusual case of tumor of the larynx. Unexpected anatomopathologic diagnosis]. *Ann Otolaryngol Chir Cervicofac* 85: 329-335.
97. Azzimonti B, Hertel L, Aluffi P, Pia F, Monga G, Zocchi M, Landolfo S, Gariglio M (1999). Demonstration of multiple HPV types in laryngeal premalignant lesions using polymerase chain reaction and immunohistochemistry. *J Med Virol* 59: 110-116.
98. Azzopardi JG, Evans DJ (1971). Malignant lymphoma of parotid associated with Mikulicz disease (benign lymphoepithelial lesion). *J Clin Pathol* 24: 744-752.
99. Baarsma EA (1980). The median nasal sinus and dermoid cyst. *Arch Otorhinolaryngol* 226: 107-113.
100. Baba Y, Tsukuda M, Mochimatsu I, Furukawa S, Kagata H, Satake K, Koshika S, Nakatani Y, Hara M, Kato Y, Nagashima Y (2001). Reduced expression of p16 and p27 proteins in nasopharyngeal carcinoma. *Cancer Detect Prev* 25: 414-419.
101. Baden E, Al Saati T, Caveriviere P, Gorguet B, Delsol G (1987). Hodgkin's lymphoma of the oropharyngeal region: report of four cases and diagnostic value of monoclonal antibodies in detecting antigens associated with Reed-Sternberg cells. *Oral Surg Oral Med Oral Pathol* 64: 88-94.
102. Baden E, Doyle JL, Petriella V (1993). Malignant transformation of peripheral ameloblastoma. *Oral Surg Oral Med Oral Pathol* 75: 214-219.
103. Baden E, Moskow BS, Moskow R (1968). Odontogenic gingival epithelial hamartoma. *J Oral Surg* 26: 702-714.
- 103A. Bader G (1967). Odontomatosis (multiple odontomas). *Oral Surg Oral Med Oral Pathol* 23, 770-773.
104. Bahler DW, Miklos JA, Swerdlow SH (1997). Ongoing Ig gene hypermutation in salivary gland mucosa-associated lymphoid tissue-type lymphomas. *Blood* 89: 3335-3344.
105. Bahler DW, Swerdlow SH (1998). Clonal salivary gland infiltrates associated with myoepithelial sialadenitis (Sjogren's syndrome) begin as nonmalignant antigen-selected expansions. *Blood* 91: 1864-1872.
106. Baillie EE, Batsakis JG (1974). Glandular (seromucinous) hamartoma of the nasopharynx. *Oral Surg Oral Med Oral Pathol* 38: 760-762.
107. Baiocco R, Palma O, Locatelli G (1995). Squamous carcinoma of the epiglottis with sebaceous differentiation. Report of a case. *Pathologica* 87: 531-533.
108. Balaram P, Sridhar H, Rajkumar J, Vaccarella S, Herrero R, Nandakumar A, Ravichandran K, Ramdas K, Sankaranarayanan R, Gajalakshmi V, Munoz N, Franceschi S (2002). Oral cancer in southern India: the influence of smoking, drinking, paan-chewing and oral hygiene. *Int J Cancer* 98: 440-445.
109. Balazic J, Masera A, Poljak M (1997). Sudden death caused by laryngeal papillomatosis. *Acta Otolaryngol Suppl* 527: 111-113.
110. Bale AE, Gailani MR, Leffell DJ (1995). The Gorlin syndrome gene: a tumor suppressor active in basal cell carcinogenesis and embryonic development. *Proc Assoc Am Physicians* 107: 253-257.
111. Ball DW, Azzoli CG, Baylin SB, Chi D, Dou S, Donis-Keller H, Cumaraswamy A, Borges M, Nelkin BD (1993). Identification of a human achaete-scute homolog highly expressed in neuroendocrine tumors. *Proc Natl Acad Sci U S A* 90: 5648-5652.
112. Ballantyne AJ (1970). Malignant melanoma of the skin of the head and neck. An analysis of 405 cases. *Am J Surg* 120: 425-431.
113. Baloch ZW, LiVolsi VA (2000). Warthin-like papillary carcinoma of the thyroid. *Arch Pathol Lab Med* 124: 1192-1195.
114. Bang G, Koppang HS, Hansen LS, Gilhus-Moe O, Aksdal E, Persson PG, Lundgren J (1989). Clear cell odontogenic carcinoma: report of three cases with pulmonary and lymph node metastases. *J Oral Pathol Med* 18: 113-118.
115. Banik S, Howell JS, Wright DH (1985). Non-Hodgkin's lymphoma arising in adenolymphoma—a report of two cases. *J Pathol* 146: 167-177.
116. Banks ER, Frierson HF Jr, Covell JL (1992). Fine needle aspiration cytologic findings in metastatic basaloid squamous cell carcinoma of the head and neck. *Acta Cytol* 36: 126-131.
117. Banks ER, Frierson HF Jr, Mills SE, George E, Zarbo RJ, Swanson PE (1992). Basaloid squamous cell carcinoma of the head and neck. A clinicopathologic and immunohistochemical study of 40 cases. *Am J Surg Pathol* 16: 939-946.
118. Banoczy J (1977). Follow-up studies in oral leukoplakia. *J Maxillofac Surg* 5: 69-75.
119. Bansberg SF, Olsen KD, Gaffey TA (1989). Lymphoepithelioma of the oropharynx. *Otolaryngol Head Neck Surg* 100: 303-307.
120. Bari ME, Forster DM, Kemeny AA, Walton L, Hardy D, Anderson JR (2002). Malignancy in the vestibular schwannoma. Report of a case with central neurofibromatosis, treated by both stereotactic radiosurgery and surgical excision, with a review of the literature. *Br J Neurosurg* 16: 284-289.
121. Barker BF (1999). Odontogenic myxoma. *Semin Diagn Pathol* 16: 297-301.
122. Barker BF, Carpenter WM, Daniels TE, Kahn MA, Leider AS, Lozada-Nur F, Lynch DP, Melrose R, Merrell P, Morton T, PETERS E, Regezi JA, Richards SD, Rick GM, Rohrer MD, Slater L, Stewart JC, Tomich CE, Vickers RA, Wood NK, Young SK (1997). Oral mucosal melanomas: the WESTOP Banff workshop proceedings. Western Society of Teachers of Oral Pathology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 83: 672-679.
123. Barnes C, Sexton M, Sizeland A, Tiedemann K, Berkowitz RG, Waters K (2001). Laryngo-pharyngeal carcinoma in childhood. *Int J Pediatr Otorhinolaryngol* 61: 83-86.
124. Barnes L (1986). Intestinal-type adenocarcinoma of the nasal cavity and

- paranasal sinuses. *Am J Surg Pathol* 10: 192-202.
- 125.** Barnes L (1991). Paraganglioma of the larynx. A critical review of the literature. *ORL J Otorhinolaryngol Relat Spec* 53: 220-234.
- 126.** Barnes L (2000). Diseases of the larynx, hypopharynx and esophagus. In: *Surgical Pathology of the Head and Neck*, Barnes L, ed., 2nd ed. Marcel Dekker: New York.
- 127.** Barnes L (2002). Schneiderian papillomas and nonsalivary glandular neoplasms of the head and neck. *Mod Pathol* 15: 279-297.
- 128.** Barnes L, Appel BN, Perez H, El Attar AM (1985). Myoepithelioma of the head and neck: case report and review. *J Surg Oncol* 28: 21-28.
- 129.** Barnes L, Bedetti C (1984). Oncocytic Schneiderian papilloma: a reappraisal of cylindrical cell papilloma of the sinonasal tract. *Hum Pathol* 15: 344-351.
- 130.** Barnes L, Brandwein M, Som PM (2001). Diseases of the nasal cavity, paranasal sinuses, and nasopharynx. In: *Surgical Pathology of the Head and Neck*, Barnes L, ed., 2nd ed. Marcel Dekker Inc: New York, Basel, pp. 522-523.
- 131.** Barnes L, Brandwein M, Som PM (2001). *Surgical Pathology of the Head and Neck*. 2nd ed. Marcel Dekker Inc: New York.
- 132.** Barnes L, Ferlito A, Altavilla G, MacMillan C, Rinaldo A, Dogliani C (1996). Basaloid squamous cell carcinoma of the head and neck: clinicopathological features and differential diagnosis. *Ann Otol Rhinol Laryngol* 105: 75-82.
- 133.** Barnes L, Kanbour A (1988). Malignant fibrous histiocytoma of the head and neck. A report of 12 cases. *Arch Otolaryngol Head Neck Surg* 114: 1149-1156.
- 134.** Barnes L, Rao U, Contis L, Krause J, Schwartz A, Scalapogna P (1994). Salivary duct carcinoma. Part II. Immunohistochemical evaluation of 13 cases for estrogen and progesterone receptors, cathepsin D, and c-erbB-2 protein. *Oral Surg Oral Med Oral Pathol* 78: 74-80.
- 135.** Barnes L, Rao U, Krause J, Contis L, Schwartz A, Scalapogna P (1994). Salivary duct carcinoma. Part I. A clinicopathologic evaluation and DNA image analysis of 13 cases with review of the literature. *Oral Surg Oral Med Oral Pathol* 78: 64-73.
- 136.** Barnes L, Taylor SR (1990). Carotid body paragangliomas. A clinicopathologic and DNA analysis of 13 tumors. *Arch Otolaryngol Head Neck Surg* 116: 447-453.
- 137.** Barnes L, Taylor SR (1991). Vagal paragangliomas: a clinical, pathological, and DNA assessment. *Clin Otolaryngol* 16: 376-382.
- 138.** Barnes L, Yunis EJ, Krebs FJ, Sonmez-Alpan E (1991). Verruca vulgaris of the larynx. Demonstration of human papillomavirus types 6/11 by in situ hybridization. *Arch Pathol Lab Med* 115: 895-899.
- 139.** Barona de Guzman R, Martorell MA, Basterra J, Armengot M, Montoro A, Montoro J (1993). Analysis of DNA content in supraglottic epidermoid carcinoma. *Otolaryngol Head Neck Surg* 108: 706-710.
- 140.** Barontini F, Maurri S, Sita D (1986). Peripheral ophthalmoplegia as the only sign of late-onset fibrous dysplasia of the skull. *J Clin Neuroophthalmol* 6: 109-112.
- 141.** Barr FG, Galili N, Holick J, Biegel JA, Rovera G, Emanuel BS (1993). Rearrangement of the PAX3 paired box gene in the paediatric solid tumour alveolar rhabdomyosarcoma. *Nat Genet* 3: 113-117.
- 142.** Barra S, Talamini R, Proto E, Bidoli E, Puxeddu P, Franceschi S (1990). Survival analysis of 378 surgically treated cases of laryngeal carcinoma in south Sardinia. *Cancer* 65: 2521-2527.
- 143.** Barreto DC, Gomez RS, Bale AE, Boson WL, De Marco L (2000). PTCH gene mutations in odontogenic keratocysts. *J Dent Res* 79: 1418-1422.
- 144.** Barrett AW, Bennett JH, Speight PM (1995). A clinicopathological and immunohistochemical analysis of primary oral mucosal melanoma. *Eur J Cancer B Oral Oncol* 31B: 100-105.
- 145.** Barrett AW, Morgan M, Ramsay AD, Farthing PM, Newman L, Speight PM (2002). A clinicopathologic and immunohistochemical analysis of melanotic neuroectodermal tumor of infancy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 93: 688-698.
- 146.** Barton JH, Osborne BM, Butler JJ, Meoz RT, Kong J, Fuller LM, Sullivan JA (1984). Non-Hodgkin's lymphoma of the tonsil. A clinicopathologic study of 65 cases. *Cancer* 53: 86-95.
- 147.** Baruffi MR, Neto JB, Barbieri CH, Casartelli C (2001). Aneurysmal bone cyst with chromosomal changes involving 7q and 16p. *Cancer Genet Cytogenet* 129: 177-180.
- 148.** Barzan L, Talamini R, Politi D, Minatel E, Gobitti C, Franchin G (2002). Squamous cell carcinoma of the hypopharynx treated with surgery and radiotherapy. *J Laryngol Otol* 116: 24-28.
- 149.** Basset JM, Paraire F, Francois M, Fleury P (1982). [Two further cases of rare laryngeal tumors. Lipoma and chemodectoma (author's transl)]. *Ann Otolaryngol Chir Cervicofac* 99: 151-158.
- 150.** Bataineh AB (1997). Aneurysmal bone cysts of the maxilla: a clinicopathologic review. *J Oral Maxillofac Surg* 55: 1212-1216.
- 151.** Batra PS, Kern RC, Pelzer HJ, Haines GKI (2001). Leiomyosarcoma of the sinonasal tract: report of a case. *Otolaryngol Head Neck Surg* 125: 663-664.
- 152.** Batsakis JG (1983). Pathology consultation. Carcinoma ex lymphoepithelial lesion. *Ann Otol Rhinol Laryngol* 92: 657-658.
- 153.** Batsakis JG, Brannon RB (1981). Dermal analogue tumours of major salivary glands. *J Laryngol Otol* 95: 155-164.
- 154.** Batsakis JG, El Naggar AK, Luna MA (1992). Epithelial-myoepithelial carcinoma of salivary glands. *Ann Otol Rhinol Laryngol* 101: 540-542.
- 155.** Batsakis JG, El Naggar AK, Luna MA (1994). Hyalinizing clear cell carcinoma of salivary origin. *Ann Otol Rhinol Laryngol* 103: 746-748.
- 156.** Batsakis JG, Frankenthaler R (1992). Embryonic (sialoblastoma) of salivary glands. *Ann Otol Rhinol Laryngol* 101: 958-960.
- 157.** Batsakis JG, Huser J (1990). Squamous carcinomas with glandlike (adenoid) features. *Ann Otol Rhinol Laryngol* 99: 87-88.
- 158.** Batsakis JG, Hybels RD, El Naggar AK (1993). Solitary fibrous tumor. *Ann Otol Rhinol Laryngol* 102: 74-76.
- 159.** Batsakis JG, Luna MA (1991). Basaloid salivary carcinoma. *Ann Otol Rhinol Laryngol* 100: 785-787.
- 160.** Batsakis JG, Luna MA, Byers RM (1985). Metastases to the larynx. *Head Neck Surg* 7: 458-460.
- 161.** Batsakis JG, Luna MA, El Naggar AK (1990). Histopathologic grading of salivary gland neoplasms: II. Acinic cell carcinoma. *Ann Otol Rhinol Laryngol* 99: 929-933.
- 162.** Batsakis JG, Luna MA, El Naggar AK (1991). Basaloid monomorphic adenomas. *Ann Otol Rhinol Laryngol* 100: 687-690.
- 163.** Batsakis JG, Mackay B, Ordenez NG (1984). Enteric-type adenocarcinoma of the nasal cavity. An electron microscopic and immunocytochemical study. *Cancer* 54: 855-860.
- 164.** Batsakis JG, Pinkston GR, Luna MA, Byers RM, Sciubba JJ, Tillery GW (1983). Adenocarcinomas of the oral cavity: a clinicopathologic study of terminal duct carcinomas. *J Laryngol Otol* 97: 825-835.
- 165.** Batsakis JG, Regezi JA, Solomon AR, Rice DH (1982). The pathology of head and neck tumors: mucosal melanomas, part 13. *Head Neck Surg* 4: 404-418.
- 166.** Batsakis JG, Rice DH (1981). The pathology of head and neck tumors: vasoformative tumors, part 9A. *Head Neck Surg* 3: 231-239.
- 167.** Batsakis JG, Rice DH (1981). The pathology of head and neck tumors: vasoformative tumors, part 9B. *Head Neck Surg* 3: 326-339.
- 168.** Batsakis JG, Rice DH, Howard DR (1982). The pathology of head and neck tumors: spindle cell lesions (sarcomatoid carcinomas, nodular fasciitis, and fibrosarcoma) of the aerodigestive tracts, Part 14. *Head Neck Surg* 4: 499-513.
- 169.** Batsakis JG, Rice DH, Solomon AR (1980). The pathology of head and neck tumors: squamous and mucous-gland carcinomas of the nasal cavity, paranasal sinuses, and larynx, part 6. *Head Neck Surg* 2: 497-508.
- 170.** Batsakis JG, Suarez P (2000). Mucosal melanomas: a review. *Adv Anat Pathol* 7: 167-180.
- 171.** Batsakis JG, Suarez P (2000). Papillary squamous carcinoma: will the real one please stand up? *Adv Anat Pathol* 7: 2-8.
- 172.** Batsakis JG, Suarez P (2000). Sarcomatoid carcinomas of the upper aerodigestive tracts. *Adv Anat Pathol* 7: 282-293.
- 173.** Batsakis JG, Suarez P (2001). Schneiderian papillomas and carcinomas: a review. *Adv Anat Pathol* 8: 53-64.
- 174.** Batsakis JG, Suarez P, El Naggar AK (1999). Proliferative verrucous leukoplakia and its related lesions. *Oral Oncol* 35: 354-359.
- 175.** Battifora H (1976). Spindle cell carcinoma: ultrastructural evidence of squamous origin and collagen production by the tumor cells. *Cancer* 37: 2275-2282.
- 176.** Bauer WH, Fox RA (1945). Adenomyoepithelioma (cylindroma) of palatal mucous glands. *Arch Pathol* 39: 96-102.
- 177.** Baujat B, Attal P, Racy E, Quillard J, Parker F, Evennou A, Bobin S (2001). Chondromyxoid fibroma of the nasal bone with extension into the frontal and ethmoidal sinuses: report of one case and a review of the literature. *Am J Otolaryngol* 22: 150-153.
- 178.** Bauman NM, Smith RJ (1996). Recurrent respiratory papillomatosis. *Pediatr Clin North Am* 43: 1385-1401.
- 179.** Baumgartner WA, Mark JB (1980). Metastatic malignancies from distant sites to the tracheobronchial tree. *J Thorac Cardiovasc Surg* 79: 499-503.
- 180.** Bayazit YA, Kanlikama M, Bakir K, Ucak R, Mumbuc S, Ozer E (2001). Malignant Mixed Tumours of the Larynx: a Case Report. *Rev Laryngol Otol Rhinol (Bord)* 249-251.
- 181.** Baysal BE (2001). Genetics of familial paragangliomas: past, present, and future. *Otolaryngol Clin North Am* 34: 863-79, vi.
- 182.** Baysal BE, Ferrell RE, Willett-Brozick JE, Lawrence EC, Myssiorek D, Bosch A, van der Mey A, Taschner PE, Rubinstein WS, Myers EN, Richard CWI, Cornelisse CJ, Devilee P, Devlin B (2000). Mutations in SDHD, a mitochondrial complex II gene, in hereditary paraganglioma. *Science* 287: 848-851.
- 183.** Bazan V, Zanna I, Migliavacca M, Sanz-Casla MT, Maestro ML, Corsale S, Macaluso M, Dardanoni G, Restivo S, Quintela PL, Bernaldez R, Salerno S, Morello V, Tomasino RM, Gebbia N, Russo A (2002). Prognostic significance of p16INK4a alterations and 9p21 loss of heterozygosity in locally advanced laryngeal squamous cell carcinoma. *J Cell Physiol* 192: 286-293.
- 184.** Beasley JDI (1976). Traumatic cyst of the jaws: report of 30 cases. *J Am Dent Assoc* 92: 145-152.
- 185.** Beck JC, McClatchey KD, Lesperance MM, Esclamado RM, Carey TE, Bradford CR (1995). Presence of human papillomavirus predicts recurrence of inverted papilloma. *Otolaryngol Head Neck Surg* 113: 49-55.
- 186.** Bedavanija A, Brieger J, Lehr HA, Maurer J, Mann WJ (2003). Association of proliferative activity and size in acoustic neuroma: implications for timing of surgery. *J Neurosurg* 98: 807-811.
- 187.** Bedi GC, Westra WH, Gabrielson E, Koch W, Sidransky D (1996). Multiple head and neck tumors: evidence for a common clonal origin. *Cancer Res* 56: 2484-2487.
- 188.** Begin LR, Rochon L, Frenkiel S (1991). Spindle cell myoepithelioma of the nasal cavity. *Am J Surg Pathol* 15: 184-190.
- 189.** Beham-Schmid C, Beham A, Jakse R, Aubock L, Hoffer G (1998). Extranasal follicular dendritic cell tumour of the nasopharynx. *Virchows Arch* 432: 293-298.
- 190.** Beham A, Fletcher CD, Kainz J, Schmid C, Humer U (1993). Nasopharyngeal angiofibroma: an immunohistochemical study of 32 cases. *Virchows Arch A Pathol Anat Histopathol* 423: 281-285.
- 191.** Beitler AJ, Ptaszynski K, Karpel JP (1996). Upper airway obstruction in a woman with AIDS-related laryngeal Kaposi's sarcoma. *Chest* 109: 836-837.
- 192.** Bellacosa A, Almadori G, Cavallo S, Cadoni G, Galli J, Ferrandina G, Scambia G, Neri G (1996). Cyclin D1 gene amplification in human laryngeal squamous cell carcinoma: prognostic significance and clinical implications. *Clin Cancer Res* 2: 175-180.
- 193.** Belsky JL, Tachikawa K, Cihak RW, Yamamoto T (1972). Salivary gland tumors in atomic bomb survivors, Hiroshima-Nagasaki, 1957 to 1970. *JAMA* 219: 864-868.
- 194.** Belsky JL, Takeichi N, Yamamoto T, Cihak RW, Hirose F, Ezaki H, Inoue S, Blot WJ (1975). Salivary gland neoplasms following atomic radiation: additional cases and reanalysis of combined data in a fixed population, 1957-1970. *Cancer* 35: 555-559.
- 195.** Benhamou CA, Laraqni N, Touhami M, Chekkoury A, Benchakroun Y, Samlali R, Kahlain A (1992). [Tobacco and cancer of the larynx: a prospective survey of 58 patients]. *Rev Laryngol Otol Rhinol (Bord)* 113: 285-288.



196. Benjamin B, Parsons DS (1988). Recurrent respiratory papillomatosis: a 10 year study. *J Laryngol Otol* 102: 1022-1028.
197. Benowitz LI, Routtenberg A (1987). A membrane phosphoprotein associated with neural development, axonal regeneration, phospholipid metabolism and synaptic plasticity. *Trends Neurosci* 10: 527-532.
198. Berge JK, Kapadia SB, Myers EN (1998). Osteosarcoma of the larynx. *Arch Otolaryngol Head Neck Surg* 124: 207-210.
199. Bergensen PJ, Kennedy PJ, Kneale KL (1987). Metastatic tumours of the parotid region. *Aust NZ J Surg* 57: 23-26.
200. Berkower AS, Biller HF (1988). Head and neck cancer associated with Bloom's syndrome. *Laryngoscope* 98: 742-748.
201. Berkowitz RG, Mahadevan M (1999). Unilateral tonsillar enlargement and tonsillar lymphoma in children. *Ann Otol Rhinol Laryngol* 108: 876-879.
202. Bernstein JM, Montgomery WW, Balogh KJr (1966). Metastatic tumors to the maxilla, nose, and paranasal sinuses. *Laryngoscope* 76: 621-650.
203. Berry JA, Wolf JS, Gray WC (2002). Squamous cell carcinoma arising in a lymphangioma of the tongue. *Otolaryngol Head Neck Surg* 127: 458-460.
204. Bertholet E, Shenouda G, Black MJ, Picariello M, Rochon L (1994). Sarcomatoid carcinoma of the head and neck. *Am J Surg* 168: 455-458.
205. Berthelsen A, Andersen AP, Jensen TS, Hansen HS (1984). Melanomas of the mucosa in the oral cavity and the upper respiratory passages. *Cancer* 54: 907-912.
206. Bertoni F, Dallera P, Bacchini P, Marchetti C, Campobassi A (1991). The Istituto Rizzoli-Beretta experience with osteosarcoma of the jaw. *Cancer* 68: 1555-1563.
207. Bertoni F, Unni KK, Beabout JW, Ebersold MJ (1992). Giant cell tumor of the skull. *Cancer* 70: 1124-1132.
208. Betuel H, Camoun M, Colombani J, Day NE, Ellouz R, de The G (1975). The relationship between nasopharyngeal carcinoma and the HL-A system among Tunisians. *Int J Cancer* 16: 249-254.
209. Bialas M, Sinczak A, Choinska-Stefanska A, Zygulska A (2002). EBV-positive lymphoepithelial carcinoma of salivary gland in a woman of a non-endemic area—a case report. *Pol J Pathol* 53: 235-238.
210. Bianco P, Riminucci M, Majolagbe A, Kuznetsov SA, Collins MT, Mankani MH, Corsi A, Bone HG, Wientroub S, Spiegel AM, Fisher LW, Robey PG (2000). Mutations of the GNAS1 gene, stromal cell dysfunction, and osteomalacic changes in non-McCune-Albright fibrous dysplasia of bone. *J Bone Miner Res* 15: 120-128.
211. Bielamowicz S, Calcaterra TC, Watson D (1993). Inverting papilloma of the head and neck: the UCLA update. *Otolaryngol Head Neck Surg* 109: 71-76.
212. Biggar RJ (2001). AIDS-related cancers in the era of highly active antiretroviral therapy. *Oncology (Huntingt)* 15: 439-448.
213. Bikhazi PH, Messina L, Mhatre AN, Goldstein JA, Lalwani AK (2000). Molecular pathogenesis in sporadic head and neck paraganglioma. *Laryngoscope* 110: 1346-1348.
214. Bilal H, Handra-Luca A, Bertrand JC, Fouret PJ (2003). P63 is expressed in basal and myoepithelial cells of human normal and tumor salivary gland tissues. *J Histochem Cytochem* 51: 133-139.
215. Biller HF, Lawson W, Som P, Rosenfeld R (1989). Glomus vagale tumors. *Ann Otol Rhinol Laryngol* 98: 21-26.
216. Billings KR, Fu YS, Calcaterra TC, Sercarz JA (2000). Hemangiopericytoma of the head and neck. *Am J Otolaryngol* 21: 238-243.
217. Binder WJ, Som P, Kaneko M, Biller HF (1980). Mucoepidermoid carcinoma of the larynx. A case report and review of the literature. *Ann Otol Rhinol Laryngol* 89: 103-107.
218. Bisceglia M, Cardone M, Fantasia L, Cenacchi G, Pasquinelli G (2001). Mixed tumors, myoepitheliomas, and oncocytomas of the soft tissues are likely members of the same family: a clinicopathologic and ultrastructural study. *Ultrastruct Pathol* 25: 399-418.
219. Blackledge FA, Anand VK (2000). Tracheobronchial extension of recurrent respiratory papillomatosis. *Ann Otol Rhinol Laryngol* 109: 812-818.
220. Blackwell JB (1993). Mesenchymal chondrosarcoma arising in fibrous dysplasia of the femur. *J Clin Pathol* 46: 961-962.
221. Blackwell KE, Calcaterra TC, Fu YS (1995). Laryngeal dysplasia: epidemiology and treatment outcome. *Ann Otol Rhinol Laryngol* 104: 596-602.
222. Blackwell KE, Fu YS, Calcaterra TC (1995). Laryngeal dysplasia. A clinicopathologic study. *Cancer* 75: 457-463.
223. Blanck C, Eneroth CM, Jakobsson PA (1970). Oncocytoma of the parotid gland: neoplasm or nodular hyperplasia? *Cancer* 25: 919-925.
224. Blanck C, Eneroth CM, Jakobsson PA (1971). Mucus-producing adenopapillary (non-epidermoid) carcinoma of the parotid gland. *Cancer* 28: 676-685.
225. Bleiweiss LJ, Huvos AG, Lara J, Strong EW (1992). Carcinosarcoma of the submandibular salivary gland. Immunohistochemical findings. *Cancer* 69: 2031-2035.
226. Block MS, Gross BD (1982). Epidermolysis bullosa dystrophica recessive: oral surgery and anesthetic considerations. *J Oral Maxillofac Surg* 40: 753-758.
227. Blot WJ, McLaughlin JK, Devesa SS, Fraumeni JF (1996). Cancers of the oral cavity and pharynx. In: *Cancer Epidemiology and Prevention*, Schottenfeld D, Fraumeni JF Jr, eds., 2nd ed. Oxford University Press: New York, pp. 666-680.
228. Blot WJ, McLaughlin JK, Winn DM, Austin DF, Greenberg RS, Preston-Martin S, Bernstein L, Schoenberg JB, Stemhagen A, Fraumeni JF Jr (1988). Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Res* 48: 3282-3287.
229. Boccon-Gibod LA, Grangeponde MC, Boucheron S, Josset PP, Roger G, Berthier-Falissard ML (1996). Salivary gland anlage tumor of the nasopharynx: a clinicopathologic and immunohistochemical study of three cases. *Pediatr Pathol Lab Med* 16: 973-983.
230. Bockmuhl U, Wolf G, Schmidt S, Schwendel A, Jahnke V, Dietel M, Petersen I (1998). Genomic alterations associated with malignancy in head and neck cancer. *Head Neck* 20: 145-151.
231. Bombi JA, Riverola A, Bordas JM, Cardesa A (1991). Adenosquamous carcinoma of the esophagus. A case report. *Pathol Res Pract* 187: 514-519.
232. Bomer DL, Arnold GE (1971). Malignant tumors of the minor salivary glands. *Acta Otolaryngol*.
233. Bondeson L, Andreasson L, Olsson M, Rausing A (1997). Salivary gland anlage tumor: cytologic features in a case examined by fine-needle aspiration. *Diagn Cytopathol* 16: 518-521.
234. Boniuk M, Zimmerman LE (1968). Sebaceous carcinoma of the eyelid, eyebrow, caruncle, and orbit. *Trans Am Acad Ophthalmol Otolaryngol* 72: 619-642.
235. Bonner RA, Mukai K, Oppenheimer JH (1979). Two unusual variants of Nelson's syndrome. *J Clin Endocrinol Metab* 49: 23-29.
236. Borg MF, Benjamin CS, Morton RP, Llewellyn HR (1993). Malignant lymphoepithelial lesion of the salivary gland: a case report and review of the literature. *Australas Radiol* 37: 288-291.
237. Borit A, Blanshard TP (1979). Sphenoidal pituitary adenoma. *Hum Pathol* 10: 93-96.
238. Bosetti C, Talamini R, Levi F, Negri E, Franceschi S, Airoldi L, La Vecchia C (2002). Fried foods: a risk factor for laryngeal cancer? *Br J Cancer* 87: 1230-1233.
239. Boson WL, Gomez RS, Araujo L, Kalapothakis E, Friedman E, De Marco L (1998). Odontogenic myxomas are not associated with activating mutations of the Gs alpha gene. *Anticancer Res* 18: 4415-4417.
240. Boston M, Derkay CS (2003). Recurrent respiratory papillomatosis. *Clin Pulm Med* 10-16.
241. Bottomley WK, Gabriel SA, Corio RL, Jacobson RJ, Rothchild N (1987). Histiocytosis X: report of an oral soft tissue lesion without bony involvement. *Oral Surg Oral Med Oral Pathol* 63: 228-231.
242. Bottomley WW, Goodfield MD (1994). Chondrodermatitis nodularis helioides occurring with systemic sclerosis—an underreported association? *Clin Exp Dermatol* 19: 219-220.
243. Bouquot JE, Gnepp DR (1991). Laryngeal precancer: a review of the literature, commentary, and comparison with oral leukoplakia. *Head Neck* 13: 488-497.
244. Bouquot JE, Kurland LT, Weiland LH (1979). Primary salivary epithelial neoplasms in Rochester, Minnesota population. *J Dent Res* 58: 419.
245. Bouquot JE, Kurland LT, Weiland LH (1991). Laryngeal keratosis and carcinoma in the Rochester, MN, population 1935-1984. *Cancer Detect Prev* 15: 83-91.
246. Bouquot JE, Weiland LH, Kurland LT (1989). Metastases to and from the upper aerodigestive tract in the population of Rochester, Minnesota, 1935-1984. *Head Neck* 11: 212-218.
247. Boyle P, Macfarlane GJ, Zheng T, Maisonneuve P, Evstifeeva T, Scully C (1992). Recent advances in epidemiology of head and neck cancer. *Curr Opin Oncol* 4: 471-477.
248. Braakhuis BJ, Tabor MP, Leemans CR, van der Waal I, Snow GB, Brakenhoff RH (2002). Second primary tumors and field cancerization in oral and oropharyngeal cancer: molecular techniques provide new insights and definitions. *Head Neck* 24: 198-206.
249. Bradford CR, Wolf GT, Carey TE, Zhu S, Beals TF, Truelson JM, McClatchey KD, Fisher SG (1999). Predictive markers for response to chemotherapy, organ preservation, and survival in patients with advanced laryngeal carcinoma. *Otolaryngol Head Neck Surg* 121: 534-538.
250. Brandsma JL, Steinberg BM, Abramson AL, Winkler B (1986). Presence of human papillomavirus type 16 related sequences in verrucous carcinoma of the larynx. *Cancer Res* 46: 2185-2188.
251. Brandwein M, Al Naeif NS, Manwani D, Som P, Goldfeder L, Rothschild M, Granowetter L (1999). Sialoblastoma: clinicopathological/immunohistochemical study. *Am J Surg Pathol* 23: 342-348.
252. Brandwein M, Huvos AG, Dardick I, Thomas MJ, Theise ND (1996). Noninvasive and minimally invasive carcinoma ex mixed tumor: a clinicopathologic and ploidy study of 12 patients with major salivary tumors of low (or no?) malignant potential. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 655-664.
253. Brandwein M, LeBenger J, Strauchen J, Biller H (1990). Atypical granular cell tumor of the larynx: an unusually aggressive tumor clinically and microscopically. *Head Neck* 12: 154-159.
254. Brandwein M, Levi G, Som P, Urken ML (1992). Paraganglioma of the inferior laryngeal paraganglia. A case report. *Arch Otolaryngol Head Neck Surg* 118: 994-996.
255. Brandwein M, Moore S, Som P, Biller H (1992). Laryngeal chondrosarcomas: a clinicopathologic study of 11 cases, including two "dedifferentiated" chondrosarcomas. *Laryngoscope* 102: 858-867.
256. Brandwein M, Said-Al-Naeif N, Gordon R, Urken M (2002). Clear cell odontogenic carcinoma: report of a case and analysis of the literature. *Arch Otolaryngol Head Neck Surg* 128: 1089-1095.
257. Brandwein MS, Huvos AG (1991). Oncocytic tumors of major salivary glands. A study of 68 cases with follow-up of 44 patients. *Am J Surg Pathol* 15: 514-528.
258. Brandwein MS, Ivanov K, Wallace DJ, Hille JJ, Wang B, Fahmy A, Bodian C, Urken ML, Gnepp DR, Huvos A, Lumerman H, Mills SE (2001). Mucoepidermoid carcinoma: a clinicopathologic study of 80 patients with special reference to histological grading. *Am J Surg Pathol* 25: 835-845.
259. Brandwein MS, Jagirdar J, Patil J, Biller H, Kaneko M (1990). Salivary duct carcinoma (cribriform salivary carcinoma of excretory ducts). A clinicopathologic and immunohistochemical study of 12 cases. *Cancer* 65: 2307-2314.
260. Brandwein MS, Rothstein A, Lawson W, Bodian C, Urken ML (1997). Sinonasal melanoma. A clinicopathologic study of 25 cases and literature meta-analysis. *Arch Otolaryngol Head Neck Surg* 123: 290-296.
261. Brannon RB, Fowler CB (2001). Benign fibro-osseous lesions: a review of current concepts. *Adv Anat Pathol* 8: 126-143.
262. Brannon RB, Fowler CB, Carpenter WM, Corio RL (2002). Cementoblastoma: an innocuous neoplasm? A clinicopathologic study of 44 cases and review of the literature with special emphasis on recurrence. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 93: 311-320.
263. Brannon RB, Fowler CB, Hartman KS (1991). Necrotizing sialometaplasia. A clinicopathologic study of sixty-nine cases and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92: 68-77.
265. Braun IF, Levy S, Hoffman JC Jr (1985). The use of transarterial microembolization in the management of hemangiomas of the perioral region. *J Oral Maxillofac Surg* 43: 239-248.
266. Bregni RC, Taylor AM, Garcia AM (2001). Ameloblastic fibrosarcoma of the

- mandible: report of two cases and review of the literature. *J Oral Pathol Med* 30: 316-320.
267. Bremer JW, Bryan NH, De Sando LW, Ljones GC (1986). Angiofibroma: treatment trends in 150 patients during 40 years. *Laryngoscope* 222-231.
268. Brennan JA, Boyle JO, Koch WM, Goodman SN, Hruban RH, Eby YJ, Couch MJ, Forastiere AA, Sidransky D (1995). Association between cigarette smoking and mutation of the p53 gene in squamous-cell carcinoma of the head and neck. *N Engl J Med* 332: 712-717.
269. Bressac-de-Paillerets B, Avril MF, Chompret A, Demenais F (2002). Genetic and environmental factors in cutaneous malignant melanoma. *Biochimie* 84: 67-74.
270. Bridge JA, Kanamori M, Ma Z, Pickering D, Hill DA, Lydiatt W, Lui MY, Colleoni GW, Antonescu CR, Ladanyi M, Morris SW (2001). Fusion of the ALK gene to the clathrin heavy chain gene, CLTC, in inflammatory myofibroblastic tumor. *Am J Pathol* 159: 411-415.
271. Bridge JA, Liu J, Weibolt V, Baker KS, Perry D, Kruger R, Qualman S, Barr F, Sorensen P, Triche T, Suijkerbuijk R (2000). Novel genomic imbalances in embryonal rhabdomyosarcoma revealed by comparative genomic hybridization and fluorescence in situ hybridization: an intergroup rhabdomyosarcoma study. *Genes Chromosomes Cancer* 27: 337-344.
272. Bridge JA, Neff JR, Bhatia PS, Sanger WG, Murphey MD (1990). Cytogenetic findings and biologic behavior of giant cell tumors of bone. *Cancer* 65: 2697-2703.
273. Briele HA, Walker MJ, Das Gupta TK (1985). Melanoma of the head and neck. *Clin Plast Surg* 12: 495-504.
274. Briggs J, Evans JN (1967). Malignant oxyphilic granular-cell tumor (oncocytoma) of the palate. Review of the recent literature and report of a case. *Oral Surg Oral Med Oral Pathol* 23: 796-802.
275. Brinck U, Gunawan B, Schulten HJ, Pinzon V, Fischer U, Fuzesi L (2001). Clear-cell odontogenic carcinoma with pulmonary metastases resembling pulmonary meningothelial-like nodules. *Virchows Arch* 438: 412-417.
276. Brito H, Vassallo J, Altamiani A (2000). Detection of human papillomavirus in laryngeal squamous dysplasia and carcinoma. An in situ hybridization and signal amplification study. *Acta Otolaryngol* 120: 540-544.
277. Brodsky L, Yoshpe N, Ruben RJ (1983). Clinical-pathological correlates of congenital subglottic hemangiomas. *Ann Otol Rhinol Laryngol Suppl* 105: 4-18.
278. Broekaert D, Coucke P, Leperque S, Ramaekers F, Van Muijen G, Boedts D, Leigh I, Lane B (1992). Immunohistochemical analysis of the cytokeratin expression in middle ear cholesteatoma and related epithelial tissues. *Ann Otol Rhinol Laryngol* 101: 931-938.
279. Brookes GB, Rose PE (1983). Malignant fibrous histiocytoma of the ethmoid sinus. *J Laryngol Otol* 97: 279-289.
280. Brookstone MS, Huvos AG (1992). Central salivary gland tumors of the maxilla and mandible: a clinicopathologic study of 11 cases with an analysis of the literature. *J Oral Maxillofac Surg* 50: 229-236.
281. Brown EW, Megerian CA, McKenna MJ, Weber A (1995). Fibrous dysplasia of the temporal bone: imaging findings. *AJR Am J Roentgenol* 164: 679-682.
282. Browne JD, Fisch U, Valvanis A (1993). Surgical therapy of glomus vagale tumours. *Skull Base Surg* 3: 192.
283. Browne K, Gee JB (2000). Asbestos exposure and laryngeal cancer. *Ann Occup Hyg* 44: 239-250.
284. Browne RM, Smith AJ (1991). Pathogenesis of odontogenic cysts. In: *Investigative Pathology of the Odontogenic Cyst*, Browne RM, ed., 1st ed. CRC Press: Boca Raton, pp. 88-109.
285. Brownson RC, Chang JC (1987). Exposure to alcohol and tobacco and the risk of laryngeal cancer. *Arch Environ Health* 42: 192-196.
286. Broyles EN (1943). The anterior commissure tendon. *Ann Otol Rhinol Laryngol* 52: 342-345.
287. Brugere J, Guenel P, Leclerc A, Rodriguez J (1986). Differential effects of tobacco and alcohol in cancer of the larynx, pharynx, and mouth. *Cancer* 57: 391-395.
288. Bruner JM (1987). Peripheral nerve sheath tumors of the head and neck. *Semin Diagn Pathol* 4: 136-149.
289. Bryan RL, Bevan IS, Crocker J, Young LS (1990). Detection of HPV 6 and 11 in tumours of the upper respiratory tract using the polymerase chain reaction. *Clin Otolaryngol* 15: 177-180.
290. Bryne M, Jenssen N, Boysen M (1995). Histological grading in the deep invasive front of T1 and T2 glottic squamous cell carcinomas has high prognostic value. *Virchows Arch* 427: 277-281.
291. Bryne M, Koppang HS, Lilleng R, Kjaerheim A (1992). Malignancy grading of the deep invasive margins of oral squamous cell carcinomas has high prognostic value. *J Pathol* 166: 375-381.
292. Bryne M, Koppang HS, Lilleng R, Stene T, Bang G, Dabelsteen E (1989). New malignancy grading is a better prognostic indicator than Broders' grading in oral squamous cell carcinomas. *J Oral Pathol Med* 18: 432-437.
293. Brynes RK, Almaguer PD, Leathery KE, McCourty A, Arber DA, Medeiros LJ, Nathwani BN (1996). Numerical cytogenetic abnormalities of chromosomes 3, 7, and 12 in marginal zone B-cell lymphomas. *Mod Pathol* 9: 995-1000.
294. Brzoska PM, Levin NA, Fu KK, Kaplan MJ, Singer MI, Gray JW, Christman MF (1995). Frequent novel DNA copy number increase in squamous cell head and neck tumors. *Cancer Res* 55: 3055-3059.
295. Bschorer R, Lingenfelter T, Kaiserling E, Schwenzler N (1993). Malignant lymphoma of the mucosa-associated lymphoid tissue (MALT)—consecutive unusual manifestation in the rectum and gingiva. *J Oral Pathol Med* 22: 190-192.
296. Buchino JJ (1995). Salivary gland anlage tumor: a newly recognized clinicopathologic entity of uncertain histogenesis. *Adv Anat Pathol* 2: 98.
297. Buchner A (1991). The central (intraosseous) calcifying odontogenic cyst: an analysis of 215 cases. *J Oral Maxillofac Surg* 49: 330-339.
298. Buchner A, Merrell PW, Hansen LS, Leider AS (1991). Peripheral (extraosseous) calcifying odontogenic cyst. A review of forty-five cases. *Oral Surg Oral Med Oral Pathol* 72: 65-70.
299. Buchner A, Merrell PW, Leider AS, Hansen LS (1990). Oral focal mucinosis. *Int J Oral Maxillofac Surg* 19: 337-340.
300. Buchner A, Sciubba JJ (1987). Peripheral epithelial odontogenic tumors: a review. *Oral Surg Oral Med Oral Pathol* 63: 688-697.
301. Buchwald C, Franzmann MB, Jacobsen GK, Juhl BR, Lindeberg H (1997). Carcinomas occurring in papillomas of the nasal septum associated with human papilloma virus (HPV). *Rhinology* 35: 74-78.
302. Buchwald C, Franzmann MB, Tos M (1995). Sinonasal papillomas: a report of 82 cases in Copenhagen County, including a longitudinal epidemiological and clinical study. *Laryngoscope* 105: 72-79.
303. Buchwald C, Lindeberg H, Pedersen BL, Franzmann MB (2001). Human papilloma virus and p53 expression in carcinomas associated with sinonasal papillomas: a Danish Epidemiological study 1980-1998. *Laryngoscope* 111: 1104-1110.
304. Buell P (1973). Race and place in the etiology of nasopharyngeal cancer: a study based on California death certificates. *Int J Cancer* 11: 268-272.
305. Bullerdiek J, Haubrich J, Meyer K, Bartnitzke S (1988). Translocation t(11;19)(q21;q13.1) as the sole chromosome abnormality in a cystadenolymphoma (Warthin's tumor) of the parotid gland. *Cancer Genet Cytogenet* 35: 129-132.
306. Bullerdiek J, Wobst G, Meyer-Bolte K, Chilla R, Haubrich J, Thode B, Bartnitzke S (1993). Cytogenetic subtyping of 220 salivary gland pleomorphic adenomas: correlation to occurrence, histological subtype, and in vitro cellular behavior. *Cancer Genet Cytogenet* 65: 27-31.
307. Bunker ML, Locker J (1989). Warthin's tumor with malignant lymphoma. DNA analysis of paraffin-embedded tissue. *Am J Clin Pathol* 91: 341-344.
308. Burch JD, Howe GR, Miller AB, Semenciv R (1981). Tobacco, alcohol, asbestos, and nickel in the etiology of cancer of the larynx: a case-control study. *J Natl Cancer Inst* 67: 1219-1224.
309. Burch WM, Kramer RS, Kenan PD, Hammond CB (1985). Cushing's disease caused by an ectopic pituitary adenoma within the sphenoid sinus. *N Engl J Med* 312: 587-588.
310. Buresh CJ, Seemayer TA, Nelson M, Neff JR, Dorfman HD, Bridge J (1999). t(X;4)(q22;q31.3) in giant cell reparative granuloma. *Cancer Genet Cytogenet* 115: 80-81.
311. Burns BF, Dardick I, Parks WR (1988). Intermediate filament expression in normal parotid glands and pleomorphic adenomas. *Virchows Arch A Pathol Anat Histopathol* 413: 103-112.
312. Burrows PE, Laor T, Paltiel H, Robertson RL (1998). Diagnostic imaging in the evaluation of vascular birthmarks. *Dermatol Clin* 16: 455-488.
313. Burt RD, Vaughan TL, McKnight B, Davis S, Beckmann AM, Smith AG, Nisperos B, Swanson GM, Berwick M (1996). Associations between human leukocyte antigen type and nasopharyngeal carcinoma in Caucasians in the United States. *Cancer Epidemiol Biomarkers Prev* 5: 879-887.
314. Burt RD, Vaughan TL, Nisperos B, Swanson M, Berwick M (1994). A protective association between the HLA-A2 antigen and nasopharyngeal carcinoma in US Caucasians. *Int J Cancer* 56: 465-467.
315. Burton DM, Heffner DK, Patow CA (1992). Granular cell tumors of the trachea. *Laryngoscope* 102: 807-813.
316. Byrne MN, Sessions DG (1990). Nasopharyngeal craniopharyngioma. Case report and literature review. *Ann Otol Rhinol Laryngol* 99: 633-639.
317. Cairns P, Polascik TJ, Eby Y, Tokino K, Califano J, Merlo A, Mao L, Herath J, Jenkins R, Westra W, Rutter JL, Buckler A, Gabrielson E, Tockman M, Cho KR, Hedrick L, Bova GS, Isaacs W, Koch W, Schwab D, Sidransky D (1995). Frequency of homozygous deletion at p16/CDKN2 in primary human tumours. *Nat Genet* 11: 210-212.
318. Califano J, van der Riet P, Westra W, Nawroz H, Clayman G, Piantadosi S, Corio R, Lee D, Greenberg B, Koch W, Sidransky D (1996). Genetic progression model for head and neck cancer: implications for field cancerization. *Cancer Res* 56: 2488-2492.
319. Califano J, Westra WH, Meininger G, Corio R, Koch WM, Sidransky D (2000). Genetic progression and clonal relationship of recurrent premalignant head and neck lesions. *Clin Cancer Res* 6: 347-352.
320. Califano L, Maramonti P, Boscaino A, De Rosa G, Giardino C (1996). Peripheral ameloblastoma: report of a case with malignant aspect. *Br J Oral Maxillofac Surg* 34: 240-242.
321. Callender T, El Naggar AK, Lee MS, Frankenthaler R, Luna MA, Batsakis JG (1994). PRAD-1 (CCND1)/cyclin D1 oncogene amplification in primary head and neck squamous cell carcinoma. *Cancer* 74: 152-158.
322. Callender TA, Weber RS, Janjan N, Benjamin R, Zaher M, Wolf P, el Naggar A (1995). Rhabdomyosarcoma of the nose and paranasal sinuses in adults and children. *Otolaryngol Head Neck Surg* 112: 252-257.
323. Cammoun M, Ellouz R, Behi J, Attia RB (1978). Histological types of nasopharyngeal carcinoma in an intermediate risk area. *IARC Sci Publ* 13-26.
324. Campbell WG Jr, Priest RE, Weathers DR (1985). Characterization of two types of crystalloids in pleomorphic adenomas of minor salivary glands. A light-microscopic, electron-microscopic, and histochemical study. *Am J Pathol* 118: 194-202.
325. Campbell WM, McDonald TJ, Unni KK, Laws ER Jr (1980). Nasal and paranasal presentations of chordomas. *Laryngoscope* 90: 612-618.
326. Canalis RF, Jenkins HA, Hemenway WG, Lincoln C (1978). Nasopharyngeal rhabdomyosarcoma. A clinical perspective. *Arch Otolaryngol* 104: 122-126.
327. Candelieri GA, Glorieux FH, Prud'homme J, St Arnaud R (1995). Increased expression of the c-fos proto-oncogene in bone from patients with fibrous dysplasia. *N Engl J Med* 332: 1546-1551.
328. Canioni D, Arnulf B, Asso-Bonnet M, Raphael M, Brousse N (2001). Nasal natural killer lymphoma associated with Epstein-Barr virus in a patient infected with human immunodeficiency virus. *Arch Pathol Lab Med* 125: 660-662.
329. Cantarella G, Neglia CB, Civelli E, Roncoroni L, Radice F (2001). Spindle cell lipoma of the hypopharynx. *Dysphagia* 16: 224-227.
330. Carbone A, Micheau C (1982). Pitfalls in microscopic diagnosis of undifferentiated carcinoma of nasopharyngeal type (lymphoepithelioma). *Cancer* 50: 1344-1351.
331. Carinci F, Marzola A, Hassanipour A (1999). Granular cell tumor of the parotid gland. A case report. *Int J Oral Maxillofac Surg* 28: 383-384.
332. Carlos R, Sedano HO (1994). Multifocal papilloma virus epithelial hyperplasia. *Oral Surg Oral Med Oral Pathol* 77:

- 631-635.
- 333.** Carlos R, Sedano HO (2002). Intralesional corticosteroids as an alternative treatment for central giant cell granuloma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 93: 161-166.
- 334.** Carney JA, Boccon-Gibod L, Jarka DE, Tanaka Y, Sweve RG, Unni KK, Stratakis CA (2001). Osteochondromyxoma of bone: a congenital tumor associated with lentiginous and other unusual disorders. *Am J Surg Pathol* 25: 164-176.
- 335.** Carney ME, O'Reilly RC, Sholevar B, Buiaikova OI, Lowry LD, Keane WM, Margolis FL, Rothstein JL (1995). Expression of the human Achaete-scute 1 gene in olfactory neuroblastoma (esthesioneuroblastoma). *J Neurooncol* 26: 35-43.
- 336.** Carrau RL, Petruzzelli G, Cass SP (1995). Adenoid cystic carcinoma of the nasopharynx. *Otolaryngol Head Neck Surg* 112: 501-502.
- 337.** Carter RL, Barr LC, O'Brien CJ, Soo KC, Shaw HJ (1985). Transcapsular spread of metastatic squamous cell carcinoma from cervical lymph nodes. *Am J Surg* 150: 495-499.
- 338.** Caseljitz J, Seifert G, Grenner G, Schmidtberger R (1983). Amylase as an additional marker of salivary gland neoplasms. An immunoperoxidase study. *Pathol Res Pract* 176: 276-283.
- 339.** Casler JD, Conley JJ (1992). Surgical management of adenoid cystic carcinoma in the parotid gland. *Otolaryngol Head Neck Surg* 106: 332-338.
- 340.** Castellanos JL, Lally ET (1982). Acinic cell tumor of the minor salivary glands. *J Oral Maxillofac Surg* 40: 428-431.
- 341.** Castle JT, Arendt DM (1999). Aggressive (malignant) epithelial odontogenic ghost cell tumor. *Ann Diagn Pathol* 3: 243-248.
- 342.** Castle JT, Thompson LD, Frommelt RA, Wenig BM, Kessler HP (1999). Polymorphous low grade adenocarcinoma: a clinicopathologic study of 164 cases. *Cancer* 86: 207-219.
- 343.** Catalano PJ, Brandwein M, Shah DK, Urken ML, Lawson W, Biller HF (1996). Sinonasal hemangiopericytomas: a clinicopathologic and immunohistochemical study of seven cases. *Head Neck* 18: 42-53.
- 344.** Cattaruzza MS, Maisonneuve P, Boyle P (1996). Epidemiology of laryngeal cancer. *Eur J Cancer B Oral Oncol* 32B: 293-305.
- 345.** Cavalcanti MG, Ruprecht A, Quets J (1999). Evaluation of maxillofacial fibrosarcoma using computer graphics and spiral computed tomography. *Dentomaxillofac Radiol* 28: 145-151.
- 346.** Cavazzana AO, Schmidt D, Ninfo V, Harms D, Tollot M, Carli M, Treuner J, Betto R, Salvati G (1992). Spindle cell rhabdomyosarcoma. A prognostically favorable variant of rhabdomyosarcoma. *Am J Surg Pathol* 16: 229-235.
- 347.** Cawson RA, Gleeson MJ, Eveson JW (1997). Pathology and Surgery of the Salivary Glands. *ISIS Medical Media: Oxford.*
- 348.** Cazorla M, Hernandez L, Nadal A, Balbin M, Lopez JM, Vizoso F, Fernandez PL, Iwata K, Cardesa A, Lopez-Otin C, Campo E (1998). Collagenase-3 expression is associated with advanced local invasion in human squamous cell carcinomas of the larynx. *J Pathol* 186: 144-150.
- 349.** Cecchetto G, Carli M, Alaggio R, Dall'Igna P, Bisogno G, Scarzello G, Zanetti I, Durante G, Inserra A, Siracusa F, Guglielmi M (2001). Fibrosarcoma in pediatric patients: results of the Italian Cooperative Group studies (1979-1995). *J Surg Oncol* 78: 225-231.
- 350.** Cerilli LA, Holst VA, Brandwein MS, Stoler MH, Mills SE (2001). Sinonasal undifferentiated carcinoma: immunohistochemical profile and lack of EBV association. *Am J Surg Pathol* 25: 156-163.
- 351.** Cerilli LA, Swartzbaugh JR, Saadut R, Marshall CE, Rumpel CA, Moskaluk CA, Frierson HF Jr (1999). Analysis of chromosome 9p21 deletion and p16 gene mutation in salivary gland carcinomas. *Hum Pathol* 30: 1242-1246.
- 352.** Cerroni L, Hoffer B, Back B, Wolf P, Maier G, Kerl H (2002). Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia (B-CLL) at sites typical for *Borrelia burgdorferi* infection. *J Cutan Pathol* 29: 142-147.
- 353.** Cerroni L, Zenahlik P, Hoffer G, Kaddu S, Smolle J, Kerl H (1996). Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia: a clinicopathologic and prognostic study of 42 patients. *Am J Surg Pathol* 20: 1000-1010.
- 354.** Cerroni L, Zenahlik P, Kerl H (1995). Specific cutaneous infiltrates of B-cell chronic lymphocytic leukemia arising at the site of herpes zoster and herpes simplex scars. *Cancer* 76: 26-31.
- 355.** Chadburn A, Cesarman E, Knowles DM (1997). Molecular pathology of post-transplantation lymphoproliferative disorders. *Semin Diagn Pathol* 14: 15-26.
- 356.** Chadburn A, Chen JM, Hsu DT, Frizzera G, Cesarman E, Garrett TJ, Mears JG, Zangwill SD, Addonizio LJ, Michler RE, Knowles DM (1998). The morphologic and molecular genetic categories of posttransplantation lymphoproliferative disorders are clinically relevant. *Cancer* 82: 1978-1987.
- 357.** Chai Y, Jiang X, Ito Y, Bringas PJr, Han J, Rowitch DH, Soriano P, McMahon AP, Sucov HM (2000). Fate of the mammalian cranial neural crest during tooth and mandibular morphogenesis. *Development* 127: 1671-1679.
- 358.** Chambers EF, Norman D, Dedo HH, Ferrell LD (1982). Primary nasopharyngeal chemodectoma. *Neuroradiology* 23: 285-288.
- 359.** Chan AC, Chan KW, Chan JK, Au WY, Ho WK, Ng WM (2001). Development of follicular dendritic cell sarcoma in hyaline-vascular Castleman's disease of the nasopharynx: tracing its evolution by sequential biopsies. *Histopathology* 38: 510-518.
- 360.** Chan AS, To KF, Lo KW, Ding M, Li X, Johnson P, Huang DP (2002). Frequent chromosome 9p losses in histologically normal nasopharyngeal epithelia from southern Chinese. *Int J Cancer* 102: 300-303.
- 361.** Chan AS, To KF, Lo KW, Mak KF, Pak W, Chiu B, Tse GM, Ding M, Li X, Lee JC, Huang DP (2000). High frequency of chromosome 3p deletion in histologically normal nasopharyngeal epithelia from southern Chinese. *Cancer Res* 60: 5365-5370.
- 362.** Chan AT, Lo YM, Zee B, Chan LY, Ma BB, Leung SF, Mo F, Lai M, Ho S, Huang DP, Johnson PJ (2002). Plasma Epstein-Barr virus DNA and residual disease after radiotherapy for undifferentiated nasopharyngeal carcinoma. *J Natl Cancer Inst* 94: 1614-1619.
- 363.** Chan AT, Teo ML, Lee WY, Kwan WH, Choi PH, Johnson PJ (1998). The significance of keratinizing squamous cell histology in Chinese patients with nasopharyngeal carcinoma. *Clin Oncol (R Coll Radiol)* 10: 161-164.
- 364.** Chan CW, Nicholls JM, Sham JS, Dickens P, Choy D (1992). Nasopharyngeal carcinoma in situ in nasopharyngeal carcinoma. *J Clin Pathol* 45: 898-901.
- 365.** Chan J, Gannon FH, Thompson LD (2003). Malignant giant cell tumor of the sphenoid. *Ann Diagn Pathol* 7: 100-105.
- 366.** Chan JK (1998). Kuttner tumor (chronic sclerosing sialadenitis) of the submandibular gland: an underrecognized entity. *Adv Anat Pathol* 5: 239-251.
- 367.** Chan JK, Cheuk W, Shimizu M (2001). Anaplastic lymphoma kinase expression in inflammatory pseudotumors. *Am J Surg Pathol* 25: 761-768.
- 368.** Chan JK, Fletcher CD, Nayler SJ, Cooper K (1997). Follicular dendritic cell sarcoma. Clinicopathologic analysis of 17 cases suggesting a malignant potential higher than currently recognized. *Cancer* 79: 294-313.
- 369.** Chan JK, Hui PK, Ng CS, Yuen NW, Kung IT, Gwi E (1989). Epithelioid haemangioma (angiolymphoid hyperplasia with eosinophilia) and Kimura's disease in Chinese. *Histopathology* 15: 557-574.
- 370.** Chan JK, Ng CS, Lo ST (1987). Immunohistological characterization of malignant lymphomas of the Waldeyer's ring other than the nasopharynx. *Histopathology* 11: 885-899.
- 371.** Chan JK, Sin VC, Wong KF, Ng CS, Tsang WY, Chan CH, Cheung MM, Lau WH (1997). Nonnasal lymphoma expressing the natural killer cell marker CD56: a clinicopathologic study of 49 cases of an uncommon aggressive neoplasm. *Blood* 89: 4501-4513.
- 372.** Chan JK, Suster S, Wenig BM, Tsang WY, Chan JB, Lau AL (1997). Cytokeratin 20 immunoreactivity distinguishes Merkel cell (primary cutaneous neuroendocrine) carcinomas and salivary gland small cell carcinomas from small cell carcinomas of various sites. *Am J Surg Pathol* 21: 226-234.
- 373.** Chan JK, Tsang WY, Hui PK, Ng CS, Sin VC, Khan SM, Siu LL (1997). T- and T/natural killer-cell lymphomas of the salivary gland: a clinicopathologic, immunohistochemical and molecular study of six cases. *Hum Pathol* 28: 238-245.
- 374.** Chan JK, Tsang WY, Ng CS (1994). Follicular dendritic cell tumor and vascular neoplasm complicating hyaline-vascular Castleman's disease. *Am J Surg Pathol* 18: 517-525.
- 375.** Chan JK, Tsang WY, Ng CS, Tang SK, Yu HC, Lee AW (1994). Follicular dendritic cell tumors of the oral cavity. *Am J Surg Pathol* 18: 148-157.
- 376.** Chan JK, Yip TT, Tsang WY, Ng CS, Lau WH, Poon YF, Wong CC, Ma VW (1994). Detection of Epstein-Barr viral RNA in malignant lymphomas of the upper aerodigestive tract. *Am J Surg Pathol* 18: 938-946.
- 377.** Chan JK, Yip TT, Tsang WY, Poon YF, Wong CS, Ma VW (1994). Specific association of Epstein-Barr virus with lymphoepithelial carcinoma among tumors and tumorlike lesions of the salivary gland. *Arch Pathol Lab Med* 118: 994-997.
- 378.** Chan KH, Gu YL, Ng F, Ng PS, Seto WH, Sham JS, Chua D, Wei W, Chen YL, Luk W, Zong YS, Ng MH (2003). EBV specific antibody-based and DNA-based assays in serologic diagnosis of nasopharyngeal carcinoma. *Int J Cancer* 105: 706-709.
- 379.** Chan MK, McGuire LJ, King W, Li AK, Lee JC (1992). Cytodiagnosis of 112 salivary gland lesions. Correlation with histologic and frozen section diagnosis. *Acta Cytol* 36: 353-363.
- 380.** Chan MK, McGuire LJ, Lee JC (1989). Fine needle aspiration cytodiagnosis of nasopharyngeal carcinoma in cervical lymph nodes. A study of 40 cases. *Acta Cytol* 33: 344-350.
- 381.** Chan SH, Chew CT, Prasad U, Wee GB, Srinivasan N, Kunaratnam N (1985). HLA and nasopharyngeal carcinoma in Malays. *Br J Cancer* 51: 389-392.
- 382.** Chan SH, Day NE, Kunaratnam N, Chia KB, Simons MJ (1983). HLA and nasopharyngeal carcinoma in Chinese—a further study. *Int J Cancer* 32: 171-176.
- 383.** Chan YF, Ma LT, Yeung CK, Lam KH (1988). Parapharyngeal inflammatory pseudotumor presenting as fever of unknown origin in a 3-year-old girl. *Pediatr Pathol* 8: 195-203.
- 384.** Chandler JR, Goulding R, Moskowitz L, Quencer RM (1984). Nasopharyngeal angiofibromas: staging and management. *Ann Otol Rhinol Laryngol* 93: 322-329.
- 385.** Chang-Lo M (1977). Laryngeal involvement in Von Recklinghausen's disease: a case report and review of the literature. *Laryngoscope* 87: 435-442.
- 386.** Chang AE, Karnell LH, Menck HR (1998). The National Cancer Data Base report on cutaneous and noncutaneous melanoma: a summary of 84,836 cases from the past decade. The American College of Surgeons Commission on Cancer and the American Cancer Society. *Cancer* 83: 1664-1678.
- 387.** Chang AR, Liang XM, Chan AT, Chan MK, Teo PM, Johnson PJ (2001). The use of brush cytology and directed biopsies for the detection of nasopharyngeal carcinoma and precursor lesions. *Head Neck* 23: 637-645.
- 388.** Chang EZ, Lee WC (1985). Surgical treatment of pleomorphic adenoma of the parotid gland: report of 110 cases. *J Oral Maxillofac Surg* 43: 680-682.
- 389.** Chang F, Wang L, Syrjanen S, Syrjanen K (1992). Human papillomavirus infections in the respiratory tract. *Am J Otolaryngol* 13: 210-225.
- 390.** Chang HW, Chan A, Kwong DL, Wei W, Sham JS, Yuen AP (2003). Detection of Hypermethylated RIZ1 Gene in Primary Tumor, Mouth, and Throat Rinsing Fluid, Nasopharyngeal Swab, and Peripheral Blood of Nasopharyngeal Carcinoma Patient. *Clin Cancer Res* 9: 1033-1038.
- 391.** Chang KL, Kamel OW, Arber DA, Horyd ID, Weiss LM (1995). Pathologic features of nodular lymphocyte predominance Hodgkin's disease in extranodal sites. *Am J Surg Pathol* 19: 1313-1324.
- 392.** Chang Y, Cesarman E, Pessin MS, Lee F, Culpepper J, Knowles DM, Moore PS (1994). Identification of herpesvirus-like DNA sequences in AIDS-associated Kaposi's sarcoma. *Science* 266: 1865-1869.
- 393.** Chao MW, Smith JG, Laidlaw C, Joon DL, Ball D (1998). Results of pre-treating primary tumors of the trachea with radiotherapy. *Int J Radiat Oncol Biol Phys* 41: 779-785.
- 394.** Charafe-Jauffret E, Bertucci F, Ramuz O, Devillard E, Gaulard P, Brousset P, Houlgatte R, Hassoun J, Birnbaum D, Xerri L (2003). Characterization of Hodgkin's lymphoma-like undifferentiated carcinoma of the nasopharyngeal type as a particular UCNT subtype mimicking Hodgkin's lymphoma. *Int J Oncol* 23: 97-103.
- 395.** Charoenrat P, Pillai G, Patel S, Fisher



- C, Archer D, Eccles S, Rhys-Evans P (2003). Tumour thickness predicts cervical nodal metastases and survival in early oral tongue cancer. *Oral Oncol* 39: 386-390.
396. Chaturvedi P, Rodrigues G, Sanghvi VD (1999). Pseudo-malignant laryngeal nodule (inflammatory myofibroblastic tumour). *Histopathology* 34: 272-273.
397. Chau Y, Hongyo T, Aozasa K, Chan JK (2001). Dedifferentiation of adenoid cystic carcinoma: report of a case implicating p53 gene mutation. *Hum Pathol* 32: 1403-1407.
398. Chaudhry AP, Cutler LS, Leifer C, Satchidanand S, Labay G, Yamane G (1986). Histogenesis of acinic cell carcinoma of the major and minor salivary glands. An ultrastructural study. *J Pathol* 148: 307-320.
399. Chaudhry AP, Cutler LS, Satchidanand S, Labay G, Raj MS, Lin CC (1983). Glycogen-rich tumor of the oral minor salivary glands. A histochemical and ultrastructural study. *Cancer* 52: 105-111.
400. Chaudhry AP, Labay GR, Yamane GM, Jacobs MS, Cutler LS, Watkins KV (1984). Clinico-pathologic and histogenetic study of 189 intraoral minor salivary gland tumors. *J Oral Med* 39: 58-78.
401. Chaudhry AP, Vickers RA, Gorlin RJ (1961). Intraoral minor salivary gland tumors. An analysis of 1414 cases. *Oral Surg Oral Med Oral Pathol* 14: 1194-1226.
402. Chen AY, Matson LK, Roberts D, Goepfert H (2001). The significance of comorbidity in advanced laryngeal cancer. *Head Neck* 23: 566-572.
403. Chen CL, Hsu MM (2000). Second primary epithelial malignancy of nasopharynx and nasal cavity after successful curative radiation therapy of nasopharyngeal carcinoma. *Hum Pathol* 31: 227-232.
404. Chen CL, Su IJ, Hsu MM, Hsu HC (1991). Granulomatous nasopharyngeal carcinoma: with emphasis on difficulty in diagnosis and favorable outcome. *J Formos Med Assoc* 90: 353-356.
405. Chen CL, Wen WN, Chen JY, Hsu MM, Hsu HC (1993). Detection of Epstein-Barr virus genome in nasopharyngeal carcinoma by *in situ* DNA hybridization. *Intervirology* 36: 91-98.
406. Chen I, Tu H (2000). Pleomorphic adenoma of the parotid gland metastasizing to the cervical lymph node. *Otolaryngol Head Neck Surg* 122: 455-457.
407. Chen KT (1983). Clear cell carcinoma of the salivary gland. *Hum Pathol* 14: 91-93.
408. Chen KT (1985). Carcinoma arising in monomorphic adenoma of the salivary gland. *Am J Otolaryngol* 6: 39-41.
409. Chen KT, Weinberg RA (1984). Intramuscular lipoma of the larynx. *Am J Otolaryngol* 5: 71-72.
410. Chen SY, Brannon RB, Miller AS, White DK, Hooker SP (1978). Acinic cell adenocarcinoma of minor salivary glands. *Cancer* 42: 678-685.
411. Chen XM (1990). [Papillary cystadenocarcinoma of the salivary glands: clinicopathologic analysis of 22 cases]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 25: 102-4, 126.
412. Chen Y, Chan SH (1994). Polymorphism of T-cell receptor genes in nasopharyngeal carcinoma. *Int J Cancer* 56: 830-833.
413. Chen YJ, Ko JY, Chen PJ, Shu CH, Hsu MT, Tsai SF, Lin CH (1999). Chromosomal aberrations in nasopharyngeal carcinoma analyzed by comparative genomic hybridization. *Genes Chromosomes Cancer* 25: 169-175.
414. Chen YK, Lin LM, Lin CC, Chen CH (2003). Keratoacanthoma of the tongue: A diagnostic problem. *Otolaryngol Head Neck Surg* 128: 581-582.
415. Cheng YJ, Chien YC, Hildesheim A, Hsu MM, Chen IH, Chuang J, Chang J, Ma YD, Luo CT, Hsu WL, Hsu HH, Huang H, Chang JF, Chen CJ, Yang CS (2003). No association between genetic polymorphisms of CYP1A1, GSTM1, GSTT1, GSTP1, NAT2, and nasopharyngeal carcinoma in Taiwan. *Cancer Epidemiol Biomarkers Prev* 12: 179-180.
416. Chervenak FA, Isaacson G, Blakemore KJ, Breg WR, Hobbins JC, Berkowitz RL, Tortora M, Mayden K, Mahoney MJ (1983). Fetal cystic hygroma. Cause and natural history. *N Engl J Med* 309: 822-825.
417. Chessin H, Urdaneta N, Smith H, Van Gilder J (1976). Chromophobe adenoma manifesting as a nasopharyngeal mass. *Arch Otolaryngol* 102: 631-633.
418. Cheuk W, Chan JK, Ngan RK (1999). Dedifferentiation in adenoid cystic carcinoma of salivary gland: an uncommon complication associated with an accelerated clinical course. *Am J Surg Pathol* 23: 465-472.
419. Cheung F, Pang SW, Hioe F, Cheung KN, Lee A, Yau TK (1998). Nasopharyngeal carcinoma *in situ*: two cases of an emerging diagnostic entity. *Cancer* 83: 1069-1073.
420. Cheung MM, Chan JK, Lau WH, Foo W, Chan PT, Ng CS, Ngan RK (1998). Primary non-Hodgkin's lymphoma of the nose and nasopharynx: clinical features, tumor immunophenotype, and treatment outcome in 113 patients. *J Clin Oncol* 16: 70-77.
421. Cheung MM, Chan JK, Lau WH, Ngan RK, Foo WW (2002). Early stage nasal NK/T-cell lymphoma: clinical outcome, prognostic factors, and the effect of treatment modality. *Int J Radiat Oncol Biol Phys* 54: 182-190.
422. Cheung MM, Chan JK, Wong KF (2003). Natural killer cell neoplasms: a distinctive group of highly aggressive lymphoma/leukemia. *Semin Hematol* 40: 221-232.
423. Chhetri DK, Rawnsley JD, Calcaterra TC (2000). Carcinoma of the buccal mucosa. *Otolaryngol Head Neck Surg* 123: 566-571.
424. Chhieng DC, Cangiarella JF, Cohen JM (2000). Fine-needle aspiration cytology of lymphoproliferative lesions involving the major salivary glands. *Am J Clin Pathol* 113: 563-571.
425. Chiang AK, Chan AC, Srivastava G, Ho FC (1997). Nasal T/natural killer (NK)-cell lymphomas are derived from Epstein-Barr virus-infected cytotoxic lymphocytes of both NK- and T-cell lineage. *Int J Cancer* 73: 332-338.
426. Chiang AK, Tao Q, Srivastava G, Ho FC (1996). Nasal NK- and T-cell lymphomas share the same type of Epstein-Barr virus latency as nasopharyngeal carcinoma and Hodgkin's disease. *Int J Cancer* 68: 285-290.
427. Chidzonga MM (1996). Ameloblastoma in children. The Zimbabwean experience. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 168-170.
428. Chiesa F, Mauri S, Tradati N, Calabrese L, Giugliano G, Ansarin M, Andrlé J, Zurrada S, Orecchia R, Scully C (1999). Surfing prognostic factors in head and neck cancer at the millennium. *Oral Oncol* 35: 590-596.
429. Childers EL, Ellis GL, Auclair PL (1996). An immunohistochemical analysis of anti-amylase antibody reactivity in acinic cell adenocarcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 691-694.
430. Childers EL, Furlong MA, Fanburg-Smith JC (2002). Hemangioma of the salivary gland: a study of ten cases of a rarely biopsied/excised lesion. *Ann Diagn Pathol* 6: 339-344.
431. Childs CC, Parham DM, Berard CW (1987). Infectious mononucleosis. The spectrum of morphologic changes simulating lymphoma in lymph nodes and tonsils. *Am J Surg Pathol* 11: 122-132.
432. Chin KW, Billings KR, Ishiyama A, Wang MB, Wackym PA (1995). Characterization of lymphocyte subpopulations in Warthin's tumor. *Laryngoscope* 105: 928-933.
433. Ching AS, Khoo JB, Chong VF (2002). CT and MR imaging of solitary extramedullary plasmacytoma of the nasal tract. *AJNR Am J Neuroradiol* 23: 1632-1636.
434. Chitale AR, Murthy AK, Desai AP, Lalitha VS (1991). Peripheral nerve sheath tumours: an ultrastructural study of 30 cases. *Indian J Cancer* 28: 1-8.
435. Cho KJ, El Naggar AK, Mahanupab P, Luna MA, Batsakis JG (1995). Carcinoma ex-pleomorphic adenoma of the nasal cavity: a report of two cases. *J Laryngol Otol* 109: 677-679.
436. Cho KJ, El Naggar AK, Ordenez NG, Luna MA, Austin J, Batsakis JG (1995). Epithelial-myoepithelial carcinoma of salivary glands. A clinicopathologic, DNA flow cytometric, and immunohistochemical study of Ki-67 and HER-2/neu oncogene. *Am J Clin Pathol* 103: 432-437.
437. Choi HR, Batsakis JG, Callender DL, Prieto VG, Luna MA, El Naggar AK (2002). Molecular analysis of chromosome 16q regions in dermal analogue tumors of salivary glands: a genetic link to dermal cylindroma? *Am J Surg Pathol* 26: 778-783.
438. Choi PC, To KF, Lai FM, Lee TW, Yim AP, Chan JK (2000). Follicular dendritic cell sarcoma of the neck: report of two cases complicated by pulmonary metastases. *Cancer* 89: 664-672.
439. Cholewa D, Waldschmidt J (1998). Laser treatment of hemangiomas of the larynx and trachea. *Lasers Surg Med* 23: 221-232.
440. Chomette G, Auriol M, Guilbert F, Delcourt A (1983). Ameloblastic fibrosarcoma of the jaws—report of three cases. Clinico-pathologic, histoenzymological and ultrastructural study. *Pathol Res Pract* 178: 40-47.
441. Chomette G, Auriol M, Vaillant JM (1984). Acinic cell tumors of salivary glands. Frequency and morphological study. *J Biol Buccale* 12: 157-169.
442. Chong VF, Fan YF (1996). Skull base erosion in nasopharyngeal carcinoma: detection by CT and MRI. *Clin Radiol* 51: 625-631.
443. Chong VF, Fan YF (1999). Parotid gland involvement in nasopharyngeal carcinoma. *J Comput Assist Tomogr* 23: 524-528.
444. Chow TL, Chow TK, Lui YH, Sze WM, Yuen NW, Kwok SP (2002). Lymphoepithelioma-like carcinoma of oral cavity: report of three cases and literature review. *Int J Oral Maxillofac Surg* 31: 212-218.
445. Christiansen MS, Mourad WA, Hales ML, Oldring DJ (1995). Spindle cell malignant lymphoepithelial lesion of the parotid gland: clinical, light microscopic, ultrastructural, and *in situ* hybridization findings in one case. *Mod Pathol* 8: 711-715.
446. Chu PG, Chang KL, Wu AY, Weiss LM (1999). Nasal glomus tumors: report of two cases with emphasis on immunohistochemical features and differential diagnosis. *Hum Pathol* 30: 1259-1261.
447. Chua DT, Sham JS, Kwong DL, Tai KS, Wu PM, Lo M, Yung A, Choy D, Leong L (1997). Volumetric analysis of tumor extent in nasopharyngeal carcinoma and correlation with treatment outcome. *Int J Radiat Oncol Biol Phys* 39: 711-719.
448. Chua DT, Sham JS, Wei WI, Ho WK, Au GK (2001). The predictive value of the 1997 American Joint Committee on Cancer stage classification in determining failure patterns in nasopharyngeal carcinoma. *Cancer* 92: 2845-2855.
449. Chui RT, Liao SY, Bosworth H (1985). Recurrent oncocytoma of the ethmoid sinus with orbital invasion. *Otolaryngol Head Neck Surg* 93: 267-270.
450. Chun SI, Ji HG (1992). Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences. *J Am Acad Dermatol* 27: 954-958.
451. Chung YF, Khoo ML, Heng MK, Hong GS, Soo KC (1999). Epidemiology of Warthin's tumour of the parotid gland in an Asian population. *Br J Surg* 86: 661-664.
452. Chuong R, Kaban LB, Kozakewich H, Perez-Atayde A (1986). Central giant cell lesions of the jaws: a clinicopathologic study. *J Oral Maxillofac Surg* 44: 708-713.
453. Cianfriglia F, Di Gregorio DA, Manieri A (1999). Multiple primary tumours in patients with oral squamous cell carcinoma. *Oral Oncol* 35: 157-163.
454. Cichowski K, Jacks T (2001). NF1 tumor suppressor gene function: narrowing the GAP. *Cell* 104: 593-604.
455. Clark JL, Unni KK, Dahlin DC, Devine KD (1983). Osteosarcoma of the jaw. *Cancer* 51: 2311-2316.
456. Claros P, Dominte G, Claros A, Castillo M, Cardesa A, Claros A (2002). Parotid gland mucoepidermoid carcinoma in a 4-year-old child. *Int J Pediatr Otorhinolaryngol* 63: 67-72.
457. Claudio PP, Howard CM, Fu Y, Cinti C, Califano L, Micheli P, Mercer EW, Caputi M, Giordano A (2000). Mutations in the retinoblastoma-related gene RB2/p130 in primary nasopharyngeal carcinoma. *Cancer Res* 60: 8-12.
458. Clausen F, Poulson H (1963). Metastatic carcinoma of the jaws. *Acta Pathol Microbiol Scand* 57: 361-374.
459. Cleary KR, Batsakis JG (1990). Undifferentiated carcinoma with lymphoid stroma of the major salivary glands. *Ann Otol Rhinol Laryngol* 99: 236-238.
460. Cleveland DB, Goldberg KM, Greenspan JS, Seitz TE, Miller AS (1996). Langerhans' cell histiocytosis: report of three cases with unusual oral soft tissue involvement. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 82: 541-548.
461. Cloos J, Braakhuys BJ, Steen I, Copper MP, de Vries N, Nauta JJ, Snow GB (1994). Increased mutagen sensitivity in head-and-neck squamous-cell carcinoma patients, particularly those with multiple primary tumors. *Int J Cancer* 56: 816-819.
462. Cloos J, Nieuwenhuis EJ, Boomsma DI, Kuik DJ, van der Sterre ML, Arwert F, Snow GB, Braakhuys BJ (1999). Inherited susceptibility to bleomycin-induced chromatid breaks in cultured peripheral blood lymphocytes. *J Natl Cancer Inst* 91: 1125-1130.

463. Coates HL, Pearson BW, Devine KD, Unni KK (1977). Chondrosarcoma of the nasal cavity, paranasal sinuses and nasopharynx. *Trans Am Acad Ophthalmol Otolaryngol* 84: 919-926.
464. Cobourne MT, Sharpe PT (2003). Tooth and jaw: molecular mechanisms of patterning in the first branchial arch. *Arch Oral Biol* 48: 1-14.
465. Cocks EW (1962). Benign Cartilaginous Tumors of the Larynx. *Laryngoscope* 1678-1730.
466. Coffin CM, Patel A, Perkins S, Elenitoba-Johnson KS, Perlman E, Griffin CA (2001). ALK1 and p80 expression and chromosomal rearrangements involving 2p23 in inflammatory myofibroblastic tumor. *Mod Pathol* 14: 569-576.
467. Coffin CM, Watterson J, Priest JR, Dehner LP (1995). Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). A clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol* 19: 859-872.
468. Cogliatti SB, Schmid U, Schumacher U, Eckert F, Hansmann ML, Hedderich J, Takahashi H, Lennert K (1991). Primary B-cell gastric lymphoma: a clinicopathological study of 145 patients. *Gastroenterology* 101: 1159-1170.
469. Cohen J, Guillaumondegui OM, Batsakis JG, Medina JE (1985). Cancer of the minor salivary glands of the larynx. *Am J Surg* 150: 513-518.
470. Cohen MA, Batsakis JG (1968). Oncocytic tumors (oncocytomas) of minor salivary glands. *Arch Otolaryngol* 88: 71-73.
471. Cohen MM Jr (1999). Nevoid basal cell carcinoma syndrome: molecular biology and new hypotheses. *Int J Oral Maxillofac Surg* 28: 216-223.
472. Cohen MM Jr, Howell RE (1999). Etiology of fibrous dysplasia and McCune-Albright syndrome. *Int J Oral Maxillofac Surg* 28: 366-371.
473. Colby TV, Dorfman RF (1979). Malignant lymphomas involving the salivary glands. *Pathol Annu* 14 Pt 2: 307-324.
474. Colby TV, Koss MN, Travis WD (1995). Tumours of the Lower Respiratory Tract. 3rd ed. Armed Forces Institute of Pathology: Washington DC.
475. Coleman H, Altini M (1999). Intravascular tumour in intra-oral pleomorphic adenomas: a diagnostic and therapeutic dilemma. *Histopathology* 35: 439-444.
476. Coli A, Bigotti G, Bartolazzi A (1998). Malignant oncocytoma of major salivary glands. Report of a post-irradiation case. *J Exp Clin Cancer Res* 17: 65-70.
477. Collins BM, Jones AC (1995). Multiple granular cell tumors of the oral cavity: report of a case and review of the literature. *J Oral Maxillofac Surg* 53: 707-711.
478. Colmenero C, Patron M, Sierra I (1991). Acinic cell carcinoma of the salivary glands. A review of 20 new cases. *J Craniomaxillofac Surg* 19: 260-266.
479. Colombo F, Cursiefen C, Neukam FW, Holbach LM (2001). Orbital involvement in cherubism. *Ophthalmology* 108: 1884-1888.
480. Colreavy MP, Sigston E, Lacy PD, Balasubramaniam GS, Lyons BM (2001). Post-nasal space oncocytoma: a different approach to a rare tumour. *J Laryngol Otol* 115: 57-59.
481. Colwell AS, D'Cunha J, Maddaus MA (2001). Carney's triad paragangliomas. *J Thorac Cardiovasc Surg* 121: 1011-1012.
482. Compagno J, Hyams VJ (1976). Hemangiopericytoma-like intranasal tumors. A clinicopathologic study of 23 cases. *Am J Clin Pathol* 66: 672-683.
483. Compagno J, Wong RT (1977). Intranasal mixed tumors (pleomorphic adenomas): a clinicopathologic study of 40 cases. *Am J Clin Pathol* 68: 213-218.
484. Conley J, Pack GT (1974). Melanoma of the mucous membranes of the head and neck. *Arch Otolaryngol* 99: 315-319.
485. Conti JA, Kemeny N, Klimstra D, Minsky B, Rusch V (1994). Colon carcinoma metastatic to the trachea. Report of a case and a review of the literature. *Am J Clin Oncol* 17: 227-229.
486. Cook JR, Dehner LP, Collins MH, Ma Z, Morris SW, Coffin CM, Hill DA (2001). Anaplastic lymphoma kinase (ALK) expression in the inflammatory myofibroblastic tumor: a comparative immunohistochemical study. *Am J Surg Pathol* 25: 1364-1371.
487. Cook JR, Hill DA, Humphrey PA, Pfeifer JD, el Mofty SK (2000). Squamous cell carcinoma arising in recurrent respiratory papillomatosis with pulmonary involvement: emerging common pattern of clinical features and human papillomavirus serotype association. *Mod Pathol* 13: 914-918.
488. Cooper DS, Wenig BM (1996). Hyperthyroidism caused by an ectopic TSH-secreting pituitary tumor. *Thyroid* 6: 337-343.
489. Cooper JR, Hellquist HB, Michaels L (1992). Image analysis in the discrimination of verrucous carcinoma and squamous papilloma. *J Pathol* 166: 383-387.
490. Cooper JS, Cohen R, Stevens RE (1998). A comparison of staging systems for nasopharyngeal carcinoma. *Cancer* 83: 213-219.
491. Corenblum B, LeBlanc FE, Watanabe M (1980). Acromegaly with an adenomatous pharyngeal pituitary. *JAMA* 243: 1456-1457.
492. Corio RL, Goldblatt LI, Edwards PA, Hartman KS (1987). Ameloblastic carcinoma: a clinicopathologic study and assessment of eight cases. *Oral Surg Oral Med Oral Pathol* 64: 570-576.
493. Corio RL, Sciubba JJ, Brannon RB, Batsakis JG (1982). Epithelial-myoepithelial carcinoma of intercalated duct origin. A clinicopathologic and ultrastructural assessment of sixteen cases. *Oral Surg Oral Med Oral Pathol* 53: 280-287.
494. Corridan M (1956). Glycogen-rich clear-cell adenoma of the parotid gland. *J Pathol Bacteriol* 72: 623-626.
495. Costas A, Castro P, Martin-Granizo R, Monje F, Marron C, Amigo A (2000). Fine needle aspiration biopsy (FNAB) for lesions of the salivary glands. *Br J Oral Maxillofac Surg* 38: 539-542.
496. Coumbaras M, Pierot L, Felgeres AA, Boulin A, Gaillard S, Derome PJ (1999). Giant-cell tumour involving the cranial vault: imaging and treatment. *Neuroradiology* 41: 826-828.
497. Cox DP, Muller S, Carlson GW, Murray D (2000). Ameloblastic carcinoma ex ameloblastoma of the mandible with malignancy-associated hypercalcemia. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90: 716-722.
498. Cox SC, Walker DM (1996). Oral submucous fibrosis. A review. *Aust Dent J* 41: 294-299.
499. Coyas A, Eliadellis E, Anastassiades O (1983). Kaposi's Sarcoma of the larynx. *J Laryngol Otol* 97: 647-649.
500. Crawford RI, Tron VA, Ma R, Rivers JK (1995). Sinonasal malignant melanoma—a clinicopathologic analysis of 18 cases. *Melanoma Res* 5: 261-265.
501. Crissman JD, Kessis T, Shah KV, Fu YS, Stoler MH, Zarbo RJ, Weiss MA (1988). Squamous papillary neoplasia of the adult upper aerodigestive tract. *Hum Pathol* 19: 1387-1396.
502. Crissman JD, Sakr WA (2001). Squamous neoplasia of the upper aerodigestive tract. Intraepithelial and invasive squamous cell carcinoma. In: *Head and Neck Surgical Pathology*, Pilch BZ, ed., Lippincott Williams & Wilkins: Philadelphia, pp. 34-52.
503. Crissman JD, Visscher DW, Sakr W (1993). Premalignant lesions of the upper aerodigestive tract: pathologic classification. *J Cell Biochem Suppl* 17F: 49-56.
504. Crissman JD, Zarbo RJ (1989). Dysplasia, in situ carcinoma, and progression to invasive squamous cell carcinoma of the upper aerodigestive tract. *Am J Surg Pathol* 13 Suppl 1: 5-16.
505. Croitoru CM, Suarez PA, Luna MA (1999). Hybrid carcinomas of salivary glands. Report of 4 cases and review of the literature. *Arch Pathol Lab Med* 123: 698-702.
506. Crook T, Nicholls JM, Brooks L, O'Nions J, Allday MJ (2000). High level expression of deltaN-p63: a mechanism for the inactivation of p53 in undifferentiated nasopharyngeal carcinoma (NPC)? *Oncogene* 19: 3439-3444.
507. Cross JJ, Pilkington RJ, Antoun NM, Adlam DM (2000). Value of computed tomography and magnetic resonance imaging in the treatment of a calcifying epithelial odontogenic (Pindborg) tumour. *Br J Oral Maxillofac Surg* 38: 154-157.
508. Crotty PL, Nakhleh RE, Dehner LP (1993). Juvenile rhabdomyoma. An intermediate form of skeletal muscle tumor in children. *Arch Pathol Lab Med* 117: 43-47.
509. Crowell WT, Grizzle WE, Siegel AL (1982). Functional carotid paragangliomas. Biochemical, ultrastructural, and histochemical correlation with clinical symptoms. *Arch Pathol Lab Med* 106: 599-603.
510. Crowther JA, Colman BH (1987). Chemodectoma of the larynx. *J Laryngol Otol* 101: 1095-1098.
511. Cuadra-Garcia I, Proulx GM, Wu CL, Wang CC, Pilch BZ, Harris NL, Ferry JA (1999). Sinonasal lymphoma: a clinicopathologic analysis of 58 cases from the Massachusetts General Hospital. *Am J Surg Pathol* 23: 1356-1369.
512. Cummings BJ, Blend R, Keane T, Fitzpatrick P, Beale F, Clark R, Garrett P, Harwood A, Payne D, Rider W (1984). Primary radiation therapy for juvenile nasopharyngeal angiofibroma. *Laryngoscope* 94: 1599-1605.
513. Cunningham BA, Hemperly JJ, Murray BA, Prediger EA, Brackenbury R, Edelman GM (1987). Neural cell adhesion molecule: structure, immunoglobulin-like domains, cell surface modulation, and alternative RNA splicing. *Science* 236: 799-806.
514. Cupero TM, Thomas RW, Manning SC (2001). Desmoplastic fibroma of the maxillary sinus. *Otolaryngol Head Neck Surg* 125: 661-662.
515. Curtin HD, Rabinov JD (1998). Extension to the orbit from paraorbital disease. The sinuses. *Radiol Clin North Am* 36: 1201-13, xi.
516. Curtin HD, Williams R, Johnson J (1985). CT of perineural tumor extension: pterygopalatine fossa. *AJR Am J Roentgenol* 144: 163-169.
517. Cutler LS, Chaudhry AP, Topazian R (1981). Melanotic neuroectodermal tumor of infancy: an ultrastructural study, literature review, and reevaluation. *Cancer* 48: 257-270.
518. Da Mosto MC, Marchiori C, Rinaldo A, Ferlito A (1996). Laryngeal pleomorphic rhabdomyosarcoma. A critical review of the literature. *Ann Otol Rhinol Laryngol* 105: 289-294.
519. Dadas B, Alkan S, Turgut S, Basak T (2001). Primary papillary adenocarcinoma confined to the middle ear and mastoid. *Eur Arch Otorhinolaryngol* 258: 93-95.
520. Daffner RH, Kirks DR, Gehweiler JAJr, Heaston DK (1982). Computed tomography of fibrous dysplasia. *AJR Am J Roentgenol* 139: 943-948.
521. Dahiya S, Kumar R, Sarkar C, Ralte M, Sharma MC (2002). Clear cell odontogenic carcinoma: a diagnostic dilemma. *Pathol Oncol Res* 8: 283-285.
522. Dahl EC, Wolfson SH, Haugen JC (1981). Central odontogenic fibroma: review of literature and report of cases. *J Oral Surg* 39: 120-124.
523. Dahlin DC (1985). Caldwell Lecture. Giant cell tumor of bone: highlights of 407 cases. *AJR Am J Roentgenol* 144: 955-960.
524. Dahlkemper P, Wolcott JF, Pringle GA, Hicks ML (2000). Periapical central giant cell granuloma: a potential endodontic misdiagnosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90: 739-745.
525. Dahlqvist A, Carlsson B, Hellstrom S (1986). Paraganglia of the human recurrent laryngeal nerve. *Am J Otolaryngol* 7: 366-369.
526. Dahm LJ, Schaefer SD, Carder HM, Vellios F (1978). Osteosarcoma of the soft tissue of the larynx: report of a case with light and electron microscopic studies. *Cancer* 42: 2343-2351.
527. Dal Cin P, Sciort R, Brys P, De Wever I, Dorfman H, Fletcher CD, Jonsson K, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Samson I, Tallini G, Van den Berghe H, Vanni R, Willen H (2000). Recurrent chromosome aberrations in fibrous dysplasia of the bone: a report of the CHAMP study group. *Chromosomes And Morphology. Cancer Genet Cytogenet* 122: 30-32.
528. Dal Cin P, Sciort R, Fossion E, Van Damme B, Van den Berghe H (1993). Chromosome abnormalities in cementifying fibroma. *Cancer Genet Cytogenet* 71: 170-172.
529. Daley TD, Gardner DG, Smout MS (1984). Canalicular adenoma: not a basal cell adenoma. *Oral Surg Oral Med Oral Pathol* 57: 181-188.
530. Daley TD, Wysocki GP (1994). Peripheral odontogenic fibroma. *Oral Surg Oral Med Oral Pathol* 78: 329-336.
531. Daley TD, Wysocki GP, Pringle GA (1994). Relative incidence of odontogenic tumors and oral and jaw cysts in a Canadian population. *Oral Surg Oral Med Oral Pathol* 77: 276-280.
532. Dallera P, Bertoni F, Marchetti C, Bacchini P, Campobassi A (1994). Ameloblastic fibrosarcoma of the jaw: report of five cases. *J Craniomaxillofac Surg* 22: 349-354.
533. Damiani JM, Damiani KK, Hauck K, Hyams VJ (1981). Mucoepidermoid-adenosquamous carcinoma of the larynx and hypopharynx: a report of 21 cases and a review of the literature. *Otolaryngol Head Neck Surg* 89: 235-243.



534. Dammann F, Pereira P, Laniado M, Plinkert P, Lowenheim H, Claussen CD (1999). Inverted papilloma of the nasal cavity and the paranasal sinuses: using CT for primary diagnosis and follow-up. *AJR Am J Roentgenol* 172: 543-548.
535. Danford M, Eveson JW, Flood TR (1992). Papillary cystadenocarcinoma of the sublingual gland presenting as a ranula. *Br J Oral Maxillofac Surg* 30: 270-272.
536. Daou RA, Attia EL, Vilorio JB (1983). Malignant fibrous histiocytomas of the head and neck. *J Otolaryngol* 12: 383-388.
537. Dardari R, Hinderer W, Lang D, Benider A, El Gueddari B, Joab I, Benslimane A, Khyatti M (2001). Antibody responses to recombinant Epstein-Barr virus antigens in nasopharyngeal carcinoma patients: complementary test of ZEBRA protein and early antigens p54 and p138. *J Clin Microbiol* 39: 3164-3170.
538. Dardick I (1995). Myoepithelioma: definitions and diagnostic criteria. *Ultrastruct Pathol* 19: 335-345.
539. Dardick I (1998). Mounting evidence against current histogenetic concepts for salivary gland tumorigenesis. *Eur J Morphol* 36 Suppl: 257-261.
540. Dardick I, Burford-Mason AP (1993). Current status of histogenetic and morphogenetic concepts of salivary gland tumorigenesis. *Crit Rev Oral Biol Med* 4: 639-677.
541. Dardick I, Cavell S, Bovin M, Hoppe D, Parks WR, Stinson J, Yamada S, Burns BF (1989). Salivary gland myoepithelioma variants. Histological, ultrastructural, and immunocytochemical features. *Virchows Arch A Pathol Anat Histopathol* 416: 25-42.
542. Dardick I, Daley TD, van Nostrand AW (1986). Basal cell adenoma with myoepithelial cell-derived "stroma": a new major salivary gland tumor entity. *Head Neck Surg* 8: 257-267.
543. Dardick I, George D, Jeans MT, Wittkuhn JF, Skimming L, Rippstein P, van Nostrand AW (1987). Ultrastructural morphology and cellular differentiation in acinic cell carcinoma. *Oral Surg Oral Med Oral Pathol* 63: 325-334.
544. Dardick I, Hammar SP, Scheithauer BW (1989). Ultrastructural spectrum of hemangiopericytoma: a comparative study of fetal, adult, and neoplastic pericytes. *Ultrastruct Pathol* 13: 111-154.
545. Dardick I, Ostyrnski VL, Ekem JK, Leung R, Burford-Mason AP (1992). Immunohistochemical and ultrastructural correlates of muscle-actin expression in pleomorphic adenomas and myoepitheliomas based on comparison of formalin and methanol fixation. *Virchows Arch A Pathol Anat Histopathol* 421: 95-104.
546. Dardick I, Thomas MJ, van Nostrand AW (1989). Myoepithelioma—new concepts of histology and classification: a light and electron microscopic study. *Ultrastruct Pathol* 13: 187-224.
547. Darling MR, Schneider JW, Phillips VM (2002). Polymorphous low-grade adenocarcinoma and adenoid cystic carcinoma: a review and comparison of immunohistochemical markers. *Oral Oncol* 8: 641-645.
548. Datta R, Winston JS, Diaz-Reyes G, Loree TR, Myers L, Kuriakose MA, Rigual NR, Hicks WL Jr (2003). Ameloblastic carcinoma: report of an aggressive case with multiple bony metastases. *Am J Otolaryngol* 24: 64-69.
549. Davis GL (1987). Tumours and inflammatory conditions of the ear. In: *Pathology of the Head and Neck*, Gnepp DR, ed., Churchill Livingstone: New York, pp. 547-583.
550. Davis G (2000). Ear - External, Middle and Temporal Bone. In: *Diagnostic Surgical Pathology of the Head and Neck*, Gnepp DR, ed., W.B. Saunders Ltd.: Philadelphia, pp. 681-714.
551. Davy CL, Dardick I, Hammond E, Thomas MJ (1994). Relationship of clear cell oncocytoma to mitochondrial-rich (typical) oncocytomas of parotid salivary gland. An ultrastructural study. *Oral Surg Oral Med Oral Pathol* 77: 469-479.
552. de Alava E, Kawai A, Healey JH, Fligman I, Meyers PA, Huvos AG, Gerald WL, Jhanwar SC, Argani P, Antonescu CR, Pardo-Mindan FJ, Ginsberg J, Womer R, Lawlor ER, Wunder J, Andrulis I, Sorensen PH, Barr FG, Ladanyi M (1998). EWS-FL11 fusion transcript structure is an independent determinant of prognosis in Ewing's sarcoma. *J Clin Oncol* 16: 1248-1255.
553. de Araujo VC, de Sousa SO, Carvalho YR, de Araujo NS (2000). Application of immunohistochemistry to the diagnosis of salivary gland tumors. *Appl Immunohistochem Mol Morphol* 8: 195-202.
554. de Araujo VC, Martins MT, Leite KR, Gomez RS, de Araujo NS (2000). Immunohistochemical Mdm2 expression in minor salivary gland tumours and its relationship to p53 gene status. *Oral Oncol* 36: 67-69.
555. de Bree R, Scheeren RA, Kummer A, Tiwari RM (2002). Nasolacrimal duct obstruction caused by an oncocytoma. *Rhinology* 40: 165-167.
556. de Campora E, Calabrese V, Bianchi PM, Camaioni A, Corradini C (1983). Malignant hemangiopericytoma of the nasal cavity. Report of a case and review of the literature. *J Laryngol Otol* 97: 963-968.
557. de Graaf JH, Tammenga RY, Dammeiring A, Kamps WA, Timens W (1996). The presence of cytokines in Langerhans' cell histiocytosis. *J Pathol* 180: 400-406.
558. de Lange J, Rosenberg AJ, van den Akker HP, Koole R, Wirts JJ, van den Berg H (1999). Treatment of central giant cell granuloma of the jaw with calcitonin. *Int J Oral Maxillofac Surg* 28: 372-376.
559. de Lange J, van den Akker HP, Klip H (2004). Incidence and disease-free survival after surgical therapy of central giant cell granulomas of the jaw in The Netherlands: 1990-1995. *Head Neck* 26: 792-795.
560. De Meerleer GO, Vermeersch H, van Eijkeren M, Lemmerling M, Caemaert J, De Naeyer B, Delrue L, Moerman M, Huys J (1998). Primary sinonasal mucosal melanoma: three different therapeutic approaches to inoperable local disease or recurrence and a review of the literature. *Melanoma Res* 8: 449-457.
561. de Serres LM, Sie KC, Richardson MA (1995). Lymphatic malformations of the head and neck. A proposal for staging. *Arch Otolaryngol Head Neck Surg* 121: 577-582.
562. de Silva DC, Wright MF, Stevenson DA, Clark C, Gray ES, Holmes JD, Dean JC, Haites NE, Dunlop MG (1996). Cranial desmoid tumor associated with homozygous inactivation of the adenomatous polyposis coli gene in a 2-year-old girl with familial adenomatous polyposis. *Cancer* 77: 972-976.
563. de Sousa SO, Schwarzschild M, de Araujo NS, de Araujo VC (2000). Basal cell adenocarcinoma of the palate with squamous metaplasia. *J Clin Pathol* 53: 153-156.
564. de Souza CE, Sperling NM, da Costa SS, Yoon TH, Abdel Hamid M, de Souza RA (1989). Congenital cholesteatomas of the cerebellopontine angle. *Am J Otol* 10: 358-363.
565. De Stefani E, Correa P, Oreggia F, Leiva J, Rivero S, Fernandez G, Deneo-Pellegrini H, Zavala D, Fontham E (1987). Risk factors for laryngeal cancer. *Cancer* 60: 3087-3091.
566. De Stefani E, Oreggia F, Rivero S, Fierro L (1992). Hand-rolled cigarette smoking and risk of cancer of the mouth, pharynx, and larynx. *Cancer* 70: 679-682.
567. de Vathaire F, Sancho-Garnier H, de The H, Pieddeloup C, Schwaab G, Ho JH, Ellouz R, Micheau C, Cammoun M, Cachin Y, de The G (1988). Prognostic value of EBV markers in the clinical management of nasopharyngeal carcinoma (NPC): a multicenter follow-up study. *Int J Cancer* 42: 176-181.
568. Dehner LP (2003). Juvenile xanthogranulomas in the first two decades of life: a clinicopathologic study of 174 cases with cutaneous and extracutaneous manifestations. *Am J Surg Pathol* 27: 579-593.
569. Dehner LP, Chen KT (1980). Primary tumors of the external and middle ear. Benign and malignant glandular neoplasms. *Arch Otolaryngol* 106: 13-19.
570. Dehner LP, Mills A, Talerman A, Billman GF, Krous HF, Platz CE (1990). Germ cell neoplasms of head and neck soft tissues: a pathologic spectrum of teratomatous and endodermal sinus tumors. *Hum Pathol* 21: 309-318.
571. Dehner LP, Sibley RK, Sauk JJJr, Vickers RA, Nesbit ME, Leonard AS, Waite DE, Neeley JE, Ohphoven J (1979). Malignant melanotic neuroectodermal tumor of infancy: a clinical, pathologic, ultrastructural and tissue culture study. *Cancer* 43: 1389-1410.
572. Dehner LP, Valbuena L, Perez-Atayde A, Reddick RL, Askin FB, Rosai J (1994). Salivary gland anlage tumor ("congenital pleomorphic adenoma"). A clinicopathologic, immunohistochemical and ultrastructural study of nine cases. *Am J Surg Pathol* 18: 25-36.
573. Dei Tos AP, Dal Cin P, Sciort R, Furlanetto A, Da Mosto MC, Giannini C, Rinaldo A, Ferlito A (1998). Synovial sarcoma of the larynx and hypopharynx. *Ann Otol Rhinol Laryngol* 107: 1080-1085.
574. Del Valle-Zapico A, Fernandez FF, Suarez AR, Angulo CM, Quintela JR (1998). Prognostic value of histopathologic parameters and DNA flow cytometry in squamous cell carcinoma of the pyriform sinus. *Laryngoscope* 108: 269-272.
575. Delattre O, Zucman J, Melot T, Garau XS, Zucker JM, Lenoir GM, Ambros PF, Sheer D, Turc-Carel C, Triche TJ, . (1994). The Ewing family of tumors—a subgroup of small-round-cell tumors defined by specific chimeric transcripts. *N Engl J Med* 331: 294-299.
576. Delecluse HJ, Anagnostopoulos I, Dallenbach F, Hummel M, Marafioti T, Schneider U, Huhn D, Schmidt-Westhausen A, Reichart PA, Gross U, Stein H (1997). Plasmablastic lymphomas of the oral cavity: a new entity associated with the human immunodeficiency virus infection. *Blood* 89: 1413-1420.
577. DeLellis RA, Lloyd RV, Heitz PU, Eng C (2004). *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Endocrine Organs*. IARC Press: Lyon.
578. Delgado R, Klimstra D, Albores-
- Saavedra J (1996). Low grade salivary duct carcinoma. A distinctive variant with a low grade histology and a predominant intraductal growth pattern. *Cancer* 78: 958-967.
579. Delgado R, Vuitich F, Albores-Saavedra J (1993). Salivary duct carcinoma. *Cancer* 72: 1503-1512.
580. Della Torre G, Pilotti S, Donghi R, Pasquini G, Longoni A, Grandi C, Salvatori P, Pierotti MA, Rilke F (1994). Epstein-Barr virus genomes in undifferentiated and squamous cell nasopharyngeal carcinomas in Italian patients. *Diagn Mol Pathol* 3: 32-37.
581. DeMoura LF, Yook TS (1978). Malignant fibrous histiocytoma of the maxillary sinus. *Otolaryngology* 86: ORL-8.
582. Denoyelle F, Ducroz V, Roger G, Garabedian EN (1997). Nasal dermoid sinus cysts in children. *Laryngoscope* 107: 795-800.
583. Denton AB, Anderson DW, Berean KW (2000). Malignant epithelioid peripheral nerve sheath tumour of the pterygopalatine fossa. *J Otolaryngol* 29: 392-395.
584. DeRienzo DP, Greenberg SD, Fraire AE (1991). Carcinoma of the larynx. Changing incidence in women. *Arch Otolaryngol Head Neck Surg* 117: 681-684.
585. Derkay CS (1995). Task force on recurrent respiratory papillomas. A preliminary report. *Arch Otolaryngol Head Neck Surg* 121: 1386-1391.
586. Derkay CS (2001). Recurrent Papillary Fibromatosis. *Laryngoscope* 57-69.
587. Derkay CS, Darrow DH (2000). Recurrent respiratory papillomatosis of the larynx: current diagnosis and treatment. *Otolaryngol Clin North Am* 33: 1127-1142.
588. Derlacki EL, Barney PL (1976). Adenomatous tumors of the middle ear and mastoid. *Laryngoscope* 86: 1123-1135.
589. DeTomas DC, Hann JR, Stewart HM Jr (1985). Cherubism: report of a nonfamilial case. *J Am Dent Assoc* 111: 455-457.
590. Devaney KO, Ferlito A, Rinaldo A (1998). Giant cell tumor of the larynx. *Ann Otol Rhinol Laryngol* 107: 729-732.
591. Devaney KO, Ferlito A, Silver CE (1995). Cartilaginous tumors of the larynx. *Ann Otol Rhinol Laryngol* 104: 251-255.
592. Devlin J, Harrison CJ, Whitby DJ, David TJ (1990). Cartilaginous pseudocyst of the external auricle in children with atopic eczema. *Br J Dermatol* 122: 699-704.
593. Dhir K, Sciubba JJ, Tufano RP (2003). Ameloblastic carcinoma of the maxilla. *Oral Oncol* 9: 736-741.
594. Di Palma S, Corletto V, Lavarino C, Birindelli S, Pilotti S (1999). Unilateral aneuploid dedifferentiated acinic cell carcinoma associated with bilateral low grade diploid acinic cell carcinoma of the parotid gland. *Virchows Arch* 434: 361-365.
595. Di Palma S, Guzzo M (1993). Malignant myoepithelioma of salivary glands: clinicopathologic features of ten cases. *Virchows Arch A Pathol Anat Histopathol* 423: 389-396.
596. Di Palma S, Simpson RH, Skalova A, Michal M (1999). Metaplastic (infarcted) Warthin's tumour of the parotid gland: a possible consequence of fine needle aspiration biopsy. *Histopathology* 35: 432-438.
597. Di Sant'Agnesa PA, Knowles DM (1980). Extracardiac rhabdomyoma: a clinicopathologic study and review of the literature. *Cancer* 46: 780-789.
598. DiCaprio MR, Murphy MJ, Camp RL (2000). Aneurysmal bone cyst of the spine with familial incidence. *Spine* 25: 1589-1592.

599. Dickens P, Srivastava G, Loke SL, Chan CW, Liu YT (1992). Epstein-Barr virus DNA in nasopharyngeal carcinomas from Chinese patients in Hong Kong. *J Clin Pathol* 45: 396-397.
600. Dickens P, Wei WI, Sham JS (1990). Osteosarcoma of the maxilla in Hong Kong Chinese postirradiation for nasopharyngeal carcinoma. A report of four cases. *Cancer* 66: 1924-1926.
601. Diebold J, Audouin J, Viry B, Ghandour C, Betti P, D'Ornano G (1990). Primary lymphoplasmacytic lymphoma of the larynx: a rare localization of MALT-type lymphoma. *Ann Otol Rhinol Laryngol* 99: 577-580.
602. Diedhiou A, Cazals-Hatem D, Rondini E, Sterkers O, Degott C, Wassef M (2001). [Sebaceous carcinoma of the submandibular gland: a case report]. *Ann Pathol* 21: 348-351.
603. Dietz A, Barme B, Gewelke U, Sennewald E, Heller WD, Maier H (1993). [The epidemiology of parotid tumors. A case control study]. *HNO* 41: 83-90.
604. DiGiuseppe JA, Corio RL, Westra WH (1996). Lymphoid infiltrates of the salivary glands: pathology, biology and clinical significance. *Curr Opin Oncol* 8: 232-237.
605. DiMaio SJ, DiMaio VJ, DiMaio TM, Nicastri AD, Chen CK (1980). Oncocytic carcinoma of the nasal cavity. *South Med J* 73: 803-806.
606. Dimery IW, Jones LA, Verjan RP, Raymond AK, Goepfert H, Hong WK (1987). Estrogen receptors in normal salivary gland and salivary gland carcinoma. *Arch Otolaryngol Head Neck Surg* 113: 1082-1085.
607. Dini M, Lo Russo G, Colafranceschi M (1998). So-called nasal glioma: case report with immunohistochemical study. *Tumori* 84: 398-402.
608. Diss TC, Wotherspoon AC, Speight P, Pan L, Isaacson PG (1995). B-cell monoclonality, Epstein Barr virus, and t(14;18) in myoepithelial sialadenitis and low-grade B-cell MALT lymphoma of the parotid gland. *Am J Surg Pathol* 19: 531-536.
609. Dixon WR, Ziskind J (1956). Odontogenic fibroma. *Oral Surg Oral Med Oral Pathol* 9: 813-816.
610. Doganay L, Bilgi S, Ozdil A, Yoruk Y, Altaner S, Kutlu K (2003). Epithelial-myoepithelial carcinoma of the lung. A case report and review of the literature. *Arch Pathol Lab Med* 127: e177-e180.
611. Dolcetti R, Menezes J (2003). Epstein-Barr virus and undifferentiated nasopharyngeal carcinoma: new immunobiological and molecular insights on a long-standing etiopathogenic association. *Adv Cancer Res* 87: 127-157.
612. Dolcetti R, Pelucchi S, Maestro R, Rizzo S, Pastore A, Boiocchi M (1991). Proto-oncogene allelic variations in human squamous cell carcinomas of the larynx. *Eur Arch Otorhinolaryngol* 248: 279-285.
613. Donaldson SS, Belli JA (1984). A rational clinical staging system for childhood rhabdomyosarcoma. *J Clin Oncol* 2: 135-139.
614. Donath K, Seifert G, Schmitz R (1972). [Diagnosis and ultrastructure of the tubular carcinoma of salivary gland ducts. Epithelial-myoepithelial carcinoma of the intercalated ducts]. *Virchows Arch A Pathol Pathol Anat* 356: 16-31.
615. Dong Y, Sui L, Sugimoto K, Tai Y, Tokuda M (2001). Cyclin D1-CDK4 complex, a possible critical factor for cell proliferation and prognosis in laryngeal squamous cell carcinomas. *Int J Cancer* 95: 209-215.
616. Dori S, Trougouboff P, David R, Buchner A (2000). Immunohistochemical evaluation of estrogen and progesterone receptors in adenoid cystic carcinoma of salivary gland origin. *Oral Oncol* 36: 450-453.
617. Doval DC, Rao CR, Saitha KS, Vigayakumar M, Misra S, Mani K, Bapsy PP, Kumaraswamy SV (1996). Magliant melanoma of the oral cavity: report of 14 cases from a regional cancer centre. *Eur J Surg Oncol* 22: 245-249.
618. Doyle DJ, Gianoli GJ, Espinola T, Miller RH (1994). Recurrent respiratory papillomatosis: juvenile versus adult forms. *Laryngoscope* 104: 523-527.
619. Doyle DJ, Henderson LA, LeJeune FE Jr, Miller RH (1994). Changes in human papillomavirus typing of recurrent respiratory papillomatosis progressing to malignant neoplasm. *Arch Otolaryngol Head Neck Surg* 120: 1273-1276.
620. Doyle JL, Lamster IB, Baden E (1985). Odontogenic fibroma of the complex or WHO type. Report on six cases. *J Oral Maxillofac Surg* 43: 666-674.
621. Dray T, Vargas H, Weidner N, Sofferman RA (1998). Lymphoepitheliomas of the laryngohypopharynx. *Am J Otolaryngol* 19: 263-266.
622. Dreizen S, McCredie KB, Keating MJ, Luna MA (1983). Malignant gingival and skin "infiltrates" in adult leukemia. *Oral Surg Oral Med Oral Pathol* 55: 572-579.
623. Dubey P, Ha CS, Ang KK, El Naggar AK, Knapp C, Byers RM, Morrison WH (1998). Nonnasopharyngeal lymphoepithelioma of the head and neck. *Cancer* 82: 1556-1562.
624. Dubois J, Garel J, Grignon A, David M, Laberge L, Filiatrault D, Powell J (1998). Imaging of hemangiomas and vascular malformations in children. *Acad Radiol* 5: 390-400.
625. Dulguerov P, Allal AS, Calcaterra TC (2001). Esthesioneuroblastoma: a meta-analysis and review. *Lancet Oncol* 2: 683-690.
626. Dulguerov P, Calcaterra T (1992). Esthesioneuroblastoma: the UCLA experience 1970-1990. *Laryngoscope* 102: 843-849.
627. Dunkel IJ, Gerald WL, Rosenfield NS, Strong EW, Abramson DH, Ghavimi F (1998). Outcome of patients with a history of bilateral retinoblastoma treated for a second malignancy: the Memorial Sloan-Kettering experience. *Med Pediatr Oncol* 30: 59-62.
628. Dunlap CL (1999). Odontogenic fibroma. *Semin Diagn Pathol* 16: 293-296.
629. Dunlap CL, Barker BF (1984). Central odontogenic fibroma of the WHO type. *Oral Surg Oral Med Oral Pathol* 57: 390-394.
630. Dunphy CH, Grosso LE, Rodriguez JJ, Dunphy FR (1996). Bilateral mucosa-associated lymphoid tissue lymphomas of parotid glands: a 13-year interval. *Mod Pathol* 9: 560-565.
631. Duwel V, Michielssen P (1996). Primary malignant melanoma of the larynx. A case report. *Acta Otorhinolaryngol Belg* 50: 47-49.
632. Earl PD, Lowry JC, Sloan P (1993). Intraoral inflammatory pseudotumor. *Oral Surg Oral Med Oral Pathol* 76: 279-283.
633. Ebbs SR, Webb AJ (1986). Adenolymphoma of the parotid: aetiology, diagnosis and treatment. *Br J Surg* 73: 627-630.
634. Eden BV, Debo RF, Lerner JM, Kelly MD, Levine PA, Stewart FM, Cantrell RW, Constable WC (1994). Esthesioneuroblastoma. Long-term outcome and patterns of failure—the University of Virginia experience. *Cancer* 73: 2556-2562.
635. Edmondson HD, Browne RM, Potts AJ (1982). Intra-oral basal cell carcinoma. *Br J Oral Surg* 20: 239-247.
636. Edwards PC, Bhuiya T, Kelsch RD (2003). C-kit expression in the salivary gland neoplasms adenoid cystic carcinoma, polymorphous low-grade adenocarcinoma, and monomorphic adenoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 95: 586-593.
637. Eibling DE, Johnson JT, McCoy JP Jr, Barnes EL, Syms CA, Wagner RL, Campbell J (1991). Flow cytometric evaluation of adenoid cystic carcinoma: correlation with histologic subtype and survival. *Am J Surg* 162: 367-372.
638. Eichhorn JH, Dickersin GR, Bhan AK, Goodman ML (1990). Sinonasal hemangiopericytoma. A reassessment with electron microscopy, immunohistochemistry, and long-term follow-up. *Am J Surg Pathol* 14: 856-866.
639. Eisenberg E (2000). Oral lichen planus: a benign lesion. *J Oral Maxillofac Surg* 58: 1278-1285.
640. El-Mofty SK, O'Leary TR, Swanson PE (1994). Malignant myoepithelioma of salivary glands: clinicopathologic and immunohistotypic features. Review of literature and report of two cases. *Int J Surg Pathol* 2: 133-140.
641. El Hakim IE, Uthman MA (1999). Squamous cell carcinoma and keratoacanthoma of the lower lip associated with "Goza" and "Shisha" smoking. *Int J Dermatol* 38: 108-110.
642. el Jabbour JN, Ferlito A (2003). Salivary gland neoplasms. In: *Neoplasms of the Larynx*, Ferlito A, ed., Churchill-Livingstone: Edinburgh, pp. 231-264.
643. El Labban NG, Lee KW (1983). Myofibroblasts in central giant cell granuloma of the jaws: an ultrastructural study. *Histopathology* 7: 907-918.
644. El Mofty S (2002). Psammomatoid and trabecular juvenile ossifying fibroma of the craniofacial skeleton: two distinct clinicopathologic entities. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 93: 296-304.
645. el Mofty SK, Swanson PE, Wick MR, Miller AS (1993). Eosinophilic ulcer of the oral mucosa. Report of 38 new cases with immunohistochemical observations. *Oral Surg Oral Med Oral Pathol* 75: 716-722.
646. el Naggar A, Batsakis JG, Luna MA, Goepfert H, Tortoledo ME (1989). DNA content and proliferative activity of myoepitheliomas. *J Laryngol Otol* 103: 1192-1197.
647. El Naggar AK, Abdul-Karim FW, Hurr K, Callender D, Luna MA, Batsakis JG (1998). Genetic alterations in acinic cell carcinoma of the parotid gland determined by microsatellite analysis. *Cancer Genet Cytogenet* 102: 19-24.
648. El Naggar AK, Batsakis JG (1991). Carcinoid tumor of the larynx. A critical review of the literature. *ORL J Otorhinolaryngol Relat Spec* 53: 188-193.
649. El Naggar AK, Batsakis JG, Garcia GM, Luna ML, Goepfert H (1992). Sinonasal hemangiopericytoma. A clinicopathologic and DNA content study. *Arch Otolaryngol Head Neck Surg* 118: 134-137.
650. El Naggar AK, Batsakis JG, Luna MA, McLemore D, Byers RM (1990). DNA flow cytometry of acinic cell carcinomas of major salivary glands. *J Laryngol Otol* 104: 410-416.
651. El Naggar AK, Callender D, Coombes MM, Hurr K, Luna MA, Batsakis JG (2000). Molecular genetic alterations in carcinoma ex-pleomorphic adenoma: a putative progression model? *Genes Chromosomes Cancer* 27: 162-168.
652. El Naggar AK, Dinh M, Tucker S, Luna MA, Goepfert H, Hsu P, Batsakis JG (1996). Genotypic analysis of primary head and neck squamous carcinoma by combined fluorescence in situ hybridization and DNA flow cytometry. *Am J Clin Pathol* 105: 102-108.
653. El Naggar AK, Lovell M, Callender DL, Ordonez NG, Killary AM (1998). Concurrent cytogenetic, interphase fluorescence in situ hybridization and DNA flow cytometric analyses of a carcinoma ex-pleomorphic adenoma of parotid gland. *Cancer Genet Cytogenet* 107: 132-136.
654. El Naggar AK, Lovell M, Callender DL, Ordonez NG, Killary AM (1999). Cytogenetic analysis of a primary salivary gland myoepithelioma. *Cancer Genet Cytogenet* 113: 49-53.
655. El Naggar AK, Lovell M, Killary AM, Clayman GL, Batsakis JG (1996). A mucocutaneous carcinoma of minor salivary gland with t(11;19)(q21;p13.1) as the only karyotypic abnormality. *Cancer Genet Cytogenet* 87: 29-33.
656. El Naggar AK, Lovell M, Ordonez NG, Killary AM (1998). Multiple unrelated translocations in a metastatic myoepithelial carcinoma of the parotid gland. *Cancer Genet Cytogenet* 100: 155-158.
657. El Rifai W, Rutherford S, Knuutila S, Frierson HF Jr, Moskaluk CA (2001). Novel DNA copy number losses in chromosome 12q12-q13 in adenoid cystic carcinoma. *Neoplasia* 3: 173-178.
658. el Sayed Y, al Serhani A (1997). Lobular capillary haemangioma (pyogenic granuloma) of the nose. *J Laryngol Otol* 111: 941-945.
659. el Serafy S (1971). Rare benign tumors of the larynx. *J Laryngol Otol* 85: 837-851.
660. Elamin F, Steingrimsdottir H, Wanakulasuriya S, Johnson N, Tavassoli M (1998). Prevalence of human papillomavirus infection in premalignant and malignant lesions of the oral cavity in U.K. subjects: a novel method of detection. *Oral Oncol* 34: 191-197.
661. Elder EE, Xu D, Hoog A, Enberg U, Hou M, Pisa P, Gruber A, Larsson C, Backdahl M (2003). KI-67 AND hTERT Expression Can Aid in the Distinction between Malignant and Benign Pheochromocytoma and Paraganglioma. *Mod Pathol* 16: 246-255.
662. Elenitoba-Johnson KS, Zarate-Osorno A, Meneses A, Krenacs L, Kingma DW, Raffel M, Jaffe ES (1998). Cytotoxic granular protein expression, Epstein-Barr virus strain type, and latent membrane protein-1 oncogene deletions in nasal T-lymphocyte/natural killer cell lymphomas from Mexico. *Mod Pathol* 11: 754-761.
663. Elkou D, Hightower SI, Lim ML, Cantrell RW, Constable WC (1979). Esthesioneuroblastoma. *Cancer* 44: 1087-1094.
664. Ellies M, Laskawi R, Arglebe C (1998). Extraglandular Warthin's tumours: clinical evaluation and long-term follow-up. *Br J Oral Maxillofac Surg* 36: 52-53.
665. Ellis GL (1988). "Clear cell" oncocytoma of salivary gland. *Hum Pathol* 19: 862-867.
666. Ellis GL (1998). Clear cell neoplasms in salivary glands: clearly a diagnostic chal-

- lenge. *Ann Diagn Pathol* 2: 61-78.
- 667.** Ellis GL (1999). Odontogenic ghost cell tumor. *Semin Diagn Pathol* 16: 288-292.
- 668.** Ellis GL, Auclair PL (1996). Tumours of the salivary glands. 3rd ed. Armed Forces Institute of Pathology: Washington.
- 669.** Ellis GL, Auclair PL, Gnepp DR (1991). *Surgical Pathology of the Salivary Glands*. WB Saunders: Philadelphia.
- 670.** Ellis GL, Corio RL (1983). Acinic cell adenocarcinoma. A clinicopathologic analysis of 294 cases. *Cancer* 52: 542-549.
- 671.** Ellis GL, Langloss JM, Heffner DK, Hyams VJ (1987). Spindle-cell carcinoma of the aerodigestive tract. An immunohistochemical analysis of 21 cases. *Am J Surg Pathol* 11: 335-342.
- 672.** Ellis GL, Shmookler BM (1986). Aggressive (malignant?) epithelial odontogenic ghost cell tumor. *Oral Surg Oral Med Oral Pathol* 61: 471-478.
- 673.** Ellis GL, Wiscovitch JG (1990). Basal cell adenocarcinomas of the major salivary glands. *Oral Surg Oral Med Oral Pathol* 69: 461-469.
- 674.** Elzay RP (1983). Traumatic ulcerative granuloma with stromal eosinophilia (Riga-Fede's disease and traumatic eosinophilic granuloma). *Oral Surg Oral Med Oral Pathol* 55: 497-506.
- 675.** Emile JF, Wechsler J, Brousse N, Boulland ML, Cologon R, Fraitag S, Voisin MC, Gaulard P, Boumsell L, Zafrani ES (1995). Langerhans' cell histiocytosis. Definitive diagnosis with the use of monoclonal antibody O10 on routinely paraffin-embedded samples. *Am J Surg Pathol* 19: 636-641.
- 676.** Emley WE (1971). Giant cell tumor of the sphenoid bone. A case report and review of the literature. *Arch Otolaryngol* 94: 369-374.
- 677.** Endo M, Kawabe R, Ito K, Ohmura S, Fujita K (1992). Plasma cell granuloma of the oral cavity. *J Jpn Stomatol Soc* 41: 136-140.
- 678.** Eneroth CM (1964). Histological and clinical aspects of parotid tumors. *Acta Otolaryngol (Stockh) Suppl* 191: 1-99.
- 679.** Eneroth CM (1971). Salivary gland tumors in the parotid gland, submandibular gland, and the palate region. *Cancer* 27: 1415-1418.
- 680.** Enokihara H, Koike T, Arimura H, Aoyagi M, Watanabe K, Nakamura Y, Yamashiro K, Tsuruoka N, Tsujimoto M, Saito K, Furusawa S, Shishido H (1994). IL-5 mRNA expression in blood lymphocytes from patients with Kimura's disease and parasite infection. *Am J Hematol* 47: 69-73.
- 681.** Enzinger FM, Smith BH (1976). Hemangiopericytoma. An analysis of 106 cases. *Hum Pathol* 7: 61-82.
- 682.** Epivatianos A, Dimitrakopoulos J, Trigonidis G (1995). Intraoral salivary duct carcinoma: a clinicopathological study of four cases and review of the literature. *Ann Dent* 54: 36-40.
- 683.** Epstein JB, Epstein JD, Le ND, Gorsky M (2001). Characteristics of oral and paroral malignant lymphoma: a population-based review of 361 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92: 519-525.
- 684.** Erdamar B, Suoglu Y, Sirin M, Karatay C, Katircioglu S, Kiyak E (2000). Basaloid squamous cell carcinoma of the supraglottic larynx. *Eur Arch Otorhinolaryngol* 257: 154-157.
- 685.** Erdheim J (1909). Über einen Hypophysentumor von ungewöhnlichem Sitz. *Beitr Path Anat* 46: 233-240.
- 686.** Ereno C, Lopez JI, Grande J, Santaolalla F, Bilbao FJ (2001). Inflammatory myofibroblastic tumour of the larynx. *J Laryngol Otol* 115: 856-858.
- 687.** Ereno C, Lopez JI, Sanchez JM, Bilbao FJ (2001). Papillary squamous cell carcinoma of the larynx. *J Laryngol Otol* 115: 164-166.
- 688.** Ereno C, Lopez JI, Sanchez JM, Toledo JD (1994). Basaloid-squamous cell carcinoma of the larynx and hypopharynx. A clinicopathologic study of 7 cases. *Pathol Res Pract* 190: 186-193.
- 689.** Eriksen C, Girdhar-Gopal H, Lowry LD (1991). Vagal paragangliomas: a report of nine cases. *Am J Otolaryngol* 12: 278-287.
- 690.** Eriksson L, Hansson LG, Akesson L, Stahberg F (2001). Simple bone cyst: a discrepancy between magnetic resonance imaging and surgical observations. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92: 694-698.
- 691.** Ernster JA, Franquemont DW, Sweeney JP (2000). Initial report of a case of carcinosarcoma of the supraglottis. *Ear Nose Throat J* 79: 384-387.
- 692.** Esmaeli B, Wang X, Youssef A, Gershenwald JE (2001). Patterns of regional and distant metastasis in patients with conjunctival melanoma: experience at a cancer center over four decades. *Ophthalmology* 108: 2101-2105.
- 693.** Esnal Leal F, Garcia-Rostan y Perez GM, Garatea Creglo J, Gorriaran Terreros M, Arzoz Sainz de Murieta E (1997). Sebaceous carcinoma of the salivary gland. Report of two cases of infrequent location. *An Otorrinolaringol Ibero Am* 24: 401-413.
- 694.** Evans AT, Guthrie W (1991). Lymphoepithelioma-like carcinoma of the uvula and soft palate: a rare lesion in an unusual site. *Histopathology* 19: 184-186.
- 695.** Evans HL (1984). Mucoepidermoid carcinoma of salivary glands: a study of 69 cases with special attention to histologic grading. *Am J Clin Pathol* 81: 696-701.
- 696.** Evans HL, Batsakis JG (1984). Polymorphous low-grade adenocarcinoma of minor salivary glands. A study of 14 cases of a distinctive neoplasm. *Cancer* 53: 935-942.
- 697.** Evans HL, Luna MA (2000). Polymorphous low-grade adenocarcinoma: a study of 40 cases with long-term follow up and an evaluation of the importance of papillary areas. *Am J Surg Pathol* 24: 1319-1328.
- 698.** Evans RW, Cruickshank AH (1970). Epithelial tumours of the salivary glands. 1st ed. W.B. Saunders: Philadelphia.
- 699.** Eversole LR, Belton CM, Hansen LS (1985). Clear cell odontogenic tumor: histochemical and ultrastructural features. *J Oral Pathol* 14: 603-614.
- 700.** Eversole LR, Laipis PJ, Merrell P, Choi E (1987). Demonstration of human papillomavirus DNA in oral condyloma acuminatum. *J Oral Pathol* 16: 266-272.
- 701.** Eversole LR, Leider AS, Jacobsen PL, Kidd PM (1985). Atypical histiocytic granuloma. Light microscopic, ultrastructural, and histochemical findings in an unusual pseudomalignant reactive lesion of the oral cavity. *Cancer* 55: 1722-1729.
- 702.** Eversole LR, Leider AS, Strub D (1984). Radiographic characteristics of cystogenic ameloblastoma. *Oral Surg Oral Med Oral Pathol* 57: 572-577.
- 703.** Eveson JW, Cawson RA (1985). Salivary gland tumours. A review of 2410 cases with particular reference to histological types, site, age and sex distribution. *J Pathol* 146: 51-58.
- 704.** Eveson JW, Cawson RA (1985). Tumours of the minor (oropharyngeal) salivary glands: a demographic study of 336 cases. *J Oral Pathol* 14: 500-509.
- 705.** Eveson JW, Cawson RA (1986). Warthin's tumor (cystadenolymphoma) of salivary glands. A clinicopathologic investigation of 278 cases. *Oral Surg Oral Med Oral Pathol* 61: 256-262.
- 706.** Eveson JW, Cawson RA (1989). Infarcted ('infected') adenolymphomas. A clinicopathological study of 20 cases. *Clin Otolaryngol* 14: 205-210.
- 707.** Eyden B (2003). Electron microscopy in the study of myofibroblastic lesions. *Semin Diagn Pathol* 20: 13-24.
- 708.** Fagan JJ, Collins B, Barnes L, D'Amico F, Myers EN, Johnson JT (1998). Perineural invasion in squamous cell carcinoma of the head and neck. *Arch Otolaryngol Head Neck Surg* 124: 637-640.
- 709.** Fagundes MA, Hug EB, Liebsch NJ, Daly W, Efid J, Munzenrider JE (1995). Radiation therapy for chordomas of the base of skull and cervical spine: patterns of failure and outcome after relapse. *Int J Radiat Oncol Biol Phys* 33: 579-584.
- 710.** Falzon M, Isaacson PG (1991). The natural history of benign lymphoepithelial lesion of the salivary gland in which there is a monoclonal population of B cells. A report of two cases. *Am J Surg Pathol* 15: 59-65.
- 711.** Fan CY, Melhem MF, Hosal AS, Grandis JR, Barnes EL (2001). Expression of androgen receptor, epidermal growth factor receptor, and transforming growth factor alpha in salivary duct carcinoma. *Arch Otolaryngol Head Neck Surg* 127: 1075-1079.
- 712.** Fan CY, Wang J, Barnes EL (2000). Expression of androgen receptor and prostatic specific markers in salivary duct carcinoma: an immunohistochemical analysis of 13 cases and review of the literature. *Am J Surg Pathol* 24: 579-586.
- 713.** Fanburg-Smith JC, Meis-Kindblom JM, Fante R, Kindblom LG (1998). Malignant granular cell tumor of soft tissue: diagnostic criteria and clinicopathologic correlation. *Am J Surg Pathol* 22: 779-794.
- 714.** Fanburg-Smith JC, Spiro IJ, Katapuram SV, Mankin HJ, Rosenberg AE (1999). Infiltrative subcutaneous malignant fibrous histiocytoma: a comparative study with deep malignant fibrous histiocytoma and an observation of biologic behavior. *Ann Diagn Pathol* 3: 1-10.
- 715.** Fang SY, Yan JJ, Ohyama M (1998). Immunohistochemistry of p53 in sinonasal inverted papilloma and associated squamous cell carcinoma. *Am J Rhinol* 12: 119-124.
- 716.** Fang Y, Guan X, Guo Y, Sham J, Deng M, Liang Q, Li H, Zhang H, Zhou H, Trent J (2001). Analysis of genetic alterations in primary nasopharyngeal carcinoma by comparative genomic hybridization. *Genes Chromosomes Cancer* 30: 254-260.
- 717.** Farag MM, Ghanimah SE, Ragaie A, Saleem TH (1987). Hormonal receptors in juvenile nasopharyngeal angiofibroma. *Laryngoscope* 97: 208-211.
- 718.** Farchi G (1992). [Estimation of the impact of cigarette smoking reduction on mortality from tumors of the lung and larynx]. *Ann Ist Super Sanita* 28: 147-153.
- 719.** Farman AG, van Wyk CW, Dreyer WP, Staz J, Thomas CJ, Louw JH, Bester D (1978). Central papillary atrophy of the tongue and denture stomatitis. *J Prosthet Dent* 40: 253-256.
- 720.** Farndon PA, Del Maestro RG, Evans DG, Kilpatrick MW (1992). Location of gene for Gorlin syndrome. *Lancet* 339: 581-582.
- 721.** Farr HW, Gray GF Jr, Vrana M, Panio M (1973). Extracranial meningioma. *J Surg Oncol* 5: 411-420.
- 722.** Fehner RE, Mills SE (1982). Verruca vulgaris of the larynx: a distinctive lesion of probable viral origin confused with verrucous carcinoma. *Am J Surg Pathol* 6: 357-362.
- 723.** Fejerskov O, Krogh J (1972). The calcifying ghost cell odontogenic tumor - or the calcifying odontogenic cyst. *J Oral Pathol* 1: 273-287.
- 724.** Feldman BA (1982). Rhabdomyosarcoma of the head and neck. *Laryngoscope* 92: 424-440.
- 725.** Felix A, El Naggar AK, Press MF, Ordonez NG, Fonseca I, Tucker SL, Luna MA, Batsakis JG (1996). Prognostic significance of biomarkers (c-erbB-2, p53, proliferating cell nuclear antigen, and DNA content) in salivary duct carcinoma. *Hum Pathol* 27: 561-566.
- 726.** Felix A, Rosa-Santos J, Mendonca ME, Torrinha F, Soares J (2002). Intracapsular carcinoma ex pleomorphic adenoma. Report of a case with unusual metastatic behaviour. *Oral Oncol* 38: 107-110.
- 727.** Felix A, Rosa JC, Nunes JF, Fonseca I, Cidadao A, Soares J (2002). Hyalinizing clear cell carcinoma of salivary glands: a study of extracellular matrix. *Oral Oncol* 38: 364-368.
- 728.** Felsberg GJ, Tien RD, McLendon RE (1995). Frontoethmoidal giant cell reparative granuloma. *AJNR Am J Neuroradiol* 16: 1551-1554.
- 729.** Feng BJ, Huang W, Shugart YY, Lee MK, Zhang F, Xia JC, Wang HY, Huang TB, Jian SW, Huang P, Feng QS, Huang LX, Yu XJ, Li D, Chen LZ, Jia WH, Fang Y, Huang HM, Zhu JL, Liu XM, Zhao Y, Liu WQ, Deng MQ, Hu WH, Wu SX, Mo HY, Hong MF, King MC, Chen Z, Zeng YX (2002). Genome-wide scan for familial nasopharyngeal carcinoma reveals evidence of linkage to chromosome 4. *Nat Genet* 31: 395-399.
- 730.** Ferlay J, Bray F, Pisani P, Parkin DM (2001). *Global Cancer 2000: cancer incidence, mortality and prevalence worldwide*. (1.0).
- 731.** Ferlito A (1976). A pathologic and clinical study of adenosquamous carcinoma of the larynx. Report of four cases and review of the literature. *Acta Otorhinolaryngol Belg* 30: 379-389.
- 732.** Ferlito A (1976). Histological classification of larynx and hypopharynx cancers and their clinical implications. Pathologic aspects of 2052 malignant neoplasms diagnosed at the ORL Department of Padua University from 1966 to 1976. *Acta Otolaryngol Suppl* 342: 1-88.
- 733.** Ferlito A (1978). Primary pleomorphic liposarcoma of the larynx. *J Otolaryngol* 7: 161-166.
- 734.** Ferlito A (1980). Acinic cell carcinoma of minor salivary glands. *Histopathology* 4: 331-343.
- 735.** Ferlito A (1993). Neoplasms of the larynx. Churchill Livingstone: Edinburgh.
- 736.** Ferlito A, Altavilla G, Rinaldo A, Dogliani C (1997). Basaloid squamous cell carcinoma of the larynx and hypopharynx. *Ann Otol Rhinol Laryngol* 106: 1024-1035.
- 737.** Ferlito A, Antonutto G, Silvestri F (1976). Histological appearances and nuclear DNA content of verrucous squa-



- mous cell carcinoma of the larynx. *ORL J Otorhinolaryngol Relat Spec* 38: 65-85.
- 738.** Ferlito A, Barnes L, Rinaldo A, Gnepp DR, Milroy CM (1998). A review of neuroendocrine neoplasms of the larynx: update on diagnosis and treatment. *J Laryngol Otol* 112: 827-834.
- 739.** Ferlito A, Barnes L, Wenig BM (1994). Identification, classification, treatment, and prognosis of laryngeal paraganglioma. Review of the literature and eight new cases. *Ann Otol Rhinol Laryngol* 103: 525-536.
- 740.** Ferlito A, Caruso G (1991). Endolaryngeal synovial sarcoma. An update on diagnosis and treatment. *ORL J Otorhinolaryngol Relat Spec* 53: 116-119.
- 741.** Ferlito A, Caruso G, Recher G (1988). Secondary laryngeal tumors. Report of seven cases with review of the literature. *Arch Otolaryngol Head Neck Surg* 114: 635-639.
- 742.** Ferlito A, Devaney KO, Rinaldo A, Milroy CM, Carbone A (1996). Mucosal adenoid squamous cell carcinoma of the head and neck. *Ann Otol Rhinol Laryngol* 105: 409-413.
- 743.** Ferlito A, Devaney KO, Rinaldo A, Putzi MJ (1999). Papillary squamous cell carcinoma versus verrucous squamous cell carcinoma of the head and neck. *Ann Otol Rhinol Laryngol* 108: 318-322.
- 744.** Ferlito A, Friedmann J, Recher G (1985). Primary giant cell carcinoma of the larynx. A clinico-pathological study of four cases. *ORL J Otorhinolaryngol Relat Spec* 47: 105-112.
- 745.** Ferlito A, Gale N, Hvala H (1981). Laryngeal salivary duct carcinoma: a light and electron microscopic study. *J Laryngol Otol* 95: 731-738.
- 746.** Ferlito A, Recher G (1980). Ackerman's tumor (verrucous carcinoma) of the larynx: a clinicopathologic study of 77 cases. *Cancer* 46: 1617-1630.
- 747.** Ferlito A, Recher G (1985). Chondrometaplasia of the larynx. *ORL J Otorhinolaryngol Relat Spec* 47: 174-177.
- 748.** Ferlito A, Recher G (1986). Oncocytic lesions of the larynx. *Arch Pathol Lab Med* 245-247.
- 749.** Ferlito A, Rinaldo A (2000). The pathology and management of subglottic cancer. *Eur Arch Otorhinolaryngol* 257: 168-173.
- 750.** Ferlito A, Rinaldo A, Devaney KO, MacLennan K, Myers JN, Petruzzelli GJ, Shaha AR, Genden EM, Johnson JT, de Carvalho MB, Myers EN (2002). Prognostic significance of microscopic and macroscopic extracapsular spread from metastatic tumor in the cervical lymph nodes. *Oral Oncol* 38: 747-751.
- 751.** Ferlito A, Rinaldo A, Mannara GM (1998). Is primary radiotherapy an appropriate option for the treatment of verrucous carcinoma of the head and neck? *J Laryngol Otol* 112: 132-139.
- 752.** Ferlito A, Shaha AR, Rinaldo A (2002). Neuroendocrine neoplasms of the larynx: diagnosis, treatment and prognosis. *ORL J Otorhinolaryngol Relat Spec* 64: 108-113.
- 753.** Ferlito A, Shaha AR, Rinaldo A (2002). The incidence of lymph node micrometastases in patients pathologically staged N0 in cancer of oral cavity and oropharynx. *Oral Oncol* 38: 3-5.
- 754.** Ferlito A, Shaha AR, Silver CE, Rinaldo A, Mondin V (2001). Incidence and sites of distant metastases from head and neck cancer. *ORL J Otorhinolaryngol Relat Spec* 63: 202-207.
- 755.** Fernandez PL, Cardesa A, Alos L, Pinto J, Traserra J (1995). Sinonasal teratocarcinoma: an unusual neoplasm. *Pathol Res Pract* 191: 166-171.
- 756.** Fernandez PL, Cardesa A, Bombi JA, Palacin A, Traserra J (1993). Malignant sinonasal epithelioid schwannoma. *Virchows Arch A Pathol Anat Histopathol* 423: 401-405.
- 757.** Ferouz AS, Mohr RM, Paul P (1995). Juvenile nasopharyngeal angiofibroma and familial adenomatous polyposis: an association? *Otolaryngol Head Neck Surg* 113: 435-439.
- 758.** Ferreira JA (1994). Immunohistochemical analysis of salivary gland canalicular adenoma. *Oral Surg Oral Med Oral Pathol* 78: 761-765.
- 759.** Fetsch JF, Weiss SW (1991). Observations concerning the pathogenesis of epithelioid hemangioma (angiolymphoid hyperplasia). *Mod Pathol* 4: 449-455.
- 760.** Ficarra G, Prignano F, Romagnoli P (1997). Traumatic eosinophilic granuloma of the oral mucosa: a CD30+(Ki-1) lymphoproliferative disorder? *Oral Oncol* 33: 375-379.
- 761.** Ficarra G, Silverman SJr, Quivey JM, Hansen LS, Giannotti K (1987). Granulocytic sarcoma (chloroma) of the oral cavity: a case with aleukemic presentation. *Oral Surg Oral Med Oral Pathol* 63: 709-714.
- 762.** Fidias P, Wright C, Harris NL, Urba W, Grossbard ML (1996). Primary tracheal non-Hodgkin's lymphoma. A case report and review of the literature. *Cancer* 77: 2332-2338.
- 763.** Filopoulos E, Angeli S, Daskalopoulou D, Kelessis N, Vassilopoulos P (1998). Preoperative evaluation of parotid tumors by fine needle biopsy. *Eur J Surg Oncol* 24: 180-183.
- 764.** Fine SW, Li M (2003). Expression of calretinin and the alpha-subunit of inhibin in granular cell tumors. *Am J Clin Pathol* 119: 259-264.
- 765.** Finkelstein SD, Tiffee JC, Bakker A, Swalsky P, Barnes L (1998). Malignant Transformation in Sinonasal Papillomas Is Closely Associated With Aberrant p53 Expression. *Mol Diagn* 3: 37-41.
- 766.** Fiorella R, Di Nicola V, Resta L (1997). Epidemiological and clinical relief on hyperplastic lesions of the larynx. *Acta Otolaryngol Suppl* 527: 77-81.
- 767.** Fisch U (1983). The infratemporal fossa approach for nasopharyngeal tumors. *Laryngoscope* 93: 36-44.
- 768.** Fishback NF, Travis WD, Moran CA, Guinee DG Jr, McCarthy WF, Koss MN (1994). Pleomorphic (spindle/giant cell) carcinoma of the lung. A clinicopathologic correlation of 78 cases. *Cancer* 73: 2936-2945.
- 769.** Fisher EW, McManus TC (1994). Surgery for external auditory canal exostoses and osteomata. *J Laryngol Otol* 108: 106-110.
- 770.** Fishleder A, Tubbs R, Hesse B, Levine H (1987). Uniform detection of immunoglobulin-gene rearrangement in benign lymphoepithelial lesions. *N Engl J Med* 316: 1118-1121.
- 771.** Flanagan AM, Nui B, Tinkler SM, Horton MA, Williams DM, Chambers TJ (1988). The multinucleate cells in giant cell granulomas of the jaw are osteoclasts. *Cancer* 62: 1139-1145.
- 772.** Flanders WD, Rothman KJ (1982). Interaction of alcohol and tobacco in laryngeal cancer. *Am J Epidemiol* 115: 371-379.
- 773.** Fletcher CD (1994). Hemangiopericytoma - a dying breed? Reappraisal of an "entity" and its variants. A hypothesis. *Curr Diagn Pathol* 1: 19-23.
- 774.** Fletcher CD (1995). Malignant peripheral nerve sheath tumours. *Curr Top Pathol* 89: 333-354.
- 775.** Fletcher CDM, Unni K, Mertens F (2002). WHO Classification of Tumours. Pathology and Genetics of Tumours of Soft Tissue and Bone. IARC Press: Lyon.
- 776.** Flezar M, Pogacnik A (2002). Warthin's tumour: unusual vs. common morphological findings in fine needle aspiration biopsies. *Cytopathology* 13: 232-241.
- 777.** Fliss DM, Noble-Topham SE, McLachlin M, Freeman JL, Noyek AM, van Nostrand AW, Hartwick RW (1994). Laryngeal verrucous carcinoma: a clinicopathologic study and detection of human papillomavirus using polymerase chain reaction. *Laryngoscope* 104: 146-152.
- 778.** Flores AD, Dickson RI, Riding K, Coy P (1986). Cancer of the nasopharynx in British Columbia. *Am J Clin Oncol* 9: 281-291.
- 779.** Flynn MB, Maguire S, Martinez S, Tesmer T (1999). Primary squamous cell carcinoma of the parotid gland: the importance of correct histological diagnosis. *Ann Surg Oncol* 6: 768-770.
- 780.** Folpe AL, Chand EM, Goldblum JR, Weiss SW (2001). Expression of Fli-1, a nuclear transcription factor, distinguishes vascular neoplasms from potential mimics. *Am J Surg Pathol* 25: 1061-1066.
- 781.** Folpe AL, Veikkola T, Valtola R, Weiss SW (2000). Vascular endothelial growth factor receptor-3 (VEGFR-3): a marker of vascular tumors with presumed lymphatic differentiation, including Kaposi's sarcoma, kaposiform and Dabska-type hemangioendotheliomas, and a subset of angiosarcomas. *Mod Pathol* 13: 180-185.
- 782.** Fonseca I, Felix A, Soares J (1997). Cell proliferation in salivary gland adenocarcinomas with myoepithelial participation. A study of 78 cases. *Virchows Arch* 430: 227-232.
- 783.** Fonseca I, Felix A, Soares J (2000). Dedifferentiation in salivary gland carcinomas. *Am J Surg Pathol* 24: 469-471.
- 784.** Fonseca I, Soares J (1993). Epithelial-myoeptithelial carcinoma of the salivary glands. A study of 22 cases. *Virchows Arch A Pathol Anat Histopathol* 422: 389-396.
- 785.** Fonseca I, Soares J (1996). Basal cell adenocarcinoma of minor salivary and seromucous glands of the head and neck region. *Semin Diagn Pathol* 13: 128-137.
- 786.** Foote FW, Frazell EL (1953). Tumors of the major salivary glands. *Cancer* 6: 1065-1133.
- 787.** Forastiere A, Koch W, Trotti A, Sidransky D (2001). Head and neck cancer. *N Engl J Med* 345: 1890-1900.
- 788.** Fornelli A, Eusebi V, Pasquinelli G, Quattrone P, Rosai J (2001). Merkel cell carcinoma of the parotid gland associated with Warthin tumour: report of two cases. *Histopathology* 39: 342-346.
- 789.** Forssell K, Forssell H, Happonen RP, Neva M (1988). Simple bone cyst. Review of the literature and analysis of 23 cases. *Int J Oral Maxillofac Surg* 17: 21-24.
- 790.** Foss RD, Ellis GL, Auclair PL (1996). Salivary gland cystadenocarcinomas. A clinicopathologic study of 57 cases. *Am J Surg Pathol* 20: 1440-1447.
- 791.** Foucar E, Rosai J, Dorfman R (1990). Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease): review of the entity. *Semin Diagn Pathol* 7: 19-73.
- 792.** Foulsham CK, Snyder GGI, Carpenter RJI (1981). Papillary cystadenoma lymphomatous of the larynx. *Otolaryngol Head Neck Surg* 89: 960-964.
- 793.** Fouret P, Dabit D, Sibony M, Alii D, Commo F, Saint-Guily JL, Callard P (1995). Expression of p53 protein related to the presence of human papillomavirus infection in precancer lesions of the larynx. *Am J Pathol* 146: 599-604.
- 794.** Fracchiolla NS, Pignataro L, Capaccio P, Trecca D, Boletini A, Ottaviani A, Polli E, Maiolo AT, Neri A (1995). Multiple genetic lesions in laryngeal squamous cell carcinomas. *Cancer* 75: 1292-1301.
- 795.** Fradis M, Rosenman D, Podoshin L, Ben-David Y, Misslevitch A (1988). Steroid therapy for plasma cell granuloma of the larynx. *Ear Nose Throat J* 67: 588-564.
- 796.** Franceschi S, Bidoli E, Herrero R, Munoz N (2000). Comparison of cancers of the oral cavity and pharynx worldwide: etiological clues. *Oral Oncol* 36: 106-115.
- 797.** Franceschi S, Talamini R, Barra S, Baron AE, Negri E, Bidoli E, Serraino D, La Vecchia C (1990). Smoking and drinking in relation to cancers of the oral cavity, pharynx, larynx, and esophagus in northern Italy. *Cancer Res* 50: 6502-6507.
- 798.** Franchi A, Gallo O, Boddi V, Santucci M (1996). Prediction of occult neck metastases in laryngeal carcinoma: role of proliferating cell nuclear antigen, MIB-1, and E-cadherin immunohistochemical determination. *Clin Cancer Res* 2: 1801-1808.
- 799.** Franchi A, Gallo O, Santucci M (1999). Clinical relevance of the histological classification of sinonasal intestinal-type adenocarcinomas. *Hum Pathol* 30: 1140-1145.
- 800.** Franchi A, Massi D, Baroni G, Santucci M (2003). CDX-2 Homeobox Gene Expression. *Am J Surg Pathol* 27: 1390-1391.
- 801.** Franchi A, Moroni M, Massi D, Paglierani M, Santucci M (2002). Sinonasal undifferentiated carcinoma, nasopharyngeal-type undifferentiated carcinoma, and keratinizing and nonkeratinizing squamous cell carcinoma express different cytokeratin patterns. *Am J Surg Pathol* 26: 1597-1604.
- 802.** Francioso F, Carinci F, Tosi L, Scapoli L, Pezzetti F, Passerella E, Evangelisti R, Pastore A, Pelucchi S, Piattelli A, Rubini C, Fiorini M, Carinci P, Volinia S (2002). Identification of differentially expressed genes in human salivary gland tumors by DNA microarrays. *Mol Cancer Ther* 1: 533-538.
- 803.** Franklin CD, Pindborg JJ (1976). The calcifying epithelial odontogenic tumor. A review and analysis of 113 cases. *Oral Surg Oral Med Oral Pathol* 42: 753-765.
- 804.** Franquemont DW, Fechner RE, Mills SE (1991). Histologic classification of sinonasal intestinal-type adenocarcinoma. *Am J Surg Pathol* 15: 368-375.
- 805.** Franquemont DW, Mills SE (1993). Plasmacytoid monomorphic adenoma of salivary glands. Absence of myogenin differentiation and comparison to spindle cell myoepithelioma. *Am J Surg Pathol* 17: 146-153.
- 806.** Franzen A, Schmid S, Pfaltz M (1999). [Primary small cell carcinomas and metastatic disease in the head and neck]. *HNO* 47: 912-917.
- 807.** Freedman HM, DeSanto LW, Devine KD, Weiland LH (1973). Malignant melanoma of the nasal cavity and paranasal sinuses. *Arch Otolaryngol* 97: 322-325.
- 808.** Freedman PD, Lumerman H (1983).

- Lobular carcinoma of intraoral minor salivary gland origin. Report of twelve cases. *Oral Surg Oral Med Oral Pathol* 56: 157-166.
- 809.** Freeman C, Berg JW, Cutler SJ (1972). Occurrence and prognosis of extranodal lymphomas. *Cancer* 29: 252-260.
- 810.** Fregnani ER, Pires FR, Falzoni R, Lopes MA, Vargas PA (2003). Lipomas of the oral cavity: clinical findings, histological classification and proliferative activity of 46 cases. *Int J Oral Maxillofac Surg* 32: 49-53.
- 811.** Freier K, Joos S, Flechtenmacher C, Devens F, Benner A, Bosch FX, Lichter P, Hofele C (2003). Tissue microarray analysis reveals site-specific prevalence of oncogene amplifications in head and neck squamous cell carcinoma. *Cancer Res* 63: 1179-1182.
- 812.** Freije JE, Beatty TW, Campbell BH, Woodson BT, Schultz CJ, Toohill RJ (1996). Carcinoma of the larynx in patients with gastroesophageal reflux. *Am J Otolaryngol* 17: 386-390.
- 813.** Freimark B, Fantozzi R, Bone R, Bordin G, Fox R (1989). Detection of clonally expanded salivary gland lymphocytes in Sjogren's syndrome. *Arthritis Rheum* 32: 859-869.
- 814.** Friedman CD, Costantino PD, Teitelbaum B, Berkold RE, Sisson GASr (1990). Primary extracranial meningiomas of the head and neck. *Laryngoscope* 100: 41-48.
- 815.** Friedman M, Venkatesan TK, Caldarelli DD (1996). Intralesional vinblastine for treating AIDS-associated Kaposi's sarcoma of the oropharynx and larynx. *Ann Otol Rhinol Laryngol* 105: 272-274.
- 816.** Friedrich RE, Bartel-Friedrich S, Lobeck H, Niedobitek G, Arps H (2000). Epstein-Barr virus DNA, intermediate filaments and epithelial membrane antigen in nasopharyngeal carcinoma. *Anticancer Res* 20: 4909-4916.
- 817.** Friedrich RE, Giese M, Mautner VF, Schmelzle R, Scheuer HA (2002). [Abnormalities of the maxillary sinus in type 1 neurofibromatosis]. *Mund Kiefer Gesichtschir* 6: 363-367.
- 818.** Frierson HF Jr, El Naggar AK, Welsh JB, Sapinoso LM, Su AI, Cheng J, Saku T, Moskaluk CA, Hampton GM (2002). Large scale molecular analysis identifies genes with altered expression in salivary adenoid cystic carcinoma. *Am J Pathol* 161: 1315-1323.
- 819.** Frierson HF Jr, Mills SE, Fechner RE, Taxy JB, Levine PA (1986). Sinonasal undifferentiated carcinoma. An aggressive neoplasm derived from schneiderian epithelium and distinct from olfactory neuroblastoma. *Am J Surg Pathol* 10: 771-779.
- 820.** Fries JW (1957). The roentgen features of fibrous dysplasia of the skull and facial bones: a critical analysis of thirty-nine pathologically proven cases. *AJR Am J Roentgenol* 77: 71-87.
- 821.** Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin LH, Parkin DM, Whelan S (2000). International Classification of Diseases for Oncology. 3rd ed. World Health Organization: Geneva.
- 822.** Frodol JL, Larrabee WF, Raisis J (1989). The nasal dermoid. *Otolaryngol Head Neck Surg* 101: 392-396.
- 823.** Fu YS, Perzin KH (1974). Non-epithelial tumors of the nasal cavity, paranasal sinuses, and nasopharynx: A clinicopathologic study. I. General features and vascular tumors. *Cancer* 33: 1275-1288.
- 824.** Fu YS, Perzin KH (1975). Nonepithelial tumors of the nasal cavity, paranasal sinuses, and nasopharynx: a clinicopathologic study. IV. Smooth muscle tumors (leiomyoma, leiomyosarcoma). *Cancer* 35: 1300-1308.
- 825.** Fu YS, Perzin KH (1976). Nonepithelial tumors of the nasal cavity paranasal sinuses, and nasopharynx: a clinicopathologic study. V. Skeletal muscle tumors (rhabdomyoma and rhabdomyosarcoma). *Cancer* 37: 364-376.
- 826.** Fu YS, Perzin KH (1976). Nonepithelial tumors of the nasal cavity, paranasal sinuses, and nasopharynx. A clinicopathologic study. VI. Fibrous tissue tumors (fibroma, fibromatosis, fibrosarcoma). *Cancer* 37: 2912-2928.
- 827.** Fu YS, Perzin KH (1978). Nonepithelial tumors of the nasal cavity, paranasal sinuses and nasopharynx. A clinicopathologic study. IX. Plasmacytomas. *Cancer* 42: 2399-2406.
- 828.** Fujieda S, Lee K, Sunaga H, Tsuzuki H, Ikawa H, Fan GK, Imanaka M, Takenaka H, Saito H (1999). Staining of interleukin-10 predicts clinical outcome in patients with nasopharyngeal carcinoma. *Cancer* 85: 1439-1445.
- 829.** Fujii M, Kumanomidou H, Ohno Y, Kanzaki J (1995). Acinic cell carcinoma of maxillary sinus. *Rhinology* 33: 177-179.
- 830.** Fujii M, Yamashita T, Ishiguro R, Tashiro M, Kameyama K (2002). Significance of epidermal growth factor receptor and tumor associated tissue eosinophilia in the prognosis of patients with nasopharyngeal carcinoma. *Auris Nasus Larynx* 29: 175-181.
- 831.** Fujino K, Ito J, Kanaji M, Shiomi Y, Saiga T (1995). Adenosquamous carcinoma of the larynx. *Am J Otolaryngol* 16: 115-118.
- 832.** Fujitani T, Takahara T, Hattori H, Imaio Y, Ogasawara H (1984). Radiochemotherapy for non-Hodgkin's lymphoma in palatine tonsil. *Cancer* 54: 1288-1292.
- 833.** Fukunaga M, Miyazawa Y, Harada T, Ushigome S, Ishikawa E (1995). Yolk sac tumour of the ear. *Histopathology* 27: 563-567.
- 834.** Fukunaga M, Ushigome S, Nomura K, Ishikawa E (1995). Solitary fibrous tumor of the nasal cavity and orbit. *Pathol Int* 45: 952-957.
- 835.** Funasaka Y, Boulton T, Cobb M, Yarden Y, Fan B, Lyman SD, Williams DE, Anderson DM, Zakut R, Mishima Y, Halaban R (1992). c-Kit-kinase induces a cascade of protein tyrosine phosphorylation in normal human melanocytes in response to mast cell growth factor and stimulates mitogen-activated protein kinase but is down-regulated in melanomas. *Mol Biol Cell* 3: 197-209.
- 836.** Furlong MA, Fanburg-Smith JC (2001). Pleomorphic rhabdomyosarcoma in children: four cases in the pediatric age group. *Ann Diagn Pathol* 5: 199-206.
- 837.** Furlong MA, Mentzel T, Fanburg-Smith JC (2001). Pleomorphic rhabdomyosarcoma in adults: a clinicopathologic study of 38 cases with emphasis on morphologic variants and recent skeletal muscle-specific markers. *Mod Pathol* 14: 595-603.
- 838.** Furukawa M, Suzuki H, Matsuura K, Takahashi E, Suzuki H, Tezuka F (2001). Carcinoma ex pleomorphic adenoma of the palatal minor salivary gland with extension into the nasopharynx. *Auris Nasus Larynx* 28: 279-281.
- 839.** Furuta Y, Shinohara T, Sano K, Nagashima K, Inoue K, Tanaka K, Inuyama Y (1991). Molecular pathologic study of human papillomavirus infection in inverted papilloma and squamous cell carcinoma of the nasal cavities and paranasal sinuses. *Laryngoscope* 101: 79-85.
- 840.** Fusconi M, Magliulo G, Della Rocca C, Marcotullio D, Suriano M, de Vincentiis M (2002). Leiomyosarcoma of the sinonasal tract: a case report and literature review. *Am J Otolaryngol* 23: 108-111.
- 841.** Futrell JW, Bennett SH, Hoye RC, Roth JA, Ketcham AS (1971). Predicting survival in cancer of the larynx or hypopharynx. *Am J Surg* 122: 451-457.
- 842.** Gaffey MJ, Frierson HF, Weiss LM, Barber CM, Baber GB, Stoler MH (1996). Human papillomavirus and Epstein-Barr virus in sinonasal Schneiderian papillomas. An in situ hybridization and polymerase chain reaction study. *Am J Clin Pathol* 106: 475-482.
- 843.** Gaffey MJ, Mills SE, Boyd JC (1994). Aggressive papillary tumor of middle ear/temporal bone and adnexal papillary cystadenoma. Manifestations of von Hippel-Lindau disease. *Am J Surg Pathol* 18: 1254-1260.
- 844.** Gaffey MJ, Mills SE, Fechner RE, Intemam SR, Wick MR (1988). Aggressive papillary middle-ear tumor. A clinicopathologic entity distinct from middle-ear adenoma. *Am J Surg Pathol* 12: 790-797.
- 845.** Galanis E, Frytak S, Lloyd RV (1997). Extrapulmonary small cell carcinoma. *Cancer* 79: 1729-1736.
- 846.** Gale N, Kambic V, Michaels L, Cardesa A, Hellquist H, Zidar N, Poljak M (2000). The Ljubljana classification: a practical strategy for the diagnosis of laryngeal precancerous lesions. *Adv Anat Pathol* 7: 240-251.
- 847.** Gale N, Kambic V, Poljak M, Cor A, Velkavrh D, Mlacak B (2000). Chromosomes 7, 17 polysomies and overexpression of epidermal growth factor receptor and p53 protein in epithelial hyperplastic laryngeal lesions. *Oncology* 58: 117-125.
- 848.** Gale N, Poljak M, Kambic V, Ferluga D, Fischinger J (1994). Laryngeal papillomatosis: molecular, histopathological, and clinical evaluation. *Virchows Arch* 425: 291-295.
- 849.** Galera-Ruiz H, Villar-Rodriguez JL, Sanchez-Calzado JA, Martin-Mora J, Ruiz-Carmona E (2001). Sinonasal neuroendocrine carcinoma presenting as a nasopharyngeal mass. *Otolaryngol Head Neck Surg* 124: 475-476.
- 850.** Gallagher JC, Puzon BQ (1969). Oncocytic lesions of the larynx. *Ann Otol Rhinol Laryngol* 78: 307-318.
- 851.** Gallivan MV, Chun B, Rowden G, Lack EE (1979). Laryngeal paraganglioma. Case report with ultrastructural analysis and literature review. *Am J Surg Pathol* 3: 85-92.
- 852.** Gallo A, de Vincentiis M, Della Rocca C, Moi R, Simonelli M, Minni A, Shaha AR (2001). Evolution of precancerous laryngeal lesions: a clinicopathologic study with long-term follow-up on 259 patients. *Head Neck* 23: 42-47.
- 853.** Gallo O, Bianchi S, Giannini A, Boccuzzi S, Calzolari A, Fini-Storchi O (1994). Lack of detection of human papillomavirus (HPV) in transformed laryngeal keratosis by in situ hybridization (ISH) technique. *Acta Otolaryngol* 114: 213-217.
- 854.** Gallo O, Bianchi S, Giannini A, Gallina E, Libonati GA, Fini-Storchi O (1991). Correlations between histopathological and biological findings in nasopharyngeal carcinoma and its prognostic significance. *Laryngoscope* 101: 487-493.
- 855.** Gallo O, Franchi A, Fini-Storchi I, Cilento G, Boddi V, Boccuzzi S, Urso C (1998). Prognostic significance of c-erbB-2 oncoprotein expression in intestinal-type adenocarcinoma of the sinonasal tract. *Head Neck* 20: 224-231.
- 856.** Gallo O, Graziani P, Fini-Storchi O (1993). Undifferentiated carcinoma of the nose and paranasal sinuses. An immunohistochemical and clinical study. *Ear Nose Throat J* 72: 588-590, 593-5.
- 857.** Gallo O, Santucci M, Calzolari A, Storchi OF (1994). Epstein-Barr virus (EBV) infection and undifferentiated carcinoma of the parotid gland in Caucasian patients. *Acta Otolaryngol* 114: 572-575.
- 858.** Gangopadhyay K, Mahasin ZZ, Kfoury H, Ashraf Ali M (1997). Inflammatory myofibroblastic tumour of the tonsil. *J Laryngol Otol* 111: 880-882.
- 859.** Gao Y, Di P, Peng X, Yu G, Sun K (2002). Mucinous adenocarcinoma of salivary glands. *Zhonghua Kou Qiang Yi Xue Za Zhi* 37: 356-358.
- 860.** Garden AS, Weber RS, Morrison WH, Ang KK, Peters LJ (1995). The influence of positive margins and nerve invasion in adenoid cystic carcinoma of the head and neck treated with surgery and radiation. *Int J Radiat Oncol Biol Phys* 32: 619-626.
- 861.** Gardner DG (1977). Peripheral ameloblastoma: a study of 21 cases, including 5 reported as basal cell carcinoma of the gingiva. *Cancer* 39: 1625-1633.
- 862.** Gardner DG (1982). The peripheral odontogenic fibroma: an attempt at clarification. *Oral Surg Oral Med Oral Pathol* 54: 40-48.
- 863.** Gardner DG (1996). Central odontogenic fibroma current concepts. *J Oral Pathol Med* 25: 556-561.
- 864.** Gardner DG, Bell ME, Wesley RK, Wysocki GP (1980). Acinic cell tumors of minor salivary glands. *Oral Surg Oral Med Oral Pathol* 50: 545-551.
- 865.** Gardner DG, Corio RL (1984). Plexiform unicystic ameloblastoma. A variant of ameloblastoma with a low-recurrence rate after enucleation. *Cancer* 53: 1730-1735.
- 866.** Garlick JA, Taichman LB (1991). Human papillomavirus infection of the oral mucosa. *Am J Dermatopathol* 13: 386-395.
- 867.** Garrido A, Humphrey G, Squire RS, Nishikawa H (2000). Sialoblastoma. *Br J Plast Surg* 53: 697-699.
- 868.** Garrington GE, Scofield HH, Cornyn J, Hooker SP (1967). Osteosarcoma of the jaws. Analysis of 56 cases. *Cancer* 20: 377-391.
- 869.** Gaughan RK, Olsen KD, Lewis JE (1992). Primary squamous cell carcinoma of the parotid gland. *Arch Otolaryngol Head Neck Surg* 118: 798-801.
- 870.** Gebhart M, Vandeweyer E, Nemeč E (1998). Paget's disease of bone complicated by giant cell tumor. *Clin Orthop* 187-193.
- 871.** Gee MS, Kiewer KE, Hinton DR (1992). Nucleolar organizer regions in paragangliomas of the head and neck. *Arch Otolaryngol Head Neck Surg* 118: 380-383.
- 872.** Genden EM, Ferlito A, Bradley PJ, Rinaldo A, Scully C (2003). Neck disease and distant metastases. *Oral Oncol* 39: 207-212.
- 873.** Geoffray A, Lee YY, Jing BS, Wallace S (1984). Extracranial meningiomas of the head and neck. *AJNR Am J Neuroradiol* 5: 599-604.
- 874.** George CD, Ng YY, Hall-Craggs MA, Jones BM (1991). Parotid haemangioma in infants: MR imaging at 1.5T. *Pediatr Radiol* 21: 483-485.

875. Germano A, Caruso G, Caffo M, Galatioto S, Belvedere M, Cardia E (1998). Temporal osteoclastoma: an exceptional lesion in infancy. *Childs Nerv Syst* 14: 213-217.
876. Gerughty RM, Hennigar GR, Brown FM (1968). Adenosquamous carcinoma of the nasal, oral and laryngeal cavities. A clinicopathologic survey of ten cases. *Cancer* 22: 1140-1155.
877. Gerughty RM, Scofield HH, Brown FM, Hennigar GR (1969). Malignant mixed tumors of salivary gland origin. *Cancer* 24: 471-486.
878. Geurts JM, Schoenmakers EF, Roijer E, Astrom AK, Stenman G, Van de Ven WJ (1998). Identification of NF1B as recurrent translocation partner gene of HMGIC in pleomorphic adenomas. *Oncogene* 16: 865-872.
879. Geurts JM, Schoenmakers EF, Roijer E, Stenman G, Van de Ven WJ (1997). Expression of reciprocal hybrid transcripts of HMGIC and FHIT in a pleomorphic adenoma of the parotid gland. *Cancer Res* 57: 13-17.
880. Ghadially FN (1985). *Diagnostic Electron Microscopy of Tumours*. 2nd ed. Butterworths: London.
881. Ghadially FN (2003). Keratoacanthoma. In: Fitzpatrick's Dermatology in General Medicine, Freedberg IM, Eisen AZ, Wolff K, Austen KF, Goldsmith LA, Katz SI, eds., McGraw-Hill: New York, pp. 766-772.
882. Ghandur-Mnaymeh L (1984). Multinodular oncocytoma of the parotid gland: a benign lesion simulating malignancy. *Hum Pathol* 15: 485-486.
883. Giannini A, Bianchi S, Messerini L, Gallo O, Gallina E, Asprella Libonati G, Olmi P, Zampi G (1991). Prognostic significance of accessory cells and lymphocytes in nasopharyngeal carcinoma. *Pathol Res Pract* 187: 496-502.
884. Giannoni C, El Naggar AK, Ordenez NG, Tu ZN, Austin J, Luna MA, Batsakis JG (1995). c-erbB-2/neu oncogene and Ki-67 analysis in the assessment of palatal salivary gland neoplasms. *Otolaryngol Head Neck Surg* 112: 391-398.
885. Giardiello FM, Hamilton SR, Krush AJ, Offerhaus JA, Booker JA, Petersen GM (1993). Nasopharyngeal angiofibroma in patients with familial adenomatous polyposis. *Gastroenterology* 105: 1550-1552.
886. Gibas Z, Miettinen M (1992). Recurrent parapharyngeal rhabdomyoma. Evidence of neoplastic nature of the tumor from cytogenetic study. *Am J Surg Pathol* 16: 721-728.
887. Gibbons MD, Manne U, Carroll WR, Peters GE, Weiss HL, Grizzle WE (2001). Molecular differences in mucoepidermoid carcinoma and adenoid cystic carcinoma of the major salivary glands. *Laryngoscope* 111: 1373-1378.
888. Gillison ML, Koch WM, Capone RB, Spafford M, Westra WH, Wu L, Zahurak ML, Daniel RW, Vigilione M, Smer DE, Shah KV, Sidransky D (2000). Evidence for a causal association between human papillomavirus and a subset of head and neck cancers. *J Natl Cancer Inst* 92: 709-720.
889. Gimenez-Roqueplo AP, Favier J, Rustin P, Mourad JJ, Plouin PF, Corvol P, Rotig A, Jeunemaitre X (2001). The R22X mutation of the SDHD gene in hereditary paraganglioma abolishes the enzymatic activity of complex IV in the mitochondrial respiratory chain and activates the hypoxia pathway. *Am J Hum Genet* 69: 1186-1197.
890. Ginsberg SS, Buzaid AC, Stern H, Carter D (1992). Giant cell carcinoma of the lung. *Cancer* 70: 606-610.
891. Giunta JL, Kaplan MA (1990). Peripheral, soft tissue odontomas. Two case reports. *Oral Surg Oral Med Oral Pathol* 69: 406-411.
892. Glas AS, Hollema H, Nap RE, Plukker JT (2002). Expression of estrogen receptor, progesterone receptor, and insulin-like growth factor receptor-1 and of MIB-1 in patients with recurrent pleomorphic adenoma of the parotid gland. *Cancer* 94: 2211-2216.
893. Gleeson MJ, Bennett MH, Cawson RA (1986). Lymphomas of salivary glands. *Cancer* 58: 699-704.
894. Glenner GG, Grimley PM (1974). Tumors of the extra-adrenal paraganglion system (including chemoreceptors). 2nd ed. Armed Forces Institute of Pathology: Washington, DC.
895. Gloria-Cruz TI, Schachern PA, Paparella MM, Adams GL, Fulton SE (2000). Metastases to temporal bones from primary nonsystemic malignant neoplasms. *Arch Otolaryngol Head Neck Surg* 126: 209-214.
896. Gnepp DR (1983). Sebaceous neoplasms of salivary gland origin: a review. *Pathol Annu* 18 Pt 1: 71-102.
897. Gnepp DR (1991). Small cell neuroendocrine carcinoma of the larynx. A critical review of the literature. *ORL J Otorhinolaryngol Relat Spec* 53: 210-219.
898. Gnepp DR (1993). Malignant mixed tumors of the salivary glands: a review. *Pathol Annu* 28 Pt 1: 279-328.
899. Gnepp DR (2001). *Diagnostic Surgical Pathology of the Head and Neck*. W.B. Saunders: Philadelphia.
900. Gnepp DR, Brandwein MS, Henley JD (2001). Salivary and lacrimal glands. In: *Diagnostic Surgical Pathology of the Head and Neck*, Gnepp DR, Saunders WB, eds., New York, pp. 408-429.
901. Gnepp DR, Brannon R (1984). Sebaceous neoplasms of salivary gland origin. Report of 21 cases. *Cancer* 53: 2155-2170.
902. Gnepp DR, Corio RL, Brannon RB (1986). Small cell carcinoma of the major salivary glands. *Cancer* 58: 705-714.
903. Gnepp DR, Henley J, Weiss S, Heffner D (1996). Desmoid fibromatosis of the sinonasal tract and nasopharynx. A clinicopathologic study of 25 cases. *Cancer* 78: 2572-2579.
904. Gnepp DR, Rader WR, Cramer SF, Cook LL, Sciubba J (1987). Accuracy of frozen section diagnosis of the salivary gland. *Otolaryngol Head Neck Surg* 96: 325-330.
905. Gnepp DR, Schroeder W, Heffner D (1989). Synchronous tumors arising in a single major salivary gland. *Cancer* 63: 1219-1224.
906. Gnepp DR, Vogler C, Sotelo-Avila C, Kielmitch IH (1990). Focal mucinosis of the upper aerodigestive tract in children. *Hum Pathol* 21: 856-858.
907. Gnepp DR, Wick MR (1990). Small cell carcinoma of the major salivary glands. An immunohistochemical study. *Cancer* 66: 185-192.
908. Go C, Schwartz MR, Donovan DT (2003). Molecular transformation of recurrent respiratory papillomatosis: viral typing and p53 overexpression. *Ann Otol Rhinol Laryngol* 112: 298-302.
909. Goedert JJ (2000). The epidemiology of acquired immunodeficiency syndrome malignancies. *Semin Oncol* 27: 390-401.
910. Goel MM, Agrawal SP, Srivastava AN (2003). Salivary duct carcinoma of the larynx: report of a rare case. *Ear Nose Throat J* 82: 371-373.
911. Gogas J, Markopoulos C, Karydakis V, Gogas G, Delladetsima J (1999). Carcinosarcoma of the submandibular salivary gland. *Eur J Surg Oncol* 25: 333-335.
912. Goldman JL, Lawson W, Zak FG, Roffman JD (1972). The presence of melanocytes in the human larynx. *Laryngoscope* 82: 824-835.
913. Goldman RL, Klein HZ (1972). Glycogen-rich adenoma of the parotid gland. An uncommon benign clear-cell tumor resembling certain clear-cell carcinomas of salivary origin. *Cancer* 30: 749-754.
914. Goldman RL, Perzik SL (1969). Infantile hemangioma of the parotid gland; a clinicopathological study of 15 cases. *Arch Otolaryngol* 90: 605-608.
915. Goldman RL, Weidner N (1993). Pure squamous cell carcinoma of the larynx with cervical nodal metastasis showing rhabdomyosarcomatous differentiation. Clinical, pathologic, and immunohistochemical study of a unique example of divergent differentiation. *Am J Surg Pathol* 17: 415-421.
916. Goldsmith DB, West TM, Morton R (2002). HLA associations with nasopharyngeal carcinoma in Southern Chinese: a meta-analysis. *Clin Otolaryngol* 27: 61-67.
917. Goldstein G, Parker FP, Hugh GS (1976). Ameloblastic sarcoma: pathogenesis and treatment with chemotherapy. *Cancer* 37: 1673-1678.
918. Golledge J, Fisher C, Rhys-Evans PH (1995). Head and neck liposarcoma. *Cancer* 76: 1051-1058.
919. Gollin SM, Storto PD, Malone PS, Barnes L, Washington JA, Chidambaram A, Janecka IP (1992). Cytogenetic abnormalities in an ossifying fibroma from a patient with bilateral retinoblastoma. *Genes Chromosomes Cancer* 4: 146-152.
920. Gomez-Roman JJ, Ojejo-Vinyals G, Sanchez-Velasco P, Nieto EH, Leyva-Cobian F, Val-Bernal JF (2000). Presence of human herpesvirus-8 DNA sequences and overexpression of human IL-6 and cyclin D1 in inflammatory myofibroblastic tumor (inflammatory pseudotumor). *Lab Invest* 80: 1121-1126.
921. Goode RK, Auclair PL, Ellis GL (1998). Mucoepidermoid carcinoma of the major salivary glands: clinical and histopathologic analysis of 234 cases with evaluation of grading criteria. *Cancer* 82: 1217-1224.
922. Goode RK, Corio RL (1988). Oncocytic adenocarcinoma of salivary glands. *Oral Surg Oral Med Oral Pathol* 65: 61-66.
923. Goodnight JW, Wang MB, Sercarz JA, Fu YS (1996). Extranodal Rosai-Dorfman disease of the head and neck. *Laryngoscope* 106: 253-256.
924. Goodstein ML, Eisele DW, Hyams VJ, Kashima HK (1990). Multiple synchronous granular cell tumors of the upper aerodigestive tract. *Otolaryngol Head Neck Surg* 103: 664-668.
925. Gordon A, McManus A, Anderson J, Fisher C, Abe S, Nojima T, Pritchard-Jones K, Shipley J (2003). Chromosomal imbalances in pleomorphic rhabdomyosarcomas and identification of the alveolar rhabdomyosarcoma-associated PAX3-FOXO1A fusion gene in one case. *Cancer Genet Cytogenet* 140: 73-77.
926. Gorenstein A, Neel HBI, Weiland LH, Devine KD (1980). Sarcomas of the larynx. *Arch Otolaryngol* 106: 8-12.
927. Gourgoulis V, Rassidakis G, Karameris A, Giatoromanolaki A, Barbatis C, Kittas C (1994). Expression of p53 protein in laryngeal squamous cell carcinoma and dysplasia: possible correlation with human papillomavirus infection and clinicopathological findings. *Virchows Arch* 425: 481-489.
928. Gourgoulis VG, Zacharatos P, Kotsinas A, Kyroudi A, Rassidakis AN, Ikonomopoulos JA, Barbatis C, Herrington CS, Kittas C (1999). Human papilloma virus (HPV) is possibly involved in laryngeal but not in lung carcinogenesis. *Hum Pathol* 30: 274-283.
929. Gorlin RJ (1995). Nevoid basal cell carcinoma syndrome. *Dermatol Clin* 13: 113-125.
930. Gorsky M, Epstein JB (1998). Melanoma arising from the mucosal surfaces of the head and neck. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86: 715-719.
931. Gorsky M, Raviv M, Taicher S (1993). Squamous cell carcinoma mimicking median rhomboid glossitis region: report of a case. *J Oral Maxillofac Surg* 51: 798-800.
932. Gotte K, Riedel F, Coy JF, Spahn V, Hormann K (2000). Salivary gland carcinomas: immunohistochemical, molecular genetic and electron microscopic findings. *Oral Oncol* 36: 360-364.
933. Graeme-Cook F, Pilch BZ (1992). Hamartomas of the nose and nasopharynx. *Head Neck* 14: 321-327.
934. Graham CT, Roberts AH, Padel AF (1998). Pleomorphic lipoma of the parotid gland. *J Laryngol Otol* 112: 202-203.
935. Graham S, Blanchet M, Rohrer T (1977). Cancer in asbestos-mining and other areas of Quebec. *J Natl Cancer Inst* 59: 1139-1145.
936. Granter SR, Badizadegan K, Fletcher CD (1998). Myofibromatosis in adults, glomangiopericytoma, and myopericytoma: a spectrum of tumors showing perivascular myoid differentiation. *Am J Surg Pathol* 22: 513-525.
937. Grattan CE, Gentle TA, Basu MK (1992). Oral papillary plasmacytosis resembling candidosis without demonstrable fungus in lesional tissue. *Clin Exp Dermatol* 17: 112-116.
938. Gravanis MB, Giansanti JS (1970). Malignant histopathologic counterpart of the benign lymphoepithelial lesion. *Cancer* 26: 1332-1342.
939. Gray MH, Rosenberg AE, Dickersin GR, Bhan AK (1990). Cytokeratin expression in epithelioid vascular neoplasms. *Hum Pathol* 21: 212-217.
940. Gray SR, Cornog J, Seo IS (1976). Oncocytic neoplasms of salivary glands: a report of fifteen cases including two malignant oncocytomas. *Cancer* 38: 1306-1317.
941. Graziadei PP (1973). Cell dynamics in the olfactory mucosa. *Tissue Cell* 5: 113-131.
942. Graziadei PP, Levine RR, Monti Graziadei GA (1979). Plasticity of connections of the olfactory sensory neuron: regeneration into the forebrain following bulbectomy in the neonatal mouse. *Neuroscience* 4: 713-727.
943. Greco F, De Palma L, Coletti V (1983). [A familial case of aneurysmal bone cyst]. *Arch Putti Chir Organi Mov* 33: 441-446.
944. Green GE, Bauman NM, Smith RJ (2000). Pathogenesis and treatment of juvenile onset recurrent respiratory papillomatosis. *Otolaryngol Clin North Am* 33: 187-207.



945. Green RS, Tunkel DE, Small D, Westra WH, Argani P (2000). Sialoblastoma: association with cutaneous hamartoma (organoid nevus)? *Pediatr Dev Pathol* 3: 504-505.
946. Greenberger JS, Crocker AC, Vawter G, Jaffe N, Cassady JR (1981). Results of treatment of 127 patients with systemic histiocytosis. *Medicine (Baltimore)* 60: 311-338.
947. Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG, Morrow M (2002). American Joint Committee on Cancer. Cancer Staging Manual. Springer: New York.
948. Grenevicki LF, Barker BF, Fiorella RM, Mosby EL (2001). Clear cell carcinoma of the palate. *Int J Oral Maxillofac Surg* 30: 452-454.
949. Griffin CA, Hawkins AL, Dvorak C, Henkle C, Ellingham T, Perlman EJ (1999). Recurrent involvement of 2p23 in inflammatory myofibroblastic tumors. *Cancer Res* 59: 2776-2780.
950. Grinspan R, Abulafia J (1979). Oral florid papillomatosis (verrucous carcinoma). *Int J Dermatol* 18: 608-622.
951. Grufferman S, Gillman MW, Pasternak LR, Peterson CL, Young WG Jr (1980). Familial carotid body tumors: case report and epidemiologic review. *Cancer* 46: 2116-2122.
952. Grulich AE, McCredie M, Coates M (1995). Cancer incidence in Asian migrants to New South Wales, Australia. *Br J Cancer* 71: 400-408.
953. Guarino M, Giordano F, Pallotti F, Ponzi S (1998). Solitary fibrous tumour of the submandibular gland. *Histopathology* 32: 571-573.
954. Guarino M, Tricomi P, Giordano F, Cristofori E (1996). Sarcomatoid carcinoma: pathological and histopathogenetic considerations. *Pathology* 28: 298-305.
955. Guarisco JL, Butcher RB (1990). Congenital cystic teratoma of the maxillary sinus. *Otolaryngol Head Neck Surg* 103: 1035-1038.
956. Guibaud L, Herbretreau D, Dubois J, Stempfle N, Berard J, Pracros JP, Merland JJ (1998). Aneurysmal bone cysts: percutaneous embolization with an alcoholic solution of zein—series of 18 cases. *Radiology* 208: 369-373.
957. Guild SR (1953). The glomus jugulare, a nonchromaffin paraganglion, in man. *Ann Otol Rhinol Laryngol* 62: 1045-1071.
958. Guillemot F, Lo LC, Johnson JE, Auerbach A, Anderson DJ, Joyner AL (1993). Mammalian achaete-scute homolog 1 is required for the early development of olfactory and autonomic neurons. *Cell* 75: 463-476.
959. Guillou L, Sahli R, Chaubert P, Monnier P, Cuttat JF, Costa J (1991). Squamous cell carcinoma of the lung in a nonsmoking, nonirradiated patient with juvenile laryngotracheal papillomatosis. Evidence of human papillomavirus-11 DNA in both carcinoma and papillomas. *Am J Surg Pathol* 15: 891-898.
960. Guimarães DS, Amaral AP, Prado LF, Nascimento AG (1989). Acinic cell carcinoma of salivary glands: 16 cases with clinicopathologic correlation. *J Oral Pathol Med* 18: 396-399.
961. Gulley ML, Amin MB, Nicholls JM, Banks PM, Ayala AG, Srigley JR, Eagan PA, Ro JY (1995). Epstein-Barr virus is detected in undifferentiated nasopharyngeal carcinoma but not in lymphoepithelioma-like carcinoma of the urinary bladder. *Hum Pathol* 26: 1207-1214.
962. Gulley ML, Sargeant KP, Grider DJ, Eagan PA, Davey DD, Damm DD, Robinson RA, Vandersteen DP, McGuff HS, Banks PM (1995). Lymphomas of the oral soft tissues are not preferentially associated with latent or replicative Epstein-Barr virus. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80: 425-431.
963. Gunn A, Parrott NR (1988). Parotid tumours: a review of parotid tumour surgery in the Northern Regional Health Authority of the United Kingdom 1978-1982. *Br J Surg* 75: 1144-1146.
964. Guo X, Lui WO, Qian CN, Chen JD, Gray SG, Rhodes D, Haab B, Stanbridge E, Wang H, Hong MH, Min HQ, Larsson C, Teh BT (2002). Identifying cancer-related genes in nasopharyngeal carcinoma cell lines using DNA and mRNA expression profiling analyses. *Int J Oncol* 21: 1197-1204.
965. Guo X, Min HQ, Zeng MS, Qian CN, Huang XM, Shao JY, Hou JH (1998). nm23-H1 expression in nasopharyngeal carcinoma: correlation with clinical outcome. *Int J Cancer* 79: 596-600.
966. Gupta DS, Gupta MK (1986). Odontoameloblastoma. *J Oral Maxillofac Surg* 44: 146-148.
967. Gupta M, Kaste SC, Hopkins KP (2002). Radiologic appearance of primary jaw lesions in children. *Pediatr Radiol* 32: 153-168.
968. Gupta PC, Mehta HC (2000). Cohort study of all-cause mortality among tobacco users in Mumbai, India. *Bull World Health Organ* 78: 877-883.
969. Gupta PC, Murti PR, Bhonsle RB (1996). Epidemiology of cancer by tobacco products and the significance of TSNA. *Crit Rev Toxicol* 26: 183-198.
970. Gussen R (1971). Meniere's disease: new temporal bone findings in two cases. *Laryngoscope* 81: 1695-1707.
971. Gustafsson H, Carlsoo B, Henriksson R (1985). Ultrastructural morphology and secretory behavior of acinic cell carcinoma. *Cancer* 55: 1706-1710.
972. Guzzo M, Andreola S, Sirizzotti G, Cantu G (2002). Mucoepidermoid carcinoma of the salivary glands: clinicopathologic review of 108 patients treated at the National Cancer Institute of Milan. *Ann Surg Oncol* 9: 688-695.
973. Habel G, O'Regan B, Eissing A, Khoury F, Donath K (1991). Intra-oral keratoacanthoma: an eruptive variant and review of the literature. *Br Dent J* 170: 336-339.
974. Haberman RS, Stanley DE (1989). Pleomorphic adenoma of the nasal septum. *Otolaryngol Head Neck Surg* 100: 610-612.
975. Hachisuga T, Hashimoto H, Enjoji M (1984). Angioleiomyoma. A clinicopathologic reappraisal of 562 cases. *Cancer* 54: 126-130.
976. Hadar T, Rahima M, Kahan E, Sidi J, Rakowsky E, Sarov B, Sarov I (1986). Significance of specific Epstein-Barr virus IgA and elevated IgG antibodies to viral capsid antigens in nasopharyngeal carcinoma patients. *J Med Virol* 20: 329-339.
977. Haddadin KJ, Soutar DS, Oliver RJ, Webster MH, Robertson AG, MacDonald DG (1999). Improved survival for patients with clinically T1/T2, N0 tongue tumors undergoing a prophylactic neck dissection. *Head Neck* 21: 517-525.
978. Hagen P, Lyons GD, Haindel C (1993). Verrucous carcinoma of the larynx: role of human papillomavirus, radiation, and surgery. *Laryngoscope* 103: 253-257.
979. Haghighat K, Kalmar JR, Mariotti AJ (2002). Squamous odontogenic tumor: diagnosis and management. *J Periodontol* 73: 653-656.
980. Hagiwara A, Inoue Y, Nakayama T, Yamato K, Nemoto Y, Shakudo M, Daikokuya H, Nakayama K, Yamada R (2001). The "botryoid sign": a characteristic feature of rhabdomyosarcomas in the head and neck. *Neuroradiology* 43: 331-335.
981. Hagiwara T, Yoshida H, Takeda Y (1995). Epithelial-myoepithelial carcinoma of a minor salivary gland of the palate. A case report. *Int J Oral Maxillofac Surg* 24: 160-161.
982. Hall-Jones J (1972). Giant cell tumour of the larynx. *J Laryngol Otol* 86: 371-381.
983. Halpin SF, Britton JA, Uttley D (1992). Giant cell tumour of the skull base: MRI appearances. Case report. *Neuroradiology* 34: 526-527.
984. Hamazaki S, Yoshida M, Yao M, Nagashima Y, Taguchi K, Nakashima H, Okada S (2001). Mutation of von Hippel-Lindau tumor suppressor gene in a sporadic endolymphatic sac tumor. *Hum Pathol* 32: 1272-1276.
985. Hamed G, Shmookler BM, Ellis GL, Punja U, Feldman D (1994). Oncocytic mucoepidermoid carcinoma of the parotid gland. *Arch Pathol Lab Med* 118: 313-314.
986. Hamilton-Dutoit SJ, Therkildsen MH, Neilsen NH, Jensen H, Hansen JP, Pallesen G (1991). Undifferentiated carcinoma of the salivary gland in Greenlandic Eskimos: demonstration of Epstein-Barr virus DNA by in situ nucleic acid hybridization. *Hum Pathol* 22: 811-815.
987. Hamilton AE, Rubinstein LJ, Poole GJ (1973). Primary intracranial esthesioneuroblastoma, (olfactory neuroblastoma). *J Neurosurg* 38: 548-556.
988. Hammar M, Hammond HL, Kurago ZB, Frank JA (1998). Chondromyxoid fibroma of the jaws. Case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85: 293-300.
989. Hammar SP (1995). Common Neoplasms in Pulmonary Pathology - Tumors. Springer-Verlag: New York.
990. Hamner JEI (1969). The demonstration of perivascular collagen deposition in cherubism. *Oral Surg Oral Med Oral Pathol* 27: 129-141.
991. Hamoir M, Plouin-Gaudon I, Rombaux P, Francois G, Cornu AS, Desuter G, Clapuyt P, Debauche C, Verellen G, Beguin C (2001). Lymphatic malformations of the head and neck: a retrospective review and a support for staging. *Head Neck* 23: 326-337.
992. Hamper K, Brugmann M, Koppermann R, Caselitz J, Arps H, Askensten U, Auer G, Seifert G (1989). Epithelial-myoepithelial duct carcinoma of salivary glands: a follow-up and cytophotometric study of 21 cases. *J Oral Pathol Med* 18: 299-304.
993. Hamper K, Lazar F, Dietel M, Caselitz J, Berger J, Arps H, Falkmer U, Auer G, Seifert G (1990). Prognostic factors for adenoid cystic carcinoma of the head and neck: a retrospective evaluation of 96 cases. *J Oral Pathol Med* 19: 101-107.
994. Hamper K, Mausch HE, Caselitz J, Arps H, Berger J, Askensten U, Auer G, Seifert G (1990). Acinic cell carcinoma of the salivary glands: the prognostic relevance of DNA cytophotometry in a retrospective study of long duration (1965-1987). *Oral Surg Oral Med Oral Pathol* 69: 68-75.
995. Hamper K, Schmitz-Watjen W, Mausch HE, Caselitz J, Seifert G (1989). Multiple expression of tissue markers in mucoepidermoid carcinomas and acinic cell carcinomas of the salivary glands. *Virchows Arch A Pathol Anat Histopathol* 414: 407-413.
996. Hanada T, Moriyama I, Fukami K (1988). Acinic cell carcinoma originating in the nasal cavity. *Arch Otorhinolaryngol* 245: 344-347.
997. Hanau CA, Miettinen M (1995). Solitary fibrous tumor: histological and immunohistochemical spectrum of benign and malignant variants presenting at different sites. *Hum Pathol* 26: 440-449.
998. Handler SD, Ward PH (1979). Oncocytoma of the maxillary sinus. *Laryngoscope* 89: 372-376.
999. Handlers JP, Abrams AM, Melrose RJ, Danforth R (1991). Central odontogenic fibroma: clinicopathologic features of 19 cases and review of the literature. *J Oral Maxillofac Surg* 49: 46-54.
1000. Hanji D, Gohao L (1983). Malignant lymphoepithelial lesions of the salivary glands with anaplastic carcinomatous change. Report of nine cases and review of literature. *Cancer* 52: 2245-2252.
1001. Hanji D, Shujing S, Shuwei H, Gohao L (1983). The cytological diagnosis of nasopharyngeal carcinoma from exfoliated cells collected by suction method. An eight-year experience. *J Laryngol Otol* 97: 727-734.
1002. Hannon TS, Noonan K, Steinmetz R, Eugster EA, Levine MA, Pescovitz OH (2003). Is McCune-Albright syndrome overlooked in subjects with fibrous dysplasia of bone? *J Pediatr* 142: 532-538.
1003. Hansen LA, Prakash UB, Colby TV (1989). Pulmonary lymphoma in Sjogren's syndrome. *Mayo Clin Proc* 64: 920-931.
1004. Hansen LS, Eversole LR, Green TL, Powell NB (1985). Clear cell odontogenic tumor—a new histologic variant with aggressive potential. *Head Neck Surg* 8: 115-123.
1005. Hansen LS, Olson JA, Silverman SJ (1985). Proliferative verrucous leukoplakia. A long-term study of thirty patients. *Oral Surg Oral Med Oral Pathol* 60: 285-298.
1006. Hansen LS, Sapone J, Sproat RC (1974). Traumatic bone cysts of jaws. *Oral Surg Oral Med Oral Pathol* 37: 899-910.
1007. Har-El G, Zirkin HY, Tovi F, Sidi J (1985). Congenital pleomorphic adenoma of the nasopharynx (report of a case). *J Laryngol Otol* 99: 1281-1287.
1008. Hara H, Oyama T, Omori K, Misawa T, Kasai H, Kimura M, Ishii E, Inoue T, Takaso K, Suda K (1999). Fine needle aspiration cytology of an intraductal papilloma originating in a sublingual gland. A case report. *Acta Cytol* 43: 457-463.
1009. Harabuchi Y, Tsubota H, Ohguro S, Himi T, Asakura K, Kataura A, Ohuchi A, Hareyama M (1997). Prognostic factors and treatment outcome in non-Hodgkin's lymphoma of Waldeyer's ring. *Acta Oncol* 36: 413-420.
1010. Harada H (2000). Histomorphological investigation regarding to malignant transformation of pleomorphic adenoma (so-called malignant mixed tumor) of the salivary gland origin: special reference to carcinosarcoma. *Kurume Med J* 47: 307-323.
1011. Harada H, Kashiwagi SI, Fujiura H, Kusukawa J, Morimatsu M (1996). Epithelial-myoepithelial carcinoma—report of a case arising in the nasal cavity. *J Laryngol Otol* 110: 397-400.
1012. Haraf DJ, Nodzinski E, Brachman D, Mick R, Montag A, Graves D, Vokes EE,

- Weichselbaum RR (1996). Human papilloma virus and p53 in head and neck cancer: clinical correlates and survival. *Clin Cancer Res* 2: 755-762.
- 1013.** Harbo G, Grau C, Bundgaard T, Overgaard M, Elbrond O, Sogaard H, Overgaard J (1997). Cancer of the nasal cavity and paranasal sinuses. A clinicopathological study of 277 patients. *Acta Oncol* 36: 45-50.
- 1014.** Harris AM, van Wyk CW (1993). Heck's disease (focal epithelial hyperplasia): a longitudinal study. *Community Dent Oral Epidemiol* 21: 82-85.
- 1015.** Harris M (1993). Central giant cell granulomas of the jaws regress with calcitonin therapy. *Br J Oral Maxillofac Surg* 31: 89-94.
- 1016.** Harris MD, McKeever P, Robertson JM (1990). Congenital tumours of the salivary gland: a case report and review. *Histopathology* 17: 155-157.
- 1017.** Harris NL (1999). Lymphoid proliferations of the salivary glands. *Am J Clin Pathol* 111: S94-103.
- 1018.** Harris WH, Dudley HR, Barry RJ (1962). The natural history of fibrous dysplasia. *J Bone Joint Surg AM* 44: 207-233.
- 1019.** Harrison MG, O'Neill ID, Chadwick BL (1997). Odontogenic myxoma in an adolescent with tuberous sclerosis. *J Oral Pathol Med* 26: 339-341.
- 1020.** Hartman E (1960). Chemodectoma larynx. *Acta Otolaryngol* 51: 528-532.
- 1021.** Hartman KS (1980). Histiocytosis X: a review of 114 cases with oral involvement. *Oral Surg Oral Med Oral Pathol* 49: 38-54.
- 1022.** Hartwell LH, Kastan MB (1994). Cell cycle control and cancer. *Science* 266: 1821-1828.
- 1023.** Hasegawa SL, Mentzel T, Fletcher CD (1997). Schwannomas of the sinonasal tract and nasopharynx. *Mod Pathol* 10: 777-784.
- 1024.** Hashimoto M, Izumi J, Sakuma I, Iwama T, Watarai J (1998). Chondromyxoid fibroma of the ethmoid sinus. *Neuroradiology* 40: 577-579.
- 1025.** Hashimoto N, Kurihara K, Yamasaki H, Ohba S, Sakai H, Yoshida S (1987). Pathological characteristics of metastatic carcinoma in the human mandible. *J Oral Pathol* 16: 362-367.
- 1026.** Hassard AD, Boudreau SF, Cron CC (1984). Adenoma of the endolymphatic sac. *J Otolaryngol* 13: 213-216.
- 1027.** Haughey BH, Gates GA, Arfken CL, Harvey J (1992). Meta-analysis of second malignant tumors in head and neck cancer: the case for an endoscopic screening protocol. *Ann Otol Rhinol Laryngol* 101: 105-112.
- 1028.** Hayashi K, Ohtsuki Y, Sonobe H, Takahashi K, Iwata J, Nishioka E, Kawakami T (1988). Glycogen-rich clear cell carcinoma arising from minor salivary glands of the uvula. A case report. *Acta Pathol Jpn* 38: 1227-1234.
- 1029.** Hayashi N, Iwata J, Masaoka N, Ueno H, Ohtsuki Y, Moriki T (1997). Ameloblastoma of the mandible metastasizing to the orbit with malignant transformation. A histopathological and immunohistochemical study. *Virchows Arch* 430: 501-507.
- 1030.** Hayashi Y, Nagamine S, Yanagawa T, Yoshida H, Yura Y, Azuma M, Sato M (1987). Small cell undifferentiated carcinoma of the minor salivary gland containing exocrine, neuroendocrine, and squamous cells. *Cancer* 60: 1583-1588.
- 1031.** Hayashi Y, Nishida T, Yoshida H, Yanagawa T, Yura Y, Sato M (1987). Immunoreactive vasoactive intestinal polypeptide in acinic cell carcinoma of the parotid gland. *Cancer* 60: 962-968.
- 1032.** Hazarika P, Nayak RG, Balasundaram V (1985). Primary malignant fibrous histiocytoma of ethmoid sinus. *Indian J Cancer* 22: 76-84.
- 1033.** Headington JT, Batsakis JG, Beals TF, Campbell TE, Simmons JL, Stone WD (1977). Membranous basal cell adenoma of parotid gland, dermal cylindromas, and trichoepitheliomas. Comparative histochemistry and ultrastructure. *Cancer* 39: 2460-2469.
- 1034.** Heath D, Smith P (1985). The Pathology of the Carotid Body and Sinus. Edward Arnold: Baltimore.
- 1035.** Hedberg K, Vaughan TL, White E, Davis S, Thomas DB (1994). Alcoholism and cancer of the larynx: a case-control study in western Washington (United States). *Cancer Causes Control* 5: 3-8.
- 1036.** Heffner DK (1983). Problems in pediatric otorhinolaryngic pathology. I. Sinonasal and nasopharyngeal tumors and masses with myxoid features. *Int J Pediatr Otorhinolaryngol* 5: 77-91.
- 1037.** Heffner DK (1983). Problems in pediatric otorhinolaryngic pathology. II. Vascular tumors and lesions of the sinonasal tract and nasopharynx. *Int J Pediatr Otorhinolaryngol* 5: 125-138.
- 1038.** Heffner DK (1989). Low-grade adenocarcinoma of probable endolymphatic sac origin A clinicopathologic study of 20 cases. *Cancer* 64: 2292-2302.
- 1039.** Heffner DK (1991). Sinonasal and laryngeal salivary gland lesions. In: *Surgical Pathology of the Salivary Glands*, Ellis GL, Auclair PL, Gnepp DR, eds., WB Saunders: Philadelphia, pp. 544-559.
- 1040.** Heffner DK (2001). Diseases of the trachea. In: *Surgical Pathology of the Head and Neck*, Barnes L, ed., 2nd ed. Marcel Dekker: New York, pp. 602-631.
- 1041.** Heffner DK, Gnepp DR (1992). Sinonasal fibrosarcomas, malignant schwannomas, and "Triton" tumors. A clinicopathologic study of 67 cases. *Cancer* 70: 1089-1101.
- 1042.** Heffner DK, Hyams VJ (1984). Teratocarcinosarcoma (malignant teratoma?) of the nasal cavity and paranasal sinuses A clinicopathologic study of 20 cases. *Cancer* 53: 2140-2154.
- 1043.** Heffner DK, Hyams VJ (1986). Cystic chondromalacia (endochondral pseudocyst) of the auricle. *Arch Pathol Lab Med* 110: 740-743.
- 1044.** Heffner DK, Hyams VJ, Hauck KW, Lingeman C (1982). Low-grade adenocarcinoma of the nasal cavity and paranasal sinuses. *Cancer* 50: 312-322.
- 1045.** Heffner DK, Thompson LD, Schall DG, Anderson V (1996). Pharyngeal dermoids ("hairy polyps") as accessory auricles. *Ann Otol Rhinol Laryngol* 105: 819-824.
- 1046.** Hegarty DJ, Hopper C, Speight PM (1994). Inverted ductal papilloma of minor salivary glands. *J Oral Pathol Med* 23: 334-336.
- 1047.** Heikinheimo K, Jee KJ, Morgan PR, Nagy B, Happonen RP, Knuutila S, Leivo I (2004). Gene expression profiling of odontogenic keratocyst. *J Oral Pathol Med* 33: 462.
- 1048.** Heikinheimo K, Jee KJ, Niini T, Aalto Y, Happonen RP, Leivo I, Knuutila S (2002). Gene expression profiling of ameloblastoma and human tooth germ by means of a cDNA microarray. *J Dent Res* 81: 525-530.
- 1049.** Heikinheimo KA, Laine MA, Ritvos OV, Voutilainen RJ, Hogan BL, Leivo IV, Heikinheimo AK (1999). Bone morphogenetic protein-6 is a marker of serous acinar cell differentiation in normal and neoplastic human salivary gland. *Cancer Res* 59: 5815-5821.
- 1050.** Heinrich MC, Harris AE, Bell WR (1985). Metastatic intravagal paraganglioma. Case report and review of the literature. *Am J Med* 78: 1017-1024.
- 1051.** Heitzmann A, Jan M, Lecomte P, Ruchoux MM, Lhuintre Y, Tillet Y (1989). Ectopic prolactinoma within the sphenoid sinus. *Neurosurgery* 24: 279-282.
- 1052.** Helliwell TR (2001). Molecular markers of metastasis in squamous carcinomas. *J Pathol* 194: 289-293.
- 1053.** Helliwell TR (2003). acp Best Practice No 169. Evidence based pathology: squamous carcinoma of the hypopharynx. *J Clin Pathol* 56: 81-85.
- 1054.** Hellquist H, Cardesa A, Gale N, Kambic V, Michaels L (1999). Criteria for grading in the Ljubljana classification of epithelial hyperplastic laryngeal lesions. A study by members of the Working Group on Epithelial Hyperplastic Laryngeal Lesions of the European Society of Pathology. *Histopathology* 34: 226-233.
- 1055.** Hellquist H, Lundgren J, Olofsson J (1982). Hyperplasia, keratosis, dysplasia and carcinoma in situ of the vocal cords—a follow-up study. *Clin Otolaryngol* 7: 11-27.
- 1056.** Hellquist H, Olofsson J (1989). Spindle cell carcinoma of the larynx. *APMIS* 97: 1103-1113.
- 1057.** Hellquist HB, Hellqvist H, Vejlens L, Lindholm CE (1994). Epithelioid leiomyoma of the larynx. *Histopathology* 24: 155-159.
- 1058.** Hellquist HB, Karlsson MG, Nilsson C (1994). Salivary duct carcinoma—a highly aggressive salivary gland tumour with overexpression of c-erbB-2. *J Pathol* 172: 35-44.
- 1059.** Hellquist HB, Lundgren J (1991). Neurogenic sarcoma of the sinonasal tract. *J Laryngol Otol* 105: 186-190.
- 1060.** Hellquist HB, Sundelin K, Di Bacco A, Tylor M, Manzotti M, Viale G (1997). Tumour growth fraction and apoptosis in salivary gland acinic cell carcinomas. Prognostic implications of Ki-67 and bcl-2 expression and of in situ end labelling (TUNEL). *J Pathol* 181: 323-329.
- 1061.** Heng DM, Wee J, Fong KW, Lian LG, Sethi VK, Chua ET, Yang TL, Khoo Tan HS, Lee KS, Lee KM, Tan T, Chua EJ (1999). Prognostic factors in 677 patients in Singapore with nondisseminated nasopharyngeal carcinoma. *Cancer* 86: 1912-1920.
- 1062.** Henick DH, Feghali JG (1994). Bilateral cholesterol granuloma: an unusual presentation as an intradural mass. *J Otolaryngol* 23: 15-18.
- 1063.** Henley JD, Geary WA, Jackson CL, Wu CD, Gnepp DR (1997). Dedifferentiated acinic cell carcinoma of the parotid gland: a distinct rarely described entity. *Hum Pathol* 28: 869-873.
- 1064.** Henley JD, Seo IS, Dayan D, Gnepp DR (2000). Sarcomatoid salivary duct carcinoma of the parotid gland. *Hum Pathol* 31: 208-213.
- 1065.** Henriksson G, Westrin KM, Carlsson B, Silfversward C (1998). Recurrent primary pleomorphic adenomas of salivary gland origin: intrasurgical rupture, histopathologic features, and pseudopodia. *Cancer* 82: 617-620.
- 1066.** Henry K (1992). Langerhans cell histiocytosis (Histiocytosis X). In: *Thymus, Lymph Nodes, Spleen and Lymphatics*, Henry K, Symmers WS, eds., Churchill Livingstone: Edinburgh, pp. 297-308.
- 1067.** Henry K (1992). Mast cells in lymph node medulla. In: *Thymus, Lymph Nodes, Spleen and Lymphatics*, Henry K, Symmers WS, eds., Churchill Livingstone: Edinburgh, pp. 154-155.
- 1068.** Henry K (1992). Origin of follicular dendritic cells. In: *Thymus, Lymph Nodes, Spleen and Lymphatics*, Henry K, Symmers WS, eds., Churchill Livingstone: Edinburgh, pp. 156-157.
- 1069.** Henry K (1997). Lymphoid tissue self assessment. *Current Diag Pathol* 4: 181-185.
- 1070.** Herait P, Ganem G, Lipinski M, Carlu C, Micheau C, Schwaab G, de The G, Tursz T (1987). Lymphocyte subsets in tumour of patients with undifferentiated nasopharyngeal carcinoma: presence of lymphocytes with the phenotype of activated T cells. *Br J Cancer* 55: 135-139.
- 1071.** Herait P, Tursz T, Guillard MY, Hanna K, Lipinski M, Micheau C, Sancho-Garnier H, Schwaab G, Cachin Y, Degos L, de The G (1983). HLA-A, -B, and -DR antigens in North African patients with nasopharyngeal carcinoma. *Tissue Antigens* 22: 335-341.
- 1072.** Herens C, Thiry A, Dresse MF, Born J, Flagothier C, Vanstraelen G, Allington N, Bex V (2001). Translocation (16;17)(q22;p13) is a recurrent anomaly of aneurysmal bone cysts. *Cancer Genet Cytogenet* 127: 83-84.
- 1073.** Hermanek P, Hutter RV, Sobin LH, Wittekind C (1999). International Union Against Cancer. Classification of isolated tumor cells and micrometastasis. *Cancer* 86: 2668-2673.
- 1074.** Hermsen M, Guervos MA, Meijer G, Baak J, van Diest P, Marcos CA, Sampedro A (2001). New chromosomal regions with high-level amplifications in squamous cell carcinomas of the larynx and pharynx, identified by comparative genomic hybridization. *J Pathol* 194: 177-182.
- 1075.** Hernandez G, Sanchez G, Caballero T, Moskow BS (1992). A rare case of a multicentric peripheral ameloblastoma of the gingiva. A light and electron microscopic study. *J Clin Periodontol* 19: 281-287.
- 1076.** Hernberg S, Westerholm P, Schultz-Larsen K, Degerth R, Kuosma E, Englund A, Engzell U, Hansen HS, Mutanen P (1983). Nasal and sinonasal cancer. Connection with occupational exposures in Denmark, Finland and Sweden. *Scand J Work Environ Health* 9: 315-326.
- 1077.** Herrero R, Castellsagué X, Pawlita M, Lissowska J, Kee F, Balaram P, Rajkumar T, Sridhar H, Rose B, Pintos J, Fernandez L, Idris A, Sanchez MJ, Nieto A, Talamini R, Tavani A, Snijders PJF, Meijer CJLM, Viscidi R, Muñoz N, International Agency for Research on Cancer (IARC) Multicentric Cervical Cancer Study Group (2003). The viral etiology of oral cancer: evidence from the IARC multi-centric study. *J Natl Cancer Inst* 47-51.
- 1078.** Herrold KM (1964). Induction of olfactory neuroepithelial tumors in Syrian hamsters by diethylnitrosamine. *Cancer* 17: 114-121.
- 1079.** Hertenstein JC (1986). Pathologic quiz case 1. Acantholytic squamous cell carcinoma. *Arch Otolaryngol Head Neck Surg* 112: 780-782.
- 1080.** Heutink P, van der Mey AG, Sandkuij LA, van Gils AP, Bardool A, Breedveld GJ, van Vliet M, van Ommen GJ,

- Cornelisse CJ, Oostra BA (1992). A gene subject to genomic imprinting and responsible for hereditary paragangliomas maps to chromosome 11q23-qter. *Hum Mol Genet* 1: 7-10.
- 1081.** Hew WS, Carey FA, Kernohan NM, Heppleston AD, Jackson R, Jarrett RF (2002). Primary T cell lymphoma of salivary gland: a report of a case and review of the literature. *J Clin Pathol* 55: 61-63.
- 1082.** Hewan-Lowe K, Dardick I (1995). Ultrastructural distinction of basaloid-squamous carcinoma and adenoid cystic carcinoma. *Ultrastruct Pathol* 19: 371-381.
- 1083.** Hickman RE, Cawson RA, Duffy SW (1984). The prognosis of specific types of salivary gland tumors. *Cancer* 54: 1620-1624.
- 1084.** Hicks J, Flaitz C (2002). Rhabdomyosarcoma of the head and neck in children. *Oral Oncol* 38: 450-459.
- 1085.** Hicks MJ, Flaitz CM (2000). Oral mucosal melanoma: epidemiology and pathobiology. *Oral Oncol* 36: 152-169.
- 1086.** Hicks MJ, Flaitz CM, Wong ME, McDaniel RK, Cagle PT (1994). Clear cell variant of calcifying epithelial odontogenic tumor: case report and review of the literature. *Head Neck* 16: 272-277.
- 1087.** Hildesheim A, Schaefer O (1984). The changing picture of neoplastic disease in the western and central Canadian Arctic (1950-1980). *Can Med Assoc J* 130: 25-32.
- 1088.** Hildesheim A, Anderson LM, Chen CJ, Cheng YJ, Brinton LA, Daly AK, Reed CD, Chen IH, Caporaso NE, Hsu MM, Chen JY, Idle JR, Hoover RN, Yang CS, Chhabra SK (1997). CYP2E1 genetic polymorphisms and risk of nasopharyngeal carcinoma in Taiwan. *J Natl Cancer Inst* 89: 1207-1212.
- 1089.** Hildesheim A, Apple RJ, Chen CJ, Wang SS, Cheng YJ, Klitz W, Mack SJ, Chen IH, Hsu MM, Yang CS, Brinton LA, Levine PH, Erlich HA (2002). Association of HLA class I and II alleles and extended haplotypes with nasopharyngeal carcinoma in Taiwan. *J Natl Cancer Inst* 94: 1780-1789.
- 1090.** Hildesheim A, Dosemeci M, Chan CC, Chen CJ, Cheng YJ, Hsu MM, Chen IH, Mittl BF, Sun B, Levine PH, Chen JY, Brinton LA, Yang CS (2001). Occupational exposure to wood, formaldehyde, and solvents and risk of nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev* 10: 1145-1153.
- 1091.** Hillstrom RP, Zarbo RJ, Jacobs JR (1990). Nerve sheath tumors of the paranasal sinuses: electron microscopy and histopathologic diagnosis. *Otolaryngol Head Neck Surg* 102: 257-263.
- 1092.** Hinni ML (2000). Giant cell tumor of the larynx. *Ann Otol Rhinol Laryngol* 109: 63-66.
- 1093.** Hinni ML, Beatty CW (1996). Salivary gland choristoma of the middle ear: report of a case and review of the literature. *Ear Nose Throat J* 75: 422-424.
- 1094.** Hirabayashi H, Koshii K, Uno K, Ohgaki H, Nakasone Y, Fujisawa T, Syouno N, Hinohara T, Hirabayashi K (1991). Extracapsular spread of squamous cell carcinoma in neck lymph nodes: prognostic factor of laryngeal cancer. *Laryngoscope* 101: 502-506.
- 1095.** Hirao M, Gushiken T, Imokawa H, Kawai S, Inaba H, Tsukuda M (2001). Solitary neurofibroma of the nasal cavity: resection with endoscopic surgery. *J Laryngol Otol* 115: 1012-1014.
- 1096.** Hirose T, Scheithauer BW, Lopes MB, Gerber HA, Altermatt HJ, Harner SG, Vandenberg SR (1995). Olfactory neuroblastoma. An immunohistochemical, ultrastructural, and flow cytometric study. *Cancer* 76: 4-19.
- 1097.** Hirsch MS, Faquin WC, Krane JF (2004). Thyroid transcription factor-1, but not p53, is helpful in distinguishing moderately differentiated neuroendocrine carcinoma of the larynx from medullary carcinoma of the thyroid. *Mod Pathol* 17: 631-636.
- 1098.** Hirshberg A, Buchner A (1995). Metastatic tumours to the oral region. An overview. *Eur J Cancer B Oral Oncol* 31B: 355-360.
- 1099.** Hirshberg A, Kaplan I, Buchner A (1994). Calcifying odontogenic cyst associated with odontoma: a possible separate entity (odontocalcifying odontogenic cyst). *J Oral Maxillofac Surg* 52: 555-558.
- 1100.** Hirshberg A, Leibovich P, Buchner A (1993). Metastases to the oral mucosa: analysis of 157 cases. *J Oral Pathol Med* 22: 385-390.
- 1101.** Hirshberg A, Leibovich P, Horowitz I, Buchner A (1993). Metastatic tumors to postextraction sites. *J Oral Maxillofac Surg* 51: 1334-1337.
- 1102.** Hirunsatit R, Kongrutnanchok N, Shotelersuk K, Supiyaphun P, Voravud N, Sakuntabhai A, Mutirangura A (2003). Polymorphic immunoglobulin receptor polymorphisms and risk of nasopharyngeal cancer. *BMC Genet* 4: 3.
- 1103.** Hirvikoski P, Kumpulainen E, Virtaniemi J, Johansson R, Haapasalo H, Marin S, Halonen P, Helin H, Raitiola H, Pukander J, Kellokumpu-Lehtinen P, Kosma VM (1997). p53 expression and cell proliferation as prognostic factors in laryngeal squamous cell carcinoma. *J Clin Oncol* 15: 3111-3120.
- 1104.** Hisatomi M, Asaumi JI, Konouchi H, Honda Y, Wakasa T, Kishi K (2002). A case of complex odontoma associated with an impacted lower deciduous second molar and analysis of the 107 odontomas. *Oral Dis* 8: 100-105.
- 1105.** Hitomi G, Nishide N, Mitsui K (1996). Cherubism: diagnostic imaging and review of the literature in Japan. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 623-628.
- 1106.** Hiyama T, Sato T, Yoshino K, Tsukuma H, Hanai A, Fujimoto I (1992). Second primary cancer following laryngeal cancer with special reference to smoking habits. *Jpn J Cancer Res* 83: 334-339.
- 1107.** Ho FC, Srivastava G, Loke SL, Fu KH, Leung BP, Liang R, Choy D (1990). Presence of Epstein-Barr virus DNA in nasal lymphomas of B and T cell type. *Hematol Oncol* 8: 271-281.
- 1108.** Ho JH (1971). Genetic and environmental factors in nasopharyngeal carcinoma. In: *Recent Advances in Human Tumor Virology and Immunology: Proceedings of the First International Cancer Symposium of the Princess Takamatsu Cancer Research Fund*, Nakahara W, Hirayama T, Ito Y, eds., University of Tokyo Press: Tokyo.
- 1109.** Ho KL (1980). Primary meningioma of the nasal cavity and paranasal sinuses. *Cancer* 46: 1442-1447.
- 1110.** Hoang MP, Callender DL, Sola Gallego JJ, Huang Z, Sneige N, Luna MA, Batsakis JG, El Naggar AK (2001). Molecular and biomarker analyses of salivary duct carcinomas: comparison with mammary duct carcinoma. *Int J Oncol* 19: 865-871.
- 1111.** Hoffman DA, McConahey WM, Fraumeni JF Jr, Kurland LT (1982). Cancer incidence following treatment of hyperthyroidism. *Int J Epidemiol* 11: 218-224.
- 1112.** Hoffman HT, Karnell LH, Robinson RA, Pinkston JA, Menck HR (1999). National Cancer Data Base report on cancer of the head and neck: acinic cell carcinoma. *Head Neck* 21: 297-309.
- 1113.** Hoog RP, Aysford C, Watkinson JC (1999). Parotid duct carcinoma arising in bilateral chronic sialadenitis. *J Laryngol Otol* 113: 686-688.
- 1114.** Holland RS, Abaza N, Balsara G, Lesser R (1998). Granular cell tumor of the larynx in a six-year-old child: case report and review of the literature. *Ear Nose Throat J* 77: 652-4, 656, 658.
- 1115.** Hollstein M, Sidransky D, Vogelstein B, Harris CC (1991). p53 mutations in human cancers. *Science* 253: 49-53.
- 1116.** Holman RL (1956). Rhabdomyosarcoma of the middle-ear region; report of a case. *J Laryngol Otol* 7: 415-419.
- 1117.** Holst VA, Marshall CE, Moskaluk CA, Frierson HF Jr (1999). KIT protein expression and analysis of c-kit gene mutation in adenoid cystic carcinoma. *Mod Pathol* 12: 956-960.
- 1118.** Honda K, Kashima K, Daa T, Yokoyama S, Nakayama I (2000). Clonal analysis of the epithelial component of Warthin's tumor. *Hum Pathol* 31: 1377-1380.
- 1119.** Hong MH, Mai HQ, Min HQ, Ma J, Zhang EP, Cui NJ (2000). A comparison of the Chinese 1992 and fifth-edition International Union Against Cancer staging systems for staging nasopharyngeal carcinoma. *Cancer* 89: 242-247.
- 1120.** Hong SM, Park YK, Ro JY (1999). Chondroblastoma of the temporal bone: a clinicopathologic study of five cases. *J Korean Med Sci* 14: 559-564.
- 1121.** Hong SP, Ellis GL, Hartman KS (1991). Calcifying odontogenic cyst. A review of ninety-two cases with reevaluation of their nature as cysts or neoplasms, the nature of ghost cells, and subclassification. *Oral Surg Oral Med Oral Pathol* 72: 56-64.
- 1122.** Hoppe RT, Williams J, Warnke R, Goffinet DR, Bagshaw MA (1978). Carcinoma of the nasopharynx—the significance of histology. *Int J Radiat Oncol Biol Phys* 4: 199-205.
- 1123.** Hordijk GJ, Ruiter DJ, Bosman FT, Mauw BJ (1981). Chemodectoma (paraganglioma) of the larynx. *Clin Otolaryngol* 6: 249-254.
- 1124.** Hording U, Nielsen HW, Albeck H, Daugaard S (1993). Nasopharyngeal carcinoma: histopathological types and association with Epstein-Barr Virus. *Eur J Cancer B Oral Oncol* 29B: 137-139.
- 1125.** Hording U, Nielsen HW, Daugaard S, Albeck H (1994). Human papillomavirus types 11 and 16 detected in nasopharyngeal carcinomas by the polymerase chain reaction. *Laryngoscope* 104: 99-102.
- 1126.** Horinouchi H, Ishihara T, Kawamura M, Kato R, Kikuchi K, Kobayashi K, Maenaka Y, Torikata C (1993). Epithelial myoepithelial tumour of the tracheal gland. *J Clin Pathol* 46: 185-187.
- 1127.** Horn-Ross PL, Ljung BM, Morrow M (1997). Environmental factors and the risk of salivary gland cancer. *Epidemiology* 8: 414-419.
- 1128.** Horn-Ross PL, Morrow M, Ljung BM (1997). Diet and the risk of salivary gland cancer. *Am J Epidemiol* 146: 171-176.
- 1129.** Hornigold R, Morgan PR, Pearce A, Gleeson MJ (2005). Congenital sialolipoma of the parotid gland first reported case and review of the literature. *Int J Pediatr Otorhinolaryngol* 69: 429-434.
- 1130.** Horsman DE, Berean K, Durham JS (1995). Translocation (11;19)(q21;p13.1) in mucoepidermoid carcinoma of salivary gland. *Cancer Genet Cytogenet* 80: 165-166.
- 1131.** Hosaka N, Kitajiri S, Hiraumi H, Nogaki H, Toki J, Yang G, Hisha H, Ikehara S (2002). Ectopic pituitary adenoma with malignant transformation. *Am J Surg Pathol* 26: 1078-1082.
- 1132.** Housholder MS, Zeligman I (1980). Sebaceous neoplasms associated with visceral carcinomas. *Arch Dermatol* 116: 61-64.
- 1133.** Houston GD, Fowler CB (1997). Extrasosseous calcifying epithelial odontogenic tumor: report of two cases and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 83: 577-583.
- 1134.** Hoving EW (2000). Nasal encephaloceles. *Childs Nerv Syst* 16: 702-706.
- 1135.** Howell RM, Burkes EJJr (1977). Malignant transformation of ameloblastic fibro-odontoma to ameloblastic fibrosarcoma. *Oral Surg Oral Med Oral Pathol* 43: 391-401.
- 1136.** Hrynchak M, White V, Berean K, Horsman D (1994). Cytogenetic findings in seven lacrimal gland neoplasms. *Cancer Genet Cytogenet* 75: 133-138.
- 1137.** Hsiao JR, Jin YT, Tsai ST (1998). EBER1 in situ hybridization as an adjunct for diagnosis of recurrent nasopharyngeal carcinoma. *Anticancer Res* 18: 4585-4589.
- 1138.** Hsu DW, Efirid JT, Hedley-Whyte ET (1997). Progesterone and estrogen receptors in meningiomas: prognostic considerations. *J Neurosurg* 86: 113-120.
- 1139.** Hsu DW, Pardo FS, Efirid JT, Linggood RM, Hedley-Whyte ET (1994). Prognostic significance of proliferative index in meningiomas. *J Neuropathol Exp Neurol* 53: 247-255.
- 1140.** Hsueh C, Hsueh S, Gonzalez-Crussi F, Lee T, Su J (2001). Nasal chondromesenchymal hamartoma in children: report of 2 cases with review of the literature. *Arch Pathol Lab Med* 125: 400-403.
- 1141.** Huang DP, Ho JH, Chan WK, Lau WH, Lui M (1989). Cytogenetics of undifferentiated nasopharyngeal carcinoma xenografts from southern Chinese. *Int J Cancer* 43: 936-939.
- 1142.** Huang DP, Ho JH, Saw D, Teoh TB (1978). Carcinoma of the nasal and paranasal regions in rats fed Cantonese salted marine fish. *IARC Sci Publ* 315-328.
- 1143.** Huang DP, Ng HK, Ho YH, Chan KM (1988). Epstein-Barr virus (EBV)-associated undifferentiated carcinoma of the parotid gland. *Histopathology* 13: 509-517.
- 1144.** Huang HY, Antonescu CR (2003). Sinonasal smooth muscle cell tumors: a clinicopathologic and immunohistochemical analysis of 12 cases with emphasis on the low-grade end of the spectrum. *Arch Pathol Lab Med* 127: 297-304.
- 1145.** Huang Q, Yu GP, McCormick SA, Mo J, Datta B, Mahimkar M, Lazarus P, Schaffer AA, Desper R, Schantz SP (2002). Genetic differences detected by comparative genomic hybridization in head and neck squamous cell carcinomas from different tumor sites: construction of oncogenetic trees for tumor progression. *Genes Chromosomes Cancer* 34: 224-233.
- 1146.** Hug EB, Muentner MW, Adams JA, de Vries A, Rosenberg AE, Munzenrider JE (2002). 3-D-conformal radiation therapy for



- pediatric giant cell tumors of the skull base. *Strahlenther Onkol* 178: 239-244.
- 1147.** Huh KH, Heo MS, Lee SS, Choi SC (2003). Three new cases of salivary duct carcinoma in the palate: A radiologic investigation and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 95: 752-760.
- 1148.** Hui AB, Lo KW, Leung SF, Teo P, Fung MK, To KF, Wong N, Choi PH, Lee JC, Huang DP (1999). Detection of recurrent chromosomal gains and losses in primary nasopharyngeal carcinoma by comparative genomic hybridisation. *Int J Cancer* 82: 498-503.
- 1149.** Hui AB, Lo KW, Teo PM, To KF, Huang DP (2002). Genome wide detection of oncogene amplifications in nasopharyngeal carcinoma by array based comparative genomic hybridization. *Int J Oncol* 20: 467-473.
- 1150.** Hui EP, Chan AT, Pezzella F, Turley H, To KF, Poon TC, Zee B, Mo F, Teo PM, Huang DP, Gatter KC, Johnson PJ, Harris AL (2002). Coexpression of hypoxia-inducible factors 1 $\alpha$  and 2 $\alpha$ , carbonic anhydrase IX, and vascular endothelial growth factor in nasopharyngeal carcinoma and relationship to survival. *Clin Cancer Res* 8: 2595-2604.
- 1151.** Hui KK, Luna MA, Batsakis JG, Ordóñez NG, Weber R (1990). Undifferentiated carcinomas of the major salivary glands. *Oral Surg Oral Med Oral Pathol* 69: 76-83.
- 1152.** Huizenga C, Balogh K (1970). Cartilaginous tumors of the larynx. A clinicopathologic study of 10 new cases and a review of the literature. *Cancer* 26: 201-210.
- 1153.** Hujala K, Martikainen P, Minn H, Grenman R (1993). Malignant nerve sheath tumors of the head and neck: four case studies and review of the literature. *Eur Arch Otorhinolaryngol* 250: 379-382.
- 1154.** Hungermann D, Roeser K, Buerger H, Jakel T, Lonning T, Herbst H (2002). Relative paucity of gross genetic alterations in myoepitheliomas and myoepithelial carcinomas of salivary glands. *J Pathol* 198: 487-494.
- 1155.** Hurtado JF, Lopez JJ, Aranda FI, Talavera J (1994). Primary liposarcoma of the larynx. Case report and literature review. *Ann Otol Rhinol Laryngol* 103: 315-318.
- 1156.** Hussong JW, Brown M, Perkins SL, Dehner LP, Coffin CM (1999). Comparison of DNA ploidy, histologic, and immunohistochemical findings with clinical outcome in inflammatory myofibroblastic tumors. *Mod Pathol* 12: 279-286.
- 1157.** Hwang TZ, Jin YT, Tsai ST (1998). EBER in situ hybridization differentiates carcinomas originating from the sinonasal region and the nasopharynx. *Anticancer Res* 18: 4581-4584.
- 1158.** Hyams VJ (1971). Papillomas of the nasal cavity and paranasal sinuses. A clinicopathologic study of 315 cases. *Ann Otol Rhinol Laryngol* 80: 192-206.
- 1159.** Hyams VJ, Batsakis JG, Michaels L (1988). Tumors of the upper respiratory tract and ear. 2nd series ed. Armed Forces Institute of Pathology: Washington.
- 1160.** Hyams VJ, Michaels L (1976). Benign adenomatous neoplasm (adenoma) of the middle ear. *Clin Otolaryngol* 1: 17-26.
- 1161.** Hyams VJ, Rabuzzi DD (1970). Cartilaginous tumors of the larynx. *Laryngoscope* 80: 755-767.
- 1162.** Hyjek E, Smith WJ, Isaacson PG (1988). Primary B-cell lymphoma of salivary glands and its relationship to myoepithelial sialadenitis. *Hum Pathol* 19: 766-776.
- 1163.** Hyman BA, Scheithauer BW, Weiland LH, Irons GB (1988). Membranous basal cell adenoma of the parotid gland. Malignant transformation in a patient with multiple dermal cylindromas. *Arch Pathol Lab Med* 112: 209-211.
- 1164.** Hyman GA, Wolff M (1976). Malignant lymphomas of the salivary glands. Review of the literature and report of 33 new cases, including four cases associated with the lymphoepithelial lesion. *Am J Clin Pathol* 65: 421-438.
- 1165.** Hytioglou P, Brandwein MS, Strauchen JA, Mirante JP, Urken ML, Biller HF (1992). Inflammatory pseudotumor of the parapharyngeal space: case report and review of the literature. *Head Neck* 14: 230-234.
- 1166.** IARC Working Group (1997). Epstein Barr Virus and Kaposi's Sarcoma Herpes Virus / Human Herpes 8.
- 1167.** Ibrahim R, Bird DJ, Sieler MW (1991). Malignant myoepithelioma of the larynx with massive metastatic spread to the liver: an ultrastructural and immunocytochemical study. *Ultrastruct Pathol* 15: 69-76.
- 1168.** Ibrahim SA, Abdalla HA, El Hassan AM (2003). Case report: congenital salivary gland analage tumor presenting with neonatal respiratory distress. *Pediatr Pathol Mol Med* 209-211.
- 1169.** Ide F, Mishima K, Saito I (2003). Ectomesenchymal chondromyxoid tumor of the anterior tongue with myxoglobulosis-like change. *Virchows Arch* 442: 302-303.
- 1170.** Ide F, Shimoyama T, Horie N, Shimizu S (1999). Intraosseous squamous cell carcinoma arising in association with a squamous odontogenic tumour of the mandible. *Oral Oncol* 35: 431-434.
- 1171.** Idris AM, Ahmed HM, Malik MO (1995). Toombak dipping and cancer of the oral cavity in the Sudan: a case-control study. *Int J Cancer* 63: 477-480.
- 1172.** Iezzi G, Rubini C, Fioroni M, Piattelli A (2002). Clear cell odontogenic carcinoma. *Oral Oncol* 38: 209-213.
- 1173.** Iezzoni JC, Gaffey MJ, Weiss LM (1995). The role of Epstein-Barr virus in lymphoepithelioma-like carcinomas. *Am J Clin Pathol* 103: 308-315.
- 1174.** Imate Y, Yamashita H, Endo S, Okami K, Kamada T, Takahashi M, Kawano H (2000). Epithelial-myoepithelial carcinoma of the nasopharynx. *ORL J Otorhinolaryngol Relat Spec* 62: 282-285.
- 1175.** Ingle R, Jennings TA, Goodman ML, Pilch BZ, Bergman S, Ross JS (1998). CD44 expression in sinonasal inverted papillomas and associated squamous cell carcinoma. *Am J Clin Pathol* 109: 309-314.
- 1176.** Inoue H, Sato Y, Tsuchiya B, Nagai H, Takahashi H, Kameya T (2002). Expression of Epstein-Barr virus-encoded small nuclear RNA 1 in Japanese nasopharyngeal carcinomas. *Acta Otolaryngol Suppl* 113-117.
- 1177.** Inoue Y, Nomura J, Hashimoto M, Tagawa T (2001). Epithelial-myoepithelial carcinoma of the palate: a case report. *J Oral Maxillofac Surg* 59: 1502-1505.
- 1178.** Inui M, Tagawa T, Mori A, Yoneda J, Nomura J, Fukumori T (1993). Inflammatory pseudotumor in the submandibular region. Clinicopathologic study and review of the literature. *Oral Surg Oral Med Oral Pathol* 76: 333-337.
- 1179.** Iqbal SM, Bhogoliwal SK, Nandi NB (1986). Laryngeal leiomyoma. *J Laryngol Otol* 100: 723-725.
- 1180.** Ireland AJ, Eveson JW, Leopard PJ (1988). Malignant fibrous histiocytoma: a report of two cases arising in sites of previous irradiation. *Br J Oral Maxillofac Surg* 26: 221-227.
- 1181.** Isaacson PG, Norton AJ (1994). Malignant lymphoma of the salivary gland. In: *Extranodal lymphomas*, Isaacson PG, Norton AJ, eds., Churchill Livingstone: New York.
- 1182.** Isaacson PG, Wotherspoon AC, Diss T, Pan LX (1991). Follicular colonization in B-cell lymphoma of mucosa-associated lymphoid tissue. *Am J Surg Pathol* 15: 819-828.
- 1183.** Isago H, Kimura T, Kataura A (1986). A case of Weber-Christian disease accompanied by a nasal symptom (a clinicopathologic case report). *J Laryngol Otol* 100: 221-227.
- 1184.** Ishida M, Hasegawa S, Sato T, Tateishi R (1971). Glomus tumor (nonchromaffin-paraganglioma) of the larynx. *Laryngoscope* 81: 957-961.
- 1185.** Ishikawa E, Tsuboi K, Onizawa K, Hara A, Kusakari J, Noguchi M, Nose T (2002). Chondroblastoma of the temporal base with high mitotic activity. *Neurol Med Chir (Tokyo)* 42: 516-520.
- 1186.** Ishikawa T, Imada S, Ijuhin N (1993). Intraductal papilloma of the anterior lingual salivary gland. Case report and immunohistochemical study. *Int J Oral Maxillofac Surg* 22: 116-117.
- 1187.** Ishiyama A, Eversole LR, Ross DA, Raz Y, Kerner MM, Fu YS, Blackwell KE, Feneberg R, Bell TS, Calcaterra TC (1994). Papillary squamous neoplasms of the head and neck. *Laryngoscope* 104: 1446-1452.
- 1188.** Ito K, Tsukuda M, Kawabe R, Nakagawa C, Matsushita K, Kubota A, Furukawa M, Kameda Y, Ito T (2000). Benign and malignant oncocytoma of the salivary glands with an immunohistochemical evaluation of Ki-67. *ORL J Otorhinolaryngol Relat Spec* 62: 338-341.
- 1189.** Iwata N, Hattori K, Nakagawa T, Tsujimura T (2002). Hemangioma of the nasal cavity: a clinicopathologic study. *Auris Nasus Larynx* 29: 335-339.
- 1190.** Izumi K, Nakajima T, Maeda T, Cheng J, Saku T (1998). Adenosquamous carcinoma of the tongue: report of a case with histochemical, immunohistochemical, and ultrastructural study and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85: 178-184.
- 1191.** Jaaskelainen K, Jee KJ, Leivo I, Saloniemä I, Knuutila S, Heikinheimo K (2002). Cell proliferation and chromosomal changes in human ameloblastoma. *Cancer Genet Cytogenet* 136: 31-37.
- 1192.** Jacobson S, Shear M (1972). Verrucous carcinoma of the mouth. *J Oral Pathol* 1: 66-75.
- 1193.** Jaehne M, Ussmuller J, Jakel KT, Zschaber R (2001). The clinical presentation of non-hodgkin lymphomas of the major salivary glands. *Acta Otolaryngol* 121: 647-651.
- 1194.** Jaffe BF (1973). Unusual laryngeal problems in children. *Ann Otol Rhinol Laryngol* 82: 637-642.
- 1195.** Jaffe ES (1995). Nasal and nasal-type T/NK cell lymphoma: a unique form of lymphoma associated with the Epstein-Barr virus. *Histopathology* 27: 581-583.
- 1196.** Jaffe ES, Chan JK, Su JJ, Frizzera G, Mori S, Feller AC, Ho FC (1996). Report of the Workshop on Nasal and Related Extranodal Angiocentric T/Natural Killer Cell Lymphomas. Definitions, differential diagnosis, and epidemiology. *Am J Surg Pathol* 20: 103-111.
- 1197.** Jaffe ES, Harris NL, Stein H, Vardiman JW (2001). *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Haematopoietic and Lymphoid Tissues*. IARC Press: Lyon.
- 1198.** Jahan-Parwar B, Huberman RM, Donovan DT, Schwartz MR, Ostrowski ML (1999). Oncocytic mucoepidermoid carcinoma of the salivary glands. *Am J Surg Pathol* 23: 523-529.
- 1199.** Jahn AF, Walter JB, Farkashidy J (1980). Verrucous carcinoma of the nasopharynx—a clinicopathologic case report. *J Otolaryngol* 9: 84-89.
- 1200.** Jain D, Parkash V, Li M, Gill J, Crouch J, Howe G, Tallini G (2000). Epstein-Barr virus RNA detection and glandular differentiation in nasopharyngeal carcinoma: a report of 2 cases. *Arch Pathol Lab Med* 124: 1369-1372.
- 1201.** Jaiswal VR, Hoang MP (2004). Primary combined squamous and small cell carcinoma of the larynx: a case report and review of the literature. *Arch Pathol Lab Med* 128: 1279-1282.
- 1202.** Jamal MN (1994). Schwannoma of the larynx: case report, and review of the literature. *J Laryngol Otol* 108: 788-790.
- 1203.** James M, Norton AJ, Akosa AB (1993). Primary T-cell lymphoma of submandibular salivary gland. *Histopathology* 22: 83-85.
- 1204.** Janse van Rensburg L, Nortje CJ, Thompson I (1997). Correlating imaging and histopathology of an odontogenic keratocyst in the nevoid basal cell carcinoma syndrome. *Dentomaxillofac Radiol* 26: 195-199.
- 1205.** Jansen JC, van den Berg R, Kuiper A, van der Mey AG, Zwinderman AH, Cornelisse CJ (2000). Estimation of growth rate in patients with head and neck paragangliomas influences the treatment proposal. *Cancer* 88: 2811-2816.
- 1206.** Janssen JH, Blijdorp PA (1985). Central odontogenic fibroma. A case report. *J Maxillofac Surg* 13: 236-238.
- 1207.** Jares P, Fernandez PL, Campo E, Nadal A, Bosch F, Aiza G, Nayach I, Traserria J, Cardesa A (1994). PRAD-1/cyclin D1 gene amplification correlates with messenger RNA overexpression and tumor progression in human laryngeal carcinomas. *Cancer Res* 54: 4813-4817.
- 1208.** Jares P, Fernandez PL, Nadal A, Cazorla M, Hernandez L, Pinyol M, Hernandez S, Traserria J, Cardesa A, Campo E (1997). p16MTS1/CDK4I mutations and concomitant loss of heterozygosity at 9p21-23 are frequent events in squamous cell carcinoma of the larynx. *Oncogene* 15: 1445-1453.
- 1209.** Jares P, Nadal A, Fernandez PL, Pinyol M, Hernandez L, Cazorla M, Hernandez S, Bea S, Cardesa A, Campo E (1999). Disregulation of p16MTS1/CDK4I protein and mRNA expression is associated with gene alterations in squamous cell carcinoma of the larynx. *Int J Cancer* 81: 705-711.
- 1210.** Jassar P, Stafford ND, MacDonald AW (1999). Pleomorphic adenoma of the nasal septum. *J Laryngol Otol* 113: 483-485.
- 1211.** Jayakrishnan A, Elmahaj I, Hussain K, Odell EW (2003). Basal cell adenocarcinoma in minor salivary glands. *Histopathology* 42: 610-614.
- 1212.** Jeannel D, Ghnassia M, Hubert A,

- Sancho-Garnier H, Eschwege F, Crognier E, de The G (1993). Increased risk of nasopharyngeal carcinoma among males of French origin born in Maghreb (north Africa). *Int J Cancer* 54: 536-539.
- 1213.** Jeannel D, Hubert A, de Vathaire F, Ellouz R, Camoun M, Ben Salem M, Sancho-Garnier H, de The G (1990). Diet, living conditions and nasopharyngeal carcinoma in Tunisia—a case-control study. *Int J Cancer* 46: 421-425.
- 1214.** Jeannon JP, Soames JV, Bell H, Wilson JA (1999). Immunohistochemical detection of oestrogen and progesterone receptors in salivary tumours. *Clin Otolaryngol* 24: 52-54.
- 1215.** Jeng YM, Lin CY, Hsu HC (2000). Expression of the c-kit protein is associated with certain subtypes of salivary gland carcinoma. *Cancer Lett* 154: 107-111.
- 1216.** Jeng YM, Sung MT, Fang CL, Huang HY, Mao TL, Cheng W, Hsiao CH (2002). Sinonasal undifferentiated carcinoma and nasopharyngeal-type undifferentiated carcinoma: two clinically, biologically, and histopathologically distinct entities. *Am J Surg Pathol* 26: 371-376.
- 1217.** Jeremic B, Shibamoto Y, Acimovic L, Milisavljevic S (1996). Radiotherapy for primary squamous cell carcinoma of the trachea. *Radiation Oncol* 41: 135-138.
- 1218.** Jin C, Jin Y, Hoglund M, Wennerberg J, Akervall J, Willen R, Dictor M, Mandahl N, Mitelman F, Mertens F (1998). Cytogenetic and molecular genetic demonstration of polyclonality in an acinic cell carcinoma. *Br J Cancer* 78: 292-295.
- 1219.** Jin C, Jin Y, Wennerberg J, Dictor M, Mertens F (2000). Nonrandom pattern of cytogenetic abnormalities in squamous cell carcinoma of the larynx. *Genes Chromosomes Cancer* 28: 66-76.
- 1220.** Jin C, Martins C, Jin Y, Wiegant J, Wennerberg J, Dictor M, Gisselsson D, Strombeck B, Fonseca I, Mitelman F, Tanke HJ, Hoglund M, Mertens F (2001). Characterization of chromosome aberrations in salivary gland tumors by FISH, including multicolor COBRA-FISH. *Genes Chromosomes Cancer* 30: 161-167.
- 1221.** Jin XL, Ding CN, Chu Q (1999). Epithelial-myoepithelial carcinoma arising in the nasal cavity: a case report and review of literature. *Pathology* 31: 148-151.
- 1222.** Jin Y, Mertens F, Mandahl N, Wennerberg J, Dictor M, Heim S, Mitelman F (1995). Tetraploidization and progressive loss of 6q in a squamous cell carcinoma of the parotid gland. *Cancer Genet Cytogenet* 79: 157-159.
- 1223.** Jing J, Louie E, Henderson BE, Terasaki P (1977). Histocompatibility leukocyte antigen patterns in nasopharyngeal carcinoma cases from California. *Natl Cancer Inst Monogr* 47: 153-156.
- 1224.** Johansen C, Boice J Jr, McLaughlin J, Olsen J (2001). Cellular telephones and cancer—a nationwide cohort study in Denmark. *J Natl Cancer Inst* 93: 203-207.
- 1225.** Johansen EC, Illum P (1995). Rhabdomyoma of the larynx: a review of the literature with a summary of previously described cases of rhabdomyoma of the larynx and a report of a new case. *J Laryngol Otol* 109: 147-153.
- 1226.** Johns ME, Headington JT (1974). Squamous cell carcinoma of the external auditory canal. A clinicopathologic study of 20 cases. *Arch Otolaryngol* 100: 45-49.
- 1227.** Johns ME, Regezi JA, Batsakis JG (1977). Oncocytic neoplasms of salivary glands: an ultrastructural study. *Laryngoscope* 87: 862-871.
- 1228.** Johns MMI, Westra WH, Califano JA, Eisele D, Koch WM, Sidransky D (1996). Allelotype of salivary gland tumors. *Cancer Res* 56: 1151-1154.
- 1229.** Johnson LC, Yousefi M, Vinh TN, Heffner DK, Hyams VJ, Hartman KS (1991). Juvenile active ossifying fibroma. Its nature, dynamics and origin. *Acta Otolaryngol Suppl* 488: 1-40.
- 1230.** Johnson N (2001). Tobacco use and oral cancer: a global perspective. *J Dent Educ* 65: 328-339.
- 1231.** Johnson PJ, Lydiatt DD, Hollins RR, Rydlund KW, Dejenhardt JA (1996). Malignant nerve sheath tumor of the nasal septum. *Otolaryngol Head Neck Surg* 115: 132-134.
- 1232.** Johnson RE, Scheithauer BW, Dahlin DC (1983). Melanotic neuroectodermal tumor of infancy. A review of seven cases. *Cancer* 52: 661-666.
- 1233.** Johnson TL, Plieth DA, Crissman JD, Sarkar FH (1991). HPV detection by polymerase chain reaction (PCR) in verrucous lesions of the upper aerodigestive tract. *Mod Pathol* 4: 461-465.
- 1234.** Jones ME, Wackym PA, Said-Al-Naief N, Brandwein M, Shaari CM, Som PM, Zhang DY, King WA (1998). Clinical and molecular pathology of aggressive Schneiderian papilloma involving the temporal bone. *Head Neck* 20: 83-88.
- 1235.** Jones SR, Myers EN, Barnes L (1984). Benign neoplasms of the larynx. *Otolaryngol Clin North Am* 17: 151-178.
- 1236.** Jones WA (1933). Familial multilocular cystic disease of the jaws. *Am J Cancer* 17: 946-950.
- 1237.** Jones WA, Gerrie J, Pritchard J (1950). Cherubism - A familial fibrous dysplasia of the jaws. *J Bone & Joint Surg* 32B: 334-347.
- 1238.** Jordan R, Diss TC, Lench NJ, Isaacson PG, Speight PM (1995). Immunoglobulin gene rearrangements in lymphoplasmacytic infiltrates of labial salivary glands in Sjogren's syndrome. A possible predictor of lymphoma development. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 79: 723-729.
- 1239.** Jundt G, Prein J (2000). [Bone tumors and tumor-like lesions of the jaw. Findings from the Basel DOSAK reference registry]. *Mund Kiefer Gesichtschir* 4 Suppl 1: S196-S207.
- 1240.** Justrabo E, Michiels R, Calmettes C, Cabanne F, Bastein H, Horiot JC, Guerrin J (1980). An uncommon apudoma: a functional chemodectoma of the larynx. Report of a case and review of the literature. *Acta Otolaryngol* 89: 135-143.
- 1241.** Kaban LB, Troulis MJ, Ebb D, August M, Hornicek FJ, Dodson TB (2002). Antiangiogenic therapy with interferon alpha for giant cell lesions of the jaws. *J Oral Maxillofac Surg* 60: 1103-1111.
- 1242.** Kaddour HS, Woodhead CJ (1992). Transitional papilloma of the middle ear. *J Laryngol Otol* 106: 628-629.
- 1243.** Kadish S, Goodman M, Wang CC (1976). Olfactory neuroblastoma. A clinical analysis of 17 cases. *Cancer* 37: 1571-1576.
- 1244.** Kaffe I, Ardekian L, Taicher S, Littner MM, Buchner A (1996). Radiologic features of central giant cell granuloma of the jaws. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 81: 720-726.
- 1245.** Kaffe I, Naor H, Buchner A (1997). Clinical and radiological features of odontogenic myxoma of the jaws. *Dentomaxillofac Radiol* 26: 299-303.
- 1246.** Kaffe I, Naor H, Calderon S, Buchner A (1999). Radiological and clinical features of aneurysmal bone cyst of the jaws. *Dentomaxillofac Radiol* 28: 167-172.
- 1247.** Kainuma K, Kikukawa M, Itoh T, Osawa M, Watanabe M (2001). Leiomyosarcoma of the larynx: emergency tracheostomy. *J Laryngol Otol* 115: 570-572.
- 1248.** Kakagia D, Alexiadis G, Kiziridou A, Lambropoulou M (2004). Brooke-Spiegler syndrome with parotid gland involvement. *Eur J Dermatol* 14: 139-141.
- 1249.** Kalantar Motamedi MH (1998). Aneurysmal bone cysts of the jaws: clinicopathological features, radiographic evaluation and treatment analysis of 17 cases. *J Craniomaxillofac Surg* 26: 56-62.
- 1250.** Kallis S, Stevens DJ (1989). Acinous cell carcinoma of the larynx. *J Laryngol Otol* 103: 638-641.
- 1251.** Kamath VV, Varma RR, Gadewar DR, Muralidhar M (1989). Oral verrucous carcinoma. An analysis of 37 cases. *J Craniomaxillofac Surg* 17: 309-314.
- 1252.** Kamb A (1996). Human melanoma genetics. *J Invest Dermatol Symp Proc* 1: 177-182.
- 1253.** Kambic V, Gale N (1995). Epithelial hyperplastic lesions of the larynx. Elsevier: Amsterdam.
- 1254.** Kambic V, Lenart I (1971). [Our classification of hyperplasia of the laryngeal epithelium from the prognostic point of view]. *J Fr Otorhinolaryngol Audiophonol Chir Maxillofac* 20: 1145-1150.
- 1255.** Kambic V, Radsel Z, Gale N (1989). Alterations in the laryngeal mucosa after exposure to asbestos. *Br J Ind Med* 46: 717-723.
- 1256.** Kambic V, Radsel Z, Prezelj J, Zargi M (1984). The role of testosterone in laryngeal carcinogenesis. *Am J Otolaryngol* 5: 344-349.
- 1257.** Kamerer DB, Caparosa RJ (1982). Temporal bone encephalocele—diagnosis and treatment. *Laryngoscope* 92: 878-882.
- 1258.** Kamerer DB, Love GL, Riehl PA (1983). Intranasal encephalocele masking as nasal polyp in an adult patient. *Arch Otolaryngol* 109: 420-421.
- 1259.** Kameya T, Shimosato Y, Adachi I, Abe K, Ebihara S, Ono I (1980). Neuroendocrine carcinoma of the paranasal sinus: a morphological and endocrinological study. *Cancer* 45: 330-339.
- 1260.** Kamijo R, Miyaoka K, Tachikawa T, Nagumo M (1999). Odontogenic ghost cell carcinoma: report of a case. *J Oral Maxillofac Surg* 57: 1266-1270.
- 1261.** Kammer H, George R (1981). Cushing's disease in a patient with an ectopic pituitary adenoma. *JAMA* 246: 2722-2724.
- 1262.** Kanavaros P, Kouvidou C, Dai Y (1995). MDM-2 protein expression in nasopharyngeal carcinomas — comparative study with p53 expression. *J Clin Pathol: Clin Mol Pathol* 48: M322-M325.
- 1263.** Kanavaros P, Lescs MC, Briere J, Divine M, Galateau F, Joab I, Bosq J, Farcet JP, Reyes F, Gaulard P (1993). Nasal T-cell lymphoma: a clinicopathologic entity associated with peculiar phenotype and with Epstein-Barr virus. *Blood* 81: 2688-2695.
- 1264.** Kane WJ, McCaffrey TV, Olsen KD, Lewis JE (1991). Primary parotid malignancies. A clinical and pathologic review. *Arch Otolaryngol Head Neck Surg* 117: 307-315.
- 1265.** Kapadia SB, Barnes L (1998). Expression of androgen receptor, gross cystic disease fluid protein, and CD44 in salivary duct carcinoma. *Mod Pathol* 11: 1033-1038.
- 1266.** Kapadia SB, Barnes L, Pelzman K, Mirani N, Heffner DK, Bedetti C (1993). Carcinoma ex oncocytic Schneiderian (cylindrical cell) papilloma. *Am J Otolaryngol* 14: 332-338.
- 1267.** Kapadia SB, Desai U, Cheng VS (1982). Extramedullary plasmacytoma of the head and neck. A clinicopathologic study of 20 cases. *Medicine (Baltimore)* 61: 317-329.
- 1268.** Kapadia SB, Enzinger FM, Heffner DK, Hyams VJ, Frizzera G (1993). Crystal-storing histiocytosis associated with lymphoplasmacytic neoplasms. Report of three cases mimicking adult rhabdomyoma. *Am J Surg Pathol* 17: 461-467.
- 1269.** Kapadia SB, Frisman DM, Hitchcock CL, Ellis GL, Popek EJ (1993). Melanotic neuroectodermal tumor of infancy. Clinicopathological, immunohistochemical, and flow cytometric study. *Am J Surg Pathol* 17: 566-573.
- 1270.** Kapadia SB, Heffner DK (1992). Pitfalls in the histopathologic diagnosis of pyogenic granuloma. *Eur Arch Otorhinolaryngol* 249: 195-200.
- 1271.** Kapadia SB, Meis JM, Frisman DM, Ellis GL, Heffner DK (1993). Fetal rhabdomyoma of the head and neck: a clinicopathologic and immunophenotypic study of 24 cases. *Hum Pathol* 24: 754-765.
- 1272.** Kapadia SB, Meis JM, Frisman DM, Ellis GL, Heffner DK, Hyams VJ (1993). Adult rhabdomyoma of the head and neck: a clinicopathologic and immunophenotypic study. *Hum Pathol* 24: 608-617.
- 1273.** Kapadia SB, Popek EJ, Barnes L (1994). Pediatric otorhinolaryngic pathology: diagnosis of selected lesions. *Pathol Annu* 29 Pt 1: 159-209.
- 1274.** Kapadia SB, Roman LN, Kingma DW, Jaffe ES, Frizzera G (1995). Hodgkin's disease of Waldeyer's ring. Clinical and histoimmunophenotypic findings and association with Epstein-Barr virus in 16 cases. *Am J Surg Pathol* 19: 1431-1439.
- 1275.** Kaplan MA, Pettit CL, Zukerberg LR, Harris NL (1992). Primary lymphoma of the trachea with morphologic and immunophenotypic characteristics of low-grade B-cell lymphoma of mucosa-associated lymphoid tissue. *Am J Surg Pathol* 16: 71-75.
- 1276.** Kar DK, Gupta SK, Agarwal A, Mishra SK (2001). Brown tumor of the palate and mandible in association with primary hyperparathyroidism. *J Oral Maxillofac Surg* 59: 1352-1354.
- 1277.** Karagiannidis K, Noussios G, Sakellariou T, Kontzoglou G, Mantziaris V, Preponis C (1998). Primary laryngeal melanoma. *J Otolaryngol* 27: 104-106.
- 1278.** Karakok M, Ozer E, Sari I, Mumbuc S, Aydin A, Kanlikama M, Kervancioglu R (2002). Inflammatory myofibroblastic tumor (inflammatory pseudotumor) of the maxillary sinus mimicking malignancy: a case report of an unusual location (is that a true neoplasm?). *Ann Nasus Larynx* 29: 383-386.
- 1279.** Kas K, Voz ML, Roijer E, Astrom AK, Meyen E, Stenman G, Van de Ven WJ (1997). Promoter swapping between the genes for a novel zinc finger protein and beta-catenin in pleiomorphic adenomas with t(3;8)(p21;q12) translocations. *Nat Genet* 15: 170-174.
- 1280.** Kashima H, Mounts P, Leventhal B, Hruban RH (1993). Sites of predilection in recurrent respiratory papillomatosis. *Ann Otol Rhinol Laryngol* 102: 580-583.

1281. Kashima HK, Mounts P, Shah K (1996). Recurrent respiratory papillomatosis. *Obstet Gynecol Clin North Am* 23: 699-706.
1282. Kashima HK, Shah F, Lyles A, Glackin R, Muhammad N, Turner L, Van Zandt S, Whitt S, Shah K (1992). A comparison of risk factors in juvenile-onset and adult-onset recurrent respiratory papillomatosis. *Laryngoscope* 102: 9-13.
1283. Kasperbauer JL, O'Halloran GL, Espy MJ, Smith TF, Lewis JE (1993). Polymerase chain reaction (PCR) identification of human papillomavirus (HPV) DNA in verrucous carcinoma of the larynx. *Laryngoscope* 103: 416-420.
1284. Kato K, Ijiri R, Tanaka Y, Hara M, Sekido K (1999). Nasal chondromesenchymal hamartoma of infancy: the first Japanese case report. *Pathol Int* 49: 731-736.
1285. Kato S, Sakura M, Takooda S, Sakurai M, Izumo T (1997). Primary non-Hodgkin's lymphoma of the larynx. *J Laryngol Otol* 111: 571-574.
1286. Katz JO, Dunlap CL, Ennis RL (1992). Cherubism: report of a case showing regression without treatment. *J Oral Maxillofac Surg* 50: 301-303.
1287. Kaugars GE, Niamtu JI, Svirsky JA (1992). Cherubism: diagnosis, treatment, and comparison with central giant cell granulomas and giant cell tumors. *Oral Surg Oral Med Oral Pathol* 73: 369-374.
1288. Kaugars GE, Zussmann HW (1991). Ameloblastic odontoma (odontameloblastoma). *Oral Surg Oral Med Oral Pathol* 71: 371-373.
1289. Kawauchi S, Hayatsu Y, Takahashi M, Furuya T, Oga A, Niwa S, Sasaki K (2003). Spindle-cell ameloblastic carcinoma: A case report with immunohistochemical, ultrastructural, and comparative genomic hybridization analyses. *Oncol Rep* 10: 31-34.
1290. Kaya S, Saydam L, Ruacan S (1990). Laryngeal leiomyoma. *Int J Pediatr Otorhinolaryngol* 19: 285-288.
1291. Kaznelson DJ, Schindel J (1979). Mucoepidermoid carcinoma of the air passages: report of three cases. *Laryngoscope* 89: 115-121.
1292. Kearsley JH, Thomas S (1993). Prognostic markers in cancers of the head and neck region. *Anticancer Drugs* 4: 419-429.
1293. Kedar A, Cantrel G, Rosen G (1988). Rhabdomyosarcoma of the trachea. *J Laryngol Otol* 102: 735-736.
1294. Keelawat S, Liu CZ, Roehm PC, Barnes L (2002). Adenosquamous carcinoma of the upper aerodigestive tract: a clinicopathologic study of 12 cases and review of the literature. *Am J Otolaryngol* 23: 160-168.
1295. Keller AZ (1969). Residence, age, race and related factors in the survival and associations with salivary tumors. *Am J Epidemiol* 90: 269-277.
1296. Kelly A, Bough ID Jr, Luft JD, Conard K, Reilly JS, Tuttle D (1996). Hairy polyp of the oropharynx: case report and literature review. *J Pediatr Surg* 31: 704-706.
1297. Kelly JH, Joseph M, Carroll E, Goodman ML, Pilch BZ, Levinson RM, Strome M (1980). Inverted papilloma of the nasal septum. *Arch Otolaryngol* 106: 767-771.
1298. Kelly KM, Womer RB, Sorensen PH, Xiong QB, Barr FG (1997). Common and variant gene fusions predict distinct clinical phenotypes in rhabdomyosarcoma. *J Clin Oncol* 15: 1831-1836.
1299. Kemp BL, Batsakis JG, El Naggar AK, Kotliar SN, Luna MA (1995). Terminal duct adenocarcinomas of the parotid gland. *J Laryngol Otol* 109: 466-468.
1300. Kent SE, Majumdar B (1985). Metastatic tumours in the maxillary sinus. A report of two cases and a review of the literature. *J Laryngol Otol* 99: 459-462.
1301. Keogh PV, Fisher V, Flint SR (2002). Resolution of oral non-Hodgkin's lymphoma by reduction of immunosuppressive therapy in a renal allograft recipient: a case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 94: 697-701.
1302. Kerpel SM, Freedman PD, Lumerman H (1978). The papillary cystadenoma of minor salivary gland origin. *Oral Surg Oral Med Oral Pathol* 46: 820-826.
1303. Kershisnik M, Batsakis JG (1994). Aneurysmal bone cysts of the jaws. *Ann Otol Rhinol Laryngol* 103: 164-165.
1304. Kessler A, Handler SD (1994). Salivary gland neoplasms in children: a 10-year survey at the Children's Hospital of Philadelphia. *Int J Pediatr Otorhinolaryngol* 29: 195-202.
1305. Keszler A, Piloni MJ (2002). Malignant transformation in odontogenic keratocysts. Case report. *Med Oral T* 7: 331-335.
1306. Keukens F, Voorst Vader PC, Panders AK, Vinks S, Oosterhuis JW, Kleijer WJ (1989). Xeroderma pigmentosum: squamous cell carcinoma of the tongue. *Acta Derm Venereol* 69: 530-531.
1307. Khan MH, Jones AS, Haqqani MT (1994). Angioleiomyoma of the nasal cavity—report of a case and review of the literature. *J Laryngol Otol* 108: 244-246.
1308. Khullar SM, Best PV (1992). Adenomatosis of minor salivary glands. Report of a case. *Oral Surg Oral Med Oral Pathol* 74: 783-787.
1309. Khuri FR, Kim ES, Lee JJ, Winn RJ, Benner SE, Lippman SM, Fu KK, Cooper JS, Vokes EE, Chamberlain RM, Williams B, Pajak TF, Goepfert H, Hong WK (2001). The impact of smoking status, disease stage, and index tumor site on second primary tumor incidence and tumor recurrence in the head and neck retinoid chemoprevention trial. *Cancer Epidemiol Biomarkers Prev* 10: 823-829.
1310. Kieff DA, Curtin HD, Limb CJ, Nadol JB (1998). A hairy polyp presenting as a middle ear mass in a pediatric patient. *Am J Otolaryngol* 19: 228-231.
1311. Kim DW, Low W, Billman G, Wickersham J, Kearns D (1999). Chondroid hamartoma presenting as a neonatal nasal mass. *Int J Pediatr Otorhinolaryngol* 47: 253-259.
1312. Kim GE, Cho JH, Yang WI, Chung EJ, Suh CO, Park KR, Hong WP, Park IY, Hahn JS, Roh JK, Kim BS (2000). Angiocentric lymphoma of the head and neck: patterns of systemic failure after radiation treatment. *J Clin Oncol* 18: 54-63.
1313. Kim J, Ellis GL (1993). Dental follicular tissue: misinterpretation as odontogenic tumors. *J Oral Maxillofac Surg* 51: 762-767.
1314. Kim J, Lee EH, Yook JI, Han YJ, Yoon JH, Ellis GL (2000). Odontogenic ghost cell carcinoma: a case report with reference to the relation between apoptosis and ghost cells. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90: 630-635.
1315. Kim J, Yook JI (1994). Immunohistochemical study on proliferating cell nuclear antigen expression in ameloblastomas. *Eur J Cancer B Oral Oncol* 30B: 126-131.
1316. Kim KI, Kim YS, Kim HK, Chae YS, Yoem BW, Kim I (1999). The detection of Epstein-Barr virus in the lesions of salivary glands. *Pathol Res Pract* 195: 407-412.
1317. Kim KI, Yoo SL (1996). Infantile fibrosarcoma in the nasal cavity. *Otolaryngol Head Neck Surg* 114: 98-102.
1318. Kim SS, Han MH, Kim JE, Lee CH, Chung HW, Lee JS, Chang KH (2000). Malignant melanoma of the sinonasal cavity: explanation of magnetic resonance signal intensities with histopathologic characteristics. *Am J Otolaryngol* 21: 366-378.
1319. Kim ST, Kim CW, Han GC, Park C, Jang IH, Cha HE, Choi G, Lee HM (2001). Malignant triton tumor of the nasal cavity. *Head Neck* 23: 1075-1078.
1320. Kim T, Yoon GS, Kim O, Gong G (1998). Fine needle aspiration diagnosis of malignant mixed tumor (carcinosarcoma) arising in pleomorphic adenoma of the salivary gland. A case report. *Acta Cytol* 42: 1027-1031.
1321. Kim YH, Chae SW, Jung HH (2003). Mucoepidermoid carcinoma arising from the eustachian tube and middle ear. *J Laryngol Otol* 117: 202-204.
1322. Kimura T, Ishikawa E, Yoshimura S (1948). On the unusual granulation combined with hyperplastic changes of lymphatic tissues. *Trans Soc Pathol Jpn* 37: 179-180.
1323. Kindblom LG, Angervall L, Haglid K (1984). An immunohistochemical analysis of S-100 protein and glial fibrillary acidic protein in nasal glioma. *Acta Pathol Microbiol Immunol Scand [A]* 92: 387-389.
1324. Kingdom TT, Kaplan MJ (1995). Mucosal melanoma of the nasal cavity and paranasal sinuses. *Head Neck* 17: 184-189.
1325. Kirita T, Okabe S, Izumo T, Sugimura M (1994). Risk factors for the postoperative local recurrence of tongue carcinoma. *J Oral Maxillofac Surg* 52: 149-154.
1326. Kishore A, O'Reilly BF (2000). A clinical study of vestibular schwannomas in type 2 neurofibromatosis. *Clin Otolaryngol* 25: 561-565.
1327. Kiyoshima T, Shima K, Kobayashi I, Matsuo K, Okamura K, Komatsu S, Rasul AM, Sakai H (2001). Expression of p53 tumor suppressor gene in adenoid cystic and mucoepidermoid carcinomas of the salivary glands. *Oral Oncol* 37: 315-322.
1328. Klap P, Reizine D, Monteil JP, Despreaux G, Hadjean E, Merland JJ, Tran Ba Huy P (1984). [Tumors and vascular malformations of the larynx. Angiographic aspects and therapeutic indications]. *Ann Otolaryngol Chir Cervicofac* 101: 579-583.
1329. Kleihues P, Cavenee WK (2000). *Pathology and Genetics of Tumours of the Nervous System*. IARC Press: Lyon.
1330. Klein EA, Anzil AP, Mezzacappa P, Borderon M, Ho V (1992). Sinonasal primitive neuroectodermal tumor arising in a long-term survivor of heritable unilateral retinoblastoma. *Cancer* 70: 423-431.
1331. Kleinsasser O (1964). Das Glomus Laryngieum inferior. *Arch Ohrenheilk* 184: 214-224.
1332. Kleinsasser O (1988). Tumors of the Larynx and Hypopharynx. Georg Thieme Pub: Stuttgart.
1333. Kleinsasser O, Schroeder HG (1988). Adenocarcinomas of the inner nose after exposure to wood dust. Morphological findings and relationships between histopathology and clinical behavior in 79 cases. *Arch Otorhinolaryngol* 245: 1-15.
1334. Klemi PJ, Joensuu H, Siivonen L, Virolainen E, Syrjanen S, Syrjanen K (1989). Association of DNA aneuploidy with human papillomavirus-induced malignant transformation of sinonasal transitional papillomas. *Otolaryngol Head Neck Surg* 100: 563-567.
1335. Kliewer KE, Cochran AJ (1989). A review of the histology, ultrastructure, immunohistology, and molecular biology of extra-adrenal paragangliomas. *Arch Pathol Lab Med* 113: 1209-1218.
1336. Kliewer KE, Wen DR, Cancilla PA, Cochran AJ (1989). Paragangliomas: assessment of prognosis by histologic, immunohistochemical, and ultrastructural techniques. *Hum Pathol* 20: 29-39.
1337. Klijanienko J, el Naggar A, Ponzio-Prion A, Marandas P, Micheau C, Caillaud JM (1993). Basaloid squamous carcinoma of the head and neck. Immunohistochemical comparison with adenoid cystic carcinoma and squamous cell carcinoma. *Arch Otolaryngol Head Neck Surg* 119: 887-890.
1338. Klijanienko J, El Naggar AK, Servois V, Rodriguez J, Valdire P, Vielh P (1998). Mucoepidermoid carcinoma ex pleomorphic adenoma: nonspecific preoperative cytologic findings in six cases. *Cancer* 84: 231-234.
1339. Klijanienko J, Micheau C, Azli N, Cvitkovic E, Eschwege F, Marandas P, Armand JP, Casiraghi O, Schwaab G, de Vathaire F (1989). Undifferentiated carcinoma of nasopharyngeal type of tonsil. *Arch Otolaryngol Head Neck Surg* 115: 731-734.
1340. Klima M, Wolfe K, Johnson PE (1978). Basal cell tumors of the parotid gland. *Arch Otolaryngol* 104: 111-116.
1341. Klintenberg C, Olofsson J, Hellquist H, Sokjer H (1984). Adenocarcinoma of the ethmoid sinuses. A review of 28 cases with special reference to wood dust exposure. *Cancer* 54: 482-488.
1342. Knapp MJ (1971). Oral disease in 181,338 consecutive oral examinations. *J Am Dent Assoc* 83: 1288-1293.
1343. Knott PD, Gannon FH, Thompson LDR (2003). Mesenchymal chondrosarcoma of the sinonasal tract: a clinicopathologic study of 13 cases with a review of the literature. *Laryngoscope* 113: 783-790.
1344. Knudson AG Jr (1971). Mutation and cancer: statistical study of retinoblastoma. *Proc Natl Acad Sci U S A* 68: 820-823.
1345. Ko JY, Chen CL, Lui LT, Hsu MM (1996). Radiation-induced malignant fibrous histiocytoma in patients with nasopharyngeal carcinoma. *Arch Otolaryngol Head Neck Surg* 122: 535-538.
1346. Ko YH, Choi KE, Han JH, Kim JM, Ree HJ (2001). Comparative genomic hybridization study of nasal-type NK/T-cell lymphoma. *Cytometry* 46: 85-91.
1347. Ko YH, Ree HJ, Kim WS, Choi WH, Moon WS, Kim SW (2000). Clinicopathologic and genotypic study of extranodal nasal-type natural killer/T-cell lymphoma and natural killer precursor lymphoma among Koreans. *Cancer* 89: 2106-2116.
1348. Koay CB, Freeland AP, Athanasou NA (1995). Chondromyxoid fibroma of the nasal bone with extension into the frontal and ethmoidal sinuses. *J Laryngol Otol* 109: 258-261.
1349. Kobayashi Y, Murakami R, Toba M, Ichikawa T, Kanazawa R, Sanno N, Shimura T, Sawada N, Hosone M, Kumazaki T (2001). Chondroblastoma of the temporal bone. *Skeletal Radiol* 30: 714-718.
1350. Koch BB, Trask DK, Hoffman HT,



- Karnell LH, Robinson RA, Zhen W, Menck HR (2001). National survey of head and neck verrucous carcinoma: patterns of presentation, care, and outcome. *Cancer* 92: 110-120.
- 1351.** Koch WM, Lango M, Sewell D, Zahurak M, Sidransky D (1999). Head and neck cancer in nonsmokers: a distinct clinical and molecular entity. *Laryngoscope* 109: 1544-1551.
- 1352.** Koita H, Suzumiya J, Ohshima K, Takeshita M, Kimura N, Kikuchi M, Kono M (1997). Lymphoblastic lymphoma expressing natural killer cell phenotype with involvement of the mediastinum and nasal cavity. *Am J Surg Pathol* 21: 242-248.
- 1353.** Koivunen P, Suutala L, Schorsch I, Jokinen K, Alho OP (2002). Malignant epithelial salivary gland tumors in northern Finland: incidence and clinical characteristics. *Eur Arch Otorhinolaryngol* 259: 146-149.
- 1354.** Koja S, Matsumura J, Ting L, Hongyo T, Inazawa J, Kirihata M, Aozasa K (2001). Familial nasal NK/T-cell lymphoma and pesticide use. *Am J Hematol* 66: 145-147.
- 1355.** Kollur SM, El Hag IA (2003). Fine-needle aspiration cytology of metastatic nasopharyngeal carcinoma in cervical lymph nodes: comparison with metastatic squamous-cell carcinoma, and Hodgkin's and non-Hodgkin's lymphoma. *Diagn Cytopathol* 28: 18-22.
- 1356.** Kondoh T, Hamada Y, Kamei K, Seto K (2002). Chondroblastoma of the mandibular condyle: report of a case. *J Oral Maxillofac Surg* 60: 198-203.
- 1357.** Konowitz PM, Lawson W, Som PM, Urken ML, Breakstone BA, Biller HF (1988). Laryngeal paraganglioma: update on diagnosis and treatment. *Laryngoscope* 98: 40-49.
- 1358.** Koss LG, Spiro RH, Hajdu S (1972). Small cell (oat cell) carcinoma of minor salivary gland origin. *Cancer* 30: 737-741.
- 1359.** Kotsianti A, Costopoulos J, Morgello S, Papadimitriou C (1996). Undifferentiated carcinoma of the parotid gland in a white patient: detection of Epstein-Barr virus by *in situ* hybridization. *Hum Pathol* 27: 87-90.
- 1360.** Kotwall CA (1992). Smoking as an etiologic factor in the development of Warthin's tumor of the parotid gland. *Am J Surg* 164: 646-647.
- 1361.** Kourea HP, Orlow I, Scheithauer BW, Cordon-Cardo C, Woodruff JM (1999). Deletions of the INK4A gene occur in malignant peripheral nerve sheath tumors but not in neurofibromas. *Am J Pathol* 155: 1855-1860.
- 1362.** Koury ME, Stella JP, Epker BN (1993). Vascular transformation in cherbism. *Oral Surg Oral Med Oral Pathol* 76: 20-27.
- 1363.** Kovarik P, Pyle J, Chou PM (1998). Ploidy, proliferative activity, and p53 as biologic markers in inflammatory myofibroblastic tumors. *Mod Pathol* 11.
- 1364.** Kowalski PJ, Paulino AF (2001). Proliferation index as a prognostic marker in hemangiopericytoma of the head and neck. *Head Neck* 23: 492-496.
- 1365.** Koyi H, Branden E (2000). Intratracheal metastasis from malignant melanoma. *J Eur Acad Dermatol Venereol* 14: 407-408.
- 1366.** Kragh LV, Dahlin DC, Erich JB (1958). Osteogenic sarcoma of the jaws and facial bones. *Am J Surg* 96: 496-505.
- 1367.** Kragh LV, Dahlin DC, Erich JB (1960). Cartilaginous tumors of the jaws and facial regions. *Am J Surg* 99: 852-856.
- 1368.** Kramer IR, Lucas RB, el Labban N, Lister L (1970). The use of discriminant analysis for examining the histological features of oral keratoses and lichen planus. *Br J Cancer* 24: 673-683.
- 1369.** Kransdorf MJ, Sweet DE, Buetow PC, Giudici MA, Moser RP Jr (1992). Giant cell tumor in skeletally immature patients. *Radiology* 184: 233-237.
- 1370.** Kraus DH, Zelefsky MJ, Brock HA, Huo J, Harrison LB, Shah JP (1997). Combined surgery and radiation therapy for squamous cell carcinoma of the hypopharynx. *Otolaryngol Head Neck Surg* 116: 637-641.
- 1371.** Krausen AS, Gall AM, Garza R, Spector GJ, Ansel DG (1977). Liposarcoma of the larynx: a multicentric or a metastatic malignancy. *Laryngoscope* 87: 1116-1124.
- 1372.** Krecicki T, Jelen M, Zaleska-Krecicka M, Szkudlarek T (1998). Ki-67 immunostaining and prognosis in laryngeal cancer. *Clin Otolaryngol* 23: 539-542.
- 1373.** Krishnamurthy S, Lanier AP, Dohan P, Lanier JF, Henle W (1987). Salivary gland cancer in Alaskan natives, 1966-1980. *Hum Pathol* 18: 986-996.
- 1374.** Krogdahl AS, Schou C (1997). Mucinous adenocarcinoma of the sublingual gland. *J Oral Pathol Med* 26: 198-200.
- 1375.** Krogdahl AS, Svane-Knudsen V (2002). Intraductal papilloma of the parotid gland in a child. *Histopathology* 41: 83-85.
- 1376.** Kroll AJ, Alexander B, Cochios F, Pechet L (1964). Hereditary deficiencies of clotting factors VII and X associated with carotid-body tumors. *N Engl J Med* 270: 6-13.
- 1377.** Kronenberg J, Ben Shoshan J, Modan M, Leventon G (1988). Blast injury and cholesteatoma. *Am J Otol* 9: 127-130.
- 1378.** Ku PK, Tong MC, Leung CY, Pak MW, van Hasselt CA (1999). Nasal manifestation of extranodal Rosai-Dorfman disease—diagnosis and management. *J Laryngol Otol* 113: 275-280.
- 1379.** Kuhn JJ, Schoem SR, Warnock GR (1996). Squamous cell carcinoma arising in a benign teratoma of the maxilla. *Otolaryngol Head Neck Surg* 114: 447-452.
- 1380.** Kui LL, Xiu HZ, Ning LY (2003). Condyloma acuminatum and human papilloma virus infection in the oral mucosa of children. *Pediatr Dent* 25: 149-153.
- 1381.** Kujawski M, Sarlomo-Rikala M, Gabriel A, Szyfter K, Knuutila S (1999). Recurrent DNA copy number losses associated with metastasis of larynx carcinoma. *Genes Chromosomes Cancer* 26: 253-257.
- 1382.** Kumaki N, Kajiwara H, Kameyama K, DeLellis RA, Asa SL, Osamura RY, Takami H (2002). Prediction of malignant behavior of pheochromocytomas and paragangliomas using immunohistochemical techniques. *Endocr Pathol* 13: 149-156.
- 1383.** Kumar RV, Kini L, Bhargava AK, Mukherjee G, Hazarika D, Shenoy AM, Anantha N (1993). Salivary duct carcinoma. *J Surg Oncol* 54: 193-198.
- 1384.** Kumar S, Perlman E, Pack S, Davis M, Zhang H, Meltzer P, Tsokos M (1999). Absence of EWS/FL11 fusion in olfactory neuroblastomas indicates these tumors do not belong to the Ewing's sarcoma family. *Hum Pathol* 30: 1356-1360.
- 1385.** Kung IT, Gibson JB, Bannatyne PM (1984). Kimura's disease: a clinico-pathological study of 21 cases and its distinction from angiolymphoid hyperplasia with eosinophilia. *Pathology* 16: 39-44.
- 1386.** Kunze E, Donath K, Luhr HG, Engelhardt W, De Vivie R (1985). Biology of metastasizing ameloblastoma. *Pathol Res Pract* 180: 526-535.
- 1387.** Kuo T, Hsueh C (1997). Lymphoepithelioma-like salivary gland carcinoma in Taiwan: a clinicopathological study of nine cases demonstrating a strong association with Epstein-Barr virus. *Histopathology* 31: 75-82.
- 1388.** Kuo T, Sayers CP, Rosai J (1976). Masson's "vegetant intravascular hemangi endothelioma": a lesion often mistaken for angiosarcoma: study of seventeen cases located in the skin and soft tissues. *Cancer* 38: 1227-1236.
- 1389.** Kuo T, Tsang NM (2001). Salivary gland type nasopharyngeal carcinoma: a histologic, immunohistochemical, and Epstein-Barr virus study of 15 cases including a psammomatous mucoepidermoid carcinoma. *Am J Surg Pathol* 25: 80-86.
- 1390.** Kuo TT, Shih LY, Chan HL (1988). Kimura's disease; involvement of regional lymph nodes and distinction from angiolymphoid hyperplasia with eosinophilia. *Am J Surg Pathol* 12: 843-854.
- 1391.** Kuratomi Y, Kumamoto Y, Sakai Y, Komiyama S (1994). Carotid body tumor associated with differentiated thyroid carcinoma. *Eur Arch Otorhinolaryngol* 251 Suppl 1: S91-S94.
- 1392.** Kuroi M (1980). Simple bone cyst of the jaw: review of the literature and report of case. *J Oral Surg* 38: 456-459.
- 1393.** Kurokawa H, Murata T, Fukuyama H, Kajiyama M (1999). Sebaceous lymphadenoma in the midline of the maxilla: report of case. *J Oral Maxillofac Surg* 57: 1461-1463.
- 1394.** Kurtz M, Mesa M, Alberto P (2001). Treatment of a central giant cell lesion of the mandible with intralésional glucocorticosteroids. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91: 636-637.
- 1395.** Kuruvilla A, Wenig BM, Humphrey DM, Heffner DK (1990). Leiomyosarcoma of the sinonasal tract. A clinicopathologic study of nine cases. *Arch Otolaryngol Head Neck Surg* 116: 1278-1286.
- 1396.** Kusafuka K, Hiraki Y, Shukunami C, Yamaguchi A, Kayano T, Takemura T (2001). Cartilage-specific matrix protein chondromodulin-I is associated with chondroid formation in salivary pleomorphic adenomas: immunohistochemical analysis. *Am J Pathol* 158: 1465-1472.
- 1397.** Kusafuka K, Yamaguchi A, Kayano T, Takemura T (1999). Immunohistochemical localization of the bone morphogenetic protein-6 in salivary pleomorphic adenomas. *Pathol Int* 49: 1023-1027.
- 1398.** Kwekkeboom DJ, van Urk H, Pauw BK, Lamberts SW, Kooij PP, Hoogma RP, Krenning EP (1993). Octreotide scintigraphy for the detection of paragangliomas. *J Nucl Med* 34: 873-878.
- 1399.** Kwon GY, Kim EJ, Go JH (2002). Lymphadenoma arising in the parotid gland: a case report. *Yonsei Med J* 43: 536-538.
- 1400.** Kwon MY, Gu M (2001). True malignant mixed tumor (carcinosarcoma) of parotid gland with unusual mesenchymal component: a case report and review of the literature. *Arch Pathol Lab Med* 125: 812-815.
- 1401.** Kwong DL, Nicholls J, Wei WI, Chua DT, Sham JS, Yuen PW, Cheng AC, Wan KY, Kwong PW, Choy DT (1999). The time course of histologic remission after treatment of patients with nasopharyngeal carcinoma. *Cancer* 85: 1446-1453.
- 1402.** Kwong DL, Nicholls J, Wei WI, Chua DT, Sham JS, Yuen PW, Cheng AC, Yau CC, Kwong PW, Choy DT (2001). Correlation of endoscopic and histologic findings before and after treatment for nasopharyngeal carcinoma. *Head Neck* 23: 34-41.
- 1403.** Kwong J, Lo KW, To KF, Teo PM, Johnson PJ, Huang DP (2002). Promoter hypermethylation of multiple genes in nasopharyngeal carcinoma. *Clin Cancer Res* 8: 131-137.
- 1404.** La Vecchia C, Franceschi S, Favero A, Talamini R, Negri E (1999). Alcohol intake and cancer of the upper digestive tract. Pattern of risk in Italy is different from that in Denmark. *BMJ* 318: 1289-1290.
- 1405.** La Vecchia C, Negri E, D'Avanzo B, Franceschi S, Decarli A, Boyle P (1990). Dietary indicators of laryngeal cancer risk. *Cancer Res* 50: 4497-4500.
- 1406.** La Vecchia C, Talamini R, Bosetti C, Negri E, Franceschi S (1999). RESPONSE: re: cancer of the oral cavity and pharynx in nonsmokers who drink alcohol and in non-drinkers who smoke tobacco. *J Natl Cancer Inst* 91: 1337-1338.
- 1407.** Laane CJ, Murr AH, Mhatre AN, Jones KD, Lalwani AK (2002). Role of Epstein-Barr virus and cytomegalovirus in the etiology of benign parotid tumors. *Head Neck* 24: 443-450.
- 1408.** Lack EE (1985). Extraganglionic germ cell tumors of the head and neck region: review of 16 cases. *Hum Pathol* 16: 56-64.
- 1409.** Lack EE (1994). Pathology of Adrenal & Extra-Adrenal Paraganglia. WB Saunders: Philadelphia.
- 1410.** Lack EE, Cubilla AL, Woodruff JM (1979). Paragangliomas of the head and neck region. A pathologic study of tumors from 71 patients. *Hum Pathol* 10: 191-218.
- 1411.** Lack EE, Cubilla AL, Woodruff JM, Farr HW (1977). Paragangliomas of the head and neck region: a clinical study of 69 patients. *Cancer* 39: 397-409.
- 1412.** Lack EE, Lloyd RV, Carney JA, Woodruff JW (2003). Recommendations for the reporting of extra-adrenal paragangliomas. The Association of Directors of Anatomic and Surgical Pathology. *Hum Pathol* 34: 112-113.
- 1413.** Lack EE, Upton MP (1988). Histopathologic review of salivary gland tumors in childhood. *Arch Otolaryngol Head Neck Surg* 114: 898-906.
- 1414.** LaGuette J, Matias-Guiu X, Rosai J (1997). Thyroid paraganglioma: a clinicopathologic and immunohistochemical study of three cases. *Am J Surg Pathol* 21: 748-753.
- 1415.** Lai JP, Tong CL, Hong C, Xiao JY, Tao ZD, Zhang Z, Tong WM, Betz CS (2002). Association between high initial tissue levels of cyclin d1 and recurrence of nasopharyngeal carcinoma. *Laryngoscope* 112: 402-408.
- 1416.** Lalwani AK, Kaplan MJ (1990). Paranasal sinus leiomyosarcoma after cyclophosphamide and irradiation. *Otolaryngol Head Neck Surg* 103: 1039-1042.
- 1417.** Lam KH, Ho HC, Ho CM, Wei WI (1994). Multifocal nature of adenolymphoma of the parotid. *Br J Surg* 81: 1612-1614.
- 1418.** Lam KH, Wei WI, Ho HC, Ho CM (1990). Whole organ sectioning of mixed parotid tumors. *Am J Surg* 160: 377-381.
- 1419.** Lam PW, Chan JK, Sin VC (1997). Nasal pleomorphic adenoma with skeletal

- muscle differentiation: potential misdiagnosis as rhabdomyosarcoma. *Hum Pathol* 28: 1299-1302.
- 1420.** Lambert PR, Ward PH, Berci G (1980). Pseudosarcoma of the larynx: a comprehensive analysis. *Arch Otolaryngol* 106: 700-708.
- 1421.** Lamelas J, Terry JH Jr, Alfonso AE (1987). Warthin's tumor: multicentricity and increasing incidence in women. *Am J Surg* 154: 347-351.
- 1422.** Lamovec J, Frkovic-Grazio S, Bracko M (1998). Nonsporadic cases and unusual morphological features in pheochromocytoma and paraganglioma. *Arch Pathol Lab Med* 122: 63-68.
- 1423.** Lampertico P, Russel WO, MacComb WS (1963). Squamous papilloma of the upper respiratory epithelium. *Arch Pathol* 75: 293-302.
- 1424.** Lane S, Ironside JW (1990). Extraskeletal Ewing's sarcoma of the nasal fossa. *J Laryngol Otol* 104: 570-573.
- 1425.** Langford L, Batsakis JG (1995). Pituitary gland involvement of the sinonasal tract. *Ann Otol Rhinol Laryngol* 104: 167-169.
- 1426.** Langford LA (1996). Pathology of meningiomas. *J Neurooncol* 29: 217-221.
- 1427.** Lanier A, Bender T, Talbot M, Wilmett S, Tschopp C, Henle W, Henle G, Ritter D, Terasaki P (1980). Nasopharyngeal carcinoma in Alaskan Eskimos Indians, and Aleuts: a review of cases and study of Epstein-Barr virus, HLA, and environmental risk factors. *Cancer* 46: 2100-2106.
- 1428.** Lanier AP, Clift SR, Bornkamm G, Henle W, Goepfert H, Raab-Traub N (1991). Epstein-Barr virus and malignant lymphoepithelial lesions of the salivary gland. *Arctic Med Res* 50: 55-61.
- 1429.** Laramore GE, Scott CB, al Sarraf M, Haselow RE, Ervin TJ, Wheeler R, Jacobs JR, Schuller DE, Gahbauer RA, Schwade JG, Campbell BH (1992). Adjuvant chemotherapy for resectable squamous cell carcinomas of the head and neck: report on Intergroup Study 0034. *Int J Radiat Oncol Biol Phys* 23: 705-713.
- 1430.** Larraza-Hernandez O, Albores-Saavedra J, Benavides G, Krause LG, Perez-Merizaldi JC, Ginzo A (1982). Multiple endocrine neoplasia. Pituitary adenoma, multicentric papillary thyroid carcinoma, bilateral carotid body paraganglioma, parathyroid hyperplasia, gastric leiomyoma, and systemic amyloidosis. *Am J Clin Pathol* 78: 527-532.
- 1431.** Larsson Å, Almeren H (1978). Ameloblastoma of the jaws. An analysis of a consecutive series of all cases reported to the Swedish Cancer Registry during 1958-1971. *Acta Pathol Microbiol Scand [A]* 86A: 337-349.
- 1432.** Larsson LG, Donner LR (1999). Large cell neuroendocrine carcinoma of the parotid gland: fine needle aspiration, and light microscopic and ultrastructural study. *Acta Cytol* 43: 534-536.
- 1433.** Larsson LG, Sandstrom A, Westling P (1975). Relationship of Plummer-Vinson disease to cancer of the upper alimentary tract in Sweden. *Cancer Res* 35: 3308-3316.
- 1434.** Lasjaunias P, Picard L, Manelfe C, Moret J, Doyon D (1980). Angiofibroma of the nasopharynx. A review of 53 cases treated by embolisation. The role of pretherapeutic angiography. Pathophysiological hypotheses. *J Neurosurg* 7: 73-95.
- 1435.** Laskawi R, Rodel R, Zirk A, Arglebe C (1998). Retrospective analysis of 35 patients with acinic cell carcinoma of the parotid gland. *J Oral Maxillofac Surg* 56: 440-443.
- 1436.** Laskawi R, Schott T, Schroder M (1998). Recurrent pleomorphic adenomas of the parotid gland: clinical evaluation and long-term follow-up. *Br J Oral Maxillofac Surg* 36: 48-51.
- 1437.** Laskin WB, Weiss SW, Brattbauer GL (1991). Epithelioid variant of malignant peripheral nerve sheath tumor (malignant epithelioid schwannoma). *Am J Surg Pathol* 15: 1136-1145.
- 1438.** Laudio P (1971). Chemodectoma (paraganglioma non chromaffine) del laringeo superiore. *Otorhinolaringol Ital* 39.
- 1439.** Laughlin EH (1989). Metastasizing ameloblastoma. *Cancer* 64: 776-780.
- 1440.** Lawrence B, Perez-Atayde A, Hibbard MK, Rubin BP, Dal Cin P, Pinkus JL, Pinkus GS, Xiao S, Yi ES, Fletcher CD, Fletcher JA (2000). TPM3-ALK and TPM4-ALK oncogenes in inflammatory myofibroblastic tumors. *Am J Pathol* 157: 377-384.
- 1441.** Lawrence WJr, Hays DM, Heyn R, Tefft M, Crist W, Beltangady M, Newton WJr, Wharam M (1987). Lymphatic metastases with childhood rhabdomyosarcoma. A report from the Intergroup Rhabdomyosarcoma Study. *Cancer* 60: 910-915.
- 1442.** Lawson W, Ho BT, Shaari CM, Biller HF (1995). Inverted papilloma: a report of 112 cases. *Laryngoscope* 105: 282-288.
- 1443.** Leclerc A, Luce D, Demers PA, Boffetta P, Kogevinas M, Belli S, Bolm-Audorf U, Brinton LA, Colin D, Comba P, Gerin M, Hardell L, Hayes RB, Magnani C, Merler E, Morcet JF, Preston-Martin S, Vaughan TL, Zheng W (1997). Sinonasal cancer and occupation. Results from the reanalysis of twelve case-control studies. *Am J Ind Med* 31: 153-165.
- 1444.** Lee AW, Foo W, Law SC, Poon YF, SK O, Tung SY, Sze WM, Chappell R, Lau WH, Ho JH (1999). Staging of nasopharyngeal carcinoma: from Ho's to the new UICC system. *Int J Cancer* 84: 179-187.
- 1445.** Lee AW, Foo W, Law SC, Poon YF, Sze WM, SK O, Tung SY, Chappell R, Lau WH, Ho JH (1999). Recurrent nasopharyngeal carcinoma: the puzzles of long latency. *Int J Radiat Oncol Biol Phys* 44: 149-156.
- 1446.** Lee AW, Foo W, Mang O, Sze WM, Chappell R, Lau WH, Ko WM (2003). Changing epidemiology of nasopharyngeal carcinoma in Hong Kong over a 20-year period (1980-99): an encouraging reduction in both incidence and mortality. *Int J Cancer* 103: 680-685.
- 1447.** Lee AW, Sze WM, Yau TK, Yeung RM, Chappell R, Fowler JF (2001). Retrospective analysis on treating nasopharyngeal carcinoma with accelerated fractionation (6 fractions per week) in comparison with conventional fractionation (5 fractions per week): report on 3-year tumor control and normal tissue toxicity. *Radiation Oncol* 58: 121-130.
- 1448.** Lee AWM, Sze WM, Au JSK (2005). Treatment results for nasopharyngeal carcinoma in the modern era: The Hong Kong experience. *Int J Radiat Oncol Biol Phys* 61: 1107-1116.
- 1449.** Lee DJ, Smith RR, Spaziani JT, Rostock R, Holliday M, Moses H (1985). Adenoid cystic carcinoma of the nasopharynx. Case reports and literature review. *Ann Otol Rhinol Laryngol* 94: 269-272.
- 1450.** Lee HM, Kim AR, Lee SH (2000). Epithelial-myoepithelial carcinoma of the nasal cavity. *Eur Arch Otorhinolaryngol* 257: 376-378.
- 1451.** Lee JH, Barich F, Karnell LH, Robinson RA, Zhen WK, Gantz BJ, Hoffman HT (2002). National Cancer Data Base report on malignant paragangliomas of the head and neck. *Cancer* 94: 730-737.
- 1452.** Lee JH, Lee HK, Choi CG, Suh DC, Lee KS, Khang SK (2001). Malignant peripheral nerve sheath tumor in the parapharyngeal space: tumor spread through the eustachian tube. *AJNR Am J Neuroradiol* 22: 748-750.
- 1453.** Lee JH, Lee MS, Lee BH, Choe DH, Do YS, Kim KH, Chin SY, Shim YS, Cho KJ (1996). Rhabdomyosarcoma of the head and neck in adults: MR and CT findings. *AJNR Am J Neuroradiol* 17: 1923-1928.
- 1454.** Lee N, Xia P, Quivey JM, Sultanem K, Poon I, Akazawa C, Akazawa P, Weinberg V, Fu KK (2002). Intensity-modulated radiotherapy in the treatment of nasopharyngeal carcinoma: an update of the UCSF experience. *Int J Radiat Oncol Biol Phys* 53: 12-22.
- 1455.** Lee PS, Sabbath-Solitare M, Redondo TC, Ongcapin EH (2000). Molecular evidence that the stromal and epithelial cells in pleomorphic adenomas of salivary gland arise from the same origin: clonal analysis using human androgen receptor gene (HUMARA) assay. *Hum Pathol* 31: 498-503.
- 1456.** Lee S, Kim GE, Park CS, Choi EC, Yang WI, Lee CG, Keum KC, Kim YB, Suh CO (2001). Primary squamous cell carcinoma of the parotid gland. *Am J Otolaryngol* 22: 400-406.
- 1457.** Lee YY, Van Tassel P, Nauert C, Raymond AK, Ediken J (1988). Craniofacial osteosarcomas: Plain film, CT, and MR findings in 46 cases. *Am J Neuroradiol* 9: 379-385.
- 1458.** Lefor AT, Ord RA (1993). Multiple synchronous bilateral Warthin's tumors of the parotid glands with pleomorphic adenoma. Case report and review of the literature. *Oral Surg Oral Med Oral Pathol* 76: 319-324.
- 1459.** Legius E, Dierck H, Wu R, Hall BK, Marynen P, Cassiman JJ, Glover TW (1994). TP53 mutations are frequent in malignant NF1 tumors. *Genes Chromosomes Cancer* 10: 250-255.
- 1460.** Lei A, Wang S, Su Q (1998). [A study of histopathology and cell proliferation in calcifying odontogenic cyst]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 33: 207-209.
- 1461.** Leider AS, Eversole LR, Barkin ME (1985). Cystic ameloblastoma. A clinicopathologic analysis. *Oral Surg Oral Med Oral Pathol* 60: 624-630.
- 1462.** Leider AS, Nelson JF, Trodahl JN (1972). Ameloblastic fibrosarcoma of the jaws. *Oral Surg Oral Med Oral Pathol* 33: 559-569.
- 1463.** Leighton SE, Teo JG, Leung SF, Cheung AY, Lee JC, van Hasselt CA (1996). Prevalence and prognostic significance of tumor-associated tissue eosinophilia in nasopharyngeal carcinoma. *Cancer* 77: 436-440.
- 1464.** Leithner A, Windhager R, Lang S, Haas OA, Kainberger F, Kotz R (1999). Aneurysmal bone cyst. A population based epidemiologic study and literature review. *Clin Orthop* 176-179.
- 1465.** Lele SM, Pou AM, Ventura K, Gatalica Z, Payne D (2002). Molecular events in the progression of recurrent respiratory papillomatosis to carcinoma. *Arch Pathol Lab Med* 126: 1184-1188.
- 1466.** LeMay DR, Sun JK, Mendel E, Hinton DR, Giannotta SL (1997). Chondromyxoid fibroma of the temporal bone. *Surg Neurol* 48: 148-152.
- 1467.** Lench NJ, High AS, Markham AF, Hume WJ, Robinson PA (1996). Investigation of chromosome 9q22.3-q31 DNA marker loss in odontogenic keratocysts. *Eur J Cancer B Oral Oncol* 32B: 202-206.
- 1468.** Lench NJ, Telford EA, High AS, Markham AF, Wicking C, Wainwright BJ (1997). Characterisation of human patched germ line mutations in naevoid basal cell carcinoma syndrome. *Hum Genet* 100: 497-502.
- 1469.** Lengyel E, Somogyi A, Godeny M, Szerdahelyi A, Nemeth G (2000). Polymorphous low-grade adenocarcinoma of the nasopharynx. Case report and review of the literature. *Strahlenther Onkol* 176: 40-42.
- 1470.** Lennert K, Kaiserling E, Mazzanti T (1978). Diagnosis and differential diagnosis of lymphoepithelial carcinoma in lymph nodes: histological, cytological and electron-microscopic findings. *IARC Sci Publ* 51-64.
- 1471.** Lennox B, Clarke JA, Drake F, Ewen SW (1978). Incidence of salivary gland tumours in Scotland: accuracy of national records. *Br Med J* 1: 687-689.
- 1472.** Lentsch EJ, Myers JN (2001). Melanoma of the head and neck: current concepts in diagnosis and management. *Laryngoscope* 111: 1209-1222.
- 1473.** Leon X, Quer M, Diez S, Orus C, Lopez-Pousa A, Burgues J (1999). Second neoplasm in patients with head and neck cancer. *Head Neck* 21: 204-210.
- 1474.** Leonard J, Gokden M, Kyriakos M, Derdeyn CP, Rich KM (2001). Malignant giant-cell tumor of the parietal bone: case report and review of the literature. *Neurosurgery* 48: 424-429.
- 1475.** Leonard JR, Talbot ML (1970). Asymptomatic acoustic neuroma. *Arch Otolaryngol* 91: 117-124.
- 1476.** Leong IT, Fernandes BJ, Mock D (2001). Epstein-Barr virus detection in non-Hodgkin's lymphoma of the oral cavity: an immunocytochemical and in situ hybridization study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92: 184-193.
- 1477.** Lesperance MM, Esclamado RM (1995). Squamous cell carcinoma arising in inverted papilloma. *Laryngoscope* 105: 178-183.
- 1478.** Lesser RW, Spector GJ, Devineni VR (1987). Malignant tumors of the middle ear and external auditory canal: a 20-year review. *Otolaryngol Head Neck Surg* 96: 43-47.
- 1479.** Leung SY, Chung LP, Yuen ST, Ho CM, Wong MP, Chan SY (1995). Lymphoepithelial carcinoma of the salivary gland: in situ detection of Epstein-Barr virus. *J Clin Pathol* 48: 1022-1027.
- 1480.** Leung SY, Yuen ST, Chung LP, Kwong WK, Wong MP, Chan SY (1995). Epstein-Barr virus is present in a wide histological spectrum of sinonasal carcinomas. *Am J Surg Pathol* 19: 994-1001.
- 1481.** Levnatan S, Gorlin RJ, Fallet S, Johnson DR, Fantasia JE, Bale AE (1996). A two-hit model for developmental defects in Gorlin syndrome. *Nat Genet* 12: 85-87.
- 1482.** Leventon GS, Evans HL (1981). Sarcomatoid squamous cell carcinoma of the mucous membranes of the head and neck: a clinicopathologic study of 20 cases. *Cancer* 48: 994-1003.
- 1483.** Levi F, Lucchini F, Negri E, Boyle P, La Vecchia C (2004). Cancer mortality in

- Europe, 1995-1999, and an overview of trends since 1960. *Int J Cancer* 110: 155-169.
- 1484.** Levi JE, Delcelo R, Alberti VN, Torloni H, Villa LL (1989). Human papillomavirus DNA in respiratory papillomatosis detected by in situ hybridization and the polymerase chain reaction. *Am J Pathol* 135: 1179-1184.
- 1485.** Levine AJ, Momand J, Finlay CA (1991). The p53 tumour suppressor gene. *Nature* 351: 453-456.
- 1486.** Levine PH, Pearson GR, Armstrong M, Bengali Z, Berenberg J, Easton J, Goepfert H, Henle G, Henle W, Heffner D, Huang A, Hyams VJ, Lanier A, Neel HB, Pilch B, Pointek N, Taylor W, Terrelho H, Weiland L (1981). The reliability of IgA antibody to Epstein-Barr virus (EBV) capsid antigen as a test for the diagnosis of nasopharyngeal carcinoma (NPC). *Cancer Detect Prev* 4: 307-312.
- 1487.** Levy FE, Tansek KM (1990). AIDS-associated Kaposi's sarcoma of the larynx. *Ear Nose Throat J* 69: 177, 182-177, 184.
- 1488.** Lewis JE, McKinney BC, Weiland LH, Ferreiro JA, Olsen KD (1996). Salivary duct carcinoma. Clinicopathologic and immunohistochemical review of 26 cases. *Cancer* 77: 223-230.
- 1489.** Lewis JE, Olsen KD, Inwards CY (1997). Cartilaginous tumors of the larynx: clinicopathologic review of 47 cases. *Ann Otol Rhinol Laryngol* 106: 94-100.
- 1490.** Lewis JE, Olsen KD, Sebo TJ (1997). Spindle cell carcinoma of the larynx: review of 26 cases including DNA content and immunohistochemistry. *Hum Pathol* 28: 664-673.
- 1491.** Lewis JE, Olsen KD, Sebo TJ (2001). Carcinoma ex pleomorphic adenoma: pathologic analysis of 73 cases. *Hum Pathol* 32: 596-604.
- 1492.** Lewis JE, Olsen KD, Weiland LH (1991). Acinic cell carcinoma. Clinicopathologic review. *Cancer* 67: 172-179.
- 1493.** Lewis JS, Castro EB (1972). Cancer of the nasal cavity and paranasal sinuses. *J Laryngol Otol* 86: 255-262.
- 1494.** Lewis PD, Baxter P, Paul Griffiths A, Parry JM, Skibinski DO (2000). Detection of damage to the mitochondrial genome in the oncogenic cells of Warthin's tumour. *J Pathol* 191: 274-281.
- 1495.** Li S, Baloch ZW, Tomaszewski JE, LiVolsi VA (2000). Worrisome histologic alterations following fine-needle aspiration of benign parotid lesions. *Arch Pathol Lab Med* 124: 87-91.
- 1496.** Li T, Hongyo T, Syaifudin M, Nomura T, Dong Z, Shingu N, Kojya S, Nakatsuka S, Aozasa K (2000). Mutations of the p53 gene in nasal NK/T-cell lymphoma. *Lab Invest* 80: 493-499.
- 1497.** Li TJ, Chen XM, Wang SZ, Fan MW, Semba I, Kitano M (1996). Kimura's disease: a clinicopathologic study of 54 Chinese patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 82: 549-555.
- 1498.** Li TJ, Yu SF (2003). Clinicopathologic spectrum of the so-called calcifying odontogenic cysts: a study of 21 intraosseous cases with reconsideration of the terminology and classification. *Am J Surg Pathol* 27: 372-384.
- 1499.** Li TJ, Yu SF, Gao Y, Wang EB (2001). Clear cell odontogenic carcinoma: a clinicopathologic and immunocytochemical study of 5 cases. *Arch Pathol Lab Med* 125: 1566-1571.
- 1500.** Li YX, Coucke PA, Li JY, Gu DZ, Liu XF, Zhou LQ, Mirimanoff RO, Yu ZH, Huang YR (1998). Primary non-Hodgkin's lymphoma of the nasal cavity: prognostic significance of paranasal extension and the role of radiotherapy and chemotherapy. *Cancer* 83: 449-456.
- 1501.** Li ZQ, Pan QC, Chen JJ (1983). Epidemiology of nasopharyngeal carcinoma. In: *Nasopharyngeal Carcinoma Clinical and Laboratory Researches*, Li ZQ, Pan QC, Chen JJ, eds., Guangdong Science and Technology Press: Guangzhou, China, pp. 42-56.
- 1502.** Liang A, Michaels L, Wright A (2003). Immunohistochemical characterization of the epidermoid formation in the human middle ear. *Laryngoscope* 113: 1007-1014.
- 1503.** Liang J, Yi Z, Lianq P (2000). The nature of juvenile nasopharyngeal angiofibroma. *Otolaryngol Head Neck Surg* 123: 475-481.
- 1504.** Liang PC, Chen CC, Chu CC, Hu YF, Chu HM, Tsung YS (1961). The histologic classification, biological characteristics and histogenesis of nasopharyngeal carcinomas. *Chin Med J* 81: 629-658.
- 1505.** Liang R, Todd D, Chan TK, Chiu E, Lie A, Kwong YL, Choy D, Ho FC (1995). Treatment outcome and prognostic factors for primary nasal lymphoma. *J Clin Oncol* 13: 666-670.
- 1506.** Liao BS, Hilsinger RL Jr, Chong E (1993). Septal pleomorphic adenoma masquerading as squamous cell carcinoma. *Ear Nose Throat J* 72: 781-782.
- 1507.** Liao Z, Ha CS, McLaughlin P, Manning JT, Hess M, Cabanillas F, Cox JD (2000). Mucosa-associated lymphoid tissue lymphoma with initial supradiaphragmatic presentation: natural history and patterns of disease progression. *Int J Radiat Oncol Biol Phys* 48: 399-403.
- 1508.** Libera DD, Falconieri G, Zanella M (1999). Embryonal "Botryoid" rhabdomyosarcoma of the larynx: a clinicopathologic and immunohistochemical study of two cases. *Ann Diagn Pathol* 3: 341-349.
- 1509.** Lichtenstein L, Jaffee HL (1943). Chondrosarcoma of Bone. *Am J Pathol* 5: 553-589.
- 1510.** Lie ES, Karlsen F, Holm R (1996). Presence of human papillomavirus in squamous cell laryngeal carcinomas. A study of thirty-nine cases using polymerase chain reaction and in situ hybridization. *Acta Otolaryngol* 116: 900-905.
- 1511.** Lieberman PH, Jones CR, Steinman RM, Erlanson RA, Smith J, Gee T, Huvos A, Garin-Chesa P, Filippa DA, Urmacher C, Gangi MD, Sperber M (1996). Langerhans cell (eosinophilic) granulomatosis. A clinicopathologic study encompassing 50 years. *Am J Surg Pathol* 20: 519-552.
- 1512.** Liew SH, Leong AS, Tang HM (1981). Tracheal paraganglioma: a case report with review of the literature. *Cancer* 47: 1387-1393.
- 1513.** Lin HS, Lin CS, Yeh S, Tu SM (1969). Fine structure of nasopharyngeal carcinoma with special reference to the anaplastic type. *Cancer* 23: 390-405.
- 1514.** Lin JC, Chen KY, Wang WY, Jan JS, Liang WM, Tsai CS, Wei YH (2001). Detection of Epstein-Barr virus DNA the peripheral-blood cells of patients with nasopharyngeal carcinoma: relationship to distant metastasis and survival. *J Clin Oncol* 19: 2607-2615.
- 1515.** Lin JC, Jan JS, Hsu CY, Liang WM, Jiang RS, Wang WY (2003). Phase III study of concurrent chemoradiotherapy versus radiotherapy alone for advanced nasopharyngeal carcinoma: positive effect on overall and progression-free survival. *J Clin Oncol* 21: 631-637.
- 1516.** Lin SY, Hsu CY, Jan YJ (2001). Primary laryngeal melanoma. *Otolaryngol Head Neck Surg* 125: 569-570.
- 1517.** Lind PO (1987). Malignant transformation in oral leukoplakia. *Scand J Dent Res* 95: 449-455.
- 1518.** Lindberg R (1966). Unusual malignant tumors of the head and neck. *Radiology* 86: 1090-1095.
- 1519.** Lindeberg H, Elbrond O (1989). Laryngeal papillomas: clinical aspects in a series of 231 patients. *Clin Otolaryngol* 14: 333-342.
- 1520.** Lindeberg H, Elbrond O (1990). Laryngeal papillomas: the epidemiology in a Danish subpopulation 1965-1984. *Clin Otolaryngol* 15: 125-131.
- 1521.** Lindeberg H, Elbrond O (1991). Malignant tumours in patients with a history of multiple laryngeal papillomas: the significance of irradiation. *Clin Otolaryngol* 149-151.
- 1522.** Lindeberg H, Krogdahl A (1997). Laryngeal dysplasia and the human papillomavirus. *Clin Otolaryngol* 22: 382-386.
- 1523.** Lindeberg H, Krogdahl A (1999). Laryngeal cancer and human papillomavirus: HPV is absent in the majority of laryngeal carcinomas. *Cancer Lett* 146: 9-13.
- 1524.** Lindeberg H, Oster S, Oxlund I, Elbrond O (1986). Laryngeal papillomas: classification and course. *Clin Otolaryngol* 11: 423-429.
- 1525.** Linhartova A (1974). Sebaceous glands in salivary gland tissue. *Arch Pathol* 98: 320-324.
- 1526.** Linnoila RI, Lack EE, Steinberg SM, Keiser HR (1988). Decreased expression of neuropeptides in malignant paragangliomas: an immunohistochemical study. *Hum Pathol* 19: 41-50.
- 1527.** Lins JE, Gnepp DR (1986). Myoepithelioma of the palate in a child. *Int J Pediatr Otorhinolaryngol* 11: 5-13.
- 1528.** Lippert BM, Eggers S, Schluter E, Rudert H, Werner JA (2002). Lipoma of the larynx. Report of 2 cases and review of the literature. *Otolaryngol Pol* 56: 669-674.
- 1529.** Lippert BM, Godbersen GS, Luttgies J, Werner JA (1996). Leiomyosarcoma of the nasal cavity. Case report and literature review. *ORL J Otorhinolaryngol Relat Spec* 58: 115-120.
- 1530.** Lippert BM, Schluter E, Claassen H, Werner JA (1997). Leiomyosarcoma of the larynx. *Eur Arch Otorhinolaryngol* 254: 466-469.
- 1531.** Liston SL, Dehner LP, Jarvis CW, Pitzele C, Huseby TL (1981). Inflammatory pseudotumors in the buccal tissues of children. *Oral Surg Oral Med Oral Pathol* 51: 287-291.
- 1532.** Liu Q, Ohshima K, Sumie A, Suzushima H, Iwasaki H, Kikuchi M (2001). Nasal CD56 positive small round cell tumors. Differential diagnosis of hematological, neurogenic, and myogenic neoplasms. *Virchows Arch* 438: 271-279.
- 1533.** LiVolsi VA, Perzin KH (1977). Malignant mixed tumors arising in salivary glands. I. Carcinomas arising in benign mixed tumors: a clinicopathologic study. *Cancer* 39: 2209-2230.
- 1534.** Llewellyn CD, Linklater K, Bell J, Johnson NW, Warnakulasuriya KA (2003). Squamous cell carcinoma of the oral cavity in patients aged 45 years and under: a descriptive analysis of 116 cases diagnosed in the South East of England from 1990 to 1997. *Oral Oncol* 39: 106-114.
- 1535.** Llorente JL, Suarez C, Seco M, Garcia A (1996). Leiomyoma of the nasal septum: report of a case and review of the literature. *J Laryngol Otol* 110: 65-68.
- 1536.** Lloreta J, Serrano S, Corominas JM, Ferrer-Padro E (1995). Polymorphous low-grade adenocarcinoma arising in the nasal cavities with an associated undifferentiated carcinoma. *Ultrastruct Pathol* 19: 365-370.
- 1537.** Lloyd G, Lund VJ, Howard D, Savy L (2000). Optimum imaging for sinonasal malignancy. *J Laryngol Otol* 114: 557-562.
- 1538.** Lloyd RV, Chandler WF, Kovacs K, Ryan N (1986). Ectopic pituitary adenomas with normal anterior pituitary glands. *Am J Surg Pathol* 10: 546-552.
- 1539.** Lo Muzio L, Staibano S, Pannone G, Bucci P, Nocini PF, Bucci E, De Rosa G (1999). Expression of cell cycle and apoptosis-related proteins in sporadic odontogenic keratocysts and odontogenic keratocysts associated with the nevoid basal cell carcinoma syndrome. *J Dent Res* 78: 1345-1353.
- 1540.** Lo AK, Topf JS, Jackson IT, Silberberg B (1992). Minor salivary gland basal cell adenocarcinoma of the palate. *J Oral Maxillofac Surg* 50: 531-534.
- 1541.** Lo KW, Cheung ST, Leung SF, van Hasselt A, Tsang YS, Mak KF, Chung YF, Woo JK, Lee JC, Huang DP (1996). Hypermethylation of the p16 gene in nasopharyngeal carcinoma. *Cancer Res* 56: 2721-2725.
- 1542.** Lo KW, Huang DP (2002). Genetic and epigenetic changes in nasopharyngeal carcinoma. *Semin Cancer Biol* 12: 451-462.
- 1543.** Lo KW, Huang DP, Lau KM (1995). p16 gene alterations in nasopharyngeal carcinoma. *Cancer Res* 55: 2039-2043.
- 1544.** Lo KW, Kwong J, Hui AB, Chan SY, To KF, Chan AS, Chow LS, Teo PM, Johnson PJ, Huang DP (2001). High frequency of promoter hypermethylation of RASSF1A in nasopharyngeal carcinoma. *Cancer Res* 61: 3877-3881.
- 1545.** Lo KW, Teo PM, Hui AB, To KF, Tsang YS, Chan SY, Mak KF, Lee JC, Huang DP (2000). High resolution allelotyping of microdissected primary nasopharyngeal carcinoma. *Cancer Res* 60: 3348-3353.
- 1546.** Lo KW, Tsang YS, Kwong J, To KF, Teo PM, Huang DP (2002). Promoter hypermethylation of the EDNRB gene in nasopharyngeal carcinoma. *Int J Cancer* 98: 651-655.
- 1547.** Lo YM, Chan AT, Chan LY, Leung SF, Lam CW, Huang DP, Johnson PJ (2000). Molecular prognostication of nasopharyngeal carcinoma by quantitative analysis of circulating Epstein-Barr virus DNA. *Cancer Res* 60: 6878-6881.
- 1548.** Lo YM, Chan LY, Chan AT, Leung SF, Lo KW, Zhang J, Lee JC, Hjelm NM, Johnson PJ, Huang DP (1999). Quantitative and temporal correlation between circulating cell-free Epstein-Barr virus DNA and tumor recurrence in nasopharyngeal carcinoma. *Cancer Res* 59: 5452-5455.
- 1549.** Lo YM, Chan LY, Lo KW, Leung SF, Zhang J, Chan AT, Lee JC, Hjelm NM, Johnson PJ, Huang DP (1999). Quantitative analysis of cell-free Epstein-Barr virus DNA in plasma of patients with nasopharyngeal carcinoma. *Cancer Res* 59: 1188-1191.
- 1550.** Logsdon MD, Ha CS, Kavadi VS, Cabanillas F, Hess MA, Cox JD (1997).



- Lymphoma of the nasal cavity and paranasal sinuses: improved outcome and altered prognostic factors with combined modality therapy. *Cancer* 80: 477-488.
- 1551.** Loke YW (1967). Salivary gland tumours in Malaya. *Br J Cancer* 21: 665-674.
- 1552.** Lomax-Smith JD, Azzopardi JG (1978). The hyaline cell: a distinctive feature of "mixed" salivary tumours. *Histopathology* 2: 77-92.
- 1553.** Lombardi T, Kuffer R, Di Felice R, Samson J (1999). Epithelial odontogenic ghost cell tumour of the mandibular gingiva. *Oral Oncol* 35: 439-442.
- 1554.** London SD, Schlosser RJ, Gross CW (2002). Endoscopic management of benign sinonasal tumors: a decade of experience. *Am J Rhinol* 16: 221-227.
- 1555.** Looi LM (1987). Tumor-associated tissue eosinophilia in nasopharyngeal carcinoma. A pathologic study of 422 primary and 138 metastatic tumors. *Cancer* 59: 466-470.
- 1556.** Loos BM, Wieneke JA, Thompson LD (2001). Laryngeal angiosarcoma: a clinicopathologic study of five cases with a review of the literature. *Laryngoscope* 111: 1197-1202.
- 1557.** Looser KG, Shah JP, Strong EW (1978). The significance of "positive" margins in surgically resected epidermoid carcinomas. *Head Neck Surg* 1: 107-111.
- 1558.** Lopategui JR, Gaffey MJ, Frierson HF Jr, Chan JK, Mills SE, Chang KL, Chen YY, Weiss LM (1994). Detection of Epstein-Barr viral RNA in sinonasal undifferentiated carcinoma from Western and Asian patients. *Am J Surg Pathol* 18: 391-398.
- 1559.** Lopes MA, de Abreu Alves F, Levy BA, de Almeida OP, Kowalski LP (2001). Intraoral salivary duct carcinoma: case report with immunohistochemical observations. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91: 689-692.
- 1560.** Lopes MA, Kowalski LP, da Cunha Santos G, Paes de Almeida O (1999). A clinicopathologic study of 196 intraoral minor salivary gland tumors. *J Oral Pathol Med* 28: 264-267.
- 1561.** Lopes MA, Nikitakis NG, Reynolds MA, Ord RA, Sauk Jr (2002). Biomarkers predictive of lymph node metastases in oral squamous cell carcinoma. *J Oral Maxillofac Surg* 60: 142-147.
- 1562.** Loree TR, North JH Jr, Werness BA, Nangia R, Mullins AP, Hicks WL Jr (2000). Malignant peripheral nerve sheath tumors of the head and neck: analysis of prognostic factors. *Otolaryngol Head Neck Surg* 122: 667-672.
- 1563.** Lovin JD, Talarico CL, Wegert SL, Gaynor LF, Sutley SS (1991). Gorlin's syndrome with associated odontogenic cysts. *Pediatr Radiol* 21: 584-587.
- 1564.** Loyola AM, Gatti AF, Pinto DS Jr, Mesquita RA (1997). Alveolar and extra-alveolar granular cell lesions of the newborn: report of case and review of literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 84: 668-671.
- 1565.** Lu CC, Chen JC, Jin YT, Yang HB, Chan SH, Tsai ST (2003). Genetic susceptibility to nasopharyngeal carcinoma within the HLA-A locus in Taiwanese. *Int J Cancer* 103: 745-751.
- 1566.** Lu QL, Elia G, Lucas S, Thomas JA (1993). Bcl-2 proto-oncogene expression in Epstein-Barr-virus-associated nasopharyngeal carcinoma. *Int J Cancer* 53: 29-35.
- 1567.** Lu SJ, Day NE, Degos L, Lepage V, Wang PC, Chan SH, Simons M, McKnight B, Easton D, Zeng Y, de The G (1990). Linkage of a nasopharyngeal carcinoma susceptibility locus to the HLA region. *Nature* 346: 470-471.
- 1568.** Lu Y, Mock D, Takata T, Jordan RC (1999). Odontogenic ghost cell carcinoma: report of four new cases and review of the literature. *J Oral Pathol Med* 28: 323-329.
- 1569.** Lu Y, Xuan M, Takata T, Wang C, He Z, Zhou Z, Mock D, Nikai H (1998). Odontogenic tumors. A demographic study of 759 cases in a Chinese population. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86: 707-714.
- 1570.** Lucas DR, Unni KK, McLeod RA, O'Connor MI, Sim FH (1994). Osteoblastoma: clinicopathologic study of 306 cases. *Hum Pathol* 25: 117-134.
- 1571.** Luce D, Gerin M, Leclerc A, Morcet JF, Brugere J, Goldberg M (1993). Sinonasal cancer and occupational exposure to formaldehyde and other substances. *Int J Cancer* 53: 224-231.
- 1572.** Ludvikova M, Ryska A, Korabecna M, Rydlova M, Michal M (2001). Oncocytic papillary carcinoma with lymphoid stroma (Warthin-like tumour) of the thyroid: a distinct entity with favourable prognosis. *Histopathology* 39: 17-24.
- 1573.** Luna MA (1996). Salivary gland neoplasms. In: *Surgical Pathology of Laryngeal Neoplasms*, Ferlito A, ed., Chapman and Hall: London, pp. 257-294.
- 1574.** Luna MA (1999). Sialoblastoma and epithelial tumors in children: their morphologic spectrum and distribution by age. *Adv Anat Pathol* 6: 287-292.
- 1575.** Luna MA (2000). Salivary Glands. In: *Head and Neck Surgical Pathology*, Pilch BZ, ed., Lippincott Williams & Wilkins: Philadelphia, pp. 284-349.
- 1576.** Luna MA, Batsakis JG, Tortoledo ME, del Junco GW (1989). Carcinomas ex monomorphic adenoma of salivary glands. *J Laryngol Otol* 103: 756-759.
- 1577.** Luna MA, el Naggar A, Batsakis JG, Weber RS, Garnsey LA, Goepfert H (1990). Flow cytometric DNA content of adenoid cystic carcinoma of submandibular gland. Correlation of histologic features and prognosis. *Arch Otolaryngol Head Neck Surg* 116: 1291-1296.
- 1578.** Luna MA, el Naggar A, Batsakis JG, Parichatanond P, Weber RS, Batsakis JG (1990). Basaloid squamous carcinoma of the upper aerodigestive tract. Clinicopathologic and DNA flow cytometric analysis. *Cancer* 66: 537-542.
- 1579.** Luna MA, Mackay B, Gamez-Araujo J (1973). Myoepithelioma of the palate. Report of a case with histochemical and electron microscopic observations. *Cancer* 32: 1429-1435.
- 1580.** Luna MA, Ordonez NG, Mackay B, Batsakis JG, Guillaumondegui O (1985). Salivary epithelial-myoepithelial carcinomas of intercalated ducts: a clinical, electron microscopic, and immunocytochemical study. *Oral Surg Oral Med Oral Pathol* 59: 482-490.
- 1581.** Luna MA, Pineda-Daboin K (2001). Upper aerodigestive tract. In: *Pathology of Incipient Neoplasia*, Henson D, Albores-Saavedra J, eds., Oxford University Press: New York, pp. 57-85.
- 1582.** Luna MA, Tortoledo ME, Allen M (1987). Salivary dermal analogue tumors arising in lymph nodes. *Cancer* 59: 1165-1169.
- 1583.** Luna MA, Tortoledo ME, Ordonez NG, Frankenthaler RA, Batsakis JG (1991). Primary sarcomas of the major salivary glands. *Arch Otolaryngol Head Neck Surg* 117: 302-306.
- 1584.** Lundgren J, Olofsson J, Hellquist H (1982). Oncocytic lesions of the larynx. *Acta Otolaryngol* 94: 335-344.
- 1585.** Lussier C, Kljanienco J, Vielh P (2000). Fine-needle aspiration of metastatic nonlymphomatous tumors to the major salivary glands: a clinicopathologic study of 40 cases cytologically diagnosed and histologically correlated. *Cancer* 90: 350-356.
- 1586.** Lustig LR, Holliday MJ, McCarthy EF, Nager GT (2001). Fibrous dysplasia involving the skull base and temporal bone. *Arch Otolaryngol Head Neck Surg* 127: 1239-1247.
- 1587.** Lustrin ES, Palestro C, Vaheesan K (2001). Radiographic evaluation and assessment of paragangliomas. *Otolaryngol Clin North Am* 34: 881-906, vi.
- 1588.** Luzar B, Poljak M, Marin JJ, Fischinger J, Gale N (2001). Quantitative measurement of telomerase catalytic subunit (hTERT) mRNA in laryngeal squamous cell carcinomas. *Anticancer Res* 21: 4011-4015.
- 1589.** Lynde CW, McLean DI, Wood WS (1984). Tumors of ceruminous glands. *J Am Acad Dermatol* 11: 841-847.
- 1590.** Ma B, Corry J, Rischin D, Leong T, Peters LJ (2001). Combined modality treatment for locally advanced squamous-cell carcinoma of the oropharynx in a woman with Bloom's syndrome: a case report and review of the literature. *Ann Oncol* 12: 1015-1017.
- 1591.** Ma J, Chan JK, Chow CW, Orell SR (2002). Lymphadenoma: a report of three cases of an uncommon salivary gland neoplasm. *Histopathology* 41: 342-350.
- 1592.** Ma J, Mai HQ, Hong MH, Cui NJ, Lu TX, Lu LX, Mo HY, Min HQ (2001). Is the 1997 AJCC staging system for nasopharyngeal carcinoma prognostically useful for Chinese patient populations? *Int J Radiat Oncol Biol Phys* 50: 1181-1189.
- 1593.** Ma Z, Hill DA, Collins MH, Morris SW, Sumegi J, Zhou M, Zuppan C, Bridge JA (2003). Fusion of ALK to the Ran-binding protein 2 (RANBP2) gene in inflammatory myofibroblastic tumor. *Genes Chromosomes Cancer* 37: 98-105.
- 1594.** Macbeth R (1965). Malignant disease of the paranasal sinuses. *J Laryngol* 79: 592-612.
- 1595.** MacCollin MM (2003). [www.genetests.org](http://www.genetests.org). Genereviews
- 1596.** Macdonald MR, Le KT, Freeman J, Hui MF, Cheung RK, Dosch HM (1995). A majority of inverted sinonasal papillomas carries Epstein-Barr virus genomes. *Cancer* 75: 2307-2312.
- 1597.** Macfarlane GJ, Macfarlane TV, Lowenfels AB (1996). The influence of alcohol consumption on worldwide trends in mortality from upper aerodigestive tract cancers in men. *J Epidemiol Community Health* 50: 636-639.
- 1598.** Machado de Sousa SO, Soares de Araujo N, Correa L, Pires Soubhia AM, Cavalcanti de Araujo V (2001). Immunohistochemical aspects of basal cell adenoma and canalicular adenoma of salivary glands. *Oral Oncol* 37: 365-368.
- 1599.** Mackenzie IJ, Morgan JM, Mitchell JF (1981). Secondary tracheal carcinoma. *J Laryngol Otol* 95: 973-978.
- 1600.** MacLeod RI, Soames JV (1988). Squamous cell carcinoma arising in an odontogenic keratocyst. *Br J Oral Maxillofac Surg* 26: 52-57.
- 1601.** MacMillan C, Kapadia SB, Finkelstein SD, Nalesnik MA, Barnes L (1996). Lymphoepithelial carcinoma of the larynx and hypopharynx: study of eight cases with relationship to Epstein-Barr virus and p53 gene alterations, and review of the literature. *Hum Pathol* 27: 1172-1179.
- 1602.** MacNaughton DM, Tewfik TL, Bernstein ML (1990). Hodgkin's disease in the nasopharynx. *J Otolaryngol* 19: 282-284.
- 1603.** Maddox JC, Evans HL (1981). Angiosarcoma of skin and soft tissue: a study of forty-four cases. *Cancer* 48: 1907-1921.
- 1604.** Madrigal FM, Godoy LM, Daboin KP, Casiraghi O, Garcia AM, Luna MA (2002). Laryngeal osteosarcoma: a clinicopathologic analysis of four cases and comparison with a carcinosarcoma. *Ann Diagn Pathol* 6: 1-9.
- 1605.** Magnano M, Cavalot AL, Gervasio CF, Lerda W, Gabriele P, Orecchia R, Ruo-Redda MG, Beltramo G, Ragona R, Cortesina G (1999). Surgery or radiotherapy for early stage carcinomas of the glottic larynx. *Tumori* 85: 188-193.
- 1606.** Mahlstedt K, Uszmuller J, Donath K (2002). Malignant sialogenic tumours of the larynx. *J Laryngol Otol* 116: 119-122.
- 1607.** Maier H, Dietz A, Gewelke U, Heller WD, Weidauer H (1992). Tobacco and alcohol and the risk of head and neck cancer. *Clin Invest* 70: 320-327.
- 1608.** Maier H, Tisch M (1997). Epidemiology of laryngeal cancer: results of the Heidelberg case-control study. *Acta Otolaryngol Suppl* 527: 160-164.
- 1609.** Maier HC (1985). Craniopharyngioma with erosion and drainage into the nasopharynx. An autobiographical case report. *J Neurosurg* 62: 132-134.
- 1610.** Maiorano E, Lo Muzio L, Favia G, Piattelli A (2002). Warthin's tumour: a study of 78 cases with emphasis on bilaterality, multifocality and association with other malignancies. *Oral Oncol* 38: 35-40.
- 1611.** Maitra A, Baskin LB, Lee EL (2001). Malignancies arising in oncocytic Schneiderian papillomas: a report of 2 cases and review of the literature. *Arch Pathol Lab Med* 125: 1365-1367.
- 1612.** Maiuri F, Corriero G, Elefante R, Cirillo S, Giamundo A (1987). Craniopharyngioma of the cranial base and nasopharynx. *Surg Neurol* 27: 191-194.
- 1613.** Majumdar S, Raghavan U, Jones NS (2002). Solitary plasmacytoma and extramedullary plasmacytoma of the paranasal sinuses and soft palate. *J Laryngol Otol* 116: 962-965.
- 1614.** Makepeace AR, Ferment DC, Bennett MH (1987). Non-Hodgkin's lymphoma of the tonsil. Experience of treatment over a 27-year period. *J Laryngol Otol* 101: 1151-1158.
- 1615.** Makowski GJ, McGuff S, Van Sicks JE (2001). Squamous cell carcinoma in a maxillary odontogenic keratocyst. *J Oral Maxillofac Surg* 59: 76-80.
- 1616.** Maldjian JA, Norton KI, Groisman GM, Som PM (1994). Inflammatory pseudotumor of the maxillary sinus in a 15-year-old boy. *AJNR Am J Neuroradiol* 15: 784-786.
- 1617.** Mallofre C, Cardesa A, Campo E, Condom E, Palacin A, Garin-Chesa P, Traserria J (1993). Expression of cytokeratins in squamous cell carcinomas of the larynx: immunohistochemical analysis and correlation with prognostic factors. *Pathol Res Pract* 189: 275-282.
- 1618.** Mallow RD, Spatz SS, Zubrow HJ, Kline SN (1966). Odontogenic fibroma with

- calcification. Report of a case with a review of the literature. *Oral Surg Oral Med Oral Pathol* 22: 564-568.
- 1619.** Malpica A, Luna MA, Lyos AT, Silva EG (1995). Sinonasal Teratocarcinoma: a clinicopathologic study of 9 cases. *Lab Invest* 72: 103.
- 1620.** Mancuso TF, Brennan MJ (1970). Epidemiological considerations of cancer of the gallbladder, bile ducts and salivary glands in the rubber industry. *J Occup Med* 12: 333-341.
- 1621.** Mangion J, Rahman N, Edkins S, Barfoot R, Nguyen T, Sigurdsson A, Townend JV, Fitzpatrick DR, Flanagan AM, Stratton MR (1999). The gene for cherubism maps to chromosome 4p16.3. *Am J Hum Genet* 65: 151-157.
- 1622.** Mani NJ (1974). Odontoma syndrome: report of an unusual case with multiple multiform odontomas of both jaws. *J Dent* 2: 149-152.
- 1623.** Manivel C, Wick MR, Dehner LP (1986). Transitional (cylindrical) cell carcinoma with endodermal sinus tumor-like features of the nasopharynx and paranasal sinuses. Clinicopathologic and immunohistochemical study of two cases. *Arch Pathol Lab Med* 110: 198-202.
- 1624.** Manolidis S, Donald PJ (1997). Malignant mucosal melanoma of the head and neck: review of the literature and report of 14 patients. *Cancer* 80: 1373-1386.
- 1625.** Mantravadi J, Roth LM, Kafrawy AH (1993). Vascular neoplasms of the parotid gland. Parotid vascular tumors. *Oral Surg Oral Med Oral Pathol* 75: 70-75.
- 1626.** Mao L, El Naggar AK, Papadimitrakopoulou V, Shin DM, Shin HC, Fan Y, Zhou X, Clayman G, Lee JJ, Lee JS, Hittelman WN, Lippman SM, Hong WK (1998). Phenotype and genotype of advanced premalignant head and neck lesions after chemopreventive therapy. *J Natl Cancer Inst* 90: 1545-1551.
- 1627.** Mao L, Lee JS, Fan YH, Ro JY, Batsakis JG, Lippman S, Hittelman W, Hong WK (1996). Frequent microsatellite alterations at chromosomes 9p21 and 3p14 in oral premalignant lesions and their value in cancer risk assessment. *Nat Med* 2: 682-685.
- 1628.** Marchioni DL, Fisberg RM, do Rosario M, Latorre DO, Wunsch V (2002). Diet and cancer of oral cavity and pharynx: a case-control study in Sao Paulo, Brazil. *IARC Sci Publ* 156: 559-561.
- 1629.** Margiotta V, Franco V, Rizzo A, Porter S, Scully C, Di Alberti L (1999). Gastric and gingival localization of mucosa-associated lymphoid tissue (MALT) lymphoma. An immunohistochemical, virological and clinical case report. *J Periodontol* 70: 914-918.
- 1630.** Margolis FL (1972). A brain protein unique to the olfactory bulb. *Proc Natl Acad Sci U S A* 69: 1221-1224.
- 1631.** Margolis FL, Verhaagen J, Biffo S, Huang FL, Grillo M (1991). Regulation of gene expression in the olfactory neuroepithelium: a neurogenetic matrix. *Prog Brain Res* 89: 97-122.
- 1632.** Marianowski R, Wassef M, Amanou L, Herman P, Tran-Ba-Huy P (1998). Primary T-cell non-Hodgkin lymphoma of the larynx with subsequent cutaneous involvement. *Arch Otolaryngol Head Neck Surg* 124: 1037-1040.
- 1633.** Marie PJ, de Pollak C, Chanson P, Lomri A (1997). Increased proliferation of osteoblastic cells expressing the activating Gs alpha mutation in monostotic and polyostotic fibrous dysplasia. *Am J Pathol* 105: 1059-1069.
- 1634.** Mariman EC, van Beersum SE, Cremers CW, Struycken PM, Ropers HH (1995). Fine mapping of a putatively imprinted gene for familial non-chromaffin paragangliomas to chromosome 11q13.1: evidence for genetic heterogeneity. *Hum Genet* 95: 56-62.
- 1635.** Marioni G, Bertino G, Mariuzzi L, Bergamin-Bracale AM, Lombardo M, Beltrami CA (2000). Laryngeal leiomyosarcoma. *J Laryngol Otol* 114: 398-401.
- 1636.** Marioni G, Bottin R, Staffieri A, Altavilla G (2003). Spindle-cell tumours of the larynx: diagnostic pitfalls. A case report and review of the literature. *Acta Otolaryngol* 123: 86-90.
- 1637.** Marioni G, Mariuzzi L, Gaio E, Portaleone S, Pertoldi B, Staffieri A (2002). Lymphoepithelial carcinoma of the larynx. *Acta Otolaryngol* 122: 429-434.
- 1638.** Mark J, Dahlenfors R, Stenman G, Nordquist A (1989). A human adenolymphoma showing the chromosomal aberrations del (7)(p12p14-15) and t(11;19)(q21;p12-13). *Anticancer Res* 9: 1565-1566.
- 1639.** Mark J, Dahlenfors R, Wedell B (1997). Impact of the in vitro technique used on the cytogenetic patterns in pleomorphic adenomas. *Cancer Genet Cytogenet* 95: 9-15.
- 1640.** Mark RJ, Tran LM, Sercarz J, Fu YS, Calcaterra TC, Juillard GF (1993). Angiosarcoma of the head and neck. The UCLA experience 1955 through 1990. *Arch Otolaryngol Head Neck Surg* 119: 973-978.
- 1641.** Martin-Hirsch DP, Lannigan FJ, Irani B, Batman P (1992). Oncocytic papillary cystadenomatosis of the larynx. *J Laryngol Otol* 106: 656-658.
- 1642.** Martin PC, Hoda SA, Pigman HT, Pulitzer DR (1994). Giant cell tumor of the larynx. Case report and review of the literature. *Arch Pathol Lab Med* 118: 834-837.
- 1643.** Martinelli M, Martini F, Rinaldi E, Caramanico L, Magri E, Grandi E, Carinci F, Pastore A, Tognon M (2002). Simian virus 40 sequences and expression of the viral large T antigen oncoprotein in human pleomorphic adenomas of parotid glands. *Am J Pathol* 161: 1127-1133.
- 1644.** Martinez-Barba E, Cortes-Guardiola JA, Minguela-Puras A, Torroba-Caron A, Mendez-Trujillo S, Bermejo-Lopez J (1997). Salivary duct carcinoma: clinicopathological and immunohistochemical studies. *J Craniomaxillofac Surg* 25: 328-334.
- 1645.** Martinez-Gavidia EM, Bagan JV, Millian-Masanet MA, Lloria de Miguel E, Perez-Valles A (2000). Highly aggressive brown tumour of the maxilla as first manifestation of primary hyperparathyroidism. *Int J Oral Maxillofac Surg* 29: 447-449.
- 1646.** Martinez-Madriral F, Baden E, Casiraghi O, Micheau C (1991). Oral and pharyngeal adenoid squamous carcinoma. A report of four cases with immunohistochemical studies. *Eur Arch Otorhinolaryngol* 248: 255-258.
- 1647.** Martinez-Madriral F, Santiago Payan H, Meneses A, Dominguez Malagon H, Rojas ME (1995). Plasmacytoid myoepithelioma of the laryngeal region: a case report. *Hum Pathol* 26: 802-804.
- 1648.** Martinez S, Bosch R, Pardo J, Salvado MT, Alvaro T (2001). Inflammatory myofibroblastic tumour of larynx. *J Laryngol Otol* 115: 140-142.
- 1649.** Martins C, Carvalho YR, do Carmo MA (2001). Argypophilic nucleolar organizer regions (AgNORs) in odontogenic myxoma (OM) and ameloblastic fibroma (AF). *J Oral Pathol Med* 30: 489-493.
- 1650.** Martins C, Fonseca I, Roque L, Pinto AE, Soares J (1996). Malignant salivary gland neoplasms: a cytogenetic study of 19 cases. *Eur J Cancer B Oral Oncol* 32B: 128-132.
- 1651.** Martins C, Fonseca I, Roque L, Ribeiro C, Soares J (2001). Cytogenetic similarities between two types of salivary gland carcinomas: adenoid cystic carcinoma and polymorphous low-grade adenocarcinoma. *Cancer Genet Cytogenet* 128: 130-136.
- 1652.** Maruya S, Kim HW, Weber RS, Lee JJ, Kies M, Luna MA, Batsakis JG, El Naggar AK (2004). Gene expression screening of salivary gland neoplasms: molecular markers of potential histogenetic and clinical significance. *J Mol Diagn* 6: 180-190.
- 1653.** Maruya S, Kurotaki H, Shimoyama N, Kaimori M, Shinkawa H, Yagihashi S (2003). Expression of p16 protein and hypermethylation status of its promoter gene in adenoid cystic carcinoma of the head and neck. *ORL J Otorhinolaryngol Relat Spec* 65: 26-32.
- 1654.** Maruyama S, Cheng J, Inoue T, Takagi R, Saku T (2002). Sebaceous lymphadenoma of the lip: report of a case of minor salivary gland origin. *J Oral Pathol Med* 31: 242-243.
- 1655.** Mashberg A, Samit A (1995). Early diagnosis of asymptomatic oral and oropharyngeal squamous cancers. *CA Cancer J Clin* 45: 328-351.
- 1656.** Massey V, Wallner K (1992). Treatment of metastatic chemodectoma. *Cancer* 69: 790-792.
- 1657.** Mast BA, Kapadia SB, Yunis E, Bentz M (1999). Subtotal maxillectomy for melanotic neuroectodermal tumor of infancy. *Plast Reconstr Surg* 103: 1961-1963.
- 1658.** Masuda M, Shinokuma A, Hirakawa N, Nakashima T, Komiyama S (1998). Expression of bcl-2, p53, and Ki-67 and outcome of patients with primary nasopharyngeal carcinomas following DNA-damaging treatment. *Head Neck* 20: 640-644.
- 1659.** Mathews FR, Appleton SS, Wear DJ (1989). Intraoral Hodgkin's disease. *J Oral Maxillofac Surg* 47: 502-504.
- 1660.** Mathisen DJ, Grillo HC (1996). Tumors of the cervical trachea. In: *Cancer of the Head and Neck*, Myers EN, Suen JY, eds., 3rd ed. WB Saunders: Philadelphia, pp. 439-461.
- 1661.** Matias C, Corde J, Soares J (1988). Primary malignant melanoma of the nasal cavity: a clinicopathologic study of nine cases. *J Surg Oncol* 39: 29-32.
- 1662.** Matsuba HM, Mauney M, Simpson JR, Thawley SE, Pikul FJ (1988). Adenocarcinomas of major and minor salivary gland origin: a histopathologic review of treatment failure patterns. *Laryngoscope* 98: 784-788.
- 1663.** Matsuba HM, Thawley SE, Simpson JR, Levine LA, Mauney M (1984). Adenoid cystic carcinoma of major and minor salivary gland origin. *Laryngoscope* 94: 1316-1318.
- 1664.** Matsumoto Y, Yanagihara N (1982). Renal clear cell carcinoma metastatic to the nose and paranasal sinuses. *Laryngoscope* 92: 1190-1193.
- 1665.** Matsumura S, Murakami S, Kakimoto M, Furukawa S, Kishino M, Ishida T, Fuchihata H (1998). Histopathologic and radiographic findings of the simple bone cyst. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85: 619-625.
- 1666.** Matsuno A, Nagashima T, Matsuura R, Tanaka H, Hirakawa M, Murakami M, Tamura A, Kirino T (1996). Correlation between MIB-1 staining index and the immunoreactivity of p53 protein in recurrent and non-recurrent meningiomas. *Am J Clin Pathol* 106: 776-781.
- 1667.** Matsushita H, Matsuya S, Endo Y, Hara M, Shishiba Y, Yamaguchi H, Kameya T (1984). A prolactin producing tumor originated in the sphenoid sinus. *Acta Pathol Jpn* 34: 103-109.
- 1668.** Mattavelli F, Di Palma S, Guzzo M (1995). Primary mucosal malignant melanoma of the larynx: case report and review of the literature. *Tumori* 81: 460-463.
- 1669.** Mazzoni A, Pareschi R, Calabrese V (1988). Intratemporal vascular tumours. *J Laryngol Otol* 102: 353-356.
- 1670.** McCaffrey TV, Meyer FB, Michels VV, Piepgras DG, Marion MS (1994). Familial paragangliomas of the head and neck. *Arch Otolaryngol Head Neck Surg* 120: 1211-1216.
- 1671.** McCaffrey TV, Witte M, Ferguson MT (1998). Verrucous carcinoma of the larynx. *Ann Otol Rhinol Laryngol* 107: 391-395.
- 1672.** McClain K, Jin H, Gresik V, Favara B (1994). Langerhans cell histiocytosis: lack of a viral etiology. *Am J Hematol* 47: 16-20.
- 1673.** McClatchey KD (1987). Tumors of the dental lamina: a selective review. *Semin Diagn Pathol* 4: 200-204.
- 1674.** McClatchey KD, Sullivan MJ, Paugh DR (1989). Peripheral ameloblastic carcinoma: a case report of a rare neoplasm. *J Otolaryngol* 18: 109-111.
- 1675.** McCluggage WG, Cameron CH, Brooker D, O'Hara MD (1996). Paraganglioma: an unusual tumour of the parathyroid gland. *J Laryngol Otol* 110: 196-199.
- 1676.** McCluggage WG, Napier SS, Primrose WJ, Adair RA, Toner PG (1995). Sinonasal neuroendocrine carcinoma exhibiting amplicentric differentiation. *Histopathology* 27: 79-82.
- 1677.** McCoy JM, Waldron CA (1981). Verrucous carcinoma of the oral cavity. A review of forty-nine cases. *Oral Surg Oral Med Oral Pathol* 52: 623-629.
- 1678.** McDermott MB, Ponder TB, Dehner LP (1998). Nasal chondromesenchymal hamartoma: an upper respiratory tract analogue of the chest wall mesenchymal hamartoma. *Am J Surg Pathol* 22: 425-433.
- 1679.** McGavran MH, Bauer WC, Ogura JH (1961). The incidence of cervical lymph node metastases from epidermoid carcinoma of the larynx and their relationship to certain characteristics of the primary tumor: A study based on the clinical and pathological findings for 96 patients treated by primary en bloc laryngectomy and radical neck dissection. *Cancer* 14: 55-66.
- 1680.** McGill T (1984). Congenital diseases of the larynx. *Otolaryngol Clin North Am* 17: 57-62.
- 1681.** McGregor AD, Burgoyne M, Tan KC (1988). Recurrent pleomorphic salivary adenoma—the relevance of age at first presentation. *Br J Plast Surg* 41: 177-181.
- 1682.** McGregor AD, MacDonald DG (1988). Routes of entry of squamous cell carcinoma to the mandible. *Head Neck Surg* 10: 294-301.
- 1683.** McGregor AD, MacDonald DG (1989). Patterns of spread of squamous cell carcinoma within the mandible. *Head Neck* 11: 457-461.
- 1684.** McGuirt WF, Ray M (1999). Second laryngeal cancers in previously treated

- larynges. *Laryngoscope* 109: 1406-1408.
- 1685.** McKay MJ, Carr PJ, Jaworski R, Kalnins I (1989). Cancer of distant primary site relapsing in the nasopharynx: a report of two cases and review of the literature. *Head Neck* 11: 534-537.
- 1686.** McKiernan DC, Watters GW (1995). Smooth muscle tumours of the larynx. *J Laryngol Otol* 109: 77-79.
- 1687.** McKinney CD, Mills SE, Franquemont DW (1995). Sinonasal intestinal-type adenocarcinoma: immunohistochemical profile and comparison with colonic adenocarcinoma. *Mod Pathol* 8: 421-426.
- 1688.** McKnight HA (1939). Malignant parotid tumor in the newborn. *Am J Surg* 130.
- 1689.** McLaren KM, Burnett RA, Goodlad JR, Howatson SR, Lang S, Lee FD, Lessells AM, Ogston S, Robertson AJ, Simpson JG, Smith GD, Tavadia HB, Walker F (2000). Consistency of histopathological reporting of laryngeal dysplasia. The Scottish Pathology Consistency Group. *Histopathology* 37: 460-463.
- 1690.** McMenamin ME, Fletcher CD (2001). Expanding the spectrum of malignant change in schwannomas: epithelioid malignant peripheral nerve sheath tumor, and epithelioid angiosarcoma: a study of 17 cases. *Am J Surg Pathol* 25: 13-25.
- 1691.** McNeil C (2000). HPV in oropharyngeal cancers: new data inspire hope for vaccines. *J Natl Cancer Inst* 92: 680-681.
- 1692.** McRae RD, Gatland DJ, McNab Jones RF, Khan S (1990). Malignant transformation in a laryngeal hemangioma. *Ann Otol Rhinol Laryngol* 99: 562-565.
- 1693.** Medeiros LJ, Peiper SC, Elwood L, Yano T, Raffeld M, Jaffe ES (1991). Angiocentric immunoproliferative lesions: a molecular analysis of eight cases. *Hum Pathol* 22: 1150-1157.
- 1694.** Medeiros LJ, Rizzi R, Lardelli P, Jaffe ES (1990). Malignant lymphoma involving a Warthin's tumor: a case with immunophenotypic and gene rearrangement analysis. *Hum Pathol* 21: 974-977.
- 1695.** Medina JE, Dichtel W, Luna MA (1984). Verrucous-squamous carcinomas of the oral cavity. A clinicopathologic study of 104 cases. *Arch Otolaryngol* 110: 437-440.
- 1696.** Megerian CA, Haynes DS, Poe DS, Choo DI, Keriakas TJ, Glasscock MEI (2002). Hearing preservation surgery for small endolymphatic sac tumors in patients with von Hippel-Lindau syndrome. *Otol Neurotol* 23: 378-387.
- 1697.** Megerian CA, Maniglia AJ (1994). Parotidectomy: a ten year experience with fine needle aspiration and frozen section biopsy correlation. *Ear Nose Throat J* 73: 377-380.
- 1698.** Megerian CA, Sofferan RA, McKenna MJ, Eavy RD, Nadol JBJ (1982). Fibrous dysplasia of the temporal bone. *Ann Otol Rhinol Laryngol* 91 Suppl.92.
- 1699.** Mehta FS, Shroff BC, Gupta PC, Daftary DK (1972). Oral leukoplakia in relation to tobacco habits. A ten-year follow-up study of Bombay policemen. *Oral Surg Oral Med Oral Pathol* 34: 426-433.
- 1700.** Meijer JW, Ramaekers FC, Manni JJ, Slooff JJ, Aldeweireldt J, Vooy GP (1988). Intermediate filament proteins in spindle cell carcinoma of the larynx and tongue. *Acta Otolaryngol* 106: 306-313.
- 1701.** Meis JM, Butler JJ, Osborne BM, Manning JT (1986). Granulocytic sarcoma in nonleukemic patients. *Cancer* 58: 2697-2709.
- 1702.** Melato M, Falconieri G, Fanin R, Baccarani M (1986). Hodgkin's disease occurring in a Warthin's tumor: first case report. *Pathol Res Pract* 181: 615-620.
- 1703.** Melrose RJ (1999). Desmoplastic ameloblastoma. *Pathol Rev* 4: 21-27.
- 1704.** Menarguez J, Mollejo M, Carrion R, Oliva H, Bellas C, Forteza J, Martin C, Ruiz-Marcellan C, Morente M, Romagosa V, Cuena R, Piris MA (1994). Waldeyer ring lymphomas. A clinicopathological study of 79 cases. *Histopathology* 24: 13-22.
- 1705.** Menck HR, Henderson BE (1982). Cancer incidence patterns in the Pacific Basin. *Natl Cancer Inst Monogr* 62: 101-109.
- 1706.** Mentzel T, Bainbridge TC, Katzenkamp D (1997). Solitary fibrous tumour: clinicopathological, immunohistochemical, and ultrastructural analysis of 12 cases arising in soft tissues, nasal cavity and nasopharynx, urinary bladder and prostate. *Virchows Arch* 430: 445-453.
- 1707.** Merrick RE, Rhone DP, Chilis TJ (1980). Malignant fibrous histiocytoma of the maxillary sinus. Case report and literature review. *Arch Otolaryngol* 106: 365-367.
- 1708.** Merrick Y, Albeck H, Nielsen NH, Hansen HS (1986). Familial clustering of salivary gland carcinoma in Greenland. *Cancer* 57: 2097-2102.
- 1709.** Mezzelani A, Tornielli S, Minoletti F, Pierotti MA, Sozzi G, Pilotti S (1999). Esthesioneuroblastoma is not a member of the primitive peripheral neuroectodermal tumour-Ewing's group. *Br J Cancer* 81: 586-591.
- 1710.** Michaels L (1996). Benign mucosal tumors of the nose and paranasal sinuses. *Semin Diagn Pathol* 13: 111-117.
- 1711.** Michaels L, Hellquist H (2001). Ear, Nose and Throat Histopathology. 2nd ed. Springer Verlag: Berlin.
- 1712.** Michaels L, Lee K, Manuja SL, Soucek SO (1999). Family with low-grade neuroendocrine carcinoma of salivary glands, severe sensorineural hearing loss, and enamel hypoplasia. *Am J Med Genet* 83: 183-186.
- 1713.** Michaels L, Wells M (1980). Squamous cell carcinoma of the middle ear. *Clin Otolaryngol* 5: 235-248.
- 1714.** Michaels L, Young M (1995). Histogenesis of papillomas of the nose and paranasal sinuses. *Arch Pathol Lab Med* 119: 821-826.
- 1715.** Michal M, Hrabal P, Skalova A (1998). Oncocytic cystadenoma of the parotid gland with prominent signet-ring cell features. *Pathol Int* 48: 629-633.
- 1716.** Michal M, Skalova A, Mukensnabl P (2000). Micropapillary carcinoma of the parotid gland arising in mucinous cystadenoma. *Virchows Arch* 437: 465-468.
- 1717.** Michal M, Skalova A, Simpson RH, Leivo I, Ryska A, Starek I (1997). Well-differentiated acinic cell carcinoma of salivary glands associated with lymphoid stroma. *Hum Pathol* 28: 595-600.
- 1718.** Michal M, Skalova A, Simpson RH, Raslan WF, Curik R, Leivo I, Mukensnabl P (1999). Cribriform adenocarcinoma of the tongue: a hitherto unrecognized type of adenocarcinoma characteristically occurring in the tongue. *Histopathology* 35: 495-501.
- 1719.** Michal M, Skalova A, Simpson RH, Rychterova V, Leivo I (1996). Clear cell malignant myoepithelioma of the salivary glands. *Histopathology* 28: 309-315.
- 1720.** Michal M, Sokol L, Mukensnabl P (1996). Salivary gland anlage tumor. A case with widespread necrosis and large cyst formation. *Pathology* 28: 128-130.
- 1721.** Michalek AM, Mahoney MC, McLaughlin CC, Murphy D, Metzger BB (1994). Historical and contemporary correlates of syphilis and cancer. *Int J Epidemiol* 23: 381-385.
- 1722.** Micheau C, Luboinski B, Schwaab G, Richard J, Cachin Y (1979). Lymphoepitheliomas of the larynx (undifferentiated carcinomas of nasopharyngeal type). *Clin Otolaryngol* 4: 43-48.
- 1723.** Miettinen M (1988). Antibody specific to muscle actins in the diagnosis and classification of soft tissue tumors. *Am J Pathol* 130: 205-215.
- 1724.** Miettinen M, Paal E, Lasota J, Sobin LH (2002). Gastrointestinal glomus tumors: a clinicopathologic, immunohistochemical, and molecular genetic study of 32 cases. *Am J Surg Pathol* 26: 301-311.
- 1725.** Mihailescu D, Shore-Freedman E, Mukani S, Lubin J, Ron E, Schneider AB (2002). Multiple neoplasms in an irradiated cohort: pattern of occurrence and relationship to thyroid cancer outcome. *J Clin Endocrinol Metab* 87: 3236-3241.
- 1726.** Mikaelian DO, Contrucci RB, Batsakis JG (1986). Epithelial-myoepithelial carcinoma of the subglottic region: a case presentation and review of the literature. *Otolaryngol Head Neck Surg* 95: 104-106.
- 1727.** Milasin J, Pujic N, Dedovic N, Gavric M, Vranic V, Petrovic V, Minic A (1993). H-ras gene mutations in salivary gland pleomorphic adenomas. *Int J Oral Maxillofac Surg* 22: 359-361.
- 1728.** Milchgrub S, Gnepp DR, Vuitch F, Delgado R, Albores-Saavedra J (1994). Hyalinizing clear cell carcinoma of salivary gland. *Am J Surg Pathol* 18: 74-82.
- 1729.** Milford CA, Mugliston TA, O'Flynn P, McCarthy K (1989). Carcinoma arising in a pleomorphic adenoma of the epiglottis. *J Laryngol Otol* 103: 324-327.
- 1730.** Milham SJr (1976). Cancer mortality pattern associated with exposure to metals. *Ann N Y Acad Sci* 271: 243-249.
- 1731.** Milian MA, Bagan JV, Jimenez Y, Perez A, Scully C, Antoniadis D (2001). Langerhans' cell histiocytosis restricted to the oral mucosa. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91: 76-79.
- 1732.** Miller AS, Hartman GG, Chen SY, Edmonds PR, Brightman SA, Harwick RD (1994). Estrogen receptor assay in polymorphous low-grade adenocarcinoma and adenoid cystic carcinoma of salivary gland origin. An immunohistochemical study. *Oral Surg Oral Med Oral Pathol* 77: 36-40.
- 1733.** Miller AS, Harwick RD, Alfaro-Miranda M, Sundararajan M (1993). Search for correlation of radon levels and incidence of salivary gland tumors. *Oral Surg Oral Med Oral Pathol* 75: 58-63.
- 1734.** Miller DC, Goodman ML, Pilch BZ, Shi SR, Dickerson GR, Halpern H, Norris CMJr (1984). Mixed olfactory neuroblastoma and carcinoma. A report of two cases. *Cancer* 54: 2019-2028.
- 1735.** Miller LH, Santaella-Latimer L, Miller T (1975). Synovial sarcoma of the larynx. *Trans Am Acad Ophthalmol Otolaryngol* 80: 448-451.
- 1736.** Miller RB, Boon MS, Atkins JP, Lowry LD (2000). Vagal paraganglioma: the Jefferson experience. *Otolaryngol Head Neck Surg* 122: 482-487.
- 1737.** Mills RP, Hussain SS (1984). Teratomas of the head and neck in infancy and childhood. *Int J Pediatr Otorhinolaryngol* 8: 177-180.
- 1738.** Mills SE, Cooper PH, Fechner RE (1980). Lobular capillary hemangioma: the underlying lesion of pyogenic granuloma. A study of 73 cases from the oral and nasal mucous membranes. *Am J Surg Pathol* 4: 470-479.
- 1739.** Mills SE, Fechner RE, Cantrell RW (1982). Aggressive sinonasal lesion resembling normal intestinal mucosa. *Am J Surg Pathol* 6: 803-809.
- 1740.** Mills SE, Frierson HFJr (1985). Olfactory neuroblastoma. A clinicopathologic study of 21 cases. *Am J Surg Pathol* 9: 317-327.
- 1741.** Mills SE, Gaffey MJ, Frierson HFJr (2000). Tumors of the Upper Aerodigestive Tract and Ear. 3 ed. Armed Forces Institute of Pathology: Washington.
- 1742.** Mills SE, Garland TA, Allen MSJr (1984). Low-grade papillary adenocarcinoma of palatal salivary gland origin. *Am J Surg Pathol* 8: 367-374.
- 1743.** Min KW (1995). Usefulness of electron microscopy in the diagnosis of "small" round cell tumors of the sinonasal region. *Ultrastruct Pathol* 19: 347-363.
- 1744.** Minami M, Kaneda T, Ozawa K, Yamamoto H, Itai Y, Ozawa M, Yoshikawa K, Sasaki Y (1996). Cystic lesions of the maxillo-mandibular region: MR imaging distinction of odontogenic keratocysts and ameloblastomas from other cysts. *AJR Am J Roentgenol* 166: 943-949.
- 1745.** Mindell RS, Calcatera TC, Ward PH (1975). Leiomyosarcoma of the head and neck: a review of the literature and report of two cases. *Laryngoscope* 85: 904-910.
- 1746.** Mineta H, Miura K, Takebayashi S, Araki K, Ueda Y, Harada H, Misawa K (2001). Immunohistochemical analysis of small cell carcinoma of the head and neck: a report of four patients and a review of sixteen patients in the literature with ectopic hormone production. *Ann Otol Rhinol Laryngol* 110: 76-82.
- 1747.** Miragall F, Kadmon G, Husmann M, Schachner M (1988). Expression of cell adhesion molecules in the olfactory system of the adult mouse: presence of the embryonic form of N-CAM. *Dev Biol* 129: 516-531.
- 1748.** Miro Castillo N, Roca-Ribas Serda F, Barnadas Molins A, Prades Marti J, Casamitjana Claramunt F, Perello Scherdel E (2000). [Facial paralysis of metastatic origin. Review of metastatic lesions of the temporal bone]. *An Otorrinolaringol Ibero Am* 27: 255-263.
- 1749.** Mirza S, Dutt SN, Irving RM, Jones EL (2000). Intraductal papilloma of the sub-mandibular gland. *J Laryngol Otol* 114: 481-483.
- 1750.** Mitchell DB, Humphreys S, Kearns DB (1988). Mucoepidermoid carcinoma of the larynx in a child. *Int J Pediatr Otorhinolaryngol* 15: 211-215.
- 1751.** Mittleman F, Johansson B, Mertens F (2003). Mittleman Database of Chromosome Aberrations in Cancer (2003). <http://cgap.nci.nih.gov/Chromosomes/Mittleman>.
- 1752.** Miyauchi M, Ogawa I, Takata T, Ito H, Nikai H, Ijuhini N, Tanimoto K (1995). Florida cemento-osseous dysplasia with concomitant simple bone cysts: a case in a Japanese woman. *J Oral Pathol Med* 24: 285-287.
- 1753.** Mochloulis G, Irving RM, Grant HR, Miller RF (1996). Laryngeal Kaposi's sarcoma in patients with AIDS. *J Laryngol Otol*



110: 1034-1037.

- 1754.** Modan B, Chetrit A, Alfandary E, Tamir A, Lusky A, Wolf M, Shpilberg O (1998). Increased risk of salivary gland tumors after low-dose irradiation. *Laryngoscope* 108: 1095-1097.
- 1755.** Moench HC, Phillips TL (1972). Carcinoma of the nasopharynx. Review of 146 patients with emphasis on radiation dose and time factors. *Am J Surg* 124: 515-518.
- 1756.** Moghe GM, Borges AM, Soman CS, Naresh KN (2001). Hodgkin's disease involving Waldeyer's ring: a study of four cases. *Leuk Lymphoma* 41: 151-156.
- 1757.** Moh'd Hadi U, Kahwaji GJ, Mufarrij AA, Tawil A, Nouredine B (2002). Low grade primary clear cell carcinoma of the sinonasal tract. *Rhinology* 40: 44-47.
- 1758.** Mohamed AH, Cherrick HM (1975). Glycogen-rich adenocarcinoma of minor salivary glands. A light and electron microscopic study. *Cancer* 36: 1057-1066.
- 1759.** Mohammadi-Araghi H, Haery C (1993). Fibro-osseous lesions of craniofacial bones. The role of imaging. *Radiol Clin North Am* 31: 121-134.
- 1760.** Mohanty SK, Dey P, Ghoshal S, Saikia UN (2002). Cytologic features of metastatic nasopharyngeal carcinoma. *Diagn Cytopathol* 27: 340-342.
- 1761.** Mok JS, Pak MW, Chan KF, Chow J, Hasselt CA (2001). Unusual T- and T/NK-cell non-Hodgkin's lymphoma of the larynx: a diagnostic challenge for clinicians and pathologists. *Head Neck* 23: 625-628.
- 1762.** Mokni-Baizig N, Ayed K, Ayed FB, Ayed S, Sassi F, Ladgham A, Bel Hadj O, El May A (2001). Association between HLA-A/B antigens and -DRB1 alleles and nasopharyngeal carcinoma in Tunisia. *Oncology* 61: 55-58.
- 1763.** Molony NC, Stewart A, Ah-See K, McLaren M (1998). Hodgkin's lymphoma of the nasopharynx. *J Laryngol Otol* 112: 103-105.
- 1764.** Molteni A, Warpeha RL, Brizio-Molteni L, Fors EM (1981). Estradiol receptor-binding protein in head and neck neoplastic and normal tissue. *Arch Surg* 116: 207-210.
- 1765.** Monk JS Jr, Church JS (1992). Warthin's tumor. A high incidence and no sex predominance in central Pennsylvania. *Arch Otolaryngol Head Neck Surg* 118: 477-478.
- 1766.** Monoo K, Sageshima M, Ito E, Nishihira S, Ishikawa K (2003). [Histopathological grading and clinical features of patients with mucoepidermoid carcinoma of the salivary glands]. *Nippon Jibiinkoka Gakkai Kaiho* 106: 192-198.
- 1767.** Moore C, Catlin D (1967). Anatomic origins and locations of oral cancer. *Am J Surg* 114: 510-513.
- 1768.** Moore JG, Bocklage T (1998). Fine-needle aspiration biopsy of large-cell undifferentiated carcinoma of the salivary glands: presentation of two cases, literature review, and differential cytodagnosis of high-grade salivary gland malignancies. *Diagn Cytopathol* 19: 44-50.
- 1769.** Moore SB, Pearson GR, Neel HBI, Weiland LH (1983). HLA and nasopharyngeal carcinoma in North American Caucasoids. *Tissue Antigens* 22: 72-75.
- 1770.** Moretti JA, Miller D (1973). Laryngeal involvement in benign symmetric lipomatosis. *Arch Otolaryngol* 97: 495-496.
- 1771.** Morgan K, MacLennan KA, Narula A, Bradley PJ, Morgan DA (1989). Non-Hodgkin's lymphoma of the larynx (stage IE). *Cancer* 64: 1123-1127.
- 1772.** Morgan MN, Mackenzie DH (1968). Tumours of salivary glands. A review of 204 cases with 5-year follow-up. *Br J Surg* 55: 284-288.
- 1773.** Mori N, Yatabe Y, Oka K, Kinoshita T, Kobayashi T, Ono T, Asai J (1996). Expression of perforin in nasal lymphoma. Additional evidence of its natural killer cell derivation. *Am J Pathol* 149: 699-705.
- 1774.** Morice WG, Ferreiro JA (1998). Distinction of basaloid squamous cell carcinoma from adenoid cystic and small cell undifferentiated carcinoma by immunohistochemistry. *Hum Pathol* 29: 609-612.
- 1775.** Morinaga S, Hashimoto S, Tezuka F (1992). Epithelial-myoepithelial carcinoma of the parotid gland in a child. *Acta Pathol Jpn* 42: 358-363.
- 1776.** Morinaga S, Nakajima T, Shimosato Y (1987). Normal and neoplastic myoepithelial cells in salivary glands: an immunohistochemical study. *Hum Pathol* 18: 1218-1226.
- 1777.** Morita A, Ebersold MJ, Olsen KD, Foote RL, Lewis JE, Quast LM (1993). Esthesioneuroblastoma: prognosis and management. *Neurosurgery* 32: 706-714.
- 1778.** Morita T, Fujiki N, Sudo M, Miyata K, Kurata K (2000). Neonatal mature teratoma of the sphenoidal sinus: a case report. *Am J Otolaryngol* 21: 398-401.
- 1779.** Moriya S, Tei K, Notani K, Shindoh M (2001). Malignant hemangiopericytoma of the head and neck: a report of 3 cases. *J Oral Maxillofac Surg* 59: 340-345.
- 1780.** Morland B, Cox G, Randall C, Ramsay A, Radford M (1994). Synovial sarcoma of the larynx in a child: case report and histological appearances. *Med Pediatr Oncol* 23: 64-68.
- 1781.** Morris KM, Campbell D, Stell PM, MacKenzie I, Miles JB (1990). Meningiomas presenting with paranasal sinus involvement. *Br J Neurosurg* 4: 511-515.
- 1782.** Morrison MD (1988). Is chronic gastroesophageal reflux a causative factor in glottic carcinoma? *Otolaryngol Head Neck Surg* 99: 370-373.
- 1783.** Mosqueda-Taylor A, Carlos-Bregni R, Ramirez-Amador V, Palma-Guzman JM, Esquivel-Bonilla D, Hernandez-Rojase LA (2002). Odontameloblastoma. Clinicopathologic study of three cases and critical review of the literature. *Oral Oncol* 38: 800-805.
- 1784.** Mosqueda-Taylor A, Meneses-Garcia A, Ruiz-Godoy Rivera LM, Lourdes Suarez-Roa M (2002). Clear cell odontogenic carcinoma of the mandible. *J Oral Pathol Med* 31: 439-441.
- 1785.** Moss WT (1965). *Therapeutic Radiology*. 2nd ed. Mosby: St Louis.
- 1786.** Mostafapour SP, Folz B, Barlow D, Manning S (2000). Sialoblastoma of the submandibular gland: report of a case and review of the literature. *Int J Pediatr Otorhinolaryngol* 53: 157-161.
- 1787.** Motamedi MH (2002). Destructive aneurysmal bone cyst of the mandibular condyle: report of a case and review of the literature. *J Oral Maxillofac Surg* 60: 1357-1361.
- 1788.** Mounts P, Shah KV, Kashima H (1982). Viral etiology of juvenile- and adult-onset squamous papilloma of the larynx. *Proc Natl Acad Sci U S A* 79: 5425-5429.
- 1789.** Mukherji SK, Armao D, Joshi VM (2001). Cervical nodal metastases in squamous cell carcinoma of the head and neck: what to expect. *Head Neck* 23: 995-1005.
- 1790.** Muller E, Beleites E (2000). The basaloid squamous cell carcinoma of the nasopharynx. *Rhinology* 38: 208-211.
- 1791.** Muller S, Barnes L (1995). Basaloid squamous cell carcinoma of the head and neck with a spindle cell component. An unusual histologic variant. *Arch Pathol Lab Med* 119: 181-182.
- 1792.** Muller S, Barnes L (1996). Basal cell adenocarcinoma of the salivary glands. Report of seven cases and review of the literature. *Cancer* 78: 2471-2477.
- 1793.** Muller S, DeRose PB, Cohen C (1993). DNA ploidy of ameloblastoma and ameloblastic carcinoma of the jaws. Analysis by image and flow cytometry. *Arch Pathol Lab Med* 117: 1126-1131.
- 1794.** Muller S, Parker DC, Kapadia SB, Budnick SD, Barnes EL (1995). Ameloblastic fibrosarcoma of the jaws. A clinicopathologic and DNA analysis of five cases and review of the literature with discussion of its relationship to ameloblastic fibroma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 79: 469-477.
- 1795.** Muraki Y, Tateishi A, Tominaga K, Fukuda J, Haneji T, Iwata Y (1999). Malignant peripheral nerve sheath tumour in the maxilla associated with von Recklinghausen's disease. *Oral Dis* 5: 250-252.
- 1796.** Muroso S, Ohmura T, Sugimori S, Furukawa M (1998). Vascular leiomyoma with abundant adipose cells of the nasal cavity. *Am J Otolaryngol* 19: 50-53.
- 1797.** Murrar VA, Batsakis JG (1994). Proliferative verrucous leukoplakia and verrucous hyperplasia. *Ann Otol Rhinol Laryngol* 103: 660-663.
- 1798.** Murti PR, Bhonsle RB, Pindborg JJ, Daftary DK, Gupta PC, Mehta FS (1985). Malignant transformation rate in oral sub-mucous fibrosis over a 17-year period. *Community Dent Oral Epidemiol* 13: 340-341.
- 1799.** Murty GE, Welch AR, Soames JV (1990). Basal cell adenocarcinoma of the parotid gland. *J Laryngol Otol* 104: 150-151.
- 1800.** Muscat JE, Wynder EL (1992). Tobacco, alcohol, asbestos, and occupational risk factors for laryngeal cancer. *Cancer* 69: 2244-2251.
- 1801.** Muscat JE, Wynder EL (1998). A case/control study of risk factors for major salivary gland cancer. *Otolaryngol Head Neck Surg* 118: 195-198.
- 1802.** Musy PY, Reibel JF, Levine PA (2002). Sinonasal undifferentiated carcinoma: the search for a better outcome. *Laryngoscope* 112: 1450-1455.
- 1803.** Mutoh H, Nagata H, Ohno K, Numata T, Nagao T, Nagao K, Konno A (2001). Analysis of the p53 gene in parotid gland cancers: a relatively high frequency of mutations in low-grade mucoepidermoid carcinomas. *Int J Oncol* 18: 781-786.
- 1804.** Muzumdar DP, Goel A, Pakhmode CK (2002). Multicystic acoustic neuroma: report of two cases. *J Clin Neurosci* 9: 453-455.
- 1805.** Mwang'ombe NJ, Kirongo G, Byakika W (2002). Fronto-ethmoidal teratoma: case report. *East Afr Med J* 79: 106-107.
- 1806.** Myssiorek D, Halaas Y, Silver C (2001). Laryngeal and sinonasal paragangliomas. *Otolaryngol Clin North Am* 34: 971-982, vii.
- 1807.** Myssiorek D, Patel M, Wasserman P, Rofeim O (1998). Osteosarcoma of the larynx. *Ann Otol Rhinol Laryngol* 107: 70-74.
- 1808.** Myssiorek D, Vambutas A, Abramson AL (1994). Carcinoma in situ of the glottic larynx. *Laryngoscope* 104: 463-467.
- 1809.** Nadal A, Campo E, Pinto J, Mallofre C, Palacin A, Arias C, Traserra J, Cardesa A (1995). p53 expression in normal, dysplastic, and neoplastic laryngeal epithelium. Absence of a correlation with prognostic factors. *J Pathol* 175: 181-188.
- 1810.** Nadal A, Cardesa A (2003). Molecular biology of laryngeal squamous cell carcinoma. *Virchows Arch* 442: 1-7.
- 1811.** Nadal A, Jares P, Cazorla M, Fernandez PL, Sanjuan X, Hernandez L, Pinyol M, Aldea M, Mallofre C, Muntane J, Traserra J, Campo E, Cardesa A (1997). p21WAF1/Cip1 expression is associated with cell differentiation but not with p53 mutations in squamous cell carcinomas of the larynx. *J Pathol* 183: 156-163.
- 1812.** Nagai MA, Butugan O, Logullo G, Brentani MM (1996). Expression of growth factors, proto-oncogenes, and p53 in nasopharyngeal angiofibromas. *Laryngoscope* 106: 190-195.
- 1813.** Nagai N, Takeshita N, Nagatsuka H, Inoue M, Nishijima K, Nojima T, Yamasaki M, Moh C (1991). Ameloblastic carcinoma: case report and review. *J Oral Pathol Med* 20: 460-463.
- 1814.** Nagao K, Matsuzaki O, Saiga H, Sugano I, Kaneko T, Katoh T, Kitamura T (1980). Histopathological studies on parotid gland tumors in Japanese children. *Virchows Arch A Pathol Anat Histol* 388: 263-272.
- 1815.** Nagao K, Matsuzaki O, Saiga H, Sugano I, Kaneko T, Katoh T, Kitamura T, Shigematsu H, Maruyama N (1986). Histopathologic studies on adenocarcinoma of the parotid gland. *Acta Pathol Jpn* 36: 337-347.
- 1816.** Nagao K, Matsuzaki O, Saiga H, Sugano I, Shigematsu H, Kaneko T, Katoh T, Kitamura T (1982). Histopathologic studies of undifferentiated carcinoma of the parotid gland. *Cancer* 50: 1572-1579.
- 1817.** Nagao K, Matsuzaki O, Shigematsu H, Kaneko T, Katoh T, Kitamura T (1980). Histopathologic studies of benign infantile hemangiopericytoma of the parotid gland. *Cancer* 46: 2250-2256.
- 1818.** Nagao T, Gaffey TA, Olsen KD, Serizawa H, Lewis JE (2004). Small cell carcinoma of the major salivary glands: clinicopathologic study with emphasis on cytokeratin 20 immunoreactivity and clinical outcome. *Am J Surg Pathol* 28: 762-770.
- 1819.** Nagao T, Gaffey TA, Serizawa H, Iwaya K, Watanabe A, Yoshida T, Yamazaki K, Sageshima M, Lewis JE (2004). Sarcomatoid variant of salivary duct carcinoma: clinicopathologic and immunohistochemical study of eight cases with review of the literature. *Am J Clin Pathol* 122: 222-231.
- 1820.** Nagao T, Gaffey TA, Visscher DW, Kay PA, Minato H, Serizawa H, Lewis JE (2004). Invasive micropapillary salivary duct carcinoma: a distinct histologic variant with biologic significance. *Am J Surg Pathol* 28: 319-326.
- 1821.** Nagao T, Ishida Y, Sugano I, Tajima Y, Matsuzaki O, Hino T, Konno A, Kondo Y, Nagao K (1996). Epstein-Barr virus-associated undifferentiated carcinoma with lymphoid stroma of the salivary gland in Japanese patients. Comparison with benign lymphoepithelial lesion. *Cancer* 78: 695-703.
- 1822.** Nagao T, Serizawa H, Iwaya K, Shimizu T, Sugano I, Ishida Y, Yamazaki K, Shimizu M, Itoh T, Konno A, Ebihara Y

- (2002). Keratocystoma of the parotid gland: a report of two cases of an unusual pathologic entity. *Mod Pathol* 15: 1005-1010.
- 1823.** Nagao T, Sugano I, Ishida Y, Asoh A, Munakata S, Yamazaki K, Konno A, Iwaya K, Shimizu T, Serizawa H, Ebihara Y (2002). Hybrid carcinomas of the salivary glands: report of nine cases with a clinicopathologic, immunohistochemical, and p53 gene alteration analysis. *Mod Pathol* 15: 724-733.
- 1824.** Nagao T, Sugano I, Ishida Y, Asoh A, Munakata S, Yamazaki K, Konno A, Kondo Y, Nagao K (2001). Sialolipoma: a report of seven cases of a new variant of salivary gland lipoma. *Histopathology* 38: 30-36.
- 1825.** Nagao T, Sugano I, Ishida Y, Matsuzaki O, Konno A, Kondo Y, Nagao K (1997). Carcinoma in basal cell adenoma of the parotid gland. *Pathol Res Pract* 193: 171-178.
- 1826.** Nagao T, Sugano I, Ishida Y, Tajima Y, Furuya N, Kondo Y, Nagao K (1998). Mucoepidermoid carcinoma arising in Warthin's tumour of the parotid gland: report of two cases with histopathological, ultrastructural and immunohistochemical studies. *Histopathology* 33: 379-386.
- 1827.** Nagao T, Sugano I, Ishida Y, Tajima Y, Matsuzaki O, Konno A, Kondo Y, Nagao K (1998). Salivary gland malignant myoepithelioma: a clinicopathologic and immunohistochemical study of ten cases. *Cancer* 83: 1292-1299.
- 1828.** Nagao T, Sugano I, Ishida Y, Tajima Y, Munakata S, Asoh A, Yamazaki K, Muto H, Konno A, Kondo Y, Nagao K (2000). Primary large-cell neuroendocrine carcinoma of the parotid gland: immunohistochemical and molecular analysis of two cases. *Mod Pathol* 13: 554-561.
- 1829.** Nagao T, Sugano I, Matsuzaki O, Hara H, Kondo Y, Nagao K (2000). Intraductal papillary tumors of the major salivary glands: case reports of benign and malignant variants. *Arch Pathol Lab Med* 124: 291-295.
- 1830.** Nager GT (1964). Meningiomas Involving the Temporal Bone. Charles C.Thomas: Springfield, IL.
- 1831.** Nageris B, Elidan J, Sherman Y (1994). Fibrosarcoma of the vocal fold: a late complication of radiotherapy. *J Laryngol Otol* 108: 993-994.
- 1832.** Nagler RM, Laufer D (1997). Tumors of the major and minor salivary glands: review of 25 years of experience. *Anticancer Res* 17: 701-707.
- 1833.** Nakada M, Nishizaki K, Akagi H, Masuda Y, Yoshino T (1998). Oncocytic carcinoma of the submandibular gland: a case report and literature review. *J Oral Pathol Med* 27: 225-228.
- 1834.** Nakagawa T, Hattori K, Iwata N, Tsujimura T (2002). Papillary cystadenocarcinoma arising from minor salivary glands in the anterior portion of the tongue: a case report. *Auris Nasus Larynx* 29: 87-90.
- 1835.** Nakajima T, Watanabe S, Sato Y, Shimosato Y, Motoi M, Lennert K (1982). S-100 protein in Langerhans cells, interdigitating reticulum cells and histiocytosis X cells. *Gann* 73: 429-432.
- 1836.** Nakamura K, Uehara S, Omagari J, Kunitake N, Jingu K, Masuda K (1997). Primary non-Hodgkin's lymphoma of the maxillary sinus. *Am J Clin Oncol* 20: 272-275.
- 1837.** Nakamura K, Uehara S, Omagari J, Kunitake N, Kimura M, Makino Y, Murakami J, Jingu K, Masuda K (1997). Primary non-Hodgkin lymphoma of the sinonasal cavities: correlation of CT evaluation with clinical outcome. *Radiology* 204: 431-435.
- 1838.** Nakamura S, Katoh E, Koshikawa T, Yatabe Y, Nagasaka T, Ishida H, Tokoro Y, Koike K, Kagami Y, Ogura M, Kojima M, Nara Y, Mizoguchi Y, Hara K, Kurita S, Seto M, Suchi T (1997). Clinicopathologic study of nasal T/NK-cell lymphoma among the Japanese. *Pathol Int* 47: 38-53.
- 1839.** Nakata M, Anno K, Matsumori LT, Sumie M, Sase M, Nakano T, Hara H, Imate Y, Nakamura Y, Kato H (2002). Prenatal diagnosis of congenital epulis: a case report. *Ultrasound Obstet Gynecol* 20: 627-629.
- 1840.** Nakayama M, Wenig BM, Heffner DK (1995). Atypical stromal cells in inflammatory nasal polyps: immunohistochemical and ultrastructural analysis in defining histogenesis. *Laryngoscope* 105: 127-134.
- 1841.** Nakhleh RE, Swanson PE, Dehner LP (1991). Juvenile (embryonal and alveolar) rhabdomyosarcoma of the head and neck in adults. A clinical, pathologic, and immunohistochemical study of 12 cases. *Cancer* 67: 1019-1024.
- 1842.** Nall AV, Stringer SP, Baughman RA (1997). Vascular leiomyoma of the superior turbinate: first reported case. *Head Neck* 19: 63-67.
- 1843.** Nandapalan V, Roland NJ, Helliwell TR, Williams EM, Hamilton JW, Jones AS (1998). Mucosal melanoma of the head and neck. *Clin Otolaryngol* 23: 107-116.
- 1844.** Napier SS, Gormely JS, Newlands C, Ramsay-Baggs P (1995). Adenosquamous carcinoma. A rare neoplasm with an aggressive course. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 79: 607-611.
- 1845.** Napier SS, Herron BT, Herron BM (1995). Acinic cell carcinoma in Northern Ireland: a 10-year review. *Br J Oral Maxillofac Surg* 33: 145-148.
- 1846.** Nappi O, Ritter JH, Pettinato G, Wick MR (1995). Hemangiopericytoma: histopathological pattern or clinicopathologic entity? *Semin Diagn Pathol* 12: 221-232.
- 1847.** Nappi O, Wick MR, Pettinato G, Ghiselli RW, Swanson PE (1992). Pseudovascular adenoid squamous cell carcinoma of the skin. A neoplasm that may be mistaken for angiosarcoma. *Am J Surg Pathol* 16: 429-438.
- 1848.** Narula AA, Vallis MP, el Silimy OE, Dowling F, Bradley PJ (1986). Radiation induced angiosarcomas of the nasopharynx. *Eur J Surg Oncol* 12: 147-152.
- 1849.** Nascimento AG, Amaral AL, Prado LA, Kligerman J, Silveira TR (1986). Adenoid cystic carcinoma of salivary glands. A study of 61 cases with clinicopathologic correlation. *Cancer* 57: 312-319.
- 1850.** Nascimento AG, Amaral LP, Prado LA, Kligerman J, Silveira TR (1986). Mucoepidermoid carcinoma of salivary glands: a clinicopathologic study of 46 cases. *Head Neck Surg* 8: 409-417.
- 1851.** Nasser SM, Faquin WC, Dayal Y (2003). Expression of androgen, estrogen, and progesterone receptors in salivary gland tumors. Frequent expression of androgen receptor in a subset of malignant salivary gland tumors. *Am J Clin Pathol* 119: 801-806.
- 1852.** Nauta JM, Panders AK, Schoots CJ, Vermey A, Roodenburg JL (1992). Peripheral ameloblastoma. A case report and review of the literature. *Int J Oral Maxillofac Surg* 21: 40-44.
- 1853.** Nawroz H, Koch W, Anker P, Stroun M, Sidransky D (1996). Microsatellite alterations in serum DNA of head and neck cancer patients. *Nat Med* 2: 1035-1037.
- 1854.** Nawshad AI, Savage NW, Young WG, Smyth I, Wicking C (2000). Allelic losses in chromosome 9q22.3-31q in odontogenic keratocysts. *J Oral Pathol Med* 29: 353 only.
- 1855.** Nayak DR, Balakrishnan R, Rao RV, Hazarika P (2001). Clear cell carcinoma of the larynx—a case report. *Int J Pediatr Otorhinolaryngol* 57: 149-153.
- 1856.** Nayar RC, Prudhomme F, Parise OJr, Gandia D, Luboinski B, Schwaab G (1993). Rhabdomyosarcoma of the head and neck in adults: a study of 26 patients. *Laryngoscope* 103: 1362-1366.
- 1857.** Nazar-Stewart V, Vaughan TL, Burt RD, Chen C, Berwick M, Swanson GM (1999). Glutathione S-transferase M1 and susceptibility to nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev* 8: 547-551.
- 1858.** Nazeer T, Ro JY, Varma DG, de la Hermosa JR, Ayala AG (1996). Chondromyxoid fibroma of paranasal sinuses: report of two cases presenting with nasal obstruction. *Skeletal Radiol* 25: 779-782.
- 1859.** Neel HBI (1985). Nasopharyngeal carcinoma. Clinical presentation, diagnosis, treatment, and prognosis. *Otolaryngol Clin North Am* 18: 479-490.
- 1860.** Neel HBI, Pearson GR, Taylor WF (1984). Antibodies to Epstein-Barr virus in patients with nasopharyngeal carcinoma and in comparison groups. *Ann Otol Rhinol Laryngol* 93: 477-482.
- 1861.** Neel HBI, Whicker JH, Devine KD, Weiland LH (1973). Juvenile angiofibroma. Review of 120 cases. *Am J Surg* 126: 547-556.
- 1862.** Negri E, La Vecchia C, Franceschi S, Tavani A (1993). Attributable risk for oral cancer in northern Italy. *Cancer Epidemiol Biomarkers Prev* 2: 189-193.
- 1863.** Nelson EG, Hinojosa R (1991). Histopathology of metastatic temporal bone tumors. *Arch Otolaryngol Head Neck Surg* 117: 189-193.
- 1864.** Nelson JF, Jacoway JR (1973). Monomorphic adenoma (canalicular type). Report of 29 cases. *Cancer* 31: 1511-1513.
- 1865.** Nelson RS, Perlman EJ, Askin FB (1995). Is esthesioneuroblastoma a peripheral neuroectodermal tumor? *Hum Pathol* 26: 639-641.
- 1866.** Nelson ZL, Newman L, Loukota RA, Williams DM (1995). Bilateral multifocal canalicular adenomas of buccal minor salivary glands: a case report. *Br J Oral Maxillofac Surg* 33: 299-301.
- 1867.** Nemoto Y, Inoue Y, Tashiro T, Mochizuki T, Katsuyama J, Hakuba A, Onoyama Y (1995). Central giant cell granuloma of the temporal bone. *AJNR Am J Neuroradiol* 16: 982-985.
- 1868.** Netterville JL, Jackson CG, Miller FR, Wanamaker JR, Glasscock ME (1998). Vagal paraganglioma: a review of 46 patients treated during a 20-year period. *Arch Otolaryngol Head Neck Surg* 124: 1133-1140.
- 1869.** Netterville JL, Reilly KM, Robertson D, Reiber ME, Armstrong WB, Childs P (1995). Carotid body tumors: a review of 30 patients with 46 tumors. *Laryngoscope* 105: 115-126.
- 1870.** Neville BW, Damm DD, Allen CM, Bouquet JE (2002). *Oral and Maxillofacial Pathology*. 2nd ed. W.B. Saunders: Philadelphia.
- 1871.** Neville BW, Damm DD, Weir JC, Fantasia JE (1988). Labial salivary gland tumors. *Cancer* 61: 2113-2116.
- 1872.** Newman AN, Colman M, Jayich SA (1983). Verrucous carcinoma of the frontal sinus: a case report and review of the literature. *J Surg Oncol* 24: 298-303.
- 1873.** Newman J, Antonakopoulos GN, Darnton SJ, Matthews HR (1992). The ultrastructure of oesophageal carcinomas: multidirectional differentiation. A transmission electron microscopic study of 43 cases. *J Pathol* 167: 193-198.
- 1874.** Newman JP, Funkhouser WK (1993). Pathologic quiz case 1. Clear cell carcinoma of the nasal cavity. *Arch Otolaryngol Head Neck Surg* 119: 1046-1049.
- 1875.** Newman L, Howells GL, Coghlan KM, DiBiase A, Williams DM (1995). Malignant ameloblastoma revisited. *Br J Oral Maxillofac Surg* 33: 47-50.
- 1876.** Newman L, Loukota RA, Bradley PF (1993). An infarcted Warthin's tumour presenting with facial weakness. *Br J Oral Maxillofac Surg* 31: 311-312.
- 1877.** Ng CS, Lo ST, Chan JK (1999). Peripheral T and putative natural killer cell lymphomas commonly coexpress CD95 and CD95 ligand. *Hum Pathol* 30: 48-53.
- 1878.** Ng CS, Lo ST, Chan JK, Chan WC (1997). CD56+ putative natural killer cell lymphomas: production of cytolytic effectors and related proteins mediating tumor cell apoptosis? *Hum Pathol* 28: 1276-1282.
- 1879.** Ng KH, Siar CH (1990). Peripheral ameloblastoma with clear cell differentiation. *Oral Surg Oral Med Oral Pathol* 70: 210-213.
- 1880.** Ng SH, Chang TC, Ko SF, Yen PS, Wan YL, Tang LM, Tsai MH (1997). Nasopharyngeal carcinoma: MRI and CT assessment. *Neuroradiology* 39: 741-746.
- 1881.** Ng WK, Ma L (1995). Pleomorphic adenoma with extensive lipomatous metaplasia. *Histopathology* 27: 285-288.
- 1882.** Ngan RK, Lau WH, Yip TT, Cho WC, Cheng WW, Lim CK, Wan KK, Chu E, Joab I, Grunewald V, Poon YF, Ho JH (2001). Remarkable application of serum EBV EBER-1 in monitoring response of nasopharyngeal cancer patients to salvage chemotherapy. *Ann N Y Acad Sci* 945: 73-79.
- 1883.** Nguyen-Tan PF, Le QT, Quivey JM, Singer M, Terris DJ, Goffinet DR, Fu KK (2001). Treatment results and prognostic factors of advanced T3-4 laryngeal carcinoma: the University of California, San Francisco (UCSF) and Stanford University Hospital (SUH) experience. *Int J Radiat Oncol Biol Phys* 50: 1172-1180.
- 1884.** Nibu K, Li G, Zhang X, Rawson NE, Restrepo D, Kaga K, Lowry LD, Keane WM, Rothstein JL (1999). Olfactory neuron-specific expression of NeuroD in mouse and human nasal mucosa. *Cell Tissue Res* 298: 405-414.
- 1885.** Nicholls JM, Agathangelou A, Fung K, Zeng X, Niedobitek G (1997). The association of squamous cell carcinomas of the nasopharynx with Epstein-Barr virus shows geographical variation reminiscent of Burkitt's lymphoma. *J Pathol* 183: 164-168.
- 1886.** Nicholls JM, Sham J, Chan CW, Choy D (1992). Radiation therapy for nasopharyngeal carcinoma: histologic appearances and patterns of tumor regression. *Hum Pathol* 23: 742-747.
- 1887.** Nicholson HS, Egeler RM, Nesbit ME (1998). The epidemiology of Langerhans cell histiocytosis. *Hematol Oncol Clin North Am* 12: 379-384.

1888. Nicolai P, Ferlito A, Sasaki CT, Kirchner JA (1990). Laryngeal chondrosarcoma: incidence, pathology, biological behavior, and treatment. *Ann Otol Rhinol Laryngol* 99: 515-523.
1889. Nicolai P, Peretti G, Cappiello J, Renaldini G, Cavaliere S, Morassi ML (1991). [Melanoma metastatic to the trachea and nasal cavity: description of a case and review of the literature]. *Acta Otorhinolaryngol Ital* 11: 85-92.
1890. Nicolai P, Redaelli de Zinis LO, Tomenzoli D, Maroldi R, Antonelli AR (1991). Sphenoid mucocele with intracranial invasion secondary to nasopharyngeal acinic cell carcinoma. *Head Neck* 13: 540-544.
1891. Nicolai P, Tomenzoli D, Berlucchi M, Facchetti F, Morassi L, Maroldi R (2000). Malignant triton tumor of the ethmoid sinus and nasal cavity. *Ann Otol Rhinol Laryngol* 109: 880-886.
1892. Niedobitek G, Hansmann ML, Herbst H, Young LS, Dienemann D, Hartmann CA, Finn T, Pitteroff S, Welt A, Anagnostopoulos I, Friedrich RE, Lobeck H, Sam CK, Araujo I, Rickinson AB, Stein H (1991). Epstein-Barr virus and carcinomas: undifferentiated carcinomas but not squamous cell carcinomas of the nasopharynx are regularly associated with the virus. *J Pathol* 165: 17-24.
1893. Niedobitek G, Herbst H, Young LS (1993). Epstein-Barr virus and carcinomas. *Int J Clin Lab Res* 23: 17-24.
1894. Nielsen GP, Fletcher CD, Smith MA, Rybak L, Rosenberg AE (2002). Soft tissue aneurysmal bone cyst: a clinicopathologic study of five cases. *Am J Surg Pathol* 26: 64-69.
1895. Nielsen GP, Stemmer-Rachamimov AO, Ino Y, Moller MB, Rosenberg AE, Louis DN (1999). Malignant transformation of neurofibromas in neurofibromatosis 1 is associated with CDKN2A/p16 inactivation. *Am J Pathol* 155: 1879-1884.
1896. Nielsen TO, Sejean G, Onerheim RM (2000). Paraganglioma of the tongue. *Arch Pathol Lab Med* 124: 877-879.
1897. Niemann S, Steinberger D, Muller U (1999). PGL3, a third, not maternally imprinted locus in autosomal dominant paraganglioma. *Neurogenetics* 2: 167-170.
1898. Nikolaou AC, Markou CD, Petridis DG, Daniilidis IC (2000). Second primary neoplasms in patients with laryngeal carcinoma. *Laryngoscope* 110: 58-64.
1899. Nilles R, Lenarz T, Kaiserling E (1993). [Myoepithelial carcinoma of the nasopharynx. Case report and review of the literature]. *HNO* 41: 396-400.
1900. Ning JP, Yu MC, Wang QS, Henderson BE (1990). Consumption of salted fish and other risk factors for nasopharyngeal carcinoma (NPC) in Tianjin, a low-risk region for NPC in the People's Republic of China. *J Natl Cancer Inst* 82: 291-296.
1901. Noguchi K, Urade M, Sakurai K, Nishimura N, Hashitani S, Kishimoto H (2002). Small cell neuroendocrine carcinoma of the maxillary sinus—a case report and nude mouse transplantable model. *Head Neck* 24: 491-496.
1902. Nojog MM, Jalaludin MA, Jayalakshmi P (1998). Papillary adenocarcinoma of the nasopharynx—case report and review of the literature. *Med J Malaysia* 53: 104-106.
1903. Nomori H, Watanabe S, Nakajima T, Shimoto S, Kameya T (1986). Histiocytes in nasopharyngeal carcinoma in relation to prognosis. *Cancer* 57: 100-105.
1904. Nordkvist A, Gustafsson H, Juberg-Ode M, Stenman G (1994). Recurrent rearrangements of 11q14-22 in mucoepidermoid carcinoma. *Cancer Genet Cytogenet* 74: 77-83.
1905. Nordkvist A, Mark J, Dahlenfors R, Bende M, Stenman G (1994). Cytogenetic observations in 13 cystadenolymphomas (Warthin's tumors). *Cancer Genet Cytogenet* 76: 129-135.
1906. Nordkvist A, Mark J, Gustafsson H, Bang G, Stenman G (1994). Non-rudocrom chromosome rearrangements in adenoid cystic carcinoma of the salivary glands. *Genes Chromosomes Cancer* 10: 115-121.
1907. Nordkvist A, Roijer E, Bang G, Gustafsson H, Behrendt M, Ryd W, Thoresen S, Donath K, Stenman G (2000). Expression and mutation patterns of p53 in benign and malignant salivary gland tumors. *Int J Oncol* 16: 477-483.
1908. Norris HJ (1962). Papillary lesions of the nasal cavity and paranasal sinuses. Part I. Exophytic (squamous) papillomas. A study of 28 cases. *Laryngoscope* 72: 1797.
1909. Notani K, Iizuka T, Yamazaki Y, Henmi T, Sugiura C, Kohgo T, Fukuda H (2002). Mucinous adenocarcinoma of probable minor salivary gland origin. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 94: 738-740.
1910. Notani PN, Jayant K (1987). Role of diet in upper aerodigestive tract cancers. *Nutr Cancer* 10: 103-113.
1911. Nunes JF, Fonseca I, Soares J (1996). Heloid inclusions in dedifferentiated acinic cell carcinoma of the parotid gland. *Ultrastruct Pathol* 20: 443-449.
1912. Nunez DA, Astley SM, Lewis FA, Wells M (1994). Human papilloma viruses: a study of their prevalence in the normal larynx. *J Laryngol Otol* 108: 319-320.
1913. Nuutinen J, Syrjanen K (1983). Angioleiomyoma of the larynx. Report of a case and review of the literature. *Laryngoscope* 93: 941-943.
1914. Nylander K, Dabelsteen E, Hall PA (2000). The p53 molecule and its prognostic role in squamous cell carcinomas of the head and neck. *J Oral Pathol Med* 29: 413-425.
1915. Nyrop M, Grontved A (2002). Cancer of the external auditory canal. *Arch Otolaryngol Head Neck Surg* 128: 834-837.
1916. O'Brien CJ, Malka VB, Mijailovic M (1993). Evaluation of 242 consecutive parotidectomies performed for benign and malignant disease. *Aust N Z J Surg* 63: 870-877.
1917. O'Brien CJ, McNeil EB, McMahon JD, Pathak I, Lauer CS, Jackson MA (2002). Significance of clinical stage, extent of surgery, and pathologic findings in metastatic cutaneous squamous carcinoma of the parotid gland. *Head Neck* 24: 417-422.
1918. O'Brien CJ, Soong SJ, Herrera GA, Urist MM, Maddox WA (1986). Malignant salivary tumors—analysis of prognostic factors and survival. *Head Neck* 9: 82-92.
1919. O'Connor GT Jr, Drake CR, Johns ME, Cail WS, Winn HR, Niskanen E (1985). Treatment of advanced esthesioneuroblastoma with high-dose chemotherapy and autologous bone marrow transplantation. A case report. *Cancer* 55: 347-349.
1920. O'Malley M, Pogrel MA, Stewart JC, Silva RG, Regezi JA (1997). Central giant cell granulomas of the jaws: phenotype and proliferation-associated markers. *J Oral Pathol Med* 26: 159-163.
1921. O'Regan EM, Gibb DH, Odell EW (2001). Rapid growth of giant cell granuloma in pregnancy treated with calcitonin. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92: 532-538.
1922. O'Reilly BJ, Kershaw JB (1987). Hodgkin's disease of the nasopharynx. *J Laryngol Otol* 101: 506-507.
1923. O'Reilly BJ, Ryan J, Reynard J, Chevretton E (1989). Malignant fibrous histiocytoma of the nasopharynx. *J Laryngol Otol* 103: 1076-1079.
1924. O'Reilly BJ, Zuk R (1989). Transitional type papilloma of the nasopharynx. *J Laryngol Otol* 103: 528-530.
1925. Ochsenius L, Ortega A, Godoy L, Penafiel C, Escobar E (2002). Odontogenic tumors in Chile: a study of 362 cases. *J Oral Pathol Med* 31: 415-420.
1926. Oda T, Persson GR, Haigh WG, Sabbath DE, Penn I, Aziz S (1996). Oral presentation of posttransplantation lymphoproliferative disorders. An unusual manifestation. *Transplantation* 61: 435-440.
1927. Odell EW, Jani P, Sherriff M, Ahluwalia SM, Hibbert J, Levison DA, Morgan PR (1994). The prognostic value of individual histologic grading parameters in small lingual squamous cell carcinomas. The importance of the pattern of invasion. *Cancer* 74: 789-794.
1928. Odell EW, Lombardi T, Barrett AW, Morgan PR, Speight PM (1997). Hybrid central giant cell granuloma and central odontogenic fibroma-like lesions of the jaws. *Histopathology* 30: 165-171.
1929. Odell EW, Morgan PR (1998). Biopsy Pathology of the Oral Tissues. Chapman and Hall Medical: London.
1930. Odukoya O (1995). Odontogenic tumors: analysis of 289 Nigerian cases. *J Oral Pathol Med* 24: 454-457.
1931. Ogawa I, Nikai H, Takata T, Ijuhin N, Miyauchi M, Ito H, Vuhahula E (1991). Clear cell tumors of minor salivary gland origin. An immunohistochemical and ultrastructural analysis. *Oral Surg Oral Med Oral Pathol* 72: 200-207.
1932. Ogus HD, Bennett MH (1978). Carcinoma of the dorsum of the tongue: a rarity or misdiagnosis. *Br J Oral Surg* 16: 115-124.
1933. Ohashi Y, Nakai Y, Muraoka M, Takano H (1984). Asymptomatic leiomyosarcoma of maxillary sinus accompanied by primary mucocele. *Arch Otorhinolaryngol* 240: 73-78.
1934. Ohlms LA, McGill T, Healy GB (1994). Malignant laryngeal tumors in children: a 15-year experience with four patients. *Ann Otol Rhinol Laryngol* 103: 686-692.
1935. Ohshima K, Suzumiya J, Shimazaki K, Kato A, Tanaka T, Kanda M, Kikuchi M (1997). Nasal T/NK cell lymphomas commonly express perforin and Fas ligand: important mediators of tissue damage. *Histopathology* 31: 444-450.
1936. Okada H, Murai M, Yamamoto H (1994). Malignant fibrous histiocytoma of the maxillary sinus: a case study of proliferative activity, immunohistochemistry, and electron microscopy. *J Oral Maxillofac Surg* 52: 1193-1197.
1937. Okinaka Y, Sekitani T (1984). Mucoepidermoid carcinoma of the vocal cord. Report of a case. *ORL J Otorhinolaryngol Relat Spec* 46: 139-146.
1938. Oliveira P, Fonseca I, Soares J (1992). Acinic cell carcinoma of the salivary glands. A long term follow-up study of 15 cases. *Eur J Surg Oncol* 18: 7-15.
1939. Olivier M, Eeles R, Hollstein M, Khan MA, Harris CC, Hainaut P (2002). The IARC TP53 database: new online mutation analysis and recommendations to users. *Hum Mutat* 19: 607-614.
1940. Olofsson J, Grontoft O, Sokjer H, Risberg B (1984). Paraganglioma involving the larynx. *ORL J Otorhinolaryngol Relat Spec* 46: 57-65.
1941. Olofsson J, van Nostrand AW (1973). Growth and spread of laryngeal and hypopharyngeal carcinoma with reflections on the effect of preoperative irradiation. 139 cases studied by whole organ serial sectioning. *Acta Otolaryngol Suppl* 308: 1-84.
1942. Olofsson J, van Nostrand AW (1977). Adenoid cystic carcinoma of the larynx: a report of four cases and a review of the literature. *Cancer* 40: 1307-1313.
1943. Olsen J, Sabreo S, Fasting U (1985). Interaction of alcohol and tobacco as risk factors in cancer of the laryngeal region. *J Epidemiol Community Health* 39: 165-168.
1944. Olsen KD, Lewis JE, Suman VJ (1997). Spindle cell carcinoma of the larynx and hypopharynx. *Otolaryngol Head Neck Surg* 116: 47-52.
1945. Olsen TG, Helwig EB (1985). Angiolymphoid hyperplasia with eosinophilia. A clinicopathologic study of 116 patients. *J Am Acad Dermatol* 12: 781-796.
1946. Onitsuka T (1994). Sex hormones in papillary carcinoma of thyroid gland and pleomorphic adenoma of parotid gland. *Acta Otolaryngol* 114: 218-222.
1947. Ooi EE, Ren EC, Chan SH (1997). Association between microsatellites within the human MHC and nasopharyngeal carcinoma. *Int J Cancer* 74: 229-232.
1948. Ooi GC, Chim CS, Liang R, Tsang KW, Kwong YL (2000). Nasal T-cell/natural killer cell lymphoma: CT and MR imaging features of a new clinicopathologic entity. *AJR Am J Roentgenol* 174: 1141-1145.
1949. Ophir D (1991). Familial multicentric paragangliomas in a child. *J Laryngol Otol* 105: 376-380.
- 1949A. Or S, Yucetas S (1987). Compound and complex odontomas. *Int J Oral Maxillofac Surg* 16: 596-599.
1950. Ordonez NG, Batsakis JG (1986). Acinic cell carcinoma of the nasal cavity: electron-optic and immunohistochemical observations. *J Laryngol Otol* 100: 345-349.
1951. Oreggia F, De Stefani E, Boffetta P, Brennan P, Deneo-Pellegrini H, Ronco AL (2001). Meat, fat and risk of laryngeal cancer: a case-control study in Uruguay. *Ann Oncol* 37: 141-145.
1952. Ortiz-Hidalgo C, de Leon-Bojorge B, Fernandez-Sobrinho G, Sanchez-Marle JF, Martin del Campo N (2001). Sialoblastoma: report of a congenital case with dysembryogenic alterations of the adjacent parotid gland. *Histopathology* 38: 79-80.
1953. Orvidas LJ, Kasperbauer JL (2000). Pediatric lymphangiomas of the head and neck. *Ann Otol Rhinol Laryngol* 109: 411-421.
1954. Orvidas LJ, Kasperbauer JL, Lewis JE, Olsen KD, Lesnick TG (2000). Pediatric parotid masses. *Arch Otolaryngol Head Neck Surg* 126: 177-184.
1955. Orvidas LJ, Lewis JE, Olsen KD, Weiner JS (1999). Intranasal verrucous carcinoma: relationship to inverting papilloma and human papillomavirus. *Laryngoscope* 109: 371-375.
1956. Orvidas LJ, Olsen KD, Lewis JE, Suman VJ (1998). Verrucous carcinoma of the larynx: a review of 53 patients. *Head Neck* 20: 197-203.



1957. Osaki T, Hirota J, Ohno A, Tatemoto Y (1990). Mucinous adenocarcinoma of the submandibular gland. *Cancer* 66: 1796-1801.
1958. Osaki T, Yoneda K, Yamamoto T, Kimura T, Matuoka H, Sakai H, Ryoike K (2000). Clinical investigation on pulmonary metastasis of head and neck carcinomas. *Oncology* 59: 196-203.
1959. Osmond DH, Buchbinder S, Cheng A, Graves A, Vittinghoff E, Cossen CK, Forghani B, Martin JN (2002). Prevalence of Kaposi sarcoma-associated herpesvirus infection in homosexual men at beginning of and during the HIV epidemic. *JAMA* 287: 221-225.
1960. Ostman J, Anneroth G, Gustafsson H, Tavelin B (1997). Malignant salivary gland tumours in Sweden 1960-1989—an epidemiological study. *Oral Oncol* 33: 169-176.
1961. Ott G, Katzenberger T, Greiner A, Kalla J, Rosenwald A, Heinrich U, Ott MM, Muller-Hermelink HK (1997). The t(11;18)(q21;q21) chromosomal translocation is a frequent and specific aberration in low-grade but not high-grade malignant non-Hodgkin's lymphomas of the mucosa-associated lymphoid tissue (MALT-) type. *Cancer Res* 57: 3944-3948.
1962. Oudejans JJ, Harijadi H, Kummer JA, Tan IB, Bloemena E, Middeldorp JM, Bladergroen B, Dukers DF, Vos W, Meijer CJ (2002). High numbers of granzyme B/CD8-positive tumour-infiltrating lymphocytes in nasopharyngeal carcinoma biopsies predict rapid fatal outcome in patients treated with curative intent. *J Pathol* 198: 468-475.
1963. Owens OT, Calcaterra TC (1982). Salivary gland tumors of the lip. *Arch Otolaryngol* 108: 45-47.
1964. Oysu C, Aslan I, Bilgic B, Yazicioglu E (2001). Malignant triton tumour of the parapharyngeal space. *J Laryngol Otol* 115: 573-575.
1965. Ozono S, Onozuka M, Sato K, Ito Y (1992). Immunohistochemical localization of estradiol, progesterone, and progesterone receptor in human salivary glands and salivary adenoid cystic carcinomas. *Cell Struct Funct* 17: 169-175.
1966. Ozyar E, Yildiz F, Akyol FH, Atahan IL (1999). Comparison of AJCC 1988 and 1997 classifications for nasopharyngeal carcinoma. *American Joint Committee on Cancer. Int J Radiat Oncol Biol Phys* 44: 1079-1087.
1967. Pacheco-Ojeda L (2001). Malignant carotid body tumors: report of three cases. *Ann Otol Rhinol Laryngol* 110: 36-40.
1968. Packeisen J, Nowak M, Kruger A (2002). [Epulis in a newborn. histogenetic comparison with a granular cell tumor in adults]. *Pathologie* 23: 145-148.
1969. Paczona R, Jori J, Tiszlavicz L, Czigner J (1999). Leiomyosarcoma of the larynx. Review of the literature and report of two cases. *Ann Otol Rhinol Laryngol* 108: 677-682.
1969. A. Pahl S, Henn W, Binger T, Stein U, Remberger K (2000). Malignant odontogenic myxoma of the maxilla: case with cytogenetic confirmation. *J Laryngol Otol* 114: 533-535.
1970. Pai SA, Naresh KN, Masih K, Ramarao C, Borges AM (1998). Teratocarcinomas of the paranasal sinuses: a clinicopathologic and immunohistochemical study. *Hum Pathol* 29: 718-722.
1971. Pak MW, To KF, Lo YM, Chan LY, Tong JH, Lo KW, van Hasselt CA (2002). Nasopharyngeal carcinoma in situ (NPCIS)—pathologic and clinical perspectives. *Head Neck* 24: 989-995.
1972. Palacios E, Restrepo S, Rojas R (2002). Extramedullary plasmacytoma in the nasal cavity. *Ear Nose Throat J* 81: 499-500.
1973. Palmer TJ, Gleeson MJ, Eveson JW, Cawson RA (1990). Oncocytic adenomas and oncocytic hyperplasia of salivary glands: a clinicopathological study of 26 cases. *Histopathology* 16: 487-493.
1974. Palva T, Jokinen K, Karja J (1975). Neurilemmoma (schwannoma) of the larynx. *J Laryngol Otol* 89: 203-207.
1975. Panici PB, Scambia G, Perrone L, Battaglia F, Cattani P, Rabitti C, Dettori G, Capelli A, Sedlis A, Mancuso S (1992). Oral condyloma lesions in patients with extensive genital human papillomavirus infection. *Am J Obstet Gynecol* 167: 451-458.
1976. Panje WR, Moran WJ, Bostwick DG, Kitt VV (1986). Angiosarcoma of the head and neck: review of 11 cases. *Laryngoscope* 96: 1381-1384.
1977. Panoutsakopoulos G, Pandis N, Kyriazoglou I, Gustafson P, Mertens F, Mandahl N (1999). Recurrent t(16;17)(q22;p13) in aneurysmal bone cysts. *Genes Chromosomes Cancer* 26: 265-266.
1978. Pappo AS, Meza JL, Donaldson SS, Wharam R, Wiener ES, Qualman SJ, Maurer HM, Crist WM (2003). Treatment of localized nonorbital, nonparameningeal head and neck rhabdomyosarcoma: lessons learned from intergroup rhabdomyosarcoma studies III and IV. *J Clin Oncol* 21: 638-645.
1979. Parkin DM, Muir CS, Whelan SL, Gao YT, Ferlay J, Powell J (1992). *Cancer Incidence in Five Continents, Vol. VI*. International Agency for Research on Cancer: Lyon.
1980. Parkin DM, Pisani P, Ferlay J (1999). Estimates of the worldwide incidence of 25 major cancers in 1990. *Int J Cancer* 80: 827-841.
1981. Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB (2003). *Cancer Incidence in Five Continents, Vol. VIII*. IARC Press: Lyon.
1982. Parnes SM (1990). Asbestos and cancer of the larynx: is there a relationship? *Laryngoscope* 100: 254-261.
1983. Partridge M, Li SR, Patromichelakis S, Francis R, Phillips E, Huang XH, Tesfa-Selase F, Langdon JD (2000). Detection of minimal residual cancer to investigate why oral tumors recur despite seemingly adequate treatment. *Clin Cancer Res* 6: 2718-2725.
1984. Parwani AV, Ali SZ (2003). Diagnostic accuracy and pitfalls in fine-needle aspiration interpretation of Warthin tumor. *Cancer* 99: 166-171.
1985. Pastore A, Grandi E, Targa L, Marchese Ragona R (2001). [Malignant fibrous histiocytoma of the larynx. Presentation of a clinical case and review of the literature]. *Acta Otorhinolaryngol Ital* 21: 361-364.
1986. Patey DH, Thackray AC (1958). The treatment of parotid tumours in the light of a pathological study of parotidectomy material. *Br J Surg* 45: 477-487.
1987. Pathak I, O'Brien CJ, Petersen-Schaeffer K, McNeil EB, McMahon J, Quinn MJ, Thompson JF, McCarthy WH (2001). Do nodal metastases from cutaneous melanoma of the head and neck follow a clinically predictable pattern? *Head Neck* 23: 785-790.
1988. Pathmanathan R, Prasad U, Chandrika G, Sadler R, Flynn K, Raab-Traub N (1995). Undifferentiated, nonkeratinizing, and squamous cell carcinoma of the nasopharynx. Variants of Epstein-Barr virus-infected neoplasia. *Am J Pathol* 146: 1355-1367.
1989. Pathmanathan R, Prasad U, Sadler R, Flynn K, Raab-Traub N (1995). Clonal proliferations of cells infected with Epstein-Barr virus in preinvasive lesions related to nasopharyngeal carcinoma. *N Engl J Med* 333: 693-698.
1990. Patrikiou A, Sepheriadou-Mavropoulou T, Zambelis G (1981). Bilateral traumatic bone cyst of the mandible. A case report. *Oral Surg Oral Med Oral Pathol* 51: 131-133.
1991. Patterson K, Kapur S, Chandra RS (1986). "Nasal gliomas" and related brain heterotopias: a pathologist's perspective. *Pediatr Pathol* 5: 353-362.
1992. Patterson GA, Campbell DB (2000). Clinical-pathologic conference in thoracic surgery: basaloid squamous carcinoma of the trachea. *J Thorac Cardiovasc Surg* 120: 187-193.
1993. Patton LL, McKaig R, Strauss R, Rogers D, Eron JJ Jr (2000). Changing prevalence of oral manifestations of human immunodeficiency virus in the era of protease inhibitor therapy. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 89: 299-304.
1994. Patton LL, Valdez IH (1991). Xeroderma pigmentosum: review and report of a case. *Oral Surg Oral Med Oral Pathol* 71: 297-300.
1995. Pauk J, Huang ML, Brodie SJ, Wald A, Koelle DM, Schacker T, Celum C, Selke S, Corey L (2000). Mucosal shedding of human herpesvirus 8 in men. *N Engl J Med* 343: 1369-1377.
1996. Paulino AF, Huvos AG (1999). Oncocytic and oncocytoid tumors of the salivary glands. *Semin Diagn Pathol* 16: 98-104.
1997. Paulino AF, Singh B, Shah JP, Huvos AG (2000). Basaloid squamous cell carcinoma of the head and neck. *Laryngoscope* 110: 1479-1482.
1998. Paulsen J, Lennert K (1994). Low-grade B-cell lymphoma of mucosa-associated lymphoid tissue type in Waldeyer's ring. *Histopathology* 24: 1-11.
1999. Paz IB, Cook N, Odum-Maryon T, Xie Y, Wilczynski SP (1997). Human papillomavirus (HPV) in head and neck cancer. An association of HPV 16 with squamous cell carcinoma of Waldeyer's tonsillar ring. *Cancer* 79: 595-604.
2000. Pellicano M, Zullo F, Catizone C, Guida F, Catizone F, Nappi C (1998). Prenatal diagnosis of congenital granular cell epulis. *Ultrasound Obstet Gynecol* 11: 144-146.
2001. Pellin A, Boix J, Blesa JR, Noguera R, Carda C, Lombart-Bosch A (1994). EWS/FLI-1 rearrangement in small round cell sarcomas of bone and soft tissue detected by reverse transcriptase polymerase chain reaction amplification. *Eur J Cancer* 30A: 827-831.
2002. Pelosi G, Fraggetta F (2002). Epithelial-myoepithelial carcinomas of the bronchus. *Am J Surg Pathol* 26: 950-951.
2003. Pelucchi C, Talamini R, Levi F, Bosetti C, La Vecchia C, Negri E, Parpinel M, Franceschi S (2003). Fibre intake and laryngeal cancer risk. *Ann Oncol* 14: 162-167.
2004. Penaloza-Plascencia M, Montoya-Fuentes H, Flores-Martinez SE, Fierro-Velasco FJ, Penaloza-Gonzalez JM, Sanchez-Corona J (2000). Molecular identification of 7 human papillomavirus types in recurrent respiratory papillomatosis. *Arch Otolaryngol Head Neck Surg* 126: 1119-1123.
2005. Peng JC, Sheen TS, Hsu MM (1995). Nasopharyngeal carcinoma with dermatomycosis. Analysis of 12 cases. *Arch Otolaryngol Head Neck Surg* 121: 1298-1301.
2006. Penner CR, Folpe AL, Budnick SD (2002). C-kit expression distinguishes salivary gland adenoid cystic carcinoma from polymorphous low-grade adenocarcinoma. *Mod Pathol* 15: 687-691.
2007. Perdigou JB, Pages M, Le Bodic MF, Pages A (1981). [Oncocytoma with neuro-secretory granules of nasal mucous membrane (author's transl)]. *Arch Anat Cytol Pathol* 29: 75-78.
2008. Perez-Ayala M, Ruiz-Cabello F, Esteban F, Concha A, Redondo M, Oliva MR, Cabrera T, Garrido F (1990). Presence of HPV 16 sequences in laryngeal carcinomas. *Int J Cancer* 46: 8-11.
2009. Perez-Ordóñez B, Caruana SM, Huvos AG, Shah JP (1998). Small cell neuroendocrine carcinoma of the nasal cavity and paranasal sinuses. *Hum Pathol* 29: 826-832.
2010. Perez-Ordóñez B, Erlanson RA, Rosai J (1996). Follicular dendritic cell tumor: report of 13 additional cases of a distinctive entity. *Am J Surg Pathol* 20: 944-955.
2011. Perez-Ordóñez B, Linkov I, Huvos AG (1998). Polymorphous low-grade adenocarcinoma of minor salivary glands: a study of 17 cases with emphasis on cell differentiation. *Histopathology* 32: 521-529.
2012. Perez P, Dominguez O, Gonzalez S, Gonzalez S, Trivino A, Suarez C (1999). ras gene mutations in ethmoid sinus adenocarcinoma: prognostic implications. *Cancer* 86: 255-264.
2013. Perrone F, Oggionni M, Birindelli S, Suardi S, Tabano S, Romano R, Moiraghi ML, Bimbi G, Quattrone P, Cantu G, Pierotti MA, Licitra L, Pilotti S (2003). TP53, p14ARF, p16INK4a and H-ras gene molecular analysis in intestinal-type adenocarcinoma of the nasal cavity and paranasal sinuses. *Int J Cancer* 105: 196-203.
2014. Perzin KH, Cantor JO, Johannessen JV (1981). Acinic cell carcinoma arising in nasal cavity: report of a case with ultrastructural observations. *Cancer* 47: 1818-1822.
2015. Perzin KH, Fu YS (1980). Non-epithelial tumors of the nasal cavity, paranasal sinuses and nasopharynx: a clinicopathologic study XI. fibrous histiocytomas. *Cancer* 45: 2616-2626.
2016. Perzin KH, Gullane P, Clairmont AC (1978). Adenoid cystic carcinomas arising in salivary glands: a correlation of histologic features and clinical course. *Cancer* 42: 265-282.
2017. Perzin KH, LiVolsi VA (1979). Acinic cell carcinomas arising in salivary glands: a clinicopathologic study. *Cancer* 44: 1434-1457.
2018. Perzin KH, Panyu H, Wechter S (1982). Nonepithelial tumors of the nasal cavity, paranasal sinuses and nasopharynx. A clinicopathologic study. XII: Schwann cell tumors (neurilemmoma, neurofibroma, malignant schwannoma). *Cancer* 50: 2193-2202.
2019. Perzin KH, Pushparaj N (1984). Nonepithelial tumors of the nasal cavity,

- paranasal sinuses, and nasopharynx. A clinicopathologic study. XIII: Meningiomas. *Cancer* 54: 1860-1869.
- 2020.** Pesavento G, Ferlito A, Recher G (1980). Primary clear cell carcinoma of the larynx. *J Clin Pathol* 33: 1160-1164.
- 2021.** Pesce C, Colacino R, Buffa P (1986). Duct carcinoma of the minor salivary glands: a case report. *J Laryngol Otol* 100: 611-613.
- 2022.** Pesce C, Tobia-Gallelli F, Toncini C (1984). APUD cells of the larynx. *Acta Otolaryngol* 98: 158-162.
- 2023.** Peters WJ (1979). Cherubism: a study of twenty cases from one family. *Oral Surg Oral Med Oral Pathol* 47: 307-311.
- 2024.** Petrikowski CG, Pharoah MJ, Lee L, Grace MG (1995). Radiographic differentiation of osteogenic sarcoma, osteomyelitis, and fibrous dysplasia of the jaws. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80: 744-750.
- 2025.** Petropoulos AE, Luetje CM, Camarata PJ, Whittaker CK, Lee G, Baysal BE (2000). Genetic analysis in the diagnosis of familial paragangliomas. *Laryngoscope* 110: 1225-1229.
- 2026.** Pettinato G, Manivel JC, D'Amore ES, Jaszcz W, Gorlin RJ (1991). Melanotic neuroectodermal tumor of infancy. A re-examination of a histogenetic problem based on immunohistochemical, flow cytometric, and ultrastructural study of 10 cases. *Am J Surg Pathol* 15: 233-245.
- 2027.** Pfeifer GP, Denissenko MF, Olivier M, Tretyakova N, Hecht SS, Hainaut P (2002). Tobacco smoke carcinogens, DNA damage and p53 mutations in smoking-associated cancers. *Oncogene* 21: 7435-7451.
- 2028.** Philipsen HP, Birn H (1969). The adenomatoid odontogenic tumour. Ameloblastic adenomatoid tumour or adeno-ameloblastoma. *Acta Pathol Microbiol Scand* 75: 375-398.
- 2029.** Philipsen HP, Reichart PA (1996). Squamous odontogenic tumor (SOT): a benign neoplasm of the periodontium. A review of 36 reported cases. *J Clin Periodontol* 23: 922-926.
- 2030.** Philipsen HP, Reichart PA (1998). Unicystic ameloblastoma. A review of 193 cases from the literature. *Oral Oncol* 34: 317-325.
- 2031.** Philipsen HP, Reichart PA (2000). Calcifying epithelial odontogenic tumour: biological profile based on 181 cases from the literature. *Oral Oncol* 36: 17-26.
- 2032.** Philipsen HP, Reichart PA, Nikai H (1998). The adenomatoid odontogenic tumour (AOT): An update. *Oral Med Pathol* 2: 55-60.
- 2033.** Philipsen HP, Reichart PA, Nikai H, Takata T, Kudo Y (2001). Peripheral ameloblastoma: biological profile based on 160 cases from the literature. *Oral Oncol* 37: 17-27.
- 2034.** Philipsen HP, Reichart PA, Praetorius F (1997). Mixed odontogenic tumours and odontomas. Considerations on interrelationship. Review of the literature and presentation of 134 new cases of odontomas. *Oral Oncol* 33: 86-99.
- 2035.** Philipsen HP, Reichart PA, Takata T (2001). Desmoplastic ameloblastoma (including "hybrid" lesion of ameloblastoma). Biological profile based on 100 cases from the literature and own files. *Oral Oncol* 37: 455-460.
- 2036.** Philipsen HP, Samman N, Ormiston IW, Wu PC, Reichart PA (1992). Variants of the adenomatoid odontogenic tumor with a note on tumor origin. *J Oral Pathol Med* 21: 348-352.
- 2037.** Philipsen HP, Thosaporn W, Reichart P, Grundt G (1992). Odontogenic lesions in opercula of permanent molars delayed in eruption. *J Oral Pathol Med* 21: 38-41.
- 2038.** Phillips CD, Futterer SF, Lipper MH, Levine PA (1997). Sinonasal undifferentiated carcinoma: CT and MR imaging of an uncommon neoplasm of the nasal cavity. *Radiology* 202: 477-480.
- 2039.** Piattelli A, Lezzi G, Rubini C, Fioroni M (2002). Intraduct papilloma of the palate. Report of a case. *Oral Oncol* 38: 398-400.
- 2040.** Piattelli A, Sesenna E, Trisi P (1994). Clear cell odontogenic carcinoma. Report of a case with lymph node and pulmonary metastases. *Eur J Cancer B Oral Oncol* 30B: 278-280.
- 2040A.** Piattelli A, Trisi P (1992). Morphodifferentiation and histodifferentiation of the dental hard tissues in compound odontoma: a study of undemineralized material. *J Oral Pathol Med* 21, 340-342.
- 2041.** Piccirillo JF, Lacy PD, Basu A, Spitznagel EL (2002). Development of a new head and neck cancer-specific comorbidity index. *Arch Otolaryngol Head Neck Surg* 128: 1172-1179.
- 2042.** Pierce ST, Cibull ML, Metcalfe MS, Sloan D (1994). Bone marrow metastases from small cell cancer of the head and neck. *Head Neck* 16: 266-271.
- 2043.** Pileri SA, Grogan TM, Harris NL, Banks P, Campo E, Chan JK, Favera RD, Delsol G, Wolf-Peeters C, Falini B, Gascoyne RD, Gaulard P, Gatter KC, Isaacson PG, Jaffe ES, Klun P, Knowles DM, Mason DY, Mori S, Muller-Hermelink HK, Piris MA, Ralfkiaer E, Stein H, Su JJ, Warnke RA, Weiss LM (2002). Tumours of histiocytes and accessory dendritic cells: an immunohistochemical approach to classification from the International Lymphoma Study Group based on 61 cases. *Histopathology* 41: 1-29.
- 2044.** Pillsbury HC, Jones K (1989). Vascular tumors of the head and neck: presentation, prognosis, and treatment dilemmas. *Oncology (Huntingt)* 3: 23-29.
- 2045.** Pincok LD, Bruce KW (1954). Odontogenic fibroma. *Oral Surg Oral Med Oral Pathol* 7: 307-311.
- 2046.** Pindborg JJ (1955). Calcifying epithelial odontogenic tumors. *Acta Pathol Microbiol Scand* 111: 71.
- 2047.** Pindborg JJ (1958). A calcifying epithelial odontogenic tumor. *Cancer* 11: 838-843.
- 2048.** Pindborg JJ, Clausen F (1958). Classification of odontogenic tumors. A suggestion. *Acta Odontol Scand* 16: 293-301.
- 2049.** Pindborg JJ, Jolst O, Renstrup G, Roed-Petersen B (1968). Studies in oral leukoplakia: a preliminary report on the period prevalence of malignant transformation in leukoplakia based on a follow-up study of 248 patients. *J Am Dent Assoc* 76: 767-771.
- 2050.** Pindborg JJ, Kramer IRH (1971). Histological typing of odontogenic tumours, jaw cysts and allied lesions. 1st ed. World Health Organization: Geneva.
- 2051.** Pindborg JJ, Shear M, Kramer IRH (1992). Histological Typing of Odontogenic Tumours. 2 ed. Springer Verlag: Berlin.
- 2052.** Pinkston JA, Cole P (1996). Cigarette smoking and Warthin's tumor. *Am J Epidemiol* 144: 183-187.
- 2053.** Pinkston JA, Cole P (1999). Incidence rates of salivary gland tumors: results from a population-based study. *Otolaryngol Head Neck Surg* 120: 834-840.
- 2054.** Pinsolle J, LeCluse I, Demeaux H, Laur P, Rivel J, Siberchicot F (1990). Osteosarcoma of the soft tissue of the larynx: report of a case with electron microscopic studies. *Otolaryngol Head Neck Surg* 102: 276-280.
- 2055.** Pisani P, Krengli M, Ramponi A, Olina M, Pia F (1994). Angiosarcoma of the hypopharynx. *J Laryngol Otol* 108: 905-908.
- 2056.** Pitanguy I, Machado BH, Radwanski HN, Amorim NF (1996). Surgical treatment of hemangiomas of the nose. *Ann Plast Surg* 36: 586-592.
- 2057.** Pitman KT, Ferlito A, Devaney KO, Shaha AR, Rinaldo A (2003). Sentinel lymph node biopsy in head and neck cancer. *Oral Oncol* 39: 343-349.
- 2058.** Pivnick EK, Walter AW, Lawrence MD, Smith ME (1996). Gorlin syndrome associated with midline nasal dermoid cyst. *J Med Genet* 33: 704-706.
- 2059.** Plath T, Dallenbach F (1998). [Basal cell adenocarcinoma of the minor salivary glands of the palate. Case report and review of the literature]. *Mund Kiefer Gesichtschir* 2: 275-278.
- 2060.** Platz H, Fries R, Hudec M (1985). Retrospective DOSAK Study on carcinomas of the oral cavity: results and consequences. *J Maxillofac Surg* 13: 147-153.
- 2061.** Plaza G, Manzanal AI, Fogue L, Santon A, Martinez-Montero JC, Bellas C (2002). Association of Epstein-Barr virus and nasopharyngeal carcinoma in Caucasian patients. *Ann Otol Rhinol Laryngol* 111: 210-216.
- 2062.** Podoshin L, Rolan L, Altman MM, Peyser E (1970). 'Pharyngeal' cranio-pharyngioma. *J Laryngol Otol* 84: 93-99.
- 2063.** Poirier S, Ohshima H, de The G, Hubert A, Bourgade MC, Bartsch H (1987). Volatile nitrosamine levels in common foods from Tunisia, south China and Greenland, high-risk areas for nasopharyngeal carcinoma (NPC). *Int J Cancer* 39: 293-296.
- 2064.** Polin RS, Sheehan JP, Chenelle AG, Munoz E, Larner J, Phillips CD, Cantrell RW, Laws ER Jr, Newman SA, Levine PA, Jane JA (1998). The role of preoperative adjuvant treatment in the management of esthesioneuroblastoma: the University of Virginia experience. *Neurosurgery* 42: 1029-1037.
- 2065.** Poljak M, Gale N, Kambic V (1997). Human papillomaviruses: a study of their prevalence in the epithelial hyperplastic lesions of the larynx. *Acta Otolaryngol Suppl* 527: 66-69.
- 2066.** Poljak M, Seme K, Gale N (1998). Detection of human papillomaviruses in tissue specimens. *Adv Anat Pathol* 5: 216-234.
- 2067.** Pollandt K, Engels C, Werner M, Dellung G (2002). [Fibrous dysplasia]. *Pathologie* 23: 351-356.
- 2068.** Pomilla PV, Morris AB, Jaworek A (1995). Sinonasal non-Hodgkin's lymphoma in patients infected with human immunodeficiency virus: report of three cases and review. *Clin Infect Dis* 21: 137-149.
- 2069.** Pontius KI, Sebek BA (1981). Extraskeletal Ewing's sarcoma arising in the nasal fossa. Light- and electron-microscopic observations. *Am J Clin Pathol* 75: 410-415.
- 2070.** Porter PL, Bigler SA, McNutt M, Gown AM (1991). The immunophenotype of hemangiopericytomas and glomus tumors, with special reference to muscle protein expression: an immunohistochemical study and review of the literature. *Mod Pathol* 4: 46-52.
- 2071.** Porter WM, Sidwell RU, Catovsky D, Bunker CB (2001). Cutaneous presentation of chronic lymphatic leukaemia and response to ultraviolet B phototherapy. *Br J Dermatol* 144: 1092-1094.
- 2072.** Portugal LG, Goldenberg JD, Wenig BL, Ferrer KT, Nodzinski E, Sabnani JB, Javier C, Weichselbaum RR, Vokes EE (1997). Human papillomavirus expression and p53 gene mutations in squamous cell carcinoma. *Arch Otolaryngol Head Neck Surg* 123: 1230-1234.
- 2073.** Potter AJ Jr, Khatib G, Peppard SB (1984). Intranasal glomus tumor. *Arch Otolaryngol* 110: 755-756.
- 2074.** Pou AM, Rimell FL, Jordan JA, Shoemaker DL, Johnson JT, Barua P, Post JC, Ehrlich GD (1995). Adult respiratory papillomatosis: human papillomavirus type and viral coinfections as predictors of prognosis. *Ann Otol Rhinol Laryngol* 104: 758-762.
- 2075.** Poulsen P, Jorgensen K, Grontved A (1987). Benign and malignant neoplasms of the parotid gland: incidence and histology in the Danish County of Funen. *Laryngoscope* 97: 102-104.
- 2076.** Praetorius F (1997). HPV-associated diseases of oral mucosa. *Clin Dermatol* 15: 399-413.
- 2077.** Praetorius F, Hjorting-Hansen E, Gorlin RJ, Vickers RA (1981). Calcifying odontogenic cyst. Range, variations and neoplastic potential. *Acta Odontol Scand* 39: 227-240.
- 2078.** Prasad ML, Busam KJ, Patel SG, Hoshaw-Woodard S, Shah JP, Huvos AG (2003). Clinicopathologic differences in malignant melanoma arising in oral squamous and sinonasal respiratory mucosa of the upper aerodigestive tract. *Arch Pathol Lab Med* ?
- 2079.** Prasad ML, Jungbluth AA, Iversen K, Huvos AG, Busam KJ (2001). Expression of melanocytic differentiation markers in malignant melanomas of the oral and sinonasal mucosa. *Am J Surg Pathol* 25: 782-787.
- 2080.** Prasad ML, Patel S, Hoshaw-Woodard S, Escrig M, Shah JP, Huvos AG, Busam KJ (2002). Prognostic factors for malignant melanoma of the squamous mucosa of the head and neck. *Am J Surg Pathol* 26: 883-892.
- 2081.** Prasad ML, Patel SG, Huvos AG, Shah JP, Busam KJ (2004). Primary mucosal melanoma of the head and neck: a proposal for microstaging localized, Stage I (lymph node-negative) tumors. *Cancer* 100: 1657-1664.
- 2082.** Prasad U (1974). Cells of origin of nasopharyngeal carcinoma: an electron microscopic study. *J Laryngol Otol* 88: 1087-1094.
- 2083.** Prasad U, Kwi NK (1975). Nasopharyngeal craniopharyngioma. *J Laryngol Otol* 89: 445-452.
- 2084.** Prathap K, Looi LM, Prasad U (1984). Localized amyloidosis in nasopharyngeal carcinoma. *Histopathology* 8: 27-34.
- 2085.** Prescher A, Brors D (2001). [Metastases to the paranasal sinuses: case report and review of the literature]. *Laryngorhinotologie* 80: 583-594.
- 2086.** Press MF, Pike MC, Hung G, Zhou JY, Ma Y, George J, Dietz-Band J, James W, Slamon DJ, Batsakis JG, El Naggar AK (1994). Amplification and overexpression of HER-2/neu in carcinomas of the salivary

- gland: correlation with poor prognosis. *Cancer Res* 54: 5675-5682.
- 2087.** Pressman J, Dowdy A, Libby R, Fields M (1956). Further studies upon the submucosal compartments and lymphatics of the larynx by the injection of dyes and radioisotopes. *Ann Otol Rhinol Laryngol* 65: 766-980.
- 2088.** Preston-Martin S, Thomas DC, White SC, Cohen D (1988). Prior exposure to medical and dental x-rays related to tumors of the parotid gland. *J Natl Cancer Inst* 80: 943-949.
- 2089.** Preston-Martin S, White SC (1990). Brain and salivary gland tumors related to prior dental radiography: implications for current practice. *J Am Dent Assoc* 120: 151-158.
- 2090.** Prime SS, Thakker NS, Pring M, Guest PG, Paterson IC (2001). A review of inherited cancer syndromes and their relevance to oral squamous cell carcinoma. *Oral Oncol* 37: 1-16.
- 2091.** Proulx GM, Caudra-Garcia I, Ferry J, Harris N, Greco WR, Kaya U, Chan A, Wang CC (2003). Lymphoma of the nasal cavity and paranasal sinuses: treatment and outcome of early-stage disease. *Am J Clin Oncol* 26: 6-11.
- 2092.** Puchalski R, Shah UK, Carpentieri D, McLaughlin R, Handler SD (2000). Melanotic neuroectodermal tumor of infancy (MNTI) of the hard palate: presentation and management. *Int J Pediatr Otorhinolaryngol* 53: 163-168.
- 2093.** Pugnale N, Waridel F, Bouzourene H, Boubaker A, Pugnale M, Gaillard RC, Gomez F (2003). Pharyngeal pituitary non-functioning adenoma with normal intra-sellar gland: massive tumor shrinkage on octreotide therapy. *Eur J Endocrinol* 148: 357-364.
- 2094.** Qian CN, Guo X, Cao B, Kort EJ, Lee CC, Chen J, Wang LM, Mai WY, Min HQ, Hong MH, Vande Woude GF, Resau JH, Teh BT (2002). Met protein expression level correlates with survival in patients with late-stage nasopharyngeal carcinoma. *Cancer Res* 62: 589-596.
- 2095.** Qian CN, Zhang CQ, Guo X, Hong MH, Cao SM, Mai WY, Min HQ, Zeng YX (2000). Elevation of serum vascular endothelial growth factor in male patients with metastatic nasopharyngeal carcinoma. *Cancer* 88: 255-261.
- 2096.** Qin DX, Hu YH, Yan JH, Xu GZ, Cai WM, Wu XL, Cao DX, Gu XZ (1988). Analysis of 1379 patients with nasopharyngeal carcinoma treated by radiation. *Cancer* 61: 1117-1124.
- 2097.** Quddus MR, Henley JD, Affify AM, Dardick I, Gnepp DR (1999). Basal cell adenocarcinoma of the salivary gland: an ultrastructural and immunohistochemical study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 87: 485-492.
- 2098.** Queimado L, Reis A, Fonseca I, Martins C, Lovett M, Soares J, Parreira L (1998). A refined localization of two deleted regions in chromosome 6q associated with salivary gland carcinomas. *Oncogene* 16: 83-88.
- 2099.** Quesada P, Navarrete ML, Perello E (1990). Eosinophilic granuloma of the temporal bone. *Eur Arch Otorhinolaryngol* 247: 194-196.
- 2100.** Quick CA, Foucar E, Dehner LP (1979). Frequency and significance of epithelial atypia in laryngeal papillomatosis. *Laryngoscope* 89: 550-560.
- 2101.** Quiney RE, Wells M, Lewis FA, Terry RM, Michaels L, Croft CB (1989). Laryngeal papillomatosis: correlation between severity of disease and presence of HPV 6 and 11 detected by in situ DNA hybridisation. *J Clin Pathol* 42: 694-698.
- 2102.** Quinn HJJr (1984). Synovial sarcoma of the larynx treated by partial laryngectomy. *Laryngoscope* 94: 1158-1161.
- 2103.** Quintana PG, Kapadia SB, Bahler DW, Johnson JT, Swerdlow SH (1997). Salivary gland lymphoid infiltrates associated with lymphoepithelial lesions: a clinicopathologic, immunophenotypic, and genotypic study. *Hum Pathol* 28: 850-861.
- 2104.** Quintanilla-Martinez L, Franklin JL, Guerrero I, Krenacs L, Naresch KN, Rama-Rao C, Bhatia K, Raffeld M, Magrath IT (1999). Histological and immunophenotypic profile of nasal NK/T cell lymphomas from Peru: high prevalence of p53 overexpression. *Hum Pathol* 30: 849-855.
- 2105.** Quintanilla-Martinez L, Kremer M, Keller G, Nathrath M, Gamboa-Dominguez A, Meneses A, Luna-Contreras L, Cabras A, Hoefler H, Mohar A, Fend F (2001). p53 Mutations in nasal natural killer/T-cell lymphoma from Mexico: association with large cell morphology and advanced disease. *Am J Pathol* 159: 2095-2105.
- 2106.** Quon H, Liu FF, Cummings BJ (2001). Potential molecular prognostic markers in head and neck squamous cell carcinomas. *Head Neck* 23: 147-159.
- 2107.** Raab-Traub N (2002). Epstein-Barr virus in the pathogenesis of NPC. *Semin Cancer Biol* 12: 431-441.
- 2108.** Raab-Traub N, Flynn K, Pearson G, Huang A, Levine P, Lanier A, Pagano J (1987). The differentiated form of nasopharyngeal carcinoma contains Epstein-Barr virus DNA. *Int J Cancer* 39: 25-29.
- 2109.** Raab SS, Sigman JD, Hoffman HT (1998). The utility of parotid gland and level I and II neck fine-needle aspiration. *Arch Pathol Lab Med* 122: 823-827.
- 2110.** Rabah R, Sakr W, Thomas R, Lancaster WD, Gregoire L (2000). Human papillomavirus type, proliferative activity, and p53: potential markers of aggressive papillomatosis. *Arch Pathol Lab Med* 124: 721-724.
- 2110A.** Rachanis CC, Shear M (1978). Age-standardized incidence rates of primordial cyst (keratocyst) on the Witwatersrand. *Community Dent Oral Epidemiol* 6: 296-299.
- 2111.** Radkowski D, McGill T, Healy GB, Ohlms L, Jones DT (1996). Angiofibroma. Changes in staging and treatment. *Arch Otolaryngol Head Neck Surg* 122: 122-129.
- 2112.** Rady PL, Schnadig VJ, Weiss RL, Hughes TK, Tyring SK (1998). Malignant transformation of recurrent respiratory papillomatosis associated with integrated human papillomavirus type 11 DNA and mutation of p53. *Laryngoscope* 108: 735-740.
- 2113.** Rafferty MA, Fenton JE, Jones AS (2001). The history, aetiology and epidemiology of laryngeal carcinoma. *Clin Otolaryngol* 26: 442-446.
- 2114.** Ragbeer MS, Stone J (1990). Vascular leiomyoma of the nasal cavity: report of a case and review of literature. *J Oral Maxillofac Surg* 48: 1113-1117.
- 2115.** Rajendran R (1994). Oral submucous fibrosis: etiology, pathogenesis, and future research. *Bull World Health Organ* 72: 985-996.
- 2116.** Rajenthiran R, McLean NR, Kelly CG, Reed MF, Nolan A (1999). Malignant transformation of oral lichen planus. *Eur J Surg Oncol* 25: 520-523.
- 2117.** Raji A, Essaadi M, Mahtar M, Roubal M, Chekkoury IA, Benchakroun Y (2002). [Cervicofacial lymphangioma in adults (10 case reports)]. *Rev Laryngol Otol Rhinol (Bord)* 123: 27-32.
- 2118.** Ram B, Saleh HA, Baird AR, Mountain RE (1998). Verrucous carcinoma of the maxillary antrum. *J Laryngol Otol* 112: 399-402.
- 2119.** Ramanathan RC, Thomas JM (1999). Malignant peripheral nerve sheath tumours associated with von Recklinghausen's neurofibromatosis. *Eur J Surg Oncol* 25: 190-193.
- 2120.** Ramirez-Amador V, Esquivel-Pedraza L, Sierra-Madero J, Anaya-Saavedra G, Gonzalez-Ramirez I, Poncede-Leon S (2003). The Changing Clinical Spectrum of Human Immunodeficiency Virus (HIV)-Related Oral Lesions in 1,000 Consecutive Patients: A 12-Year Study in a Referral Center in Mexico. *Medicine (Baltimore)* 82: 39-50.
- 2121.** Ramirez-Camacho R, Vincente J, Berrocal JRG, Ramon y Cajal S (1999). Fibro-osseous lesions of the external auditory canal. *Laryngoscope* 109: 488-491.
- 2122.** Raney RB, Asmar L, Newton WAJr, Bagwell C, Breneman JC, Crist W, Gehan EA, Webber B, Wharam M, Wiener ES, Anderson JR, Maurer HM (1997). Ewing's sarcoma of soft tissues in childhood: a report from the Intergroup Rhabdomyosarcoma Study, 1972 to 1991. *J Clin Oncol* 15: 574-582.
- 2123.** Raney RB, Asmar L, Vassilopoulou-Sellin R, Klein MJ, Donaldson SS, Green J, Heyn R, Wharam M, Glicksman AS, Gehan EA, Anderson J, Maurer HM (1999). Late complications of therapy in 213 children with localized, nonorbital soft-tissue sarcoma of the head and neck: A descriptive report from the Intergroup Rhabdomyosarcoma Studies (IRS)-II and -III. *IRS Group of the Children's Cancer Group and the Pediatric Oncology Group. Med Pediatr Oncol* 33: 362-371.
- 2124.** Rao AB, Koeller KK, Adair CF (1999). From the archives of the AFIP. Paragangliomas of the head and neck: radiologic-pathologic correlation. *Armed Forces Institute of Pathology. Radiographics* 19: 1605-1632.
- 2125.** Rao PH, Murty VV, Louie DC, Chaganti RS (1998). Nonsynthetic amplification of MYC with CDK4 and MDM2 in a malignant mixed tumor of salivary gland. *Cancer Genet Cytogenet* 105: 160-163.
- 2126.** Rao VK, Weiss SW (1992). Angiomatosis of soft tissue. An analysis of the histologic features and clinical outcome in 51 cases. *Am J Surg Pathol* 16: 764-771.
- 2127.** Rapini RP, Golitz LE, Greer ROJr, Krekorian EA, Poulson T (1985). Primary malignant melanoma of the oral cavity. A review of 177 cases. *Cancer* 55: 1543-1551.
- 2128.** Raslan WF, Barnes L, Krause JR, Contis L, Killeen R, Kapadia SB (1994). Basaloid squamous cell carcinoma of the head and neck: a clinicopathologic and flow cytometric study of 10 new cases with review of the English literature. *Am J Otolaryngol* 15: 204-211.
- 2129.** Rasmussen P, Lindholm J (1979). Ectopic pituitary adenomas. *Clin Endocrinol (Oxf)* 11: 69-74.
- 2130.** Rassekh CH, Nuss DW, Kapadia SB, Curtin HD, Weissman JL, Janecka IP (1996). Chondrosarcoma of the nasal septum: skull base imaging and clinicopathologic correlation. *Otolaryngol Head Neck* Surg 115: 29-37.
- 2131.** Raut A, Huryr J, Pollack A, Zlotolow I (2000). Unusual gingival presentation of post-transplantation lymphoproliferative disorder: a case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90: 436-441.
- 2132.** Ravasz LA, Hordijk GJ, Slootweg PJ, Smit F, Van der Tweel I (1993). Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for local-regional cure in advanced head and neck cancer. *J Laryngol Otol* 107: 437-440.
- 2133.** Rawson AJ, Howard J.M., Royster HP, Horn RCJr (1950). Tumors of the salivary glands: a clinicopathologic study of 160 cases. *Cancer* 3: 445-458.
- 2134.** Raychowdhuri RN (1965). Oat-cell carcinoma and paranasal sinuses. *J Laryngol Otol* 79: 253-255.
- 2135.** Raymond MR, Yoo JH, Heathcote JG, McLachlin CM, Lampe HB (2002). Accuracy of fine-needle aspiration biopsy for Warthin's tumours. *J Otolaryngol* 31: 263-270.
- 2136.** Reddy SP, Raslan WF, Gooneratne S, Kathuria S, Marks JE (1995). Prognostic significance of keratinization in nasopharyngeal carcinoma. *Am J Otolaryngol* 16: 103-108.
- 2137.** Redman RS, Keegan BP, Spector CJ, Patterson RH (1994). Peripheral ameloblastoma with unusual mitotic activity and conflicting evidence regarding histogenesis. *J Oral Maxillofac Surg* 52: 192-197.
- 2138.** Ree HJ, Kikuchi M, Lee SS, Ohshima K, Yang WI, Ko YH, Cho EY, Rhee JC (2002). Focal follicular features in tonsillar diffuse large B-cell lymphomas: follicular lymphoma with diffuse areas or follicular colonization. *Hum Pathol* 33: 732-740.
- 2139.** Ree HJ, Rege VB, Knisley RE, Thayer WR, D'Amico RP, Song JY, Crowley JP (1980). Malignant lymphoma of Waldeyer's ring following gastrointestinal lymphoma. *Cancer* 46: 1528-1535.
- 2140.** Regezi JA, Kerr DA, Courtney RM (1978). Odontogenic tumors: analysis of 706 cases. *J Oral Surg* 36: 771-778.
- 2141.** Regezi JA, McMillan A, Dekker N, Daniels TE, Silverman SJr, Schoelch M, Ziober BL (1998). Apoptosis-associated proteins in oral lymphomas from HIV-positive patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86: 196-202.
- 2142.** Regezi JA, Zarbo RJ, Stewart JC (1991). Extranodal oral lymphomas: histologic subtypes and immunophenotypes (in routinely processed tissue). *Oral Surg Oral Med Oral Pathol* 72: 702-708.
- 2143.** Regnard JF, Fourquier P, Levasseur P (1996). Results and prognostic factors in resections of primary tracheal tumors: a multicenter retrospective study. The French Society of Cardiovascular Surgery. *J Thorac Cardiovasc Surg* 111: 808-813.
- 2144.** Rehberg E, Kleinsasser O (1999). Malignant transformation in non-irradiated juvenile laryngeal papillomatosis. *Eur Arch Otorhinolaryngol* 256: 450-454.
- 2145.** Reibel J (2003). Prognosis of oral pre-malignant lesions: significance of clinical, histopathological, and molecular biological characteristics. *Crit Rev Oral Biol Med* 14: 47-62.
- 2146.** Reibel JF, McLean WC, Cantrell RW (1981). Laryngeal acinic cell carcinoma following thyroid irradiation. *Otolaryngol Head Neck Surg* 89: 398-401.
- 2147.** Reich DS, Palmer CA, Peters GE



- (1995). Ethmoid sinus leiomyosarcoma after cyclophosphamide treatment. *Otolaryngol Head Neck Surg* 113: 495-498.
- 2148.** Reichart PA, Philipsen HP (2004). Odontogenic Tumours and Allied Lesions. Quintessence Publishing: London.
- 2149.** Reichart PA, Philipsen HP, Sonner S (1995). Ameloblastoma: biological profile of 3677 cases. *Eur J Cancer B Oral Oncol* 31B: 86-99.
- 2150.** Reichart PA, Schmidt-Westhausen A, Samaranayake LP, Philipsen HP (1994). Candida-associated palatal papillary hyperplasia in HIV infection. *J Oral Pathol Med* 23: 403-405.
- 2151.** Reid BC, Winn DM, Morse DE, Pendrys DG (2000). Head and neck in situ carcinoma: incidence, trends, and survival. *Oral Oncol* 36: 414-420.
- 2152.** Reinshagen K, Wessel LM, Roth H, Waag KL (2002). Congenital epulis: a rare diagnosis in paediatric surgery. *Eur J Pediatr Surg* 12: 124-126.
- 2153.** Rejowski JE, Campanella RS, Block LJ (1982). Small cell carcinoma of the nose and paranasal sinuses. *Otolaryngol Head Neck Surg* 90: 516-517.
- 2154.** Remagen W, Lohr J, von Westernhagen B (1983). [Osteosarcoma of the larynx]. *HNO* 31: 366-368.
- 2155.** Remine WH, Weiland LH, Remine SG (1978). Carotid body tumors. *Curr Prob Cancer* 11: 3-27.
- 2156.** Renan MJ (1993). How many mutations are required for tumorigenesis? Implications from human cancer data. *Mol Carcinog* 7: 139-146.
- 2157.** Renehan A, Gleave EN, Hancock BD, Smith P, McGurk M (1996). Long-term follow-up of over 1000 patients with salivary gland tumours treated in a single centre. *Br J Surg* 83: 1750-1754.
- 2158.** Requena L, Sanguenza OP (1997). Cutaneous vascular proliferation. Part II. Hyperplasias and benign neoplasms. *J Am Acad Dermatol* 37: 887-919.
- 2159.** Reuter VE, Woodruff JM (1986). Melanoma of the larynx. *Laryngoscope* 96: 389-393.
- 2160.** Revel MP, Vanel D, Sigal R, Luboinski B, Michel G, Legrand I, Masselot J (1992). Aneurysmal bone cysts of the jaws: CT and MR findings. *J Comput Assist Tomogr* 16: 84-86.
- 2161.** Rhea JT, Weber AL (1983). Giant-cell granuloma of the sinuses. *Radiology* 147: 135-137.
- 2162.** Riazimand SH, Brieger J, Jacob R, Welkoborsky HJ, Mann WJ (2002). Analysis of cytogenetic aberrations in esthesioneuroblastomas by comparative genomic hybridization. *Cancer Genet Cytogenet* 136: 53-57.
- 2163.** Ribari O, Elemr G, Balint A (1975). Laryngeal giant cell tumour. *J Laryngol Otol* 89: 857-861.
- 2164.** Ribe A, Fernandez PL, Ostertarg H, Claros P, Bombi JA, Palacin A, Cardesa A (1997). Middle-ear adenoma (MEA): a report of two cases, one with predominant "plasmacytoid" features. *Histopathology* 30: 359-364.
- 2165.** Ribeiro AC, Joshi VM, Funkhouser WK, Mukherji SK (2001). Inflammatory myofibroblastic tumor involving the pterygopalatine fossa. *AJNR Am J Neuroradiol* 22: 518-520.
- 2166.** Richkind KE, Mortimer E, Mowery-Rushton P, Fraire A (2002). Translocation (16;20)(p11.2;q13). sole cytogenetic abnormality in a unicameral bone cyst. *Cancer Genet Cytogenet* 137: 153-155.
- 2167.** Ries LAG, Hankey BF, Miller BA, Hartman AM, Edwards BK (1991). *Cancer Statistics Review, 1973-88*. National Cancer Institute: Bethesda.
- 2167A.** Riddett SA (2004) A composite odontoma at a very early age. *Br Dent J* 77: 129-131
- 2168.** Riese U, Dahse R, Fiedler W, Theuer C, Koscielny S, Ernst G, Beileites E, Claussen U, von Eggeling F (1999). Tumor suppressor gene p16 (CDKN2A) mutation status and promoter inactivation in head and neck cancer. *Int J Mol Med* 4: 61-65.
- 2169.** Righi PD, Li YQ, Deutsch P, McDonald JS, Wilson KM, Bejarano M, Stambrook PJ, Osterhage D, Nguyen C, Gluckman JL, Pavelic ZP (1994). The role of the p53 gene in the malignant transformation of pleomorphic adenomas of the parotid gland. *Anticancer Res* 14: 2253-2257.
- 2170.** Rigual NR, Milley P, Lore JMJr, Kaufman S (1986). Accuracy of frozen-section diagnosis in salivary gland neoplasms. *Head Neck Surg* 8: 442-446.
- 2171.** Rihkanen H, Aaltonen LM, Syrjanen SM (1993). Human papillomavirus in laryngeal papillomas and in adjacent normal epithelium. *Clin Otolaryngol* 18: 470-474.
- 2172.** Rihkanen H, Peltomaa J, Syrjanen S (1994). Prevalence of human papillomavirus (HPV) DNA in vocal cords without laryngeal papillomas. *Acta Otolaryngol* 114: 348-351.
- 2173.** Rimell F, Maisel R, Dayton V (1992). In situ hybridization and laryngeal papillomas. *Ann Otol Rhinol Laryngol* 101: 119-126.
- 2174.** Rimell FL, Shoemaker DL, Pou AM, Jordan JA, Post JC, Ehrlich GD (1997). Pediatric respiratory papillomatosis: prognostic role of viral typing and cofactors. *Laryngoscope* 107: 915-918.
- 2175.** Riminucci M, Fisher LW, Shenker A, Spiegel AM, Bianco P, Gehron Robey P (1997). Fibrous dysplasia of bone in the McCune-Albright syndrome: abnormalities in bone formation. *Am J Pathol* 151: 1587-1600.
- 2176.** Riminucci M, Liu B, Corsi A, Shenker A, Spiegel AM, Robey PG, Bianco P (1999). The histopathology of fibrous dysplasia of bone in patients with activating mutations of the Gs alpha gene: site-specific patterns and recurrent histological hallmarks. *J Pathol* 187: 249-258.
- 2177.** Rimmelin A, Roth T, George B, Dias P, Clouet PL, Diemann JL (1996). Giant-cell tumour of the sphenoid bone: case report. *Neuroradiology* 38: 650-653.
- 2178.** Rinaldo A, Howard DJ, Ferlito A (2000). Laryngeal chondrosarcoma: a 24-year experience at the Royal National Throat, Nose and Ear Hospital. *Acta Otolaryngol* 120: 680-688.
- 2179.** Rinaldo A, McLaren KM, Boccato P, Maran AG (1999). Hyalinizing clear cell carcinoma of the oral cavity and of the parotid gland. *ORL J Otorhinolaryngol Relat Spec* 61: 48-51.
- 2180.** Rischin D, Corry J, Smith J, Stewart J, Hughes P, Peters L (2002). Excellent disease control and survival in patients with advanced nasopharyngeal cancer treated with chemoradiation. *J Clin Oncol* 20: 1845-1852.
- 2181.** Risdall RJ, Dehner LP, Duray P, Kobrinsky N, Robison L, Nesbit ME Jr (1983). Histiocytosis X (Langerhans' cell histiocytosis). Prognostic role of histopathology. *Arch Pathol Lab Med* 107: 59-63.
- 2182.** Roa RA, Atkins JP Jr, Cunnane MF, Keane WM (1988). Papillary adenocarcinoma of the larynx: a case report. *Otolaryngol Head Neck Surg* 99: 601-603.
- 2183.** Robbins KT, Clayman G, Levine PA, Medina J, Sessions R, Shaha A, Som P, Wolf GT (2002). Neck dissection classification update: revisions proposed by the American Head and Neck Society and the American Academy of Otolaryngology-Head and Neck Surgery. *Arch Otolaryngol Head Neck Surg* 128: 751-758.
- 2184.** Roberts WH, Dinges DL, Hanly MG (1993). Inverted papilloma of the middle ear. *Ann Otol Rhinol Laryngol* 102: 890-892.
- 2185.** Robertson JS, Wiegand DA, Schaitkin BM (1991). Life-threatening hemangioma arising from the parotid gland. *Otolaryngol Head Neck Surg* 104: 858-862.
- 2186.** Robin PE, Powell DJ, Stansbie JM (1979). Carcinoma of the nasal cavity and paranasal sinuses: incidence and presentation of different histological types. *Clin Otolaryngol* 4: 431-456.
- 2187.** Rodrigo JP, Fernandez JA, Suarez C, Gomez J, Llorente JL, Herrero A (2000). Malignant fibrous histiocytoma of the nasal cavity and paranasal sinuses. *Am J Rhinol* 14: 427-431.
- 2188.** Rodriguez-Cuevas S, Lopez-Garza J, Labastida-Almendaro S (1998). Carotid body tumors in inhabitants of altitudes higher than 2000 meters above sea level. *Head Neck* 20: 374-378.
- 2189.** Rodriguez JC, Arranz JS, Forcelledo MF (1990). Isolated granulocytic sarcoma: report of a case in the oral cavity. *J Oral Maxillofac Surg* 48: 748-752.
- 2190.** Roessner A, von Bassewitz DB, Schlake W, Thorwesten G, Grundmann E (1984). Biologic characterization of human bone tumors. III. Giant cell tumor of bone. A combined electron microscopical, histochemical, and autoradiographical study. *Pathol Res Pract* 178: 431-440.
- 2191.** Rohn GN, Close LG, Vuitch F, Merkel MA (1994). Fibrous neoplasms of the adult larynx. *Head Neck* 16: 227-231.
- 2192.** Rohrmus B, Thoma-Greber EM, Bogner JR, Rocken M (2000). Outlook in oral and cutaneous Kaposi's sarcoma. *Lancet* 356: 2160.
- 2193.** Roijer E, Kas K, Behrendt M, Van de Ven W, Stenman G (1999). Fluorescence in situ hybridization mapping of breakpoints in pleomorphic adenomas with 8q12-13 abnormalities identifies a subgroup of tumors without PLAG1 involvement. *Genes Chromosomes Cancer* 24: 78-82.
- 2194.** Roijer E, Nordkvist A, Strom AK, Ryd W, Behrendt M, Bullerdiek J, Mark J, Stenman G (2002). Translocation, deletion/amplification, and expression of HMGIC and MDM2 in a carcinoma ex pleomorphic adenoma. *Am J Pathol* 160: 433-440.
- 2195.** Roland NJ, Caslin AW, Nash J, Stell PM (1992). Value of grading squamous cell carcinoma of the head and neck. *Head Neck* 14: 224-229.
- 2196.** Rollins CE, Yost BA, Costa MJ, Vogt PJ (1995). Squamous differentiation in small-cell carcinoma of the parotid gland. *Arch Pathol Lab Med* 119: 183-185.
- 2197.** Ron E, Safftas AF (1996). Head and neck radiation carcinogenesis: epidemiologic evidence. *Otolaryngol Head Neck Surg* 115: 403-408.
- 2198.** Rosa JC, Felix A, Fonseca I, Soares J (1997). Immunorexpression of c-erbB-2 and p53 in benign and malignant salivary neoplasms with myoepithelial differentia-
- tion. *J Clin Pathol* 50: 661-663.
- 2199.** Rosai J, Suster S (2001). Warthin's tumors. *Hum Pathol* 32: 352.
- 2200.** Rosenberg A, Biesma DH, Sie-Go DM, Slootweg PJ (1996). Primary extranodal CD30-positive T-cell non-Hodgkins lymphoma of the oral mucosa. Report of two cases. *Int J Oral Maxillofac Surg* 25: 57-59.
- 2201.** Rosin MP, Cheng X, Poh C, Lam WL, Huang Y, Lovas J, Berean K, Epstein JB, Priddy R, Le ND, Zhang L (2000). Use of allelic loss to predict malignant risk for low-grade oral epithelial dysplasia. *Clin Cancer Res* 6: 357-362.
- 2202.** Ross G, Shoaib T, Soutar DS, Camilleri IG, Gray HW, Bessent RG, Robertson AG, MacDonald DG (2002). The use of sentinel node biopsy to upstage the clinically N0 neck in head and neck cancer. *Arch Otolaryngol Head Neck Surg* 128: 1287-1291.
- 2203.** Rossi RM, Landas SK, Kelly DR, Marsh WL (1998). Osteosarcoma of the larynx. *Otolaryngol Head Neck Surg* 118: 385-388.
- 2204.** Roth MJ, Medeiros LJ, Elenitoba-Johnson K, Kuchnio M, Jaffe ES, Stetler-Stevenson M (1995). Extramedullary myeloid cell tumors. An immunohistochemical study of 29 cases using routinely fixed and processed paraffin-embedded tissue sections. *Arch Pathol Lab Med* 119: 790-798.
- 2205.** Roush GC (1979). Epidemiology of cancer of the nose and paranasal sinuses: current concepts. *Head Neck Surg* 2: 3-11.
- 2206.** Rousseau A, Mock D, Dover DG, Jordan RC (1999). Multiple canalicular adenomas: a case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 87: 346-350.
- 2207.** Roux S, Amazit L, Meduri G, Guiochon-Mantel A, Milgrom E, Mariette X (2002). RANK (receptor activator of nuclear factor kappa B) and RANK ligand are expressed in giant cell tumors of bone. *Am J Clin Pathol* 117: 210-216.
- 2208.** Rowe-Jones JM, Solomons NB, Ratcliffe LA (1994). Leiomyosarcoma of the larynx. *J Laryngol Otol* 108: 359-362.
- 2209.** Roychowdhury DF, Tseng AJR, Fu KK, Weinburg V, Weidner N (1996). New prognostic factors in nasopharyngeal carcinoma. Tumor angiogenesis and C-erbB2 expression. *Cancer* 77: 1419-1426.
- 2210.** Royer B, Cazals-Hatem D, Sibilia J, Agbalika F, Cayuela JM, Soussi T, Maloisel F, Clauvel JP, Brouet JC, Mariette X (1997). Lymphomas in patients with Sjogren's syndrome are marginal zone B-cell neoplasms, arise in diverse extranodal and nodal sites, and are not associated with viruses. *Blood* 90: 766-775.
- 2211.** Rud NP, Reiman HM, Pritchard DJ, Frassica FJ, Smithson WA (1989). Extracranial Ewing's sarcoma. A study of 42 cases. *Cancer* 64: 1548-1553.
- 2212.** Rufenacht H, Mihatsch MJ, Jundt K, Gachter A, Tanner K, Heitz PU (1985). Gastric epithelioid leiomyomas, pulmonary chondroma, non-functioning metastasizing extra-adrenal paraganglioma and myxoma: a variant of Carney's triad. Report of a patient. *Klin Wochenschr* 63: 282-284.
- 2213.** Ruggieri P, Sim FH, Bond JR, Unni KK (1994). Malignancies in fibrous dysplasia. *Cancer* 73: 1411-1424.
- 2214.** Rulon DB, Helwig EB (1973). Multiple sebaceous neoplasms of the skin: an association with multiple visceral carcinomas, especially of the colon. *Am J Clin*

Pathol 60: 745-752.

- 2215.** Ruske DR, Glassford R, Costello S, Stewart IA (1998). Laryngeal rhabdomyosarcoma in adults. *J Laryngol Otol* 112: 670-672.
- 2216.** Ruzszzak Z, Mayer da Silva A, Orfanos CE (1987). Angioproliferative changes in clinically noninvolved, perilesional skin in AIDS-associated Kaposi's sarcoma. *Dermatologica* 175: 270-279.
- 2217.** Ryan SJ, Font RL (1973). Primary epithelial neoplasms of the lacrimal sac. *Am J Ophthalmol* 76: 73-88.
- 2218.** Saber AT, Nielsen LR, Dictor M, Hagmar L, Mikoczy Z, Wallin H (1998). K-ras mutations in sinonasal adenocarcinomas in patients occupationally exposed to wood or leather dust. *Cancer Lett* 126: 59-65.
- 2219.** Sabo R, Sela M, Sabo G, Herskovitz P, Feinmesser R (2001). Metastatic hypernephroma to the head and neck: unusual case reports and review of the literature. *J Otolaryngol* 30: 140-144.
- 2220.** Sabri JA, Hajjar MA (1967). Malignant mixed tumor of the vocal cord. Report of a case. *Arch Otolaryngol* 85: 332-334.
- 2221.** Sadar ES, Conomy JP, Benjamin SP, Levine HL (1979). Meningiomas of the paranasal sinuses, benign and malignant. *Neurosurgery* 4: 227-232.
- 2222.** Said-Al-Naief N, Ivanov K, Jones M, Som P, Urken M, Brandwein M (1999). Granular cell tumor of the parotid. *Ann Diagn Pathol* 3: 35-38.
- 2223.** Saito K, Unni KK, Wollan PC, Lund BA (1995). Chondrosarcoma of the jaw and facial bones. *Cancer* 76: 1550-1558.
- 2224.** Saito Y, Hoshina Y, Nagamine T, Nakajima T, Suzuki M, Hayashi T (1992). Simple bone cyst. A clinical and histopathologic study of fifteen cases. *Oral Surg Oral Med Oral Pathol* 74: 487-491.
- 2225.** Sakabe H, Bamba M, Nomura K, Kitamura S, Segawa H, Yasui H, Inoue T, Taniwaki M, Fujiyama Y, Bamba T (2003). MALT lymphoma at the base of the tongue developing without any background of immunodeficiency or autoimmune disease. *Leuk Lymphoma* 44: 875-878.
- 2226.** Sakakura A, Yamamoto Y, Takasaki T, Makimoto K, Nakamura M, Takahashi H (1996). Recurrent laryngeal papillomatosis developing into laryngeal carcinoma with human papilloma virus (HPV) type 18: a case report. *J Laryngol Otol* 110: 75-77.
- 2227.** Sakakura Y, Ohi M, Yamada S, Miyoshi Y (1980). A case of subglottic hemangioma: a new technique of surgical removal. *Auris Nasus Larynx* 7: 81-88.
- 2228.** Saksela E, Tarkkanen J, Wartiovaara J (1972). Parotid clear-cell adenoma of possible myoepithelial origin. *Cancer* 30: 742-748.
- 2229.** Saku T, Hayashi Y, Takahara O, Matsuura H, Tokunaga M, Tokunaga M, Tokuko S, Soda M, Mabuchi K, Land CE (1997). Salivary gland tumors among atomic bomb survivors, 1950-1987. *Cancer* 79: 1465-1475.
- 2230.** Sakurai K, Urade M, Noguchi K, Kishimoto H, Ishibashi M, Yasoshima H, Yamamoto T, Kubota A (2001). Increased expression of cyclooxygenase-2 in human salivary gland tumors. *Pathol Int* 51: 762-769.
- 2231.** Saldana MJ, Salem LE, Travezan R (1973). High altitude hypoxia and chemodectomas. *Hum Pathol* 4: 251-263.
- 2232.** Saltarelli MG, Fleming MV, Wenig BM, Gal AA, Mansour KA, Travis WD (1995). Primary basaloid squamous cell carcinoma of the trachea. *Am J Clin Pathol* 104: 594-598.
- 2233.** Sam CK, Brooks LA, Niedobitek G, Young LS, Prasad U, Rickinson AB (1993). Analysis of Epstein-Barr virus infection in nasopharyngeal biopsies from a group at high risk of nasopharyngeal carcinoma. *Int J Cancer* 53: 957-962.
- 2234.** Sanchez-Casis G, Devine KD, Weiland LH (1971). Nasal adenocarcinomas that closely simulate colonic carcinomas. *Cancer* 28: 714-720.
- 2235.** Sancho-Garnier H, Theobald S (1993). Black (air-cured) and blond (flue-cured) tobacco and cancer risk II: Pharynx and larynx cancer. *Eur J Cancer* 29A: 273-276.
- 2236.** Sanders KW, Abreo F, Rivera E, Stucker FJ, Nathan CA (2001). A diagnostic and therapeutic approach to paragangliomas of the larynx. *Arch Otolaryngol Head Neck Surg* 127: 565-569.
- 2237.** Sanderson RJ, Rivron RP, Wallace WA (1991). Adenosquamous carcinoma of the hypopharynx. *J Laryngol Otol* 105: 678-680.
- 2238.** Sandros J, Mark J, Happonen RP, Stenman G (1988). Specificity of 6q- markers and other recurrent deviations in human malignant salivary gland tumors. *Anticancer Res* 8: 637-643.
- 2239.** Sandros J, Stenman G, Mark J (1990). Cytogenetic and molecular observations in human and experimental salivary gland tumors. *Cancer Genet Cytogenet* 44: 153-167.
- 2240.** Sankary S, Sherwin RN, Malone PS, Janecka I, Barnes L, Storto PD, Gollin SM (1993). Clonal chromosomal aberrations in a leiomyosarcoma of the sinonasal tract. *Cancer Genet Cytogenet* 65: 21-26.
- 2241.** Sans A, Bartolami S, Frysse B (1996). Histopathology of the peripheral vestibular system in small vestibular schwannomas. *Am J Otol* 17: 326-24.
- 2242.** Santon Roldan A, De San Jose S, Gomez Sanz E, Fernandez Munoz R, Herrera P, Bellas Menendez C (2002). [Human herpesvirus-8 detection in Kaposi's sarcoma, multiple myeloma, and lymphoproliferative syndromes occurring in immunocompetent and immunocompromised patients]. *Med Clin (Barc)* 119: 241-244.
- 2243.** Santos-Briz A, Lobato RD, Ramos A, Millan JM, Ricoy JR, Martinez-Tello FJ (2003). Giant cell reparative granuloma of the occipital bone. *Skeletal Radiol* 32: 151-155.
- 2244.** Sapci T, Yildirim G, Peker K, Karavus A, Akbulut UG (2000). Acinic cell carcinoma originating in the nasal septum. *Rhinology* 38: 140-143.
- 2245.** Saravanappa N, Rashid AM, Thebe PR, Davis JP (2000). Juvenile xanthogranuloma of the nasal cavity. *J Laryngol Otol* 114: 460-461.
- 2246.** Sarkar FH, Visscher DW, Kintanar EB, Zarbo RJ, Crissman JD (1992). Sinonasal Schneiderian papillomas: human papillomavirus typing by polymerase chain reaction. *Mod Pathol* 5: 329-332.
- 2247.** Sataloff RT, Ressue JC, Portell M, Harris RM, Ossoff R, Merati AL, Zeitels S (2000). Granular cell tumors of the larynx. *J Voice* 14: 119-134.
- 2248.** Sato J, Asakura K, Yokoyama Y, Satoh M (1998). Solitary fibrous tumor of the parotid gland extending to the parapharyngeal space. *Eur Arch Otorhinolaryngol* 255: 18-21.
- 2249.** Satoh K, Hibi G, Yamamoto Y, Urano M, Kuroda M, Nakamura S (2003). Follicular dendritic cell tumor in the oro-pharyngeal region: report of a case and a review of the literature. *Oral Oncol* 39: 415-419.
- 2250.** Saul SH, Kapadia SB (1985). Primary lymphoma of Waldeyer's ring. Clinicopathologic study of 68 cases. *Cancer* 56: 157-166.
- 2251.** Savera AT, Sloman A, Huvos AG, Klimstra DS (2000). Myoepithelial carcinoma of the salivary glands: a clinicopathologic study of 25 patients. *Am J Surg Pathol* 24: 761-774.
- 2252.** Saw D, Ho JH, Lau WH, Chan J (1986). Parotid swelling as the first manifestation of nasopharyngeal carcinoma: a report of two cases. *Eur J Surg Oncol* 12: 71-75.
- 2253.** Saw D, Lau WH, Ho JH, Chan JK, Ng CS (1986). Malignant lymphoepithelial lesion of the salivary gland. *Hum Pathol* 17: 914-923.
- 2254.** Sawyer JR, Tryka AF, Bell JM, Boop FA (1995). Nonrandom chromosome breakpoints at Xq26 and 2q33 characterize cemento-ossifying fibromas of the orbit. *Cancer* 76: 1853-1859.
- 2255.** Schaefer O, Hildes JA, Medd LM, Cameron DG (1975). The changing pattern of neoplastic disease in Canadian Eskimos. *Can Med Assoc J* 112: 1399-1404.
- 2256.** Schaefer SD, Denton RA, Blend BL, Carder HM (1980). Malignant fibrous histiocytoma of the frontal sinus. *Laryngoscope* 90: 2021-2026.
- 2257.** Schaefer DR, Thompson LD, Smith BC, Wenig BM (1998). Primary ameloblastoma of the sinonasal tract: a clinicopathologic study of 24 cases. *Cancer* 82: 667-674.
- 2258.** Schantz SP, Byers RM, Goepfert H, Shallenberger RC, Beddingfield N (1988). The implication of tobacco use in the young adult with head and neck cancer. *Cancer* 62: 1374-1380.
- 2259.** Schantz SP, Yu GP (2002). Head and neck cancer incidence trends in young Americans, 1973-1997, with a special analysis for tongue cancer. *Arch Otolaryngol Head Neck Surg* 128: 268-274.
- 2260.** Schenk P, Handisurya A, Steurer M (2002). Ultrastructural morphology of a middle ear ceruminoma. *ORL J Otorhinolaryngol Relat Spec* 64: 358-363.
- 2261.** Schepman KP, van der Meij EH, Smeele LE, van der Waal I (1998). Malignant transformation of oral leukoplakia: a follow-up study of a hospital-based population of 166 patients with oral leukoplakia from The Netherlands. *Oral Oncol* 34: 270-275.
- 2262.** Schiff NF, Annino DJ, Woo P, Shapshay SM (1997). Kaposi's sarcoma of the larynx. *Oral Otol Rhinol Laryngol* 106: 563-567.
- 2263.** Schimpf A, Musebeck K, Mootz W (1969). [Histologic report No 222. Nevus cell nevus (compound nevus) in the larynx region (Plica ventricularis)]. *Z Haut Geschlechtskr* 44: 137-144.
- 2264.** Schiodt M (1984). Oral manifestations of lupus erythematosus. *Int J Oral Surg* 13: 101-147.
- 2265.** Schmid-Wendtner MH, Sander C, Volkenandt M, Wendtner CM (1999). Unusual manifestations of B-cell disorders. Case 2: chronic lymphocytic leukemia presenting with cutaneous lesions. *J Clin Oncol* 17: 1084-1085.
- 2266.** Schmid U, Helbron D, Lennert K (1982). Development of malignant lymphoma in myoepithelial sialadenitis (Sjogren's syndrome). *Virchows Arch A Pathol Anat Histol* 395: 11-43.
- 2267.** Schmid U, Helbron D, Lennert K (1982). Primary malignant lymphomas localized in salivary glands. *Histopathology* 6: 673-687.
- 2267A.** Schmidseeder R, HausamenJE (1975). Multiple odontogenic tumors and other anomalies. An autosomal dominantly inherited syndrome. *Oral Surg Oral Med Oral Pathol* 39: 249-258.
- 2268.** Schneider AB, Favus MJ, Stachura ME, Arnold MJ, Frohman LA (1977). Salivary gland neoplasms as a late consequence of head and neck irradiation. *Ann Intern Med* 87: 160-164.
- 2269.** Schoenmakers EF, Wanschura S, Mols R, Bullerdiek J, Van den Berghe H, Van de Ven WJ (1995). Recurrent rearrangements in the high mobility group protein gene, HMG1-C, in benign mesenchymal tumours. *Nat Genet* 10: 436-444.
- 2270.** Schofield ID (1981). Central odontogenic fibroma: report of case. *J Oral Surg* 39: 218-220.
- 2271.** Scholes AG, Woolgar JA, Boyle MA, Brown JS, Vaughan ED, Hart CA, Jones AS, Field JK (1998). Synchronous oral carcinomas: independent or common clonal origin? *Cancer Res* 58: 2003-2006.
- 2272.** Scholl RJ, Kellett HM, Neumann DP, Lurie AG (1999). Cysts and cystic lesions of the mandible: clinical and radiologic-histopathologic review. *Radiographics* 19: 1107-1124.
- 2273.** Schramm VL Jr, Imola MJ (2001). Management of nasopharyngeal salivary gland malignancy. *Laryngoscope* 111: 1533-1544.
- 2274.** Schteingart DE, Chandler WF, Lloyd RV, Ibarra-Perez G (1987). Cushing's syndrome caused by an ectopic pituitary adenoma. *Neurosurgery* 21: 223-227.
- 2275.** Schuknecht HF (1993). *Pathology of the Ear*. 2nd ed. Lea & Febiger: Philadelphia.
- 2276.** Schurch W, Skalli O, Lagace R, Seemayer TA, Gabbiani G (1990). Intermediate filament proteins and actin isoforms as markers for soft-tissue tumor differentiation and origin. III. Hemangiopericytomas and glomus tumors. *Am J Pathol* 136: 771-786.
- 2277.** Schwaber MK, Glasscock ME, Nissen AJ, Jackson CG, Smith PG (1984). Diagnosis and management of catecholamine secreting glomus tumors. *Laryngoscope* 94: 1008-1015.
- 2278.** Schwartz RA (1995). Verrucous carcinoma of the skin and mucosa. *J Am Acad Dermatol* 32: 1-21.
- 2279.** Schwerer MJ, Kraft K, Baczako K, Maier H (2001). Cytokeratin expression and epithelial differentiation in Warthin's tumour and its metaplastic (infarcted) variant. *Histopathology* 39: 347-352.
- 2280.** Sciort R, Delaere P, Van Damme B, Desmet V (1995). Angiosarcoma of the larynx. *Histopathology* 26: 177-180.
- 2281.** Sciort R, Dorfman H, Brys P, Dal Cin P, De Wever I, Fletcher CD, Jonson K, Mandahl N, Mertens F, Mitelman F, Rosai J, Rydholm A, Samson I, Tallini G, Van den Berghe H, Vanni R, Willen H (2000). Cytogenetic-morphologic correlations in aneurysmal bone cyst, giant cell tumor of bone and combined lesions. A report from the CHAMP study group. *Mod Pathol* 13: 1206-1210.
- 2282.** Sciuabba JJ, Brannon RB (1982). Myoepithelioma of salivary glands: report of 23 cases. *Cancer* 49: 562-572.

- 2283.** Scott KM, Carter CS (1995). Malignant fibrous histiocytoma of the larynx: case report and literature review. *J Otolaryngol* 24: 198-200.
- 2284.** Scully C (2002). Oral squamous cell carcinoma; from an hypothesis about a virus, to concern about possible sexual transmission. *Oral Oncol* 38: 227-234.
- 2285.** Scully C, Porter SR, Speight PM, Eveson JW, Gale D (1999). Adenosquamous carcinoma of the mouth: a rare variant of squamous cell carcinoma. *Int J Oral Maxillofac Surg* 28: 125-128.
- 2286.** Scully C, Sudbo J, Speight PM (2003). Progress in determining the malignant potential of oral lesions. *J Oral Pathol Med* 32: 251-256.
- 2287.** Seals JL, Shenefelt RE, Babin RW (1986). Intralaryngeal nevus in a child. A case report. *Int J Pediatr Otorhinolaryngol* 12: 55-58.
- 2288.** Sedano HO, Gorlin RJ (1989). Epidermolysis bullosa. *Oral Surg Oral Med Oral Pathol* 67: 555-563.
- 2288A.** Sedano HO, Pindborg JJ (2003). Ghost cell epithelium in odontomas. *J Oral Pathol* 4: 27-30
- 2289.** Seibert RW, Seibert JJ, Jimenez JF, Anguaco EJ (1984). Nasopharyngeal brain heterotopia—a cause of upper airway obstruction in infancy. *Laryngoscope* 94: 818-819.
- 2290.** Seifert G (1992). Histopathology of malignant salivary gland tumours. *Eur J Cancer B Oral Oncol* 28B: 49-56.
- 2291.** Seifert G (1996). Classification and differential diagnosis of clear and basal cell tumors of the salivary glands. *Semin Diagn Pathol* 13: 95-103.
- 2292.** Seifert G (1996). Mucoepidermoid carcinoma in a salivary duct cyst of the parotid gland. Contribution to the development of tumours in salivary gland cysts. *Pathol Res Pract* 192: 1211-1217.
- 2293.** Seifert G (1996). *Oralpathologie I. Pathologie der Speicheldrüsen.* Springer Verlag: Berlin.
- 2294.** Seifert G (1997). Bilateral mucoepidermoid carcinomas arising in bilateral pre-existing Warthin's tumours of the parotid gland. *Oral Oncol* 33: 284-287.
- 2295.** Seifert G, Bull HG, Donath K (1980). Histologic subclassification of the cystadenolymphoma of the parotid gland. Analysis of 275 cases. *Virchows Arch A Pathol Anat Histol* 388: 13-38.
- 2296.** Seifert G, Caselitz J (1983). Tumor markers in parotid gland carcinomas: immunohistochemical investigations. *Cancer Detect Prev* 6: 119-130.
- 2297.** Seifert G, Donath K (1996). Hybrid tumours of salivary glands. Definition and classification of five rare cases. *Eur J Cancer B Oral Oncol* 32B: 251-259.
- 2298.** Seifert G, Donath K (1996). Multiple tumours of the salivary glands—terminology and nomenclature. *Eur J Cancer B Oral Oncol* 32B: 3-7.
- 2299.** Seifert G, Donath K, Schafer R (1999). Lipomatous pleomorphic adenoma of the parotid gland. Classification of lipomatous tissue in salivary glands. *Pathol Res Pract* 195: 247-252.
- 2300.** Seifert G, Hennings K, Caselitz J (1986). Metastatic tumors to the parotid and submandibular glands—analysis and differential diagnosis of 108 cases. *Pathol Res Pract* 181: 684-692.
- 2301.** Seifert G, Miehlke A, Haubrich J, Chilla R (1986). *Diseases of the Salivary Glands: Pathology - Diagnosis - Treatment - Facial Nerve Surgery.* Thieme Publishing Group: Stuttgart.
- 2302.** Seifert G, Okabe H, Caselitz J (1986). Epithelial salivary gland tumors in children and adolescents. Analysis of 80 cases (Salivary Gland Register 1965-1984). *ORL J Otorhinolaryngol Relat Spec* 48: 137-149.
- 2303.** Seifert G, Schulz CP (1979). [The monomorphic salivary duct adenoma. Classification and analysis of 79 cases]. *Virchows Arch A Pathol Anat Histol* 383: 77-99.
- 2304.** Seifert G, Sobin LH (1991). *Histological Typing of Salivary Gland Tumours.* 2nd ed. Springer-Verlag: Berlin.
- 2305.** Seikaly H, Cuyler JP (1994). Infantile subglottic hemangioma. *J Otolaryngol* 23: 135-137.
- 2306.** Seo IS, Tomich CE, Warfel KA, Hull MT (1980). Clear cell carcinoma of the larynx A variant of mucoepidermoid carcinoma. *Ann Otol Rhinol Laryngol* 89: 168-172.
- 2307.** Serenius B, Vernachio J, Price J, Andersson LC, Peterson PA (1994). Metastasizing neuroblastomas in mice transgenic for simian virus 40 large T (SV40T) under the olfactory marker protein gene promoter. *Cancer Res* 54: 5198-5205.
- 2308.** Seshul MJ, Eby TL, Crowe DR, Peters GE (1995). Nasal inverted papilloma with involvement of middle ear and mastoid. *Arch Otolaryngol Head Neck Surg* 121: 1045-1048.
- 2309.** Sessions RB, Bryan RN, Naclerio RM, Alford BR (1981). Radiographic staging of juvenile angiofibroma. *Head Neck Surg* 3: 279-283.
- 2310.** Shah JP, Huvos AG, Strong EW (1977). Mucosal melanomas of the head and neck. *Am J Surg* 134: 531-535.
- 2311.** Shah KV, Stern WF, Shah FK, Bishai D, Kashima HK (1998). Risk factors for juvenile onset recurrent respiratory papillomatosis. *Pediatr Infect Dis J* 17: 372-376.
- 2312.** Shaheen KW, Cohen SR, Muraszko K, Newman MH (1991). Massive teratoma of the sphenoid sinus in a premature infant. *J Craniofac Surg* 2: 140-145.
- 2313.** Shaida AM, McFerran DJ, da Cruz M, Hardy DG, Moffat DA (2000). Cavernous haemangioma of the internal auditory canal. *J Laryngol Otol* 114: 453-455.
- 2314.** Sham JS, Choy D, Wei WJ (1990). Nasopharyngeal carcinoma: orderly neck node spread. *Int J Radiat Oncol Biol Phys* 19: 929-933.
- 2315.** Shamaskin RG, Svirsky JA, Kaugars GE (1989). Intraosseous and extraosseous calcifying odontogenic cyst (Gorlin cyst). *J Oral Maxillofac Surg* 47: 562-565.
- 2316.** Shanmugaratnam K (1978). Histological typing of nasopharyngeal carcinoma. *IARC Sci Publ* 3-12.
- 2317.** Shanmugaratnam K (1991). *Histological Typing of Tumours of the Upper Respiratory Tract and Ear.* 2nd ed. Springer-Verlag: Berlin.
- 2318.** Shanmugaratnam K, Chan SH, de The G, Goh JE, Khor TH, Simons MJ, Tye CY (1979). Histopathology of nasopharyngeal carcinoma: correlations with epidemiology, survival rates and other biological characteristics. *Cancer* 44: 1029-1044.
- 2319.** Shanmugaratnam K, Kunaratnam N, Chia KB, Chiang GS, Sinniah R (1983). Teratoid carcinosarcoma of the paranasal sinuses. *Pathology* 15: 413-419.
- 2320.** Shanmugaratnam K, Sobin LH (1978). Histological typing of upper respiratory tract tumours. WHO: Geneva.
- 2321.** Shapeero LG, Vanel D, Ackerman LV, Terrier-Lacombe MJ, Housin D, Schwaab G, Sigal R, Masselot J (1993). Aggressive fibrous dysplasia of the maxillary sinus. *Skeletal Radiol* 22: 563-568.
- 2322.** Sharma RR, Verma A, Pawar SJ, Dev E, Devadas RV, Shiv VK, Musa MM (2002). Pediatric giant cell granuloma of the temporal bone: a case report and brief review of the literature. *J Clin Neurosci* 9: 459-462.
- 2323.** Shear M (1992). Ondotogenic keratocyst (primordial cyst). In: *Cysts of the Oral Regions*, 3rd ed. Butterworth Heinemann: Oxford, pp. 27-32.
- 2324.** Shear M (1994). Developmental odontogenic cysts. An update. *J Oral Pathol Med* 23: 1-11.
- 2325.** Shear M, Singh S (1978). Age-standardized incidence rates of ameloblastoma and dentigerous cyst on the Witwatersrand, South Africa. *Community Dent Oral Epidemiol* 6: 195-199.
- 2326.** Sheen TS, Tsai CC, Ko JY, Chang YL, Hsu MM (1997). Undifferentiated carcinoma of the major salivary glands. *Cancer* 80: 357-363.
- 2327.** Sheen TS, Wu CT, Hsieh T, Hsu MM (1997). Postirradiation laryngeal osteosarcoma: case report and literature review. *Head Neck* 19: 57-62.
- 2328.** Sheikh M, Chisti FA, Sinan T (1999). Giant cell tumour of the temporal bone: case report and review of the literature. *Australas Radiol* 43: 113-115.
- 2329.** Shemen LJ, Huvos AG, Spiro RH (1987). Squamous cell carcinoma of salivary gland origin. *Head Neck Surg* 9: 235-240.
- 2330.** Shen J, Tate JE, Crum CP, Goodman ML (1996). Prevalence of human papillomavirus (HPV) in benign and malignant tumors of the upper respiratory tract. *Mod Pathol* 9: 15-20.
- 2331.** Shen L, Liang AC, Lu L, Au WY, Kwong YL, Liang RH, Srivastava G (2002). Frequent deletion of Fas gene sequences encoding death and transmembrane domains in nasal natural killer/T-cell lymphoma. *Am J Pathol* 161: 2123-2131.
- 2332.** Sheng WQ, Hashimoto H, Okamoto S, Ishida T, Meis-Kindblom JM, Kindblom LG, Hiseoka M (2001). Expression of COL1A1-PDGFB fusion transcripts in superficial adult fibrosarcoma suggests a close relationship to dermatofibrosarcoma protuberans. *J Pathol* 194: 88-94.
- 2333.** Sheppard LM, Mickelson SA (1990). Hemangiomas of the nasal septum and paranasal sinuses. *Henry Ford Hosp Med J* 38: 25-27.
- 2334.** Shibata K, Komune S (1980). *Laryngeal angiomoma (vascular leiomyoma): clinicopathological findings.* *Laryngoscope* 90: 1880-1886.
- 2335.** Shick PC, Riordan GP, Foss RD (1995). Estrogen and progesterone receptors in salivary gland adenoid cystic carcinoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80: 440-444.
- 2336.** Shiffman NJ (1975). Squamous cell carcinomas of the skin of the pinna. *Can J Surg* 18: 279-283.
- 2337.** Shikhani AH, Johns ME (1988). Tumors of the major salivary glands in children. *Head Neck Surg* 10: 257-263.
- 2338.** Shikhani AH, Shikhani LT, Kuhajda FP, Allam CK (1993). Warthin's tumor-associated neoplasms: report of two cases and review of the literature. *Ear Nose Throat J* 72: 264-3.
- 2339.** Shimazaki H, Aida S, Tamai S, Miyazawa T, Nakanobou M (2000). Sinonasal teratocarcinosarcoma: ultrastructural and immunohistochemical evidence of neuroectodermal origin. *Ultrastruct Pathol* 24: 115-122.
- 2340.** Shimm DS, Dosoretz DE, Harris NL, Pilch BZ, Linggood RM, Wang CC (1984). Radiation therapy of Waldeyer's ring lymphoma. *Cancer* 54: 426-431.
- 2341.** Shimoyama T, Horie N, Nasu D, Kaneko T, Kato T, Tojo T, Suzuki T, Ide F (1999). So-called simple bone cyst of the jaw: a family of pseudocysts of diverse nature and etiology. *J Oral Sci* 41: 93-98.
- 2342.** Shingaki S, Suzuki I, Nakajima T, Kawasaki T (1988). Evaluation of histopathologic parameters in predicting cervical lymph node metastasis of oral and oropharyngeal carcinomas. *Oral Surg Oral Med Oral Pathol* 66: 683-688.
- 2343.** Shintaku M, Honda T (1997). Identification of oncocytic lesions of salivary glands by anti-mitochondrial immunohistochemistry. *Histopathology* 31: 408-411.
- 2344.** Shirasuna K, Watatani K, Miyazaki T (1984). Ultrastructure of a sialadenoma papilliferum. *Cancer* 53: 468-474.
- 2345.** Shoab T, Soutar DS, MacDonald DG, Camilleri IG, Dunaway DJ, Gray HW, McCurrach GM, Bessent RG, MacLeod TI, Robertson AG (2001). The accuracy of head and neck carcinoma sentinel lymph node biopsy in the clinically N0 neck. *Cancer* 91: 2077-2083.
- 2346.** Shotelersuk K, Khorprasert C, Sakdikul S, Pornthanakasem W, Voravud N, Mutirangura A (2000). Epstein-Barr virus DNA in serum/plasma as a tumor marker for nasopharyngeal cancer. *Clin Cancer Res* 6: 1046-1051.
- 2347.** Shreif JA, Goumas PD, Mastronikolis N, Naxakis SS (2001). Extramedullary plasmacytoma of the nasal cavity. *Otolaryngol Head Neck Surg* 124: 119-120.
- 2348.** Shrestha P, Yang LT, Liu BL, Namba M, Qin CL, Isono K, Tsukitani K, Mori M (1994). Clear cell carcinoma of salivary glands: immunohistochemical evaluation of clear tumor cells. *Anticancer Res* 14: 825-836.
- 2349.** Shroyer KR, Greer RO, Fankhouser CA, McGuirt WF, Marshall R (1993). Detection of human papillomavirus DNA in oral verrucous carcinoma by polymerase chain reaction. *Mod Pathol* 6: 669-672.
- 2350.** Shteyer A, Fundoianu-Dayan D (1986). Papillary cystic adenocarcinoma of minor salivary glands. *Int J Oral Maxillofac Surg* 15: 361-364.
- 2351.** Shugar JM, Som PM, Biller HF, Som ML, Krespi YP (1981). Peripheral nerve sheath tumors of the paranasal sinuses. *Head Neck Surg* 4: 72-76.
- 2352.** Siar CH, Ng KH (1993). Patterns of expression of intermediate filaments and S-100 protein in desmoplastic ameloblastoma. *J Nihon Univ Sch Dent* 35: 104-108.
- 2353.** Siddiqi SH, Solomon MP, Haller JO (2000). Sialoblastoma and hepatoblastoma in a neonate. *Pediatr Radiol* 30: 349-351.
- 2354.** Sidek D, Michaels L, Wright A (1996). Changes in the inner ear in vestibular schwannoma. In: *Progress in Human Auditory and Vestibular Histopathology*, Iurato S, Veldman JE, eds., Kugler publications: Amsterdam.
- 2355.** Siedentop KH, Jeantet C (1961). Primary adenocarcinoma of the middle ear. Report of three cases. *Ann Otol Rhinol Laryngol* 70: 719-733.
- 2356.** Siegel SE, Cohen SR, Isaacs HJ, Stanley P (1979). Malignant transformation of tracheobronchial juvenile papillomatosis without prior radiotherapy. *Ann Otol Rhinol*



- Laryngol 88: 192-197.
- 2357.** Silverberg MJ, Thorsen P, Lindeberg H, Grant LA, Shah KV (2003). Condyloma in pregnancy is strongly predictive of juvenile-onset recurrent respiratory papillomatosis. *Obstet Gynecol* 101: 645-652.
- 2358.** Silverman S, Bhargava K, Smith LW, Malaowalla AM (1976). Malignant transformation and natural history of oral leukoplakia in 57,518 industrial workers of Gujarat, India. *Cancer* 38: 1790-1795.
- 2359.** Silverman SJr (2000). Oral lichen planus: a potentially premalignant lesion. *J Oral Maxillofac Surg* 58: 1286-1288.
- 2360.** Silverman SJr, Gorsky M (1997). Proliferative verrucous leukoplakia: a follow-up study of 54 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 84: 154-157.
- 2361.** Silverman SJr, Gorsky M, Lozada F (1984). Oral leukoplakia and malignant transformation. A follow-up study of 257 patients. *Cancer* 53: 563-568.
- 2362.** Silverman SJr, Rosen RD (1968). Observations on the clinical characteristics and natural history of oral leukoplakia. *J Am Dent Assoc* 76: 772-777.
- 2363.** Simko EJ, Brannon RB, Eibling DE (1998). Ameloblastic carcinoma of the mandible. *Head Neck* 20: 654-659.
- 2364.** Simons MJ, Wee GB, Day NE, Morris PJ, Shanmugaratnam K, De The GB (1974). Immunogenetic aspects of nasopharyngeal carcinoma: I. Differences in HL-A antigen profiles between patients and control groups. *Int J Cancer* 13: 122-134.
- 2365.** Simons MJ, Wee GB, Goh EH, Chan SH, Shanmugaratnam K, Day NE, de The G (1976). Immunogenetic aspects of nasopharyngeal carcinoma. IV. Increased risk in Chinese of nasopharyngeal carcinoma associated with a Chinese-related HLA profile (A2, Singapore 2). *J Natl Cancer Inst* 57: 977-980.
- 2366.** Simons MJ, Wee GB, Singh D, Dharmalingam S, Yong NK, Chau JC, Ho JH, Day NE, de The G (1977). Immunogenetic aspects of nasopharyngeal carcinoma. V. Confirmation of a Chinese-related HLA profile (A2, Singapore 2) associated with an increased risk in Chinese for nasopharyngeal carcinoma. *Natl Cancer Inst Monogr* 47: 147-151.
- 2367.** Simpson RH, Jones H, Beasley P (1995). Benign myoepithelioma of the salivary glands: a true entity? *Histopathology* 27: 1-9.
- 2368.** Simpson RH, Pereira EM, Ribeiro AC, Abdulkadir A, Reis-Filho JS (2002). Polymorphous low-grade adenocarcinoma of the salivary glands with transformation to high-grade carcinoma. *Histopathology* 41: 250-259.
- 2369.** Simpson RH, Sarsfield PT, Clarke T, Babajews AV (1990). Clear cell carcinoma of minor salivary glands. *Histopathology* 17: 433-438.
- 2370.** Simpson RH, Skalova A (1997). Metastatic carcinoma of the prostate presenting as parotid tumour. *Histopathology* 30: 70-74.
- 2371.** Simpson RHW, Prasad AR, Lewis JE, Skalova A, David L (2003). Mucin-rich variant of salivary duct carcinoma: a clinicopathologic and immunohistochemical study of four cases. *Am J Surg Pathol* 27: 1070-1079.
- 2372.** Simpson RHW, Sarsfield PTL (1997). Benign and malignant lymphoid lesions of the salivary glands. *Curr Diagn Pathol* 4: 91-99.
- 2373.** Sindwani R, Matthews TW, Thomas J, Venkatesan VM (1998). Epithelioid leiomyosarcoma of the larynx. *Head Neck* 20: 563-567.
- 2374.** Singh B, Alfonso A, Sabin S, Poluri A, Shaha AR, Sundaram K, Lucente FE (2000). Outcome differences in younger and older patients with laryngeal cancer: a retrospective case-control study. *Am J Otolaryngol* 21: 92-97.
- 2375.** Singh SP, Cottingham SL, Slone W, Boesel CP, Welling DB, Yates AJ (1996). Lipomas of the internal auditory canal. *Arch Pathol Lab Med* 120: 681-683.
- 2376.** Sinkre P, Lindberg G, Albores-Saavedra J (2001). Nasopharyngeal gangliocytic paraganglioma. *Arch Pathol Lab Med* 125: 1098-1100.
- 2377.** Sironi M, Isimbaldi G, Claren R, Delpiano C, Di Nuovo F, Spinelli M (2000). Carcinosarcoma of the parotid gland: cytological, clinicopathological and immunohistochemical study of a case. *Pathol Res Pract* 196: 511-517.
- 2378.** Sisson GA, Beck SP (1981). Cancer of the nasal and paranasal sinuses. In: *Cancer of the Head and Neck*, Suen JY, Myers EN, eds., Churchill Livingstone: New York, pp. 242-279.
- 2379.** Sissons HA, Malcolm AJ (1997). Fibrous dysplasia of bone: case report with autopsy study 80 years after the original clinical recognition of the bone lesions. *Skeletal Radiol* 26: 177-183.
- 2380.** Siu LL, Chan JK, Wong KF, Choy C, Kwong YL (2003). Aberrant promoter CpG methylation as a molecular marker for disease monitoring in natural killer cell lymphomas. *Br J Haematol* 122: 70-77.
- 2381.** Siu LL, Chan JK, Wong KF, Kwong YL (2002). Specific patterns of gene methylation in natural killer cell lymphomas: p73 is consistently involved. *Am J Pathol* 160: 59-66.
- 2382.** Siu LL, Chan V, Chan JK, Wong KF, Liang R, Kwong YL (2000). Consistent patterns of allelic loss in natural killer cell lymphoma. *Am J Pathol* 157: 1803-1809.
- 2383.** Siu LL, Wong KF, Chan JK, Kwong YL (1999). Comparative genomic hybridization analysis of natural killer cell lymphoma/leukemia. Recognition of consistent patterns of genetic alterations. *Am J Pathol* 155: 1419-1425.
- 2384.** Siverusson U, Kindblom LG (1984). Oncocytic carcinoid of the nasal cavity and carcinoid of the lung in a child. *Pathol Res Pract* 178: 562-569.
- 2385.** Sjogren H, Dahlenfors R, Stenman G, Mark J (2003). Observations by G-banding and multicolor spectral karyotyping in a salivary gland basal cell adenoma. *Virchows Arch* 442: 86-87.
- 2386.** Skalli O, Pelte MF, Pecllet MC, Gabbiani G, Gugliotta P, Bussolati G, Ravazzola M, Orci L (1989). Alpha-smooth muscle actin, a differentiation marker of smooth muscle cells, is present in microfilamentous bundles of pericytes. *J Histochem Cytochem* 37: 315-321.
- 2387.** Skalova A, Lehtonen H, Von Boguslawsky K, Leivo I (1994). Prognostic significance of cell proliferation in mucoepithelioid carcinomas of the salivary gland: clinicopathological study using MIB 1 antibody in paraffin sections. *Hum Pathol* 25: 929-935.
- 2388.** Skalova A, Leivo I, Von Boguslawsky K, Saksela E (1994). Cell proliferation correlates with prognosis in acinic cell carcinomas of salivary gland origin. Immunohistochemical study of 30 cases using the MIB 1 antibody in formalin-fixed paraffin sections. *J Pathol* 173: 13-21.
- 2389.** Skalova A, Leivo I, Wolf H, Fakan F (2000). Oncocytic cystadenoma of the parotid gland with tyrosine-rich crystals. *Pathol Res Pract* 196: 849-851.
- 2390.** Skalova A, Michal M, Nathansky Z (1994). Epidermoid carcinoma arising in Warthin's tumour: a case study. *J Oral Pathol Med* 23: 330-333.
- 2391.** Skalova A, Simpson RH, Lehtonen H, Leivo I (1997). Assessment of proliferative activity using the MIB1 antibody help to distinguish polymorphous low grade adenocarcinoma from adenoid cystic carcinoma of salivary glands. *Pathol Res Pract* 193: 695-703.
- 2392.** Skalova A, Starek K, Kucerova V, Szepe P, Plank L (2001). Salivary duct carcinoma—a highly aggressive salivary gland tumor with HER-2/neu oncoprotein overexpression. *Pathol Res Pract* 197: 621-626.
- 2393.** Skalova A, Starek I, Vanecek T, Kucerova V, Plank L, Szepe P, DiPalma S, Leivo I (2003). Expression of HER-2/neu gene and protein in salivary duct carcinoma of parotid gland as revealed by fluorescence in situ hybridization and immunohistochemistry. *Histopathology* 42: 1-9.
- 2394.** Slater LJ (1999). Odontogenic sarcoma and carcinosarcoma. *Semin Diagn Pathol* 16: 325-332.
- 2395.** Slavin JL, Woodford NW, Busmanis I (1995). Synchronous parotid myoepithelioma and Warthin's tumor. *Pathology* 27: 199-200.
- 2396.** Slonim SM, Haykal HA, Cushing GW, Freidberg SR, Lee AK (1993). MRI appearances of an ectopic pituitary adenoma: case report and review of the literature. *Neuroradiology* 35: 546-548.
- 2397.** Slootweg PJ (1987). Carcinoma arising from reduced enamel epithelium. *J Oral Pathol* 16: 479-482.
- 2398.** Slootweg PJ (1989). Comparison of giant cell granuloma of the jaw and non-ossifying fibroma. *J Oral Pathol Med* 18: 128-132.
- 2399.** Slootweg PJ (1991). Bone and cementum as stromal features in Pindborg tumor. *J Oral Pathol Med* 20: 93-95.
- 2400.** Slootweg PJ (1992). Cementoblastoma and osteoblastoma: a comparison of histologic features. *J Oral Pathol Med* 21: 385-389.
- 2401.** Slootweg PJ (1996). Maxillofacial fibro-osseous lesions: classification and differential diagnosis. *Semin Diagn Pathol* 13: 104-112.
- 2402.** Slootweg PJ (2002). Malignant odontogenic tumors: an overview. *Mund Kiefer Gesichtschir* 6: 295-302.
- 2403.** Slootweg PJ, Hordijk GJ, Schade Y, van Es RJ, Koole R (2002). Treatment failure and margin status in head and neck cancer. A critical view on the potential value of molecular pathology. *Oral Oncol* 38: 500-503.
- 2404.** Slootweg PJ, Lubsen H (1991). Rhabdomyoblasts in olfactory neuroblastoma. *Histopathology* 19: 182-184.
- 2405.** Slootweg PJ, Muller H (1984). Malignant ameloblastoma or ameloblastic carcinoma. *Oral Surg Oral Med Oral Pathol* 57: 168-176.
- 2406.** Slootweg PJ, Panders AK, Koopmans R, Nikkels PG (1994). Juvenile ossifying fibroma. An analysis of 33 cases with emphasis on histopathological aspects. *J Oral Pathol Med* 23: 385-388.
- 2407.** Slootweg PJ, Roholl PJ, Muller H, Lubsen H (1989). Spindle-cell carcinoma of the oral cavity and larynx. Immunohistochemical aspects. *J Craniomaxillofac Surg* 17: 234-236.
- 2408.** Slootweg PJ, Wittkamp AR (1986). Myxoma of the jaws. An analysis of 15 cases. *J Maxillofac Surg* 14: 46-52.
- 2409.** Smets G, Warson F, Dehou MF, Storme G, Sacre R, Van Belle S, Somers G, Gepts W, Kloppel G (1990). Metastasizing neuroendocrine carcinoma of the larynx with calcitonin and somatostatin secretion and CEA production, resembling medullary thyroid carcinoma. *Virchows Arch A Pathol Anat Histopathol* 416: 539-543.
- 2410.** Smith BC, Ellis GL, Meis-Kindblom JM, Williams SB (1995). Ectomesenchymal chondromyxoid tumor of the anterior tongue. Nineteen cases of a new clinicopathologic entity. *Am J Surg Pathol* 19: 519-530.
- 2411.** Smith EM, Pignatari SS, Gray SD, Haugen TH, Turek LP (1993). Human papillomavirus infection in papillomas and nondiseased respiratory sites of patients with recurrent respiratory papillomatosis using the polymerase chain reaction. *Arch Otolaryngol Head Neck Surg* 119: 554-557.
- 2412.** Smith EM, Summersgill KF, Allen J, Hoffman HT, McCulloch T, Turek LP, Haugen TH (2000). Human papillomavirus and risk of laryngeal cancer. *Ann Otol Rhinol Laryngol* 109: 1069-1076.
- 2413.** Smith O, Youngs R, Snell D, Van Nostrand P (1988). Paraganglioma of the larynx. *J Otolaryngol* 17: 293-301.
- 2414.** Smith PG, Marrogi AJ, Delfino JJ (1990). Multifocal central giant cell lesions of the maxillofacial skeleton: a case report. *J Oral Maxillofac Surg* 48: 300-305.
- 2415.** Smullen S, Willcox T, Wetmore R, Zackai E (1994). Otolologic manifestations of neurofibromatosis. *Laryngoscope* 104: 663-665.
- 2416.** Snyder ML, Paulino AF (1999). Hybrid carcinoma of the salivary gland: salivary duct adenocarcinoma adenoid cystic carcinoma. *Histopathology* 35: 380-383.
- 2417.** Snyder RN, Perzin KH (1972). Papillomatosis of nasal cavity and paranasal sinuses (inverted papilloma, squamous papilloma). A clinicopathologic study. *Cancer* 30: 668-690.
- 2418.** Sobin LH, Wittekind C (2002). *TNM: Classification of Malignant Tumours*. 6th ed. John Wiley & Sons: New York.
- 2419.** Soga J, Ferlito A, Rinaldo A (2004). Endocrinocarcinomas (carcinoids and their variants) of the larynx: a comparative consideration with those of other sites. *Oral Oncol* 40: 668-672.
- 2420.** Soga J, Osaka M, Yakuwa Y (2002). Laryngeal endocrinomas (carcinoids and relevant neoplasms): analysis of 278 reported cases. *J Exp Clin Cancer Res* 21: 5-13.
- 2421.** Soini Y, Kamel D, Nuorva K, Lane DP, Vahakangas K, Paakko P (1992). Low p53 protein expression in salivary gland tumours compared with lung carcinomas. *Virchows Arch A Pathol Anat Histopathol* 421: 415-420.
- 2422.** Solomon D, Smith RR, Kashima HK, Leventhal BG (1985). Malignant transformation in non-irradiated recurrent respiratory papillomatosis. *Laryngoscope* 95: 900-904.
- 2423.** Som PM, Brann EA (2003). Tumor and Tumor-like Conditions. In: *Head and Neck Imaging*, Som PM, Curtin HD, eds.,

Mosby: St. Louis, Mo. pp. 261-373.

- 2424.** Som PM, Shugar JM, Cohen BA, Biller HF (1981). The nonspecificity of the antral bowing sign in maxillary sinus pathology. *J Comput Assist Tomogr* 5: 350-352.
- 2425.** Som PM, Silvers AR, Catalano PJ, Brandwein M, Khorsandi AS (1997). Adenosquamous carcinoma of the facial bones, skull base, and calvaria: CT and MR manifestations. *AJNR Am J Neuroradiol* 18: 173-175.
- 2426.** Sonobe H, Taguchi K, Motoi M, Ogawa K, Matsumura M, Ohsaki K (1980). Malignant fibrous histiocytoma of the maxillary sinus. *Acta Pathol Jpn* 30: 79-89.
- 2427.** Sorensen M, Baunsgaard P, Frederiksen P, Haahr PA (1986). Multifocal adenomatous oncocyctic hyperplasia of the parotid gland (unusual clear cell variant in two female siblings.). *Pathol Res Pract* 181: 254-259.
- 2428.** Sorensen FH, Wu JK, Berean KW, Lim JF, Donn W, Frierson HF, Reynolds CP, Lopez-Terrada D, Triche TJ (1996). Olfactory neuroblastoma is a peripheral primitive neuroectodermal tumor related to Ewing sarcoma. *Proc Natl Acad Sci U S A* 93: 1038-1043.
- 2429.** Soysal V, Yigitbasi OG, Kontas O, Kahya HA, Guney E (2001). Inflammatory myofibroblastic tumor of the nasal cavity: a case report and review of the literature. *Int J Pediatr Otorhinolaryngol* 61: 161-165.
- 2430.** Spafford MF, Koch WM, Reed AL, Califano JA, Xu LH, Eisenberger CF, Yip L, Leong PL, Wu L, Liu SX, Jeronimo C, Westra WH, Sidransky D (2001). Detection of head and neck squamous cell carcinoma among exfoliated oral mucosal cells by microsatellite analysis. *Clin Cancer Res* 7: 607-612.
- 2431.** Spagnolo DV, Papadimitriou JM, Archer M (1984). Postirradiation malignant fibrous histiocytoma arising in juvenile nasopharyngeal angiofibroma and producing alpha-1-antitrypsin. *Histopathology* 8: 339-352.
- 2432.** Spayne JA, Warde P, O'Sullivan B, Payne D, Liu FF, Waldron J, Gullane PJ, Cummings BJ (2001). Carcinoma-in-situ of the glottic larynx: results of treatment with radiation therapy. *Int J Radiat Oncol Biol Phys* 49: 1235-1238.
- 2433.** Spector GJ, Ogura JH (1974). Malignant fibrous histiocytoma of the maxilla. A report of an unusual lesion. *Arch Otolaryngol* 99: 385-387.
- 2434.** Spector JG, Sessions DG, Emami B, Simpson J, Haughey B, Harvey J, Fredrickson JM (1995). Squamous cell carcinoma of the pyriform sinus: a nonrandomized comparison of therapeutic modalities and long-term results. *Laryngoscope* 105: 397-406.
- 2435.** Spector JG, Sessions DG, Haughey BH, Chao KS, Simpson J, El Mofty S, Perez CA (2001). Delayed regional metastases, distant metastases, and second primary malignancies in squamous cell carcinomas of the larynx and hypopharynx. *Laryngoscope* 111: 1079-1087.
- 2436.** Speicher MR, Howe C, Crotty P, du Manoir S, Costa J, Ward DC (1995). Comparative genomic hybridization detects novel deletions and amplifications in head and neck squamous cell carcinomas. *Cancer Res* 55: 1010-1013.
- 2437.** Sperry K (1994). Lethal asphyxiating juvenile laryngeal papillomatosis. A case report with human papillomavirus in situ hybridization analysis. *Am J Forensic Med Pathol* 15: 146-150.
- 2438.** Spiro JD, Soo KC, Spiro RH (1995). Nonsquamous cell malignant neoplasms of the nasal cavities and paranasal sinuses. *Head Neck* 17: 114-118.
- 2439.** Spiro RH (1986). Salivary neoplasms: overview of a 35-year experience with 2,807 patients. *Head Neck Surg* 8: 177-184.
- 2440.** Spiro RH (1995). Changing trends in the management of salivary tumors. *Semin Surg Oncol* 11: 240-245.
- 2441.** Spiro RH (1997). Distant metastasis in adenoid cystic carcinoma of salivary origin. *Am J Surg* 174: 495-498.
- 2442.** Spiro RH, Huvos AG (1992). Stage means more than grade in adenoid cystic carcinoma. *Am J Surg* 164: 623-628.
- 2443.** Spiro RH, Huvos AG, Berk R, Strong EW (1978). Mucoepidermoid carcinoma of salivary gland origin. A clinicopathologic study of 367 cases. *Am J Surg* 136: 461-468.
- 2444.** Spiro RH, Huvos AG, Strong EW (1974). Adenoid cystic carcinoma of salivary origin. A clinicopathologic study of 242 cases. *Am J Surg* 128: 512-520.
- 2445.** Spiro RH, Huvos AG, Strong EW (1978). Acinic cell carcinoma of salivary origin. A clinicopathologic study of 67 cases. *Cancer* 41: 924-935.
- 2446.** Spiro RH, Huvos AG, Strong EW (1979). Adenoid cystic carcinoma: factors influencing survival. *Am J Surg* 138: 579-583.
- 2447.** Spiro RH, Huvos AG, Strong EW (1982). Adenocarcinoma of salivary origin. Clinicopathologic study of 204 patients. *Am J Surg* 144: 423-431.
- 2448.** Spiro RH, Koss LG, Hajdu SI, Strong EW (1973). Tumors of minor salivary origin. A clinicopathologic study of 492 cases. *Cancer* 31: 117-129.
- 2449.** Spiro RH, Thaler HT, Hicks WF, Kher UA, Huvos AH, Strong EW (1991). The importance of clinical staging of minor salivary gland carcinoma. *Am J Surg* 162: 330-336.
- 2450.** Spitz MR, Hoque A, Trizna Z, Schantz SP, Amos CI, King TM, Bondy ML, Hong WK, Hsu TC (1994). Mutagen sensitivity as a risk factor for second malignant tumors following malignancies of the upper aerodigestive tract. *J Natl Cancer Inst* 86: 1681-1684.
- 2451.** Spitz MR, Sider JG, Newell GR (1990). Salivary gland cancer and risk of subsequent skin cancer. *Head Neck* 12: 254-256.
- 2452.** Spitz MR, Sider JG, Newell GR, Batsakis JG (1988). Incidence of salivary gland cancer in the United States relative to ultraviolet radiation exposure. *Head Neck Surg* 10: 305-308.
- 2453.** Spruck CH, Tsai YC, Huang DP, Yang AS, Rideout WMI, Gonzalez-Zulueta M, Choi P, Lo KW, Yu MC, Jones PA (1992). Absence of p53 gene mutations in primary nasopharyngeal carcinomas. *Cancer Res* 52: 4787-4790.
- 2454.** Squires JE, Mills SE, Cooper PH, Innes DJ Jr, McLean WC (1981). Acinic cell carcinoma: its occurrence in the laryngo-tracheal junction after thyroid radiation. *Arch Pathol Lab Med* 105: 266-268.
- 2455.** Stadlmann S, Fend F, Moser P, Obrist P, Greil R, Dirnhofner S (2001). Epstein-Barr virus-associated extranodal NK/T-cell lymphoma, nasal type of the hypopharynx, in a renal allograft recipient: case report and review of literature. *Hum Pathol* 32: 1264-1268.
- 2456.** Stafford ND, Frootko NJ (1986). Verrucous carcinoma in the external auditory canal. *Am J Otol* 7: 443-445.
- 2457.** Staley CJ, Ujiki GT, Yokoo H (1971). "Pseudocarcinoma" of the larynx. Independent metastasis of carcinomatous and sarcomatous elements. *Arch Otolaryngol* 94: 458-465.
- 2458.** Stallmach I, Zenklusen P, Komminoth P, Schmid S, Perren A, Roos M, Jianming Z, Heitz PU, Pfaltz M (2002). Loss of heterozygosity at chromosome 6q23-25 correlates with clinical and histologic parameters in salivary gland adenoid cystic carcinoma. *Virchows Arch* 440: 77-84.
- 2459.** Stanley RJ, Weiland LH, Olsen KD, Pearson BW (1988). Dedifferentiated acinic cell (acinous) carcinoma of the parotid gland. *Otolaryngol Head Neck Surg* 98: 155-161.
- 2460.** Stavropoulos F, Katz J (2002). Central giant cell granulomas: a systematic review of the radiographic characteristics with the addition of 20 new cases. *Dentomaxillofac Radiol* 31: 213-217.
- 2461.** Steinberg BM, Meade R, Kalinowski S, Abramson AL (1990). Abnormal differentiation of human papillomavirus-induced laryngeal papillomas. *Arch Otolaryngol Head Neck Surg* 116: 1167-1171.
- 2462.** Steiner W (1993). Results of curative laser microsurgery of laryngeal carcinomas. *Am J Otolaryngol* 14: 116-121.
- 2463.** Stene T, Koppang HS (1981). Intraoral adenocarcinomas. *J Oral Pathol* 10: 216-225.
- 2464.** Stenman G, Sandros J, Mark J, Nordkvist A (1989). High p21RAS expression levels correlate with chromosome 8 rearrangements in benign human mixed salivary gland tumors. *Genes Chromosomes Cancer* 1: 59-66.
- 2465.** Stenman G, Sandros J, Nordkvist A, Mark J, Sahlin P (1991). Expression of the ERBB2 protein in benign and malignant salivary gland tumors. *Genes Chromosomes Cancer* 3: 128-135.
- 2466.** Stephen J, Batsakis JG, Luna MA, von der Heyden U, Byers RM (1986). True malignant mixed tumors (carcinosarcoma) of salivary glands. *Oral Surg Oral Med Oral Pathol* 61: 597-602.
- 2467.** Stephenson CF, Bridge JA, Sandberg AA (1992). Cytogenetic and pathologic aspects of Ewing's sarcoma and neuroectodermal tumors. *Hum Pathol* 23: 1270-1277.
- 2468.** Sterman BM, Kraus DH, Sebek BA, Tucker HM (1990). Primary squamous cell carcinoma of the parotid gland. *Laryngoscope* 100: 146-148.
- 2469.** Stern Y, Braslavsky D, Segal K, Shpitzer T, Abraham A (1991). Intravascular papillary endothelial hyperplasia in the maxillary sinus. A benign lesion that may be mistaken for angiosarcoma. *Arch Otolaryngol Head Neck Surg* 117: 1182-1184.
- 2470.** Stern Y, Heffelfinger SC, Walner DL, Cotton RT (2000). Expression of Ki-67, tumor suppressor proteins, growth factor, and growth factor receptor in juvenile respiratory papillomatosis: Ki-67 and p53 as predictors of aggressive disease. *Otolaryngol Head Neck Surg* 122: 378-386.
- 2471.** Stern Y, Hurlbut PE, Cotton RT (1998). Significance of DNA ploidy and cell proliferation in juvenile respiratory papillomatosis. *Ann Otol Rhinol Laryngol* 107: 815-819.
- 2472.** Stevenson AJ (1994). CJBMM. CD 99 (p30/32-MIC2) Neuroectodermal/Ewing Sarcoma antigen as an immunohistochem- ical marker. Review of more than 600 tumours and the literature experience. *Appl Immunohistochem Mol Morphol* 231-240.
- 2473.** Stevenson AR, Austin BW (1990). A case of ameloblastoma presenting as an exophytic gingival lesion. *J Periodontol* 61: 378-381.
- 2474.** Stewart CJ, MacKenzie K, McGarry GW, Mowat A (2000). Fine-needle aspiration cytology of salivary gland: a review of 341 cases. *Diagn Cytopathol* 22: 139-146.
- 2475.** Stillwagon GB, Smith RR, Highstein C, Lee DJ (1985). Adenoid cystic carcinoma of the supraglottic larynx: report of a case and review of the literature. *Am J Otolaryngol* 6: 309-314.
- 2476.** Stinchin C, Piraccini BM, Pileri S, Lorenzi S, Casavecchia P, Fanti PA, Tosti A (1998). Multiple nodular lesions of the chin and oral mucosa in a patient with Sjogren's syndrome. *Eur J Dermatol* 8: 350-352.
- 2477.** Stoeckli SJ, Pfaltz M, Steinert H, Schmid S (2002). Histopathological features of occult metastasis detected by sentinel lymph node biopsy in oral and oropharyngeal squamous cell carcinoma. *Laryngoscope* 112: 111-115.
- 2478.** Stoelting PJ (2001). Long-term follow-up on keratocysts treated according to a defined protocol. *Int J Oral Maxillofac Surg* 30: 14-25.
- 2479.** Stolovitzky JP, Waldron CA, McConnell FM (1994). Giant cell lesions of the maxilla and paranasal sinuses. *Head Neck* 16: 143-148.
- 2480.** Stone DM, Berkold RE, Ranganathan C, Wiet RJ (1987). Inverted papilloma of the middle ear and mastoid. *Otolaryngol Head Neck Surg* 97: 416-418.
- 2481.** Stone HE, Lipa M, Bell RD (1975). Primary adenocarcinoma of the middle ear. *Arch Otolaryngol* 101: 702-705.
- 2482.** Struthers PJ, Shear M (1984). Aneurysmal bone cyst of the jaws. (I). Clinicopathological features. *Int J Oral Surg* 13: 85-91.
- 2483.** Struthers PJ, Shear M (1984). Aneurysmal bone cyst of the jaws. (II). Pathogenesis. *Int J Oral Surg* 13: 92-100.
- 2484.** Sturm W, Menze B, Krause J, Thiene B (1994). Use of asbestos, health risks and induced occupational diseases in the former East Germany. *Toxicol Lett* 72: 317-324.
- 2485.** Su L, Weathers DR, Waldron CA (1997). Distinguishing features of focal cemento-osseous dysplasia and cemento-ossifying fibromas. II. A clinical and radiologic spectrum of 316 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 84: 540-549.
- 2486.** Su LD, Atayde-Perez A, Sheldon S, Fletcher JA, Weiss SW (1998). Inflammatory myofibroblastic tumor: cytogenetic evidence supporting clonal origin. *Mod Pathol* 11: 364-368.
- 2487.** Su W, Ko A, O'Connell T, Applebaum H (2000). Treatment of pseudotumors with nonsteroidal antiinflammatory drugs. *J Pediatr Surg* 35: 1635-1637.
- 2488.** Suarez PA, Adler-Storthz K, Luna MA, El Naggar AK, Abdul-Karim FW, Batsakis JG (2000). Papillary squamous cell carcinomas of the upper aerodigestive tract: a clinicopathologic and molecular study. *Head Neck* 22: 360-368.
- 2489.** Suarez PA, Batsakis JG, El Naggar AK (1996). Don't confuse dental soft tissues with odontogenic tumors. *Ann Otol Rhinol Laryngol* 105: 490-494.
- 2490.** Sudbo J, Bryne M, Johannessen

- AC, Kildal W, Danielsen HE, Reith A (2001). Comparison of histological grading and large-scale genomic status (DNA ploidy) as prognostic tools in oral dysplasia. *J Pathol* 194: 303-310.
- 2491.** Sudbo J, Kildal W, Johannessen AC, Koppang HS, Sudbo A, Danielsen HE, Risberg B, Reith A (2002). Gross genomic aberrations in precancers: clinical implications of a long-term follow-up study in oral erythroplakias. *J Clin Oncol* 20: 456-462.
- 2492.** Sudbo J, Kildal W, Risberg B, Koppang HS, Danielsen HE, Reith A (2001). DNA content as a prognostic marker in patients with oral leukoplakia. *N Engl J Med* 344: 1270-1278.
- 2493.** Sudbo J, Ried T, Bryne M, Kildal W, Danielsen H, Reith A (2001). Abnormal DNA content predicts the occurrence of carcinomas in non-dysplastic oral white patches. *Oral Oncol* 37: 558-565.
- 2494.** Sudhoff H, Bujia J, Fisseler-Eckhoff A, Holly A, Schulz-Flake C, Hildmann H (1995). Expression of a cell-cycle-associated nuclear antigen (MIB 1) in cholesteatoma and auditory meatal skin. *Laryngoscope* 105: 1227-1231.
- 2495.** Sudhoff H, Bujia J, Holly A, Kim C, Fisseler-Eckhoff A (1994). Functional characterization of middle ear mucosa residues in cholesteatoma samples. *Am J Otol* 15: 217-221.
- 2496.** Sudhoff H, Fisseler-Eckhoff A, Stark T, Borkowski G, Luckhaupt H, Cooper J, Michaels L (1997). Argyrophilic nucleolar organizer regions in auditory meatal skin and middle ear cholesteatoma. *Clin Otolaryngol* 22: 545-548.
- 2497.** Sugano H, Sakamoto G, Sawaki S, Hirayama T (1978). Histopathological types of nasopharyngeal carcinoma in a low-risk area: Japan. *IARC Sci Publ* 27-39.
- 2498.** Sugimoto T, Wakizono S, Uemura T, Tsuneyoshi M, Enjoi M (1993). Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *J Laryngol Otol* 107: 69-74.
- 2499.** Sulica RL, Wenig BM, Debo RF, Sessions RB (1999). Schneiderian papillomas of the pharynx. *Ann Otol Rhinol Laryngol* 108: 392-397.
- 2500.** Sulzner SE, Amdur RJ, Weider DJ (1998). Extramedullary plasmacytoma of the head and neck. *Am J Otolaryngol* 19: 203-208.
- 2501.** Sumida T, Hamakawa H, Otsuka K, Tanioka H (2001). Leiomyosarcoma of the maxillary sinus with cervical lymph node metastasis. *J Oral Maxillofac Surg* 59: 568-571.
- 2502.** Summerlin DJ, Tomich CE (1994). Focal cemento-osseous dysplasia: a clinicopathologic study of 221 cases. *Oral Surg Oral Med Oral Pathol* 78: 611-620.
- 2503.** Sun EC, Curtis R, Melbye M, Goedert JJ (1999). Salivary gland cancer in the United States. *Cancer Epidemiol Biomarkers Prev* 8: 1095-1100.
- 2504.** Sun Y, Hegamyer G, Colburn NH (1993). Nasopharyngeal carcinoma shows no detectable retinoblastoma susceptibility gene alterations. *Oncogene* 8: 791-795.
- 2505.** Sunaba K, Shibuya H, Okada N, Amagasa T, Enomoto S, Kishimoto S (2000). Radiotherapy for primary localized (stage I and II) non-Hodgkin's lymphoma of the oral cavity. *Int J Radiat Oncol Biol Phys* 47: 179-183.
- 2506.** Sunami K, Yamane H, Konishi K, Iguchi H, Takayama M, Nakai Y, Wakasa K, Nakagawa T, Shibata S (1999). Epithelial-myoeplithelial carcinoma: An unusual tumor of the paranasal sinus. *ORL J Otorhinolaryngol Relat Spec* 61: 113-116.
- 2507.** Suoglu Y, Erdamar B, Katircioglu OS, Karatay MC, Sunay T (2002). Extracapsular spread in ipsilateral neck and contralateral neck metastases in laryngeal cancer. *Ann Otol Rhinol Laryngol* 111: 447-454.
- 2508.** Supance JS, Quenelle DJ, Crissman J (1980). Endolaryngeal neurofibromas. *Otolaryngol Head Neck Surg* 88: 74-78.
- 2509.** Suster S, Rosai J (1991). Multilobular thymic cyst: an acquired reactive process. Study of 18 cases. *Am J Surg Pathol* 15: 388-398.
- 2510.** Suzuki H, Fujioka Y (1998). Deletion of the p16 gene and microsatellite instability in carcinoma arising in pleomorphic adenoma of the parotid gland. *Diagn Mol Pathol* 7: 224-231.
- 2511.** Swain RE, Sessions DG, Ogura JH (1974). Fibrosarcoma of the head and neck: a clinical analysis of forty cases. *Ann Otol Rhinol Laryngol* 83: 439-444.
- 2512.** Swanson GM, Belle SH (1982). Cancer morbidity among woodworkers in the U.S. automotive industry. *J Occup Med* 24: 315-319.
- 2513.** Swanson GM, Burns PB (1995). Cancer incidence among women in the workplace: a study of the association between occupation and industry and 11 cancer sites. *J Occup Environ Med* 37: 282-287.
- 2514.** Swanson GM, Burns PB (1997). Cancers of the salivary gland: workplace risks among women and men. *Ann Epidemiol* 7: 369-374.
- 2515.** Sykes AJ, Logue JP, Slevin NJ, Gupta NK (1995). An analysis of radiotherapy in the management of 104 patients with parotid carcinoma. *Clin Oncol (R Coll Radiol)* 7: 16-20.
- 2516.** Syrjanen K, Happonen RP, Syrjanen S, Calonius B (1984). Human papilloma virus (HPV) antigens and local immunologic reactivity in oral squamous cell tumors and hyperplasias. *Scand J Dent Res* 92: 358-370.
- 2517.** Syrjanen K, Syrjanen S (2000). Papillomavirus Infections in Human Pathology. John Wiley & Sons: Chichester.
- 2518.** Syrjanen S, Puranen M (2000). Human papillomavirus infections in children: the potential role of maternal transmission. *Crit Rev Oral Biol Med* 11: 259-274.
- 2519.** Szanto PA, Luna MA, Tortoledo ME, White RA (1984). Histologic grading of adenoid cystic carcinoma of the salivary glands. *Cancer* 54: 1062-1069.
- 2520.** Sze WM, Lee AW, Yau TK, Yeung RW, Lau KY, Leung SK, Hung AW, Lee MC, Chan K (2003). Prognostic significance of primary tumor volume of nasopharyngeal carcinoma on local control. *J HK Coll Radiol* 6: 119.
- 2521.** Szymas J, Wolf G, Kowalczyk D, Nowak S, Petersen I (1997). Olfactory neuroblastoma: detection of genomic imbalances by comparative genomic hybridization. *Acta Neurochir (Wien)* 139: 839-844.
- 2522.** Taconis WK (1988). Osteosarcoma in fibrous dysplasia. *Skeletal Radiol* 17: 163-170.
- 2523.** Taddesse-Heath L, Feldman JI, Fahl GA, Fischer SH, Sorbara L, Raffeld M, Jaffe ES (2003). Florid CD4+, CD56+ T-Cell Infiltrate Associated with Herpes Simplex Infection Simulating Nasal NK-/T-Cell Lymphoma. *Mod Pathol* 16: 166-172.
- 2524.** Taddesse-Heath L, Pittaluga S, Sorbara L, Bussey M, Raffeld M, Jaffe ES (2003). Marginal zone B-cell lymphoma in children and young adults. *Am J Surg Pathol* 27: 522-531.
- 2525.** Taguchi Y, Tanaka K, Miyakita Y, Sekino H, Fujimoto M (2000). Recurrent craniopharyngioma with nasopharyngeal extension. *Pediatr Neurosurg* 32: 140-144.
- 2526.** Tajima Y, Kuroda-Kawasaki M, Ohno J, Yi J, Kusama K, Tanaka H, Fukunaga S, Shimada J, Yamamoto Y (2001). Peripheral ameloblastoma with potentially malignant features: report of a case with special regard to its keratin profile. *J Oral Pathol Med* 30: 494-498.
- 2527.** Tajima Y, Ohno J, Utsumi N (1986). The dentinogenic ghost cell tumor. *J Oral Pathol* 15: 359-362.
- 2528.** Takagi M, Ishikawa G, Mori W (1974). Primary malignant melanoma of the oral cavity in Japan. With special reference to mucosal melanosis. *Cancer* 34: 358-370.
- 2529.** Takahashi H, Fujita S, Okabe H, Tsuda N, Tezuka F (1992). Distribution of tissue markers in acinic cell carcinomas of salivary gland. *Pathol Res Pract* 188: 692-700.
- 2530.** Takahashi H, Fujita S, Okabe H, Tsuda N, Tezuka F (1993). Immunophenotypic analysis of extranodal non-Hodgkin's lymphomas in the oral cavity. *Pathol Res Pract* 189: 300-311.
- 2531.** Takahashi H, Kawazoe K, Fujita S, Okabe H, Hideshima K, Tsuda N, Tezuka F (1996). Expression of bcl-2 oncogene product in primary non-Hodgkin's malignant lymphoma of the oral cavity. *Pathol Res Pract* 192: 44-53.
- 2532.** Takahashi H, Tsuda N, Tezuka F, Okabe H (1989). Primary extranodal non-Hodgkin's lymphoma of the oral region. *J Oral Pathol Med* 18: 84-91.
- 2533.** Takahashi N, Miura I, Chubachi A, Miura AB, Nakamura S (2001). A clinicopathological study of 20 patients with T/natural killer (NK)-cell lymphoma-associated hemophagocytic syndrome with special reference to nasal and nasal-type NK/T-cell lymphoma. *Int J Hematol* 74: 303-308.
- 2534.** Takakuwa T, Dong Z, Nakatsuka S, Kojya S, Harabuchi Y, Yang WI, Nagata S, Aozasa K (2002). Frequent mutations of Fas gene in nasal NK/T cell lymphoma. *Oncogene* 21: 4702-4705.
- 2535.** Takata T, Ito H, Ogawa I, Miyauchi M, Ijuhni N, Nikai H (1991). Spindle cell squamous carcinoma of the oral region. An immunohistochemical and ultrastructural study on the histogenesis and differential diagnosis with a clinicopathological analysis of six cases. *Virchows Arch A Pathol Anat Histopathol* 419: 177-182.
- 2536.** Takata T, Lu Y, Ogawa I, Zhao M, Zhou ZY, Mock D, Nikai H (1998). Proliferative activity of calcifying odontogenic cysts as evaluated by proliferating cell nuclear antigen labeling index. *Pathol Int* 48: 877-881.
- 2537.** Takata T, Miyauchi M, Ogawa I, Kudo Y, Takekoshi T, Zhao M, Sato S, Nikai H, Komiyama K (2000). Immunoeexpression of transforming growth factor beta in desmoplastic ameloblastoma. *Virchows Arch* 436: 319-323.
- 2538.** Takata T, Ogawa I, Miyauchi M, Ijuhni N, Nikai H, Fujita M (1993). Non-calcifying Pindborg tumor with Langerhans cells. *J Oral Pathol Med* 22: 378-383.
- 2538A.** Takata T, Zhao M, Nikai H, Uchida T, Wang T (2000). Ghost cells in calcifying odontogenic cyst express enamel-related proteins. *Histochem J* 32: 223-229.
- 2539.** Takeda Y (1999). Ameloblastic fibroma and related lesions: current pathologic concept. *Oral Oncol* 35: 535-540.
- 2540.** Takeda Y, Kuroda M, Suzuki A (1990). Ameloblastic odontosarcoma (ameloblastic fibro-odontosarcoma) in the mandible. *Acta Pathol Jpn* 40: 832-837.
- 2541.** Takeda Y, Sasou S, Obata K (1998). Pleomorphic adenoma of the minor salivary gland with pseudoeplithomatous hyperplasia of the overlying oral mucosa: report of two cases. *Pathol Int* 48: 389-395.
- 2542.** Takeda Y, Satoh M, Nakamura S, Matsumoto D (2000). Congenital leiomyomatous epulis: a case report with immunohistochemical study. *Pathol Int* 50: 999-1002.
- 2543.** Takeichi N, Hirose F, Yamamoto H (1976). Salivary gland tumors in atomic bomb survivors, Hiroshima, Japan. I. Epidemiologic observations. *Cancer* 38: 2462-2468.
- 2544.** Takeichi N, Hirose F, Yamamoto H, Ezaki H, Fujikura T (1983). Salivary gland tumors in atomic bomb survivors, Hiroshima, Japan. II. Pathologic study and supplementary epidemiologic observations. *Cancer* 52: 377-385.
- 2545.** Takes RP, Baatenburg de Jong RJ, van Blommestein R, Hermans J, van Krieken HH, Cornelisse CJ (2002). DNA ploidy status as a prognostic marker and predictor of lymph node metastasis in laryngeal carcinoma. *Ann Otol Rhinol Laryngol* 111: 1015-1020.
- 2546.** Takes RP, Baatenburg de Jong RJ, Wijffels K, Schuurung E, Litvinov SV, Hermans J, van Krieken JH (2001). Expression of genetic markers in lymph node metastases compared with their primary tumors in head and neck cancer. *J Pathol* 194: 298-302.
- 2547.** Takimoto T, Tanaka S, Ishikawa S, Umeda R (1988). Infectious mononucleosis in the nasopharynx with a histological picture of malignant lymphoma. *Arch Otorhinolaryngol* 245: 348-350.
- 2548.** Talamini R, Vaccarella S, Barbone F, Tavani A, La Vecchia C, Herrero R, Munoz N, Franceschi S (2000). Oral hygiene, dentition, sexual habits and risk of oral cancer. *Br J Cancer* 83: 1238-1242.
- 2549.** Tamada A, Makimoto K, Yamabe H, Imai J, Hinuma Y, Oyagi A, Araki T (1984). Titers of Epstein-Barr virus-related antibodies in nasopharyngeal carcinoma in Japan. *Cancer* 53: 430-440.
- 2550.** Tamborini E, Agus V, Perrone F, Papini D, Romano R, Pasini B, Gronchi A, Colecchia M, Rosai J, Pierotti MA, Pilotti S (2002). Lack of SYT-SSX fusion transcripts in malignant peripheral nerve sheath tumors on RT-PCR analysis of 34 archival cases. *Lab Invest* 82: 609-618.
- 2551.** Tambouret RH, Yantiss RK, Kirby R, Eichhorn JH (1999). Mucinous adenocarcinoma of the parotid gland. Report of a case with fine needle aspiration findings and histologic correlation. *Acta Cytol* 43: 842-846.
- 2552.** Tami TA, Ferlito A, Rinaldo A, Lee KC, Singh B (1999). Laryngeal pathology in the acquired immunodeficiency syndrome: diagnostic and therapeutic dilemmas. *Ann Otol Rhinol Laryngol* 108: 214-220.
- 2553.** Tanaka H, Westesson PL, Wilbur DC (1998). Leiomyosarcoma of the maxillary sinus: CT and MRI findings. *Br J Radiol* 71: 221-224.
- 2554.** Tanaka J, Yoshida K, Suzuki M,



- Sakata Y (1992). Hodgkin's disease of the maxillary gingiva. A case report. *Int J Oral Maxillofac Surg* 21: 45-46.
- 2555.** Tanaka N, Odajima T, Mimura M, Ogi K, Dehari H, Kimijima Y, Kohama G (2001). Expression of Rb, pRb2/p130, p53, and p16 proteins in malignant melanoma of oral mucosa. *Oral Oncol* 37: 308-314.
- 2556.** Tang JY, Wang CK, Su YC, Yang SF, Huang MY, Huang CJ (2003). MRI appearance of giant cell tumor of the lateral skull base: a case report. *Clin Imaging* 27: 27-30.
- 2557.** Tankere F, Vitte E, Martin-Duverneuil N, Soudant J (2002). Cerebellopontine angle lipomas: report of four cases and review of the literature. *Neurosurgery* 50: 626-631.
- 2558.** Tapper D, Lack EE (1983). Teratomas in infancy and childhood. A 54-year experience at the Children's Hospital Medical Center. *Ann Surg* 198: 398-410.
- 2559.** Tarhan NC, Yologlu Z, Tutar NU, Coskun M, Agildere AM, Arikun U (2000). Chondromyxoid fibroma of the temporal bone: CT and MRI findings. *Eur Radiol* 10: 1678-1680.
- 2560.** Tagatiga M, Samii M, Dankoweit-Timpe E, Aguiar PH, Osterwald L, Babu R, Ostertag H (1995). Esthesioneuroblastomas with intracranial extension. Proliferative potential and management. *Arq Neuropsiquiatr* 53: 577-586.
- 2561.** Tate DJ, Adler JR Jr, Chang SD, Marquez S, Eulau SM, Fee WE, Pinto H, Goffinet DR (1999). Stereotactic radiosurgical boost following radiotherapy in primary nasopharyngeal carcinoma: impact on local control. *Int J Radiat Oncol Biol Phys* 45: 915-921.
- 2562.** Tatemoto Y, Ohno A, Osaki T (1996). Low malignant intraductal carcinoma on the hard palate: a variant of salivary duct carcinoma? *Eur J Cancer B Oral Oncol* 32B: 275-277.
- 2563.** Tavani A, Gallus S, La Vecchia C, Talamini R, Barbone F, Herrero R, Franceschi S (2001). Diet and risk of oral and pharyngeal cancer. An Italian case-control study. *Eur J Cancer Prev* 10: 191-195.
- 2564.** Tavani A, Negri E, Franceschi S, Barbone F, La Vecchia C (1994). Attributable risk for laryngeal cancer in northern Italy. *Cancer Epidemiol Biomarkers Prev* 3: 121-125.
- 2565.** Taxy JB (1977). Juvenile nasopharyngeal angiofibroma: an ultrastructural study. *Cancer* 39: 1044-1054.
- 2566.** Taxy JB (1997). Squamous carcinoma of the nasal vestibule: an analysis of five cases and literature review. *Am J Clin Pathol* 107: 698-703.
- 2567.** Taxy JB, Hidvegi DF (1977). Olfactory neuroblastoma: an ultrastructural study. *Cancer* 39: 131-138.
- 2568.** Taxy JB, Hidvegi DF, Battifora H (1985). Nasopharyngeal carcinoma: antikeratin immunohistochemistry and electron microscopy. *Am J Clin Pathol* 83: 320-325.
- 2569.** Tay AB (1999). A 5-year survey of oral biopsies in an oral surgical unit in Singapore: 1993-1997. *Ann Acad Med Singapore* 28: 665-671.
- 2570.** Taylor GP (1988). Congenital epithelial tumor of the parotid-sialoblastoma. *Pediatr Pathol* 8: 447-452.
- 2571.** Tazawa K, Kurihara Y, Kamoshida S, Tsukada K, Tsumtsumi Y (1999). Localization of prostate-specific antigen-like immunoreactivity in human salivary gland and salivary gland tumors. *Pathol Int* 49: 500-505.
- 2572.** Tehrazadeh J, Fung Y, Donohue M, Anavim A, Pribram HW (1998). Computed tomography of Paget disease of the skull versus fibrous dysplasia. *Skeletal Radiol* 27: 664-672.
- 2573.** Teo P, Tai TH, Choy D (1989). Nasopharyngeal carcinoma with dermatomyositis. *Int J Radiat Oncol Biol Phys* 16: 471-474.
- 2574.** Teo P, Yu P, Lee WY, Leung SF, Kwan WH, Yu KH, Choi P, Johnson PJ (1996). Significant prognosticators after primary radiotherapy in 903 nondisseminated nasopharyngeal carcinoma evaluated by computer tomography. *Int J Radiat Oncol Biol Phys* 36: 291-304.
- 2575.** Teo PM, Kwan WH, Lee WY, Leung SF, Johnson PJ (1996). Prognosticators determining survival subsequent to distant metastasis from nasopharyngeal carcinoma. *Cancer* 77: 2423-2431.
- 2576.** Teo PM, Leung SF, Fowler J, Leung TW, Tung Y, SK O, Lee WY, Zee B (2000). Improved local control for early T-stage nasopharyngeal carcinoma—a tale of two hospitals. *Radiother Oncol* 57: 155-166.
- 2577.** Teoh TB (1957). Epidermoid carcinoma of the nasopharynx among Chinese: a study of 31 necropsies. *J Pathol Bacteriol* 73: 451-465.
- 2578.** Terasaka S, Medary MB, Whiting DM, Fukushima T, Espejo EJ, Nathan G (1998). Prolonged survival in a patient with sinonasal teratocarcinoma with cranial extension. Case report. *J Neurosurg* 88: 753-756.
- 2579.** Terry RM, Lewis FA, Robertson S, Blythe D, Wells M (1989). Juvenile and adult laryngeal papillomata: classification by in-situ hybridization for human papillomavirus. *Clin Otolaryngol* 14: 135-139.
- 2580.** Thackray AC, Lucas RB (1974). Tumors of major salivary glands. Armed Forces Institute of Pathology: Washington, DC.
- 2581.** Tham KT, Leung PC, Saw D, Gwi E (1981). Kimura's disease with salivary gland involvement. *Br J Surg* 68: 495-497.
- 2582.** Tharp ME, Shidnia H (1995). Radiotherapy in the treatment of verrucous carcinoma of the head and neck. *Laryngoscope* 105: 391-396.
- 2583.** Theaker JM (1988). Extramammary Paget's disease of the oral mucosa with in situ carcinoma of minor salivary gland ducts. *Am J Surg Pathol* 12: 890-895.
- 2584.** Theilgaard SA, Buchwald C, Ingelholm P, Kornum LS, Eriksen JG, Sand HH (2003). Esthesioneuroblastoma: a Danish demographic study of 40 patients registered between 1978 and 2000. *Acta Otolaryngol* 123: 433-439.
- 2585.** Therkildsen MH, Christensen N, Andersen LJ, Larsen S, Katholm M (1992). Malignant Warthin's tumour: a case study. *Histopathology* 21: 167-171.
- 2586.** Thirlwall AS, Bailey CM, Ramsay AD, Wyatt M (1999). Laryngeal paraganglioma in a five-year-old child—the youngest case ever recorded. *J Laryngol Otol* 113: 62-64.
- 2587.** Thomas DM, Wilkins MJ, Witana JS, Cook T, Jefferis AF, Walsh-Waring GP (1995). Giant cell reparative granuloma of the cricoid cartilage. *J Laryngol Otol* 109: 1120-1123.
- 2588.** Thomas GR, Regalado JJ, McClinton M (2002). A rare case of mucoepidermoid carcinoma of the nasal cavity. *Ear Nose Throat J* 81: 519-522.
- 2589.** Thomas JA, Cotter F, Hanby AM (1993). Epstein-Barr virus-related oral T-cell lymphoma associated with human immunodeficiency virus immunosuppression. *Blood* 3350-3356.
- 2590.** Thomas KM, Hutt MS, Borgstein J (1980). Salivary gland tumors in Malawi. *Cancer* 46: 2328-2334.
- 2591.** Thomas RL (1979). Non-epithelial tumours of the larynx. *J Laryngol Otol* 93: 1131-1141.
- 2592.** Thomas WH, Coppola ED (1965). Distant metastases from mixed tumors of the salivary glands. *Am J Surg* 109: 724-730.
- 2593.** Thome R, Thome DC, de la Cortina RA (2001). Long-term follow-up of cartilaginous tumors of the larynx. *Otolaryngol Head Neck Surg* 124: 634-640.
- 2594.** Thompson IO, Phillips VM, Ferreira R, Housego TG (1990). Odontameloblastoma: a case report. *Br J Oral Maxillofac Surg* 28: 347-349.
- 2595.** Thompson IO, van Rensburg LJ, Phillips VM (1996). Desmoplastic ameloblastoma: correlative histopathology, radiology and CT-MR imaging. *J Oral Pathol Med* 25: 405-410.
- 2596.** Thompson L, Chang B, Barsky SH (1996). Monoclonal origins of malignant mixed tumors (carcinosarcomas). Evidence for a divergent histogenesis. *Am J Surg Pathol* 20: 277-285.
- 2597.** Thompson LD, Bouffard JP, Sandberg GD, Mena H (2003). Primary ear and temporal bone meningiomas: a clinicopathologic study of 36 cases with a review of the literature. *Mod Pathol* 16: 236-245.
- 2598.** Thompson LD, Gannon FH (2002). Chondrosarcoma of the larynx: a clinicopathologic study of 111 cases with a review of the literature. *Am J Surg Pathol* 26: 836-851.
- 2599.** Thompson LD, Gyure KA (2000). Extracranial sinonasal tract meningiomas: a clinicopathologic study of 30 cases with a review of the literature. *Am J Surg Pathol* 24: 640-650.
- 2600.** Thompson LD, Miettinen M, Wenig BM (2003). Sinonasal-type hemangiopericytoma: a clinicopathologic and immunophenotypic analysis of 104 cases showing perivascular myoid differentiation. *Am J Surg Pathol* 27: 737-749.
- 2601.** Thompson LD, Wenig BM, Ellis GL (1996). Oncocytomas of the submandibular gland. A series of 22 cases and a review of the literature. *Cancer* 78: 2281-2287.
- 2602.** Thompson LD, Wenig BM, Heffner DK, Gnepp DR (1999). Exophytic and papillary squamous cell carcinomas of the larynx: A clinicopathologic series of 104 cases. *Otolaryngol Head Neck Surg* 120: 718-724.
- 2603.** Thompson LD, Wieneke JA, Miettinen M (2003). Sinonasal tract and nasopharyngeal melanomas: a clinicopathologic study of 115 cases with a proposed staging system. *Am J Surg Pathol* 27: 594-611.
- 2604.** Thompson LD, Wieneke JA, Miettinen M, Heffner DK (2002). Spindle cell (sarcomatoid) carcinomas of the larynx: a clinicopathologic study of 187 cases. *Am J Surg Pathol* 26: 153-170.
- 2605.** Thorp MA, Langman G, Sellars SL (1999). Angiocentric T-cell lymphoma: an extensive lesion involving the posterior tongue, hypopharynx and supraglottis. *J Laryngol Otol* 113: 263-265.
- 2606.** Tien HF, Su IJ, Tang JL, Liu MC, Lee FY, Chen YC, Chuang SM (1997). Clonal chromosomal abnormalities as direct evidence for clonality in nasal T/natural killer cell lymphomas. *Br J Haematol* 97: 621-625.
- 2607.** Timon CI, Dardick I, Panzarella T, Thomas J, Ellis G, Gullane P (1995). Clinicopathological predictors of recurrence for acinic cell carcinoma. *Clin Otolaryngol* 20: 396-401.
- 2608.** Tiziani V, Reichenberger E, Buzzo CL, Niaz S, Fukai N, Stiller M, Peters H, Salzano FM, Raposo do Amaral CM, Olsen BR (1999). The gene for cherubism maps to chromosome 4p16. *Am J Hum Genet* 65: 158-166.
- 2609.** To EW, Tsang WM, Pang PC, Cheng JH, Tse GM, Tsang WS (2001). A case of parotid mucoepidermoid carcinoma complicated by fatal gastrointestinal bleeding. *Ear Nose Throat J* 80: 671-673.
- 2610.** Toda S, Yonemitsu N, Miyabara S, Sugihara H, Maehara N (1989). Polypoid squamous cell carcinoma of the larynx. An immunohistochemical study for ras p21 and cytokeratin. *Pathol Res Pract* 185: 860-866.
- 2611.** Toda T, Atari E, Sadi AM, Kiyuna M, Koja S (1999). Primitive neuroectodermal tumor in sinonasal region. *Auris Nasus Larynx* 26: 83-90.
- 2612.** Toida M, Balazs M, Mori T, Ishimaru JI, Ichihara H, Fujitsuka H, Hyodo I, Yokoyama K, Tatematsu N, Adany R (2001). Analysis of genetic alterations in salivary gland tumors by comparative genomic hybridization. *Cancer Genet Cytogenet* 127: 34-37.
- 2613.** Toida M, Hyodo I, Okuda T, Tatematsu N (1990). Adenomatoid odontogenic tumor: report of two cases and survey of 126 cases in Japan. *J Oral Maxillofac Surg* 48: 404-408.
- 2614.** Tomas Carmona I, Cameselle Teixeira J, Diz Dios P, Fernandez Feijoo J, Limeres Posse J (2000). Intra-alveolar granulocytic sarcoma developing after tooth extraction. *Oral Oncol* 36: 491-494.
- 2615.** Tomich CE (1974). Oral focal mucinosis. A clinicopathologic and histochemical study of eight cases. *Oral Surg Oral Med Oral Pathol* 38: 714-724.
- 2616.** Tomita Y, Ohsawa M, Mishiro Y, Itokazu T, Koja S, Noda Y, Ikehara O, Aozasa K (1997). Non-Hodgkin's lymphoma of Waldeyer's ring as a manifestation of lymphoproliferative diseases associated with human T-cell leukemia virus type 1 in southwestern Japan. *Mod Pathol* 10: 933-938.
- 2617.** Tomita Y, Ohsawa M, Mishiro Y, Kubo T, Maeshiro N, Koja S, Noda Y, Aozasa K (1995). The presence and subtype of Epstein-Barr virus in B and T cell lymphomas of the sino-nasal region from the Osaka and Okinawa districts of Japan. *Lab Invest* 73: 190-196.
- 2618.** Tong AC, Lam KY (2000). Granulocytic sarcoma presenting as an ulcerative mucogingival lesion: report of a case and review of the literature. *J Oral Maxillofac Surg* 58: 1055-1058.
- 2619.** Tonin PN, Scrabble H, Shimada H, Cavenee WK (1991). Muscle-specific gene expression in rhabdomyosarcomas and stages of human fetal skeletal muscle development. *Cancer Res* 51: 5100-5106.
- 2620.** Torenbeek R, Hermens MA, Meijer GA, Baak JP, Meijer CJ (1999). Analysis by comparative genomic hybridization of epithelial and spindle cell components in sarcomatoid carcinoma and carcinosarcoma: histogenetic aspects. *J Pathol* 189: 338-343.
- 2621.** Tornes K, Bang G, Stromme Koppang H, Pedersen KN (1985). Oral verrucous carcinoma. *Int J Oral Surg* 14: 485-492.

- 2622.** Torske KR, Benson GS, Warnock G (2001). Dermoid cyst of the maxillary sinus. *Ann Diagn Pathol* 5: 172-176.
- 2623.** Torske KR, Thompson LD (2002). Adenoma versus carcinoid tumor of the middle ear: a study of 48 cases and review of the literature. *Mod Pathol* 15: 543-555.
- 2624.** Tortoledo ME, Luna MA, Batsakis JG (1984). Carcinomas ex pleomorphic adenoma and malignant mixed tumors. *Histomorphologic indexes. Arch Otolaryngol* 110: 172-176.
- 2625.** Tosaka M, Hirato J, Miyagishima T, Saito N, Nakazato Y, Sasaki T (2002). Calcified vestibular schwannoma with unusual histological characteristics - positive immunoreactivity for CD-34 antigen. *Acta Neurochir (Wien)* 144: 395-399.
- 2626.** Totsuka Y, Fukuda H, Tomita K (1988). Compression therapy for parotid haemangioma in infants. A report of three cases. *J Craniomaxillofac Surg* 16: 366-370.
- 2627.** Tovi F, Hirsch M, Sacks M, Leiberman A (1990). Ectopic pituitary adenoma of the sphenoid sinus: report of a case and review of the literature. *Head Neck* 12: 264-268.
- 2628.** Toyosawa S, Ohnishi A, Ito R, Ogawa Y, Kishino M, Yasui Y, Kitamura R, Matsuya T, Ishida T, Ijuhira N (1999). Small cell undifferentiated carcinoma of the submandibular gland: immunohistochemical evidence of myoepithelial, basal and luminal cell features. *Pathol Int* 49: 887-892.
- 2629.** Trattner A, Hodak E, David M, Sandbank M (1993). The appearance of Kaposi sarcoma during corticosteroid therapy. *Cancer* 72: 1779-1783.
- 2630.** Travis LW, Sutherland C (1980). Coexisting lentigo of the larynx and melanoma of the oral cavity: report of a case. *Otolaryngol Head Neck Surg* 88: 218-220.
- 2631.** Traweek ST, Arber DA, Rappaport H, Brynes RK (1993). Extramedullary myeloid cell tumors. An immunohistochemical and morphologic study of 28 cases. *Am J Surg Pathol* 17: 1011-1019.
- 2632.** Tresserra L, Martinez-Mora J, Boix-Ochoa J (1977). Haemangiomas of the parotid gland in children. *J Maxillofac Surg* 5: 238-241.
- 2633.** Triantafyllidou K, Lazaridis N, Zaramboukas T (2002). Epithelioid angiosarcoma of the maxillary sinus and the maxilla: a case report and review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 94: 333-337.
- 2634.** Trojanowski JQ, Lee V, Pillsbury N, Lee S (1982). Neuronal origin of human esthesioneuroblastoma demonstrated with anti-neurofilament monoclonal antibodies. *N Engl J Med* 307: 159-161.
- 2635.** Trott MS, Gewirtz A, Lavertu P, Wood BG, Sebek BA (1994). Sinonasal leiomyomas. *Otolaryngol Head Neck Surg* 111: 660-664.
- 2636.** Tsai CC, Chen CL, Hsu HC (1996). Expression of Epstein-Barr virus in carcinomas of major salivary glands: a strong association with lymphoepithelioma-like carcinoma. *Hum Pathol* 27: 258-262.
- 2637.** Tsai MH, Pai HH, Yen PT, Huang TS (1997). Unusual localization of Castleman's disease: report of the first case in the nasopharynx. *Ear Nose Throat J* 76: 731-5, 739.
- 2638.** Tsai ST, Jin YT, Mann RB, Ambinder RF (1998). Epstein-Barr virus detection in nasopharyngeal tissues of patients with suspected nasopharyngeal carcinoma. *Cancer* 82: 1449-1453.
- 2639.** Tsang WM, Tong AC, Lam KY, Tideman H (2000). Nasal T/NK cell lymphoma: report of 3 cases involving the palate. *J Oral Maxillofac Surg* 58: 1323-1327.
- 2640.** Tsang YW, Ngan KC, Chan JK (1991). Primary mucoid adenocarcinoma of the larynx. *J Laryngol Otol* 105: 315-317.
- 2641.** Tsang YW, Tung Y, Chan JK (1991). Polymorphous low grade adenocarcinoma of the palate in a child. *J Laryngol Otol* 105: 309-311.
- 2642.** Tsao SW, Liu Y, Wang X, Yuen PW, Leung SY, Yuen ST, Pan J, Nicholls JM, Cheung AL, Wong YC (2003). The association of E-cadherin expression and the methylation status of the E-cadherin gene in nasopharyngeal carcinoma cells. *Eur J Cancer* 39: 524-531.
- 2643.** Tse GM, Chan KF, Ahuja AT, King AD, Pang PC, To EW (2001). Fibromatosis of the head and neck region. *Otolaryngol Head Neck Surg* 125: 516-519.
- 2644.** Tsokos M (1994). The diagnosis and classification of childhood rhabdomyosarcoma. *Semin Diagn Pathol* 11: 26-38.
- 2645.** Tucker KM, Heget HS (1976). The incidence of inflammatory papillary hyperplasia. *J Am Dent Assoc* 93: 610-613.
- 2646.** Turc-Carel C, Auriás A, Mugneret F, Lizard S, Sidaner I, Volk C, Thierry JP, Olschwang S, Philip I, Berger MP, Philip T, Lenoir GM, Mazabraud A (1988). Chromosomes in Ewing's sarcoma. I. An evaluation of 85 cases of remarkable consistency of t(11;22)(q24;q12). *Cancer Genet Cytogenet* 32: 229-238.
- 2647.** Tuyns AJ, Esteve J, Raymond L, Berrino F, Benhamou E, Blanchet F, Boffetta P, Crosignani P, del Moral A, Lehmann W, Merletti F, Pequignot G, Riboli E, Sancho-Garnier H, Terracini B, Zubiri A, Zubiri L (1988). Cancer of the larynx/hypopharynx, tobacco and alcohol: IARC international case-control study in Turin and Varese (Italy), Zaragoza and Navarra (Spain), Geneva (Switzerland) and Calvados (France). *Int J Cancer* 41: 483-491.
- 2648.** Uchino A, Kato A, Yonemitsu N, Hirats T, Kudo S (1996). Giant cell reparative granuloma of the cranial vault. *AJNR Am J Neuroradiol* 17: 1791-1793.
- 2649.** Ueda A, Kage T, Chino T, Komatsu F, Kakajima S, Kawakami T (1998). A case report of peripheral ameloblastoma with unusual invasion. *Oral Med Pathol* 3: 93-96.
- 2650.** Ueki Y, Tiziani V, Santanna C, Fukai N, Maulik C, Garfinkle J, Ninomiya C, do Amaral C, Peters H, Habal M, Rhee-Morris L, Doss JB, Kreiborg S, Olsen BR, Reichenberger E (2001). Mutations in the gene encoding c-Abl-binding protein SH3BP2 cause cherubism. *Nat Genet* 28: 125-126.
- 2651.** Ueta E, Yoneda K, Ohno A, Osaki T (1996). Intraosseous carcinoma arising from mandibular ameloblastoma with progressive invasion and pulmonary metastasis. *Int J Oral Maxillofac Surg* 25: 370-372.
- 2652.** Umeda M, Komatsubara H, Shibuya Y, Yokoo S, Komori T (2002). Premalignant melanocytic dysplasia and malignant melanoma of the oral mucosa. *Oral Oncol* 38: 714-722.
- 2653.** Umeda M, Yokoo S, Take Y, Omori A, Nakanishi K, Shimada K (1992). Lymph node metastasis in squamous cell carcinoma of the oral cavity: correlation between histologic features and the prevalence of metastasis. *Head Neck* 14: 263-272.
- 2654.** Ungkanont K, Byers RM, Weber RS, Callender DL, Wolf PF, Goepfert H (1996). Juvenile nasopharyngeal angiofibroma: an update of the therapeutic management. *Head Neck* 18: 60-66.
- 2655.** Unni KK (1996). *Dahlin's Bone Tumors: General Aspects and Data on 11,087 Cases*. 5th ed. Lippincott Williams & Wilkins: Philadelphia.
- 2656.** Uppal HS, Harrison P (2001). Extramedullary plasmacytoma of the larynx presenting with upper airway obstruction in a patient with long-standing IgD myeloma. *J Laryngol Otol* 115: 745-746.
- 2657.** Urano M, Abe M, Horibe Y, Kuroda M, Mizoguchi Y, Sakurai K, Naito K (2002). Sclerosing mucoepidermoid carcinoma with eosinophilia of the salivary glands. *Pathol Res Pract* 198: 305-310.
- 2658.** Uri AK, Wetmore RF, Iozzo RV (1986). Glycogen-rich clear cell carcinoma in the tongue. A cytochemical and ultrastructural study. *Cancer* 57: 1803-1809.
- 2659.** Urquhart AC, Johnson JT, Myers EN, Schechter GL (1994). Glomus vagale: paraganglioma of the vagus nerve. *Laryngoscope* 104: 440-445.
- 2660.** Urso C, Ninu MB, Franchi A, Paglierani M, Bondi R (1993). Intestinal-type adenocarcinoma of the sinonasal tract: a clinicopathologic study of 18 cases. *Tumori* 79: 205-210.
- 2661.** Uzducdun AE, Bravo Fernandez P, Sanchez JJ, Garcia Grande A, Rabanal Retolaza I, Gonzalez Baron M, Gavilan Bouzas J (2001). Clinical features of pharyngeal cancer: a retrospective study of 258 consecutive patients. *J Laryngol Otol* 115: 112-118.
- 2662.** Valentino J, Brame CB, Stuttmann KE, Manaligod JM (2002). Primary tracheal papillomatosis presenting as reactive airway disease. *Otolaryngol Head Neck Surg* 126: 79-80.
- 2663.** van Damme PA, Mooren RE (1994). Differentiation of multiple giant cell lesions, Noonan-like syndrome, and (occult) hyperparathyroidism. Case report and review of the literature. *Int J Oral Maxillofac Surg* 23: 32-36.
- 2664.** van der Meij EH, Schepman KP, van der Waal I (2002). Chapter 5: The possible premalignant character of oral lichen planus and oral lichenoid lesions; a prospective study. In: The possible premalignant character of oral lichen planus and oral lichenoid lesions. A clinicopathological study., Thesis Vrije Universiteit Amsterdam: Amsterdam, The Netherlands.
- 2665.** van der Mey AG, Maaswinkel-Mooy PD, Cornelisse CJ, Schmidt PH, van de Kamp JJ (1989). Genomic imprinting in hereditary glomus tumours: evidence for new genetic theory. *Lancet* 2: 1291-1294.
- 2666.** van der Mey AG, van Seters AP, van Krieken JH, Vielvoye J, van Dulken H, Hulshof JH (1989). Large pituitary adenomas with extension into the nasopharynx. Report of three cases with a review of the literature. *Ann Otol Rhinol Laryngol* 98: 618-624.
- 2667.** van der Riet P, Nawroz H, Hruban RH, Corio R, Tokino K, Koch W, Sidransky D (1994). Frequent loss of chromosome 9p21-22 early in head and neck cancer progression. *Cancer Res* 54: 1156-1158.
- 2668.** van der Velden LA, Schaafsma HE, Manni JJ, Ruiters DJ, Ramaekers CS, Kuijpers W (1997). Cytokeratin and vimentin expression in normal epithelium and squamous cell carcinomas of the larynx. *Eur Arch Otorhinolaryngol* 254: 376-383.
- 2669.** van der Wal JE, Davids JJ, van der Waal I (1993). Extraparotid Warthin's tumours—report of 10 cases. *Br J Oral Maxillofac Surg* 31: 43-44.
- 2670.** van der Wal JE, Snow GB, Karim AB, van der Waal I (1989). Intraoral adenoid cystic carcinoma: the role of postoperative radiotherapy in local control. *Head Neck* 11: 497-499.
- 2671.** van Gorp J, Weiping L, Jacobsse K, Liu YH, Li FY, De Weger RA, Li G (1994). Epstein-Barr virus in nasal T-cell lymphomas (polymorphic reticulosis/midline malignant reticulosis) in western China. *J Pathol* 173: 81-87.
- 2672.** van Hasselt CA, Ng HK (1991). Papillary adenocarcinoma of the nasopharynx. *J Laryngol Otol* 105: 853-854.
- 2673.** van Heerden WF, Raubenheimer EJ, Swart TJ, Boy SC (2003). Intraoral salivary duct carcinoma: a report of 5 cases. *J Oral Maxillofac Surg* 61: 126-131.
- 2674.** van Krieken JH (1993). Prostate marker immunoreactivity in salivary gland neoplasms. A rare pitfall in immunohistochemistry. *Am J Surg Pathol* 17: 410-414.
- 2675.** van Laer CG, Hellivell TR, Atkinson MW, Stell PM (1989). Osteosarcoma of the larynx. *Ann Otol Rhinol Laryngol* 98: 971-974.
- 2676.** van Oijen MG, Slootweg PJ (2000). Oral field cancerization: carcinogen-induced independent events or micrometastatic deposits? *Cancer Epidemiol Biomarkers Prev* 9: 249-256.
- 2677.** van Rees BP, Rouse RW, de Wit MJ, van Noesel CJ, Tytgat GN, van Lanschot JJ, Offerhaus GJ (2002). Molecular evidence for the same clonal origin of both components of an adenosquamous Barrett carcinoma. *Gastroenterology* 122: 784-788.
- 2678.** van Schothorst EM, Beekman M, Torremans P, Kuipers-Dijkshoorn NJ, Wessels HW, Bardeol AF, van der Mey AG, van der Vijver MJ, van Ommen GJ, Devilee P, Cornelisse CJ (1998). Paragangliomas of the head and neck region show complete loss of heterozygosity at 11q22-q23 in chief cells and the flow-sorted DNA aneuploid fraction. *Hum Pathol* 29: 1045-1049.
- 2679.** van Vroonhoven TJ, Peutz WH, Tjan TG (1982). Presurgical devascularization of a laryngeal paraganglioma. *Arch Otolaryngol* 108: 600-602.
- 2680.** Vargas H, Sudilovsky D, Kaplan MJ, Regezi J, Weidner N (1997). Mixed tumor, polymorphous low-grade adenocarcinoma and adenoid cystic carcinoma of the salivary gland: Pathogenic implications and differential diagnosis by Ki-67 (MIB1), BCL2, and S-100 immunohistochemistry. *Appl Immunohist* 5: 8-16.
- 2681.** Vargas PA, Gerhard R, Araujo Filho V, de Castro IV (2002). Salivary gland tumors in a Brazilian population: a retrospective study of 124 cases. *Rev Hosp Clin Fac Med Sao Paulo* 57: 271-276.
- 2682.** Vartanian RK (1996). Olfactory neuroblastoma: an immunohistochemical, ultrastructural, and flow cytometric study. *Cancer* 77: 1957-1959.
- 2683.** Varvares MA, Cheney ML, Goodman ML, Ceisler E, Montgomery WW (1992). Chondroblastoma of the temporal bone. Case report and literature review. *Ann Otol Rhinol Laryngol* 101: 763-769.
- 2684.** Vasef M, Ferlito A, Weiss LM (1997). Nasopharyngeal carcinoma, with emphasis on its relationship to Epstein-Barr virus. *Ann Otol Rhinol Laryngol* 106: 348-356.

- 2685.** Vawter GF, Tefft M (1966). Congenital tumors of the parotid gland. *Arch Pathol* 82: 242-245.
- 2686.** Vayego SA, De Conti OJ, Varella-Garcia M (1996). Complex cytogenetic rearrangement in a case of unicameral bone cyst. *Cancer Genet Cytogenet* 86: 46-49.
- 2687.** Vencio EF, Reeve CM, Unni KK, Nascimento AG (1998). Mesenchymal chondrosarcoma of the jaw bones: clinicopathologic study of 19 cases. *Cancer* 82: 2350-2355.
- 2688.** Veness MJ, Morgan G, Collins AP, Walker DM (2001). Calcifying epithelial odontogenic (Pindborg) tumor with malignant transformation and metastatic spread. *Head Neck* 23: 692-696.
- 2689.** Venkatchalam MA, Grealley JG (1969). Fine structure of glomus tumor: similarity of glomus cells to smooth muscle. *Cancer* 23: 1176-1184.
- 2690.** Verhaagen J, Oestreicher AB, Gispens WH, Margolis FL (1989). The expression of the growth associated protein B50/GAP43 in the olfactory system of neonatal and adult rats. *J Neurosci* 9: 683-691.
- 2691.** Vettes JM, Toner PG (1970). Chemodectoma of larynx. *J Pathol* 101: 259-265.
- 2692.** Vicenzi G (1981). Familial incidence in two cases of aneurysmal bone cyst. *Ital J Orthop Traumatol* 7: 251-253.
- 2693.** Vikram B, Strong EW, Manolatos S, Mishra UB (1984). Improved survival in carcinoma of the nasopharynx. *Head Neck Surg* 7: 123-128.
- 2694.** Vikram HR, Petito A, Bower BF, Goldberg MH (2000). Parathyroid carcinoma diagnosed on the basis of a giant cell lesion of the maxilla. *J Oral Maxillofac Surg* 58: 567-569.
- 2695.** Vincenzi A, Rossi G, Monzani D, Longo L, Rivasi F (2002). Atypical (bizarre) leiomyoma of the nasal cavity with prominent myxoid change. *J Clin Pathol* 55: 872-875.
- 2696.** Voigtlander V, Boonen H (1990). [Squamous cell carcinoma of the lower lip with hereditary deficiency of complement 2]. *Z Hautkr* 65: 836-837.
- 2697.** Vollrath M, Altmannsberger M, Weber K, Osborn M (1986). Chemically induced tumors of rat olfactory epithelium: a model for human esthesioneuroepithelioma. *J Natl Cancer Inst* 76: 1205-1216.
- 2698.** von Biberstein SE, Spiro JD, Mancoll W (1999). Acinic cell carcinoma of the salivary gland. *Otolaryngol Head Neck Surg* 120: 759-762.
- 2699.** Voytek TM, Ro JY, Edeiken J, Ayala AG (1995). Fibrous dysplasia and cemento-ossifying fibroma. A histologic spectrum. *Am J Surg Pathol* 19: 775-781.
- 2700.** Voz ML, Agten NS, Van de Ven WJ, Kas K (2000). PLAG1, the main translocation target in pleomorphic adenoma of the salivary glands, is a positive regulator of IGF-II. *Cancer Res* 60: 106-113.
- 2701.** Voz ML, Astrom AK, Kas K, Mark J, Stenman G, Van de Ven WJ (1998). The recurrent translocation t(5;8)(p13;q12) in pleomorphic adenomas results in upregulation of PLAG1 gene expression under control of the LIFR promoter. *Oncogene* 16: 1409-1416.
- 2702.** Wada S, Yue L, Furuta I, Takazakura T (2002). Leiomyosarcoma in the maxilla: a case report. *Int J Oral Maxillofac Surg* 31: 219-221.
- 2703.** Wada T, Morita N, Sakamoto T, Nakamine H (2000). Basal cell adenocarcinoma of the minor salivary gland: a case report. *J Oral Maxillofac Surg* 58: 811-814.
- 2704.** Wade HW, Plotnick H (1985). Xeroderma pigmentosum and squamous cell carcinoma of the tongue. Identification of two Black patients as members of complementation group. *J Am Acad Dermatol* 12: 515-521.
- 2705.** Wade PM Jr, Smith RE, Johns ME (1984). Response of esthesioneuroblastoma to chemotherapy. Report of five cases and review of the literature. *Cancer* 53: 1036-1041.
- 2706.** Wadhwa AK, Gallivan H, O'Hara BJ, Rao VM, Lowry LD (2000). Leiomyosarcoma of the larynx: diagnosis aided by advances in immunohistochemical staining. *Ear Nose Throat J* 79: 42-46.
- 2707.** Waghray M, Parhar RS, Taibah K, al Sedairy S (1992). Rearrangements of chromosome arm 3q in poorly differentiated nasopharyngeal carcinoma. *Genes Chromosomes Cancer* 4: 326-330.
- 2708.** Wahlberg P, Anderson H, Biorklund A, Moller T, Perfekt R (2002). Carcinoma of the parotid and submandibular glands—a study of survival in 2465 patients. *Oral Oncol* 38: 706-713.
- 2709.** Wain SL, Kier R, Vollmer RT, Bossen EH (1986). Basaloid-squamous carcinoma of the tongue, hypopharynx, and larynx: report of 10 cases. *Hum Pathol* 17: 1158-1166.
- 2710.** Waldron CA (1993). Fibro-osseous lesions of the jaws. *J Oral Maxillofac Surg* 51: 828-835.
- 2711.** Waldron CA, el Mofty SK, Gnepp DR (1988). Tumors of the intraoral minor salivary glands: a demographic and histologic study of 426 cases. *Oral Surg Oral Med Oral Pathol* 66: 323-333.
- 2712.** Waldron CA, Small IA, Silverman H (1985). Clear cell ameloblastoma—an odontogenic carcinoma. *J Oral Maxillofac Surg* 43: 707-717.
- 2713.** Walker GJ, Hayward NK (2002). Pathways to melanoma development: lessons from the mouse. *J Invest Dermatol* 119: 783-792.
- 2714.** Wan SK, Chan JK, Lau WH, Yip TT (1995). Basaloid-squamous carcinoma of the nasopharynx. An Epstein-Barr virus-associated neoplasm compared with morphologically identical tumors occurring in other sites. *Cancer* 76: 1689-1693.
- 2715.** Wanebo JE, Malik JM, Vandenberg SR, Wanebo HJ, Driesen N, Persing JA (1993). Malignant peripheral nerve sheath tumors. A clinicopathologic study of 28 cases. *Cancer* 71: 1247-1253.
- 2716.** Wang B, Brandwein M, Gordon R, Robinson R, Urken M, Zarbo RJ (2002). Primary salivary clear cell tumors—a diagnostic approach: a clinicopathologic and immunohistochemical study of 20 patients with clear cell carcinoma, clear cell myoepithelial carcinoma, and epithelial-myoepithelial carcinoma. *Arch Pathol Lab Med* 126: 676-685.
- 2717.** Wang CC (1999). Cancers of the head and neck. In: *Clinical Radiation Oncology: indications, techniques, and results*, Wang CC, ed., 2nd ed. Wiley-Liss: New York, pp. 153-159.
- 2718.** Wang CC, See LC, Hong JH, Tang SG (1996). Nasopharyngeal adenoid cystic carcinoma: five new cases and a literature review. *J Otolaryngol* 25: 399-403.
- 2719.** Wang DG, Barros D'Sa AA, Johnston CF, Buchanan KD (1996). Oncogene expression in carotid body tumors. *Cancer* 77: 2581-2587.
- 2720.** Wang DG, Johnston CF, Anderson N, Sloan JM, Buchanan KD (1995). Overexpression of the tumour suppressor gene p53 is not implicated in neuroendocrine tumour carcinogenesis. *J Pathol* 175: 397-401.
- 2721.** Wang DG, Johnston CF, Barros D'Sa AA, Buchanan KD (1997). Expression of apoptosis-suppressing gene bcl-2 in human carotid body tumours. *J Pathol* 183: 218-221.
- 2722.** Wang NS, Seemayer TA, Ahmed MN, Knaack J (1976). Giant cell carcinoma of the lung. A light and electron microscopic study. *Hum Pathol* 7: 3-16.
- 2723.** Ward BE, Fechner RE, Mills SE (1990). Carcinoma arising in oncocytic Schneiderian papilloma. *Am J Surg Pathol* 14: 364-369.
- 2724.** Ward PH, Hanson DG (1988). Reflux as an etiological factor of carcinoma of the laryngopharynx. *Laryngoscope* 98: 1195-1199.
- 2725.** Warner BA, Santen RJ, Page RB (1982). Growth of hormone and prolactin secretion by a tumor of the pharyngeal pituitary. *Ann Intern Med* 96: 65-66.
- 2726.** Warrick PD, Irish JC, Mancer K, Dardick I, Pynn BR, Gullane P (2000). Basal cell adenocarcinoma: a rare malignancy of the salivary glands. *J Otolaryngol* 29: 102-109.
- 2727.** Wassef M, Kanavaros P, Polivka M, Nemeth J, Monteil JP, Frachet B, Tran Ba Huy P (1989). Middle ear adenoma. A tumor displaying mucinous and neuroendocrine differentiation. *Am J Surg Pathol* 13: 838-847.
- 2728.** Watanabe K, Ogura G, Suzuki T (2003). Intra-epithelial neuroendocrine carcinoma of the nasal cavity. *Pathol Int* 53: 396-400.
- 2729.** Watanabe K, Saito A, Suzuki T, Yamanobe S, Suzuki T (2001). True hemangiopericytoma of the nasal cavity. *Arch Pathol Lab Med* 125: 686-690.
- 2730.** Watanabe N, Yoshida K, Shigemitsu H, Kurono Y, Mogi G (1999). Temporal bone chondroblastoma. *Otolaryngol Head Neck Surg* 121: 327-330.
- 2731.** Watzka MA (1963). Über die Paraganglien in der Plica ventricularis des menschlichen Kellkopfes. *Dtsch Med Forsh* 1: 19-20.
- 2732.** Webb AJ, Eveson JW (2001). Pleomorphic adenomas of the major salivary glands: a study of the capsular form in relation to surgical management. *Clin Otolaryngol* 26: 134-142.
- 2733.** Webb AJ, Eveson JW (2002). Parotid Warthin's tumour Bristol Royal Infirmary (1985-1995): a study of histopathology in 33 cases. *Oral Oncol* 38: 163-171.
- 2734.** Weber A, Langhanki L, Schutz A, Gerstner A, Bootz F, Wittekind C, Tannapfel A (2002). Expression profiles of p53, p63, and p73 in benign salivary gland tumors. *Virchows Arch* 441: 428-436.
- 2735.** Weiland LH (1978). The histopathological spectrum of nasopharyngeal carcinoma. *IARC Sci Publ* 41-50.
- 2736.** Weilbaecher TG, Sarma DP (1984). Plasma cell granuloma of the tonsil. *J Surg Oncol* 27: 228-231.
- 2737.** Weiner JS, Sherris D, Kasperbauer J, Lewis J, Li H, Persing D (1999). Relationship of human papillomavirus to Schneiderian papillomas. *Laryngoscope* 109: 21-26.
- 2738.** Weinstein GS, Laccourreye O (1994). Supracricoid laryngectomy with cricohyoidepiglottomy. *Otolaryngol Head Neck Surg* 111: 684-685.
- 2739.** Weisman RA, Osguthorpe JD (1988). Pseudotumor of the head and neck masquerading as neoplasia. *Laryngoscope* 98: 610-614.
- 2740.** Weiss LM, Gaffey MJ, Chen YY, Frierson HF Jr (1992). Frequency of Epstein-Barr viral DNA in "Western" sinonasal and Waldeyer's ring non-Hodgkin's lymphomas. *Am J Surg Pathol* 16: 156-162.
- 2741.** Weiss LM, Movahed LA, Butler AE, Swanson SA, Frierson HF Jr, Cooper PH, Colby TV, Mills SE (1989). Analysis of lymphoepithelioma and lymphoepithelioma-like carcinomas for Epstein-Barr viral genomes by in situ hybridization. *Am J Surg Pathol* 13: 625-631.
- 2742.** Weiss MD, deFries HO, Taxy JB, Braine H (1983). Primary small cell carcinoma of the paranasal sinuses. *Arch Otolaryngol* 109: 341-343.
- 2743.** Weiss MD, Kashima HK (1983). Tracheal involvement in laryngeal papillomatosis. *Laryngoscope* 93: 45-48.
- 2744.** Weiss SW (1994). *Histological Typing of Soft Tissue Tumours*. 2nd ed. Springer Verlag: Berlin, Heidelberg.
- 2745.** Weiss SW, Goldblum JR (2001). *Enzinger and Weiss's Soft Tissue Tumors*. 4th ed. Mosby: St. Louis.
- 2746.** Weissman JL, Myers JN, Kapadia SB (1993). Extramedullary plasmacytoma of the larynx. *Am J Otolaryngol* 14: 128-131.
- 2747.** Welch TB, Barker BF, Williams C (1986). Peroxidase-antiperoxidase evaluation of human oral squamous cell papillomas. *Oral Surg Oral Med Oral Pathol* 61: 603-606.
- 2748.** Welkoborsky HJ, Xiao Y, Mann WJ, Amedee RG, Dienes HP, Volk B (1995). Studies for estimating the biologic behavior and prognosis of paragangliomas of the head and neck. *Skull Base Surg* 5: 149-156.
- 2749.** Wellman M, Kerr PD, Battistuzzi S, Cristante L (2002). Paranasal sinus teratocarcinoma with intradural extension. *J Otolaryngol* 31: 173-176.
- 2750.** Wells GC, Whimster IW (1969). Subcutaneous angiolymphoid hyperplasia with eosinophilia. *Br J Dermatol* 81: 1-14.
- 2751.** Wells M, Michaels L (1984). Malignant otitis-externa - a form of otitis-media with complications. *Clin Otolaryngol* 9: 131.
- 2752.** Wenig B, Heffess C, Adair C, Thompson L, Heffner D (1995). Ectopic pituitary adenomas (EPA): a clinicopathologic study of 15 cases. *Mod Pathol* 8: 56A.
- 2753.** Wenig BL, Sciubba JJ, Cohen A, Abramson AL (1985). Nasal septal hemangioma. *Otolaryngol Head Neck Surg* 93: 436-441.
- 2754.** Wenig BM (1993). Malignant melanoma. In: *Neoplasms of the Larynx*, Ferlito A, ed., Churchill-Livingstone: Edinburgh, pp. 207-230.
- 2755.** Wenig BM (1995). Laryngeal mucosal malignant melanoma. A clinicopathologic, immunohistochemical, and ultrastructural study of four patients and a review of the literature. *Cancer* 75: 1568-1577.
- 2756.** Wenig BM (1995). Lipomas of the larynx and hypopharynx: a review of the literature with the addition of three new cases. *J Laryngol Otol* 109: 353-357.
- 2757.** Wenig BM (1996). Schneiderian-type mucosal papillomas of the middle ear and mastoid. *Ann Otol Rhinol Laryngol* 105: 226-233.



- 2758.** Wenig BM (2000). Tumors of the upper respiratory tract. Part A: Nasal cavity, paranasal sinuses and nasopharynx. In: *Diagnostic Histopathology of Tumors*, Fletcher CDM, ed., Churchill Livingstone: London.
- 2759.** Wenig BM (2002). Squamous cell carcinoma of the upper aerodigestive tract: precursors and problematic variants. *Mod Pathol* 15: 229-254.
- 2760.** Wenig BM, Abbondanzo SL, Childers EL, Kapadia SB, Heffner DR (1993). Extranodal sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) of the head and neck. *Hum Pathol* 24: 483-492.
- 2761.** Wenig BM, Devaney K, Bisceglia M (1995). Inflammatory myofibroblastic tumor of the larynx. A clinicopathologic study of eight cases simulating a malignant spindle cell neoplasm. *Cancer* 76: 2217-2229.
- 2762.** Wenig BM, Gnepp DR (1989). The spectrum of neuroendocrine carcinomas of the larynx. *Semin Diagn Pathol* 6: 329-350.
- 2763.** Wenig BM, Harpaz N, DelBridg C (1989). Polymorphous low-grade adenocarcinoma of seromucous glands of the nasopharynx. A report of a case and a discussion of the morphologic and immunohistochemical features. *Am J Clin Pathol* 92: 104-109.
- 2764.** Wenig BM, Heffner DK (1990). Contact ulcers of the larynx. A reacquaintance with the pathology of an often underdiagnosed entity. *Arch Pathol Lab Med* 114: 825-828.
- 2765.** Wenig BM, Heffner DK (1995). Liposarcomas of the larynx and hypopharynx: a clinicopathologic study of eight new cases and a review of the literature. *Laryngoscope* 105: 747-756.
- 2766.** Wenig BM, Heffner DK (1995). Respiratory epithelial adenomatoid hamartomas of the sinonasal tract and nasopharynx: a clinicopathologic study of 31 cases. *Ann Otol Rhinol Laryngol* 104: 639-645.
- 2767.** Wenig BM, Heffner DK (1996). Endolymphatic Sac Tumours: Fact or Fiction? *Adv Anat Pathol* 378-387.
- 2768.** Wenig BM, Hitchcock CL, Ellis GL, Gnepp DR (1992). Metastasizing mixed tumor of salivary glands. A clinicopathologic and flow cytometric analysis. *Am J Surg Pathol* 16: 845-858.
- 2769.** Wenig BM, Hyams VJ, Heffner DK (1988). Moderately differentiated neuroendocrine carcinoma of the larynx. A clinicopathologic study of 54 cases. *Cancer* 62: 2658-2676.
- 2770.** Wenig BM, Hyams VJ, Heffner DK (1988). Nasopharyngeal papillary adenocarcinoma. A clinicopathologic study of a low-grade carcinoma. *Am J Surg Pathol* 12: 946-953.
- 2771.** Wenig BM, Vinh TN, Smirniotopoulos JG, Fowler CB, Houston GD, Heffner DK (1995). Aggressive psammomatoid ossifying fibromas of the sinonasal region: a clinicopathologic study of a distinct group of fibro-osseous lesions. *Cancer* 76: 1155-1165.
- 2772.** Wenig BM, Weiss SW, Gnepp DR (1990). Laryngeal and hypopharyngeal liposarcoma. A clinicopathologic study of 10 cases with a comparison to soft-tissue counterparts. *Am J Surg Pathol* 14: 134-141.
- 2773.** Wenzel C, Dieckmann K, Fiebigler W, Mannhalter C, Chott A, Raderer M (2001). CD5 expression in a lymphoma of the mucosa-associated lymphoid tissue (MALT)-type as a marker for early dissemination and aggressive clinical behaviour. *Leuk Lymphoma* 42: 823-829.
- 2774.** Westerbeek HA, Mooi WJ, Hilgers FJ, Baris G, Begg AC, Balm AJ (1993). Ploidy status and the response of T1 glottic carcinoma to radiotherapy. *Clin Otolaryngol* 18: 98-101.
- 2775.** Westerman DE, Urbanetti JS, Rudders RA, Fanburg BL (1980). Metastatic endotracheal tumor from ovarian carcinoma. *Chest* 77: 798-800.
- 2776.** Westerveld GJ, van Diest PJ, van Nieuwkerk EB (2001). Neuroendocrine carcinoma of the sphenoid sinus: a case report. *Rhinology* 39: 52-54.
- 2777.** Westra WH, Sidransky D (1998). Phenotypic and genotypic disparity in premalignant lesions: of calm water and crocodiles. *J Natl Cancer Inst* 90: 1500-1501.
- 2778.** Wetli CV, Pardo V, Millard M, Gerston K (1972). Tumors of ceruminous glands. *Cancer* 29: 1169-1178.
- 2779.** Wetmore RF, Tronzo RD, Lane RJ, Lowry LD (1981). Nonfunctional paraganglioma of the larynx: clinical and pathological considerations. *Cancer* 48: 2717-2723.
- 2780.** Wettan HL, Patella PA, Freedman PD (2001). Peripheral ameloblastoma: review of the literature and report of recurrence as severe dysplasia. *J Oral Maxillofac Surg* 59: 811-815.
- 2781.** Wharam MD, Beltangady MS, Heyn RM, Lawrence W, Raney RB Jr, Ruymann FB, Soule EH, Tefft M, Maurer HM (1987). Pediatric orofacial and laryngopharyngeal rhabdomyosarcoma. An Intergroup Rhabdomyosarcoma Study report. *Arch Otolaryngol Head Neck Surg* 113: 1225-1227.
- 2782.** Whitaker SB, Waldron CA (1993). Central giant cell lesions of the jaws. A clinical, radiologic, and histopathologic study. *Oral Surg Oral Med Oral Pathol* 75: 199-208.
- 2783.** White RR, Arm RN, Randall P (1978). A large Warthin's tumor of the parotid. Case report. *Plast Reconstr Surg* 61: 452-454.
- Whittaker JS, Turner EP (1976). Papillary tumours of the minor salivary glands. *J Clin Pathol* 29: 795-805.
- 2784.** A. Wick MR, Swanson PE, Scheithauer BW, Manivel JC (1987). Malignant peripheral nerve sheath tumor. An immunohistochemical study of 62 cases. *Am J Clin Pathol* 87: 425-433.
- 2785.** Wieneke JA, Gannon FH, Heffner DK, Thompson LD (2001). Giant cell tumor of the larynx: a clinicopathologic series of eight cases and a review of the literature. *Mod Pathol* 14: 1209-1215.
- 2786.** Wieneke JA, Thompson LD, Wenig BM (1999). Basaloid squamous cell carcinoma of the sinonasal tract. *Cancer* 85: 841-854.
- 2787.** Wiernik G, Millard PR, Haybittle JL (1991). The predictive value of histological classification into degrees of differentiation of squamous cell carcinoma of the larynx and hypopharynx compared with the survival of patients. *Histopathology* 19: 411-417.
- 2788.** Wiest T, Schwarz E, Enders C, Flechtenmacher C, Bosch FX (2002). Involvement of intact HPV16 E6/E7 gene expression in head and neck cancers with unaltered p53 status and perturbed pRb cell cycle control. *Oncogene* 21: 1510-1517.
- 2789.** Wilhelmsson B, Hellquist H, Olofsson J, Kiintenberg C (1985). Nasal cuboidal metaplasia with dysplasia. Precursor to adenocarcinoma in wood-dust-exposed workers? *Acta Otolaryngol* 99: 641-648.
- 2790.** Williams HB (1975). Hemangiomas of the parotid gland in children. *Plast Reconstr Surg* 56: 29-34.
- 2791.** Williams HK, Williams DM (1997). Oral granular cell tumours: a histological and immunohistochemical study. *J Oral Pathol Med* 26: 164-169.
- 2792.** Williams RR, Horm JW (1977). Association of cancer sites with tobacco and alcohol consumption and socioeconomic status of patients: interview study from the Third National Cancer Survey. *J Natl Cancer Inst* 58: 525-547.
- 2793.** Williams SB, Ellis GL, Auclair PL (1993). Immunohistochemical analysis of basal cell adenocarcinoma. *Oral Surg Oral Med Oral Pathol* 75: 64-69.
- 2794.** Williams SB, Foss RD, Ellis GL (1992). Inflammatory pseudotumors of the major salivary glands. Clinicopathologic and immunohistochemical analysis of six cases. *Am J Surg Pathol* 16: 896-902.
- 2795.** Williamson IG, Ramsden RT (1988). Angiosarcoma of maxillary antrum—association with vinyl chloride exposure. *J Laryngol Otol* 102: 464-467.
- 2796.** Willman CL, Busque L, Griffith BB, Favara BE, McClain KL, Duncan MH, Gilliland DG (1994). Langerhans'-cell histiocytosis (histiocytosis X)—a clonal proliferative disease. *N Engl J Med* 331: 154-160.
- 2797.** Winnepenninckx V, Debiec-Rychter M, Jorissen M, Bogaeerts S, Sciort R (2001). Aneurysmal bone cyst of the nose with 17p13 involvement. *Virchows Arch* 439: 636-639.
- 2798.** Winzenburg SM, Niehans GA, George E, Daly K, Adams GL (1998). Basaloid squamous carcinoma: a clinical comparison of two histologic types with poorly differentiated squamous cell carcinoma. *Otolaryngol Head Neck Surg* 119: 471-475.
- 2799.** Wiseman SM, Popat SR, Rigual NR, Hicks WL Jr, Orner JB, Wein RO, McGary CT, Loree TR (2002). Adenoid cystic carcinoma of the paranasal sinuses or nasal cavity: a 40-year review of 35 cases. *Ear Nose Throat J* 81: 510-517.
- 2800.** Witkin GB, Rosai J (1991). Solitary fibrous tumor of the upper respiratory tract. A report of six cases. *Am J Surg Pathol* 15: 842-848.
- 2801.** Wittkind C, Henson DE, Hutter RVP, Sobin LH (2001). TNM Supplement: A commentary on uniform use. 2nd ed. Wiley & Sons: New York.
- 2802.** Wojno KJ, McCarthy EF (1994). Fibro-osseous lesions of the face and skull with aneurysmal bone cyst formation. *Skeletal Radiol* 23: 15-18.
- 2803.** Wolden SL, Zelefsky MJ, Kraus DH, Rosenzweig KE, Chong LM, Shaha AR, Zhang H, Harrison LB, Shah JP, Pfister DG (2001). Accelerated concomitant boost radiotherapy and chemotherapy for advanced nasopharyngeal carcinoma. *J Clin Oncol* 19: 1105-1110.
- 2804.** Wolf BA, Gluckman JL, Wirman JA (1985). Benign dermal cylindroma of the external auditory canal: a clinicopathological report. *Am J Otolaryngol* 6: 35-38.
- 2805.** Wolf GT, Fisher SG, Truelson JM, Beals TF (1994). DNA content and regional metastases in patients with advanced laryngeal squamous carcinoma. Department of Veterans Affairs Laryngeal Study Group. *Laryngoscope* 104: 479-483.
- 2806.** Wolfe JT, Scheithauer BW, Dahlin DC (1983). Giant-cell tumor of the sphenoid bone. Review of 10 cases. *J Neurosurg* 59: 322-327.
- 2807.** Wolfe SG, Lai SY, Bigelow DC (2002). Bilateral squamous cell carcinoma of the external auditory canals. *Laryngoscope* 112: 1003-1005.
- 2808.** Wollner N, Mandell L, Filippa D, Exelby P, McGowan N, Lieberman P (1990). Primary nasal-paranasal oropharyngeal lymphoma in the pediatric age group. *Cancer* 65: 1438-1444.
- 2809.** Wolvius EB, van der Valk P, van der Wal JE, van Diest PJ, Huijgens PC, van der Waal I, Snow GB (1994). Primary extranodal non-Hodgkin lymphoma of the oral cavity. An analysis of 34 cases. *Eur J Cancer B Oral Oncol* 30B: 121-125.
- 2810.** Wong KF, Chan JK, Cheung MM, So JC (2001). Bone marrow involvement by nasal NK cell lymphoma at diagnosis is uncommon. *Am J Clin Pathol* 115: 266-270.
- 2811.** Wong KF, Chan JK, Kwong YL (1997). Identification of del(6)(q21q25) as a recurring chromosomal abnormality in putative NK cell lymphoma/leukaemia. *Br J Haematol* 98: 922-926.
- 2812.** Wong KF, So CC, Wong N, Siu LL, Kwong YL, Chan JK (2001). Sinonasal angiosarcoma with marrow involvement at presentation mimicking malignant lymphoma: cytogenetic analysis using multiple techniques. *Cancer Genet Cytogenet* 129: 64-68.
- 2813.** Wong N, Hui AB, Fan B, Lo KW, Pang E, Leung SF, Huang DP, Johnson PJ (2003). Molecular cytogenetic characterization of nasopharyngeal carcinoma cell lines and xenografts by comparative genomic hybridization and spectral karyotyping. *Cancer Genet Cytogenet* 140: 124-132.
- 2814.** Wood RM, Markle TL, Barker BF, Hiatt WR (1988). Ameloblastic fibrosarcoma. *Oral Surg Oral Med Oral Pathol* 66: 74-77.
- 2815.** Woodhead P, Lloyd GA (1988). Olfactory neuroblastoma: imaging by magnetic resonance, CT and conventional techniques. *Clin Otolaryngol* 13: 387-394.
- 2816.** Woodruff JM, Senie RT (1991). Atypical carcinoid tumor of the larynx. A critical review of the literature. *ORL J Otorhinolaryngol Relat Spec* 53: 194-209.
- 2817.** Woolgar JA (1997). Detailed topography of cervical lymph-node metastases from oral squamous cell carcinoma. *Int J Oral Maxillofac Surg* 26: 3-9.
- 2818.** Woolgar JA (1999). T2 carcinoma of the tongue: the histopathologist's perspective. *Br J Oral Maxillofac Surg* 37: 187-193.
- 2819.** Woolgar JA, Rogers SN, Lowe D, Brown JS, Vaughan ED (2003). Cervical lymph node metastasis in oral cancer: the importance of even microscopic extracapsular spread. *Oral Oncol* 39: 130-137.
- 2820.** Woolgar JA, Scott J (1995). Prediction of cervical lymph node metastasis in squamous cell carcinoma of the tongue/floor of mouth. *Head Neck* 17: 463-472.
- 2821.** World Cancer Research Fund (WCRF) (1997). *Lung*. In: *Food, Nutrition and the Prevention of Cancer: A Global Perspective (Part II, Cancers, nutrition and food)*, Food, Nutrition and the Prevention of Cancer: A Global Perspective (Part II, Cancers, nutrition and food), American Institute for Cancer research: Washington, D.C. pp. 130-147.
- 2822.** Worley NK, Daroca PJJr (1997). Lymphoepithelial carcinoma of the minor salivary gland. *Arch Otolaryngol Head*

Neck Surg 123: 638-640.

- 2823.** Wotherspoon AC, Finn TM, Isaacson PG (1995). Trisomy 3 in low-grade B-cell lymphomas of mucosa-associated lymphoid tissue. *Blood* 85: 2000-2004.
- 2824.** Wotherspoon AC, Pan LX, Diss TC, Isaacson PG (1992). Cytogenetic study of B-cell lymphoma of mucosa-associated lymphoid tissue. *Cancer Genet Cytogenet* 58: 35-38.
- 2825.** Wright BA (1978). Median rhomboid glossitis: not a misnomer. Review of the literature and histologic study of twenty-eight cases. *Oral Surg Oral Med Oral Pathol* 46: 806-814.
- 2826.** Wright D, McKeever P, Carter R (1997). Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group. *J Clin Pathol* 50: 128-134.
- 2827.** Wu SB, Hwang SJ, Chang AS, Hsieh T, Hsu MM, Hsieh RP, Chen CJ (1989). Human leukocyte antigen (HLA) frequency among patients with nasopharyngeal carcinoma in Taiwan. *Anticancer Res* 9: 1649-1653.
- 2828.** Wu SJ, Lay JD, Chen CL, Chen JY, Liu MY, Su IJ (1996). Genomic analysis of Epstein-Barr virus in nasal and peripheral T-cell lymphoma: a comparison with nasopharyngeal carcinoma in an endemic area. *J Med Virol* 50: 314-321.
- 2829.** Wu TT, Barnes L, Bakker A, Swalsky PA, Finkelstein SD (1996). K-ras-2 and p53 genotyping of intestinal-type adenocarcinoma of the nasal cavity and paranasal sinuses. *Mod Pathol* 9: 199-204.
- 2830.** Wu TT, Swerdlow SH, Locker J, Bahler D, Randhawa P, Yunis EJ, Dickman PS, Nalesnik MA (1996). Recurrent Epstein-Barr virus-associated lesions in organ transplant recipients. *Hum Pathol* 27: 157-164.
- 2831.** Wulling M, Engels C, Jesse N, Werner M, Delling G, Kaiser E (2001). The nature of giant cell tumor of bone. *J Cancer Res Clin Oncol* 127: 467-474.
- 2832.** Wyatt-Ashmead J, Bao L, Eilert RE, Gibbs P, Glancy G, McGavran L (2001). Primary aneurysmal bone cysts: 16q22 and/or 17p13 chromosome abnormalities. *Pediatr Dev Pathol* 4: 418-419.
- 2833.** Wynder EL, Covey LS, Mabuchi K, Mushinski M (1976). Environmental factors in cancer of the larynx: a second look. *Cancer* 38: 1591-1601.
- 2834.** Xenellis JE, Linthicum FH Jr (2003). On the myth of the glial/schwann junction (Obersteiner-Redlich zone): origin of vestibular nerve schwannomas. *Otol Neurotol* 24: 1.
- 2835.** Yabut SM Jr, Kenan S, Sissons HA, Lewis MM (1988). Malignant transformation of fibrous dysplasia. A case report and review of the literature. *Clin Orthop* 281: 289.
- 2836.** Yaku Y, Kanda T, Yoshihara T, Kaneko T, Nagao K (1983). Undifferentiated carcinoma of the parotid gland. Case report with electron microscopic findings. *Virchows Arch A Pathol Anat Histopathol* 401: 89-97.
- 2837.** Yamaguchi K, Wu L, Caballero OL, Hibi K, Trink B, Resto V, Cairns P, Okami K, Koch WM, Sidransky D, Jen J (2000). Frequent gain of the p40/p51/p63 gene locus in primary head and neck squamous cell carcinoma. *Int J Cancer* 86: 684-689.
- 2838.** Yamaguchi M, Kita K, Miwa H, Nishii K, Oka K, Ohno T, Shirakawa S, Fukumoto M (1995). Frequent expression of P-glycoprotein/MDR1 by nasal T-cell lymphoma cells. *Cancer* 76: 2351-2356.
- 2839.** Yamaguchi T, Dorfman HD (2001). Giant cell reparative granuloma: a comparative clinicopathologic study of lesions in gnathic and extragnathic sites. *Int J Surg Pathol* 9: 189-200.
- 2840.** Yamaguchi T, Dorfman HD, Eisig S (1999). Cherubism: clinicopathologic features. *Skeletal Radiol* 28: 350-353.
- 2841.** Yamamoto E, Miyakawa A, Kohama G (1984). Mode of invasion and lymph node metastasis in squamous cell carcinoma of the oral cavity. *Head Neck Surg* 6: 938-947.
- 2842.** Yamamoto H, Oda Y, Saito T, Sakamoto A, Miyajima K, Tamiya S, Tsuneyoshi M (2003). p53 mutation and MDM2 amplification in inflammatory myofibroblastic tumours. *Histopathology* 42: 431-439.
- 2843.** Yamamoto Y, Virmani AK, Wistuba II, McIntire D, Vuitch F, Albores-Saavedra J, Gazdar AF (1996). Loss of heterozygosity and microsatellite alterations in p53 and RB genes in adenoid cystic carcinoma of the salivary glands. *Hum Pathol* 27: 1204-1210.
- 2844.** Yamamoto Y, Wistuba II, Kishimoto Y, Virmani AK, Vuitch F, Albores-Saavedra J, Gazdar AF (1998). DNA analysis at p53 locus in adenoid cystic carcinoma: comparison of molecular study and p53 immunostaining. *Pathol Int* 48: 273-280.
- 2845.** Yamase HT, Putman HCI (1979). Oncocytic papillary cystadenomatosis of the larynx: a clinicopathologic entity. *Cancer* 44: 2306-2311.
- 2846.** Yang WT, Kwan WH, Li CK, Metreweli C (1997). Imaging of pediatric head and neck rhabdomyosarcomas with emphasis on magnetic resonance imaging and a review of the literature. *Pediatr Hematol Oncol* 14: 243-257.
- 2847.** Yankauer S (1924). Angiosarcoma of the larynx removed by indirect laryngoscopy. *Laryngoscope* 34: 488-493.
- 2848.** Yavuzer R, Ataoglu O, Sari A (2001). Multiple congenital epulis of the alveolar ridge and tongue. *Ann Plast Surg* 47: 199-202.
- 2849.** Ye YL, Zhou MH, Lu XY, Dai YR, Wu WX (1992). Nasopharyngeal and nasal malignant lymphoma: a clinicopathological study of 54 cases. *Histopathology* 20: 511-516.
- 2850.** Yellin SA, Weiss MH, Kraus DH, Papadopoulos EB (1995). Tonsil lymphoma presenting as tonsillitis after bone marrow transplantation. *Otolaryngol Head Neck Surg* 112: 544-548.
- 2851.** Yeoh GP, Bale PM, de Silva M (1989). Nasal cerebral heterotopia: the so-called nasal glioma or sequestered encephalocele and its variants. *Pediatr Pathol* 9: 531-549.
- 2852.** Yeung WM, Zong YS, Chiu CT, Chan KH, Sham JS, Choy DT, Ng MH (1993). Epstein-Barr virus carriage by nasopharyngeal carcinoma in situ. *Int J Cancer* 53: 746-750.
- 2853.** Yilmaz T, Hosal AS, Gedikoglu G, Onceri M, Gursel B (1998). Prognostic significance of vascular and perineural invasion in cancer of the larynx. *Am J Otolaryngol* 19: 83-88.
- 2854.** Yip TT, Lau WH, Chan JK, Ngan RK, Poon YF, Lung CW, Lo TY, Ho JH (1998). Prognostic significance of DNA flow cytometric analysis in patients with nasopharyngeal carcinoma. *Cancer* 83: 2284-2292.
- 2855.** Yip TT, Ngan RK, Lau WH, Poon YF, Joab I, Cochet C, Cheng AK (1994). A possible prognostic role of immunoglobulin-G antibody against recombinant Epstein-Barr virus BZLF-1 transactivator protein ZEBRA in patients with nasopharyngeal carcinoma. *Cancer* 74: 2414-2424.
- 2856.** Yoo GH, Eisele DW, Askin FB, Driben JS, Johns ME (1994). Warthin's tumor: a 40-year experience at The Johns Hopkins Hospital. *Laryngoscope* 104: 799-803.
- 2857.** Yoo GH, Xu HJ, Brennan JA, Westra W, Hruban RH, Koch W, Benedict WF, Sidransky D (1994). Infrequent inactivation of the retinoblastoma gene despite frequent loss of chromosome 13q in head and neck squamous cell carcinoma. *Cancer Res* 54: 4603-4606.
- 2858.** Yoo J, Robinson RA (2000). H-ras gene mutations in salivary gland mucoepidermoid carcinomas. *Cancer* 88: 518-523.
- 2859.** Yoo J, Robinson RA (2000). ras gene mutations in salivary gland tumors. *Arch Pathol Lab Med* 124: 836-839.
- 2860.** Yoshihara T, Shino A, Shino M, Ishii T (1995). Acinic cell tumour of the maxillary sinus: an unusual case initially diagnosed as parotid cancer. *Rhinology* 33: 177-179.
- 2861.** Yoshikawa DK, Kollar EJ (1981). Recombination experiments on the odontogenic roles of mouse dental papilla and dental sac tissues in ocular grafts. *Arch Oral Biol* 26: 303-307.
- 2862.** Yoshimura Y, Tawara K, Yoshigi J, Nagaoka S (1995). Concomitant salivary duct carcinoma of a minor buccal salivary gland and papillary cystadenoma lymphomatous of a cervical lymph node: report of a case and review of the literature. *J Oral Maxillofac Surg* 53: 448-453.
- 2863.** Yoshino T, Nakamura S, Suzumiya J, Niitsu N, Ohshima K, Tsuchiyama Y, Shinagawa K, Tanimoto M, Sadahira Y, Harada M, Kikuchi M, Akagi T (2002). Expression of cutaneous lymphocyte antigen is associated with a poor outcome of nasal-type natural killer-cell lymphoma. *Br J Haematol* 118: 482-487. **2864.** Young SK, Markowitz NR, Sullivan S, Seale TW, Hirschi R (1989). Familial gigantiform cementoma: classification and presentation of a large pedigree. *Oral Surg Oral Med Oral Pathol* 68: 740-747.
- 2865.** Yousem SA, Shaw H, Cieply K (2001). Involvement of p23 in pulmonary inflammatory pseudotumors. *Hum Pathol* 32: 428-433.
- 2866.** Yu GY, Liu XB, Li ZL, Peng X (1998). Smoking and the development of Warthin's tumour of the parotid gland. *Br J Oral Maxillofac Surg* 36: 183-185.
- 2867.** Yu GY, Ubmuller J, Donath K (1998). Membranous basal cell adenoma of the salivary gland: a clinicopathologic study of 12 cases. *Acta Otolaryngol* 118: 588-593.
- 2868.** Yu MC, Garabrant DH, Huang TB, Henderson BE (1990). Occupational and other non-dietary risk factors for nasopharyngeal carcinoma in Guangzhou, China. *Int J Cancer* 45: 1033-1039.
- 2869.** Yu MC, Ho JH, Lai SH, Henderson BE (1986). Cantonese-style salted fish as a cause of nasopharyngeal carcinoma: report of a case-control study in Hong Kong. *Cancer Res* 46: 956-961.
- 2870.** Yu MC, Huang TB, Henderson BE (1989). Diet and nasopharyngeal carcinoma: a case-control study in Guangzhou, China. *Int J Cancer* 43: 1077-1082.
- 2871.** Yu MC, Nichols PW, Zou XN, Estes J, Henderson BE (1989). Induction of malignant nasal cavity tumours in Wistar rats fed Chinese salted fish. *Br J Cancer* 60: 198-201.
- 2872.** Yu MC, Yuan JM (2002). Epidemiology of nasopharyngeal carcinoma. *Semin Cancer Biol* 12: 421-429.
- 2873.** Yu RC, Chu C, Buluwela L, Chu AC (1994). Clonal proliferation of Langerhans cells in Langerhans cell histiocytosis. *Lancet* 343: 767-768.
- 2874.** Yuan BW (1988). [Correlation between nasopharyngeal carcinoma and HLA in Sichuan]. *Zhonghua Zhong Liu Za Zhi* 10: 263-266.
- 2875.** Yuan JM, Wang XL, Xiang YB, Gao YT, Ross RK, Yu MC (2000). Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. *Int J Cancer* 85: 358-363.
- 2876.** Zaatari GS, Sautoianni RA (1986). Adenoid squamous cell carcinoma of the nasopharynx and neck region. *Arch Pathol Lab Med* 110: 542-546.
- 2877.** Zachariades N (1989). Neoplasms metastatic to the mouth, jaws and surrounding tissues. *J Craniomaxillofac Surg* 17: 283-290.
- 2878.** Zak FG, Lawson W (1972). Glomic (paraganglionic) tissue in the larynx and capsule of the thyroid gland. *Mt Sinai J Med* 39: 82-90.
- 2879.** Zak FG, Lawson W (1982). The Paraganglionic Chemoreceptor System: Physiology, Pathology and Clinical Medicine. Springer Verlag: New York.
- 2880.** Zarate-Osorno A, Jaffe ES, Medeiros LJ (1992). Metastatic nasopharyngeal carcinoma initially presenting as cervical lymphadenopathy. A report of two cases that resembled Hodgkin's disease. *Arch Pathol Lab Med* 116: 862-865.
- 2881.** Zarbo RJ (2002). Salivary gland neoplasia: a review for the practicing pathologist. *Mod Pathol* 15: 298-323.
- 2882.** Zarbo RJ, Crissman JD, Venkat H, Weiss MA (1986). Spindle-cell carcinoma of the upper aerodigestive tract mucosa. An immunohistologic and ultrastructural study of 18 biphasic tumors and comparison with seven monophasic spindle-cell tumors. *Am J Surg Pathol* 10: 741-753.
- 2883.** Zarbo RJ, Prasad AR, Regezi JA, Gowen AM, Saveria AT (2000). Salivary gland basal cell and canalicular adenomas: immunohistochemical demonstration of myoepithelial cell participation and morphogenetic considerations. *Arch Pathol Lab Med* 124: 401-405.
- 2884.** Zarco C, Lahuerta-Palacios JJ, Borrego L, Toscano R, Gil R, Iglesias L (1993). Centroblastic transformation of chronic lymphocytic leukaemia with primary skin involvement—cutaneous presentation of Richter's syndrome. *Clin Exp Dermatol* 18: 263-267.
- 2885.** Zatonski W, Becher H, Lissowska J, Wahrendorf J (1991). Tobacco, alcohol, and diet in the etiology of laryngeal cancer: a population-based case-control study. *Cancer Causes Control* 2: 3-10.
- 2886.** Zbaeren P, Lehmann W, Widgren S (1991). Acinic cell carcinoma of minor salivary gland origin. *J Laryngol Otol* 105: 782-785.
- 2887.** Zbaren P, Schar C, Hotz MA, Loosli H (2001). Value of fine-needle aspiration cytology of parotid gland masses. *Laryngoscope* 111: 1989-1992.
- 2888.** Zeitoun IM, Dhanrajani PJ, Mosadomi HA (1996). Adenomatoid odontogenic tumor arising in a calcifying odontogenic cyst. *J Oral Maxillofac Surg* 54: 634-637.
- 2889.** Zellers RA, Bickett WJ, Parker MG (1992). Posttraumatic spindle cell nodule of the buccal mucosa. Report of a case. *Oral*

Surg Oral Med Oral Pathol 74: 212-215.

**2890.** Zeng YX, Jia WH (2002). Familial nasopharyngeal carcinoma. *Semin Cancer Biol* 12: 443-450.

**2891.** Zerris VA, Annino D, Heilman CB (2002). Nasofrontal dermoid sinus cyst: report of two cases. *Neurosurgery* 51: 811-814.

**2892.** Zhang C, Cohen JM, Cangiarella JF, Waisman J, McKenna BJ, Chhieng DC (2000). Fine-needle aspiration of secondary neoplasms involving the salivary glands. A report of 36 cases. *Am J Clin Pathol* 113: 21-28.

**2893.** Zhang F, Zhang J (1999). Clinical hereditary characteristics in nasopharyngeal carcinoma through Ye-Liang's family cluster. *Chin Med J (Engl)* 112: 185-187.

**2894.** Zhang JX, Chen HL, Zong YS, Chan KH, Nicholls J, Middeldorp JM, Sham JS, Griffin BE, Ng MH (1998). Epstein-Barr virus expression within keratinizing nasopharyngeal carcinoma. *J Med Virol* 55: 227-233.

**2895.** Zhang JZ (1986). [Correlation between nasopharyngeal carcinoma (NPC) and HLA in Hunan Province]. *Zhonghua Zhong Liu Za Zhi* 8: 170-172.

**2896.** Zhang L, Michelsen C, Cheng X, Zeng T, Priddy R, Rosin MP (1997). Molecular analysis of oral lichen planus. A premalignant lesion? *Am J Pathol* 151: 323-327.

**2897.** Zhang Y, Wang S, Song Y, Han J, Chai Y, Chen Y (2003). Timing of odontogenic neural crest cell migration and tooth-forming capability in mice. *Dev Dyn* 226: 713-718.

**2898.** Zhao M, Takata T, Ogawa I, Yada T, Kimata K, Nikai H (1999). Immunohistochemical evaluation of the small and large proteoglycans in pleomorphic adenoma of salivary glands. *J Oral Pathol Med* 28: 37-42.

**2899.** Zhao Y, Collins BT, Ramos RR (2003). Ciliated epithelial cells in Warthin's tumor on fine-needle aspiration. *Diagn Cytopathol* 28: 71.

**2900.** Zheng JW, Song XY, Nie XG (1997). The accuracy of clinical examination versus frozen section in the diagnosis of parotid masses. *J Oral Maxillofac Surg* 55: 29-31.

**2901.** Zheng W, Blot WJ, Shu XO, Gao YT, Ji BT, Ziegler RG, Fraumeni JF Jr (1992). Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol* 136: 178-191.

**2902.** Zheng W, Shu XO, Ji BT, Gao YT (1996). Diet and other risk factors for cancer of the salivary glands: a population-based case-control study. *Int J Cancer* 67: 194-198.

Zheng X, Yan L, Nilsson B, Eklund G, Drettner B (1994). Epstein-Barr virus infection, salted fish and nasopharyngeal carcinoma. A case-control study in southern China. *Acta Oncol* 33: 867-872.

**2903.** A. Zhong PQ, Zhi FX, Li R, Xue JL, Shu GY (1998). Long-term results of intratumorous bleomycin-A5 injection for head and neck lymphangioma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86: 139-144.

**2904.** Zhu K, Levine RS, Brann EA, Hall HI, Caplan LS, Gnepp DR (2002). Case-control study evaluating the homogeneity and heterogeneity of risk factors between sinonasal and nasopharyngeal cancers. *Int J Cancer* 99: 119-123.

**2905.** Zhu Q, Tipoe GL, White FH (1999). Proliferative activity as detected by immunostaining with Ki-67 and proliferat-

ing cell nuclear antigen in benign and malignant epithelial lesions of the human parotid gland. *Anal Quant Cytol Histol* 21: 336-342.

**2906.** Zidar N, Gale N, Cor A, Kambic V (1996). Expression of Ki-67 antigen and proliferative cell nuclear antigen in benign and malignant epithelial lesions of the larynx. *J Laryngol Otol* 110: 440-445.

**2907.** Zidar N, Gale N, Kambic V, Fischinger J (2001). Expression of tenascin and fibronectin in benign epithelial hyperplastic lesions and squamous carcinoma of the larynx. *Anticancer Res* 21: 451-454.

**2908.** Znaor A, Brennan P, Gajalakshmi V, Mathew A, Shanta V, Varghese C, Boffetta P (2003). Independent and combined effects of tobacco smoking, chewing and alcohol drinking on the risk of oral, pharyngeal and esophageal cancers in Indian men. *Int J Cancer* 105: 681-686.

**2909.** Zohar Y, Shem-Tov Y, Gal R (1988). Salivary duct carcinoma in major and minor salivary glands. A clinicopathological analysis of four cases. *J Craniomaxillofac Surg* 16: 320-323.

**2910.** Zong Y, Liu K, Zhong B, Chen G, Wu W (2001). Epstein-Barr virus infection of sinonasal lymphoepithelial carcinoma in Guangzhou. *Chin Med J (Engl)* 114: 132-136.

**2911.** Zong YS, Li QX (1986). Histopathology of paracancerous nasopharyngeal carcinoma in situ. *Chin Med J (Engl)* 99: 763-771.

**2912.** Zong YS, Zhang CQ, Zhang F, Ruan JB, Chen MY, Feng KT, Yu ZF (1993). Infiltrating lymphocytes and accessory cells in nasopharyngeal carcinoma. *Jpn J Cancer Res* 84: 900-905.

**2913.** Zou XN, Lu SH, Liu B (1994). Volatile N-nitrosamines and their precursors in Chinese salted fish—a possible etiological factor for NPC in China. *Int J Cancer* 59: 155-158.

**2914.** Zukerberg LR, Rosenberg AE, Randolph G, Pilch BZ, Goodman ML (1991). Solitary fibrous tumor of the nasal cavity and paranasal sinuses. *Am J Surg Pathol* 15: 126-130.

**2915.** Zulman J, Jaffe R, Talal N (1978). Evidence that the malignant lymphoma of Sjogren's syndrome is a monoclonal B-cell neoplasm. *N Engl J Med* 299: 1215-1220.

**2916.** Zunt SL, Tomich CE (1989). Oral condyloma acuminatum. *J Dermatol Surg Oncol* 15: 591-594.

**2917.** zur Hausen H, de Villiers EM (1994). Human papillomaviruses. *Annu Rev Microbiol* 48: 427-447.

**2918.** Zur KB, Brandwein M, Wang B, Som P, Gordon R, Urken ML (2002). Primary description of a new entity, renal cell-like carcinoma of the nasal cavity: van Meegeren in the house of Vermeer. *Arch Otolaryngol Head Neck Surg* 128: 441-447.