

References

1. Anon. (1987). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 22-1987. A 58-year-old woman with progressive pericardial disease. *N Engl J Med* 316: 1394-1404.
2. Anon. (1993). A predictive model for aggressive non-Hodgkin's lymphoma. The International Lymphoma Study Group classification of non-Hodgkin's lymphoma. *N Engl J Med* 329: 987-994.
3. Anon. (1997). A clinical evaluation of the International Lymphoma Study Group classification of non-Hodgkin's lymphoma. The Non-Hodgkin's Lymphoma Classification Project. *Blood* 89: 3909-3918.
4. Anon. (1997). International Germ Cell Consensus Classification: a prognostic factor-based staging system for metastatic germ cell cancers. International Germ Cell Cancer Collaborative Group. *J Clin Oncol* 15: 594-603.
5. Anon. (1997). Pretreatment evaluation of non-small-cell lung cancer. The American Thoracic Society and The European Respiratory Society. *Am J Respir Crit Care Med* 156: 320-332.
6. Anon. (2000). International Classification of Diseases for Oncology. Third ed. World Health Organization (WHO): Geneva.
7. Anon. (2003). Online Mendelian Inheritance in Man, OMIM (TM). McKusick-Nathans Institute for Genetic Medicine, Johns Hopkins University (Baltimore, MD) and National Center for Biotechnology Information, National Library of Medicine (Bethesda, MD), 2000 <http://www.ncbi.nlm.nih.gov/omim/>.
8. Anon. (2003). Surveillance, Epidemiology and End Results (SEER), Cancer Statistics Review 1973-1999. http://seer.cancer.gov/csr/1973_1999/overview/overview21.pdf
9. DeLellis RA, Heitz PH, Lloyd RV, Eng C (Eds.) World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Endocrine Organs. IARC Press: Lyon 2004
10. Abbondanzo SL, Rush W, Bijwaard KE, Koss MN (2000). Nodular lymphoid hyperplasia of the lung: a clinicopathologic study of 14 cases. *Am J Surg Pathol* 24: 587-597.
11. Ablin AR, Krailo MD, Ramsay NK, Malogolowkin MH, Isaacs H, Raney RB, Adkins J, Hays DM, Benjamin DR, Grosfeld JL (1991). Results of treatment of malignant germ cell tumors in 93 children: a report from the Childrens Cancer Study Group. *J Clin Oncol* 9: 1782-1792.
12. Abraham KP, Reddy V, Gattuso P (1990). Neoplasms metastatic to the heart: review of 3314 consecutive autopsies. *Am J Cardiovasc Pathol* 3: 195-198.
13. Abrams HL, Spiro R, Goldstein N (1950). Metastases in carcinoma - analysis of 1000 autopsied cases. *Cancer* 3: 74-85.
14. Abutally AS, Addis BJ, Roche WR (2002). Immunohistochemistry in the distinction between malignant mesothelioma and pulmonary adenocarcinoma: a critical evaluation of new antibodies. *J Clin Pathol* 55: 662-668.
15. Acebo E, Val-Bernal JF, Gomez-Roman JJ (2001). Prichard's structures of the fossa ovalis are not histogenetically related to cardiac myxoma. *Histopathology* 39: 529-535.
16. Acebo E, Val-Bernal JF, Gomez-Roman JJ (2001). Thrombomodulin, calretinin and c-kit (CD117) expression in cardiac myxoma. *Histol Histopathol* 16: 1031-1036.
17. Adachi Y, Okamura M, Yasumizu R, Nagata N, Inaba M, Sugihara A, Kumamoto T, Umemoto M, Saito Y, Genba H (1995). [An autopsy case of immature teratoma with choriocarcinoma in the mediastinum]. *Kyobu Geka* 48: 829-832.
18. Adams VI, Unni KK, Muhm JR, Jett JR, Ilstrup DM, Bernatz PE (1986). Diffuse malignant mesothelioma of pleura. Diagnosis and survival in 92 cases. *Cancer* 58: 1540-1551.
19. Addis BJ, Corrin B (1985). Pulmonary blastoma, carcinosarcoma and spindle-cell carcinoma: an immunohistochemical study of keratin intermediate filaments. *J Pathol* 147: 291-301.
20. Addis BJ, Dewar A, Thurlow NP (1988). Giant cell carcinoma of the lung—immunohistochemical and ultrastructural evidence of dedifferentiation. *J Pathol* 155: 231-240.
21. Addis BJ, Hyjek E, Isaacson PG (1988). Primary pulmonary lymphoma: a reappraisal of its histogenesis and its relationship to pseudolymphoma and lymphoid interstitial pneumonia. *Histopathology* 13: 1-17.
22. Addis BJ, Isaacson PG (1986). Large cell lymphoma of the mediastinum: a B-cell tumour of probable thymic origin. *Histopathology* 10: 379-390.
23. Adem C, Aubry MC, Tazelaar HD, Myers JL (2001). Metastatic angiosarcoma masquerading as diffuse pulmonary hemorrhage: clinicopathologic analysis of 7 new patients. *Arch Pathol Lab Med* 125: 1562-1565.
24. Afifi HY, Bosl GJ, Burt ME (1997). Mediastinal growing teratoma syndrome. *Ann Thorac Surg* 64: 359-362.
25. Afzal MN, Alguacil-Garcia A (1997). Primary cardiac angiosarcoma: clinical and pathological diagnostic problems. *Can J Cardiol* 13: 293-296.
26. Agaimy A, Kaiser A, Wunsch PH (2002). [Epithelioid hemangioperithelioma of the heart in association with myelodysplastic syndrome]. *Z Kardiol* 91: 352-356.
27. Agoff SN, Lamps LW, Philip AT, Amin MB, Schmidt RA, True LD, Folpe AL (2000). Thyroid transcription factor-1 is expressed in extrapulmonary small cell carcinomas but not in other extrapulmonary neuroendocrine tumors. *Mod Pathol* 13: 238-242.
28. Aguayo SM, King TE Jr, Waldron JAJr, Sherritt KM, Kane MA, Miller YE (1990). Increased pulmonary neuroendocrine cells with bombesin-like immunoreactivity in adult patients with eosinophilic granuloma. *J Clin Invest* 86: 838-844.
29. Aguayo SM, Miller YE, Waldron JAJr, Bogin RM, Sunday ME, Staton GW Jr, Beam WR, King TE Jr (1992). Brief report: idiopathic diffuse hyperplasia of pulmonary neuroendocrine cells and airways disease. *N Engl J Med* 327: 1285-1288.
30. Ahmed T, Bosl GJ, Hajdu SI (1985). Teratoma with malignant transformation in germ cell tumors in men. *Cancer* 56: 860-863.
31. Ahn C, Harvey JC (1990). Mediastinal hibernoma, a rare tumor. *Ann Thorac Surg* 50: 828-830.
32. Ahrendt MN, Wesselhoeft CW (1992). Chordoma presenting as a posterior mediastinal mass in a pediatric patient. *J Pediatr Surg* 27: 1515-1518.
33. Akman ES, Ertem U, Tanka V, Pamir A, Tuncer AM, Uluoglu O (1989). Aggressive Kaposi's sarcoma in children: a case report. *Turk J Pediatr* 31: 297-303.
34. Akyuz C, Koseoglu V, Gogus S, Balci S, Buyukpamukcu M (1997). Germ cell tumours in a brother and sister. *Acta Paediatr* 86: 668-669.
35. al Kaisi N, Abdul-Karim FW, Mendelsohn G, Jacobs G (1988). Bronchial carcinoid tumor with amyloid stroma. *Arch Pathol Lab Med* 112: 211-214.
36. al Saati T, Delecluze HJ, Chittal S, Brousset P, Magaud JP, Dastugue N, Cohen-Knafo E, Laurent G, Rubin B, Delsol G (1992). A novel human lymphoma cell line (Deglis) with dual B/T phenotype and gene rearrangements and containing Epstein-Barr virus genomes. *Blood* 80: 209-216.
37. Alexandrov K, Cascorbi I, Rojas M, Bouvier G, Kriek E, Bartsch H (2002). CYP1A1 and GSTM1 genotypes affect benzo[a]pyrene DNA adducts in smokers' lung: comparison with aromatic/hydrophobic adduct formation. *Carcinogenesis* 23: 1969-1977.
38. Alexiou C, Obuszko Z, Beggs D, Morgan WE (1998). Inflammatory pseudotumors of the lung. *Ann Thorac Surg* 66: 948-950.
39. Alguacil-Garcia A, Halliday WC (1987). Thymic carcinoma with focal neuroblastoma differentiation. *Am J Surg Pathol* 11: 474-479.
40. Aliotta PJ, Castillo J, Englander LS, Nseyo UO, Huben RP (1988). Primary mediastinal germ cell tumors. Histologic patterns of treatment failures at autopsy. *Cancer* 62: 982-984.
41. Allen HD, Blieden LC, Stone FM, Bessinger FB Jr, Lucas RV Jr (1974). Echocardiographic demonstration of a right ventricular tumor in a neonate. *J Pediatr* 84: 854-856.
42. Ailli PM, Crain BJ, Heitmiller R, Argani P (2000). Malignant melanoma presenting as an intrathymic tumor: a primary thymic melanoma? *Arch Pathol Lab Med* 124: 130-134.
43. Almagro UA, Perry LS, Choi H, Pintar K (1982). Papillary fibroelastoma of the heart. Report of six cases. *Arch Pathol Lab Med* 106: 318-321.
44. Almog C, Weissberg D, Herczeg E, Pajewski M (1977). Thymolipoma simulating cardiomegaly: a clinicopathological rarity. *Thorax* 32: 116-120.
45. Alobeid B, Beneck D, Sreekantaiah C, Abbi RK, Slim MS (1997). Congenital pulmonary myofibroblastic tumor: a case report with cytogenetic analysis and review of the literature. *Am J Surg Pathol* 21: 610-614.
46. Alter P, Grimm W, Tontsch D, Maisch B (2001). Diagnosis of primary cardiac lymphoma by endomyocardial biopsy. *Am J Med* 111: 593-594.
47. Alvarez-Sala R, Casadevall J, Caballero P, Prados C, Ortega B (1995). Long-term survival in a surgically treated non-encapsulated mediastinal primary liposarcoma. Diagnostic utility of core-needle biopsy for mediastinal tumors. *J Cardiovasc Surg (Torino)* 36: 199-200.
48. Amo-Takyi BK, Gunther K, Peters I, Mittermayer C, Eblenkamp M, Tietze L (2001). Benign solitary fibrous pleural tumour. Evidence of primitive features and complex genomic imbalances, including loss of 20q. *APMIS* 109: 601-606.
49. Anagnostaki L, Krag Jacobsen G, Horn T, Sengelov L, Braendstrup O (1992). Melanotic neuroectodermal tumour as a predominant component of an immature testicular teratoma. Case report with immunohistochemical investigations. *APMIS* 100: 809-816.
50. Anagnostopoulos I, Hansmann ML, Franssila K, Harris M, Harris NL, Jaffe ES, Han J, van Krieken JM, Poppema S, Marafioti T, Franklin J, Sextro M, Diehl V, Stein H (2000). European Task Force on Lymphoma project on lymphocyte predominance Hodgkin disease: histologic and immunohistologic analysis of submitted cases reveals 2 types of Hodgkin disease with a nodular growth pattern and abundant lymphocytes. *Blood* 96: 1889-1899.
51. Anami Y, Matsuno Y, Yamada T, Takeuchi T, Nakayama H, Hirohashi S, Noguchi M (1998). A case of double primary adenocarcinoma of the lung with multiple atypical adenomatous hyperplasia. *Pathol Int* 48: 634-640.
52. Anbazhagan R, Tihan T, Bornman DM, Johnston JC, Saltz JH, Weigering A, Piantadosi S, Gabrielson E (1999). Classification of small cell lung cancer and pulmonary carcinoid by gene expression profiles. *Cancer Res* 59: 5119-5122.
53. Anderson C, Ludwig ME, O'Donnell M, Garcia N (1990). Fine needle aspiration cytology of pulmonary carcinoid tumors. *Acta Cytol* 34: 505-510.
54. Anderson M, Sladon S, Michels R, Davidson L, Conwell K, Lechner J, Franklin W, Saccomanno G, Wiest J (1996). Examination of p53 alterations and cytokeratin expression in sputa collected from patients prior to histological diagnosis of squamous cell carcinoma. *J Cell Biochem Suppl* 25: 185-190.
55. Anderson MB, Kriett JM, Kapelanski DP, Tarazi R, Jamieson SW (1995). Primary pulmonary artery sarcoma: a report of six cases. *Ann Thorac Surg* 59: 1487-1490.
56. Andre F, Fizazi K, Culine S, Droz J, Taupin P, Lhomme C, Terrier-Lacombe M,

- Theodore C (2000). The growing teratoma syndrome: results of therapy and long-term follow-up of 33 patients. *Eur J Cancer* 36: 1389-1394.
57. Andreu AL, Checcarelli N, Iwata S, Shanske S, Dimauro S (2000). A missense mutation in the mitochondrial cytochrome b gene in a revisited case with histiocytoid cardiomyopathy. *Pediatr Res* 48: 311-314.
58. Andriko JW, Kaldjian EP, Tsokos M, Abbondanzo SL, Jaffe ES (1998). Reticulum cell neoplasms of lymph nodes: a clinicopathologic study of 11 cases with recognition of a new subtype derived from fibroblastic reticular cells. *Am J Surg Pathol* 22: 1048-1058.
59. Andrion A, Mazzucco G, Gugliotta P, Monga G (1985). Benign clear cell (sugar) tumor of the lung. A light microscopic, histochemical, and ultrastructural study with a review of the literature. *Cancer* 56: 2657-2663.
60. Ansari MQ, Dawson DB, Nador R, Rutherford C, Schneider NR, Latimer MJ, Picker L, Knowles DM, McKenna RW (1996). Primary body cavity-based AIDS-related lymphomas. *Am J Clin Pathol* 105: 221-229.
61. Anton RC, Schwartz MR, Kessler ML, Cagle PT (1998). Metastatic carcinoma of the prostate mimicking primary carcinoid tumor of the lung and mediastinum. *Pathol Res Pract* 194: 753-758.
62. Aoki Y, Yarchoan R, Braun J, Iwamoto A, Tosato G (2000). Viral and cellular cytokines in AIDS-related malignant lymphomatous effusions. *Blood* 96: 1599-1601.
63. Aozasa K, Ohsawa M, Iuchi K, Tajima K, Komatsu H, Shimoyama M (1993). Artificial pneumothorax as a risk factor for development of pleural lymphoma. *Jpn J Cancer Res* 84: 55-57.
64. Arai T, Kurashima C, Wada S, Chida K, Ohkawa S (1998). Histological evidence for cell proliferation activity in cystic tumor (endodermal heterotopia) of the atrioventricular node. *Pathol Int* 48: 917-923.
65. Araoz PA, Eklund HE, Welch TJ, Breen JF (1999). CT and MR imaging of primary cardiac malignancies. *Radiographics* 19: 1421-1434.
66. Araoz PA, Mulvagh SL, Tazelaar HD, Julsrud PR, Breen JF (2000). CT and MR imaging of benign primary cardiac neoplasms with echocardiographic correlation. *Radiographics* 20: 1303-1319.
67. Aravot DJ, Banner NR, Madden B, Aranki S, Khaghani A, Fitzgerald M, Radley-Smith R, Yacoub MH (1989). Primary cardiac tumours—is there a place for cardiac transplantation? *Eur J Cardiothorac Surg* 3: 521-524.
68. Argani P, Askin FB, Colombani P, Perlman EJ (2000). Occult pulmonary synovial sarcoma confirmed by molecular techniques. *Pediatr Dev Pathol* 3: 87-90.
69. Argani P, de Chioccia IC, Rosai J (1998). Thymoma arising with a thymolipoma. *Histopathology* 32: 573-574.
70. Argani P, Erlandson RA, Rosai J (1997). Thymic neuroblastoma in adults: report of three cases with special emphasis on its association with the syndrome of inappropriate secretion of antidiuretic hormone. *Am J Clin Pathol* 108: 537-543.
71. Argani P, Zakowski MF, Klimstra DS, Rosai J, Ladanyi M (1998). Detection of the SYT-SSX chimeric RNA of synovial sarcoma in paraffin-embedded tissue and its application in problematic cases. *Mod Pathol* 11: 65-71.
72. Arguello M, Sgarbanti M, Hernandez E, Mamane Y, Sharma S, Servant M, Lin R, Hiscott J (2003). Disruption of the B-cell specific transcriptional program in HHV-8 associated primary effusion lymphoma cell lines. *Oncogene* 22: 964-973.
73. Ariyoshi N, Miyamoto M, Umetsu Y, Kunitoh H, Dosaka-Akita H, Sawamura Y, Yokota J, Nemoto N, Sato K, Kamataki T (2002). Genetic polymorphism of CYP2A6 gene and tobacco-induced lung cancer risk in male smokers. *Cancer Epidemiol Biomarkers Prev* 11: 890-894.
74. Armas OA, White DA, Erlandson RA, Rosai J (1995). Diffuse idiopathic pulmonary neuroendocrine cell proliferation presenting as interstitial lung disease. *Am J Surg Pathol* 19: 963-970.
75. Arrigoni MG, Woolner LB, Bernatz PE (1972). Atypical carcinoid tumors of the lung. *J Thorac Cardiovasc Surg* 64: 413-421.
76. Asada Y, Marutsuka K, Mitsuoka T, Kuribayashi T, Taniguchi S, Sumiyoshi A (1996). Ganglioneuroblastoma of the thymus: an adult case with the syndrome of inappropriate secretion of antidiuretic hormone. *Hum Pathol* 27: 506-509.
77. Asamura H, Nakayama H, Kondo H, Tsuchiya R, Shimosato Y, Naruke T (1996). Lymph node involvement, recurrence, and prognosis in resected small, peripheral, non-small-cell lung carcinomas: are these carcinomas candidates for video-assisted lobectomy? *J Thorac Cardiovasc Surg* 111: 1125-1134.
78. Asano S, Hoshikawa Y, Yamane Y, Ikeda M, Wakasa H (2000). An intrapulmonary teratoma associated with bronchiectasia containing various kinds of primordium: a case report and review of the literature. *Virchows Arch* 436: 384-388.
79. Ascani S, Piccioli M, Poggi S, Briskomatis A, Bolis GB, Liberati F, Frongillo R, Caramatti C, Fraternali-Orcioni G, Gamberi B, Zinzani PL, Lazzi S, Leoncini L, O'Leary J, Piccaluga PP, Pileri SA (1997). Pyothorax-associated lymphoma: description of the first two cases detected in Italy. *Ann Oncol* 8: 1133-1138.
80. Ascoli V, Mecucci C, Knuutila S (2001). Genetic susceptibility and familial malignant mesothelioma. *Lancet* 357: 1804.
81. Ascoli V, Scalzo CC, Bruno C, Facciolo F, Lopergolo M, Granone P, Nardi F (1998). Familial pleural malignant mesothelioma: clustering in three sisters and one cousin. *Cancer Lett* 130: 203-207.
82. Ascoli V, Signoretti S, Onetti-Muda A, Pescarmona E, Della-Rocca C, Nardi F, Mastroianni CM, Gastaldi R, Pistilli A, Gaidano G, Carbone A, Lo-Coco F (2001). Primary effusion lymphoma in HIV-infected patients with multicentric Castleman's disease. *J Pathol* 193: 200-209.
83. Ashby MA, Williams CJ, Buchanan RB, Bleehen NM, Arno J (1986). Mediastinal germ cell tumour associated with malignant histiocytosis and high rubella titres. *Hematol Oncol* 4: 183-194.
84. Ashley DJ, Davies HD (1967). Mixed glandular and squamous-cell carcinoma of the bronchus. *Thorax* 22: 431-436.
85. Ashmore PG (1954). Papilloma of the bronchus - case report. *J Thorac Surg* 27: 293-294.
86. Astrinidis A, Khare L, Carsillo T, Smolarek T, Au KS, Northrup H, Henske EP (2000). Mutational analysis of the tuberous sclerosis gene TSC2 in patients with pulmonary lymphangioliomyomatosis. *J Med Genet* 37: 55-57.
87. Attanoos RL, Dojcinov SD, Webb R, Gibbs AR (2000). Anti-mesothelial markers in sarcomatoid mesothelioma and other spindle cell neoplasms. *Histopathology* 37: 224-231.
88. Attanoos RL, Papagiannis A, Suttinont P, Goddard H, Papotti M, Gibbs AR (1998). Pulmonary giant cell carcinoma: pathological entity or morphological phenotype? *Histopathology* 32: 225-231.
89. Aubry MC, Bridge JA, Wickert R, Tazelaar HD (2001). Primary monophasic synovial sarcoma of the pleura: five cases confirmed by the presence of SYT-SSX fusion transcript. *Am J Surg Pathol* 25: 776-781.
90. Aubry MC, Myers JL, Colby TV, Leslie KO, Tazelaar HD (2002). Endometrial stromal sarcoma metastatic to the lung: a detailed analysis of 16 patients. *Am J Surg Pathol* 26: 440-449.
91. Aubry MC, Myers JL, Douglas WW, Tazelaar HD, Washington Stephens TL, Hartman TE, Deschamps C, Pankratz VS (2002). Primary pulmonary carcinoma in patients with idiopathic pulmonary fibrosis. *Mayo Clin Proc* 77: 763-770.
92. Aubry MC, Myers JL, Ryu JH, Henske EP, Logginidou H, Jalal SM, Tazelaar HD (2000). Pulmonary lymphangioliomyomatosis in a man. *Am J Respir Crit Care Med* 162: 749-752.
93. Auerbach O, Gere JB, Forman JB, Petrick TG, Smolin HJ, Muehsam GE, Kassouny DY, Stout AP (1957). Changes in the bronchial epithelium in relation to smoking and cancer of the lung. *N Engl J Med* 256: 97-104.
94. Auerbach O, Hammond EC, Garfinkel L (1979). Changes in bronchial epithelium in relation to cigarette smoking, 1955-1960 vs. 1970-1977. *N Engl J Med* 300: 381-385.
95. Auerbach O, Stout AP, Hammond EC, Garfinkel L (1961). Changes in bronchial epithelium in relation to cigarette smoking and in relation to lung cancer. *N Engl J Med* 265: 253-267.
96. Auliac JB, Cuvelier A, Peillon C, Louvel JP, Metayer J, Muir JF (1999). [Mediastinal leiomyosarcoma]. *Rev Mal Respir* 16: 210-213.
97. Avila NA, Kelly JA, Chu SC, Dwyer AJ, Moss J (2000). Lymphangioliomyomatosis: abdominal/pelvic CT and US findings. *Radiology* 216: 147-153.
98. Babu MK, Nirmala V (1994). Thymic carcinoma with glandular differentiation arising in a congenital thymic cyst. *J Surg Oncol* 57: 277-279.
99. Baez-Giangreco A, Afzal M, Hamdy MG, Antonious J (1997). Pleuropulmonary blastoma of the lung presenting as posterior mediastinal mass: a case report. *Pediatr Hematol Oncol* 14: 475-481.
100. Bajorin DF, Motzer RJ, Rodriguez E, Murphy B, Bosl GJ (1993). Acute nonlymphocytic leukemia in germ cell tumor patients treated with etoposide-containing chemotherapy. *J Natl Cancer Inst* 85: 60-62.
101. Baker PB, Goodwin RA (1985). Pulmonary artery sarcomas. A review and report of a case. *Arch Pathol Lab Med* 109: 35-39.
102. Balasundaram S, Halees SA, Duran C (1992). Mesothelioma of the atrioventricular node: first successful follow-up after excision. *Eur Heart J* 13: 718-719.
103. Balsara BR, Bell DW, Sonoda G, De Rienzo A, du Manoir S, Jhanwar SC, Testa JR (1999). Comparative genomic hybridization and loss of heterozygosity analyses identify a common region of deletion at 15q11.1-15 in human malignant mesothelioma. *Cancer Res* 59: 450-454.
104. Balsara BR, Testa JR (2002). Chromosomal imbalances in human lung cancer. *Oncogene* 21: 6877-6883.
105. Baranzelli MC, Kramer A, Bouffet E, Quintana E, Rubie H, Edan C, Patte C (1999). Prognostic factors in children with localized malignant nonseminomatous germ cell tumors. *J Clin Oncol* 17: 1212.
106. Barbanti-Brodano G, Sabbioni S, Martini F, Negrini M, Corallini A, Tognon M (2004). Simian virus 40 infection in humans and association with human diseases: results and hypotheses. *Virology* 318: 1-9.
107. Barbareschi M, Ferrero S, Aldovini D, Leonardi E, Colombetti V, Carboni N, Mariscotti C (1990). Inflammatory pseudotumour of the lung. Immunohistochemical analysis on four new cases. *Histol Histopathol* 5: 205-211.
108. Barbareschi M, Ferrero S, Frigo B, Mariscotti C, Mosca L (1988). Bronchial carcinoid with S-100 positive sustentacular cells. *Tumori* 74: 705-711.
109. Barbareschi M, Frigo B, Mosca L, Carboni N, Arrigoni GP, Leonardi E, Wilander E, Siegal GP, Shiro BC (1990). Bronchial carcinoids with S-100 positive sustentacular cells. A comparative study with gastrointestinal carcinoids, pheochromocytomas and paragangliomas. *Pathol Res Pract* 186: 212-222.
110. Barbareschi M, Murer B, Colby TV, Chilosi M, Macri E, Loda M, Dogliani C (2003). CDX-2 homeobox gene expression is a reliable marker of colorectal adenocarcinoma metastases to the lungs. *Am J Surg Pathol* 27: 141-149.
111. Barnard M, Bayani J, Grant R, Teshima I, Thorne P, Squire J (2000). Use of multicolor spectral karyotyping in genetic analysis of pleuropulmonary blastoma. *Pediatr Dev Pathol* 3: 479-486.
112. Barnes LD, Garrison PN, Sipsrshvili Z, Guranowski A, Robinson AK, Ingram SW, Croce CM, Ohta M, Huebner K (1996). Fhit, a putative tumor suppressor in humans, is a dinucleoside 5',5''-P₁,P₃-triphosphate hydrolase. *Biochemistry* 35: 11529-11535.
113. Barnes RDCS, Ogorman P (1962). Two cases of anaplastic anaemia associated with tumours of thymus. *J Clin Pathol* 15: 264.
114. Barr FG, Chatten J, D'Cruz CM, Wilson AE, Nauta LE, Nycum LM, Biegel JA, Womer RL (1995). Molecular assays for chromosomal translocations in the diagnosis of pediatric soft tissue sarcomas. *JAMA* 273: 553-557.
115. Barth TF, Martin-Subero JI, Joos S, Menz CK, Hasel C, Mechtersheimer G, Parwaresch RM, Lichter P, Siebert R, Moeller P (2003). Gains of 2p involving the REL locus correlate with nuclear c-Rel protein accumulation in neoplastic cells of classical Hodgkin's lymphoma. *Blood* 101: 3681-6.
116. Barton AD (1997). T-cell lymphocytosis associated with lymphocyte-rich thymoma. *Cancer* 80: 1409-1417.
117. Bartsch H, Nair U, Risch A, Rojas M, Wikman H, Alexandrov K (2000). Genetic polymorphism of CYP genes, alone or in combination, as a risk modifier of tobacco-related cancers. *Cancer Epidemiol Biomarkers Prev* 9: 3-28.
118. Basheda S, Gephardt GN, Stoller JK (1991). Columnar papilloma of the bronchus. Case report and literature review. *Am Rev Respir Dis* 144: 1400-1402.
119. Bass JL, Breningstall GN, Swaiman KF (1985). Echocardiographic incidence of cardiac rhabdomyoma in tuberous sclero-

sis. *Am J Cardiol* 55: 1379-1382.

120. Basso C, Valente M, Casarotto D, Thiene G (1997). Cardiac lithomyxoma. *Am J Cardiol* 80: 1249-1251.

121. Basso C, Valente M, Poletti A, Casarotto D, Thiene G (1997). Surgical pathology of primary cardiac and pericardial tumors. *Eur J Cardiothorac Surg* 12: 730-737.

122. Basson CT, Aretz HT (2002). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 11-2002. A 27-year-old woman with two intracardiac masses and a history of endocrinopathy. *N Engl J Med* 346: 1152-1158.

123. Bath LE, Walayat M, Mankad P, Godman MJ, Wallace WH (1997). Stage IV malignant intrapericardial germ cell tumor: a case report. *Pediatr Hematol Oncol* 14: 451-455.

124. Battifora H (1976). Spindle cell carcinoma: ultrastructural evidence of squamous origin and collagen production by the tumor cells. *Cancer* 37: 2275-2282.

125. Baudis M (2003). Progenetix CGH online database. Bioinformatics <http://www.progenetix.net>.

126. Baumgartner WA, Mark JB (1980). Metastatic malignancies from distant sites to the tracheobronchial tree. *J Thorac Cardiovasc Surg* 79: 499-503.

127. Beasley MB, Lantuejoul S, Abbondanzo S, Chu WD, Hasleton PS, Travis WD, Brambilla E (2003). The p16/cyclin D1/Rb pathway in neuroendocrine tumors of the lung. *Hum Pathol* 34: 136-142.

128. Beasley MB, Thunnissen FB, Brambilla E, Hasleton P, Steele R, Hammar SP, Colby TV, Sheppard M, Shimosato Y, Koss MN, Falk R, Travis WD (2000). Pulmonary atypical carcinoid: predictors of survival in 106 cases. *Hum Pathol* 31: 1255-1265.

129. Beasley SW, Tiedemann K, Howat A, Werther G, Auldust AW, Tuohy P (1987). Precocious puberty associated with malignant thoracic teratoma and malignant histiocytosis in a child with Klinefelter's syndrome. *Med Pediatr Oncol* 15: 277-280.

130. Beatty MW, Kumar S, Sorbara L, Miller K, Raffeld M, Jaffe ES (1999). A biophenotypic human herpesvirus 8-associated primary bowel lymphoma. *Am J Surg Pathol* 23: 992-994.

131. Beatty MW, Toro J, Sorbara L, Stern JB, Pittaluga S, Raffeld M, Wilson WH, Jaffe ES (2001). Cytaneous lymphomatoid granulomatosis: correlation of clinical and biologic features. *Am J Surg Pathol* 25: 1111-1120.

132. Becker AE (2000). Primary heart tumors in the pediatric age group: a review of salient pathologic features relevant for clinicians. *Pediatr Cardiol* 21: 317-323.

133. Beer DG, Kardia SL, Huang CC, Giordano TJ, Levin AM, Miskel DE, Lin L, Chen G, Gharib TG, Thomas DG, Lizyness ML, Kuick R, Hayasaka S, Taylor JM, Iannettoni MD, Orringer MB, Hanash S (2002). Gene-expression profiles predict survival of patients with lung adenocarcinoma. *Nat Med* 8: 816-824.

134. Beghetti M, Gow RM, Haney I, Mawson J, Williams WG, Freedom RM (1997). Pediatric primary benign cardiac tumors: a 15-year review. *Am Heart J* 134: 1107-1114.

135. Begin LR, Schurch W, Lacoste J, Hiscott J, Melnychuk DA (1994). Glycogen-rich clear cell rhabdomyosarcoma of the mediastinum. Potential diagnostic pitfall.

Am J Surg Pathol 18: 302-308.

136. Begley CG, Green AR (1999). The SCL gene: from case report to critical hematopoietic regulator. *Blood* 93: 2760-2770.

137. Begueret H, Vergier B, Parrens M, Lehours P, Laurent F, Vernejoux JM, Dubus P, Velly JF, Megraud F, Taytard A, Merlio JP, de Mascarel A (2002). Primary lung small B-cell lymphoma versus lymphoid hyperplasia: evaluation of diagnostic criteria in 26 cases. *Am J Surg Pathol* 26: 76-81.

138. Bejarano PA, Baughman RP, Biddinger PW, Miller MA, Fenoglio-Preiser C, al Kafaji B, Di Lauro R, Whitsett JA (1996). Surfactant proteins and thyroid transcription factor-1 in pulmonary and breast carcinomas. *Mod Pathol* 9: 445-452.

139. Bejui-Thivolet F, Liagre N, Chignon MC, Chardonnet Y, Patricot LM (1990). Detection of human papillomavirus DNA in squamous bronchial metaplasia and squamous cell carcinomas of the lung by in situ hybridization using biotinylated probes in paraffin-embedded specimens. *Hum Pathol* 21: 111-116.

140. Belinsky SA, Nikula KJ, Palmisano WA, Michels R, Saccomanno G, Gabrielson E, Baylin SB, Herman JG (1998). Aberrant methylation of p16(INK4a) is an early event in lung cancer and a potential biomarker for early diagnosis. *Proc Natl Acad Sci U S A* 95: 11891-11896.

141. Belinsky SA, Palmisano WA, Gilliland FD, Crooks LA, Divine KK, Winters SA, Grimes MJ, Harms HJ, Tellez CS, Smith TM, Moots PP, Lechner JF, Stidley CA, Crowell RE (2002). Aberrant promoter methylation in bronchial epithelium and sputum from current and former smokers. *Cancer Res* 62: 2370-2377.

142. Bell DW, Jhanwar SC, Testa JR (1997). Multiple regions of allelic loss from chromosome arm 6q in malignant mesothelioma. *Cancer Res* 57: 4057-4062.

143. Ben Ezra J, Bailey A, Azumi N, Delsol G, Stroup R, Sheibani K, Rappaport H (1991). Malignant histiocytosis. X. A distinct clinicopathologic entity. *Cancer* 68: 1050-1060.

144. Benhamou S, Lee WJ, Alexandre AK, Boffetta P, Bouchardy C, Butkiewicz D, Brockmoller J, Clapper ML, Daly A, Dolzan V, Ford J, Gaspari L, Haugen A, Hirvonen A, Hუსgafvel-Pursiainen K, Ingelman-Sundberg M, Kalina I, Kihara M, Kremers P, Le Marchand L, London SJ, Nazar-Stewart V, Onon-Kihara M, Rannag A, Romkes M, Ryberg D, Seidegard J, Shields P, Strange RC, Stucker I, To-Figueras J, Brennan P, Taioli E (2002). Meta- and pooled analyses of the effects of glutathione S-transferase M1 polymorphisms and smoking on lung cancer risk. *Carcinogenesis* 23: 1343-1350.

145. Bennett WP, Colby TV, Travis WD, Borkowski A, Jones RT, Lane DP, Metcalf RA, Samet JM, Takeshima Y, Gu JR, Vahakangas KH, Soini Y, Paakko P, Welsh JA, Trump BF, Harris CC (1993). p53 protein accumulates frequently in early bronchial neoplasia. *Cancer Res* 53: 4817-4822.

146. Bennett WP, el Deiry WS, Rush WL, Guinee DG Jr, Freedman AN, Caporaso NE, Welsh JA, Jones RT, Borkowski A, Travis WD, Fleming MV, Trastek V, Pairolero PC, Tazelaar HD, Midthun D, Jett JR, Liotta LA, Harris CC (1998). p21waf1/cip1 and transforming growth factor beta 1 protein expression correlate with survival in non-small cell lung cancer. *Clin Cancer Res* 4: 1499-1506.

147. Benton C, Gerard P (1966).

Thymolipoma in a patient with Graves' disease. Case report and review of the literature. *J Thorac Cardiovasc Surg* 51: 428-433.

148. Bentz M, Barth TF, Bruderlein S, Bock D, Schwerer MJ, Baudis M, Joos S, Viardot A, Feller AC, Muller-Hermelink HK, Lichter P, Dohner H, Moller P (2001). Gain of chromosome arm 9p is characteristic of primary mediastinal B-cell lymphoma (MBL): comprehensive molecular cytogenetic analysis and presentation of a novel MBL cell line. *Genes Chromosomes Cancer* 30: 393-401.

149. Benvenuti LA, Mansur AJ, Lopes DO, Campos RV (1996). Primary lipomatous tumors of the cardiac valves. *South Med J* 89: 1018-1020.

150. Beresford L, Fernandez CV, Cummings E, Sanderson S, Ming-Yu W, Giacomantonio M (2003). Mediastinal polyembryoma associated with Klinefelter syndrome. *J Pediatr Hematol Oncol* 25: 321-323.

151. Berezowski K, Grimes MM, Gal A, Kornstein MJ (1996). CD5 immunoreactivity of epithelial cells in thymic carcinoma and CASTLE using paraffin-embedded tissue. *Am J Clin Pathol* 106: 483-486.

152. Berger MS, Gullick WJ, Greenfield C, Evans S, Addis BJ, Waterfield MD (1987). Epidermal growth factor receptors in lung tumours. *J Pathol* 152: 297-307.

153. Berger U, Khaghani A, Pomerance A, Yacoub MH, Coombs RC (1990). Pulmonary lymphangioleiomyomatosis and steroid receptors. An immunocytochemical study. *Am J Clin Pathol* 93: 609-614.

154. Bergmann RL, Ackerman LV, Kemler RL (1951). Carcinoma of the lung - review of the literature and report of two cases treated by pneumectomy. *Cancer* 4: 919-929.

155. Berkenblit R, Spindola-Franco H, Frater RW, Fish BB, Glickstein JS (1997). MRI in the evaluation and management of a newborn infant with cardiac rhabdomyoma. *Ann Thorac Surg* 63: 1475-1477.

156. Berkow RL, Kelly DR (1995). Isolated CNS metastasis as the first site of recurrence in a child with germ cell tumor of the mediastinum. *Med Pediatr Oncol* 24: 36-39.

157. Bernard A, Boumsell L, Reinherz EL, Nadler LM, Ritz J, Coppin H, Richard Y, Valensi F, Dausset J, Flandrin G, Lemerle J, Schlossman SF (1981). Cell surface characterization of malignant T cells from lymphoblastic lymphoma using monoclonal antibodies: evidence for phenotypic differences between malignant T cells from patients with acute lymphoblastic leukemia and lymphoblastic lymphoma. *Blood* 57: 1105-1110.

158. Bernatz PE, Clagett OT, Harrison EG (1961). Thymoma - A clinicopathologic study. *J Thorac Cardiovasc Surg* 42: 424-444.

159. Berruti A, Paze E, Fara E, Gorzegno G, Dogliotti L (1995). Acute myeloblastic leukemia associated with mediastinal non-seminomatous germ cell tumors. Report on two cases. *Tumori* 81: 299-301.

160. Berwick M, Matullo G, Vineis P (2002). Studies of DNA repair and human cancer: an update. In: *Biomarkers of Environmentally Associated Disease*, Wilson SH, Suk WA, eds., Lewis Publishers: Boca Raton.

161. Berwick M, Vineis P (2000). Markers of DNA repair and susceptibility to cancer in humans: an epidemiologic review. *J Natl Cancer Inst* 92: 874-897.

162. Beuschlein F, Hammer GD (2002). Ectopic pro-opiomelanocortin syndrome. *Endocrinol Metab Clin North Am* 31: 191-

234.

163. Bhattacharjee A, Richards WG, Staunton J, Li C, Monti S, Vasa P, Ladd C, Beheshti J, Bueno R, Gillette M, Loda M, Weber G, Mark EJ, Lander ES, Wong W, Johnson BE, Golub TR, Sugarbaker DJ, Meyerson M (2001). Classification of human lung carcinomas by mRNA expression profiling reveals distinct adenocarcinoma subclasses. *Proc Natl Acad Sci U S A* 98: 13790-13795.

164. Bian Y, Jordan AG, Rupp M, Cohn H, McLaughlin CJ, Miettinen M (1993). Effusion cytology of desmoplastic small round cell tumor of the pleura. A case report. *Acta Cytol* 37: 77-82.

165. Bianchi AB, Mitsunaga SI, Cheng JQ, Klein WM, Jhanwar SC, Seizinger B, Kley N, Klein-Szanto AJ, Testa JR (1995). High frequency of inactivating mutations in the neurofibromatosis type 2 gene (NF2) in primary malignant mesotheliomas. *Proc Natl Acad Sci U S A* 92: 10854-10858.

166. Biggs PJ, Garen PD, Powers JM, Garvin AJ (1987). Malignant rhabdoid tumor of the central nervous system. *Hum Pathol* 18: 332-337.

167. Billmire D, Vinocur C, Rescorla F, Colombani P, Cushing B, Hawkins E, London WB, Giller R, Lauer S (2001). Malignant mediastinal germ cell tumors: an intergroup study. *J Pediatr Surg* 36: 18-24.

168. Bird LM, Krous HF, Eichenfield LF, Swalwell CI, Jones MC (1994). Female infant with oncofocytic cardiomyopathy and microphthalmia with linear skin defects (MLS): a clue to the pathogenesis of oncofocytic cardiomyopathy? *Am J Med Genet* 53: 141-148.

169. Biros E, Kalina I, Kohut A, Stubna J, Salagovic J (2001). Germ line polymorphisms of the tumor suppressor gene p53 and lung cancer. *Lung Cancer* 31: 157-162.

170. Biselli R, Ferlini C, Fattorossi A, Boldrini R, Bosman C (1996). Inflammatory myofibroblastic tumor (inflammatory pseudotumor): DNA flow cytometric analysis of nine pediatric cases. *Cancer* 77: 778-784.

171. Bishop PC, Wilson WH, Pearson D, Janik J, Jaffe ES, Elwood PC (1999). CNS involvement in primary mediastinal large B-cell lymphoma. *J Clin Oncol* 17: 2479-2485.

172. Bitar FF, el Zein C, Tawil A, Gharzuddine W, Obeid M (1998). Intrapericardial teratoma in an adult: a rare presentation. *Med Pediatr Oncol* 30: 249-251.

173. Bittira B, Tsang J, Huynh T, Morin JF, Hutterer I (2000). Primary right atrial synovial sarcoma manifesting as transient ischemic attacks. *Ann Thorac Surg* 69: 1949-1951.

174. Bittmann I, Dose TB, Muller C, Dienemann H, Vogelmeier C, Lohrs U (1997). Lymphangioleiomyomatosis: recurrence after single lung transplantation. *Hum Pathol* 28: 1420-1423.

175. Bjessmo S, Ivert T (1997). Cardiac myxoma: 40 years' experience in 63 patients. *Ann Thorac Surg* 63: 697-700.

176. Bjorkqvist AM, Hუსgafvel-Pursiainen K, Anttila S, Karjalainen A, Tammilehto L, Mattson K, Vainio H, Knuutila S (1998). DNA gains in 3q occur frequently in squamous cell carcinoma of the lung, but not in adenocarcinoma. *Genes Chromosomes Cancer* 22: 79-82.

177. Bjorkqvist AM, Tammilehto L, Anttila S, Mattson K, Knuutila S (1997). Recurrent DNA copy number changes in 1q, 4q, 6q,

- 9p, 13q, 14q and 22q detected by comparative genomic hybridization in malignant mesothelioma. *Br J Cancer* 75: 523-527.
178. Bjorkqvist AM, Tammilehto L, Nordling S, Nurminen M, Anttila S, Mattson K, Knuutila S (1998). Comparison of DNA copy number changes in malignant mesothelioma, adenocarcinoma and large-cell anaplastic carcinoma of the lung. *Br J Cancer* 77: 260-269.
179. Bjorkqvist AM, Wolf M, Nordling S, Tammilehto L, Knuutila A, Kere J, Mattson K, Knuutila S (1999). Deletions at 14q in malignant mesothelioma detected by microsatellite marker analysis. *Br J Cancer* 81: 1111-1115.
180. Black MD, Kadletz M, Smallhorn JF, Freedom RM (1998). Cardiac rhabdomyomas and obstructive left heart disease: histologically but not functionally benign. *Ann Thorac Surg* 65: 1388-1390.
181. Blackburn CC, Manley NR, Palmer DB, Boyd RL, Anderson G, Ritter MA (2002). One for all and all for one: thymic epithelial stem cells and regeneration. *Trends Immunol* 23: 391-395.
182. Bleisch VR, Kraus FT (1980). Polypoid sarcoma of the pulmonary trunk: analysis of the literature and report of a case with leptomeric organelles and ultrastructural features of rhabdomyosarcoma. *Cancer* 46: 314-324.
183. Blumberg D, Port JL, Weksler B, Delgado R, Rosai J, Bains MS, Ginsberg RJ, Martini N, McCormack PM, Rusch V (1995). Thymoma: a multivariate analysis of factors predicting survival. *Ann Thorac Surg* 60: 908-913.
184. Blumenfeld W, Turi GK, Harrison G, Latuszynski D, Zhang C (1999). Utility of cytokeratin 7 and 20 subset analysis as an aid in the identification of primary site of origin of malignancy in cytologic specimens. *Diagn Cytopathol* 20: 63-66.
185. Bocchetta M, Miele L, Pass HI, Carbone M (2003). Notch-1 induction, a novel activity of SV40 required for growth of SV40-transformed human mesothelial cells. *Oncogene* 22: 81-89.
186. Bocklage T, Leslie K, Yousem S, Colby T (2001). Extracutaneous angiosarcomas metastatic to the lungs: clinical and pathologic features of twenty-one cases. *Mod Pathol* 14: 1216-1225.
187. Bocklage TJ, Dail D, Colby TV (1998). Primary lung tumors infiltrated by osteoclast-like giant cells. *Ann Diagn Pathol* 2: 229-240.
188. Bockmuhl U, Wolf G, Schmidt S, Schwendel A, Jahnke V, Diel M, Petersen I (1998). Genomic alterations associated with malignancy in head and neck cancer. *Head Neck* 20: 145-151.
189. Bodner SM, Koss MN (1996). Mutations in the p53 gene in pulmonary blastomas: immunohistochemical and molecular studies. *Hum Pathol* 27: 1117-1123.
190. Boffetta P, Agudo A, Ahrens W, Benhamou E, Benhamou S, Darby SC, Ferro G, Fortes C, Gonzalez CA, Jockel KH, Krauss M, Kreienbrock L, Kreuzer M, Mendes A, Merletti F, Nyberg F, Pershagen G, Pohlabein H, Riboli E, Schmid G, Simonato L, Trelandier J, Whitley E, Wichmann HE, Winck C, Zambon P, Saracci R (1998). Multicenter case-control study of exposure to environmental tobacco smoke and lung cancer in Europe. *J Natl Cancer Inst* 90: 1440-1450.
191. Boffetta P, Pershagen G, Jockel KH, Forastiere F, Gaborieau V, Heinrich J, Jahn I, Kreuzer M, Merletti F, Nyberg F, Rosch F, Simonato L (1999). Cigar and pipe smoking and lung cancer risk: a multicenter study from Europe. *J Natl Cancer Inst* 91: 697-701.
192. Boffetta P, Trichopoulos D (2002). Cancer of the lung, larynx, and pleura. In: *Textbook of Cancer Epidemiology*, Adami HO, Hunter D, Trichopoulos D, eds., Oxford University Press: Oxford, pp. 248-280.
193. Bohle A, Studer UE, Sonntag RW, Scheidegger JR (1986). Primary or secondary extragonadal germ cell tumors? *J Urol* 135: 939-943.
194. Bohm J, Fellbaum C, Bautz W, Prader HW, Hoffer H (1997). Pulmonary nodule caused by an alveolar adenoma of the lung. *Virchows Arch* 430: 181-184.
195. Boiselle PM, Patz EF Jr, Vining DJ, Weissleder R, Shepard JA, McCloud TC (1998). Imaging of mediastinal lymph nodes: CT, MR, and FDG PET. *Radiographics* 18: 1061-1069.
196. Boix E, Pico A, Pinedo R, Aranda I, Kovacs K (2002). Ectopic growth hormone-releasing hormone secretion by thymic carcinoid tumour. *Clin Endocrinol (Oxf)* 57: 131-134.
197. Bokemeyer C, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Schmol HJ, Kanz L, Einhorn L, Nichols CR, Hartmann JT (2001). Extragenital seminoma: an international multicenter analysis of prognostic factors and long term treatment outcome. *Cancer* 91: 1394-1401.
198. Bokemeyer C, Hartmann JT, Fossa SD, Droz JP, Schmol HJ, Horwich A, Gerl A, Beyer J, Pont J, Kanz L, Nichols CR, Einhorn L (2003). Extragenital germ cell tumors: relation to testicular neoplasia and management options. *APMIS* 111: 49-59.
199. Bokemeyer C, Nichols CR, Droz JP, Schmol HJ, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Kanz L, Einhorn L, Hartmann JT (2002). Extragenital germ cell tumors of the mediastinum and retroperitoneum: results from an international analysis. *J Clin Oncol* 20: 1864-1873.
200. Bonetti F, Chiodera PL, Pea M, Martignoni G, Bosi F, Zamboni G, Mariuzzi GM (1993). Transbronchial biopsy in lymphangiomyomatosis of the lung. *HMB45* for diagnosis. *Am J Surg Pathol* 17: 1092-1102.
201. Bonetti F, Pea M, Martignoni G, Doglioni C, Zamboni G, Capelli P, Rimondi P, Andron A (1994). Clear cell ("sugar") tumor of the lung is a lesion strictly related to angiomyolipoma—the concept of a family of lesions characterized by the presence of the perivascular epithelioid cells (PEC). *Pathology* 26: 230-236.
202. Boone S, Higginson LA, Walley VM (1992). Endothelial papillary fibroelastomas arising in and around the aortic sinus, filling the ostium of the right coronary artery. *Arch Pathol Lab Med* 116: 135-137.
203. Booth AM, LeGallo RD, Stoler MH, Waldron PE, Cerilli LA (2001). Pediatric angiosarcoma of the heart: a unique presentation and metastatic pattern. *Pediatr Dev Pathol* 4: 490-495.
204. Bosi G, Lintermans JP, Pellegrino PA, Svaluto-Moreolo G, Vliers A (1996). The natural history of cardiac rhabdomyoma with and without tuberous sclerosis. *Acta Paediatr* 85: 928-931.
205. Bossert T, Diegeler A, Spyrtantis N, Mohr FW (2000). Papillary fibroelastoma of the aortic valve with temporary occlusion of the left coronary ostium. *J Heart Valve Dis* 9: 842-843.
206. Boucheix C, David B, Sebban C, Racadot E, Bene MC, Bernard A, Campos L, Jouault H, Sigaux F, Lepage E, Herve P, Fiere D (1994). Immunophenotype of adult acute lymphoblastic leukemia, clinical parameters, and outcome: an analysis of a prospective trial including 562 tested patients (LALAB87). French Group on Therapy for Adult Acute Lymphoblastic Leukemia. *Blood* 84: 1603-1612.
207. Boucher LD, Yoned K (1995). The expression of trophoblastic cell markers by lung carcinomas. *Hum Pathol* 26: 1201-1206.
208. Boudousquie AC, Lawce HJ, Sherman R, Olson S, Magenis RE, Corless CL (1996). Complex translocation [7;22] identified in an epithelioid hemangioendothelioma. *Cancer Genet Cytogenet* 92: 116-121.
209. Boulanger E, Agbalika F, Maarek O, Daniel MT, Grollet L, Molina JM, Sigaux F, Oksenhender E (2001). A clinical, molecular and cytogenetic study of 12 cases of human herpesvirus 8 associated primary effusion lymphoma in HIV-infected patients. *Hematol J* 2: 172-179.
210. Bove KE, Hurtubise P, Wong KY (1985). Thymus in untreated systemic histiocytosis X. *Pediatr Pathol* 4: 99-115.
211. Brambilla E, Gazzeri S, Lantuejoul S, Coll JL, Moro D, Negoescu A, Brambilla C (1998). p53 mutant immunophenotype and deregulation of p53 transcription pathway (Bcl2, Bax, and Waf1) in precursor bronchial lesions of lung cancer. *Clin Cancer Res* 4: 1609-1618.
212. Brambilla E, Gazzeri S, Moro D, Caron de Fromental C, Gouyer V, Jacrot M, Brambilla C (1993). Immunohistochemical study of p53 in human lung carcinomas. *Am J Pathol* 143: 199-210.
213. Brambilla E, Gazzeri S, Moro D, Lantuejoul S, Veyrenc S, Brambilla C (1999). Alterations of Rb pathway (Rb-p16INK4-cyclin D1) in preinvasive bronchial lesions. *Clin Cancer Res* 5: 243-250.
214. Brambilla E, Lantuejoul S, Sturm N (2000). Divergent differentiation in neuroendocrine lung tumors. *Semin Diagn Pathol* 17: 138-148.
215. Brambilla E, Moro D, Gazzeri S, Brambilla C (1999). Alterations of expression of Rb, p16(INK4A) and cyclin D1 in non-small cell lung carcinoma and their clinical significance. *J Pathol* 188: 351-360.
216. Brambilla E, Moro D, Veale D, Brichon PY, Stoebner P, Paramelle B, Brambilla C (1992). Basal cell (basaloid) carcinoma of the lung: a new morphologic and phenotypic entity with separate prognostic significance. *Hum Pathol* 23: 993-1003.
217. Brambilla E, Negoescu A, Gazzeri S, Lantuejoul S, Moro D, Brambilla C, Coll JL (1996). Apoptosis-related factors p53, Bcl2, and Bax in neuroendocrine lung tumors. *Am J Pathol* 149: 1941-1952.
218. Brambilla E, Travis WD, Colby TV, Corrin B, Shimosato Y (2001). The new World Health Organization classification of lung tumours. *Eur Respir J* 18: 1059-1068.
219. Bramwell NH, Burns BF (1986). Histiocytosis X of the thymus in association with myasthenia gravis. *Am J Clin Pathol* 86: 224-227.
220. Brauch H, Johnson B, Hovis J, Yano T, Gazdar A, Pettengill OS, Graziano S, Sorenson GD, Polesz BJ, Minna J, Linehan M, Zbar B (1987). Molecular analysis of the short arm of chromosome 3 in small-cell and non-small-cell carcinoma of the lung. *N Engl J Med* 317: 1109-1113.
221. Bray F, Tyczynski JE, Parkin DM (2003). Going up or coming down? The changing phases of the lung cancer epidemic in the 15 European Union countries 1967-1999. *Eur J Cancer* .
222. Breeze RG, Wheeldon EB (1977). The cells of the pulmonary airways. *Am Rev Respir Dis* 116: 705-777.
223. Brennan P, Bray I (2002). Recent trends and future directions for lung cancer mortality in Europe. *Br J Cancer* 87: 43-48.
224. Breugem CC, Alders M, Salieb-Beugelaar GB, Mannens MM, Van der Horst CM, Hennekam RC (2002). A locus for hereditary capillary malformations mapped on chromosome 5q. *Hum Genet* 110: 343-347.
225. Briens E, Caulet-Maugendre S, Desruets B, Quinquent ML, Lena H, Turlin B, Delaval P (1997). Alveolar haemorrhage revealing epithelioid haemangioendothelioma. *Respir Med* 91: 111-114.
226. Brizard C, Latremouille C, Jebara VA, Acar C, Fabiani JN, Deloche A, Carpentier AF (1993). Cardiac hemangiomas. *Ann Thorac Surg* 56: 390-394.
227. Brocheriou I, Carnot F, Briere J (1995). Immunohistochemical detection of bcl-2 protein in thymoma. *Histopathology* 27: 251-255.
228. Brown CC, Kessler LG (1988). Projections of lung cancer mortality in the United States: 1985-2025. *J Natl Cancer Inst* 80: 43-51.
229. Brown K, Collins JD, Batra P, Steckel RJ, Kagan AR (1989). Mediastinal germ cell tumor in a young woman. *Med Pediatr Oncol* 17: 164-167.
230. Brown MD, Reidbord HE (1967). Congenital pulmonary lymphangiectasis. *Am J Dis Child* 114: 654-657.
231. Brugières L, Deley MC, Pacquement H, Meguerian-Bedoyan Z, Terrier-Lacombe MJ, Robert A, Pondarre C, Leverger G, Devalck C, Rodary C, Delsol G, Hartmann O (1998). CD30(+) anaplastic large-cell lymphoma in children: analysis of 82 patients enrolled in two consecutive studies of the French Society of Pediatric Oncology. *Blood* 92: 3591-3598.
232. Brundage MD, Davies D, Mackillop WJ (2002). Prognostic factors in non-small cell lung cancer: a decade of progress. *Chest* 122: 1037-1057.
233. Brunnemann RB, Ro JY, Ordonez NG, Mooney J, el Naggar AK, Ayala AG (1999). Extraleural solitary fibrous tumor: a clinicopathologic study of 24 cases. *Mod Pathol* 12: 1034-1042.
234. Bruton D, Herdson PB, Becroft DM (1977). Histiocytoid cardiomyopathy of infancy: an unexplained myofibre degeneration. *Pathology* 9: 115-122.
235. Buckley C, Douek D, Newsom-Davis J, Vincent A, Willcox N (2001). Mature, long-lived CD4+ and CD8+ T cells are generated by the thymoma in myasthenia gravis. *Ann Neurol* 50: 64-72.
236. Bukowski RM (1993). Management of advanced and extragonadal germ-cell tumors. *Urol Clin North Am* 20: 153-160.
237. Bukowski RM, Wolf M, Kulander BG, Montie J, Crawford ED, Blumenstein B (1993). Alternating combination chemotherapy in patients with extragonadal germ cell tumors. A Southwest Oncology Group study. *Cancer* 71: 2631-2638.
238. Burbee DG, Forgacs E, Zochbauer-Muller S, Shivakumar L, Fong K, Gao B, Randle D, Kondo M, Virmani A, Bader S, Sekido Y, Latif F, Milchgrub S, Toyooka S, Gazdar AF, Lerman MI, Zbarovsky E, White M, Minna JD (2001). Epigenetic inac-

- tivation of RASSF1A in lung and breast cancers and malignant phenotype suppression. *J Natl Cancer Inst* 93: 691-699.
- 239.** Burke A, Johns JP, Virmani R (1990). Hemangiomas of the heart. A clinicopathologic study of ten cases. *Am J Cardiovasc Pathol* 3: 283-290.
- 240.** Burke AP, Anderson PG, Virmani R, James TN, Herrera GA, Ceballos R (1990). Tumor of the atrioventricular nodal region. A clinical and immunohistochemical study. *Arch Pathol Lab Med* 114: 1057-1062.
- 241.** Burke AP, Gatto-Weis C, Griego JE, Ellington KS, Virmani R (2002). Adult cellular rhabdomyoma of the heart: a report of 3 cases. *Hum Pathol* 33: 1092-1097.
- 242.** Burke AP, Litovsky S, Virmani R (1996). Lipomatous hypertrophy of the atrial septum presenting as a right atrial mass. *Am J Surg Pathol* 20: 678-685.
- 243.** Burke AP, Ribe JK, Bajaj AK, Edwards WD, Farb A, Virmani R (1998). Hamartoma of mature cardiac myocytes. *Hum Pathol* 29: 904-909.
- 244.** Burke AP, Rosado-de-Christenson M, Templeton PA, Virmani R (1994). Cardiac fibroma: clinicopathologic correlates and surgical treatment. *J Thorac Cardiovasc Surg* 108: 862-870.
- 245.** Burke AP, Virmani R (1993). Cardiac myxoma. A clinicopathologic study. *Am J Clin Pathol* 100: 671-680.
- 246.** Burke AP, Virmani R (1993). Sarcomas of the great vessels. A clinicopathologic study. *Cancer* 71: 1761-1773.
- 247.** Burke AP, Virmani R (1995). Atlas of Tumor Pathology. 3rd ed. Armed Forces Institute of Pathology: Washington, DC.
- 248.** Burke AP, Virmani R (1996). Tumors of the Cardiovascular System. Armed Forces Institute of Pathology: Washington, DC.
- 249.** Burke AP, Virmani R (1996). Tumors of the Heart and Great Vessels. 3rd ed. Armed Forces Institute of Pathology: Washington, DC.
- 250.** Burke AP, Virmani R (2003). The cardiovascular system. In: Principles and Practice of Surgical Pathology and Cytopathology, Silverberg S, ed., Churchill Livingstone: New York.
- 251.** Burke L, Khan MA, Freedman AN, Gemma A, Rusin M, Guinee DG, Bennett WP, Caporaso NE, Fleming MV, Travis WD, Colby TV, Trastek V, Pairolero PC, Tazelaar HD, Midhun DE, Liotta LA, Harris CC (1998). Allelic deletion analysis of the FHIT gene predicts poor survival in non-small cell lung cancer. *Cancer Res* 58: 2533-2536.
- 252.** Burke LM, Rush WI, Khoo A, Mackay B, Oliveira P, Whitsett JA, Singh G, Turnicky R, Fleming MV, Koss MN, Travis WD (1999). Alveolar adenoma: a histochemical, immunohistochemical, and ultrastructural analysis of 17 cases. *Hum Pathol* 30: 158-167.
- 253.** Burmeister B, Schwerdtle T, Poser I, Hoffmann E, Hartwig A, Muller WU, Rettenmeier AW, Seemayer NH, Dopp E (2004). Effects of asbestos on initiation of DNA damage, induction of DNA-strand breaks, P53-expression and apoptosis in primary, SV40-transformed and malignant human mesothelial cells. *Mutat Res* 558: 81-92.
- 254.** Burn CG, Bishop MB, Davies JN (1969). A stalked papillary tumor of the mural endocardium. *Am J Clin Pathol* 51: 344-346.
- 255.** Burns TR, Underwood RD, Greenberg SD, Teasdale TA, Cartwright Jr (1989). Cytomorphometry of large cell carcinoma of the lung. *Anal Quant Cytol Histol* 11: 48-52.
- 256.** Burt M, Ihde JK, Hajdu SI, Smith JW, Bains MS, Downey R, Martini N, Rusch VW, Ginsberg RJ (1998). Primary sarcomas of the mediastinum: results of therapy. *J Thorac Cardiovasc Surg* 115: 671-680.
- 257.** Bussey KJ, Lawce HJ, Himoe E, Shu XO, Heerema NA, Perlman EJ, Olson SB, Magenis RE (2001). SNRPN methylation patterns in germ cell tumors as a reflection of primordial germ cell development. *Genes Chromosomes Cancer* 32: 342-352.
- 258.** Bussey KJ, Lawce HJ, Olson SB, Arthur DC, Kalousek DK, Krailo M, Giller R, Heifetz S, Womer R, Magenis RE (1999). Chromosome abnormalities of eighty-one pediatric germ cell tumors: sex-, age-, site-, and histopathology-related differences—a Children's Cancer Group study. *Genes Chromosomes Cancer* 25: 134-146.
- 259.** Butany J, Yu W (2000). Cardiac angiosarcoma: two cases and a review of the literature. *Can J Cardiol* 16: 197-205.
- 260.** Butkiewicz D, Cole KJ, Phillips DH, Harris CC, Chorazy M (1999). GSTM1, GSTP1, CYP1A1 and CYP2D6 polymorphisms in lung cancer patients from an environmentally polluted region of Poland: correlation with lung DNA adduct levels. *Eur J Cancer Prev* 8: 315-323.
- 261.** Butnor KJ, Sporn TA, Hammar SP, Roggli VL (2001). Well-differentiated papillary mesothelioma. *Am J Surg Pathol* 25: 1304-1309.
- 262.** Butterworth JS, Poindexter CA (1973). Papilloma of cusp of the aortic valve. Report of a patient with sudden death. *Circulation* 48: 213-215.
- 263.** Byrd RB, Carr DT, Miller WE, Payne WS, Woolner LB (1969). Radiographic abnormalities in carcinoma of the lung as related to histological cell type. *Thorax* 24: 573-575.
- 264.** Byrd RB, Miller WE, Carr DT, Payne WS, Woolner LB (1968). The roentgenographic appearance of squamous cell carcinoma of the bronchus. *Mayo Clin Proc* 43: 327-332.
- 265.** Cabarcos A, Gomez Dorransoro M, Lobo Berstain JL (1985). Pulmonary carcinosarcoma: a case study and review of the literature. *Br J Dis Chest* 79: 83-94.
- 266.** Cabin HS, Costello RM, Vasudevan G, Maron BJ, Roberts WC (1981). Cardiac lymphoma mimicking hypertrophic cardiomyopathy. *Am Heart J* 102: 466-468.
- 267.** Cacciotti P, Libener R, Betta P, Martini F, Porta C, Procopio A, Strizzi L, Penning L, Tognon M, Mutti L, Gaudino G (2001). SV40 replication in human mesothelial cells induces HGF/Met receptor activation: a model for viral-related carcinogenesis of human malignant mesothelioma. *Proc Natl Acad Sci U S A* 98: 12032-12037.
- 268.** Cagini L, Nicholson AG, Horwich A, Goldstraw P, Pastorino U (1998). Thoracic metastasectomy for germ cell tumours: long term survival and prognostic factors. *Ann Oncol* 9: 1185-1191.
- 269.** Cagle PT, el Naggar AK, Xu HJ, Hu SX, Benedict WF (1997). Differential retinoblastoma protein expression in neuroendocrine tumors of the lung. Potential diagnostic implications. *Am J Pathol* 150: 393-400.
- 270.** Cagle PT, Taylor LD, Schwartz MR, Ramzy I, Elder FF (1989). Cytogenetic abnormalities common to adenocarcinoma metastatic to the pleura. *Cancer Genet Cytogenet* 39: 219-225.
- 271.** Cagle PT, Truong LD, Roggli VL, Greenberg SD (1989). Immunohistochemical differentiation of sarcomatoid mesotheliomas from other spindle cell neoplasms. *Am J Clin Pathol* 92: 566-571.
- 272.** Cai YC, Banner B, Glickman J, Odze RD (2001). Cytokeratin 7 and 20 and thyroid transcription factor 1 can help distinguish pulmonary from gastrointestinal carcinoid and pancreatic endocrine tumors. *Hum Pathol* 32: 1087-1093.
- 273.** Cairns P, Butany J, Fulop J, Rakowski H, Hassaram S (1987). Cardiac presentation of non-Hodgkin's lymphoma. *Arch Pathol Lab Med* 111: 80-83.
- 274.** Cajal S, Suster S (1991). Primary thymic epithelial neoplasms in children. *Am J Surg Pathol* 15: 466-474.
- 275.** Cane ME, Berrizbeitia LD, Yang SS, Mahapatro D, McGrath LB (1996). Paraganglioma of the interatrial septum. *Ann Thorac Surg* 61: 1845-1847.
- 276.** Cangemi V, Volpino P, D'Andrea N, Puopolo M, Fabrizi S, Lonardo MT, Piat G (1995). Local and/or distant recurrences in T1-2/N0-1 non-small cell lung cancer. *Eur J Cardiothorac Surg* 9: 473-478.
- 277.** Cauty TG, Siemens R (1978). Malignant mediastinal teratoma in a 15-year-old girl. *Cancer* 41: 1623-1626.
- 278.** Capello D, Gaidano G, Gallicchio M, Ghoghini A, Medico E, Vivenza D, Buonaio D, Fassone L, Avanzi GC, Saglio G, Prat M, Carbone A (2000). The tyrosine kinase receptor met and its ligand HGF are co-expressed and functionally active in HHV-8 positive primary effusion lymphoma. *Leukemia* 14: 285-291.
- 279.** Caputi M, Groeger AM, Esposito V, De Luca A, Masciullo V, Mancini A, Baldi F, Wolner E, Giordano A (2002). Loss of pRb2/p130 expression is associated with unfavorable clinical outcome in lung cancer. *Clin Cancer Res* 8: 3850-3856.
- 280.** Caralps JM, Marti V, Ferrer P, Ruyra X, Subirana MT (1998). Mitral valve repair after excision of a fibrolipoma. *Ann Thorac Surg* 66: 1808-1809.
- 281.** Carbone A, Ghoghini A, Cozzi MR, Capello D, Steffan A, Monini P, De Marco L, Gaidano G (2000). Expression of MUM1/IRF4 selectively clusters with primary effusion lymphoma among lymphomatous effusions: implications for disease histogenesis and pathogenesis. *Br J Haematol* 111: 247-257.
- 282.** Carbone A, Ghoghini A, Vaccher E, Zagonel V, Pastore C, Dalla Palma P, Branz F, Saglio G, Volpe R, Tirelli U, Gaidano G (1996). Kaposi's sarcoma-associated herpesvirus DNA sequences in AIDS-related and AIDS-unrelated lymphomatous effusions. *Br J Haematol* 94: 533-543.
- 283.** Carbone M, Pass HI, Rizzo P, Marinetti M, Di Muzio M, Mew DJ, Levine AS, Procopio A (1994). Simian virus 40-like DNA sequences in human pleural mesothelioma. *Oncogene* 9: 1781-1790.
- 284.** Carbone M, Rizzo P, Grimley PM, Procopio A, Mew DJ, Shridhar V, de Bartolomeis A, Esposito V, Giuliano MT, Steinberg SM, Levine AS, Giordano A, Pass HI (1997). Simian virus-40 large-T antigen binds p53 in human mesotheliomas. *Nat Med* 3: 908-912.
- 285.** Carbone M, Rizzo P, Grimley PM, Procopio A, Mew DJ, Shridhar V, de Bartolomeis A, Esposito V, Giuliano MT, Steinberg SM, Levine AS, Giordano A, Pass HI (1997). Simian virus-40 large-T antigen binds p53 in human mesotheliomas. *Nat Med* 3: 908-912.
- 286.** Carella R, Deleonardi G, D'Errico A, Salerno A, Egarter-Vigl E, Seebacher C, Donazzan G, Grigioni WF (2001). Immunohistochemical panels for differentiating epithelial malignant mesothelioma from lung adenocarcinoma: a study with logistic regression analysis. *Am J Surg Pathol* 25: 433-50.
- 287.** Carey FA (1998). Pulmonary adenocarcinoma: classification and molecular biology. *J Pathol* 184: 229-230.
- 288.** Carey FA, Wallace WA, Fergusson RJ, Kerr KM, Lamb D (1992). Alveolar atypical hyperplasia in association with primary pulmonary adenocarcinoma: a clinicopathologic study of 10 cases. *Thorax* 47: 1041-1043.
- 289.** Carles J, Rosell R, Ariza A, Pellicer I, Sanchez JJ, Fernandez-Vasalo G, Abad A, Barnadas A (1993). Neuroendocrine differentiation as a prognostic factor in non-small cell lung cancer. *Lung Cancer* 10: 209-219.
- 290.** Carlin BW, Harrell JH, Olson LK, Moser KM (1989). Endobronchial metastases due to colorectal carcinoma. *Chest* 96: 1110-1114.
- 291.** Carmelli D, Swan GE, Robinette D, Fabsitz R (1992). Genetic influence on smoking—a study of male twins. *N Engl J Med* 327: 829-833.
- 292.** Carney JA (1979). The triad of gastric epithelioid leiomyosarcoma, functioning extra-adrenal paraganglioma, and pulmonary chondroma. *Cancer* 43: 374-382.
- 293.** Carney JA (1985). Differences between nonfamilial and familial cardiac myxoma. *Am J Surg Pathol* 9: 53-55.
- 294.** Carney JA (1999). Gastric stromal sarcoma, pulmonary chondroma, and extra-adrenal paraganglioma (Carney Triad): natural history, adrenocortical component, and possible familial occurrence. *Mayo Clin Proc* 74: 543-552.
- 295.** Carney JA, Gordon H, Carpenter PC, Shenoy BV, Go VL (1985). The complex of myxomas, spotty pigmentation, and endocrine overactivity. *Medicine (Baltimore)* 64: 270-283.
- 296.** Carney JA, Sweet RG (2002). Carney complex. *Am J Surg Pathol* 26: 393.
- 297.** Carsillo T, Astrinidis A, Henske EP (2000). Mutations in the tuberous sclerosis complex gene TSC2 are a cause of sporadic pulmonary lymphangioleiomyomatosis. *Proc Natl Acad Sci U S A* 97: 6085-6090.
- 298.** Carter EJ, Bradburne RM, Jung JW, Etennsloh DB (1990). Alveolar hemorrhage with epithelioid hemangioendothelioma. A previously unreported manifestation of a rare tumor. *Am Rev Respir Dis* 142: 700-701.
- 299.** Casey M, Mah C, Merliss AD, Kirschner LS, Taymans SE, Denio AE, Korf B, Irvine AD, Hughes A, Carney JA, Stratakis CA, Basson CT (1998). Identification of a novel genetic locus for familial cardiac myxomas and Carney complex. *Circulation* 98: 2560-2566.
- 300.** Casselman FP, Gillinov AM, Kasirajan V, Ratliff NB, Cosgrove DMI (1999). Primary synovial sarcoma of the left heart. *Ann Thorac Surg* 68: 2329-2331.
- 301.** Castorino F, Masiello P, Quattrocchi E, Di Benedetto G (2000). Primary cardiac rhabdomyosarcoma of the left atrium: an unusual presentation. *Tex Heart Inst J* 27: 206-208.
- 302.** Castro CY, Ostrowski ML, Barrios R, Green LK, Popper HH, Powell S, Cagle PT, Ro JY (2001). Relationship between Epstein-Barr virus and lymphoepithelioma-like carcinoma of the lung: a clinicopathologic study of 6 cases and review of the literature. *Hum Pathol* 32: 863-872.
- 303.** Castro M, Shepherd CW, Gomez MR,

- Lie JT, Ryu JH (1995). Pulmonary tuberous sclerosis. *Chest* 107: 189-195.
304. Cavazza A, Colby TV, Tsokos M, Rush W, Travis WD (1996). Lung tumors with a rhabdoid phenotype. *Am J Clin Pathol* 105: 182-188.
305. Cazals-Hatem D, Lepage E, Brice P, Ferrant A, d'Agay MF, Baumelou E, Briere J, Blanc M, Gaulard P, Biron P, Schlaifer D, Diebold J, Audouin J (1996). Primary mediastinal large B-cell lymphoma. A clinicopathologic study of 141 cases compared with 916 nonmediastinal large B-cell lymphomas, a GELA ("Groupe d'Etude des Lymphomes de l'Adulte") study. *Am J Surg Pathol* 20: 877-888.
306. Castellano-Quintal JM, Pinto-Escalante D, Castillo-Zapata I (1996). A new case of Klippel-Trenaunay-Weber (KTW) syndrome: evidence of autosomal dominant inheritance. *Am J Med Genet* 63: 426-427.
307. Centofanti P, Di Rosa E, Deorsola L, Dato GM, Patane F, La Torre M, Barbato L, Verzini A, Fortunato G, di Summa M (1999). Primary cardiac tumors: early and late results of surgical treatment in 91 patients. *Ann Thorac Surg* 68: 1236-1241.
308. Ceresoli GL, Ferreri AJ, Bucci E, Ripa C, Ponzoni M, Villa E (1997). Primary cardiac lymphoma in immunocompetent patients: diagnostic and therapeutic management. *Cancer* 80: 1497-1506.
309. Cerfolio RJ, Allen MS, Nascimento AG, Deschamps C, Trastek VF, Miller DL, Pairolo PC (1999). Inflammatory pseudotumors of the lung. *Ann Thorac Surg* 67: 933-936.
310. Cerilli LA, Huffman HT, Anand A (1998). Primary renal angiosarcoma: a case report with immunohistochemical, ultrastructural, and cytogenetic features and review of the literature. *Arch Pathol Lab Med* 10: 929-935.
311. Cesarman E, Chang Y, Moore PS, Said JW, Knowles DM (1995). Kaposi's sarcoma-associated herpesvirus-like DNA sequences in AIDS-related body-cavity-based lymphomas. *N Engl J Med* 332: 1186-1191.
312. Cessna MH, Zhou H, Sanger WG, Perkins SL, Tripp S, Pickering D, Daines C, Coffin CM (2002). Expression of ALK1 and p80 in inflammatory myofibroblastic tumor and its mesenchymal mimics: a study of 135 cases. *Mod Pathol* 15: 931-938.
313. Cha SD, Incarvito J, Fernandez J, Chang KS, Maranhao V, Gooch AS (1981). Giant Lambli's excrescences of papillary muscle and aortic valve: echocardiographic, angiographic, and pathologic findings. *Clin Cardiol* 4: 51-54.
314. Chaganti RS, Houldsworth J (2000). Genetics and biology of adult human male germ cell tumors. *Cancer Res* 60: 1475-1482.
315. Chaganti RS, Ladanyi M, Samaniego F, Offit K, Reuter VE, Jhanwar SC, Bosl GJ (1989). Leukemic differentiation of a mediastinal germ cell tumor. *Genes Chromosomes Cancer* 1: 83-87.
316. Chaganti RS, Rodriguez E, Mathew S (1994). Origin of adult male mediastinal germ-cell tumours. *Lancet* 343: 1130-1132.
317. Chalabreysse L, Berger F, Loire R, Devouassoux G, Cordier JF, Thivolet-Bejui F (2002). Primary cardiac lymphoma in immunocompetent patients: a report of three cases and review of the literature. *Virchows Arch* 441: 456-461.
318. Chalabreysse L, Roy P, Cordier JF, Loire R, Gamondes JP, Thivolet-Bejui F (2002). Correlation of the WHO schema for the classification of thymic epithelial neoplasms with prognosis: a retrospective study of 90 tumors. *Am J Surg Pathol* 26: 1605-1611.
319. Chambers AF, Groom AC, MacDonald IC (2002). Dissemination and growth of cancer cells in metastatic sites. *Nat Rev Cancer* 2: 563-572.
320. Chan AC, Chan KW, Chan JK, Au WY, Ho WK, Ng WM (2001). Development of follicular dendritic cell sarcoma in hyaline-vascular Castleman's disease of the nasopharynx: tracing its evolution by sequential biopsies. *Histopathology* 38: 510-518.
321. Chan JK (2000). Images in Pathology. *Int J Surg Pathol* 8: 240.
322. Chan JK, Cheuk W, Shimizu M (2001). Anaplastic lymphoma kinase expression in inflammatory pseudotumors. *Am J Surg Pathol* 25: 761-768.
323. Chan JK, Fletcher CD, Nayler SJ, Cooper K (1997). Follicular dendritic cell sarcoma. Clinicopathologic analysis of 17 cases suggesting a malignant potential higher than currently recognized. *Cancer* 79: 294-313.
324. Chan JK, Hui PK, Tsang WY, Law CK, Ma CC, Yip TT, Poon YF (1995). Primary lymphoepithelioma-like carcinoma of the lung. A clinicopathologic study of 11 cases. *Cancer* 76: 413-422.
325. Chan JK, Sin VC, Wong KF, Ng CS, Tsang WY, Chan CH, Cheung MM, Lau WH (1997). Nonnasal lymphoma expressing the natural killer cell marker CD56: a clinicopathologic study of 49 cases of an uncommon aggressive neoplasm. *Blood* 89: 4501-4513.
326. Chan JK, Suster S, Wenig BM, Tsang WY, Chan JB, Lau AL (1997). Cytokeratin 20 immunoreactivity distinguishes Merkel cell (primary cutaneous neuroendocrine) carcinomas and salivary gland small cell carcinomas from small cell carcinomas of various sites. *Am J Surg Pathol* 21: 226-234.
327. Chan JK, Tsang WY, Seneviratne S, Pau MY (1995). The MIC2 antibody 013. Practical application for the study of thymic epithelial tumors. *Am J Surg Pathol* 19: 1115-1123.
328. Chan JKC, Yip TTC, Tsang WYW, Seneviratne S, Poon YF, Wong CSC, Ma VWS (1994). Lack of evidence of pathogenetic role of Epstein-Barr virus in thymic lymphoid hyperplasia and thymomas in the Chinese population of Hong Kong. *Int J Surg Pathol* 2: 17-22.
329. Chan KL, Veinot J, Leach A, Bedard P, Smith S, Marquis JF (2001). Diagnosis of left atrial sarcoma by transvenous endocardial biopsy. *Can J Cardiol* 17: 206-208.
330. Chang YL, Lee YC, Shih JY, Wu CT (2001). Pulmonary pleomorphic (spindle) cell carcinoma: peculiar clinicopathologic manifestations different from ordinary non-small cell carcinoma. *Lung Cancer* 34: 91-97.
331. Chang YL, Wu CT, Shih JY, Lee YC (2002). New aspects in clinicopathologic and oncogene studies of 23 pulmonary lymphoepithelioma-like carcinomas. *Am J Surg Pathol* 26: 715-723.
332. Chang YS, Kong G, Sun S, Liu D, el Naggar AK, Khuri FR, Hong WK, Lee HY, Gong K (2002). Clinical significance of insulin-like growth factor-binding protein-3 expression in stage I non-small cell lung cancer. *Clin Cancer Res* 8: 3796-3802.
333. Chapman AD, Kerr KM (2000). The association between atypical adenomatous hyperplasia and primary lung cancer. *Br J Cancer* 83: 632-636.
334. Chapman AD, Thetford D, Kerr KM (2000). Pathological and clinical investigation of pulmonary atypical adenomatous hyperplasia and its association with primary lung adenocarcinoma. *Lung Cancer* 29(S1): 215-216.
335. Chariot P, Monnet I, Gaulard P, Abd-Allah S, Ruffie P, De Cremoux H (1993). Systemic mastocytosis following mediastinal germ cell tumor: an association confirmed. *Hum Pathol* 24: 111-112.
336. Charloux A, Quoix E, Wolkove N, Small D, Pauli G, Kreisman H (1997). The increasing incidence of lung adenocarcinoma: reality or artefact? A review of the epidemiology of lung adenocarcinoma. *Int J Epidemiol* 26: 14-23.
337. Chejfec G, Candel A, Jansson DS, Warren WH, Koukoulis GK, Gould JE, Manderino GL, Gooch GT, Gould VE (1991). Immunohistochemical features of giant cell carcinoma of the lung: patterns of expression of cytokeratins, vimentin, and the mucin glycoprotein recognized by monoclonal antibody A-80. *Ultrastruct Pathol* 15: 131-138.
338. Chen FF, Yan JJ, Chang KC, Lai WW, Chen RM, Jin YT (1996). Immunohistochemical localization of Mcl-1 and bcl-2 proteins in thymic epithelial tumours. *Histopathology* 29: 541-547.
339. Chen FF, Yan JJ, Jin YT, Su IJ (1996). Detection of bcl-2 and p53 in thymoma: expression of bcl-2 as a reliable marker of tumor aggressiveness. *Hum Pathol* 27: 1089-1092.
340. Chen FF, Yan JJ, Lai WW, Jin YT, Su IJ (1998). Epstein-Barr virus-associated non-small cell lung carcinoma: undifferentiated "lymphoepithelioma-like" carcinoma as a distinct entity with better prognosis. *Cancer* 82: 2334-2342.
341. Chen G, Marx A, Wen-Hu C, Yong J, Puppe B, Stroebel P, Mueller-Hermelink HK (2002). New WHO histologic classification predicts prognosis of thymic epithelial tumors: a clinicopathologic study of 200 thymoma cases from China. *Cancer* 95: 420-429.
342. Chen HM, Chiu CC, Lee CS, Lai WD, Lin YT (2001). Intractable ventricular tachycardia in a patient with left ventricular epicardial lipoma. *J Formos Med Assoc* 100: 339-342.
343. Chen PC, Pan CC, Yang AH, Wang LS, Chiang H (2002). Detection of Epstein-Barr virus genome within thymic epithelial tumours in Taiwanese patients by nested PCR, PCR in situ hybridization, and RNA in situ hybridization. *J Pathol* 197: 684-688.
344. Chen W, Chan CW, Mok C (1982). Malignant fibrous histiocytoma of the mediastinum. *Cancer* 50: 797-800.
345. Cheng JQ, Jhanwar SC, Klein WM, Bell DW, Lee WC, Altomare DA, Nobori T, Olopade OI, Buckler AJ, Testa JR (1994). p16 alterations and deletion mapping of 9p21-p22 in malignant mesothelioma. *Cancer Res* 54: 5547-5551.
346. Cheng JQ, Lee WC, Klein MA, Cheng GZ, Jhanwar SC, Testa JR (1999). Frequent mutations of NF2 and allelic loss from chromosome band 22q12 in malignant mesothelioma: evidence for a two-hit mechanism of NF2 inactivation. *Genes Chromosomes Cancer* 24: 238-242.
347. Cheng TO (2000). Role of selective coronary arteriography in patients with cardiac myxoma. *Cardiology* 94: 263.
348. Cheng YL, Lee SC, Harn HJ, Chen CJ, Chang YC, Chen JC, Yu CP (2003). Prognostic prediction of the immunohistochemical expression of p53 and p16 in resected non-small cell lung cancer. *Eur J Cardiothorac Surg* 23: 221-228.
349. Chetty R, Batitang S, Govender D (1997). Large cell neuroendocrine carcinoma of the thymus. *Histopathology* 31: 274-276.
350. Chetty R, Bhana B, Batitang S, Govender D (1997). Lung carcinomas composed of rhabdoid cells. *Eur J Surg Oncol* 23: 432-434.
351. Cheuk W, Kwan MY, Suster S, Chan JK (2001). Immunostaining for thyroid transcription factor 1 and cytokeratin 20 aids the distinction of small cell carcinoma from Merkel cell carcinoma, but not pulmonary from extrapulmonary small cell carcinomas. *Arch Pathol Lab Med* 25: 228-231.
352. Chhieng DC, Cangiarella JF, Zakowski MF, Goswami S, Cohen JM, Yee HT (2001). Use of thyroid transcription factor 1, PE-10, and cytokeratins 7 and 20 in discriminating between primary lung carcinomas and metastatic lesions in fine-needle aspiration biopsy specimens. *Cancer* 93: 330-336.
353. Chibon F, Mairal A, Freneaux P, Terrier P, Coindre JM, Sastre X, Aurias A (2000). The RB1 gene is the target of chromosome 13 deletions in malignant fibrous histiocytoma. *Cancer Res* 60: 6339-6345.
354. Chilosi M, Castelli P, Martignoni G, Pizzolo G, Montresor E, Facchetti F, Truini M, Mombello A, Lestani M, Scarpa A (1992). Neoplastic epithelial cells in a subset of human thymomas express the B cell-associated CD20 antigen. *Am J Surg Pathol* 16: 988-997.
355. Chilosi M, Doglioni C, Yan Z, Lestani M, Menestrina F, Sorio C, Benedetti A, Vinante F, Pizzolo G, Inghirami G (1998). Differential expression of cyclin-dependent kinase 6 in cortical thymocytes and T-cell lymphoblastic lymphoma/leukemia. *Am J Pathol* 152: 209-217.
356. Chitwood WR Jr (1988). Cardiac neoplasms: current diagnosis, pathology, and therapy. *J Card Surg* 3: 119-154.
357. Chiyo M, Fujisawa T, Yasukawa T, Shiba M, Shibuya K, Sekine Y, Hiroshima K, Ohwada H (2001). Successful resection of a primary liposarcoma in the anterior mediastinum in a child: report of a case. *Surg Today* 31: 230-232.
358. Cho KJ, Ha CW, Koh JS, Zo JJ, Jang JJ (1993). Thymic carcinoid tumor combined with thymoma—neuroendocrine differentiation in thymoma? *J Korean Med Sci* 8: 458-463.
359. Choi PC, To KF, Lai FM, Lee TW, Yim AP, Chan JK (2000). Follicular dendritic cell sarcoma of the neck: report of two cases complicated by pulmonary metastases. *Cancer* 89: 664-672.
360. Choi WW, Lui YH, Lau WH, Crowley P, Khan A, Chan JK (2003). Adenocarcinoma of the thymus: report of two cases, including a previously undescribed mucinous subtype. *Am J Surg Pathol* 27: 124-130.
361. Chopra P, Ray R, Airan B, Talwar KK, Venugopal P (1999). Appraisal of histogenesis of cardiac myxoma: our experience of 78 cases and review of literature. *Indian Heart J* 51: 69-74.
362. Chopra P, Ray R, Singh MK, Venugopal P (2003). Cardiac myxoma with glandular elements: a histologic, histochemical and immunohistochemical evaluation. *Indian Heart J* 55: 182-184.
363. Chou ST, Arkes LB, Gill GD, Pinkus N, Parkin A, Hicks JD (1983). Primary lymphoma of the heart. A case report. *Cancer* 52: 744-747.

364. Chow LT, Chow WH, Tsui WM, Chan SK, Lee JC (1995). Fine-needle aspiration cytologic diagnosis of lymphoepithelioma-like carcinoma of the lung. Report of two cases with immunohistochemical study. *Am J Clin Pathol* 103: 35-40.
365. Christiansen S, Stypmann J, Baba HA, Hammel D, Scheld HH (2000). Surgical management of extensive lipomatous hypertrophy of the right atrium. *Cardiovasc Surg* 8: 88-90.
366. Chu P, Wu E, Weiss LM (2000). Cytokeratin 7 and cytokeratin 20 expression in epithelial neoplasms: a survey of 435 cases. *Mod Pathol* 13: 962-972.
367. Chu PG, Weiss LM (2002). Expression of cytokeratin 5/6 in epithelial neoplasms: an immunohistochemical study of 509 cases. *Mod Pathol* 15: 6-10.
368. Chu PG, Weiss LM (2002). Keratin expression in human tissues and neoplasms. *Histopathology* 40: 403-439.
369. Chubachi A, Miura I, Takahashi N, Nimura T, Imai H, Miura AB (1993). Acute myelogenous leukemia associated with a mediastinal tumor. *Leuk Lymphoma* 12: 143-146.
370. Chujo M, Noguchi T, Miura T, Arinaga M, Uchida Y, Tagawa Y (2002). Comparative genomic hybridization analysis detected frequent overrepresentation of chromosome 3q in squamous cell carcinoma of the lung. *Lung Cancer* 38: 23-29.
371. Chung CK, Zaino R, Stryker JA, O'Neill MJr, DeMuth WE Jr (1982). Carcinoma of the lung: evaluation of histological grade and factors influencing prognosis. *Ann Thorac Surg* 33: 599-604.
372. Churg A, Johnston WH, Stulberg M (1980). Small cell squamous and mixed small cell squamous—small cell anaplastic carcinomas of the lung. *Am J Surg Pathol* 4: 255-263.
373. Churg A, Warnock ML (1976). Pulmonary tumorlet. A form of peripheral carcinoid. *Cancer* 37: 1469-1477.
374. Cicala C, Pompetti F, Carbone M (1993). SV40 induces mesotheliomas in hamsters. *Am J Pathol* 142: 1524-1533.
375. Clark J, Rocques PJ, Crew AJ, Gill S, Shipley J, Chan AM, Gusterson BA, Cooper CS (1994). Identification of novel genes, SYT and SSX, involved in the t(X;18)(p11.2;q11.2) translocation found in human synovial sarcoma. *Nat Genet* 7: 502-508.
376. Clark OH (1988). Mediastinal parathyroid tumors. *Arch Surg* 123: 1096-1100.
377. Clement PB, Young RH, Scully RE (1987). Endometrioid-like variant of ovarian yolk sac tumor. A clinicopathological analysis of eight cases. *Am J Surg Pathol* 11: 767-778.
378. Close PM, Kirchner T, Uys CJ, Muller-Hermelink HK (1995). Reproducibility of a histogenetic classification of thymic epithelial tumours. *Histopathology* 26: 339-343.
379. Cobo F, Hernandez S, Hernandez L, Pinyol M, Bosch F, Esteve J, Lopez-Guillermo A, Palacin A, Raffeld M, Montserrat E, Jaffe ES, Campo E (1999). Expression of potentially oncogenic HHV-8 genes in an EBV-negative primary effusion lymphoma occurring in an HIV-seronegative patient. *J Pathol* 189: 288-293.
380. Codish S, Abu-Shakra M, Ariad S, Zirkin HJ, Yermiyahu T, Dupin N, Boshoff C, Suenik S (2000). Manifestations of three HHV-8-related diseases in an HIV-negative patient: immunoblastic variant multicentric Castleman's disease, primary effusion lymphoma, and Kaposi's sarcoma. *Am J Hematol* 65: 310-314.
381. Coffin CM, Humphrey PA, Dehner LP (1998). Extrapulmonary inflammatory myofibroblastic tumor: a clinical and pathological survey. *Semin Diagn Pathol* 15: 85-101.
382. Coffin CM, Jaszcz W, O'Shea PA, Dehner LP (1994). So-called congenital-infantile fibrosarcoma: does it exist and what is it? *Pediatr Pathol* 14: 133-150.
383. Coffin CM, Patel A, Perkins S, Elenitoba-Johnson KS, Perlman E, Griffin CA (2001). ALK1 and p80 expression and chromosomal rearrangements involving 2p23 in inflammatory myofibroblastic tumor. *Mod Pathol* 14: 569-576.
384. Coffin CM, Watterson J, Priest JR, Dehner LP (1995). Extrapulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). A clinicopathologic and immunohistochemical study of 84 cases. *Am J Surg Pathol* 19: 859-872.
385. Cohen-Barak O, Hagiwara N, Arlt MF, Horton JP, Brilliant MH (2001). Cloning, characterization and chromosome mapping of the human SOX6 gene. *Gene* 265: 157-164.
386. Cohen MB, Friend DS, Molnar JJ, Talerman A (1987). Gonadal endodermal sinus (yolk sac) tumor with pure intestinal differentiation: a new histologic type. *Pathol Res Pract* 182: 609-616.
387. Coindre JM, Terrier P, Bui NB, Bonichon F, Collin F, Le Doussal V, Mandard AM, Vilain MO, Jacquemier J, Duplay H, Sastre X, Barlier C, Henry-Amar M, Mace-Lesech J, Contesso G (1996). Prognostic factors in adult patients with locally controlled soft tissue sarcoma. A study of 546 patients from the French Federation of Cancer Centers Sarcoma Group. *J Clin Oncol* 14: 869-877.
388. Coindre JM, Terrier P, Guillo L, Le Doussal V, Collin F, Ranchere D, Sastre X, Vilain MO, Bonichon F, N'Guyen Bui B (2001). Predictive value of grade for metastasis development in the main histologic types of adult soft tissue sarcomas: a study of 1240 patients from the French Federation of Cancer Centers Sarcoma Group. *Cancer* 91: 1914-1926.
389. Coindre JM, Trojani M, Contesso G, David M, Rouesse J, Bui NB, Bodaert A, de Mascarel I, de Mascarel A, Goussot JF (1986). Reproducibility of a histopathologic grading system for adult soft tissue sarcoma. *Cancer* 58: 306-309.
390. Colby TV (1995). Malignancies in the lung and pleura mimicking benign processes. *Semin Diagn Pathol* 12: 30-44.
391. Colby TV, Koss M, Travis WD (1995). Tumors of the Lower Respiratory Tract. 3rd ed. Armed Forces Institute of Pathology: Washington, DC.
392. Colby TV, Wistuba II, Gazdar A (1998). Precursors to pulmonary neoplasia. *Adv Anat Pathol* 5: 205-215.
393. Colley MH, Geppert E, Franklin WA (1989). Immunohistochemical detection of steroid receptors in a case of pulmonary lymphangiomyomatosis. *Am J Surg Pathol* 13: 803-807.
394. Colwell AS, D' Cunha J, Vargas SO, Parker B, Cin PD, Maddaus MA (2002). Synovial sarcoma of the pleura: a clinical and pathologic study of three cases. *J Thorac Cardiovasc Surg* 124: 828-832.
395. Comin CE, Novelli L, Boddì V, Paglierani M, Dini S (2001). Calretinin, thrombomodulin, CEA, and CD15: a useful combination of immunohistochemical markers for differentiating pleural epithelial mesothelioma from peripheral pulmonary adenocarcinoma. *Hum Pathol* 32: 529-536.
396. Comings DE, Ferry L, Bradshaw-Robinson S, Burchette R, Chiu C, Muhleman D (1996). The dopamine D2 receptor (DRD2) gene: a genetic risk factor in smoking. *Pharmacogenetics* 6: 73-79.
397. Comiter CV, Kibel AS, Richie JP, Nucci MR, Renshaw AA (1998). Prognostic features of teratomas with malignant transformation: a clinicopathologic study of 21 cases. *J Urol* 159: 859-863.
398. Conlan AA, Payne WS, Woolner LB, Sanderson DR (1978). Adenoid cystic carcinoma (cylindroma) and mucoepidermoid carcinoma of the bronchus. Factors affecting survival. *J Thorac Cardiovasc Surg* 76: 369-377.
399. Conn JM, Goncalves MA, Mansour KA, McGarity WC (1991). The mediastinal parathyroid. *Am Surg* 57: 62-66.
400. Constantinou LL, Charitos CE, Lariou CM, Garyfalos DJ, Douras AL, Vichas GJ, Livathinos AJ, Moraitis SD, Antonatos PG (1996). Primary synovial cardiac sarcoma: a rare cause of tamponade. *Eur Heart J* 17: 1766-1768.
401. Cook JR, Dehner LP, Collins MH, Ma Z, Morris SW, Coffin CM, Hill DA (2001). Anaplastic lymphoma kinase (ALK) expression in the inflammatory myofibroblastic tumor: a comparative immunohistochemical study. *Am J Surg Pathol* 25: 1364-1371.
402. Cooper CA, Carby FA, Bubb VJ, Lamb D, Kerr KM, Wylie AH (1997). The pattern of K-ras mutation in pulmonary adenocarcinoma defines a new pathway of tumour development in the human lung. *J Pathol* 181: 401-404.
403. Copeland JN, Amin MB, Humphrey PA, Tamboli P, Ro JY, Gal AA (2002). The morphologic spectrum of metastatic prostatic adenocarcinoma to the lung: special emphasis on histologic features overlapping with other pulmonary neoplasms. *Am J Clin Pathol* 117: 552-557.
404. Copie-Bergman C, Gaulard P, Maouche-Chretien L, Briere J, Haioun C, Alonso MA, Romeo PH, Leroy K (1999). The MAL gene is expressed in primary mediastinal large B-cell lymphoma. *Blood* 94: 3567-3575.
405. Copie-Bergman C, Wotherspoon AC, Norton AJ, Diss TC, Isaacson PG (1998). True histiocytic lymphoma: a morphologic, immunohistochemical, and molecular genetic study of 13 cases. *Am J Surg Pathol* 22: 1386-1392.
406. Corbett R, Carter R, MacVicar D, Horwich A, Pinkerton R (1994). Embryonal rhabdomyosarcoma arising in a germ cell tumour. *Med Pediatr Oncol* 23: 497-502.
407. Cordier JF, Chailleux E, Lauque D, Reynaud-Gaubert M, Dietemann-Molard A, Dalphin JC, Blanc-Jouvain F, Loire R (1993). Primary pulmonary lymphomas. A clinical study of 70 cases in nonimmunocompromised patients. *Chest* 103: 201-208.
408. Corrin B (2000). Pathology of Lung Tumours. Churchill Livingstone: New York.
409. Corrin B, Harrison WJ, Wright DH (1983). The so-called intravascular bronchioloalveolar tumour of lung (low grade sclerosing angiosarcoma): presentation with extrapulmonary deposits. *Diagn Histopathol* 6: 229-237.
410. Corson JM, Weiss LM, Banks-Schlegel SP, Pinkus GS (1984). Keratin proteins and carcinoembryonic antigen in synovial sarcomas: an immunohistochemical study of 24 cases. *Hum Pathol* 15: 615-621.
411. Coskun U, Gunel N, Yildirim Y, Memis L, Boyacioglu ZM (2002). Primary mediastinal yolk sac tumor in a 66-year-old woman. *Med Princ Pract* 11: 218-220.
412. Costa J (1990). The grading and staging of soft tissue sarcomas. In: *Pathobiology of Soft Tissue Tumors*, Fletcher CD, McKee PH, eds., Churchill Livingstone: Edinburgh, pp. 221-238.
413. Costa J, Wesley RA, Glatstein E, Rosenberg SA (1984). The grading of soft tissue sarcomas. Results of a clinicopathologic correlation in a series of 163 cases. *Cancer* 53: 530-541.
414. Costello LC, Hartman TE, Ryu JH (2000). High frequency of pulmonary lymphangiomyomatosis in women with tuberous sclerosis complex. *Mayo Clin Proc* 75: 591-594.
415. Costes V, Faumont N, Cesarman E, Rousset T, Meggetto F, Delsol G, Brasseur P (2002). Human herpesvirus-8-associated lymphoma of the bowel in human immunodeficiency virus-positive patients without history of primary effusion lymphoma. *Hum Pathol* 33: 846-849.
416. Costes V, Marty-Ane C, Picot MC, Serre I, Pujol JL, Mary H, Baldet P (1995). Typical and atypical bronchopulmonary carcinoid tumors: a clinicopathologic and Ki-67-labeling study. *Hum Pathol* 26: 740-745.
417. Cote RJ, Jhanwar SC, Novick S, Pellicer A (1991). Genetic alterations of the p53 gene are a feature of malignant mesotheliomas. *Cancer Res* 51: 5410-5416.
418. Cotton JL, Kaye RE, Palmieri CE, Tunnessen WW Jr (1991). Cardiac tumors and the nevoid basal cell carcinoma syndrome. *Pediatrics* 87: 725-728.
419. Cox JE, Chiles C, Aquino SL, Savage P, Oaks T (1997). Pulmonary artery sarcomas: a review of clinical and radiologic features. *J Comput Assist Tomogr* 21: 750-755.
420. Craig ID, Desrosiers P, Lefcoe MS (1983). Giant-cell carcinoma of the lung. A cytologic study. *Acta Cytol* 27: 293-298.
421. Craig ID, Finley RJ (1982). Spindle-cell carcinoma tumor of lung. Cytologic, histopathologic and ultrastructural features. *Acta Cytol* 26: 495-498.
422. Crespo C, Navarro M, Gonzalez I, Lorente MF, Gonzalez R, Mayol MJ (2001). Intracranial and mediastinal inflammatory myofibroblastic tumour. *Pediatr Radiol* 31: 600-602.
423. Crist W, Gehan EA, Ragab AH, Dickman PS, Donaldson SS, Fryer C, Hammond D, Hays DM, Herrmann J, Heyn R (1995). The Third Intergroup Rhabdomyosarcoma Study. *J Clin Oncol* 13: 610-630.
424. Crotty EJ, McAdams HP, Erasmus JJ, Sporn TA, Roggli VL (2000). Epithelioid hemangioendothelioma of the pleura: clinical and radiologic features. *AJR Am J Roentgenol* 175: 1545-1549.
425. Crotty TB, Myers JL, Katzenstein AL, Tazelaar HD, Swensen SJ, Churg A (1994). Localized malignant mesothelioma. A clinicopathologic and flow cytometric study. *Am J Surg Pathol* 18: 357-363.
426. Crow J, Slavin G, Kreef L (1981). Pulmonary metastasis: a pathologic and radiologic study. *Cancer* 47: 2595-2602.
427. Curran WJ Jr (2001). Therapy of limited stage small cell lung cancer. *Cancer Treat Res* 105: 229-252.
428. Cushing B, Bhanot PK, Watts FB Jr, Hertzler JH, Brough AJ (1983). Rhabdomyosarcoma and benign teratoma. *Pediatr Pathol* 1: 345-348.

429. Cwierzuk TA, Glasberg SS, Virshup MA, Cranmer JC (1985). Pulmonary oncocytoma. Report of a case with cytologic, histologic and electron microscopic study. *Acta Cytol* 29: 620-623.
430. Dacic S, Colby TV, Yousem SA (2000). Nodular amyloidoma and primary pulmonary lymphoma with amyloid production: a differential diagnostic problem. *Mod Pathol* 13: 934-940.
431. Dacic S, Finkelstein SD, Sasatomi E, Swalsky PA, Yousem SA (2002). Molecular pathogenesis of pulmonary carcinosarcoma as determined by microdissection-based allelotyping. *Am J Surg Pathol* 26: 510-516.
432. Dai Y, Morishita Y, Mase K, Sato N, Akaogi E, Mitsui T, Noguchi M (2000). Application of the p53 and K-ras gene mutation patterns for cytologic diagnosis of recurrent lung carcinomas. *Cancer* 90: 258-263.
433. Daibata M, Taguchi T, Nemoto Y, Saito T, Machida H, Imai S, Miyoshi I, Taguchi H (2002). Epstein-Barr virus (EBV)-positive pyothorax-associated lymphoma (PAL): chromosomal integration of EBV in a novel CD2-positive PAL B-cell line. *Br J Haematol* 117: 546-557.
434. Dail DH, Hammar SP (1994). Pulmonary Pathology. 2nd Edition ed. Springer Verlag: New York.
435. Dail DH, Liebow AA, Gmelich JT, Friedman PJ, Miyai K, Myer W, Patterson SD, Hammar SP (1983). Intravascular, bronchiolar, and alveolar tumor of the lung (IVBAT). An analysis of twenty cases of a peculiar sclerosing endothelial tumor. *Cancer* 51: 452-464.
436. Dal Cin P, Sciort R, Fletcher CD, Hilliker C, de Wever I, Van Damme B, van den Berghe H (1996). Trisomy 21 in solitary fibrous tumor. *Cancer Genet Cytogenet* 86: 58-60.
437. Dal Cin P, Wolf-Peeters C, Aly MS, Deneffe G, Van Mieghem W, van den Berghe H (1993). Ring chromosome 6 as the only change in a thymoma. *Genes Chromosomes Cancer* 6: 243-244.
438. Dal Cin P, Wolf-Peeters C, Deneffe G, Frys JP, van den Berghe H (1996). Thymoma with a t(15;22)(p11;q11). *Cancer Genet Cytogenet* 89: 181-183.
439. Dang TP, Gazdar AF, Virmani AK, Sepavac T, Hande KR, Minna JD, Roberts JR, Carbone DP (2000). Chromosome 19 translocation, overexpression of Notch3, and human lung cancer. *J Natl Cancer Inst* 92: 1355-1357.
440. Daugaard G, Rorth M, von der Maase H, Skakkebaek NE (1992). Management of extragonadal germ-cell tumors and the significance of bilateral testicular biopsies. *Ann Oncol* 3: 283-289.
441. Daugaard G, von der Maase H, Olsen J, Rorth M, Skakkebaek NE (1987). Carcinoma-in-situ testis in patients with assumed extragonadal germ-cell tumours. *Lancet* 2: 528-530.
442. Davidson RS, Nwogu CE, Brentjens MJ, Anderson TM (2001). The surgical management of pulmonary metastasis: current concepts. *Surg Oncol* 10: 35-42.
443. Davis MP, Eagan RT, Weiland LH, Pailorero PC (1984). Carcinosarcoma of the lung: Mayo Clinic experience and response to chemotherapy. *Mayo Clin Proc* 59: 598-603.
444. Daya D, McCaughey WT (1990). Well-differentiated papillary mesothelioma of the peritoneum. A clinicopathologic study of 22 cases. *Cancer* 65: 292-296.
445. de Jong D, Richel DJ, Schenkeveld C, Boerrigter L, van't Veer LJ (1997). Oligoclonal peripheral T-cell lymphocytosis as a result of aberrant T-cell development in a cortical thymoma. *Diagn Mol Pathol* 6: 244-248.
446. de Leon GA, Zaeri N, Donner RM, Karmazin N (1990). Cerebral rhinocoele, hydrocephalus, and cleft lip and palate in infants with cardiac fibroma. *J Neurol Sci* 99: 27-36.
447. de Leval L, Defraigne JO, Hermans G, Dome F, Boniver J, Herens C (2003). Malignant solitary fibrous tumor of the pleura: report of a case with cytogenetic analysis. *Virchows Arch* 442: 388-392.
448. de Leval L, Ferry JA, Falini B, Shipp M, Harris NL (2001). Expression of bcl-6 and CD10 in primary mediastinal large B-cell lymphoma: evidence for derivation from germinal center B cells? *Am J Surg Pathol* 25: 1277-1282.
449. de Montpreville VT, Dulmet EM, Chapelier AR, Dartevielle PG, Verley JM (1993). Extramedullary hematopoietic tumors of the posterior mediastinum related to asymptomatic refractory anemia. *Chest* 104: 1623-1624.
450. de Montpreville VT, Macchiarini P, Dulmet E (1996). Thymic neuroendocrine carcinoma (carcinoid): a clinicopathologic study of fourteen cases. *J Thorac Cardiovasc Surg* 111: 134-141.
451. de Montpreville VT, Serraf A, Aznag H, Nashashibi N, Planche C, Dulmet E (2001). Fibroma and inflammatory myofibroblastic tumor of the heart. *Ann Diagn Pathol* 5: 335-342.
452. de Montpreville VT, Zemoura L, Dulmet E (2002). [Thymoma with epithelial micronodules and lymphoid hyperplasia: six cases of a rare and equivocal subtype]. *Ann Pathol* 22: 177-182.
453. de Nictolis M, Brancorsini D, Goteri G, Prat J (1996). Epithelioid haemangioma of the heart. *Virchows Arch* 428: 119-123.
454. de Nictolis M, Goteri G, Brancorsini D, Giannulis I, Prete E, Fabris G (1995). Extraskeletal osteosarcoma of the mediastinum associated with long-term patient survival. A case report. *Anticancer Res* 15: 2785-2789.
455. de Nictolis M, Goteri G, Campanati G, Prat J (1995). Elastofibrolipoma of the mediastinum. A previously undescribed benign tumor containing abnormal elastic fibers. *Am J Surg Pathol* 19: 364-367.
456. de Perrot M, Spiliopoulos A, Fischer S, Totsch M, Keshavjee S (2002). Neuroendocrine carcinoma (carcinoid) of the thymus associated with Cushing's syndrome. *Ann Thorac Surg* 73: 675-681.
457. De Rienzo A, Balsara BR, Apostolou S, Jhanwar SC, Testa JR (2001). Loss of heterozygosity analysis defines a 3-cM region of 15q commonly deleted in human malignant mesothelioma. *Oncogene* 20: 6245-6249.
458. De Rienzo A, Jhanwar SC, Testa JR (2000). Loss of heterozygosity analysis of 13q and 14q in human malignant mesothelioma. *Genes Chromosomes Cancer* 28: 337-341.
459. de Saint Aubain Somerhausen N, Rubin BP, Fletcher CD (1999). Myxoid solitary fibrous tumor: a study of seven cases with emphasis on differential diagnosis. *Mod Pathol* 12: 463-471.
460. De Santis M, Bokemeyer C, Becherer A, Stoiber F, Oechsle K, Kletter K, Dohmen BM, Dittlich C, Pont J (2001). Predictive impact of 2-18fluoro-2-deoxy-D-glucose positron emission tomography for residual postchemotherapy masses in patients with bulky seminoma. *J Clin Oncol* 19: 3740-3744.
461. De Toma G, Plocco M, Nicolanti V, Brozzetti S, Letizia C, Cavallaro A (2001). Type B1 thymoma in multiple endocrine neoplasia type 1 (MEN-1) syndrome. *Tumori* 87: 266-268.
462. De Young BR, Frierson HF Jr, Ly MN, Smith D, Swanson PE (1998). CD31 immunoreactivity in carcinomas and mesotheliomas. *Am J Clin Pathol* 110: 374-377.
463. Debelenko LV, Brambilla E, Agarwal SK, Swalwell JL, Kester MB, Lubensky IA, Zhuang Z, Guru SC, Manickam P, Olufemi SE, Chandrasekharappa SC, Crabtree JS, Kim YS, Heppner C, Burns AL, Spiegel AM, Marx SJ, Liotta LA, Collins FS, Travis WD, Emmert-Buck MR (1997). Identification of MEN1 gene mutations in sporadic carcinoid tumors of the lung. *Hum Mol Genet* 6: 2285-2290.
464. Debelenko LV, Swalwell JL, Kelley MJ, Brambilla E, Manickam P, Baibakov G, Agarwal SK, Spiegel AM, Marx SJ, Chandrasekharappa SC, Collins FS, Travis WD, Emmert-Buck MR (2000). MEN1 gene mutation analysis of high-grade neuroendocrine lung carcinoma. *Genes Chromosomes Cancer* 28: 58-65.
465. Deenadayalu RP, Tuuri D, Dewall RA, Johnson GF (1974). Intrapericardial teratoma and bronchogenic cyst. Review of literature and report of successful surgery in infant with intrapericardial teratoma. *J Thorac Cardiovasc Surg* 67: 945-952.
466. Dehner LP (1990). Germ cell tumors of the mediastinum. *Semin Diagn Pathol* 7: 266-284.
467. Dehner LP, Coffin CM (1998). Idiopathic fibrosclerotic disorders and other inflammatory pseudotumors. *Semin Diagn Pathol* 15: 161-173.
468. Dehner LP, Watterson J, Priest J (1995). Pleuropulmonary blastoma: A unique intrathoracic-pulmonary neoplasm of childhood. *Perspect Pediatr Pathol* 18: 214-226.
469. Dei Tos AP, Wadden C, Calonje E, Sciort R, Pauwels P, Knight JC, Dal Cin P, Fletcher CD (1995). Immunohistochemical demonstration of glycoprotein p30/32 mic2 (CD99) in synovial sarcoma: a potential cause of diagnostic confusion. *Appl Immunohistochem* 3: 168-173.
470. Dein JR, Frist WH, Stinson EB, Miller DC, Baldwin JC, Oyer PE, Jamieson S, Mitchell RS, Shumway NE (1987). Primary cardiac neoplasms. Early and late results of surgical treatment in 42 patients. *J Thorac Cardiovasc Surg* 93: 502-511.
471. DeLellis RA (2001). The neuroendocrine system and its tumors: an overview. *Am J Clin Pathol* 115 Suppl: S5-16.
472. Delpiano C, Claren R, Sironi M, Cenacchi G, Spinelli M (2000). Cytological appearance of papillary mucous gland adenoma of the left lobar bronchus with histological confirmation. *Cytopathology* 11: 193-196.
473. deMent SH (1990). Association between mediastinal germ cell tumors and hematologic malignancies: an update. *Hum Pathol* 21: 699-703.
474. deMent SH, Eggleston JC, Spivak JL (1985). Association between mediastinal germ cell tumors and hematologic malignancies. Report of two cases and review of the literature. *Am J Surg Pathol* 9: 23-30.
475. Demirer T, Ravits J, Aboulafia D (1994). Myasthenic (Eaton-Lambert) syndrome associated with pulmonary large-cell neuroendocrine carcinoma. *South Med J* 87: 1186-1189.
476. Denayer MA, Rao KR, Wirz D, McNally D (1986). Hepatic metastatic thymoma and myasthenia gravis twenty-two years after the apparent cure of an invasive thymoma. A case report and review of the literature. *J Neurol Sci* 76: 23-30.
477. Denissenko MF, Pao A, Tang M, Pfeifer GP (1996). Preferential formation of benzo[a]pyrene adducts at lung cancer mutational hotspots in P53. *Science* 274: 430-432.
478. Denning K, Sehnann G, Richter T (2000). The angiosarcoma in the left atrium. *N Engl J Med* 443-444.
479. DePond W, Said JW, Tasaka T, de Vos S, Kahn D, Cesarman E, Knowles DM, Koeffler HP (1997). Kaposi's sarcoma-associated herpesvirus and human herpesvirus 8 (KSHV/HHV8)-associated lymphoma of the bowel. Report of two cases in HIV-positive men with secondary effusion lymphomas. *Am J Surg Pathol* 21: 719-724.
480. Derenoncourt AN, Castro-Magana M, Jones KL (1995). Mediastinal teratoma and precocious puberty in a boy with mosaic Klinefelter syndrome. *Am J Med Genet* 55: 38-42.
481. Dermer GB (1982). Origin of bronchioalveolar carcinoma and peripheral bronchial adenocarcinoma. *Cancer* 49: 881-887.
482. Desai SB, Pradhan SA, Chinoy RF (2000). Mediastinal Castleman's disease complicated by follicular dendritic cell tumour. *Indian J Cancer* 37: 129-132.
483. Deshpande A, Kumar S, Chopra P (1994). Recurrent, biatrial, familial cardiac myxomas. *Int J Cardiol* 47: 71-73.
484. Dessy E, Braidotti P, Del Curto B, Falleni M, Coggi G, Santa Cruz G, Carai A, Versace R, Pietra GG (2000). Peripheral papillary tumor of type-II pneumocytes: a rare neoplasm of undetermined malignant potential. *Virchows Arch* 436: 289-295.
485. Devendra G, Mo M, Kerr KM, Fedullo PF, Yi J, Kapelanski D, Jamieson S, Auger WR (2002). Pulmonary artery sarcomas: the UCSD experience. *Am J Respir Crit Care Med* 165: A24.
486. Devesa SS, Grauman DJ, Blot WJ, Fraumeni JF Jr (1999). Cancer surveillance series: changing geographic patterns of lung cancer mortality in the United States, 1950 through 1994. *J Natl Cancer Inst* 91: 1040-1050.
487. Devesa SS, Shaw GL, Blot WJ (1991). Changing patterns of lung cancer incidence by histological type. *Cancer Epidemiol Biomarkers Prev* 1: 29-34.
488. Devouassoux-Shisheboran M, Hayashi T, Linnoila RI, Koss MN, Travis WD (2000). A clinicopathologic study of 100 cases of pulmonary sclerosing hemangioma with immunohistochemical studies: TTF-1 is expressed in both round and surface cells, suggesting an origin from primitive respiratory epithelium. *Am J Surg Pathol* 24: 906-916.
489. Dewald GW, Dahl RJ, Spurbeck JL, Carney JA, Gordon H (1987). Chromosomally abnormal clones and non-random telomeric translocations in cardiac myxomas. *Mayo Clin Proc* 62: 558-567.
490. Dexeus FH, Logothetis CJ, Chong C, Sella A, Ogdén S (1988). Genetic abnormalities in men with germ cell tumors. *J Urol* 140: 80-84.
491. Di Cataldo A, Villari L, Milone P, Miano

- AE, Sambataro MP, Florio G, Petrillo G (2000). Thymic carcinoma, systemic lupus erythematosus, and hypertrophic pulmonary osteoarthropathy in an 11-year-old boy: a novel association. *Pediatr Hematol Oncol* 17: 701-706.
492. Di Liang C, Ko SF, Huang SC (2000). Echocardiographic evaluation of cardiac rhabdomyoma in infants and children. *J Clin Ultrasound* 28: 381-386.
493. Di Loreto C, Mariuzzi L, De Grassi A, Beltrami CA (1996). B cell lymphoma of the thymus and salivary gland. *J Clin Pathol* 49: 595-597.
494. Di Tullio MT, Indolfi P, Casale F, Pettinato G, Martone A, Morgera C (1999). Pleuropulmonary blastoma: survival after intraocular recurrence. *Med Pediatr Oncol* 33: 588-590.
495. Diehl V, Franklin J, Hasenclever D, Tesch H, Pfreundschuh M, Lathan B, Paulus U, Sieber M, Rueffer JU, Sextro M, Engert A, Wolf J, Hermann R, Holmer L, Stappert-Jahn U, Winnerlein-Trump E, Wulf G, Krause S, Glunz A, von Kalle K, Bischoff H, Haedicke C, Duehmkne E, Georgii A, Loeffler M (1998). BEACOPP, a new dose-escalated and accelerated regimen, is at least as effective as COPP/ABVD in patients with advanced-stage Hodgkin's lymphoma: interim report from a trial of the German Hodgkin's Lymphoma Study Group. *J Clin Oncol* 16: 3810-3821.
496. Diehl V, Sextro M, Franklin J, Hansmann ML, Harris N, Jaffe E, Poppema S, Harris M, Franssila K, van Krieken J, Marafioti T, Anagnostopoulos I, Stein H (1999). Clinical presentation, course, and prognostic factors in lymphocyte-predominant Hodgkin's disease and lymphocyte-rich classical Hodgkin's disease: report from the European Task Force on Lymphoma Project on Lymphocyte-Predominant Hodgkin's Disease. *J Clin Oncol* 17: 776-783.
497. Dijkhuizen T, de Jong B, Meuzelaar JJ, Molenaar WM, van den Berg E (2001). No cytogenetic evidence for involvement of gene(s) at 2p16 in sporadic cardiac myxomas: cytogenetic changes in ten sporadic cardiac myxomas. *Cancer Genet Cytogenet* 126: 162-165.
498. Dijkhuizen T, van den Berg E, Molenaar WM, Meuzelaar JJ, de Jong B (1995). Rearrangements involving 12p12 in two cases of cardiac myxoma. *Cancer Genet Cytogenet* 82: 161-162.
499. Dillon KM, Hill CM, Cameron CH, Attanoos RL, McCluggage WG (2002). Mediastinal mixed dendritic cell sarcoma with hybrid features. *J Clin Pathol* 55: 791-794.
500. Dishop MK, O'Connor WN, Abraham S, Cottrill CM (2001). Primary cardiac lipoblastoma. *Pediatr Dev Pathol* 4: 276-280.
- 500A. Divine KK, Gilliland FD, Crowell RE, Stidley CA, Bocklage TJ, Cook DL, Belinski SA (2001). The XRCC1 399 glutamine allele is a risk factor for adenocarcinoma of the lung. *Mutat Res* 461: 273-278.
501. Do YS, Im JG, Lee BH, Kim KH, Oh YW, Chin SY, Zo JI, Jang JJ (1995). CT findings in malignant tumors of thymic epithelium. *J Comput Assist Tomogr* 19: 192-197.
502. Dobin S, Speights VDJr, Donner LR (1997). Addition (1)(q32) as the sole clonal chromosomal abnormality in a case of cardiac myxoma. *Cancer Genet Cytogenet* 96: 181-182.
503. Dogliani C, Bontempini L, Iuzzolino P, Furlan G, Rosai J (1988). Ependymoma of the mediastinum. *Arch Pathol Lab Med* 112: 194-196.
504. Doll R, Hill AB (1950). Smoking and cancer of the lung: preliminary report. *Br Med J* 4682: 739-748.
505. Doll R, Peto R (1981). The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst* 66: 1191-1308.
506. Domingo A, Romagosa V, Callis M, Vivancos P, Guionnet N, Soler J (1989). Mediastinal germ cell tumor and acute megakaryoblastic leukemia. *Ann Intern Med* 111: 539.
507. Dominguez-Malagon H, Guerrero-Medrano J, Suster S (1995). Ectopic poorly differentiated (insular) carcinoma of the thyroid. Report of a case presenting as an anterior mediastinal mass. *Am J Clin Pathol* 104: 408-412.
508. Donner LR, Silva MT, Dobin SM (1999). Solitary fibrous tumor of the pleura: a cytogenetic study. *Cancer Genet Cytogenet* 111: 169-171.
509. Donsbeck AV, Ranchere D, Coindre JM, Le Gall F, Cordier JF, Loire R (1999). Primary cardiac sarcomas: an immunohistochemical and grading study with long-term follow-up of 24 cases. *Histopathology* 34: 295-304.
510. Dorfler H, Permanetter W, Kuffer G, Haussinger K, Zollner N (1990). Sclerosing epitheloid angiosarcoma of bone and lung—intravascular sclerosing bronchioalveolar tumor. *Klin Wochenschr* 68: 388-392.
511. Dorfman DM, Shahsafaei A, Chan JK (1997). Thymic carcinomas, but not thymomas and carcinomas of other sites, show CD5 immunoreactivity. *Am J Surg Pathol* 21: 936-940.
512. Dotti G, Fiocchi R, Motta T, Facchinetti B, Chiudini B, Borleri GM, Gavazzeni G, Barbuti T, Rambaldi A (1999). Primary effusion lymphoma after heart transplantation: a new entity associated with human herpesvirus-8. *Leukemia* 13: 664-670.
513. Downes KA, Goldblum JR, Montgomery EA, Fisher C (2001). Pleomorphic liposarcoma: a clinicopathologic analysis of 19 cases. *Mod Pathol* 14: 179-184.
514. Drexler HG, Meyer C, Gaidano G, Carbone A (1999). Constitutive cytokine production by primary effusion (body cavity-based) lymphoma-derived cell lines. *Leukemia* 13: 634-640.
515. Duarte IG, Gal AA, Mansour KA (1998). Primary malignant melanoma of the trachea. *Ann Thorac Surg* 65: 559-560.
516. Dubost C, Guilmet D, de Parades B, Pedferri G (1966). [New technic of opening of the left auricle in open-heart surgery: the transeptal bi-auricular approach]. *Presse Med* 74: 1607-1608.
517. Dudgeon DL, Haller JAJr (1984). Pediatric lipoblastomatosis: two unusual cases. *Surgery* 95: 371-373.
518. Dueland S, Stenwig AE, Heilo A, Hoie J, Ous S, Fossa SD (1998). Treatment and outcome of patients with extragonadal germ cell tumours—the Norwegian Radium Hospital's experience 1979-94. *Br J Cancer* 77: 329-335.
519. Dulmet-Brender E, Jaubert F, Huchon G (1986). Exophytic endobronchial ependymoid carcinoma. *Cancer* 57: 1358-1364.
520. Dulmet EM, Macchiarini P, Suc B, Verley JM (1993). Germ cell tumors of the mediastinum. A 30-year experience. *Cancer* 72: 1894-1901.
521. Dunn PJ (1984). Pancreatic endocrine tissue in benign mediastinal teratoma. *J Clin Pathol* 37: 1105-1109.
522. Dupin N, Fisher C, Kellam P, Ariad S, Tulliez M, Franck N, van Marck E, Salmon D, Gorin I, Escande JP, Weiss RA, Alitalo K, Boshoff C (1999). Distribution of human herpesvirus-8 latently infected cells in Kaposi's sarcoma, multicentric Castleman's disease, and primary effusion lymphoma. *Proc Natl Acad Sci U S A* 96: 4546-4551.
523. Duray PH, Mark EJ, Barwick KW, Madri JA, Strom RL (1985). Congenital polycystic tumor of the atrioventricular node. Autopsy study with immunohistochemical findings suggesting endodermal derivation. *Arch Pathol Lab Med* 109: 30-34.
524. Durgut K, Gormus N, Ozulku M, Ozergin U, Ozpinar C (2002). Clinical features and surgical treatment of cardiac myxoma: report of 18 cases. *Asian Cardiovasc Thorac Ann* 10: 111-114.
525. Dyamenahalli U, Black MD, Boutin C, Gow RM, Freedom RM (1998). Obstructive rhabdomyoma and univentricular physiology: a rare combination. *Ann Thorac Surg* 65: 835-837.
526. Eble JN, Sauter G, Epstein J, Sesterhenn IA (2003). *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs*. IARC Press: Lyon.
527. Economides EG, Singh A (1998). Case of tumor neovascularization demonstrated by cardiac catheterization. *Cathet Cardiovasc Diagn* 43: 451-453.
528. Economopoulos GC, Lewis JWJr, Lee MW, Silverman NA (1990). Carcinoid tumors of the thymus. *Ann Thorac Surg* 50: 58-61.
529. Edmonson JH, Ryan LM, Blum RH, Brooks JS, Shiraki M, Frytak S, Parkinson DR (1993). Randomized comparison of doxorubicin alone versus ifosfamide plus doxorubicin or mitomycin, doxorubicin, and cisplatin against advanced soft tissue sarcomas. *J Clin Oncol* 11: 1269-1275.
530. Edwards A, Bermudez C, Piwonka G, Berr ML, Zamorano J, Larrain E, Franck R, Gonzalez M, Alvarez E, Maier E (2002). Carney's syndrome: complex myxomas. Report of four cases and review of the literature. *Cardiovasc Surg* 10: 264-275.
531. Edwards FH, Hale D, Cohen A, Thompson L, Pezzella AT, Virmani R (1991). Primary cardiac valve tumors. *Ann Thorac Surg* 52: 1127-1131.
532. Edwards SL, Roberts C, McKean ME, Cockburn JS, Jeffrey RR, Kerr KM (2000). Preoperative histological classification of primary lung cancer: accuracy of diagnosis and use of the non-small cell category. *J Clin Pathol* 53: 537-540.
533. Eggleston JC (1985). The intravascular bronchioalveolar tumor and the sclerosing hemangioma of the lung: misnomers of pulmonary neoplasia. *Semin Diagn Pathol* 2: 270-280.
534. Eimoto T, Kitaoka M, Ogawa H, Niwa H, Murase T, Tateyama H, Inagaki H, Soji T, Wang HJ (2002). Thymic sarcomatoid carcinoma with skeletal muscle differentiation: report of two cases, one with cytogenetic analysis. *Histopathology* 40: 46-57.
535. Eisen MB, Spellman PT, Brown PO, Botstein D (1998). Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* 95: 14863-14868.
536. Ekfors TO, Juensuu K, Toivio I, Laurinen P, Pelttari L (1986). Fatal epithelioid haemangioendothelioma presenting in the lung and liver. *Virchows Arch A Pathol Anat Histopathol* 410: 9-16.
537. el Ghatit A, al Kaisi N, Mofteh S, Olling S, al Khajha N, Belboul A, Roberts D (1994). Atypical bronchial carcinoid tumour with amyloid deposition. *Eur J Surg Oncol* 20: 586-587.
538. Elderkin RA, Radford DJ (2002). Primary cardiac tumours in a paediatric population. *J Paediatr Child Health* 38: 173-177.
539. Emanuel RL, Torday JS, Mu Q, Asokanathan N, Sikorski KA, Sunday ME (1999). Bombesin-like peptides and receptors in normal fetal baboon lung: roles in lung growth and maturation. *Am J Physiol* 277: L1003-L1017.
540. Eng J, Ruiz K, Kay PH (1992). Giant epicardial lipoma. *Int J Cardiol* 37: 115-117.
541. Engel P, Marx A, Muller-Hermelink HK (1999). Thymic tumours in Denmark. A retrospective study of 213 cases from 1970-1993. *Pathol Res Pract* 195: 565-570.
542. Engels EA, Katki HA, Nielsen NM, Winther JF, Hjalgrim H, Gjerris F, Rosenberg PS, Frisch M (2003). Cancer incidence in Denmark following exposure to poliovirus vaccine contaminated with simian virus 40. *J Natl Cancer Inst* 95: 532-539.
543. England DM, Hochholzer L (1995). Truly benign "bronchial adenoma". Report of 10 cases of mucous gland adenoma with immunohistochemical and ultrastructural findings. *Am J Surg Pathol* 19: 887-899.
544. England DM, Hochholzer L, McCarthy MJ (1989). Localized benign and malignant fibrous tumors of the pleura. A clinicopathologic review of 223 cases. *Am J Surg Pathol* 13: 640-658.
545. Enzinger FM, Weiss SW (1988). *Malignant vascular tumors*. In: *Soft Tissue Tumors*, Enzinger FM, Weiss SW, eds., 2nd ed. Mosby: St Louis, pp. 545-554.
546. Essary LR, Vargas SO, Fletcher CD (2002). Primary pleuropulmonary synovial sarcoma: reappraisal of a recently described anatomic subset. *Cancer* 94: 459-469.
547. Evans DG, Ladusans EJ, Rimmer S, Burnell LD, Thakker N, Farndon PA (1993). Complications of the naevoid basal cell carcinoma syndrome: results of a population based study. *J Med Genet* 30: 460-464.
548. Ewing J (1928). *A Treatise on Tumors*. WB Saunders: Philadelphia.
549. Eymin B, Gazzeri S, Brambilla C, Brambilla E (2001). Distinct pattern of E2F1 expression in human lung tumours: E2F1 is upregulated in small cell lung carcinoma. *Oncogene* 20: 1678-1687.
550. Eymin B, Karayan L, Seite P, Brambilla C, Brambilla E, Larsen CJ, Gazzeri S (2001). Human ARF binds E2F1 and inhibits its transcriptional activity. *Oncogene* 20: 1033-1041.
551. Eymin B, Leduc C, Coll JL, Brambilla E, Gazzeri S (2003). p14ARF induces G2 arrest and apoptosis independently of p53 leading to regression of tumours established in nude mice. *Oncogene* 22: 1822-1835.
552. Falini B, Mason DY (2002). Proteins encoded by genes involved in chromosomal alterations in lymphoma and leukemia: clinical value of their detection by immunocytochemistry. *Blood* 99: 409-426.
553. Falleni M, Roz E, Dessy E, Del Curto B, Braidotti P, Gianelli U, Pietra GG (2001). Primary intrathoracic meningioma: histopathological, immunohistochemical and ultrastructural study of two cases. *Virchows Arch* 439: 196-200.
554. Fan R, Wu MT, Miller D, Wain JC,

- Kelsey KT, Wiencke JK, Christiani DC (2000). The p53 codon 72 polymorphism and lung cancer risk. *Cancer Epidemiol Biomarkers Prev* 9: 1037-1042.
555. Fantone JC, Geisinger KR, Appelman HD (1982). Papillary adenoma of the lung with lamellar and electron dense granules. An ultrastructural study. *Cancer* 50: 2839-2844.
556. Farooki ZQ, Ross RD, Paridon SM, Humes RA, Karpawich PP, Pinsky WW (1991). Spontaneous regression of cardiac rhabdomyoma. *Am J Cardiol* 67: 897-899.
557. Farrell DJ, Cooper PN, Malcolm AJ (1995). Carcinoma of lung associated with asbestosis. *Histopathology* 27: 484-486.
558. Farrell JFJ (1935). Pulmonary metastasis: a pathologic, clinical roentgenologic study based on 78 cases seen at necropsy. *Radiology* 24: 444-451.
559. Fasching K, Panzer S, Haas OA, Marschalek R, Gadner H, Panzer-Grumayer ER (2000). Presence of clone-specific antigen receptor gene rearrangements at birth indicates an in utero origin of diverse types of early childhood acute lymphoblastic leukemia. *Blood* 95: 2722-2724.
560. Fassina A, Marino F, Poletti A, Rea F, Pennelli N, Ninfo V (2001). Follicular dendritic cell tumor of the mediastinum. *Ann Diagn Pathol* 5: 361-367.
561. Fassone L, Bhatia K, Gutierrez M, Capello D, Ghoghini A, Dolcetti R, Vivenza D, Ascoli V, Lo Coco F, Pagani L, Dotti G, Rambaldi A, Raphael M, Tirelli U, Saglio G, Magrath IT, Carbone A, Gaidano G (2000). Molecular profile of Epstein-Barr virus infection in HHV-8-positive primary effusion lymphoma. *Leukemia* 14: 271-277.
562. Fauci AS, Haynes BF, Costa J, Katz P, Wolff SM (1982). Lymphomatoid Granulomatosis. Prospective clinical and therapeutic experience over 10 years. *N Engl J Med* 306: 68-74.
563. Faul JL, Berry GJ, Colby TV, Ruoss SJ, Walter MB, Rosen GD, Raffin TA (2000). Thoracic lymphangiomas, lymphangiectasis, lymphangiomatosis, and lymphatic dysplasia syndrome. *Am J Respir Crit Care Med* 161: 1037-1046.
564. Feder JM, Siegfried JM, Balslem A, Litwin S, Keller SM, Liu Z, Testa JR (1998). Clinical relevance of chromosome abnormalities in non-small cell lung cancer. *Cancer Genet Cytogenet* 102: 25-31.
565. Federici S, Domenicelli V, Tani G, Sciutti R, Burnelli R, Zanetti G, Domini R (2001). Pleuropulmonary blastoma in congenital cystic adenomatoid malformation: report of a case. *Eur J Pediatr Surg* 11: 196-199.
566. Fekete PS, Cohen C, DeRose PB (1990). Pulmonary spindle cell carcinoma. Needle aspiration biopsy, histologic and immunohistochemical findings. *Acta Cytol* 34: 50-56.
567. Fekete PS, Nassar VH, Talley JD, Boedecker EA (1983). Cardiac papilloma. A case report with evidence of thrombotic origin. *Arch Pathol Lab Med* 107: 246-248.
568. Feld R, Sagman U, Leblanc M (2000). Staging and prognostic factors for small cell carcinoma. In: *Lung Cancer, Principles and Practice*, Pass HI, Mitchell JB, Johnson DH, Turrisi AT, Minna JD, eds., Lippincott Williams and Wilkins: Philadelphia, pp. 967-980.
569. Feltkamp CA, van Heerde P, Feltkamp-Vroom TM, Koudstaal J (1981). A malignant tumor arising from interdigitating cells; light microscopic, ultrastructural, immunohistochemical and enzyme-histochemical characteristics. *Virchows Arch A Pathol Anat Histol* 393: 183-192.
570. Felton WL, Liebow AA, Lindskog GE (1953). Peripheral and multiple bronchial adenomas. *Cancer* 6: 555-567.
571. Fenoglio JJ Jr, McAllister HAJr, Ferrans VJ (1976). Cardiac rhabdomyoma: a clinicopathologic and electron microscopic study. *Am J Cardiol* 38: 241-251.
- Ferguson HL, Hawkins EP, Cooley LD (1996). Infant cardiac fibroma with clonal t(1;9)(q32;q22) and review of benign fibrous tissue cytogenetics. *Cancer Genet Cytogenet* 87: 34-37.
572. A. Ferlay J, Bray F, Pisani P, Parkin DM (2001). *Globocan 2000: Cancer incidence, mortality and prevalence worldwide*. IARC Press: Lyon.
573. Fernandes F, Soufen HN, Ianni BM, Arteaga E, Ramires FJ, Mady C (2001). Primary neoplasms of the heart. Clinical and histological presentation of 50 cases. *Arq Bras Cardiol* 76: 231-237.
574. Ferry JA, Linggood RM, Convery KM, Efrid JT, Eliseo R, Harris NL (1993). Hodgkin disease, nodular sclerosis type. Implications of histologic subclassification. *Cancer* 71: 457-463.
575. Fetsch JF, Montgomery EA, Meis JM (1993). Calcifying fibrous pseudotumor. *Am J Surg Pathol* 17: 502-508.
576. Feyler A, Voho A, Bouchardy C, Kuokkanen K, Dayer P, Hirvonen A, Benhamou S (2002). Point: myeloperoxidase -463G → a polymorphism and lung cancer risk. *Cancer Epidemiol Biomarkers Prev* 11: 1550-1554.
577. Fiche M, Caprons F, Berger F, Galateau F, Cordier JF, Loire R, Diebold J (1995). Primary pulmonary non-Hodgkin's lymphomas. *Histopathology* 26: 529-537.
578. Filderman AE, Coppage L, Shaw C, Matthay RA (1989). Pulmonary and pleural manifestations of extrathoracic malignancies. *Clin Chest Med* 10: 747-807.
579. Fine G, Chang CH (1991). Adenoma of type 2 pneumocytes with oncocytic features. *Arch Pathol Lab Med* 115: 797-801.
580. Fink G, Krelbaum T, Yellin A, Bendayan D, Saute M, Glazer M, Kramer MR (2001). Pulmonary carcinoid: presentation, diagnosis, and outcome in 142 cases in Israel and review of 640 cases from the literature. *Chest* 119: 1647-1651.
581. Finkelstein SD, Hasegawa T, Colby T, Yousem SA (1999). 11q13 allelic imbalance discriminates pulmonary carcinoids from tumorlets. A microdissection-based genotyping approach useful in clinical practice. *Am J Pathol* 155: 633-640.
582. Finley JL, Silverman JF, Dabbs DJ (1988). Fine-needle aspiration cytology of pulmonary carcinosarcoma with immunocytochemical and ultrastructural observations. *Diagn Cytopathol* 4: 239-243.
583. Fischer DR, Beerman LB, Park SC, Bahnsen HT, Fricker FJ, Mathews RA (1984). Diagnosis of intracardiac rhabdomyoma by two-dimensional echocardiography. *Am J Cardiol* 53: 978-979.
584. Fishback NF, Travis WD, Moran CA, Guinee DG Jr, McCarthy WF, Koss MN (1994). Pleomorphic (spindle/giant cell) carcinoma of the lung. A clinicopathologic correlation of 78 cases. *Cancer* 73: 2936-2945.
585. Fisher C, Schofield JB (1991). S-100 protein positive synovial sarcoma. *Histopathology* 19: 375-377.
586. Fitzgibbons PL, Kern WH (1985). Adenosquamous carcinoma of the lung: a clinical and pathologic study of seven cases. *Hum Pathol* 16: 463-466.
587. Fizazi K, Culine S, Droz JP, Kramer A, Theodore C, Ruffie P, Le Chevalier T (1998). Primary mediastinal nonseminomatous germ cell tumors: results of modern therapy including cisplatin-based chemotherapy. *J Clin Oncol* 16: 725-732.
588. Fizazi K, Tjulandin S, Salvioni R, Germa-Lluch JR, Bouzy J, Ragan D, Bokemeyer C, Gerl A, Flechon A, de Bono JS, Stenning S, Horwich A, Pont J, Albers P, De Giorgi U, Bower M, Bulanov A, Pizzocaro G, Aparicio J, Nichols CR, Theodore C, Hartmann JT, Schmoll HJ, Kaye SB, Culine S, Droz JP, Mahe C (2001). Viable malignant cells after primary chemotherapy for disseminated nonseminomatous germ cell tumors: prognostic factors and role of postsurgery chemotherapy—results from an international study group. *J Clin Oncol* 19: 2647-2657.
589. Fleming MV, Guinee DG Jr, Chu WS, Freedman AN, Caporaso NE, Bennett WP, Colby TV, Tazelaar H, Abbondanzo SL, Jett J, Pairolo P, Trastek V, Liotta LA, Harris CC, Travis WD (1998). Bcl-2 immunohistochemistry in a surgical series of non-small cell lung cancer patients. *Hum Pathol* 29: 60-64.
590. Fletcher CDM, Unni KK, Mertens F (2002). *World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Soft Tissue and Bone*. IARC Press: Lyon.
591. Fletcher JA, Longtine J, Wallace K, Mentzer SJ, Sugarbaker DJ (1995). Cytogenetic and histologic findings in 17 pulmonary chondroid hamartomas: evidence for a pathogenetic relationship with lipomas and leiomyomas. *Genes Chromosomes Cancer* 12: 220-223.
592. Flieder DB, Koss MN, Nicholson A, Sesterhenn IA, Petras RE, Travis WD (1998). Solitary pulmonary papillomas in adults: a clinicopathologic and in situ hybridization study of 14 cases combined with 27 cases in the literature. *Am J Surg Pathol* 22: 1328-1342.
593. Flieder DB, Moran CA, Suster S (1997). Primary alveolar soft-part sarcoma of the mediastinum: a clinicopathological and immunohistochemical study of two cases. *Histopathology* 31: 469-473.
594. Flieder DB, Travis WD (1997). Clear cell "sugar" tumor of the lung: association with lymphangiomyomatosis and multifocal micronodular pneumocyte hyperplasia in a patient with tuberous sclerosis. *Am J Surg Pathol* 21: 1242-1247.
595. Flint A, Lloyd RV (1992). Pulmonary metastases of colonic carcinoma. Distinction from pulmonary adenocarcinoma. *Arch Pathol Lab Med* 116: 39-42.
596. Flint A, Weiss SW (1995). CD-34 and keratin expression distinguishes solitary fibrous tumor (fibrous mesothelioma) of pleura from desmoplastic mesothelioma. *Hum Pathol* 26: 428-431.
597. Flotte T, Pinar H, Feiner H (1980). Papillary elastofibroma of the left ventricular septum. *Am J Surg Pathol* 4: 585-588.
598. Fogt F, Zimmerman RL, Hartmann CJ, Brown CA, Narula N (2002). Genetic alterations of Carney complex are not present in sporadic cardiac myxomas. *Int J Mol Med* 9: 59-60.
599. Folpe AL, Chand EM, Goldblum JR, Weiss SW (2001). Expression of Flt-1, a nuclear transcription factor, distinguishes vascular neoplasms from potential mimics. *Am J Surg Pathol* 25: 1061-1066.
600. Folpe AL, Gown AM, Lamps LW, Garcia R, Dail DH, Zarbo RJ, Schmidt RA (1999). Thyroid transcription factor-1: immunohistochemical evaluation in pulmonary neuroendocrine tumors. *Mod Pathol* 12: 5-8.
601. Folpe AL, Weiss SW (2002). Lipoleiomyosarcoma (well-differentiated liposarcoma with leiomyosarcomatous differentiation): a clinicopathologic study of nine cases including one with dedifferentiation. *Am J Surg Pathol* 26: 742-749.
602. Fontanini G, Calcinai A, Boldrini L, Lucchi M, Mussi A, Angeletti CA, Cagno C, Tognetti MA, Basolo F (1999). Modulation of neangiogenesis in bronchial preneoplastic lesions. *Oncol Rep* 6: 813-817.
603. Fontham ET, Correa P, Reynolds P, Wu-Williams A, Buffer PA, Greenberg RS, Chen VW, Alterman T, Boyd P, Austin DF, Liff J (1994). Environmental tobacco smoke and lung cancer in nonsmoking women. A multicenter study. *JAMA* 271: 1752-1759.
604. Foroulis CN, Iliadis KH, Mauroudis PM, Kosmidis PA (2002). Basaloid carcinoma, a rare primary lung neoplasm: report of a case and review of the literature. *Lung Cancer* 35: 335-338.
605. Francis D, Jacobsen M (1983). Pulmonary blastoma. *Curr Top Pathol* 73: 265-294.
606. Franke A, Strobel P, Fackeldey V, Schafer R, Goller T, Becker HP, Schoneich R, Muller-Hermelink HK, Marx A (2004). Hepatoid thymic carcinoma: report of a case. *Am J Surg Pathol* 28: 250-256.
607. Franklin WA (1994). Immunophenotypic changes associated with neoplastic transformation of human respiratory tract epithelium. *Lung Cancer* 5: 15-36.
608. Franklin WA, Veve R, Hirsch FR, Helfrich BA, Bunn PA Jr (2002). Epidermal growth factor receptor family in lung cancer and premalignancy. *Semin Oncol* 29: 3-14.
609. Franklin WA, Waintrub M, Edwards D, Christensen K, Prendegast P, Woods J, Bunn PA, Kolhous JF (1994). New anti-lung-cancer antibody cluster 12 reacts with human folate receptors present on adenocarcinoma. *Int J Cancer Suppl* 8: 89-95.
610. Franz DN, Brody A, Meyer C, Leonard J, Chuck G, Dabora S, Sethuraman G, Colby TV, Kwiatkowski DJ, McCormack FX (2001). Mutational and radiographic analysis of pulmonary disease consistent with lymphangiomyomatosis and micronodular pneumocyte hyperplasia in women with tuberous sclerosis. *Am J Respir Crit Care Med* 164: 661-668.
611. Fraser RS, Muller NL, Colman N, Pare PD (1999). Lymphoproliferative disorders and leukemia. In: *Fraser and Paré's Diagnosis of Diseases of the Chest*, Fraser RS, Muller NL, Colman N, Pare PD, eds., 4th ed. WB Saunders: Philadelphia.
612. Fraser RS, Müller NL, Colman N, Pare PD (1999). Neoplasms of the tracheobronchial glands. In: *Fraser and Paré's Diagnosis of the Chest*, Fraser RS, Müller NL, Colman N, Pare PD, eds., WB Saunders: Philadelphia, pp. 1251-1261.
613. Fraser RS, Müller NL, Colman N, Pare PD (1999). Neuroendocrine neoplasms. In: *Fraser and Paré's Diagnosis of Diseases of the Chest*, Fraser RS, Müller NL, Colman N, Pare PD, eds., WB Saunders: Philadelphia, pp. 1229-1251.
614. Fraser RS, Müller NL, Colman N, Pare PD (1999). Pulmonary carcinoma. In: *Fraser's and Paré's Diagnosis of Diseases*

- of the Chest, Fraser RS, Müller NL, Colman N, Pare PD, eds., WB Saunders: Philadelphia, pp. 1069-1228.
- 615.** Freedom RM, Lee KJ, MacDonald C, Taylor G (2000). Selected aspects of cardiac tumors in infancy and childhood. *Pediatr Cardiol* 21: 299-316.
- 616.** French CA, Miyoshi I, Aster JC, Kubonishi I, Kröll TG, Dal Cin P, Vargas SO, Perez-Atayde AR, Fletcher JA (2001). BRD4 bromodomain gene rearrangement in aggressive carcinoma with translocation t(15;19). *Am J Pathol* 159: 1987-1992.
- 617.** French CA, Miyoshi I, Kubonishi I, Grier HE, Perez-Atayde AR, Fletcher JA (2003). BRD4-NUT Fusion Oncogene: A Novel Mechanism in Aggressive Carcinoma. *Cancer Res* 63: 304-307.
- 618.** Friedman M, Forgione H, Shanbhag V (1980). Needle aspiration of metastatic melanoma. *Acta Cytol* 24: 7-15.
- 619.** Frierson HFJr, Covell JL, Mills SE (1987). Fine needle aspiration cytology of atypical carcinoid of the lung. *Acta Cytol* 31: 471-475.
- 620.** Frost JK, Ball WCJr, Levin ML, Tockman MS, Erozan YS, Gupta PK, Eggleston JC, Pressman NJ, Donithan MP, Kimball AWJr (1986). Sputum cytopathology: use and potential in monitoring the workplace environment by screening for biological effects of exposure. *J Occup Med* 28: 692-703.
- 621.** Frost JK, Erozan YS, Gupta PK, Carter D (1983). Cytopathology. In: National Cancer Institute. Atlas of Early Lung Cancer, National Cancer Institute. Atlas of Early Lung Cancer, Igaku-Shoin: Tokyo.
- 622.** Fu K, Moran CA, Suster S (2002). Primary mediastinal giant cell tumors: a clinicopathologic and immunohistochemical study of two cases. *Ann Diagn Pathol* 6: 100-105.
- 623.** Fujii T, Dracheva T, Player A, Chacko S, Clifford R, Strausberg RL, Buetow K, Azumi N, Travis WD, Jen J (2002). A preliminary transcriptome map of non-small cell lung cancer. *Cancer Res* 62: 3340-3346.
- 624.** Fujimoto K, Muller NL, Sadohara J, Harada H, Hayashi A, Hayabuchi N (2002). Alveolar adenoma of the lung: computed tomography and magnetic resonance imaging findings. *J Thorac Imaging* 17: 163-166.
- 625.** Fujino S, Nojima T, Asakura S, Onoe M, Watarida S, Mori A (1991). [Complete resection of thymic carcinoma supported by cardiopulmonary bypass]. *Nippon Kyobu Geka Gakkai Zasshi* 39: 1188-1193.
- 626.** Fujita Y, Shimizu T, Yamazaki K, Hirose T, Murayama M, Yamazaki Y, Matsumoto H, Tobise K (2000). Bronchial brushing cytology features of primary malignant fibrous histiocytoma of the lung. A case report. *Acta Cytol* 44: 227-231.
- 627.** Fujiyoshi F, Ichinari N, Fukukura Y, Sasaki M, Hiraki Y, Nakajo M (1998). Sclerosing hemangioma of the lung: MR findings and correlation with pathological features. *J Comput Assist Tomogr* 22: 1006-1008.
- 628.** Fukui I, Masaoka A, Fujii Y, Yamakawa Y, Yokoyama T, Murase T, Eimoto T (1999). Thymic neuroendocrine tumor (thymic carcinoid): a clinicopathologic study in 15 patients. *Ann Thorac Surg* 67: 208-211.
- 629.** Fukasawa Y, Takada A, Tateno M, Sato H, Koizumi M, Tanaka A, Sato T (1998). Solitary fibrous tumor of the pleura causing recurrent hypoglycemia by secretion of insulin-like growth factor II. *Pathol Int* 48: 47-52.
- 630.** Fukayama M, Hayashi Y, Shiozawa Y, Maeda Y, Koike M (1990). Human chorionic gonadotropin in the thymus. An immunocytochemical study on discordant expression of subunits. *Am J Pathol* 136: 123-129.
- 631.** Fukayama M, Ibuka T, Hayashi Y, Ooba T, Koike M, Mizutani S (1993). Epstein-Barr virus in pyothorax-associated pleural lymphoma. *Am J Pathol* 143: 1044-1049.
- 632.** Fukayama M, Maeda Y, Funata N, Koike M, Saito K, Sakai T, Ikeda T (1988). Pulmonary and pleural thymoma. Diagnostic application of lymphocyte markers to the thymoma of unusual site. *Am J Clin Pathol* 89: 617-621.
- 633.** Fukayama M, Nihei Z, Takizawa T, Koike M, Ikeda T (1984). A case of squamous cell carcinoma of the thymus, probably originating from thymic cyst. *Lung Cancer* 24: 415-420.
- 634.** Fukino S, Hayashi E, Fukata T, Okada M, Okada K, Makihara K, Morio S (1998). Primary clear cell carcinoma of the lung: report of an operative case. *Kyobu Geka* 51: 513-516.
- 635.** Fukuda T, Ohnishi Y, Kanai I, Emura I, Watanabe T, Kitazawa M, Okamura A (1992). Papillary adenoma of the lung. Histological and ultrastructural findings in two cases. *Acta Pathol Jpn* 42: 56-61.
- 636.** Fukunaga M, Ushigome S (1998). Giant cell angiofibroma of the mediastinum. *Histopathology* 32: 187-189.
- 637.** Fukushima K, Yamaguchi T, Take A, Ohara T, Hasegawa T, Mochizuki M (1992). [A case report of so-called solitary fibrous tumor of the mediastinum]. *Nippon Kyobu Geka Gakkai Zasshi* 40: 978-982.
- 638.** Fukushima KK, Mitani T, Hashimoto K, Hosogi S, Emori T, Morita H, Fujimoto Y, Nakamura K, Yamanari H, Ohe T (1999). Ventricular tachycardia in a patient with cardiac lipoma. *J Cardiovasc Electrophysiol* 10: 1161.
- 639.** Fulford LG, Kamata Y, Okudera K, Dawson A, Corrin B, Sheppard MN, Ibrahim NB, Nicholson AG (2001). Epithelial-myoepithelial carcinomas of the bronchus. *Am J Surg Pathol* 25: 1508-1514.
- 640.** Funai K, Yokose T, Ishii G, Araki K, Yoshida J, Nishimura M, Nagai K, Nishiwaki Y, Ochiai A (2003). Clinicopathologic characteristics of peripheral squamous cell carcinoma of the lung. *Am J Surg Pathol* 27: 978-984.
- 641.** Funai K, Yokose T, Ishii G, Araki K, Yoshida J, Nishimura M, Nagai K, Nishiwaki Y, Ochiai A (2003). Clinicopathologic characteristics of peripheral squamous cell carcinoma of the lung. *Am J Surg Pathol* 27: 978-984.
- 642.** Fushimi H, Kotoh K, Watanabe D, Tanio Y, Ogawa T, Miyoshi S (2000). Malignant melanoma in the thymus. *Am J Surg Pathol* 24: 1305-1308.
- 643.** Gabe ED, Rodriguez Correa C, Vigliano C, San Martino J, Wisner JN, Gonzalez P, Boughen RP, Torino A, Suarez LD (2002). [Cardiac myxoma. Clinical-pathological correlation]. *Rev Esp Cardiol* 55: 505-513.
- 644.** Gaertner E, Zeren EH, Fleming MV, Colby TV, Travis WD (1996). Biphasic synovial sarcomas arising in the pleural cavity. A clinicopathologic study of five cases. *Am J Surg Pathol* 20: 36-45.
- 645.** Gaertner EM, Steinberg DM, Huber M, Hayashi T, Tsuda N, Askin FB, Bell SW, Nguyen B, Colby TV, Nishimura SL, Miettinen M, Travis WD (2000). Pulmonary and mediastinal glomus tumors—report of five cases including a pulmonary glomangiosarcoma: a clinicopathologic study with literature review. *Am J Surg Pathol* 24: 1105-1114.
- 646.** Gaffey MJ, Mills SE, Askin FB, Ross GW, Sale GE, Kulander BG, Visscher DW, Yousem SA, Colby TV (1990). Clear cell tumor of the lung. A clinicopathologic, immunohistochemical, and ultrastructural study of eight cases. *Am J Surg Pathol* 14: 248-259.
- 647.** Gaffey MJ, Mills SE, Frierson HFJr, Askin FB, Maygarden SJ (1998). Pulmonary clear cell carcinoid tumor: another entity in the differential diagnosis of pulmonary clear cell neoplasia. *Am J Surg Pathol* 22: 1020-1025.
- 648.** Gaffey MJ, Mills SE, Zarbo RJ, Weiss LM, Gown AM (1991). Clear cell tumor of the lung. Immunohistochemical and ultrastructural evidence of melanogenesis. *Am J Surg Pathol* 15: 644-653.
- 649.** Gaidano G, Capello D, Cilia AM, Ghoghini A, Perin T, Quattrone S, Migliazza A, Lo Coco F, Saglio G, Ascoli V, Carbone A (1999). Genetic characterization of HHV-8/KSHV-positive primary effusion lymphoma reveals frequent mutations of BCL6: implications for disease pathogenesis and histogenesis. *Genes Chromosomes Cancer* 24: 16-23.
- 650.** Gaidano G, Ghoghini A, Gattei V, Rossi MF, Cilia AM, Godeas C, Degan M, Perin T, Canzonieri V, Aldinucci D, Saglio G, Carbone A, Pinto A (1997). Association of Kaposi's sarcoma-associated herpesvirus-positive primary effusion lymphoma with expression of the CD138/syndecan-1 antigen. *Blood* 90: 4894-4900.
- 651.** Gajra A, Tatum AH, Newman N, Gamble GP, Lichtenstein S, Rooney MT, Graziano SL (2002). The predictive value of neuroendocrine markers and p53 for response to chemotherapy and survival in patients with advanced non-small cell lung cancer. *Lung Cancer* 36: 159-165.
- 652.** Gal AA, Koss MN, Hochholzer L, Chejfec G (1991). An immunohistochemical study of benign clear cell ('sugar') tumor of the lung. *Arch Pathol Lab Med* 115: 1034-1038.
- 653.** Gal AA, Koss MN, Hochholzer L, DeRose PB, Cohen C (1993). Pigmented pulmonary carcinoid tumor. An immunohistochemical and ultrastructural study. *Arch Pathol Lab Med* 117: 832-836.
- 654.** Gal AA, Koss MN, McCarthy WF, Hochholzer L (1994). Prognostic factors in pulmonary fibrohistiocytic lesions. *Cancer* 73: 1817-1824.
- 655.** Gal AA, Nassar VH, Miller JI (2002). Cytopathologic diagnosis of pulmonary sclerosing hemangioma. *Diagn Cytopathol* 26: 163-166.
- 656.** Galateau-Salle F (2002). Well differentiated papillary mesothelioma. *Histopathology* 41 Supplement 2: 154-156.
- 657.** Galateau-Salle F, Luna RE, Horiba K, Sheppard MN, Hayashi T, Fleming MV, Colby TV, Bennett W, Harris CC, Stetler-Stevenson WG, Liotta L, Ferrans VJ, Travis WD (2000). Matrix metalloproteinases and tissue inhibitors of metalloproteinases in bronchial squamous preinvasive lesions. *Hum Pathol* 31: 296-305.
- 658.** Galili N, Davis RJ, Fredericks WJ, Mukhopadhyay S, Rauscher FJ, III, Emanuel BS, Rovera G, Barr FG (1993). Fusion of a fork head domain gene to PAX3 in the solid tumour alveolar rhabdomyosarcoma. *Nat Genet* 5: 230-235.
- 659.** Gallo R, Kumar N, Prabhakar G, Awada A, Maalouf Y, Duran CM (1993). Papillary fibroelastoma of mitral valve chorda. *Ann Thorac Surg* 55: 1576-1577.
- 660.** Ganjoo KN, Rieger KM, Kesler KA, Sharma M, Heilman DK, Einhorn LH (2000). Results of modern therapy for patients with mediastinal nonseminomatous germ cell tumors. *Cancer* 88: 1051-1056.
- 661.** Garber ME, Troyanskaya OG, Schluens K, Petersen S, Thaesler Z, Pacyna-Gengelbach M, van de Rijn M, Rosen GD, Perou CM, Whyte RI, Altman RB, Brown PO, Botstein D, Petersen I (2001). Diversity of gene expression in adenocarcinoma of the lung. *Proc Natl Acad Sci U S A* 98: 13784-13789.
- 662.** Garcia JM, Gonzalez R, Silva JM, Dominguez G, Vegazo IS, Gamallo C, Provencio M, Espana P, Bonilla F (2000). Mutational status of K-ras and TP53 genes in primary sarcomas of the heart. *Br J Cancer* 82: 1183-1185.
- 663.** Garnick MB, Griffin JD (1983). Idiopathic thrombocytopenia in association with extragonadal germ cell cancer. *Ann Intern Med* 98: 926-927.
- 664.** Garson AJr, Gillette PC, Titus JL, Hawkins E, Kearney D, Ott D, Cooley DA, McNamara DG (1984). Surgical treatment of ventricular tachycardia in infants. *N Engl J Med* 310: 1443-1445.
- 665.** Garson AJr, Smith RTJr, Moak JP, Kearney DL, Hawkins EP, Titus JL, Cooley DA, Ott DA (1987). Incessant ventricular tachycardia in infants: myocardial hamartomas and surgical cure. *J Am Coll Cardiol* 10: 619-626.
- 666.** Gartner LA, Voorhess ML (1993). Adrenocorticotropic hormone—producing thymic carcinoid in a teenager. *Cancer* 71: 106-111.
- 667.** Gaumann A, Petrow P, Mentzel T, Mayer E, Dahm M, Otto M, Kirkpatrick CJ, Kriegsmann J (2001). Osteopontin expression in primary sarcomas of the pulmonary artery. *Virchows Arch* 439: 668-674.
- 668.** Gazdar AF, Carbone M (2003). Molecular pathogenesis of malignant mesothelioma and its relationship to simian virus 40. *Clin Lung Cancer* 5: 177-181.
- 669.** Gazzeri S, Della Valle V, Chaussade L, Brambilla C, Larsen CJ, Brambilla E (1998). The human p19ARF protein encoded by the beta transcript of the p16INK4a gene is frequently lost in small cell lung cancer. *Cancer Res* 58: 3926-3931.
- 670.** Gazzeri S, Gouyer V, Vour'ch C, Brambilla C, Brambilla E (1998). Mechanisms of p16INK4A inactivation in non small-cell lung cancers. *Oncogene* 16: 497-504.
- 671.** Gebauer C (1982). The postoperative prognosis of primary pulmonary sarcoma. A review with a comparison between the histological forms and the other primary endothoracic sarcomas based on 474 cases. *Scand J Thorac Cardiovasc Surg* 16: 91-97.
- 672.** Geisinger K, Silverman J, Wakely PJr (1994). *Pediatric Cytopathology*. American Society for Clinical Pathology Press (ASCP Press): Chicago.
- 673.** Geisinger KR, Stanley MW, Raab SS, Silverman JF, Abati A (2003). *Modern Cytopathology*. Churchill Livingstone: New York.
- 674.** Gels ME (1997). Testicular Germ Cell Tumors. Development in Surgery and Follow-up. University of Groningen, The Netherlands: Groningen.
- 675.** Gengenbach S, Ridker PM (1991). Left ventricular hemangioma in Kasabach-Merritt syndrome. *Am Heart J* 121: 202-203.
- 676.** Geradts J, Fong KM, Zimmerman PV,

- Minna JD (2000). Loss of Fhit expression in non-small-cell lung cancer: correlation with molecular genetic abnormalities and clinicopathological features. *Br J Cancer* 82: 1191-1197.
677. Gerald WL, Ladanyi M, de Alava E, Cuatrecasas M, Kushner BH, LaQuaglia MP, Rosai J (1998). Clinical, pathologic, and molecular spectrum of tumors associated with t(11;22)(p13;q12): desmoplastic small round-cell tumor and its variants. *J Clin Oncol* 16: 3028-3036.
678. Gharagozloo F, Porter CJ, Tazelaar HD, Danielson GK (1994). Multiple myocardial hamartomas causing ventricular tachycardia in young children: combined surgical modification and medical treatment. *Mayo Clin Proc* 69: 262-267.
679. Giatromanolaki A, Gorgoulis V, Chetty R, Koukourakis MI, Whitehouse R, Kittas C, Vesslemes M, Gatter KC, Iordanoglou I (1996). C-erbB-2 oncoprotein expression in operable non-small cell lung cancer. *Anticancer Res* 16: 987-993.
680. Gibas Z, Miettinen M (1992). Recurrent parapharyngeal rhabdomyoma. Evidence of neoplastic nature of the tumor from cytogenetic study. *Am J Surg Pathol* 16: 721-728.
681. Gibril F, Chen YJ, Schrupp DS, Vormtreyer A, Zhuang Z, Lubensky IA, Reynolds JC, Louie A, Entsuah LK, Huang K, Asgharian B, Jensen RT (2003). Prospective study of thymic carcinoids in patients with multiple endocrine neoplasia type 1. *J Clin Endocrinol Metab* 88: 1066-1081.
682. Gilbert-Barness E, Barness LA (1999). Nonmalignant cardiovascular pathology in infants and children. *Pediatr Dev Pathol* 2: 499-530.
683. Gilcrease MZ, Rajan B, Ostrowski ML, Ramzy I, Schwartz MR (1997). Localized thymic Langerhans' cell histiocytosis and its relationship with myasthenia gravis. Immunohistochemical, ultrastructural, and cytometric studies. *Arch Pathol Lab Med* 121: 134-138.
684. Gill J, Malin M, Hollander GA, Boyd R (2002). Generation of a complete thymic microenvironment by MTS24(+) thymic epithelial cells. *Nat Immunol* 3: 635-642.
685. Gilliland FD, Samet JM (1994). Lung cancer. *Cancer Surv* 19-20: 175-195.
686. Ginsberg SS, Buzaid AC, Stern H, Carter D (1992). Giant cell carcinoma of the lung. *Cancer* 70: 606-610.
687. Girard L, Zochbauer-Muller S, Virmani AK, Gazdar AF, Minna JD (2000). Genome-wide allelotyping of lung cancer identifies new regions of allelic loss, differences between small cell lung cancer and non-small cell lung cancer, and loci clustering. *Cancer Res* 60: 4894-4906.
688. Gisselsson D, Pettersson L, Hoglund M, Heidenblad M, Gorunova L, Wiegant J, Mertens F, Dal Cin P, Mitelman F, Mandahl N (2000). Chromosomal breakage-fusion-bridge events cause genetic intratumor heterogeneity. *Proc Natl Acad Sci U S A* 97: 5357-5362.
689. Gjevrev JA, Myers JL, Prakash UB (1996). Pulmonary hamartomas. *Mayo Clin Proc* 71: 14-20.
690. Gladish GW, Sabloff BM, Munden RF, Truong MT, Erasmus JJ, Chasen MH (2002). Primary thoracic sarcomas. *Radiographics* 22: 621-637.
691. Glancy DL, Morales JB Jr, Roberts WC (1968). Angiosarcoma of the heart. *Am J Cardiol* 21: 413-419.
692. Glaser SL, Lin RJ, Stewart SL, Ambinder RF, Jarrett RF, Brousset P, Pallesen G, Gulley ML, Khan G, O'Grady J, Hummel M, Preciado MV, Knecht H, Chan JK, Claviez A (1997). Epstein-Barr virus-associated Hodgkin's disease: epidemiologic characteristics in international data. *Int J Cancer* 70: 375-382.
693. Glatstein E, Levinson BS (1995). Malignancies of the Thymus. *Thoracic Oncology*. 2nd ed. WB Saunders: Philadelphia.
694. Glehen A, Allias F, Patricot LM, Thivolet-Bejui F (2000). [Primary pulmonary synovial sarcoma. Apropos of 1 case with cytogenetic study]. *Ann Pathol* 20: 620-622.
695. Gobel U, Calaminus G, Engert J, Kaatsch P, Gadner H, Bokkerink JP, Hass RJ, Waag K, Blohm ME, Dippert S, Teske C, Harms D (1998). Teratomas in infancy and childhood. *Med Pediatr Oncol* 31: 8-15.
696. Gobel U, Schneider DT, Calaminus G, Haas RJ, Schmidt P, Harms D (2000). Germ-cell tumors in childhood and adolescence. GPOH MAKEI and the MAHO study groups. *Ann Oncol* 11: 263-271.
697. Godschalk RW, Schooten FJ, Bartsch H (2003). A critical evaluation of DNA adducts as biological markers for human exposure to polycyclic aromatic compounds. *J Biochem Mol Biol* 36: 1-11.
698. Goeze A, Schluns K, Wolf G, Thasler Z, Petersen S, Petersen I (2002). Chromosomal imbalances of primary and metastatic lung adenocarcinomas. *J Pathol* 196: 8-16.
699. Goh SGN, Lau LC, Sivaswaren C, Chuah KL, Tan PH, Lai D (2001). Pseudodiploidy (16;12)(q11;p11.2) in a type AB (mixed) thymoma. *Cancer Genet Cytogenet* 131: 42-47.
700. Goldsmith JD, Pawel B, Goldblum JR, Pasha TL, Roberts S, Nelson P, Khurana JS, Barr FG, Zhang PJ (2002). Detection and diagnostic utilization of placental alkaline phosphatase in muscular tissue and tumors with myogenic differentiation. *Am J Surg Pathol* 26: 1627-1633.
701. Goldstein DJ, Oz MC, Rose EA, Fisher P, Michler RE (1995). Experience with heart transplantation for cardiac tumors. *J Heart Lung Transplant* 14: 382-386.
702. Goldstein LS, Kavuru MS, Meli Y, Tuthill RJ, Mehta AC (1999). Uterine rhabdomyosarcoma metastatic to mediastinal lymph nodes: diagnosis by transbronchial needle aspiration. *South Med J* 92: 84-87.
703. Goldstein NS, Mani A, Chmielewski G, Welsh R, Pursel S (2000). Immunohistochemically detected micrometastases in peribronchial and mediastinal lymph nodes from patients with T1, N0, M0 pulmonary adenocarcinomas. *Am J Surg Pathol* 24: 274-279.
704. Goldstein NS, Thomas M (2001). Mucinous and nonmucinous bronchioloalveolar adenocarcinomas have distinct staining patterns with thyroid transcription factor and cytokeratin 20 antibodies. *Am J Clin Pathol* 116: 319-325.
705. Gologorsky E, Gologorsky A (2002). Aortic valve fibroelastomas as an incidental intraoperative transesophageal echocardiographic finding. *Anesth Analg* 95: 1198-9, table.
706. Golub TR, Slonim DK, Tamayo P, Huard C, Gaasenbeek M, Mesirov JP, Coller H, Loh ML, Downing JR, Caligiuri MA, Bloomfield CD, Lander ES (1999). Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science* 286: 531-537.
707. Gomez-Roman JJ, Sanchez-Velasco P, Ojejo-Vinyals G, Hernandez-Nieto E, Leyva-Cobian F, Val-Bernal JF (2001). Human herpesvirus-8 genes are expressed in pulmonary inflammatory myofibroblastic tumor (inflammatory pseudotumor). *Am J Surg Pathol* 25: 624-629.
708. Gonzalez-Crussi F (1982). Teratomas of the mediastinum. In: *Extragenital Teratomas*, Hartmann WA, Cowan WR, eds., Armed Forces Institute of Pathology: Washington, DC.
709. Gonzalez-Vela JL, Savage PD, Manivel JC, Torkelson JL, Kennedy BJ (1990). Poor prognosis of mediastinal germ cell cancers containing sarcomatous components. *Cancer* 66: 1114-1116.
710. Gonzalez CL, Medeiros LJ, Jaffe ES (1991). Composite lymphoma. A clinicopathologic analysis of nine patients with Hodgkin's disease and B-cell non-Hodgkin's lymphoma. *Am J Clin Pathol* 96: 81-89.
711. Gonzalez S, von Bassewitz DB, Grundmann E, Nakhosteen JA, Muller KM (1985). Atypical cilia in hyperplastic, metaplastic, and dysplastic human bronchial mucosa. *Ultrastruct Pathol* 8: 345-356.
712. Gonzalez S, von Bassewitz DB, Grundmann E, Nakhosteen JA, Muller KM (1986). The ultrastructural heterogeneity of potentially preneoplastic lesions in the human bronchial mucosa. *Pathol Res Pract* 181: 408-417.
713. Gopal A, Li Mandri G, King DL, Marboe C, Homma S (1994). Aortic valve papillary fibroelastoma. A diagnosis by transthoracic echocardiography. *Chest* 105: 1885-1887.
714. Gordon GJ, Jensen RV, Hsiao LL, Gullans SR, Blumenstock JE, Richards WG, Jaklitsch MT, Sugarbaker DJ, Bueno R (2003). Using gene expression ratios to predict outcome among patients with mesothelioma. *J Natl Cancer Inst* 95: 598-605.
715. Gordon GJ, Richards WG, Sugarbaker DJ, Jaklitsch MT, Bueno R (2003). A prognostic test for adenocarcinoma of the lung from gene expression profiling data. *Cancer Epidemiol Biomarkers Prev* 12: 905-910.
716. Gorlin RJ, Goltz RW (1960). Multiple nevoid basal-cell epithelioma, jaw cysts and bifid rib - a syndrome. *N Engl J Med* 262: 908-912.
717. Gosney JR (1997). Pulmonary neuroendocrine cell system in pediatric and adult lung disease. *Microssc Res Tech* 37: 107-113.
718. Gosney JR, Denley H, Resl M (1999). Sustentacular cells in pulmonary neuroendocrine tumours. *Histopathology* 34: 211-215.
719. Gosney JR, Sissons MC, Allibone RO (1988). Neuroendocrine cell populations in normal human lungs: a quantitative study. *Thorax* 43: 878-882.
720. Gosney JR, Sissons MC, Allibone RO, Blakey AF (1989). Pulmonary endocrine cells in chronic bronchitis and emphysema. *J Pathol* 157: 127-133.
721. Goss PE, Schwertfeger L, Blackstein ME, Iscoe NA, Ginsberg RJ, Simpson WJ, Jones DP, Shepherd FA (1994). Extragenital germ cell tumors. A 14-year Toronto experience. *Cancer* 73: 1971-1979.
722. Goswami KC, Shrivastava S, Bahl VK, Saxena A, Manchanda SC, Wasir HS (1998). Cardiac myxomas: clinical and echocardiographic profile. *Int J Cardiol* 63: 251-259.
723. Goto K, Kodama T, Matsuno Y, Yokose T, Asamura H, Kamiya N, Shimosato Y (2001). Clinicopathologic and DNA cytometric analysis of carcinoma tumors of the thymus. *Mod Pathol* 14: 985-994.
724. Gotz M, Brunner P (1985). Micropapillomatosis of the bronchial basement membrane: pathogenesis and types. *Zentralbl Allg Pathol* 130: 375-381.
725. Gouttefangeas C, Bensussan A, Boumsell L (1990). Study of the CD3-associated T-cell receptors reveals further differences between T-cell acute lymphoblastic lymphoma and leukemia. *Blood* 75: 931-934.
726. Gouyer V, Gazzeri S, Bolon I, Drevet C, Brambilla C, Brambilla E (1998). Mechanism of retinoblastoma gene inactivation in the spectrum of neuroendocrine lung tumors. *Am J Respir Cell Mol Biol* 18: 188-196.
727. Gouyer V, Gazzeri S, Brambilla E, Bolon I, Moro D, Perron P, Benabdil AL, Brambilla C (1994). Loss of heterozygosity at the RB locus correlates with loss of RB protein in primary malignant neuro-endocrine lung carcinomas. *Int J Cancer* 58: 818-824.
728. Govender D, Pillay SV (2001). Right pulmonary artery sarcoma. *Pathology* 33: 243-245.
729. Govender D, Pillay SV (2002). Mediastinal immature teratoma with yolk sac tumor and myelomonocytic leukemia associated with Klinefelter's syndrome. *Int J Surg Pathol* 10: 157-162.
730. Gowarf FJS (1978). Unusual mucous cyst of the lung. *Thorax* 33: 796-799.
731. Gowdamarajan A, Michler RE (2000). Therapy for primary cardiac tumors: is there a role for heart transplantation? *Curr Opin Cardiol* 15: 121-125.
732. Granata C, Battistini E, Toma P, Balducci T, Mattioli G, Fregonese B, Gambini C, Rossi GA (1997). Mucoepidermoid carcinoma of the bronchus: a case report and review of the literature. *Pediatr Pulmonol* 23: 226-232.
733. Grandmougin D, Fayad G, Decoene C, Pol A, Warembourg H (2001). Total orthotopic heart transplantation for primary cardiac rhabdomyosarcoma: factors influencing long-term survival. *Ann Thorac Surg* 71: 1438-1441.
734. Grandmougin D, Fayad G, Moukassa D, Decoene C, Abolmaali K, Bodart JC, Limousin M, Warembourg H (2000). Cardiac valve papillary fibroelastomas: clinical, histological and immunohistochemical studies and a physiopathogenic hypothesis. *J Heart Valve Dis* 9: 832-841.
735. Graziano SL, Mazid R, Newman N, Tatum A, Oler A, Mortimer JA, Gullo JJ, DiFino SM, Scalzo AJ (1989). The use of neuroendocrine immunoperoxidase markers to predict chemotherapy response in patients with non-small-cell lung cancer. *J Clin Oncol* 7: 1398-1406.
736. Grebenc ML, Rosado-de-Christenson ML, Green CE, Burke AP, Galvin JR (2002). Cardiac myxoma: imaging features in 83 patients. *Radiographics* 22: 673-689.
737. Grebenc ML, Rosado de Christenson ML, Burke AP, Green CE, Galvin JR (2000). Primary cardiac and pericardial neoplasms: radiologic-pathologic correlation. *Radiographics* 20: 1073-1103.
738. Greene FL, Page DL, Fleming ID, Fritz AG, Balch CM, Haller DG, Morrow M (2002). *AJCC Cancer Staging Manual*. Sixth ed. Springer: New York.
739. Greenwood SM, Meschter SC (1989). Extraskeletal osteogenic sarcoma of the mediastinum. *Arch Pathol Lab Med* 113: 430-433.

740. Grewal RG, Prager K, Austin JH, Rotterdam H (1993). Long term survival in non-encapsulated primary liposarcoma of the mediastinum. *Thorax* 48: 1276-1277.
741. Griffin CA, Hawkins AL, Dvorak C, Henkle C, Ellingham T, Perlman EJ (1999). Recurrent involvement of 2p23 in inflammatory myofibroblastic tumors. *Cancer Res* 59: 2776-2780.
742. Grinda JM, Couetil JP, Chauvaud S, D'Atellis N, Berrebi A, Fabiani JN, Deloche A, Carpentier A (1999). Cardiac valve papillary fibroelastoma: surgical excision for revealed or potential embolization. *J Thorac Cardiovasc Surg* 117: 106-110.
743. Gschwendtner A, Fend F, Hoffmann Y, Krugmann J, Klingler PJ, Mairinger T (1999). DNA-ploidy analysis correlates with the histogenetic classification of thymic epithelial tumours. *J Pathol* 189: 576-580.
744. Gu J, Spitz MR, Yang F, Wu X (1999). Ethnic differences in poly(ADP-ribose) polymerase pseudogene genotype distribution and association with lung cancer risk. *Carcinogenesis* 20: 1465-1469.
745. Guarino M, Micheli P, Pallotti F, Giordano F (1999). Pathological relevance of epithelial and mesenchymal phenotype plasticity. *Pathol Res Pract* 195: 379-389.
746. Gutter M, Burckhardt E, Kappeler A, Hirsiger H, Laissue JA, Mazzucchelli L (2002). Quantitative expansion of structural genomic alterations in the spectrum of neuroendocrine lung carcinomas. *J Pathol* 196: 408-415.
747. Guillou L, Coindre J, Gallagher G, Terrier P, Gebhard S, de Saint Aubain Somerhausen N, Michels J, Jundt G, Vince DR, Collin F, Trassard M, Le Doussal V, Benhattar J (2001). Detection of the synovial sarcoma translocation t(X;18)(SYT;SSX) in paraffin-embedded tissues using reverse transcriptase-polymerase chain reaction: a reliable and powerful diagnostic tool for pathologists. A molecular analysis of 221 mesenchymal tumors fixed in different fixatives. *Hum Pathol* 32: 105-112.
748. Guillou L, Coindre JM, Bonichon F, Nguyen BB, Terrier P, Collin F, Vilain MO, Mandard AM, Le Doussal V, Leroux A, Jacquemier J, Duplay H, Sastre-Garau X, Costa J (1997). Comparative study of the National Cancer Institute and French Federation of Cancer Centers Sarcoma Group grading systems in a population of 410 adult patients with soft tissue sarcoma. *J Clin Oncol* 15: 350-362.
749. Guillou L, Wadden C, Kraus MD, Dei Tos AP, Fletcher CDM (1996). S-100 protein reactivity in synovial sarcomas - A potentially frequent diagnostic pitfall - Immunohistochemical analysis of 100 cases. *Appl Immunohistochem* 4: 167-175.
750. Guinee DG Jr, Fishback NF, Koss MN, Abbondanzo SL, Travis WD (1994). The spectrum of immunohistochemical staining of small-cell lung carcinoma in specimens from transbronchial and open-lung biopsies. *Am J Clin Pathol* 102: 406-414.
751. Guinee DG Jr, Perkins SL, Travis WD, Holden JA, Tripp SR, Koss MN (1998). Proliferation and cellular phenotype in lymphomatoid granulomatosis: implications of a higher proliferation index in B cells. *Am J Surg Pathol* 22: 1093-1100.
752. Guinee DJr, Jaffe E, Kingma D, Fishback N, Wallberg K, Krishnan J, Frizzera G, Travis W, Koss M (1994). Pulmonary lymphomatoid granulomatosis. Evidence for a proliferation of Epstein-Barr virus infected B-lymphocytes with a prominent T-cell component and vasculitis. *Am J Surg Pathol* 18: 753-764.
753. Gupta D, Holden J, Layfield L (2001). Topoisomerase alpha II, retinoblastoma gene product, and p53: potential relationships with aggressive behavior and malignant transformation in recurrent respiratory papillomatosis. *Appl Immunohistochem Mol Morphol* 9: 86-91.
754. Hackshaw AK, Law MR, Wald NJ (1997). The accumulated evidence on lung cancer and environmental tobacco smoke. *BMJ* 315: 980-988.
755. Hagberg H, Gustavson KH, Sundstrom C, Gerdes U (1983). Blastic phase of myeloproliferative syndrome coexisting with a malignant teratoma. *Scand J Haematol* 30: 36-42.
756. Hahn H, Wicking C, Zaphiropoulos PG, Gailani MR, Shanley S, Chidambaram A, Vorechovsky I, Holmberg E, Unden AB, Gillies S, Negus K, Smyth I, Pressman C, Leffell DJ, Gerrard B, Goldstein AM, Dean M, Toftgard R, Chenexiv-Trench G, Wainwright B, Bale AE (1996). Mutations of the human homolog of *Drosophila* patched in the nevoid basal cell carcinoma syndrome. *Cell* 85: 841-851.
757. Hailemariam S, Engeler DS, Bannwart F, Amin MB (1997). Primary mediastinal germ cell tumor with intratubular germ cell neoplasia of the testis—further support for germ cell origin of these tumors: a case report. *Cancer* 79: 1031-1036.
758. Hainaut P, Lesage V, Weynand B, Coche E, Noirhomme P (1999). Calcifying fibrous pseudotumor (CFPT): a patient presenting with multiple pleural lesions. *Acta Clin Belg* 54: 162-164.
759. Hainsworth JD, Greco FA (2001). Germ cell neoplasms and other malignancies of the mediastinum. *Cancer Treat Res* 105: 303-325.
760. Hajar R, Roberts WC, Folger GM Jr (1986). Embryonal botryoid rhabdomyosarcoma of the mitral valve. *Am J Cardiol* 57: 376.
761. Haley KJ, Drazen JM, Osathanondh R, Sunday ME (1997). Comparison of the ontogeny of protein gene product 9.5, chromogranin A and proliferating cell nuclear antigen in developing human lung. *Microsc Res Tech* 37: 62-68.
762. Halicek F, Rosai J (1984). Histioeosinophilic granulomas in the thymuses of 29 myasthenic patients: a complication of pneumomediastinum. *Hum Pathol* 15: 1137-1144.
763. Hall GFM (1949). A case of thymolipoma with observations on a possible relationship to intrathoracic lipomata. *Br J Surg* 36: 321-324.
764. Hallahan DE, Vogelzang NJ, Borow KM, Bostwick DG, Simon MA (1986). Cardiac metastases from soft-tissue sarcomas. *J Clin Oncol* 4: 1662-1669.
765. Halliday BE, Slagel DD, Elsheikh TE, Silverman JF (1998). Diagnostic utility of MIC-2 immunocytochemical staining in the differential diagnosis of small blue cell tumors. *Diagn Cytopathol* 19: 410-416.
766. Hamakawa H, Bao Y, Takarada M, Fukuzumi M, Tanioka H (1998). Cytokeratin expression in squamous cell carcinoma of the lung and oral cavity: an immunohistochemical study with possible clinical relevance. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85: 438-443.
767. Hammar S (1987). The use of electron microscopy and immunohistochemistry in the diagnosis and understanding of lung neoplasms. *Clin Lab Med* 7: 1-30.
768. Hammar SP (1994). Common neoplasms. In: *Pulmonary Pathology*, Dail DH, Hammar SP, eds., 2nd ed. Springer-Verlag: New York, pp. 1123-1278.
769. Hammond ME, Sause WT (1985). Large cell neuroendocrine tumors of the lung. Clinical significance and histopathologic definition. *Cancer* 56: 1624-1629.
770. Han AJ, Xiong M, Gu YY, Lin SX, Xiong M (2001). Lymphoepithelioma-like carcinoma of the lung with a better prognosis. A clinicopathologic study of 32 cases. *Am J Clin Pathol* 115: 841-850.
771. Han AJ, Xiong M, Zong YS (2000). Association of Epstein-Barr virus with lymphoepithelioma-like carcinoma of the lung in southern China. *Am J Clin Pathol* 114: 220-226.
772. Hanau CA, Miettinen M (1995). Solitary fibrous tumor: histological and immunohistochemical spectrum of benign and malignant variants presenting at different sites. *Hum Pathol* 26: 440-449.
773. Hanly AJ, Elgart GW, Jorda M, Smith J, Nadiji M (2000). Analysis of thyroid transcription factor-1 and cytokeratin 20 separates merkel cell carcinoma from small cell carcinoma of lung. *J Cutan Pathol* 27: 118-120.
774. Hanson CA, Jaszcz W, Kersey JH, Astorga MG, Peterson BA, Gajl-Peczalska KJ, Frizzera G (1989). True histiocytic lymphoma: histopathologic, immunophenotypic and genotypic analysis. *Br J Haematol* 73: 187-198.
775. Happle R (1993). Klippel-Trenaunay syndrome: is it a paradigm trait? *Br J Dermatol* 128: 465-466.
776. Haque AK, Myers JL, Hudnall SD, Gelman BB, Lloyd RV, Payne D, Borucki M (1998). Pulmonary lymphomatoid granulomatosis in acquired immunodeficiency syndrome: lesions with Epstein-Barr virus infection. *Mod Pathol* 11: 347-356.
777. Harding CO, Pagon RA (1990). Incidence of tuberous sclerosis in patients with cardiac rhabdomyoma. *Am J Med Genet* 37: 443-446.
778. Harigae H, Ichinohasama R, Miura I, Kameoka J, Meguro K, Miyamura K, Sasaki O, Ishikawa I, Takahashi S, Kaku M, Sasaki T (2002). Primary marginal zone lymphoma of the thymus accompanied by chromosomal anomaly 46,X,dup(X)(p11p22). *Cancer Genet Cytogenet* 133: 142-147.
779. Harkness EF, Brewster DH, Kerr KM, Fergusson RJ, MacFarlane GJ (2002). Changing trends in incidence of lung cancer by histologic type in Scotland. *Int J Cancer* 102: 179-183.
780. Harper PG, Houang M, Spiro SG, Geddes D, Hodson M, Souhami RL (1981). Computerized axial tomography in the pre-treatment assessment of small-cell carcinoma of the bronchus. *Cancer* 47: 1775-1780.
781. Harpole DH Jr, Johnson CM, Wolfe WG, George SL, Seigler HF (1992). Analysis of 945 cases of pulmonary metastatic melanoma. *J Thorac Cardiovasc Surg* 103: 743-748.
782. Harris NL (1998). The many faces of Hodgkin's disease around the world: what have we learned from its pathology? *Ann Oncol* 9 Suppl 5: S45-S56.
783. Harris NL, Jaffe ES, Stein H, Banks PM, Chan JK, Cleary ML, Delsol G, Wolf-Petersers C, Falini B, Gatter KC (1994). A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. *Blood* 84: 1361-1392.
784. Harris NL, Muller-Hermelink HK (1999). Thymoma classification. A siren's song of simplicity. *Am J Clin Pathol* 112: 299-303.
785. Hartmann CA, Roth C, Minck C, Niedobitek G (1990). Thymic carcinoma. Report of five cases and review of the literature. *J Cancer Res Clin Oncol* 116: 69-82.
786. Hartmann JT, Einhorn L, Nichols CR, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Schmoll HJ, Kanz L, Bokemeyer C (2001). Second-line chemotherapy in patients with relapsed extragonadal nonseminomatous germ cell tumors: results of an international multicenter analysis. *J Clin Oncol* 19: 1641-1648.
787. Hartmann JT, Fossa SD, Nichols CR, Droz JP, Horwich A, Gerl A, Beyer J, Pont J, Fizazi K, Hecker H, Kanz L, Einhorn L, Bokemeyer C (2001). Incidence of metachronous testicular cancer in patients with extragonadal germ cell tumors. *J Natl Cancer Inst* 93: 1733-1738.
788. Hartmann JT, Nichols CR, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Einhorn L, Kanz L, Bokemeyer C (2000). The relative risk of second nongerminal malignancies in patients with extragonadal germ cell tumors. *Cancer* 88: 2629-2635.
789. Hartmann JT, Nichols CR, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Fizazi K, Einhorn L, Kanz L, Bokemeyer C (2000). Hematologic disorders associated with primary mediastinal nonseminomatous germ cell tumors. *J Natl Cancer Inst* 92: 54-61.
790. Hartmann JT, Nichols CR, Droz JP, Horwich A, Gerl A, Fossa SD, Beyer J, Pont J, Kanz L, Einhorn L, Bokemeyer C (2002). Prognostic variables for response and outcome in patients with extragonadal germ-cell tumors. *Ann Oncol* 13: 1017-1028.
791. Hasegawa T, Matsuno Y, Shimoda T, Hirohashi S, Hirose T, Sano T (1998). Frequent expression of bcl-2 protein in solitary fibrous tumors. *Jpn J Clin Oncol* 28: 86-91.
792. Haskovcova I, Povysil C, Pafko P (1997). [Alveolar adenoma of the lung (case report)]. *Cesk Patol* 33: 49-52.
793. Hasle H, Jacobsen BB (1995). Origin of male mediastinal germ-cell tumours. *Lancet* 345: 1046.
794. Hasle H, Jacobsen BB, Asschenfeldt P, Andersen K (1992). Mediastinal germ cell tumour associated with Klinefelter syndrome. A report of case and review of the literature. *Eur J Pediatr* 151: 735-739.
795. Hasle H, Mellemgaard A, Nielsen J, Hansen J (1995). Cancer incidence in men with Klinefelter syndrome. *Br J Cancer* 71: 416-420.
796. Hasleton PS (1996). Pleural disease. In: *Spencer's pathology of the lung*, Hasleton PS, ed., 5th ed. McGraw Hill: New York.
797. Hasserjian RP, Klimstra DS, Rosai J (1995). Carcinoma of the thymus with clear-cell features. Report of eight cases and review of the literature. *Am J Surg Pathol* 19: 835-841.
798. Hattori H, Tateyama H, Tada T, Saito Y, Yamakawa Y, Eimoto T (2000). PE-35-related antigen expression and CD1a-positive lymphocytes in thymoma subtypes based on Muller-Hermelink classification. An immunohistochemical study using catalyzed signal amplification. *Virchows Arch* 436: 20-27.
799. Hattori Y, Iriyama T, Watanabe K, Negi K, Takeda I, Sugimura S (2000). Primary cardiac sarcoma: two case reports. *Jpn Circ J* 64: 222-224.
800. Have-Opbroek AA, Benfield JR, van

- Krieken JH, Dijkman JH (1997). The alveolar type II cell is a pluripotential stem cell in the genesis of human adenocarcinomas and squamous cell carcinomas. *Histol Histopathol* 12: 319-336.
- 801.** Havlicek F, Rosai J (1984). A sarcoma of thymic stroma with features of liposarcoma. *Am J Clin Pathol* 82: 217-224.
- 802.** Hayashi H, Miyamoto H, Ito T, Kameda Y, Nakamura N, Kubota Y, Kitamura H (1997). Analysis of p21Waf1/Cip1 expression in normal, premalignant, and malignant cells during the development of human lung adenocarcinoma. *Am J Pathol* 151: 461-470.
- 803.** Hayes MMM, Vanderwesthuizen NG, Forgie R (1993). Malignant mixed tumor of bronchus - a biphasic neoplasm of epithelial and myoepithelial cells. *Mod Pathol* 6: 85-88.
- 804.** Heard BE, Corrin B, Dewar A (1985). Pathology of seven mucous cell adenomas of the bronchial glands with particular reference to ultrastructure. *Histopathology* 9: 687-701.
- 805.** Heath AC, Cates R, Martin NG, Meyer J, Hewitt JK, Neale MC, Eaves LJ (1993). Genetic contribution to risk of smoking initiation: comparisons across birth cohorts and across cultures. *J Subst Abuse* 5: 221-246.
- 806.** Heath AC, Martin NG (1993). Genetic models for the natural history of smoking: evidence for a genetic influence on smoking persistence. *Addict Behav* 18: 19-34.
- 807.** Hecht SS (2002). Cigarette smoking and lung cancer: chemical mechanisms and approaches to prevention. *Lancet Oncol* 3: 461-469.
- 808.** Hegg CA, Flint A, Singh G (1992). Papillary adenoma of the lung. *Am J Clin Pathol* 97: 393-397.
- 809.** Heilbrun A, Crosby IK (1972). Adenocystic carcinoma and mucoepidermoid carcinoma of tracheobronchial tree. *Chest* 61: 145-8.
- 810.** Heintz NH, Janssen YM, Mossman BT (1993). Persistent induction of c-fos and c-jun expression by asbestos. *Proc Natl Acad Sci U S A* 90: 3299-3303.
- 811.** Heitmler RF, Mathisen DJ, Ferry JA, Mark EJ, Grillo HC (1989). Mucoepidermoid lung tumors. *Ann Thorac Surg* 47: 394-399.
- 812.** Hekimgil M, Hamulu F, Cagirci U, Karabulut B, Ozgen AG, Soydan S, Yilmaz C (2001). Small cell neuroendocrine carcinoma of the thymus complicated by Cushing's syndrome. Report of a 58-year-old woman with a 3-year history of hypertension. *Pathol Res Pract* 197: 129-133.
- 813.** Helfritzsch H, Junker K, Bartel M, Scheele J (2002). Differentiation of positive autofluorescence bronchoscopy findings by comparative genomic hybridization. *Oncol Rep* 9: 697-701.
- 814.** Helman LJ, Ozols RF, Longo DL (1984). Thrombocytopenia and extragonadal germ-cell neoplasm. *Ann Intern Med* 101: 280.
- 815.** Henderson DW, Shilkin KB, Whitaker D, Atwood HD, Constance TJ, Steele RH, Leppard PJ (1992). The pathology of malignant mesothelioma, including immunohistochemistry and ultrastructure. In: *Malignant Mesothelioma*, Henderson DW, Shilkin KB, Langlois SL, Whitaker D, eds., Hemisphere Publishing Corporation: New York, pp. 69-139.
- 816.** Henley JD, Cummings OW, Loehrer PJ, Sr. (2004). Tyrosine kinase receptor expression in thymomas. *J Cancer Res Clin Oncol* 130: 222-224.
- 817.** Henschke CI (2003). I-ELCAP protocol. International Collaboration to Screen for Lung Cancer <http://ICScreen.med.cornell.edu/>.
- 818.** Henschke CI, McCauley DJ, Yankelevitz DF, Naidich DP, McGuinness G, Miettinen OS, Libby DM, Pasmantier MW, Koizumi J, Altorki NK, Smith JP (1999). Early Lung Cancer Action Project: overall design and findings from baseline screening. *Lancet* 354: 99-105.
- 819.** Henschke CI, Yankelevitz DF, Mirtcheva R, McGuinness G, McCauley D, Miettinen OS (2002). CT screening for lung cancer: frequency and significance of part-solid and nonsolid nodules. *AJR Am J Roentgenol* 178: 1053-1057.
- 820.** Herbst WM, Kummer W, Hofmann W, Otto H, Heym C (1987). Carcinoid tumors of the thymus. An immunohistochemical study. *Cancer* 60: 2465-2470.
- 821.** Hermine O, Michel M, Buzyn-Veil A, Gessain A (1996). Body-cavity-based lymphoma in an HIV-seronegative patient without Kaposi's sarcoma-associated herpesvirus-like DNA sequences. *N Engl J Med* 334: 272-273.
- 822.** Herndon JE, Green MR, Chahinian AP, Corson JM, Suzuki Y, Vogelzang NJ (1998). Factors predictive of survival among 337 patients with mesothelioma treated between 1984 and 1994 by the Cancer and Leukemia Group B. *Chest* 113: 723-731.
- 823.** Herrmann MA, Shankerman RA, Edwards WD, Shub C, Schaff HV (1992). Primary cardiac angiosarcoma: a clinicopathologic study of six cases. *J Thorac Cardiovasc Surg* 103: 655-664.
- 824.** Hess JL (1998). Chromosomal translocations in benign tumors: the HMGI proteins. *Am J Clin Pathol* 109: 251-261.
- 825.** Hess JL, Bodis S, Pinkus G, Silver B, Mauch P (1994). Histopathologic grading of nodular sclerosis Hodgkin's disease. Lack of prognostic significance in 254 surgically staged patients. *Cancer* 74: 708-714.
- 826.** Hibi K, Trink B, Patturajan M, Westra WH, Caballero OL, Hill DE, Ratovitski EA, Jen J, Sidransky D (2000). AIS is an oncogene amplified in squamous cell carcinoma. *Proc Natl Acad Sci U S A* 97: 5462-5467.
- 827.** Hida T, Yatabe Y, Achiwa H, Muramatsu H, Kozaki K, Nakamura S, Ogawa M, Mitsudomi T, Sugiura T, Takahashi T (1998). Increased expression of cyclooxygenase 2 occurs frequently in human lung cancers, specifically in adenocarcinomas. *Cancer Res* 58: 3761-3764.
- 828.** Higgins JP, Montgomery K, Wang L, Domanay E, Warnke RA, Brooks JD, van de Rijn M (2003). Expression of FKBP12 in benign and malignant vascular endothelium: an immunohistochemical study on conventional sections and tissue microarrays. *Am J Surg Pathol* 27: 58-64.
- 829.** Higgins JP, Warnke RA (1999). CD30 expression is common in mediastinal large B-cell lymphoma. *Am J Clin Pathol* 112: 241-247.
- 830.** Hill KA, Gonzalez-Crussi F, Chou PM (2001). Calcifying fibrous pseudotumor versus inflammatory myofibroblastic tumor: a histological and immunohistochemical comparison. *Mod Pathol* 14: 784-790.
- 831.** Hillerdal G (1983). Malignant mesothelioma 1982: review of 4710 published cases. *Br J Dis Chest* 77: 321-343.
- 832.** Hilliard RI, McKendry JB, Phillips MJ (1990). Congenital abnormalities of the lymphatic system: a new clinical classification. *Pediatrics* 86: 988-994.
- 833.** Hills EA (1971). Cylindroma of the trachea and left main bronchus. *Proc R Soc Med* 64: 221-222.
- 834.** Hines GL (1993). Paravertebral extramedullary hematopoiesis (as a posterior mediastinal tumor) associated with congenital dyserythropoietic anemia. *J Thorac Cardiovasc Surg* 106: 760-761.
- 835.** Hirabayashi H, Fujii Y, Sakaguchi M, Tanaka H, Yoon HE, Komoto Y, Inoue M, Miyoshi S, Matsuda H (1997). p16INK4, pRB, p53 and cyclin D1 expression and hypermethylation of CDKN2 gene in thymoma and thymic carcinoma. *Int J Cancer* 73: 639-644.
- 836.** Hirabayashi H, Ohta M, Tanaka H, Sakaguchi M, Fujii Y, Miyoshi S, Matsuda H (2002). Prognostic significance of p27KIP1 expression in resected non-small cell lung cancers: analysis in combination with expressions of p16INK4A, pRB, and p53. *J Surg Oncol* 81: 177-184.
- 837.** Hiraga H, Nojima T, Abe S, Sawa H, Yamashiro K, Yamawaki S, Kaneda K, Nagashima K (1998). Diagnosis of synovial sarcoma with the reverse transcriptase-polymerase chain reaction: analyses of 84 soft tissue and bone tumors. *Diagn Mol Pathol* 7: 102-110.
- 838.** Hiraiwa H, Hamazaki M, Tsuruta S, Hattori H, Mimaya J, Hasegawa S, Kohno S, Aoki K (1998). Infantile hemangioperithelioma of the thymus with massive pleural effusion and Kasabach-Merritt syndrome: histopathological, flow cytometrical analysis of the tumor. *Acta Paediatr Jpn* 40: 604-607.
- 839.** Hirao T, Bueno R, Chen CJ, Gordon GJ, Heilig E, Kelsey KT (2002). Alterations of the p16(INK4) locus in human malignant mesothelial tumors. *Carcinogenesis* 23: 1127-1130.
- 840.** Hiroshima K, Ishibashi M, Ohwada H, Kawano Y, Mizutani F, Hayashi Y (1992). A case of adenocarcinoma of the lung with a spindle cell component. *Acta Pathol Jpn* 42: 841-846.
- 841.** Hiroshima K, Iyoda A, Shibuya K, Toyozaki T, Haga Y, Fujisawa T, Ohwada H (2002). Prognostic significance of neuroendocrine differentiation in adenocarcinoma of the lung. *Ann Thorac Surg* 73: 1732-1735.
- 842.** Hirota J, Akiyama K, Ookado A, Takiguchi M, Oosawa S, Hashimoto A (1996). [A case report of papillary fibroelastoma of the aortic valve]. *Nippon Kyobu Geka Gakkai Zasshi* 44: 705-708.
- 843.** Hirota T, Konno K, Fujimoto T, Ohta H, Kato S, Hara K (1999). Unusual late extrapulmonary metastasis in osteosarcoma. *Pediatr Hematol Oncol* 16: 545-549.
- 844.** Hirsch FR, Franklin WA, Gazdar AF, Bunn PAJr (2001). Early detection of lung cancer: clinical perspectives of recent advances in biology and radiology. *Clin Cancer Res* 7: 5-22.
- 845.** Hirsch FR, Franklin WA, Veve R, Varella-Garcia M, Bunn PAJr (2002). HER2/neu expression in malignant lung tumors. *Semin Oncol* 29: 51-58.
- 846.** Hirsch FR, Matthews MJ, Yesner R (1982). Histopathologic classification of small cell carcinoma of the lung: comments based on an interobserver examination. *Cancer* 50: 1360-1366.
- 847.** Hirsch FR, Osterlind K, Jensen LH, Thomsen C, Peters K, Jensen F, Hansen HH (1992). The impact of abdominal computerized tomography on the pretreatment staging and prognosis of small cell lung cancer. *Ann Oncol* 3: 469-474.
- 848.** Hirsch FR, Paulson OB, Hansen HH, Vraa-Jensen J (1982). Intracranial metas-
- tases in small cell carcinoma of the lung: correlation of clinical and autopsy findings. *Cancer* 50: 2433-2437.
- 849.** Hirsch FR, Prindiville SA, Miller YE, Franklin WA, Dempsey EC, Murphy JR, Bunn PAJr, Kennedy TC (2001). Fluorescence versus white-light bronchoscopy for detection of preneoplastic lesions: a randomized study. *J Natl Cancer Inst* 93: 1385-1391.
- 850.** Hisaoka M, Hashimoto H, Iwamasa T, Ishikawa K, Aoki T (1999). Primary synovial sarcoma of the lung: report of two cases confirmed by molecular detection of SYT-SSX fusion gene transcripts. *Histopathology* 34: 205-210.
- 851.** Hishima T, Fukayama M, Fujisawa M, Hayashi Y, Arai K, Funata N, Koike M (1994). CD5 expression in thymic carcinoma. *Am J Pathol* 145: 268-275.
- 852.** Hishima T, Fukayama M, Hayashi Y, Fujii T, Arai K, Shiozawa Y, Funata N, Koike M (1997). Neuroendocrine differentiation in thymic epithelial tumors. Immunohistochemical studies. In: *Epithelial Tumors of the Thymus*. Pathology, Biology, Treatment, Marx A, Muller-Hermelink HK, eds., Plenum Press: New York, pp. 67-73.
- 853.** Hishima T, Fukayama M, Hayashi Y, Fujii T, Arai K, Shiozawa Y, Funata N, Koike M (1998). Neuroendocrine differentiation in thymic epithelial tumors with special reference to thymic carcinoma and atypical thymoma. *Hum Pathol* 29: 330-338.
- 854.** Hishima T, Fukayama M, Hayashi Y, Fujii T, Ooba T, Funata N, Koike M (2000). CD70 expression in thymic carcinoma. *Am J Surg Pathol* 24: 742-746.
- 855.** Hittmair A, Rogatsch H, Hobisch A, Mikuz G, Feichtinger H (1996). CD30 expression in seminoma. *Hum Pathol* 27: 1166-1171.
- 856.** Ho FC, Fu KH, Lam SY, Chiu SW, Chan AC, Muller-Hermelink HK (1994). Evaluation of a histogenetic classification for thymic epithelial tumours. *Histopathology* 25: 21-29.
- 857.** Ho FC, Ho JC (1977). Pigmented carcinoma tumour of the thymus. *Histopathology* 1: 363-369.
- 858.** Hodgson JT, Darnton A (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. *Ann Occup Hyg* 44: 565-601.
- 859.** Hoffacker V, Schultz A, Tiesinga JJ, Gold R, Schalte B, Nix W, Kiefer R, Muller-Hermelink HK, Marx A (2000). Thymomas alter the T-cell subset composition in the blood: a potential mechanism for thymoma-associated autoimmune disease. *Blood* 96: 3872-3879.
- 860.** Hoffner L, Deka R, Chakravarti A, Surti U (1994). Cytogenetics and origins of pediatric germ cell tumors. *Cancer Genet Cytogenet* 74: 54-58.
- 861.** Hofmann W, Moller P, Manke HG, Otto HF (1985). Thymoma. A clinicopathologic study of 98 cases with special reference to three unusual cases. *Pathol Res Pract* 179: 337-353.
- 862.** Hofmann WJ, Momburg F, Moller P (1988). Thymic medullary cells expressing B lymphocyte antigens. *Hum Pathol* 19: 1280-1287.
- 863.** Holley DG, Martin GR, Brenner JJ, Fyfe DA, Huhta JC, Kleinman CS, Ritter SB, Silverman NH (1995). Diagnosis and management of fetal cardiac tumors: a multi-center experience and review of published reports. *J Am Coll Cardiol* 26: 516-520.
- 864.** Hollinger P, Gaeng D (1997).

- Simultaneous bilateral spontaneous pneumothorax in a patient with peritoneal and pleural papillary mesothelioma. *Respiration* 64: 233-235.
- 865.** Hollingsworth HC, Stetler-Stevenson M, Gagneten D, Kingma DW, Raffeld M, Jaffe ES (1994). Immunodeficiency-associated malignant lymphoma. Three cases showing genotypic evidence of both T- and B-cell lineages. *Am J Surg Pathol* 18: 1092-1101.
- 866.** Holst VA, Finkelstein S, Colby TV, Myers JL, Yousef SA (1997). p53 and K-ras mutational genotyping in pulmonary carcinomasarcoma, spindle cell carcinoma, and pulmonary blastoma: implications for histogenesis. *Am J Surg Pathol* 21: 801-811.
- 867.** Hongyo T, Kurooka M, Taniguchi E, Iuchi K, Nakajima Y, Aozasa K, Nomura T (1998). Frequent p53 mutations at dipyrimidine sites in patients with pyothorax-associated lymphoma. *Cancer Res* 58: 1105-1107.
- 868.** Horenstein MG, Nador RG, Chadburn A, Hyjek EM, Inghirami G, Knowles DM, Cesarman E (1997). Epstein-Barr virus latent gene expression in primary effusion lymphomas containing Kaposi's sarcoma-associated herpesvirus/human herpesvirus-8. *Blood* 90: 1186-1191.
- 869.** Hou SM, Falt S, Nyberg F (2001). Glutathione S-transferase T1-null genotype interacts synergistically with heavy smoking on lung cancer risk. *Environ Mol Mutagen* 38: 83-86.
- 870.** Houlston RS (2000). CYP1A1 polymorphisms and lung cancer risk: a meta-analysis. *Pharmacogenetics* 10: 105-114.
- 871.** Hsieh PP, Ho WL, Peng HC, Lee T (2002). Synovial sarcoma of the mediastinum. *Zhonghua Yi Xue Za Zhi (Taipei)* 65: 83-85.
- 872.** Hsu FJ, Levy R (1995). Preferential use of the VH4 Ig gene family by diffuse large-cell lymphoma. *Blood* 86: 3072-3082.
- 873.** Hsueh C, Kuo TT, Tsang NM, Lin JN, Yang CP (2002). Thymic lymphoepithelioma-like carcinoma in children: detection of EBV encoded latent membrane protein-1 gene without 30-bp deletion. *Mod Pathol* 15.
- 874.** Hu J, Schuster AE, Fritsch MK, Schneider DT, Lauer S, Perlman EJ (2001). Deletion mapping of 6q21-26 and frequency of 1p36 deletion in childhood endodermal sinus tumors by microsatellite analysis. *Oncogene* 20: 8042-8044.
- 875.** Huang CI, Taki T, Higashiyama M, Kohno N, Miyake M (2000). p16 protein expression is associated with a poor prognosis in squamous cell carcinoma of the lung. *Br J Cancer* 82: 374-380.
- 876.** Huang MN, Edgerton F, Takita H, Douglas HO Jr, Karakousis C (1978). Lung resection for metastatic sarcoma. *Am J Surg* 135: 804-806.
- 877.** Huang Q, Chang KL, Gaal K, Arber DA (2002). Primary effusion lymphoma with subsequent development of a small bowel mass in an HIV-seropositive patient: a case report and literature review. *Am J Surg Pathol* 26: 1363-1367.
- 878.** Hummel P, Cangiarella JF, Cohen JM, Yang G, Waisman J, Chhieng DC (2001). Transthoracic fine-needle aspiration biopsy of pulmonary spindle cell and mesenchymal lesions: a study of 61 cases. *Cancer* 93: 187-198.
- 879.** Hurt RD, Bruckman JE, Farrow GM, Bernatz PE, Hahn RG, Earle JD (1982). Primary anterior mediastinal seminoma. *Cancer* 49: 1658-1663.
- 880.** Hussain SP, Amstad P, Raja K, Sawyer M, Hofseth L, Shields PG, Hewer A, Phillips DH, Ryberg D, Haugen A, Harris CC (2001). Mutability of p53 hotspot codons to benzo(a)pyrene diol epoxide (BPDE) and the frequency of p53 mutations in nontumorous human lung. *Cancer Res* 61: 6350-6355.
- 881.** Hussain SP, Hofseth LJ, Harris CC (2001). Tumor suppressor genes: at the crossroads of molecular carcinogenesis, molecular epidemiology and human risk assessment. *Lung Cancer* 34 Suppl 2: S7-15.
- 882.** Hussong JW, Brown M, Perkins SL, Dehner LP, Coffin CM (1999). Comparison of DNA ploidy, histologic, and immunohistochemical findings with clinical outcome in inflammatory myofibroblastic tumors. *Mod Pathol* 12: 279-286.
- 883.** Huszar M, Suster S, Herczeg E, Geiger B (1986). Sclerosing hemangioma of the lung. Immunohistochemical demonstration of mesenchymal origin using antibodies to tissue-specific intermediate filaments. *Cancer* 58: 2422-2427.
- 884.** IARC (2003). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 83. Tobacco smoke and involuntary smoking. IARC Monographs.
- 885.** Iezzoni JC, Gaffey MJ, Weiss LM (1995). The role of Epstein-Barr virus in lymphoepithelioma-like carcinomas. *Am J Clin Pathol* 103: 308-315.
- 886.** Iezzoni JC, Nass LB (1996). Thymic basaloid carcinoma: a case report and review of the literature. *Mod Pathol* 9: 21-25.
- 887.** Ihde DC, Dunnick NR, Johnston-Early A, Bunn PA, Cohen MH, Minna JD (1982). Abdominal computed tomography in small cell lung cancer: assessment of extent of disease and response to therapy. *Cancer* 49: 1485-1490.
- 888.** Ikeda T, Ishihara T, Yoshimatsu H, Kikuchi K, Murakami M (1974). Primary osteogenic sarcoma of the mediastinum. *Thorax* 29: 582-588.
- 889.** Ilhan I, Kutluk T, Gogus S, Besim A, Buyukpamukcu M (1994). Hypertrophic pulmonary osteoarthropathy in a child with thymic carcinoma: an unusual presentation in childhood. *Med Pediatr Oncol* 23: 140-143.
- 890.** Im JG, Kim WH, Han MC, Han YM, Chung JW, Ahn JM, Do YS (1994). Sclerosing hemangiomas of the lung and interlobar fissures: CT findings. *J Comput Assist Tomogr* 18: 34-38.
- 891.** Inagaki H, Chan JK, Ng JW, Okabe M, Yoshino T, Okamoto M, Ogawa H, Matsushita H, Yokose T, Matsuno Y, Nakamura N, Nagasaka T, Ueda R, Eimoto T, Nakamura S (2002). Primary thymic extranodal marginal-zone B-cell lymphoma of mucosa-associated lymphoid tissue type exhibits distinctive clinicopathological and molecular features. *Am J Pathol* 160: 1435-1443.
- 892.** Indolfi P, Casale F, Carli M, Bisogno G, Ninfo V, Cecchetto G, Bagnulo S, Santoro N, Giuliano M, Di Tullio MT (2000). Pleuropulmonary blastoma: management and prognosis of 11 cases. *Cancer* 89: 1396-1401.
- 893.** Ingham PW, Nystedt S, Nakano Y, Brown W, Stark D, van den Heuvel M, Taylor AM (2000). Patched represses the Hedgehog signalling pathway by promoting modification of the Smoothed protein. *Curr Biol* 10: 1315-1318.
- 894.** Inghirami G, Chilosi M, Knowles DM (1990). Western thymomas lack Epstein-Barr virus by Southern blotting analysis and by polymerase chain reaction. *Am J Pathol* 136: 1429-1436.
- 895.** Inoue H, Ishii H, Alder H, Snyder E, Druck T, Huebner K, Croce CM (1997). Sequence of the FRA3B common fragile region: implications for the mechanism of FHIT deletion. *Proc Natl Acad Sci U S A* 94: 14584-14589.
- 896.** Inoue M, Marx A, Zettl A, Strobel P, Muller-Hermelink HK, Starostik P (2002). Chromosome 6 suffers frequent and multiple aberrations in thymoma. *Am J Pathol* 161: 1507-1513.
- 897.** Inoue M, Starostik P, Zettl A, Strobel P, Schwarz S, Scaravilli F, Henry K, Willcox N, Muller-Hermelink HK, Marx A (2003). Correlating genetic aberrations with WHO-defined histology and stage across the spectrum of thymomas. *Cancer Res* 63: 3708-3715.
- 898.** Institute of Pathology "Rudolf-Virchow-Haus" (2003). Comparative Genomic Hybridization (CGH). University Hospital Charité Humboldt-University of Berlin. <http://amba.charite.de/cgh/>
- 899.** International Union Against Cancer (UICC) (2003). TNM Supplement. A Commentary on Uniform Use. 3rd ed. Wiley-Liss: New York.
- 900.** Inzucchi SE, Pfaff-Amesse T (1998). Ectopic thymic carcinoid masquerading as a thyroid nodule. *Thyroid* 8: 589-595.
- 901.** Iolascon A, Faienza MF, Coppola B, della Ragione F, Schettini F, Biondi A (1996). Homozygous deletions of cyclin-dependent kinase inhibitor genes, p16(INK4A) and p18, in childhood T cell lineage acute lymphoblastic leukemias. *Leukemia* 10: 255-260.
- 902.** Iribarren C, Tekawa IS, Sidney S, Friedman GD (1999). Effect of cigar smoking on the risk of cardiovascular disease, chronic obstructive pulmonary disease, and cancer in men. *N Engl J Med* 340: 1773-1780.
- 903.** Isaacs H (2002). Tumors of the Fetus and Infant. Springer Verlag: New York.
- 904.** Isaacson PG (1990). Lymphomas of mucosa-associated lymphoid tissue (MALT). *Histopathology* 16: 617-619.
- 905.** Isaacson PG, Chan JK, Tang C, Addis BJ (1990). Low-grade B-cell lymphoma of mucosa-associated lymphoid tissue arising in the thymus. A thymic lymphoma mimicking myoepithelial sialadenitis. *Am J Surg Pathol* 14: 342-351.
- 906.** Isaacson PG, Norton AJ, Addis BJ (1987). The human thymus contains a novel population of B lymphocytes. *Lancet* 2: 1488-1491.
- 907.** Iseki M, Tsuda N, Kishikawa M, Shimada O, Hayashi T, Kawahara K, Tomita M (1990). Thymolipoma with striated myoid cells. Histological, immunohistochemical, and ultrastructural study. *Am J Surg Pathol* 14: 395-398.
- 908.** Ishibashi H, Shimoyama T, Akamatsu H, Sunamori M, Ohtani T, Imai K (2002). [A successfully resected case of giant malignant mediastinal germ cell tumor]. *Kyobu Geka* 55: 815-818.
- 909.** Ishida T, Kaneko S, Yokoyama H, Inoue T, Sugio K, Sugimachi K (1992). Adenosquamous carcinoma of the lung. Clinicopathologic and immunohistochemical features. *Am J Clin Pathol* 97: 678-685.
- 910.** Ishida Y, Kato K, Kigasawa H, Ohama Y, Ijiri R, Tanaka Y (2000). Synchronous occurrence of pleuropulmonary blastoma and cystic nephroma: possible genetic link in cystic lesions of the lung and the kidney. *Med Pediatr Oncol* 35: 85-87.
- 911.** Ishihara T, Kikuchi K, Ikeda T, Yamazaki S (1973). Metastatic pulmonary diseases: biologic factors and modes of treatment. *Chest* 63: 227-232.
- 912.** Ishiwa N, Ogawa N, Shoji A, Maehara T, Hayashi Y, Takanashi Y, Yazawa T, Ito T (2003). Correlation between lymph node micrometastasis and histologic classification of small lung adenocarcinomas, in considering the indication of limited surgery. *Lung Cancer* 39: 159-164.
- 913.** Israel DH, Sherman W, Ambrose JA, Sharma S, Harpaz N, Robbins M (1991). Dynamic coronary ostial obstruction due to papillary fibroelastoma leading to myocardial ischemia and infarction. *Am J Cardiol* 67: 104-105.
- 914.** Ito H, Hamajima N, Takezaki T, Matsuo K, Tajima K, Hatooka S, Mitsudomi T, Suyama M, Sato S, Ueda R (2002). A limited association of OGG1 Ser326Cys polymorphism for adenocarcinoma of the lung. *J Epidemiol* 12: 258-265.
- 915.** Iuchi K, Ichimiya A, Akashi A, Mizuta T, Lee YE, Tada H, Mori T, Sawamura K, Lee YS, Furuse K, Yamamoto S, Aozasa K (1987). Non-Hodgkin's lymphoma of the pleural cavity developing from long-standing pyothorax. *Cancer* 60: 1771-1775.
- 916.** Iyoda A, Hiroshima K, Toyozaki T, Haga Y, Fujisawa T, Ohwada H (2001). Clinical characterization of pulmonary large cell neuroendocrine carcinoma and large cell carcinoma with neuroendocrine morphology. *Cancer* 91: 1992-2000.
- 917.** Jacobsen M, Francis D (1980). Pulmonary blastoma. A clinico-pathological study of eleven cases. *Acta Pathol Microbiol Scand [A]* 88: 151-160.
- 918.** Jacobson JO, Aisenberg AC, Lamarre L, Willett CG, Linggood RM, Miketic LM, Harris NL (1988). Mediastinal large cell lymphoma. An uncommon subset of adult lymphoma curable with combined modality therapy. *Cancer* 62: 1893-1898.
- 919.** Jaffe ES, Harris NL, Stein H, Vardiman JW (2001). World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of Haematopoietic and Lymphoid Tissues. 1st ed. IARC Press: Lyon.
- 920.** Jaffe ES, Wilson WH (1997). Lymphomatoid granulomatosis: pathogenesis, pathology and clinical implications. *Cancer Surv* 30: 233-248.
- 921.** Janigan DT, Husain A, Robinson NA (1986). Cardiac angiosarcomas. A review and a case report. *Cancer* 57: 852-859.
- 922.** Janower ML, Blennerhassett JB (1971). Lymphangitic spread of metastatic cancer to the lung. A radiologic-pathologic classification. *Radiology* 101: 267-273.
- 923.** Janssen-Heijnen ML, Nab HW, van Reek J, van der Heijden LH, Schipper R, Coebergh JW (1995). Striking changes in smoking behaviour and lung cancer incidence by histological type in south-east Netherlands, 1960-1991. *Eur J Cancer* 31A: 949-952.
- 924.** Jansson JO, Svensson J, Bengtsson BA, Frohman LA, Ahlman H, Wangberg B, Nilsson O, Nilsson M (1998). Acromegaly and Cushing's syndrome due to ectopic production of GHRH and ACTH by a thymic carcinoid tumour: in vitro responses to GHRH and GHRP-6. *Clin Endocrinol (Oxf)* 48: 243-250.
- 925.** Javett SN, Braudo JL, Webster I (1963). Congenital Dilatation of Pulmonary Lymphatics. *Pediatrics* 31: 416-&

926. Jeanmart M, Lantuejoul S, Fievet F, Moro D, Sturm N, Brambilla C, Brambilla E (2003). Value of immunohistochemical markers in preinvasive bronchial lesions in risk assessment of lung cancer. *Clin Cancer Res* 9: 2195-2203.
927. Jedrychowski W, Becher H, Wahrendorf J, Basa-Cierpielek Z, Gomola K (1992). Effect of tobacco smoking on various histological types of lung cancer. *J Cancer Res Clin Oncol* 118: 276-282.
928. Jennings TA, Axiotis CA, Kress Y, Carter D (1990). Primary malignant melanoma of the lower respiratory tract. Report of a case and literature review. *Am J Clin Pathol* 94: 649-655.
929. Jeong HS, Lee GK, Sung R, Ahn JH, Song HG (1997). Calcifying fibrous pseudotumor of mediastinum—a case report. *J Korean Med Sci* 12: 58-62.
930. Jimenez JF, Uthman EO, Townsend JW, Gloster ES, Seibert JJ (1986). Primary bronchopulmonary leiomyosarcoma in childhood. *Arch Pathol Lab Med* 110: 348-351.
931. Johnson BE, Russell E, Simmons AM, Phelps R, Steinberg SM, Ihde DC, Gazdar AF (1996). MYC family DNA amplification in 126 tumor cell lines from patients with small cell lung cancer. *J Cell Biochem Suppl* 24: 210-217.
932. Johnson DE, Appelt G, Samuels ML, Luna M (1976). Metastases from testicular carcinoma. Study of 78 autopsied cases. *Urology* 8: 234-239.
933. Johnson DH (1999). Management of small cell lung cancer: current state of the art. *Chest* 116: 525S-530S.
934. Johnson RL, Donnell RM (1979). Diffuse granulocytic infiltration of giant cell carcinoma of the lung: a distinctive histologic finding with clinical significance. *Lab Invest* 40: 262.
935. Johnson RM, Lindskog GE (1967). 100 cases of tumor metastatic to lung and mediastinum. Treatment and results. *JAMA* 202: 94-98.
936. Johnston WW, Elson CE (1997). Respiratory tract. In: *Comprehensive Cytopathology*, Bibbo M, Day L, eds, 2nd ed. WB Saunders: Philadelphia, pp. 325-402.
937. Jones D, Ballesta ME, Kaye KM, Gulizia JM, Winters GL, Fletcher J, Scadden DT, Aster JC (1998). Primary effusion lymphoma and Kaposi's sarcoma in a cardiac-transplant recipient. *N Engl J Med* 339: 444-449.
938. Jones H, Yaman M, Penn CR, Clarke T (1993). Primary stromal sarcoma of the thymus with areas of liposarcoma. *Histopathology* 23: 81-82.
939. Joos S, Granzow M, Holtgreve-Grez H, Siebert R, Harder L, Martin-Subero JI, Wolf J, Adamowicz M, Barth TF, Lichter P, Jauch A (2003). Hodgkin's lymphoma cell lines are characterized by frequent aberrations on chromosomes 2p and 9p including REL and JAK2. *Int J Cancer* 103: 489-495.
940. Joos S, Menz CK, Wrobel G, Siebert R, Gesk S, Ohi S, Mechtersheimer G, Trumper L, Moller P, Lichter P, Barth TF (2002). Classical Hodgkin lymphoma is characterized by recurrent copy number gains of the short arm of chromosome 2. *Blood* 99: 1381-1387.
941. Joos S, Otano-Joos MI, Ziegler S, Bruderlein S, du Manoir S, Bentz M, Moller P, Lichter P (1996). Primary mediastinal (thymic) B-cell lymphoma is characterized by gains of chromosomal material including 9p and amplification of the REL gene. *Blood* 87: 1571-1578.
942. Jordan AG, Predmore L, Sullivan MM, Memoli VA (1987). The cytodagnosis of well-differentiated neuroendocrine carcinoma. A distinct clinicopathologic entity. *Acta Cytol* 31: 464-470.
943. Jordan KG, Kwong JS, Flint J, Muller NL (1997). Surgically treated pneumothorax. Radiologic and pathologic findings. *Chest* 111: 280-285.
944. Jourenkova-Mironova N, Wikman H, Bouchardy C, Voho A, Dayer P, Benhamou S, Hirvonen A (1998). Role of glutathione S-transferase GSTM1, GSTM3, GSTP1 and GSTT1 genotypes in modulating susceptibility to smoking-related lung cancer. *Pharmacogenetics* 8: 495-502.
945. Junewick JJ, Fitzgerald NE (1999). The thymus in Langerhans' cell histiocytosis. *Pediatr Radiol* 29: 904-907.
946. Jung KJ, Lee KS, Han J, Kim J, Kim TS, Kim EA (2001). Malignant thymic epithelial tumors: CT-pathologic correlation. *AJR Am J Roentgenol* 176: 433-439.
947. Jurkovich D, de Marchena E, Bilsker M, Fierro-Renoy C, Temple D, Garcia H (2000). Primary cardiac lymphoma diagnosed by percutaneous intracardiac biopsy with combined fluoroscopic and transesophageal echocardiographic imaging. *Catheter Cardiovasc Interv* 50: 226-233.
948. Kamby C, Vejborg I, Kristensen B, Olsen LO, Mouridsen HT (1988). Metastatic pattern in recurrent breast cancer. Special reference to intrathoracic recurrences. *Cancer* 62: 2226-2233.
949. Kamel OW, Gocke CD, Kell DL, Cleary ML, Warnke RA (1995). True histiocytic lymphoma: a study of 12 cases based on current definition. *Leuk Lymphoma* 18: 81-86.
950. Kamimura K, Nakamura N, Ishibashi T, Maruyama Y, Abe M (2002). Somatic hypermutation of immunoglobulin heavy chain variable region genes in thymic marginal zone B-cell lymphoma of MALT type of a patient with Sjogren's syndrome. *Histopathology* 40: 294-296.
951. Kaminishi Y, Watanabe Y, Nakata H, Shimokama T, Jikuya T (2002). Cystic tumor of the atrioventricular nodal region. *Jpn J Thorac Cardiovasc Surg* 50: 37-39.
952. Kamiya H, Yasuda T, Nagamine H, Sakakibara N, Nishida S, Kawasuji M, Watanabe G (2001). Surgical treatment of primary cardiac tumors: 28 years' experience in Kanazawa University Hospital. *Jpn Circ J* 65: 315-319.
953. Kanavaros P, Gaulard P, Charlotte F, Martin N, Ducos C, Lebezu M, Mason DY (1995). Discordant expression of immunoglobulin and its associated molecule mb-1/CD79a is frequently found in mediastinal large B cell lymphomas. *Am J Pathol* 146: 735-741.
954. Kanno H, Aozasa K (1998). Mechanism for the development of pyothorax-associated lymphoma. *Pathol Int* 48: 653-664.
955. Kanno H, Naka N, Yasunaga Y, Iuchi K, Yamauchi S, Hashimoto M, Aozasa K (1997). Production of the immunosuppressive cytokine interleukin-10 by Epstein-Barr-virus-expressing pyothorax-associated lymphoma: possible role in the development of overt lymphoma in immunocompetent hosts. *Am J Pathol* 150: 349-357.
956. Kanno H, Yasunaga Y, Iuchi K, Yamauchi S, Tatekawa T, Sugiyama H, Aozasa K (1996). Interleukin-6-mediated growth enhancement of cell lines derived from pyothorax-associated lymphoma. *Lab Invest* 75: 167-173.
957. Kaplan MA, Goodman MD, Satish J, Bhagavan BS, Travis WD (1996). Primary pulmonary sarcoma with morphologic features of monophasic synovial sarcoma and chromosome translocation t(X; 18). *Am J Clin Pathol* 105: 195-199.
958. Kaplan MA, Tazelaar HD, Hayashi T, Schroer KR, Travis WD (1996). Adenomatoid tumors of the pleura. *Am J Surg Pathol* 20: 1219-1223.
959. Kaplinsky EJ, Favaloro RR, Pombo G, Perrone SV, Vigliano CA, Schmidt JL, Boughen RP (2000). Primary pulmonary artery sarcoma resembling chronic thromboembolic pulmonary disease. *Eur Respir J* 16: 1202-1204.
960. Karakoca Y, Emri S, Bagci T, Demir A, Erdem Y, Baris E, Sahin AA (1998). Environmentally-induced malignant pleural mesothelioma and HLA distribution in Turkey. *Int J Tuberc Lung Dis* 2: 1017-1022.
961. Karbowniczek M, Astrindis A, Balsara BR, Testa JR, Lium JH, Colby TV, McCormack FX, Henske EP (2003). Recurrent lymphangiomyomatosis after transplantation: genetic analyses reveal a metastatic mechanism. *Am J Respir Crit Care Med* 167: 976-982.
962. Kardamakias D, Bouboulis N, Ravazoula P, Dimopoulos P, Dougenis D (1996). Primary hemangiosarcoma of the mediastinum. *Lung Cancer* 16: 81-86.
963. Karl SR, Dunn J (1985). Posterior mediastinal teratomas. *J Pediatr Surg* 20: 508-510.
964. Kasai K, Kuwao S, Sato Y, Murayama M, Harano Y, Kameya T (1992). Case report of primary cardiac lymphoma. The applications of PCR to the diagnosis of primary cardiac lymphoma. *Acta Pathol Jpn* 42: 667-671.
965. Katial RK, Ranlett R, Whitlock WL (1994). Human papilloma virus associated with solitary squamous papilloma complicated by bronchiectasis and bronchial stenosis. *Chest* 106: 1887-1889.
966. Katic MR, Grillo HC, Wang CA (1985). Substernal goiter. Analysis of 80 patients from Massachusetts General Hospital. *Am J Surg* 149: 283-287.
967. Kato H, Okunaka T, Shimatani H (1996). Photodynamic therapy for early stage bronchogenic carcinoma. *J Clin Laser Med Surg* 14: 235-238.
968. Katz A, Lattes R (1969). Granulomatous thymoma or Hodgkin's disease of thymus? A clinical and histologic study and a re-evaluation. *Cancer* 23: 1-15.
969. Katzenstein AL, Carrington CB, Liebow AA (1979). Lymphomatoid granulomatosis: a clinicopathologic study of 152 cases. *Cancer* 43: 360-373.
970. Katzenstein AL, Gmelich JT, Carrington CB (1980). Sclerosing hemangioma of the lung: a clinicopathologic study of 51 cases. *Am J Surg Pathol* 4: 343-356.
971. Katzenstein AL, Prioleau PG, Askin FB (1980). The histologic spectrum and significance of clear-cell change in lung carcinoma. *Cancer* 45: 943-947.
972. Katzenstein AL, Weise DL, Fulling K, Battifora H (1983). So-called sclerosing hemangioma of the lung. Evidence for mesothelial origin. *Am J Surg Pathol* 7: 3-14.
973. Kauczor HU, Schwickert HC, Mayer E, Kersjes W, Moll R, Schweden F (1994). Pulmonary artery sarcoma mimicking chronic thromboembolic disease: computed tomography and magnetic resonance imaging findings. *Cardiovasc Intervent Radiol* 17: 185-189.
974. Kauffman SL (1981). Histogenesis of the papillary Clara cell adenoma. *Am J Pathol* 103: 174-180.
975. Kaufmann O, Dietel M (2000). Expression of thyroid transcription factor-1 in pulmonary and extrapulmonary small cell carcinomas and other neuroendocrine carcinomas of various primary sites. *Histopathology* 36: 415-420.
976. Kaufmann O, Kother S, Dietel M (1998). Use of antibodies against estrogen and progesterone receptors to identify metastatic breast and ovarian carcinomas by conventional immunohistochemical and tyramide signal amplification methods. *Mod Pathol* 11: 357-363.
977. Kawada M, Oda K, Hirose K, Fukutomi T, Yamashiro T, Ogoshi S (1996). [A case report of surgical treatment for left ventricular papillary fibroelastoma]. *Nippon Kyobu Geka Gakkai Zasshi* 44: 1159-1162.
978. Kawajiri K, Nakachi K, Imai K, Watanabe J, Hayashi S (1993). Germ line polyomorphisms of p53 and CYP1A1 genes involved in human lung cancer. *Carcinogenesis* 14: 1085-1089.
979. Kawakami S, Sone S, Takashima S, Li F, Yang ZG, Maruyama Y, Honda T, Hasegawa M, Wang JC (2001). Atypical adenomatous hyperplasia of the lung: correlation between high-resolution CT findings and histopathologic features. *Eur Radiol* 11: 811-814.
980. Kawashima O, Kamiyoshihara M, Sakata S, Kurihara T, Ishikawa S, Morishita Y (1999). Basaloid carcinoma of the thymus. *Ann Thorac Surg* 68: 1863-1865.
981. Kaye FJ (2002). RB and cyclin dependent kinase pathways: defining a distinction between RB and p16 loss in lung cancer. *Oncogene* 21: 6908-6914.
982. Kazmierczak B, Meyer-Bolte K, Tran KH, Wockel W, Brightman I, Rosigkeit J, Bartnitzke S, Bullerdiek J (1999). A high frequency of tumors with rearrangements of genes of the HMGI(Y) family in a series of 191 pulmonary chondroid hamartomas. *Genes Chromosomes Cancer* 26: 125-133.
983. Kazmierczak B, Wanschura S, Rommel B, Bartnitzke S, Bullerdiek J (1996). Ten pulmonary chondroid hamartomas with chromosome 6p21 breakpoints within the HMGI(Y) gene or its immediate surroundings. *J Natl Cancer Inst* 88: 1234-1236.
984. Kearney DL, Titus JL, Hawkins EP, Ott DA, Garson AJr (1987). Pathologic features of myocardial hamartomas causing childhood tachyarrhythmias. *Circulation* 75: 705-710.
985. Kees UR, Mulcahy MT, Willoughby ML (1991). Intrathoracic carcinoma in an 11-year-old girl showing a translocation t(15;19). *Am J Pediatr Hematol Oncol* 13: 459-464.
986. Keith RL, Miller YE, Gemmill RM, Drabkin HA, Dempsey EC, Kennedy TC, Prindiville S, Franklin WA (2000). Angiogenic squamous dysplasia in bronchi of individuals at high risk for lung cancer. *Clin Cancer Res* 6: 1616-1625.
987. Kelleher P, Misbah SA (2003). What is God's syndrome? Immunological abnormalities in patients with thymoma. *J Clin Pathol* 56: 12-16.
988. Keller AR, Castleman B (1974). Hodgkin's disease of the thymus gland. *Cancer* 33: 1615-1623.
989. Keller SA, Schattner EJ, Cesarman E (2000). Inhibition of NF-kappaB induces apoptosis of KSHV-infected primary effusion lymphoma cells. *Blood* 96: 2537-2542.
990. Kelly MD, Sheridan BF, Farnsworth AE,

- Palfreeman S (1994). Parathyroid carcinoma in a mediastinal sixth parathyroid gland. *Aust N Z J Surg* 64: 446-449.
991. Kelsey AM, McNally K, Birch J, Mitchell EL (1997). Case of extra pulmonary, pleuro-pulmonary blastoma in a child: pathological and cytogenetic findings. *Med Pediatr Oncol* 29: 61-64.
992. Kennedy A (1973). "Sclerosing haemangioma" of the lung: an alternative view of its development. *J Clin Pathol* 26: 792-799.
993. Kennedy TC, Proudfoot SP, Franklin WA, Merrick TA, Saccomanno G, Corkill ME, Mumma DL, Sirigi KE, Miller YE, Archer PG, Prochazka A (1996). Cytopathological analysis of sputum in patients with airflow obstruction and significant smoking histories. *Cancer Res* 56: 4673-4678.
994. Kerr KM (2001). Pulmonary preinvasive neoplasia. *J Clin Pathol* 54: 257-271.
995. Kerr KM, Carey FA, King G, Lamb D (1994). Atypical alveolar hyperplasia: relationship with pulmonary adenocarcinoma, p53, and c-erbB-2 expression. *J Pathol* 174: 249-256.
996. Kesler KA, Brooks JA, Rieger KM, Fineberg NS, Einhorn LH, Brown JW (2003). Mediastinal metastases from testicular nonseminomatous germ cell tumors: patterns of dissemination and predictors of long-term survival with surgery. *J Thorac Cardiovasc Surg* 125: 913-923.
997. Kesler KA, Rieger KM, Ganjoo KN, Sharma M, Fineberg NS, Einhorn LH, Brown JW (1999). Primary mediastinal nonseminomatous germ cell tumors: the influence of postchemotherapy pathology on long-term survival after surgery. *J Thorac Cardiovasc Surg* 118: 692-700.
998. Khalidi HS, Chang KL, Medeiros LJ, Brynes RK, Slovak ML, Murata-Collins JL, Arber DA (1999). Acute lymphoblastic leukemia. Survey of immunophenotype, French-American-British classification, frequency of myeloid antigen expression, and karyotypic abnormalities in 210 pediatric and adult cases. *Am J Clin Pathol* 111: 467-476.
999. Khalifa MA, Montgomery EA, Azumi N, Gomes MN, Zeman RK, Min KW, Lack EE (1997). Solitary fibrous tumors: a series of lesions, some in unusual sites. *South Med J* 90: 793-799.
1000. Khalifa MA, Montgomery EA, Ismiil N, Azumi N (2000). What are the CD34+ cells in benign peripheral nerve sheath tumors? Double immunostaining study of CD34 and S-100 protein. *Am J Clin Pathol* 114: 123-126.
1001. Khong TY, Keeling JW (1990). Massive congenital mesenchymal malformation of the lung: another cause of non-immune hydrops. *Histopathology* 16: 609-611.
1002. Khuder SA (2001). Effect of cigarette smoking on major histological types of lung cancer: a meta-analysis. *Lung Cancer* 31: 139-148.
1003. Kiaffas MG, Powell AJ, Geva T (2002). Magnetic resonance imaging evaluation of cardiac tumor characteristics in infants and children. *Am J Cardiol* 89: 1229-1233.
1004. Kierszenbaum AL, Tres LL (2001). Primordial germ cell-somatic cell partnership: a balancing cell signaling act. *Mol Reprod Dev* 60: 277-280.
1005. Kiffer JD, Sandeman TF (1999). Primary malignant mediastinal germ cell tumours: a literature review and a study of 18 cases. *Australas Radiol* 43: 58-68.
1006. Kihara M, Kihara M, Noda K (1999). Lung cancer risk of the GSTM1 null genotype is enhanced in the presence of the GSTP1 mutated genotype in male Japanese smokers. *Cancer Lett* 137: 53-60.
1007. Kim DH, Nelson HH, Wiencke JK, Zheng S, Christiani DC, Wain JC, Mark EJ, Kelsey KT (2001). p16(INK4a) and histology-specific methylation of CpG islands by exposure to tobacco smoke in non-small cell lung cancer. *Cancer Res* 61: 3419-3424.
1008. Kim K, Koo BC, Davis JT, Franco-Saenz R (1984). Primary myeloid lipoma of mediastinum. *J Comput Tomogr* 8: 119-123.
1009. Kim KH, Sul HJ, Kang DY (2003). Sclerosing hemangioma with lymph node metastasis. *Yonsei Med J* 44: 150-154.
1010. Kim TH, Kim YM, Han MY, Kim WH, Oh MH, Han KS (2002). Perinatal sonographic diagnosis of cardiac fibroma with MR imaging correlation. *AJR Am J Roentgenol* 178: 727-729.
1011. Kim TS, Lee KS, Han J, Im JG, Seo JB, Kim JS, Kim HY, Han SW (1999). Mucoepidermoid carcinoma of the tracheobronchial tree: radiographic and CT findings in 12 patients. *Radiology* 212: 643-648.
1012. Kim YC, Park KO, Kern JA, Park CS, Lim SC, Jang AS, Yang JB (1998). The interactive effect of Ras, HER2, P53 and Bcl-2 expression in predicting the survival of non-small cell lung cancer patients. *Lung Cancer* 22: 181-190.
1013. Kimura N, Ishikawa T, Sasaki Y, Sasano N, Onodera K, Shimizu Y, Kimura I, Steiner DF, Nagura H (1996). Expression of prothrombin convertase, PC2, in adrenocorticotropin-producing thymic carcinoid with elevated plasma corticotropin-releasing hormone. *J Clin Endocrinol Metab* 81: 390-395.
1014. King LJ, Padley SP, Wotherspoon AC, Nicholson AG (2000). Pulmonary MALT lymphoma: imaging findings in 24 cases. *Eur Radiol* 10: 1932-1938.
1015. Kirchner T, Hoppe F, Marx A, Papadopoulos T, Muller-Hermelink HK (1988). [Histogenic and functional markers of epithelial differentiation in thymomas and thymus carcinomas]. *Verh Dtsch Ges Pathol* 72: 349-353.
1016. Kirchner T, Schalke B, Buchwald J, Ritter M, Marx A, Muller-Hermelink HK (1992). Well-differentiated thymic carcinoma. An organotypical low-grade carcinoma with relationship to cortical thymoma. *Am J Surg Pathol* 16: 1153-1169.
1017. Kirchner T, Schalke B, Marx A, Muller-Hermelink HK (1989). Evaluation of prognostic features in thymic epithelial tumors. *Thymus* 14: 195-203.
1018. Kirschner LS, Carney JA, Pack SD, Taymans SE, Giatzakis C, Cho YS, Cho-Chung YS, Stratakis CA (2000). Mutations of the gene encoding the protein kinase A type I-alpha regulatory subunit in patients with the Carney complex. *Nat Genet* 26: 89-92.
1019. Kitaichi M, Nishimura K, Itoh H, Izumi T (1995). Pulmonary lymphangioleiomyomatosis: a report of 46 patients including a clinicopathologic study of prognostic factors. *Am J Respir Crit Care Med* 151: 527-533.
1020. Kitamura F, Araki S, Suzuki Y, Yokoyama K, Tanigawa T, Iwasaki R (2002). Assessment of the mutations of p53 suppressor gene and Ha- and Ki-ras oncogenes in malignant mesothelioma in relation to asbestos exposure: a study of 12 American patients. *Ind Health* 40: 175-181.
1021. Kitamura H, Kameda Y, Ito T, Hayashi H (1999). Atypical adenomatous hyperplasia of the lung. Implications for the pathogenesis of peripheral lung adenocarcinoma. *Am J Clin Pathol* 111: 610-622.
1022. Kitamura H, Kameda Y, Ito T, Hayashi H, Nakamura N, Nakatani Y, Inayama Y, Kanisawa M (1997). Cytodifferentiation of atypical adenomatous hyperplasia and bronchioloalveolar lung carcinoma: immunohistochemical and ultrastructural studies. *Virchows Arch* 431: 415-424.
1023. Kitamura H, Kameda Y, Nakamura N, Inayama Y, Nakatani Y, Shibagaki T, Ito T, Hayashi H, Kimura H, Kanisawa M (1996). Atypical adenomatous hyperplasia and bronchoalveolar lung carcinoma. Analysis by morphology and the expressions of p53 and carcinoembryonic antigen. *Am J Surg Pathol* 20: 553-562.
1024. Kiyohara C, Yamamura KI, Nakanishi Y, Takayama K, Hara N (2000). Polymorphism in GSTM1, GSTT1, and GSTP1 and Susceptibility to Lung Cancer in a Japanese Population. *Asian Pac J Cancer Prev* 1: 293-298.
1025. Kiziltepe TT, Patrick E, Alvarado C, Parker P, Winn K (1999). Pleuropulmonary blastoma and ovarian teratoma. *Pediatr Radiol* 29: 901-903.
1026. Kleihues P, Sobin LH (2000). World Health Organization Classification of Tumours. Pathology and Genetics of Tumours of the Nervous System. IARC Press: Lyon.
1027. Klein U, Gloghini A, Gaidano G, Chadburn A, Cesarman E, Dalla-Favera R, Carbone A (2003). Gene expression profile analysis of AIDS-related primary effusion lymphoma (PEL) suggests a plasmablastic derivation and identifies PEL-specific transcripts. *Blood* 101: 4115-4121.
1028. Klemm KM, Moran CA, Suster S (1999). Pigmented thymic carcinoids: a clinicopathological and immunohistochemical study of two cases. *Mod Pathol* 12: 946-948.
1029. Klepfish A, Sarid R, Shtalrid M, Shvidel L, Berrebi A, Schattner A (2001). Primary effusion lymphoma (PEL) in HIV-negative patients—a distinct clinical entity. *Leuk Lymphoma* 41: 439-443.
1030. Klimstra DS, Moran CA, Perino G, Koss MN, Rosai J (1995). Liposarcoma of the anterior mediastinum and thymus. A clinicopathologic study of 28 cases. *Am J Surg Pathol* 19: 782-791.
1031. Kline ME, Patel BU, Agosti SJ (1990). Noninfiltrating angiolipoma of the mediastinum. *Radiology* 175: 737-738.
1032. Knapp RH, Fritz SR, Reiman HM (1982). Primary embryonal carcinoma and choriocarcinoma of the mediastinum. A case report. *Arch Pathol Lab Med* 106: 507-509.
1033. Knapp RH, Hurt RD, Payne WS, Farrow GM, Lewis BD, Hahn RG, Muhm JR, Earle JD (1985). Malignant germ cell tumors of the mediastinum. *J Thorac Cardiovasc Surg* 89: 82-89.
1034. Knobel B, Rosman P, Kishon Y, Husar M (1992). Intracardiac primary fibrosarcoma. Case report and literature review. *Thorac Cardiovasc Surg* 40: 227-230.
1035. Knudson AG (2000). On a new genetic syndrome. *Med Pediatr Oncol* 35: 428.
1036. Kocak S, Adli M, Erdir O, Ereklü S, Cakmak A (2000). Intrathoracic desmoid tumor of the posterior mediastinum with transdiaphragmatic extension. Report of a case. *Tumori* 86: 489-491.
1037. Kodama H, Hirotani T, Suzuki Y, Ogawa S, Yamazaki K (2002). Cardiomyogenic differentiation in cardiac myxoma expressing lineage-specific transcription factors. *Am J Pathol* 161: 381-389.
1038. Kodama K, Higashiyama M, Yokouchi H, Takami K, Kuriyama K, Kusunoki Y, Nakayama T, Imamura F (2002). Natural history of pure ground-glass opacity after long-term follow-up of more than 2 years. *Ann Thorac Surg* 73: 386-392.
1039. Kodama K, Higashiyama M, Yokouchi H, Takami K, Kuriyama K, Mano M, Nakayama T (2001). Prognostic value of ground-glass opacity found in small lung adenocarcinoma on high-resolution CT scanning. *Lung Cancer* 33: 17-25.
1040. Kodama T, Biyajima S, Watanabe S, Shimosato Y (1986). Morphometric study of adenocarcinomas and hyperplastic epithelial lesions in the peripheral lung. *Am J Clin Pathol* 85: 146-151.
1041. Kodama T, Nishiyama H, Nishiwaki Y, Takanashi K, Kuroki M, Hayashibe A, Nukariya N, Kitaya T, Matsuyama T (1988). Histopathological study of adenocarcinoma and hyperplastic epithelial lesions of the lung. *Lung Cancer (Haigan)* 8: 325-333.
1042. Kodama T, Shimosato Y, Koide T, Watanabe S, Yoneyama T (1984). Endobronchial polypoid adenocarcinoma of the lung. Histological and ultrastructural studies of five cases. *Am J Surg Pathol* 8: 845-854.
1043. Koga K, Matsuno Y, Noguchi M, Mukai K, Asamura H, Goya T, Shimosato Y (1994). A review of 79 thymomas: modification of staging system and reappraisal of conventional division into invasive and non-invasive thymoma. *Pathol Int* 44: 359-367.
1044. Kohno H, Hiroshima K, Toyozaki T, Fujisawa T, Ohwada H (1999). p53 mutation and allelic loss of chromosome 3p, 9p of preneoplastic lesions in patients with non-small cell lung carcinoma. *Cancer* 85: 341-347.
1045. Kohno T, Shinmura K, Tosaka M, Tani M, Kim SR, Sugimura H, Nohmi T, Kasai H, Yokota J (1998). Genetic polymorphisms and alternative splicing of the hGGG1 gene, that is involved in the repair of 8-hydroxyguanine in damaged DNA. *Oncogene* 16: 3219-3225.
1046. Koita H, Suzumiya J, Ohshima K, Takeshita M, Kimura N, Kikuchi M, Koono M (1997). Lymphoblastic lymphoma expressing natural killer cell phenotype with involvement of the mediastinum and nasal cavity. *Am J Surg Pathol* 21: 242-248.
1047. Kollmannsberger C, Beyer J, Droz JP, Hartrick A, Hartmann JT, Biron P, Flechon A, Schoffski P, Kuczyk M, Schmolli HJ, Kanz L, Bokemeyer C (1998). Secondary leukemia following high cumulative doses of etoposide in patients treated for advanced germ cell tumors. *J Clin Oncol* 16: 3386-3391.
1048. Komaki R, Cox JD, Whitson W (1981). Risk of brain metastasis from small cell carcinoma of the lung related to length of survival and prophylactic irradiation. *Cancer Treat Rep* 65: 811-814.
1049. Kondo K, Monden Y (2001). A questionnaire about thymic epithelial tumors as compared to pulmonary atypical carcinoids. *Nihon Kokyuki Geka Gakkai Zasshi* 15: 633-642.
1050. Kondo T, Yamada K, Noda K, Nakayama H, Kameda Y (2002). Radiologic-prognostic correlation in patients with small pulmonary adenocarcinomas. *Lung Cancer* 36: 49-57.

1051. Kontny HU, Sleasman JW, Kingma DW, Jaffe ES, Avila NA, Pizzo PA, Mueller BU (1997). Multilocular thymic cysts in children with human immunodeficiency virus infection: clinical and pathologic aspects. *J Pediatr* 131: 264-270.
1052. Koo CH, Reifel J, Kogut N, Cove JK, Rappaport H (1992). True histiocytic malignancy associated with a malignant teratoma in a patient with 46XY gonadal dysgenesis. *Am J Surg Pathol* 16: 175-183.
1053. Kooijman CD (1988). Immature teratomas in children. *Histopathology* 12: 491-502.
1054. Koppl H, Freudenberg N, Berwanger I, Frenzer K, Bohm N (1996). Type II pneumocytic differentiation in an alveolar adenoma of the lung. An immunohistochemical study. *Pathologie* 17: 150-153.
1055. Koprowska I, An SH, Corsey D, Dracopoulos I, Vaskelis PS (1965). Cytologic patterns of developing bronchogenic carcinoma. *Acta Cytol* 9: 424-430.
1056. Korbacher B, Doering C, Schulte HD, Hort W (1992). Malignant fibrous histiocytoma of the heart—case report of a rare left-atrial tumor. *Thorac Cardiovasc Surg* 40: 303-307.
1057. Korn WM, Oide Weghuis DE, Suijkerbuijk RF, Schmidt U, Otto T, danuor S, Geurts van Kessel A, Harstrick A, Seeber S, Becher R (1996). Detection of chromosomal DNA gains and losses in testicular germ cell tumors by comparative genomic hybridization. *Genes Chromosomes Cancer* 17: 78-87.
1058. Kornstein MJ (1999). Thymoma classification: my opinion. *Am J Clin Pathol* 112: 304-307.
1059. Kornstein MJ, Rosai J (1998). CD5 labeling of thymic carcinomas and other nonlymphoid neoplasms. *Am J Clin Pathol* 109: 722-726.
1060. Koss M, Travis W, Moran C, Hochholzer L (1992). Pseudomesotheliomatous adenocarcinoma: a reappraisal. *Semin Diagn Pathol* 9: 117-123.
1061. Koss MN, Hochholzer L, Frommelt RA (1999). Carcinosarcomas of the lung: a clinicopathologic study of 66 patients. *Am J Surg Pathol* 23: 1514-1526.
1062. Koss MN, Hochholzer L, Langloss JM, Wehunt WD, Lazarus AA, Nichols PW (1986). Lymphomatoid granulomatosis: a clinicopathologic study of 42 patients. *Pathology* 18: 283-288.
1063. Koss MN, Hochholzer L, Nichols PW, Wehunt WD, Lazarus AA (1983). Primary non-Hodgkin's lymphoma and pseudolymphoma of lung: a study of 161 patients. *Hum Pathol* 14: 1024-1038.
1064. Koss MN, Hochholzer L, O'Leary T (1991). Pulmonary blastomas. *Cancer* 67: 2368-2381.
1065. Koutzas P, Urschel HC Jr, Paulson DL (1971). Hamartoma of the lung. *J Thorac Cardiovasc Surg* 61: 768-776.
1066. Kradin RL, Mark EJ (1983). Benign lymphoid disorders of the lung, with a theory regarding their development. *Hum Pathol* 14: 857-867.
1067. Kragel PJ, Devaney KO, Meth BM, Linnoila RI, Frierson HF, Travis WD (1990). Mucinous cystadenoma of the lung - a report of 2 cases with immunohistochemical and ultrastructural analysis. *Arch Pathol Lab Med* 114: 1053-1056.
1068. Kragel PJ, Devaney KO, Travis WD (1991). Mucinous Cystadenoma of the Lung - Reply. *Arch Pathol Lab Med* 115: 740-741.
1069. Kralstein J, Frishman W (1987). Malignant pericardial diseases: diagnosis and treatment. *Am Heart J* 113: 785-790.
1070. Krapp M, Baschat AA, Gembruch U, Gloeckner K, Schwinger E, Reusche E (1999). Tuberosus sclerosis with intracardiac rhabdomyoma in a fetus with trisomy 21: case report and review of literature. *Prenat Diagn* 19: 610-613.
1071. Kratzke RA, Otterson GA, Lincoln CE, Ewing S, Oie H, Gerads J, Kaye FJ (1995). Immunohistochemical analysis of the p16INK4 cyclin-dependent kinase inhibitor in malignant mesothelioma. *J Natl Cancer Inst* 87: 1870-1875.
1072. Kreyberg L (1981). World Health Organization Classification of Tumours. Histological Typing of Lung Tumours. 2nd ed. World Health Organization: Geneva.
1073. Krismann M, Adams H, Jaworska M, Muller KM, Johnen G (2000). Patterns of chromosomal imbalances in benign solitary fibrous tumours of the pleura. *Virchows Arch* 437: 248-255.
1074. Krismann M, Muller KM (2000). [Malignant mesothelioma of the pleura, pericardium and peritoneum. 1: Etiology, pathogenesis, pathology]. *Chirurg* 71: 877-886.
1075. Krismann M, Muller KM, Jaworska M, Johnen G (2002). Molecular cytogenetic differences between histological subtypes of malignant mesotheliomas: DNA cytometry and comparative genomic hybridization of 90 cases. *J Pathol* 197: 363-371.
1076. Kristoffersson U, Heim S, Mandahl N, Akerman M, Mitelman F (1989). Multiple clonal chromosome-aberrations in 2 thymomas. *Cancer Genet Cytogenet* 41: 93-98.
1077. Kroe DJ, Pitcock JA (1967). Benign mucous gland adenoma of the bronchus. *Arch Pathol* 84: 539-542.
1078. Krompecher E (1900). Der drüserartige oberflächen-epitheliakrebscarcinom epitheliale adenoides. *Beitr Pathol* 28: 1-41.
1079. Kruger I, Borowski A, Horst M, de Vivie ER, Theissen P, Gross-Fengels W (1990). Symptoms, diagnosis, and therapy of primary sarcomas of the pulmonary artery. *Thorac Cardiovasc Surg* 38: 91-95.
1080. Krugmann J, Feichtinger H, Greil R, Fend F (1999). Thymic Hodgkin's disease—a histological and immunohistochemical study of three cases. *Pathol Res Pract* 195: 681-687.
1081. Kubonishi I, Takehara N, Iwata J, Sonobe H, Ohtsuki Y, Abe T, Miyoshi I (1991). Novel t(15;19)(q15;p13) chromosome abnormality in a thymic carcinoma. *Cancer Res* 51: 3327-3328.
1082. Kuhnen C, Harms D, Niessen KH, Diehm T, Muller KM (2001). [Congenital pulmonary fibrosarcoma. Differential diagnosis of infantile pulmonary spindle cell tumors]. *Pathologie* 22: 151-156.
1083. Kuhnen C, Preisler K, Muller KM (2001). Pulmonary lymphangioliomyomatosis. Morphologic and immunohistochemical findings. *Pathologie* 22: 197-204.
1084. Kumaki F, Matsui K, Kawai T, Ozeki Y, Yu ZX, Ferrans VJ, Travis WD (2001). Expression of matrix metalloproteinases in invasive pulmonary adenocarcinoma with bronchioalveolar component and atypical adenomatous hyperplasia. *Am J Pathol* 159: 2125-2135.
1085. Kuo T (1994). Sclerosing thymoma—a possible phenomenon of regression. *Histopathology* 25: 289-291.
1086. Kuo T (2000). Cytokeratin profiles of the thymus and thymomas: histogenetic correlations and proposal for a histological classification of thymomas. *Histopathology* 36: 403-414.
1087. Kuo T, Lo SK (1997). Immunohistochemical metallothionein expression in thymoma: correlation with histological types and cellular origin. *Histopathology* 30: 243-248.
1088. Kuo T, Shih LY (2001). Histologic types of thymoma associated with pure red cell aplasia: a study of five cases including a composite tumor of organoid thymoma associated with an unusual lipofibroadenoma. *Int J Surg Pathol* 9: 29-35.
1089. Kuo T, Tsang NM (2001). Salivary gland type nasopharyngeal carcinoma: a histologic, immunohistochemical, and Epstein-Barr virus study of 15 cases including a psammomatous mucoepidermoid carcinoma. *Am J Surg Pathol* 25: 80-86.
1090. Kuo TT (1994). Carcinoid tumor of the thymus with divergent sarcomatoid differentiation: report of a case with histogenetic consideration. *Hum Pathol* 25: 319-323.
1091. Kuo TT (2000). Frequent presence of neuroendocrine small cells in thymic carcinoma: a light microscopic and immunohistochemical study. *Histopathology* 37: 19-26.
1092. Kuo TT (2002). Pigmented spindle cell carcinoid tumour of the thymus with ectopic adrenocorticotrophic hormone secretion: report of a rare variant and differential diagnosis of mediastinal spindle cell neoplasms. *Histopathology* 40: 159-165.
1093. Kuo TT, Chan JK (1998). Thymic carcinoma arising in thymoma is associated with alterations in immunohistochemical profile. *Am J Surg Pathol* 22: 1474-1481.
1094. Kuo TT, Chang JP, Lin FJ, Wu WC, Chang CH (1990). Thymic carcinomas: histopathological varieties and immunohistochemical study. *Am J Surg Pathol* 14: 24-34.
1095. Kuo TT, Lo SK (1993). Thymoma: a study of the pathologic classification of 71 cases with evaluation of the Muller-Hermelink system. *Hum Pathol* 24: 766-771.
1096. Kuo TT, Shih LY (2001). Histologic types of thymoma associated with pure red cell aplasia: a study of five cases including a composite tumor of organoid thymoma associated with an unusual lipofibroadenoma. *Int J Surg Pathol* 9: 29-35.
1096. A. Koppers R, Hansmann ML, Rajewsky K (1998). Clonality and germinal centre B-cell derivation of Hodgkin/Reed-Sternberg cells in Hodgkin's disease. *Ann Oncol* 9 Suppl 5: S17-S20.
1097. Koppers R, Kanzler H, Hansmann ML, Rajewsky K (1996). Single cell analysis of Hodgkin/Reed-Sternberg cells. *Ann Oncol* 7 Suppl 4: 27-30.
1098. Koppers R, Rajewsky K, Hansmann ML (1997). Diffuse large cell lymphomas are derived from mature B cells carrying V region genes with a high load of somatic mutation and evidence of selection for antibody expression. *Eur J Immunol* 27: 1398-1405.
1099. Koppers R, Rajewsky K, Zhao M, Simons G, Laumann R, Fischer R, Hansmann ML (1994). Hodgkin disease: Hodgkin and Reed-Sternberg cells picked from histological sections show clonal immunoglobulin gene rearrangements and appear to be derived from B cells at various stages of development. *Proc Natl Acad Sci U S A* 91: 10962-10966.
1100. Kurasono Y, Ito T, Kameda Y, Nakamura N, Kitamura H (1998). Expression of cyclin D1, retinoblastoma gene protein, and p16 MTS1 protein in atypical adenomatous hyperplasia and adenocarcinoma of the lung. An immuno-
- histochemical analysis. *Virchows Arch* 432: 207-215.
1101. Kurie JM, Shin HJ, Lee JS, Morice RC, Ro JY, Lippman SM, Hittelman WN, Yu R, Lee JJ, Hong WK (1996). Increased epidermal growth factor receptor expression in metaplastic bronchial epithelium. *Clin Cancer Res* 2: 1787-1793.
1102. Kurman RJ, Norris HJ (1976). Endodermal sinus tumor of the ovary: a clinical and pathologic analysis of 71 cases. *Cancer* 38: 2404-2419.
1103. Kurotaki H, Kamata Y, Kimura M, Nagai K (1993). Multiple papillary adenomas of type II pneumocytes found in a 13-year-old boy with von Recklinghausen's disease. *Virchows Arch A Pathol Anat Histol* 423: 319-322.
1104. Kurtin PJ, Myers JL, Adlakha H, Strickler JG, Lohse C, Pankratz VS, Inwards DJ (2001). Pathologic and clinical features of primary pulmonary extranodal marginal zone B-cell lymphoma of MALT type. *Am J Surg Pathol* 25: 997-1008.
1105. Kurup AN, Tazelaar HD, Edwards WD, Burke AP, Virmani R, Klarich KW, Orszulak TA (2002). Iatrogenic cardiac papillary fibroelastoma: a study of 12 cases (1990 to 2000). *Hum Pathol* 33: 1165-1169.
1106. Kurzrock EA, Tunungunla HS, Busby JE, Gandour-Edwards R, Goldman LA (2002). Klinefelter's syndrome and precocious puberty: a harbinger for tumor. *Urology* 60: 514.
1107. Kusafuka T, Kuroda S, Inoue M, Ara T, Yoneda A, Oue T, Udatsu Y, Osugi Y, Okada A (2002). P53 gene mutations in pleuropulmonary blastomas. *Pediatr Hematol Oncol* 19: 117-128.
1108. Kushihashi T, Munechika H, Ri K, Kubota H, Ukisu R, Satoh S, Motoya H, Kurashita Y, Soejima K, Kadokura M (1994). Bronchioalveolar adenoma of the lung: CT-pathologic correlation. *Radiology* 193: 789-793.
1109. Kwon JW, Goo JM, Seo JB, Seo JW, Im JG (1999). Mucous gland adenoma of the bronchus: CT findings in two patients. *J Comput Assist Tomogr* 23: 758-760.
1110. Laberge-L Couteux S, Jung HH, Labauge P, Houtteville JP, Lescoat C, Cecillon M, Marechal E, Joutel A, Bach JF, Tournier-Lasserre E (1999). Truncating mutations in CCM1, encoding KRIT1, cause hereditary cavernous angiomas. *Nat Genet* 23: 189-193.
1111. Lack EE, Weinstein HJ, Welch KJ (1985). Mediastinal germ cell tumors in childhood. A clinical and pathological study of 21 cases. *J Thorac Cardiovasc Surg* 89: 826-835.
1112. Ladanyi M, Roy I, Ladanyi M (1988). Mediastinal germ cell tumors and histiocytosis. *Hum Pathol* 19: 586-590.
1113. Ladanyi M, Samaniego F, Reuter VE, Motzer RJ, Jhanwar SC, Bosl GJ, Chaganti RS (1990). Cytogenetic and immunohistochemical evidence for the germ cell origin of a subset of acute leukemias associated with mediastinal germ cell tumors. *J Natl Cancer Inst* 82: 221-227.
1114. Lagrange W, Dahm HH, Karstens J, Feichtinger J, Mittermayer C (1987). Melanocytic neuroendocrine carcinoma of the thymus. *Cancer* 59: 484-488.
1115. Lallier M, Bouchard S, Di Lorenzo M, Youssef S, Blanchard H, Lapierre JG, Vioschiff D, Tucci M, Brochu P (1999). Pleuropulmonary blastoma: a rare pathology with an even rarer presentation. *J Pediatr Surg* 34: 1057-1059.
1116. Lam KY, Dickens P, Chan AC (1993).

- Tumors of the heart. A 20-year experience with a review of 12,485 consecutive autopsies. *Arch Pathol Lab Med* 117: 1027-1031.
- 1117.** Lam S, Kennedy T, Unger M, Miller YE, Gelmont D, Rusch V, Gipe B, Howard D, LeRiche JC, Coldman A, Gazdar AF (1998). Localization of bronchial intraepithelial neoplastic lesions by fluorescence bronchoscopy. *Chest* 113: 696-702.
- 1118.** Lam S, LeRiche JC, Zheng Y, Coldman A, MacAulay C, Hawk E, Kelloff G, Gazdar AF (1999). Sex-related differences in bronchial epithelial changes associated with tobacco smoking. *J Natl Cancer Inst* 91: 691-696.
- 1119.** Lam S, MacAulay C, Hung J, LeRiche J, Profio AE, Palcic B (1993). Detection of dysplasia and carcinoma in situ with a lung imaging fluorescence endoscope device. *J Thorac Cardiovasc Surg* 105: 1035-1040.
- 1120.** Lam S, MacAulay C, LeRiche JC, Palcic B (2000). Detection and localization of early lung cancer by fluorescence bronchoscopy. *Cancer* 89: 2468-2473.
- 1121.** Lamarre L, Jacobson JO, Aisenberg AC, Harris NL (1989). Primary large cell lymphoma of the mediastinum. A histologic and immunophenotypic study of 29 cases. *Am J Surg Pathol* 13: 730-739.
- 1122.** Lamy A, Sessou B, Bourguignon J, Dautreaux B, Metayer J, Frebourg T, Thiberville L (2002). Aberrant methylation of the CDKN2a/p16INK4a gene promoter region in preinvasive bronchial lesions: a prospective study in high-risk patients without invasive cancer. *Int J Cancer* 100: 189-193.
- 1123.** Lamy AL, Fradet GJ, Luoma A, Nelems B (1994). Anterior and middle mediastinum paraganglioma: complete resection is the treatment of choice. *Ann Thorac Surg* 57: 249-252.
- 1124.** Lancaster KJ, Liang CY, Myers JC, McCabe KM (1997). Goblet cell carcinoid arising in a mature teratoma of the mediastinum. *Am J Surg Pathol* 21: 109-113.
- 1125.** Lang-Lazdunski L, Oroujji M, Pansard Y, Vissuzaine C, Hvass U (1994). Successful resection of giant intrapericardial lipoma. *Ann Thorac Surg* 58: 238-240.
- 1126.** Lantuejoul S, Constantin B, Drabkin H, Brambilla C, Roche J, Brambilla E (2003). Expression of VEGF, semaphorin SEMA3F, and their common receptors neuropilins NP1 and NP2 in preinvasive bronchial lesions, lung tumours, and cell lines. *J Pathol* 200: 336-347.
- 1127.** Lantuejoul S, Isaac S, Pinel N, Negoescu A, Guibert B, Brambilla E (1997). Clear cell tumor of the lung: an immunohistochemical and ultrastructural study supporting a pericytic differentiation. *Mod Pathol* 10: 1001-1008.
- 1128.** Lantuejoul S, Moro D, Michalides RJ, Brambilla C, Brambilla E (1998). Neural cell adhesion molecules (NCAM) and NCAM-PSA expression in neuroendocrine lung tumors. *Am J Surg Pathol* 22: 1267-1276.
- 1129.** A. Lantz DA, Dougherty TH, Lucca MJ (1989). Primary angiosarcoma of the heart causing cardiac rupture. *Am Heart J* 118: 186-188.
- 1129.** Laquay N, Ghazouani S, Vaccaroni L, Vouhe P (2003). Intrapericardial teratoma in newborn babies. *Eur J Cardiothorac Surg* 23: 642-644.
- 1130.** Lardinois D, Rechsteiner R, Lang RH, Gugger M, Betticher D, von Briel C, Krueger T, Ris HB (2000). Prognostic relevance of Masaoka and Muller-Hermelink classification in patients with thymic tumors. *Ann Thorac Surg* 69: 1550-1555.
- 1131.** Larramendy ML, Tarkkanen M, Blomqvist C, Virolainen M, Wiklund T, Asko-Seljavaara S, Elmola I, Knuutila S (1997). Comparative genomic hybridization of malignant fibrous histiocytoma reveals a novel prognostic marker. *Am J Pathol* 151: 1153-1161.
- 1132.** Larsen M, Evans WK, Shepherd FA, Phillips MJ, Bailey D, Messner H (1984). Acute lymphoblastic leukemia. Possible origin from a mediastinal germ cell tumor. *Cancer* 53: 441-444.
- 1133.** Larsson S, Lepore V, Kennergren C (1989). Atrial myxomas: results of 25 years' experience and review of the literature. *Surgery* 105: 695-698.
- 1134.** Lattes R (1962). Thymoma and other tumors of the thymus - an analysis of 107 cases. *Cancer* 15: 1224-1260.
- 1135.** Latza U, Foss HD, Durkop H, Eitelbach F, Dieckmann KP, Loy V, Unger M, Pizzolo G, Stein H (1995). CD30 antigen in embryonal carcinoma and embryogenesis and release of the soluble molecule. *Am J Pathol* 146: 463-471.
- 1136.** Lau SK, Desrochers MJ, Luthringer DJ (2002). Expression of thyroid transcription factor-1, cytokeratin 7, and cytokeratin 20 in bronchioloalveolar carcinomas: an immunohistochemical evaluation of 67 cases. *Mod Pathol* 15: 538-542.
- 1137.** Lau SK, Luthringer DJ, Eisen RN (2002). Thyroid transcription factor-1: a review. *Appl Immunohistochem Mol Morphol* 10: 97-102.
- 1138.** Laurino L, Furlanetto A, Orvieto E, Del Tos AP (2001). Well-differentiated liposarcoma (atypical lipomatous tumors). *Semin Diagn Pathol* 18: 258-262.
- 1139.** Lauriola L, Erlandson RA, Rosai J (1998). Neuroendocrine differentiation is a common feature of thymic carcinoma. *Am J Surg Pathol* 22: 1059-1066.
- 1140.** Lauritzen AF, Delsol G, Hansen NE, Horn T, Ersboll J, Hou-Jensen K, Ralfkiaer E (1994). Histiocytic sarcomas and monoblastic leukemias. A clinical, histologic, and immunophenotypic study. *Am J Clin Pathol* 102: 45-54.
- 1141.** Lauweryns JM, Goddeeris P (1975). Neuroepithelial bodies in the human child and adult lung. *Am Rev Respir Dis* 111: 469-476.
- 1142.** Laya MB, Mailliard JA, Bewtra C, Levin HS (1987). Malignant fibrous histiocytoma of the heart. A case report and review of the literature. *Cancer* 59: 1026-1031.
- 1143.** Lazzarino M, Orlandi E, Paulli M, Strater J, Klersy C, Gianelli U, Gargantini L, Rousset MT, Gambacorta M, Marra E, Lavabre-Bertrand T, Magrini U, Manegold C, Bernasconi C, Moller P (1997). Treatment outcome and prognostic factors for primary mediastinal (thymic) B-cell lymphoma: a multicenter study of 106 patients. *J Clin Oncol* 15: 1646-1653.
- 1144.** Le Marc'hadour F, Peoc'h M, Pasquier B, Leroux D (1994). Cardiac synovial sarcoma with translocation (X;18) associated with asbestos exposure. *Cancer* 74: 986.
- 1145.** Le Marchand L, Donlon T, Lum-Jones A, Seifried A, Wilkens LR (2002). Association of the hOGG1 Ser326Cys polymorphism with lung cancer risk. *Cancer Epidemiol Biomarkers Prev* 11: 409-412.
- 1146.** Lechapt-Zalcman E, Challine D, Delfau-Larue MH, Haiouan C, Desvauz D, Gaulard P (2001). Association of primary pleural effusion lymphoma of T-cell origin and human herpesvirus 8 in a human immunodeficiency virus-seronegative man. *Arch Pathol Lab Med* 125: 1246-1248.
- 1147.** Lechner JF, Neft RE, Gilliland FD, Crowell RE, Auckley DH, Temes RT, Belinsky SA (1998). Individuals at high risk for lung cancer have airway epithelial cells with chromosome aberrations frequently found in lung tumor cells. *In Vivo* 12: 23-26.
- 1148.** Lee AC, Kwong YI, Fu KH, Chan GC, Ma L, Lau YL (1993). Disseminated mediastinal carcinoma with chromosomal translocation (15;19). A distinctive clinicopathologic syndrome. *Cancer* 72: 2273-2276.
- 1149.** Lee JJ, Liu D, Lee JS, Kurie JM, Khuri FR, Ibarguen H, Morice RC, Walsh G, Ro JY, Broxson A, Hong WK, Hittelman WN (2001). Long-term impact of smoking on lung epithelial proliferation in current and former smokers. *J Natl Cancer Inst* 93: 1081-1088.
- 1150.** Lee JS, Brown KK, Cool C, Lynch DA (2002). Diffuse pulmonary neuroendocrine cell hyperplasia: radiologic and clinical features. *J Comput Assist Tomogr* 26: 180-184.
- 1151.** Lee KS, Topol EJ, Stewart WJ (1993). Atypical presentation of papillary fibroelastoma mimicking multiple vegetations in suspected subacute bacterial endocarditis. *Am Heart J* 125: 1443-1445.
- 1152.** Lee PN, Fry JS, Forey BA (1990). Trends in lung cancer, chronic obstructive lung disease, and emphysema death rates for England and Wales 1941-85 and their relation to trends in cigarette smoking. *Thorax* 45: 657-665.
- 1153.** Lee ST, Lee YC, Hsu CY, Lin CC (1992). Bilateral multiple sclerosing hemangiomas of the lung. *Chest* 101: 572-573.
- 1154.** Lee WJ, Brennan P, Boffetta P, London SJ, Benhamou S, Rannug A, To-Figuera J, Ingelman-Sundberg M, Shields P, Gaspari L, Taioli E (2002). Microsomal epoxide hydrolase polymorphisms and lung cancer risk: a quantitative review. *Biomarkers* 7: 230-241.
- 1155.** Lee YC, Chang YL, Luh SP, Lee JM, Chen JS (1999). Significance of P53 and Rb protein expression in surgically treated non-small cell lung cancers. *Ann Thorac Surg* 68: 343-347.
- 1156.** Leigh J, Davidson P, Hendrie L, Berry D (2002). Malignant mesothelioma in Australia, 1945-2000. *Am J Ind Med* 41: 188-201.
- 1157.** Leighton J, Hurst JW, Crawford JD (1950). Squamous epithelial cysts in the heart of an infant, with coincident cystic changes in the ovaries and breasts. *Arch Pathol* 632-643.
- 1158.** Leithauser F, Bauerle M, Huynh MQ, Moller P (2001). Isotype-switched immunoglobulin genes with a high load of somatic hypermutation and lack of ongoing mutational activity are prevalent in mediastinal B-cell lymphoma. *Blood* 98: 2762-2770.
- 1159.** Lemarie E, Assouline PS, Diot P, Regnard JF, Levesasseur P, Droz JP, Ruffie P (1992). Primary mediastinal germ cell tumors. Results of a French retrospective study. *Chest* 102: 1477-1483.
- 1160.** Lemos LB, Hamoudi AB (1978). Malignant thymic tumor in an infant (malignant histiocytoma). *Arch Pathol Lab Med* 102: 84-89.
- 1161.** Leong AS, Brown JH (1984). Malignant transformation in a thymic cyst. *Am J Surg Pathol* 8: 471-475.
- 1162.** Lepper W, Shivalkar B, Rinkevich D, Belcik T, Wei K (2002). Assessment of the vascularity of a left ventricular mass using myocardial contrast echocardiography. *J Am Soc Echocardiogr* 15: 1419-1422.
- 1163.** Lerman C, Caporaso N, Main D, Audrain J, Boyd NR, Bowman ED, Shields PG (1998). Depression and self-medication with nicotine: the modifying influence of the dopamine D4 receptor gene. *Health Psychol* 17: 56-62.
- 1164.** Lerman C, Caporaso NE, Audrain J, Main D, Bowman ED, Lockshin B, Boyd NR, Shields PG (1999). Evidence suggesting the role of specific genetic factors in cigarette smoking. *Health Psychol* 18: 14-20.
- 1165.** Lerman C, Shields PG, Audrain J, Main D, Cobb B, Boyd NR, Caporaso N (1998). The role of the serotonin transporter gene in cigarette smoking. *Cancer Epidemiol Biomarkers Prev* 7: 253-255.
- 1166.** Lerman C, Shields PG, Main D, Audrain J, Roth J, Boyd NR, Caporaso NE (1997). Lack of association of tyrosine hydroxylase genetic polymorphism with cigarette smoking. *Pharmacogenetics* 7: 521-524.
- 1167.** Lerman MI, Minna JD (2000). The 630-kb lung cancer homozygous deletion region on human chromosome 3p21.3: identification and evaluation of the resident candidate tumor suppressor genes. The International Lung Cancer Chromosome 3p21.3 Tumor Suppressor Gene Consortium. *Cancer Res* 60: 6116-6133.
- 1168.** Letendre L (1989). Treatment of lymphomatoid granulomatosis-old and new perspectives. *Semin Respir Med* 10: 178-181.
- 1169.** Levine GD, Rosai J (1976). A spindle cell variant of thymic carcinoid tumor. A clinical, histologic, and fine structural study with emphasis on its distinction from spindle cell thymoma. *Arch Pathol Lab Med* 100: 293-300.
- 1170.** Levine GD, Rosai J (1978). Thymic hyperplasia and neoplasia: a review of current concepts. *Hum Pathol* 9: 495-515.
- 1171.** Lewis BD, Hurt RD, Payne WS, Farrow GM, Knapp RH, Muhm JR (1983). Benign teratomas of the mediastinum. *J Thorac Cardiovasc Surg* 86: 727-731.
- 1172.** Lewis JE, Wick MR, Scheithauer BW, Bernatz PE, Taylor WF (1987). Thymoma. A clinicopathologic review. *Cancer* 60: 2727-2743.
- 1173.** Lewman LV, Demany MA, Zimmerman HA (1972). Congenital tumor of atrioventricular node with complete heart block and sudden death. Mesothelioma or lymphangio-endothelioma of atrioventricular node. *Am J Cardiol* 29: 554-557.
- 1174.** Leyvraz S, Henle W, Chahinian AP, Perlmann C, Klein G, Gordon RE, Rosenblum M, Holland JF (1985). Association of Epstein-Barr virus with thymic carcinoma. *N Engl J Med* 312: 1296-1299.
- 1175.** Li FP, Lokich J, Lapey J, Neptune WB, Wilkins EW Jr (1978). Familial mesothelioma after intense asbestos exposure at home. *JAMA* 240: 467.
- 1176.** Li G, Hansmann ML, Zwingers T, Lennert K (1990). Primary lymphomas of the lung: morphological, immunohistochemical and clinical features. *Histopathology* 16: 519-531.
- 1177.** Li L, Cerilli LA, Wick MR (2002). Inflammatory pseudotumor (myofibroblastic tumor) of the heart. *Ann Diagn Pathol* 6: 116-121.
- 1178.** Liang TC, Lu MY, Chen SJ, Lu FL, Lin KH (2002). Cardiac tamponade caused by intrapericardial yolk sac tumor in a boy. *J*

- Formos Med Assoc 101: 355-358.
- 1179.** Lichtenstein HL, Lee JC, Stewart S (1979). Papillary tumor of the heart: incidental finding at surgery. *Hum Pathol* 10: 473-475.
- 1180.** Lie JT (1993). Gamma-Gandy body of the heart - petrified cardiac myxoma mimicking atrial thrombus. *Cardiovasc Pathol* 2: 97-98.
- 1181.** Lieberman PH, Jones CR, Steinman RM, Erlandson RA, Smith J, Gee T, Huvos A, Garin-Chesa P, Filippa DA, Urmacher C, Gangi MD, Sperber M (1996). Langerhans cell (eosinophilic) granulomatosis. A clinicopathologic study encompassing 50 years. *Am J Surg Pathol* 20: 519-552.
- 1182.** Liebow AA, Carrington CR, Friedman PJ (1972). Lymphomatoid granulomatosis. *Hum Pathol* 3: 457-558.
- 1183.** Liebow AA, Hubbell DS (1956). Sclerosing Hemangioma (Histiocytoma, Xanthoma) of the Lung. *Cancer* 9: 53-75.
- 1184.** Lin BT, Colby T, Gown AM, Hammar SP, Mertens RB, Churg A, Battifora H (1996). Malignant vascular tumors of the serous membranes mimicking mesothelioma. A report of 14 cases. *Am J Surg Pathol* 20: 1431-1439.
- 1185.** Lin KL, Chen CY, Hsu HH, Kao PF, Huang MJ, Wang HS (1999). Ectopic ACTH syndrome due to thymic carcinoid tumor in a girl. *J Pediatr Endocrinol Metab* 12: 573-578.
- 1186.** Lin O, Frizzera G (1997). Angiomyoid and follicular dendritic cell proliferative lesions in Castleman's disease of hyaline-vascular type: a study of 10 cases. *Am J Surg Pathol* 21: 1295-1306.
- 1187.** Lin O, Harkin TJ, Jagirdar J (1995). Basaloid-squamous cell carcinoma of the bronchus. Report of a case with review of the literature. *Arch Pathol Lab Med* 119: 1167-1170.
- 1188.** Lindell MM, Doubleday LC, von Eschenbach AC, Libshitz HI (1982). Mediastinal metastases from prostatic carcinoma. *J Urol* 128: 331-334.
- 1189.** Linder J, Shelburne JD, Sorge JP, Whalen RE, Hackel DB (1984). Congenital endodermal heterotopia of the atrioventricular node: evidence for the endodermal origin of so-called mesotheliomas of the atrioventricular node. *Hum Pathol* 15: 1093-1098.
- 1190.** Lindner V, Edah-Tally S, Chakfe N, Onody T, Eisenmann B, Walter P (1999). Cardiac myxoma with glandular component: case report and review of the literature. *Pathol Res Pract* 195: 267-272.
- 1191.** Lindskog BI, Malm A (1965). Diagnostic and surgical considerations on mediastinal (intrathoracic) goiter. *Dis Chest* 47: 201-207.
- 1192.** Lipford EH Jr, Margolick JB, Longo DL, Fauci AS, Jaffe ES (1988). Angiocentric immunoproliferative lesions: a clinicopathologic spectrum of post-thymic T-cell proliferations. *Blood* 72: 1674-1681.
- 1193.** Liu G, Miller DP, Zhou W, Thurston SW, Fan R, Xu LL, Lynch TJ, Wain JC, Su L, Christiani DC (2001). Differential association of the codon 72 p53 and GSTM1 polymorphisms on histological subtype of non-small cell lung carcinoma. *Cancer Res* 61: 8718-8722.
- 1194.** Llombart-Cussac A, Pivot X, Contesso G, Rhor-Alvarado A, Delord JP, Spielmann M, Tursz T, Le Cesne A (1998). Adjuvant chemotherapy for primary cardiac sarcoma: the IGR experience. *Br J Cancer* 78: 1624-1628.
- 1195.** Loehrer PJSr, Hui S, Clark S, Seal M, Einhorn LH, Williams SD, Ulbright T, Mandelbaum I, Rowland R, Donohue JP (1986). Teratoma following cisplatin-based combination chemotherapy for nonseminomatous germ cell tumors: a clinicopathological correlation. *J Urol* 135: 1183-1189.
- 1196.** Loehrer PJSr, Wick MR (2001). Thymic malignancies. *Cancer Treat Res* 105: 277-302.
- 1197.** Loeffler H, Grille W (2003). Classification of malignant cardiac tumors with respect to oncological treatment. *Thorac Cardiovasc Surg* 38: 196-199.
- 1198.** Logan PM, Miller RR, Evans K, Muller NL (1996). Bronchogenic carcinoma and coexistent bronchioloalveolar cell adenomas. Assessment of radiologic detection and follow-up in 28 patients. *Chest* 109: 713-717.
- 1199.** Logothetis CJ, Samuels ML, Trindade A, Johnson DE (1982). The growing teratoma syndrome. *Cancer* 50: 1629-1635.
- 1200.** Loire R, Donsbecq AV, Nighoghossian N, Perinetti M, Le Gall F (1999). [Papillary fibroelastoma of the heart. A review of 20 cases]. *Arch Anat Cytol Pathol* 47: 19-25.
- 1201.** Loire R, Hellal H (1993). [Neoplastic pericarditis. Study by thoracotomy and biopsy in 80 cases]. *Presse Med* 22: 244-248.
- 1202.** Loire R, Tabib A (1994). [Malignant mesothelioma of the pericardium. An anatomo-clinical study of 10 cases]. *Arch Mal Coeur Vaiss* 87: 255-262.
- 1203.** Longo DL, Glatstein E, Duffey PL, Ihde DC, Hubbard SM, Fisher RI, Jaffe ES, Gilliom M, Young RC, DeVita VT Jr (1989). Treatment of localized aggressive lymphomas with combination chemotherapy followed by involved-field radiation therapy. *J Clin Oncol* 7: 1295-1302.
- 1204.** Looijenga LH, Oosterhuis JW (2002). Pathobiology of testicular germ cell tumors: views and news. *Anal Quant Cytol Histol* 24: 263-279.
- 1205.** Looijenga LH, Rosenberg C, van Gurp RJ, Geelen E, Echten-Arends J, de Jong B, Mostert M, Wolter Oosterhuis J (2000). Comparative genomic hybridization of microdissected samples from different stages in the development of a seminoma and a non-seminoma. *J Pathol* 191: 187-192.
- 1206.** Lopez-Abente G, Pollan M, de la Iglesia P, Ruiz M (1995). Characterization of the lung cancer epidemic in the European Union (1970-1990). *Cancer Epidemiol Biomarkers Prev* 4: 813-820.
- 1207.** Lopez-Andreu JA, Ferris-Tortajada J, Gomez J (1996). Pleuropulmonary blastoma and congenital cystic malformations. *J Pediatr* 129: 773-775.
- 1208.** Loriot MA, Rebuissou S, Oscarson M, Cenee S, Miyamoto M, Ariyoshi N, Kamataki T, Hemon D, Beaune P, Stucker I (2001). Genetic polymorphisms of cytochrome P450 2A6 in a case-control study on lung cancer in a French population. *Pharmacogenetics* 11: 39-44.
- 1209.** Lorscheid RB, Pinkus GS, Shahsafaei A, Dorfman DM (2000). Primary marginal zone lymphoma of the thymus. *Am J Clin Pathol* 113: 784-791.
- 1210.** Lu YJ, Dong XY, Shipley J, Zhang RG, Cheng SJ (1999). Chromosome 3 imbalances are the most frequent aberration found in non-small cell lung carcinoma. *Lung Cancer* 23: 61-66.
- 1211.** Lubin JH, Blot WJ (1984). Assessment of lung cancer risk factors by histologic category. *J Natl Cancer Inst* 73: 383-389.
- 1212.** Luburich P, Ayuso MC, Picado C, Serra-Batles J, Ramirez JF, Sole M (1994). CT of pulmonary epithelioid hemangioendothelioma. *J Comput Assist Tomogr* 18: 562-565.
- 1213.** Ludwigsen E (1977). Endobronchial carcinosarcoma. A case with osteosarcoma of pulmonary invasive part, and a review with respect to prognosis. *Virchows Arch A Pathol Anat Histol* 373: 293-302.
- 1214.** Lumadue JA, Askin FB, Perlman EJ (1994). MIC2 analysis of small cell carcinoma. *Am J Clin Pathol* 102: 692-694.
- 1215.** Lund JT, Ehman RL, Julsrud PR, Sinak LJ, Tajik AJ (1989). Cardiac masses: assessment by MR imaging. *AJR Am J Roentgenol* 152: 469-473.
- 1216.** Lyda MH, Weiss LM (2000). Immunoreactivity for epithelial and neuroendocrine antibodies are useful in the differential diagnosis of lung carcinomas. *Hum Pathol* 31: 980-987.
- 1217.** Lynch TJ, Bell DW, Sordella R, Gurubhagavatula S, Okimoto RA, Brannigan BW, Harris PL, Haserlat SM, Supko JG, Haluska FG, Louis DN, Christiani DC, Settleman J, Haber DA (2004). Activating Mutations in the Epidermal Growth Factor Receptor Underlying Responsiveness of Non-Small-Cell Lung Cancer to Gefitinib. *N Engl J Med*.
- 1218.** MacDonald LL, Yazdi HM (2001). Fine-needle aspiration biopsy of bronchioloalveolar carcinoma. *Cancer* 93: 29-34.
- 1219.** Machin T, Mashiyama ET, Henderson JA, McCaughey WT (1988). Bony metastases in desmoplastic pleural mesothelioma. *Thorax* 43: 155-156.
- 1220.** Mackay B, Lukeman JM, Ordonez NG (1991). Tumors of the Lung. WB Saunders: Philadelphia.
- 1221.** MacLennan KA, Bennett MH, Tu A, Hudson BV, Easterling MJ, Hudson GV, Jelliffe AM (1989). Relationship of histopathologic features to survival and relapse in nodular sclerosing Hodgkin's disease. A study of 1659 patients. *Cancer* 64: 1686-1693.
- 1222.** Maeshima AM, Niki T, Maeshima A, Yamada T, Kondo H, Matsuno Y (2002). Modified scar grade: a prognostic indicator in small peripheral lung adenocarcinoma. *Cancer* 95: 2546-2554.
- 1223.** Magid MS, Chen YT, Soslow RA, Bouldat F, Kernan NA, Szabolcs P (1998). Juvenile-onset recurrent respiratory papillomatosis involving the lung: A case report and review of the literature. *Pediatr Dev Pathol* 1: 157-163.
- 1224.** Mairal A, Terrier P, Chibon F, Sastre X, Lecesne A, Aurias A (1999). Loss of chromosome 13 is the most frequent genomic imbalance in malignant fibrous histiocytomas. A comparative genomic hybridization analysis of a series of 30 cases. *Cancer Genet Cytogenet* 111: 134-138.
- 1225.** Majano-Lainez RA (1997). Cardiac tumors: a current clinical and pathological perspective. *Crit Rev Oncog* 8: 293-303.
- 1226.** Majumdar N, Ray R, Venugopal P, Chopra P (1998). DNA ploidy and proliferative index of cardiac myxoma. *Indian Heart J* 50: 535-538.
- 1227.** Makhlof HR, Ishak KG, Goodman ZD (1999). Epithelioid hemangioendothelioma of the liver: a clinicopathologic study of 137 cases. *Cancer* 85: 562-582.
- 1228.** Malats N, Camus-Radon AM, Nyberg F, Ahrens W, Constantinescu V, Mukerija A, Benhamou S, Batura-Gabryel H, Brucke-Hohlfeld I, Simonato L, Menezes A, Lea S, Lang M, Boffetta P (2000). Lung cancer risk in nonsmokers and GSTM1 and GSTT1 genetic polymorphism. *Cancer Epidemiol Biomarkers Prev* 9: 827-833.
- 1229.** Mangano WE, Cagle PT, Churg A, Vollmer RT, Roggli VL (1998). The diagnosis of desmoplastic malignant mesothelioma and its distinction from fibrous pleurisy: a histologic and immunohistochemical analysis of 31 cases including p53 immunostaining. *Am J Clin Pathol* 110: 191-199.
- 1230.** Manivel C, Wick MR, Abenzoza P, Rosai J (1986). The occurrence of sarcomatous components in primary mediastinal germ cell tumors. *Am J Surg Pathol* 10: 711-717.
- 1231.** Manivel JC, Priest JR, Watterston J, Steiner M, Woods WG, Wick MR, Dehner LP (1988). Pleuropulmonary blastoma. The so-called pulmonary blastoma of childhood. *Cancer* 62: 1516-1526.
- 1232.** Mann JR, Pearson D, Barrett A, Raafat F, Barnes JM, Wallendzus KR (1989). Results of the United Kingdom Children's Cancer Study Group's malignant germ cell tumor studies. *Cancer* 63: 1657-1667.
- 1233.** Mann JR, Raafat F, Robinson K, Imeson J, Gornall P, Phillips M, Sokal M, Gray E, McKeever P, Oakhill A (1998). UKCCSG's germ cell tumour (GCT) studies: improving outcome for children with malignant extracranial non-gonadal tumours—carboplatin, etoposide, and bleomycin are effective and less toxic than previous regimens. *United Kingdom Children's Cancer Study Group. Med Pediatr Oncol* 30: 217-227.
- 1234.** Mann RB, Wu TC, MacMahon EM, Ling Y, Charache P, Ambinder RF (1992). In situ localization of Epstein-Barr virus in thymic carcinoma. *Mod Pathol* 5: 363-366.
- 1235.** Mao L (2001). Molecular abnormalities in lung carcinogenesis and their potential clinical implications. *Lung Cancer* 34 Suppl 2: S27-S34.
- 1236.** Mao L, Lee JS, Kurie JM, Fan YH, Lippman SM, Lee JJ, Ro JY, Broxson A, Yu R, Morice RC, Kemp BL, Khuri FR, Walsh GL, Hittelman WN, Hong WK (1997). Clonal genetic alterations in the lungs of current and former smokers. *J Natl Cancer Inst* 89: 857-862.
- 1237.** Marafioti T, Hummel M, Anagnostopoulos I, Foss HD, Falini B, Delsol G, Isaacson PG, Pileri S, Stein H (1997). Origin of nodular lymphocyte-predominant Hodgkin's disease from a clonal expansion of highly mutated germinal-center B cells. *N Engl J Med* 337: 453-458.
- 1238.** Marchevsky AM (1995). Lung tumors derived from ectopic tissues. *Semin Diagn Pathol* 12: 172-184.
- 1239.** Marchevsky AM, Dikman SH (1979). Mediastinal carcinoid with an incomplete Sipple's syndrome. *Cancer* 43: 2497-2501.
- 1240.** Marchevsky AM, Gal AA, Shah S, Koss MN (2001). Morphometry confirms the presence of considerable nuclear size overlap between "small cells" and "large cells" in high-grade pulmonary neuroendocrine neoplasms. *Am J Clin Pathol* 116: 466-472.
- 1241.** Marchiano D, Fisher F, Hofstetter S (1993). Epithelioid hemangioendothelioma of the heart with distant metastases. A case report and literature review. *J Cardiovasc Surg (Torino)* 34: 529-533.
- 1242.** Marci M, Ziino O, D'Angelo P, Miranda G, Pappone C, Battaglia A (2001). Fibroma of the left ventricle in a patient with Sotos syndrome. *Echocardiography*

- 1243.** Margolin K, Traweek T (1992). The unique association of malignant histiocytosis and a primary gonadal germ cell tumor. *Med Pediatr Oncol* 20: 162-164.
- 1244.** Marina NM, Cushing B, Giller R, Cohen L, Lauer SJ, Ablin A, Weetman R, Cullen J, Rogers P, Vinocur C, Stolar C, Rescorla F, Hawkins E, Heifetz S, Rao PV, Krailo M, Castleberry RP (1999). Complete surgical excision is effective treatment for children with immature teratomas with or without malignant elements: A Pediatric Oncology Group/Children's Cancer Group Intergroup Study. *J Clin Oncol* 17: 2137-2143.
- 1245.** Marino M, Muller-Hermelink HK (1985). Thymoma and thymic carcinoma. Relation of thymoma epithelial cells to the cortical and medullary differentiation of thymus. *Virchows Arch A Pathol Anat Histol* 407: 119-149.
- 1246.** Mark EJ, Quay SC, Dickersin GR (1981). Papillary carcinoid tumor of the lung. *Cancer* 48: 316-324.
- 1247.** Markhede G, Angervall L, Stener B (1982). A multivariate analysis of the prognosis after surgical treatment of malignant soft-tissue tumors. *Cancer* 49: 1721-1733.
- 1248.** Marrogi AJ, Travis WD, Welsh JA, Khan MA, Rahim H, Tazelaar H, Pairolero P, Trastek V, Jett J, Caporaso NE, Liotta LA, Harris CC (2000). Nitric oxide synthase, cyclooxygenase 2, and vascular endothelial growth factor in the angiogenesis of non-small cell lung carcinoma. *Clin Cancer Res* 6: 4739-4744.
- 1249.** Martin-Subero JL, Gesk S, Harder L, Sonoki T, Tucker PW, Schlegelberger B, Grote W, Novo FJ, Calasanz MJ, Hansmann ML, Dyer MJ, Siebert R (2002). Recurrent involvement of the REL and BCL11A loci in classical Hodgkin lymphoma. *Blood* 99: 1474-1477.
- 1250.** Martin A, Capron F, Liguory-Brunaud MD, De Frejacques C, Pluot M, Diebold J (1994). Epstein-Barr virus-associated primary malignant lymphomas of the pleural cavity occurring in longstanding pleural chronic inflammation. *Hum Pathol* 25: 1314-1318.
- 1251.** Martin B, Verdebout JM, Mascaux C, Paesmans M, Rouas G, Verhest A, Ninane V, Sculier JP (2002). Expression of p53 in preneoplastic and early neoplastic bronchial lesions. *Oncol Rep* 9: 223-229.
- 1252.** Martinet N, Alla F, Farre G, Labib T, Drouot H, Vidili R, Picard E, Gaube MP, Le Faou D, Siat J, Borelly J, Vermeylen P, Bazarbachi T, Vignaud JM, Martinet Y (2000). Retinoic acid receptor and retinoid X receptor alterations in lung cancer precursor lesions. *Cancer Res* 60: 2869-2875.
- 1253.** Marx A, Muller-Hermelink HK (1999). Thymoma and thymic carcinoma. *Am J Surg Pathol* 23: 739-742.
- 1254.** Marx GR, Bierman FZ, Matthews E, Williams R (1984). Two-dimensional echocardiographic diagnosis of intracardiac masses in infancy. *J Am Coll Cardiol* 3: 827-832.
- 1255.** Masaoka A, Monden Y, Nakahara K, Tanioka T (1981). Follow-up study of thymomas with special reference to their clinical stages. *Cancer* 48: 2485-2492.
- 1256.** Massard G, Eichler F, Gasser B, Bergerat JP, Wihlm JM (1998). Recurrence of the mediastinal growing teratoma syndrome. *Ann Thorac Surg* 66: 605-606.
- 1257.** Mathur A, Airan B, Bhan A, Sharma R, Sampath Kumar A, Talwar KK, Chopra P, Venugopal P (2000). Non-myxomatous cardiac tumours: twenty-year experience. *Indian Heart J* 52: 319-323.
- 1258.** Matolcsy A, Nador RG, Cesarman E, Knowles DM (1998). Immunoglobulin VH gene mutational analysis suggests that primary effusion lymphomas derive from different stages of B cell maturation. *Am J Pathol* 153: 1609-1614.
- 1259.** Matsubara O, Tan-Liu NS, Kenney RM, Mark EJ (1988). Inflammatory pseudotumors of the lung: progression from organizing pneumonia to fibrous histiocytoma or to plasma cell granuloma in 32 cases. *Hum Pathol* 19: 807-814.
- 1260.** Matsui K, Beasley MB, Nelson WK, Barnes PM, Bechtle J, Falk R, Ferrans VJ, Moss J, Travis WD (2001). Prognostic significance of pulmonary lymphangioleiomyomatosis histologic score. *Am J Surg Pathol* 25: 479-484.
- 1261.** Matsui K, Kitagawa M (1991). Spindle cell carcinoma of the lung. A clinicopathologic study of three cases. *Cancer* 67: 2361-2367.
- 1262.** Matsui K, Kitagawa M, Wakaki K, Masuda S (1993). Lung carcinoma mimicking malignant lymphoma: report of three cases. *Acta Pathol Jpn* 43: 608-614.
- 1263.** Matsuno Y, Morozumi N, Hirohashi S, Shimosato Y, Rosai J (1998). Papillary carcinoma of the thymus: report of four cases of a new microscopic type of thymic carcinoma. *Am J Surg Pathol* 22: 873-880.
- 1264.** Matsuno Y, Mukai K, Noguchi M, Sato Y, Shimosato Y (1989). Histochemical and immunohistochemical evidence of glandular differentiation in thymic carcinoma. *Acta Pathol Jpn* 39: 433-438.
- 1265.** Matsuno Y, Mukai K, Uhara H, Akao I, Furuya S, Sato Y, Hirohashi S, Shimosato Y (1992). Detection of Epstein-Barr virus DNA in a Japanese case of lymphoepithelioma-like thymic carcinoma. *Jpn J Cancer Res* 83: 127-130.
- 1266.** Matsuo T, Hayashida R, Kobayashi K, Tanaka Y, Ohtsuka S (2002). Thymic basaloid carcinoma with hepatic metastasis. *Ann Thorac Surg* 74: 579-582.
- 1267.** Mattoo A, Fedullo PF, Kapelanski D, Ilowite JS (2002). Pulmonary artery sarcoma: a case report of surgical cure and 5-year follow-up. *Chest* 122: 745-747.
- 1268.** Maturri L, Lavezzi AM (1994). Recurrent chromosome alterations in non-small cell lung cancer. *Eur J Histochem* 38: 53-58.
- 1269.** Maturri L, Varesi C, Cuttin MS, Nappo A (1998). [Anatomopathological and immunohistochemical findings in 6 cardiac myxomas]. *Minerva Med* 89: 335-339.
- 1270.** Mauch P, Armitage J, Diehl V, Hoppe RT, Weiss LM (1999). The Epidemiology of Hodgkin's Disease. Lippincott Williams & Wilkins: Philadelphia.
- 1271.** Maziak DE, Todd TR, Keshavjee SH, Winton TL, Van Nostrand P, Pearson FG (1996). Adenoid cystic carcinoma of the airway: thirty-two-year experience. *J Thorac Cardiovasc Surg* 112: 1522-1531.
- 1272.** Mazieres J, Daste G, Molinier L, Berjand J, Dahan M, Delsol M, Carles P, Didier A, Bachaud JM (2002). Large cell neuroendocrine carcinoma of the lung: pathological study and clinical outcome of 18 resected cases. *Lung Cancer* 37: 287-292.
- 1273.** Mazumdar M, Bajorin DF, Bacik J, Higgins G, Motzer RJ, Bosl GJ (2001). Predicting outcome to chemotherapy in patients with germ cell tumors: the value of the rate of decline of human chorionic gonadotropin and alpha-fetoprotein during therapy. *J Clin Oncol* 19: 2534-2541.
- 1274.** McAllister HA, Fenoglio JJ (1978). Atlas of Tumor Pathology. 2nd ed. Armed Forces Institute of Pathology: Washington, DC.
- 1275.** McCarthy PM, Piehler JM, Schaff HV, Pluth JR, Orszulak TA, Vidaillet HJJr, Carney JA (1986). The significance of multiple, recurrent, and "complex" cardiac myxomas. *J Thorac Cardiovasc Surg* 91: 389-396.
- 1276.** McCarthy PM, Schaff HV, Winkler HZ, Lieber MM, Carney JA (1989). Deoxyribonucleic acid ploidy pattern of cardiac myxomas. Another predictor of biologically unusual myxomas. *J Thorac Cardiovasc Surg* 98: 1083-1086.
- 1277.** McCaughey WT, Dardick I, Barr JR (1983). Angiosarcoma of serous membranes. *Arch Pathol Lab Med* 107: 304-307.
- 1278.** McCluggage WG, Boyd HK, Jones FG, Mayne EE, Bharucha H (1998). Mediastinal granulocytic sarcoma: a report of two cases. *Arch Pathol Lab Med* 122: 545-547.
- 1279.** McCluggage WG, McManus K, Qureshi R, McAleer S, Wotherspoon AC (2000). Low-grade B-cell lymphoma of mucosa-associated lymphoid tissue (MALT) of thymus. *Hum Pathol* 31: 255-259.
- 1280.** McDonnell PJ, Mann RB, Bulkley BH (1982). Involvement of the heart by malignant lymphoma: a clinicopathologic study. *Cancer* 49: 944-951.
- 1281.** McDowell EM, Barrett LA, Glavin F, Harris CC, Trump BF (1978). The respiratory epithelium. I. Human bronchus. *J Natl Cancer Inst* 61: 539-549.
- 1282.** McDowell EM, Trump BF (1981). Pulmonary small cell carcinoma showing tripartite differentiation in individual cells. *Hum Pathol* 12: 286-294.
- 1283.** McDowell EM, Wilson TS, Trump BF (1981). Atypical endocrine tumors of the lung. *Arch Pathol Lab Med* 105: 20-28.
- 1284.** McGinnis M, Jacobs G, el Naggar A, Redline RW (1993). Congenital peribronchial myofibroblastic tumor (so-called "congenital leiomyosarcoma"). A distinct neonatal lung lesion associated with non-immune hydrops fetalis. *Mod Pathol* 6: 487-492.
- 1285.** McGlennen RC, Manivel JC, Stanley SJ, Slater DL, Wick MR, Dehner LP (1989). Pulmonary artery trunk sarcoma: a clinicopathologic, ultrastructural, and immunohistochemical study of four cases. *Mod Pathol* 2: 486-494.
- 1286.** McGregor CG, Gibson A, Caves P (1984). Infantile cardiomyopathy with histiocytoid change in cardiac muscle cells: successful surgical intervention and prolonged survival. *Am J Cardiol* 53: 982-983.
- 1287.** McLoud TC, Kalisher L, Stark P, Greene R (1978). Intrathoracic lymph node metastases from extrathoracic neoplasms. *AJR Am J Roentgenol* 131: 403-407.
- 1288.** McLoud TC, Meyer JE (1982). Mediastinal metastases. *Radiol Clin North Am* 20: 453-468.
- 1289.** McMahon CJ, Ayres NA, Lewin MB (2001). Cardiac rhabdomyoma: a report of alternative strategies to surgical resection. *Cardiol Young* 11: 670-672.
- 1290.** McNeil MM, Leong AS, Sage RE (1981). Primary mediastinal embryonal carcinoma in association with Klinefelter's syndrome. *Cancer* 47: 343-345.
- 1291.** Meis-Kindblom JM, Kindblom LG (1998). Angiosarcoma of soft tissue: a study of 80 cases. *Am J Surg Pathol* 22: 683-697.
- 1292.** Meis-Kindblom JM, Kjellstrom C, Kindblom LG (1998). Inflammatory fibrosarcoma: update, reappraisal, and perspective on its place in the spectrum of inflammatory myofibroblastic tumors. *Semin Diagn Pathol* 15: 133-143.
- 1293.** Meissner A, Kirsch W, Regensburger D, Mayer-Eichberger S, Ohnhaus EE (1988). Intrapericardial teratoma in an adult. *Am J Med* 84: 1089-1090.
- 1294.** Mende S, Moschopoulos M, Marx A, Laeng RH (2004). Ectopic micronodular thymoma with lymphoid stroma. *Virchows Arch* .
- 1295.** Mendlick MR, Nelson M, Pickering D, Johansson SL, Seemayer TA, Neff JR, Vergara G, Rosenthal H, Bridge JA (2001). Translocation t(1;3)(p36.3;q25) is a nonrandom aberration in epithelioid hemangioendothelioma. *Am J Surg Pathol* 25: 684-687.
- 1296.** Menestrina F, Chilosi M, Bonetti F, Lestani M, Scarpa A, Novelli P, Dogliani C, Todeschini G, Ambrosetti A, Fiore-Donati L (1986). Mediastinal large-cell lymphoma of B-type, with sclerosis: histopathological and immunohistochemical study of eight cases. *Histopathology* 10: 589-600.
- 1297.** Menet E, Etchandy-Laclau K, Corbi P, Levillain P, Babin P (1999). [Alveolar adenoma: a rare peripheral pulmonary tumor]. *Ann Pathol* 19: 325-328.
- 1298.** Meng Q, Lai H, Lima J, Tong W, Qian Y, Lai S (2002). Echocardiographic and pathologic characteristics of primary cardiac tumors: a study of 149 cases. *Int J Cardiol* 84: 69-75.
- 1299.** Merlo A, Gabrielson E, Askin F, Sidransky D (1994). Frequent loss of chromosome 9 in human primary non-small cell lung cancer. *Cancer Res* 54: 640-642.
- 1300.** Merlo A, Herman JG, Mao L, Lee DJ, Gabrielson E, Burger PC, Baylin SB, Sidransky D (1995). 5' CpG island methylation is associated with transcriptional silencing of the tumour suppressor p16/CDKN2/MTS1 in human cancers. *Nat Med* 1: 686-692.
- 1301.** Mertens F, Johansson B, Hoglund M, Mitelman F (1997). Chromosomal imbalance maps of malignant solid tumors: a cytogenetic survey of 3185 neoplasms. *Cancer Res* 57: 2765-2780.
- 1302.** Metcalf RA, Welsh JA, Bennett WP, Seddon MB, Lehman TA, Pelin K, Linnainmaa K, Tammlilehto L, Mattson K, Gerwin BI, Harris CC (1992). p53 and Kirsten-ras mutations in human mesothelioma cell lines. *Cancer Res* 52: 2610-2615.
- 1303.** Meurman LO, Kiviluoto R, Hakama M (1979). Combined effect of asbestos exposure and tobacco smoking on Finnish anthophyllite miners and millers. *Ann N Y Acad Sci* 330: 491-495.
- 1304.** Michal M, Havlicek F (1993). Immunohistochemical phenotypes of histioeosinophilic granulomas of thymus and reactive eosinophilic pleuritis. *Acta Histochem* 94: 97-101.
- 1305.** Middleton G (1966). Involvement of the thymus by metastatic neoplasms. *Br J Cancer* 20: 41-46.
- 1306.** Miettinen M (1991). Keratin subsets in spindle cell sarcomas. Keratins are widespread but synovial sarcoma contains a distinctive keratin polypeptide pattern and desmoplakins. *Am J Pathol* 138: 505-513.
- 1307.** Miettinen M (1993). Keratin immunohistochemistry: update of applications and pitfalls. *Pathol Annu* 28 Pt 2: 113-143.
- 1308.** Miettinen M, Fetsch JF (2000). Distribution of keratins in normal endothelial cells and a spectrum of vascular tumors: implications in tumor diagnosis. *Hum Pathol* 31: 1062-1067.

- 1309.** Miettinen M, Fletcher CD, Lasota J (1993). True histiocytic lymphoma of small intestine. Analysis of two S-100 protein-positive cases with features of interdigitating reticulum cell sarcoma. *Am J Clin Pathol* 100: 285-292.
- 1310.** Miettinen M, Limon J, Niezabitowski A, Lasota J (2001). Calretinin and other mesothelioma markers in synovial sarcoma: analysis of antigenic similarities and differences with malignant mesothelioma. *Am J Surg Pathol* 25: 610-617.
- 1311.** Miettinen MM, el Rifai W, Sarlomo-Rikala M, Andersson LC, Knuutila S (1997). Tumor size-related DNA copy number changes occur in solitary fibrous tumors but not in hemangiopericytomas. *Mod Pathol* 10: 1194-1200.
- 1312.** Miller DP, De Vivo I, Neuberger D, Wain JC, Lynch TJ, Su L, Christiani DC (2003). Association between self-reported environmental tobacco smoke exposure and lung cancer: modification by GSTP1 polymorphism. *Int J Cancer* 104: 758-763.
- 1313.** Miller DP, Liu G, De Vivo I, Lynch TJ, Wain JC, Su L, Christiani DC (2002). Combinations of the variant genotypes of GSTP1, GSTM1, and p53 are associated with an increased lung cancer risk. *Cancer Res* 62: 2819-2823.
- 1314.** Miller MA, Mark GJ, Kanarek D (1978). Multiple peripheral pulmonary carcinoids and tumorlets of carcinoid type, with restrictive and obstructive lung disease. *Am J Med* 65: 373-378.
- 1315.** Miller R, Kurtz SM, Powers JM (1978). Mediastinal rhabdomyoma. *Cancer* 42: 1983-1988.
- 1316.** Miller RR (1990). Bronchioloalveolar cell adenomas. *Am J Surg Pathol* 14: 904-912.
- 1317.** Miller RR, Muller NL (1995). Neuroendocrine cell hyperplasia and obliterative bronchiolitis in patients with peripheral carcinoid tumors. *Am J Surg Pathol* 19: 653-658.
- 1318.** Miller RR, Nelems B, Evans KG, Muller NL, Ostrow DN (1988). Glandular neoplasia of the lung. A proposed analogy to colonic tumors. *Cancer* 61: 1009-1014.
- 1319.** Miller SU, Pruett HJ, Long A (1959). Fatal chylopericardium caused by hamartomatous lymphangiomatosis - case report and review of the literature. *Am J Med* 26: 951-956.
- 1320.** Miller TP, Jones SE (1983). Initial chemotherapy for clinically localized lymphomas of unfavorable histology. *Blood* 62: 413-418.
- 1321.** Miller VA, Kris MG, Shah N, Patel J, Azzoli C, Gomez J, Krug LM, Pao W, Rizvi N, Pizzo B, Tyson L, Venkatraman E, Ben Porat L, Memoli N, Zakovskiy M, Rusch V, Heelan RT (2004). Bronchioloalveolar pathologic subtype and smoking history predict sensitivity to gefitinib in advanced non-small-cell lung cancer. *J Clin Oncol* 22: 1103-1109.
- 1322.** Mills NE, Fishman CL, Scholes J, Anderson SE, Rom WN, Jacobson DR (1995). Detection of K-ras oncogene mutations in bronchoalveolar lavage fluid for lung cancer diagnosis. *J Natl Cancer Inst* 87: 1056-1060.
- 1323.** Minna JD, Roth JA, Gazdar AF (2002). Focus on lung cancer. *Cancer Cell* 1: 49-52.
- 1324.** Mirtcheva RM, Vazquez M, Yankelevitz DF, Henschke CI (2002). Bronchioloalveolar carcinoma and adenocarcinoma with bronchioloalveolar features presenting as ground-glass opacities on CT. *Clin Imaging* 26: 95-100.
- 1325.** Mirza I, Kazimi SN, Ligi R, Burns J, Braza F (2000). Cytogenetic profile of a thymoma. A case report and review of the literature. *Arch Pathol Lab Med* 124: 1714-1716.
- 1326.** Mishalani SH, Lones MA, Said JW (1995). Multilocular thymic cyst. A novel thymic lesion associated with human immunodeficiency virus infection. *Arch Pathol Lab Med* 119: 467-470.
- 1327.** Mishina T, Dosaka-Akita H, Hommura F, Nishi M, Kojima T, Ogura S, Shimizu M, Katoh H, Kawakami Y (2000). Cyclin E expression, a potential prognostic marker for non-small cell lung cancers. *Clin Cancer Res* 6: 11-16.
- 1328.** Mishriki YY, Lane BP, Lozowski MS, Epstein H (1983). Hurtle-cell tumor arising in the mediastinal ectopic thyroid and diagnosed by fine needle aspiration. Light microscopic and ultrastructural features. *Acta Cytol* 27: 188-192.
- 1329.** Mitchell ML, Parker FP (1991). Capillaries. A cytologic feature of pulmonary carcinoid tumors. *Acta Cytol* 35: 183-185.
- 1330.** Mitelman F, Johansson B, Mertens F (2003). Mitelman Database of Chromosome Aberrations in Cancer. <http://cgap.nci.nih.gov/Chromosomes/Mitelman>
- 1331.** Mitsudomi T, Hamajima N, Ogawa M, Takahashi T (2000). Prognostic significance of p53 alterations in patients with non-small cell lung cancer: a meta-analysis. *Clin Cancer Res* 6: 4055-4063.
- 1332.** Miura K, Bowman ED, Simon R, Peng AC, Robles AI, Jones RT, Katagiri T, He P, Mizukami H, Charboneau L, Kikuchi T, Liotta LA, Nakamura Y, Harris CC (2002). Laser capture microdissection and microarray expression analysis of lung adenocarcinoma reveals tobacco smoking- and prognosis-related molecular profiles. *Cancer Res* 62: 3244-3250.
- 1333.** Miwa H, Takakuwa T, Nakatsuka S, Tomita Y, Iuchi K, Aozasa K (2002). DNA sequences of the immunoglobulin heavy chain variable region gene in pyothorax-associated lymphoma. *Oncology* 62: 241-250.
- 1334.** Miyagawa-Hayashino A, Tazelaar HD, Langel DJ, Colby TV (2003). Pulmonary sclerosing hemangioma with lymph node metastases: report of 4 cases. *Arch Pathol Lab Med* 127: 321-325.
- 1335.** Miyoshi T, Satoh Y, Okumura S, Nakagawa K, Shirakusa T, Tsuchiya E, Ishikawa Y (2003). Early-stage lung adenocarcinomas with a micropapillary pattern, a distinct pathologic marker for a significantly poor prognosis. *Am J Surg Pathol* 27: 101-109.
- 1336.** Mizuno T, Masaoka A, Hashimoto T, Shibata K, Yamakawa Y, Torii K, Fukui I, Ito K (1990). Coexisting thymic carcinoid tumor and thymoma. *Ann Thorac Surg* 50: 650-652.
- 1337.** Moeller KH, Rosado-de-Christenson ML, Templeton PA (1997). Mediastinal mature teratoma: imaging features. *AJR Am J Roentgenol* 169: 985-990.
- 1338.** Molina JE, Edwards JE, Ward HB (1990). Primary cardiac tumors: experience at the University of Minnesota. *Thorac Cardiovasc Surg* 38 Suppl 2: 183-191.
- 1339.** Molinier V, Pouchot J, Navratil E, Aubert F, Vinceneux P, Barge J (1996). Primary Epstein-Barr virus-related non-Hodgkin's lymphoma of the pleural cavity following long-standing tuberculous empyema. *Arch Pathol Lab Med* 120: 288-291.
- 1340.** Moller P, Bruderlein S, Strater J, Leithauer F, Hasel C, Bataille F, Moldenhauer G, Pawlita M, Barth TF (2001). MedB-1, a human tumor cell line derived from a primary mediastinal large B-cell lymphoma. *Int J Cancer* 92: 348-353.
- 1341.** Moller P, Lammler B, Eberlein-Gonska M, Feichter GE, Hofmann WJ, Schmitteckert H, Otto HF (1986). Primary mediastinal clear cell lymphoma of B-cell type. Virchows Arch A Pathol Anat Histol 409: 79-92.
- 1342.** Moller P, Lammler B, Herrmann B, Otto HF, Moldenhauer G, Momburg F (1986). The primary mediastinal clear cell lymphoma of B-cell type has variable defects in MHC antigen expression. *Immunology* 59: 411-417.
- 1343.** Moller P, Matthaei-Maurer DU, Hofmann WJ, Dorken B, Moldenhauer G (1989). Immunophenotypic similarities of mediastinal clear-cell lymphoma and sinusoidal (monocytoid) B cells. *Int J Cancer* 43: 10-16.
- 1344.** Moller P, Moldenhauer G, Momburg F, Lammler B, Eberlein-Gonska M, Kiesel S, Dorken B (1987). Mediastinal lymphoma of clear cell type is a tumor corresponding to terminal steps of B cell differentiation. *Blood* 69: 1087-1095.
- 1345.** Monma N, Satodate R, Tashiro A, Segawa I (1991). Origin of so-called mesothelioma of the atrioventricular node. An immunohistochemical study. *Arch Pathol Lab Med* 115: 1026-1029.
- 1346.** Montanaro F, Bray F, Gennaro V, Merler E, Tyczynski JE, Parkin DM, Strnad M, Jechov'a M, Storm HH, Aareleid T, Hakulinen T, Velten M, Lefevre H, Danzon A, Buemi A, Daur'es JP, Menegoz F, Raverdy N, Sauvage M, Ziegler H, Comber H, Paci E, Vercelli M, De Lisi V, Tumino R, Zanetti R, Berrino F, Stanta G, Langmark F, Rachtan J, Mezyk R, Blaszczyk J, Ivan P, Primic-Zakelj M, Martinez AC, Izarzugaza I, Borrás J, Garcia CM, Garau I, Sanchez NC, Aicua A, Barlow L, Thorhorst J, Bouchardy C, Levi F, Fisch T, Probst N, Visser O, Quinn M, Gavin A, Brewster D, Mikov M (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control* 14: 791-803.
- 1347.** Montanaro F, Bray F, Gennaro V, Merler E, Tyczynski JE, Parkin DM, Strnad M, Jechov'a M, Storm HH, Aareleid T, Hakulinen T, Velten M, Lefevre H, Danzon A, Buemi A, Daur'es JP, Menegoz F, Raverdy N, Sauvage M, Ziegler H, Comber H, Paci E, Vercelli M, De Lisi V, Tumino R, Zanetti R, Berrino F, Stanta G, Langmark F, Rachtan J, Mezyk R, Blaszczyk J, Ivan P, Primic-Zakelj M, Martinez AC, Izarzugaza I, Borrás J, Garcia CM, Garau I, Sanchez NC, Aicua A, Barlow L, Thorhorst J, Bouchardy C, Levi F, Fisch T, Probst N, Visser O, Quinn M, Gavin A, Brewster D, Mikov M (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control* 14: 791-803.
- 1348.** Mooi WJ (1996). Common lung cancers. In: *Spencer's Pathology of the Lung*, Hasleton PS, ed., 5th ed. McGraw-Hill: New York, pp. 1009-1064.
- 1349.** Moran CA (1999). Germ cell tumors of the mediastinum. *Pathol Res Pract* 195: 583-587.
- 1350.** Moran CA, Albores-Saavedra J, Wenig BM, Mena H (1997). Pigmented extraadrenal paragangliomas. A clinicopathologic and immunohistochemical study of five cases. *Cancer* 79: 398-402.
- 1351.** Moran CA, Koss MN (1993). Rhabdomyomatous thymoma. *Am J Surg Pathol* 17: 633-636.
- 1352.** Moran CA, Rosado-de-Christenson M, Suster S (1995). Thymolipoma: clinicopathologic review of 33 cases. *Mod Pathol* 8: 741-744.
- 1353.** Moran CA, Suster S (1995). Mediastinal hemangiomas: a study of 18 cases with emphasis on the spectrum of morphological features. *Hum Pathol* 26: 416-421.
- 1354.** Moran CA, Suster S (1995). Mediastinal seminomas with prominent cystic changes. A clinicopathologic study of 10 cases. *Am J Surg Pathol* 19: 1047-1053.
- 1355.** Moran CA, Suster S (1997). Hepatoid yolk sac tumors of the mediastinum: a clinicopathologic and immunohistochemical study of four cases. *Am J Surg Pathol* 21: 1210-1214.
- 1356.** Moran CA, Suster S (1997). Primary germ cell tumors of the mediastinum: I. Analysis of 322 cases with special emphasis on teratomatous lesions and a proposal for histopathologic classification and clinical staging. *Cancer* 80: 681-690.
- 1357.** Moran CA, Suster S (1997). Primary mediastinal choriocarcinomas: a clinicopathologic and immunohistochemical study of eight cases. *Am J Surg Pathol* 21: 1007-1012.
- 1358.** Moran CA, Suster S (1997). Yolk sac tumors of the mediastinum with prominent spindle cell features: a clinicopathologic study of three cases. *Am J Surg Pathol* 21: 1173-1177.
- 1359.** Moran CA, Suster S (1998). Germ-cell tumors of the mediastinum. *Adv Anat Pathol* 5: 1-15.
- 1360.** Moran CA, Suster S (1999). Angiomatoid neuroendocrine carcinoma of the thymus: report of a distinctive morphological variant of neuroendocrine tumor of the thymus resembling a vascular neoplasm. *Hum Pathol* 30: 635-639.
- 1361.** Moran CA, Suster S (2000). Neuroendocrine carcinomas (carcinoid tumor) of the thymus. A clinicopathologic analysis of 80 cases. *Am J Clin Pathol* 114: 100-110.
- 1362.** Moran CA, Suster S (2000). Primary neuroendocrine carcinoma (thymic carcinoid) of the thymus with prominent oncocyctic features: a clinicopathologic study of 22 cases. *Mod Pathol* 13: 489-494.
- 1363.** Moran CA, Suster S (2000). Thymic neuroendocrine carcinomas with combined features ranging from well-differentiated (carcinoid) to small cell carcinoma. A clinicopathologic and immunohistochemical study of 11 cases. *Am J Clin Pathol* 113: 345-350.
- 1364.** Moran CA, Suster S, Askin FB, Koss MN (1994). Benign and malignant salivary gland-type mixed tumors of the lung. Clinicopathologic and immunohistochemical study of eight cases. *Cancer* 73: 2481-2490.
- 1365.** Moran CA, Suster S, Fishback N, Koss MN (1993). Mediastinal paragangliomas. A clinicopathologic and immunohistochemical study of 16 cases. *Cancer* 72: 2358-2364.
- 1366.** Moran CA, Suster S, Fishback N, Koss MN (1995). Extramedullary hematopoiesis presenting as posterior mediastinal mass: a study of four cases. *Mod Pathol* 8: 249-251.
- 1367.** Moran CA, Suster S, Fishback NF,

- Koss MN (1995). Primary intrapulmonary thymoma. A clinicopathologic and immunohistochemical study of eight cases. *Am J Surg Pathol* 19: 304-312.
- 1368.** Moran CA, Suster S, Koss MN (1994). Primary adenoid cystic carcinoma of the lung. A clinicopathologic and immunohistochemical study of 16 cases. *Cancer* 73: 1390-1397.
- 1369.** Moran CA, Suster S, Koss MN (1997). Primary germ cell tumors of the mediastinum: III. Yolk sac tumor, embryonal carcinoma, choriocarcinoma, and combined nonteratomatous germ cell tumors of the mediastinum—a clinicopathologic and immunohistochemical study of 64 cases. *Cancer* 80: 699-707.
- 1370.** Moran CA, Suster S, Perino G, Kaneko M, Koss MN (1994). Malignant smooth muscle tumors presenting as mediastinal soft tissue masses. A clinicopathologic study of 10 cases. *Cancer* 74: 2251-2260.
- 1371.** Moran CA, Suster S, Przygodzki RM, Koss MN (1997). Primary germ cell tumors of the mediastinum: II. Mediastinal seminomas—a clinicopathologic and immunohistochemical study of 120 cases. *Cancer* 80: 691-698.
- 1372.** Moran CA, Zeren H, Koss MN (1994). Thymofibrolipoma. A histologic variant of thymolipoma. *Arch Pathol Lab Med* 118: 281-282.
- 1373.** Morgan DE, Sanders C, McElvein RB, Nath H, Alexander CB (1992). Intrapulmonary teratoma: a case report and review of the literature. *J Thorac Imaging* 7: 70-77.
- 1374.** Mori K, Cho H, Som M (1977). Primary "flat" melanoma of the trachea. *J Pathol* 121: 101-105.
- 1375.** Mori M, Chiba R, Takahashi T (1993). Atypical adenomatous hyperplasia of the lung and its differentiation from adenocarcinoma. Characterization of atypical cells by morphometry and multivariate cluster analysis. *Cancer* 72: 2331-2340.
- 1376.** Mori M, Chiba R, Tezuka F, Kaji M, Kobubo T, Nukiwa T, Takahashi T (1996). Papillary adenoma of type II pneumocytes might have malignant potential. *Virchows Arch* 428: 195-200.
- 1377.** Mori M, Kaji M, Tezuka F, Takahashi T (1998). Comparative ultrastructural study of atypical adenomatous hyperplasia and adenocarcinoma of the human lung. *Ultrastruct Pathol* 22: 459-466.
- 1378.** Mori M, Rao SK, Popper HH, Cagle PT, Fraire AE (2001). Atypical adenomatous hyperplasia of the lung: a probable forerunner in the development of adenocarcinoma of the lung. *Mod Pathol* 14: 72-84.
- 1379.** Mori M, Tezuka F, Chiba R, Funae Y, Watanabe M, Nukiwa T, Takahashi T (1996). Atypical adenomatous hyperplasia and adenocarcinoma of the human lung: their heterology in form and analogy in immunohistochemical characteristics. *Cancer* 77: 665-674.
- 1380.** Mori N, Yatabe Y, Narita M, Kobayashi T, Asai J (1996). Pyothorax-associated lymphoma. An unusual case with biphenotypic character of T and B cells. *Am J Surg Pathol* 20: 760-766.
- 1381.** Mori T, Hongo H, Kondo K, Akamine T, Hanada N, Toyota N, Yoshioka M, Tabira Y, Hiraoka T, Kitamura N (1998). [Successful chemotherapy based on in vitro chemosensitivity testing in a case of recurrent thymic carcinoma]. *Kyobu Geka* 51: 235-238.
- 1382.** Morice WG, Kurtin PJ, Myers JL (2002). Expression of cytolytic lymphocyte-associated antigens in pulmonary lymphomatoid granulomatosis. *Am J Clin Pathol* 118: 391-398.
- 1383.** Morikami Y, Higashi T, Isomura K, Hirano A, Tanaka K, Hisatomi K, Ohishi K (1994). Cardiac lipoma with changes of ST segment and T wave on electrocardiogram. *Jpn Circ J* 58: 733-736.
- 1384.** Morimitsu Y, Nakajima M, Hisaoka M, Hashimoto H (2000). Extrapleural solitary fibrous tumor: clinicopathologic study of 17 cases and molecular analysis of the p53 pathway. *APMIS* 108: 617-625.
- 1385.** Morinaga S, Nomori H, Kobayashi R, Atsumi Y (1994). Well-differentiated adenocarcinoma arising from mature cystic teratoma of the mediastinum (teratoma with malignant transformation). Report of a surgical case. *Am J Clin Pathol* 101: 531-534.
- 1386.** Morinaga S, Sato Y, Shimosato Y, Sinkai T, Tsuchiya R (1987). Multiple thymic squamous cell carcinomas associated with mixed type thymoma. *Am J Surg Pathol* 11: 982-988.
- 1387.** Morinaga S, Shimosato Y (1987). Pathology of the microadenocarcinoma in the periphery of the lung. *Pathol Clin Med Jpn* 5: 74-80.
- 1388.** Morishita Y, Fukasawa M, Takeuchi M, Inadome Y, Matsuno Y, Noguchi M (2001). Small-sized adenocarcinoma of the lung. Cytologic characteristics and clinical behavior. *Cancer* 93: 124-131.
- 1389.** Moro-Sibilot D, Jeanmart M, Lantuejoul S, Arbib F, Laverriere MH, Brambilla E, Brambilla C (2002). Cigarette smoking, preinvasive bronchial lesions, and autofluorescence bronchoscopy. *Chest* 122: 1902-1908.
- 1390.** Moro D, Bricchon PY, Brambilla E, Veale D, Labat F, Brambilla C (1994). Basaloid bronchial carcinoma. A histologic group with a poor prognosis. *Cancer* 73: 2734-2739.
- 1391.** Moss J, Avila NA, Barnes PM, Litzberger RA, Bechtel J, Brooks PG, Hedin CJ, Hunsberger S, Kristof AS (2001). Prevalence and clinical characteristics of lymphangioleiomyomatosis (LAM) in patients with tuberous sclerosis complex. *Am J Respir Crit Care Med* 164: 669-671.
- 1392.** Mostert M, Rosenberg C, Stoop H, Schuyer M, Timmer A, Oosterhuis W, Looijenga L (2000). Comparative genomic and in situ hybridization of germ cell tumors of the infantile testis. *Lab Invest* 80: 1055-1064.
- 1393.** Mott BD, Canver CC, Nazeer T, Buchan A, Ilves R (2001). Staged resection of bilateral pleuropulmonary blastoma in a two-month old girl. *J Cardiovasc Surg (Torino)* 42: 135-137.
- 1394.** Motzer RJ, Amsterdam A, Prieto V, Sheinfeld J, Murty VV, Mazumdar M, Bosl GJ, Chaganti RS, Reuter VE (1998). Teratoma with malignant transformation: diverse malignant histologies arising in men with germ cell tumors. *J Urol* 159: 133-138.
- 1395.** Moysset I, Lloreta J, Miguel A, Vadell C, Ribalta T, Estrach T, Serrano S (1997). Thymoma associated with CD4+ lymphopenia, cytomegalovirus infection, and Kaposi's sarcoma. *Hum Pathol* 28: 1211-1213.
- 1396.** Muir CS, Fraumeni JF Jr, Doll R (1994). The interpretation of time trends. *Cancer Surv* 19-20: 5-21.
- 1397.** Muir KW, McNeish I, Grosset DG, Metcalfe M (1996). Visualization of cardiac emboli from mitral valve papillary fibroelastoma. *Stroke* 27: 1133-1134.
- Mukai K, Shinkai T, Tominaga K, Shimosato Y (1988). The incidence of secondary tumors of the heart and pericardium: a 10-year study. *Jpn J Clin Oncol* 18: 195-201.
- 1398.** A. Mukohara N, Tobe S, Azami T (2001). Angiosarcoma causing cardiac rupture. *Jpn J Thorac Cardiovasc Surg* 49: 516-518.
- 1399.** Mukundan G, Urban BA, Askin FB, Fishman EK (2000). Pulmonary epithelioid hemangioendothelioma: atypical radiologic findings of a rare tumor with pathologic correlation. *J Comput Assist Tomogr* 24: 719-720.
- 1400.** Mulder H, Schlangen JT, van Voorhuisen AE (1975). Extramedullary hematopoiesis in the posterior mediastinum. *Radiol Clin (Basel)* 44: 550-556.
- 1401.** Mullaney BP, Ng VL, Herndier BG, McGrath MS, Pallavicini MG (2000). Comparative genomic analyses of primary effusion lymphoma. *Arch Pathol Lab Med* 124: 824-826.
- 1402.** Muller-Hermelink HK (2002). Case no 2 Slide workshop. V Annual Meeting of the Japanese German pathologists.
- 1403.** Muller-Hermelink HK, Marx A (1999). Pathological aspects of malignant and benign thymic disorders. *Ann Med* 31 Suppl 2: 5-14.
- 1404.** Muller-Hermelink HK, Marx A (2000). Thymoma. *Curr Opin Oncol* 12: 426-433.
- 1405.** Muller-Hermelink HK, Marx A (2000). Towards a histogenetic classification of thymic epithelial tumours? *Histopathology* 36: 466-469.
- 1406.** Muller-Tidow C, Metzger R, Kugler K, Diederichs S, Idos G, Thomas M, Dockhorn-Dworniczak B, Schneider PM, Koefler HP, Berdel WE, Serve H (2001). Cyclin E is the only cyclin-dependent kinase 2-associated cyclin that predicts metastasis and survival in early stage non-small cell lung cancer. *Cancer Res* 61: 647-653.
- 1407.** Muller KM, Muller G (1983). The ultrastructure of preneoplastic changes in the bronchial mucosa. In: *Current Topics of Pathology, Current Topics of Pathology*, Springer Verlag: Berlin Heidelberg, pp. 233-263.
- 1408.** Muller KM, Nakhosteen JA, Khanavkar B, Fisseler-Eckhoff A (1998). Bronchopulmonary preneoplasia. Diagnosis using LIFE system and pathology panel of the European Early Lung Cancer Study Group (EELCSG). *Pathologie* 19: 388-394.
- 1409.** Mulliken JB, Young AE (1988). Vascular Birthmarks: Hemangiomas and Malformations. WB Saunders: Philadelphia.
- 1410.** Mullins RK, Thompson SK, Coogan PS, Shurbaji MS (1994). Paranuclear blue inclusions: an aid in the cytopathologic diagnosis of primary and metastatic pulmonary small-cell carcinoma. *Diagn Cytopathol* 10: 332-335.
- 1411.** Murphy MC, Sweeney MS, Putnam JB Jr, Walker WE, Frazier OH, Ott DA, Cooley DA (1990). Surgical treatment of cardiac tumors: a 25-year experience. *Ann Thorac Surg* 49: 612-617.
- 1412.** Murphy MN, Glennon PG, Diocee MS, Wick MR, Cavers DJ (1986). Nonsecretory parathyroid carcinoma of the mediastinum. Light microscopic, immunocytochemical, and ultrastructural features of a case, and review of the literature. *Cancer* 58: 2468-2476.
- 1413.** Murthy SS, Shen T, De Rienzo A, Lee WC, Ferriola PC, Jhanwar SC, Mossman BT, Filmus J, Testa JR (2000). Expression of GPC3, an X-linked recessive overgrowth gene, is silenced in malignant mesothelioma. *Oncogene* 19: 410-416.
- 1414.** Muschen M, Rajewsky K, Brauning A, Baur AS, Oudejans JJ, Roers A, Hansmann ML, Kuppers R (2000). Rare occurrence of classical Hodgkin's disease as a T cell lymphoma. *J Exp Med* 191: 387-394.
- 1415.** Musk AW, Dewar J, Shilkin KB, Whitaker D (1991). Miliary spread of malignant pleural mesothelioma without a clinically identifiable pleural tumour. *Aust N Z J Med* 21: 460-462.
- 1416.** Musso P, Ronzani G, Ravera A, Comoglio C, Motta M, Dalmasso M (2002). [Primary cardiac lymphoma presenting with complete atrioventricular block. Case report and review of the literature]. *Ital Heart J* 3: 1047-1050.
- 1417.** Myers JL, Kurtin PJ, Katzenstein AL, Tazelaar HD, Colby TV, Strickler JG, Lloyd RV, Isaacson PG (1995). Lymphomatoid granulomatosis. Evidence of immunophenotypic diversity and relationship to Epstein-Barr virus infection. *Am J Surg Pathol* 19: 1300-1312.
- 1418.** Myhre-Jensen O, Kaae S, Madsen EH, Sneppen O (1983). Histopathological grading in soft-tissue tumours. Relation to survival in 261 surgically treated patients. *Acta Pathol Microbiol Immunol Scand [A]* 91: 145-150.
- 1419.** Myojin M, Choi NC, Wright CD, Wain JC, Harris N, Hug EB, Mathisen DJ, Lynch T, Carey RW, Grossbard M, Finkelstein DM, Grillo HC (2000). Stage III thymoma: pattern of failure after surgery and postoperative radiotherapy and its implication for future study. *Int J Radiat Oncol Biol Phys* 46: 927-933.
- 1420.** Nacht M, Dracheva T, Gao Y, Fujii T, Chen Y, Player A, Akmaev V, Cook B, Dufault M, Zhang M, Zhang W, Guo M, Curran J, Han S, Sidransky D, Buetow K, Madden SL, Jen J (2001). Molecular characteristics of non-small cell lung cancer. *Proc Natl Acad Sci U S A* 98: 15203-15208.
- 1421.** Nador RG, Cesarman E, Chadburn A, Dawson DB, Ansari MQ, Said J, Knowles DM (1996). Primary effusion lymphoma: a distinct clinicopathologic entity associated with the Kaposi's sarcoma-associated herpes virus. *Blood* 88: 645-656.
- 1422.** Nador RG, Cesarman E, Knowles DM, Said JW (1995). Herpes-like DNA sequences in a body-cavity-based lymphoma in an HIV-negative patient. *N Engl J Med* 333: 943.
- 1423.** Nagamoto N, Saito Y, Imai T, Suda H, Hashimoto K, Nakada T, Sato H (1986). Roentgenographically occult bronchogenic squamous cell carcinoma: location in the bronchi, depth of invasion and length of axial involvement of the bronchus. *Tohoku J Exp Med* 148: 241-256.
- 1424.** Nagamoto N, Saito Y, Suda H, Imai T, Sato M, Ohta S, Kanma K, Sagawa M, Takahashi S, Usuda K (1989). Relationship between length of longitudinal extension and maximal depth of transmurular invasion in roentgenographically occult squamous cell carcinoma of the bronchus (nonpolypoid type). *Am J Surg Pathol* 13: 11-20.
- 1425.** Nagao M, Murase K, Yasuhara Y, Ikezoe J, Eguchi K, Mogami H, Mandai K, Nakata M, Ooshiro Y (2002). Measurement of localized ground-glass attenuation on thin-section computed tomography images: correlation with the progression of

- bronchioloalveolar carcinoma of the lung. *Invest Radiol* 37: 692-697.
- 1426.** Nagasaka T, Lai R, Harada T, Chen YY, Chen WG, Arber DA, Weiss LM (2000). Coexisting thymic and gastric lymphomas of mucosa-associated lymphoid tissues in a patient with Sjogren syndrome. *Arch Pathol Lab Med* 124: 770-773.
- 1427.** Nagel H, Schulten HJ, Gunawan B, Brinck U, Fuzesi L (2002). The potential value of comparative genomic hybridization analysis in effusion-and fine needle aspiration cytology. *Mod Pathol* 15: 818-825.
- 1428.** Naka N, Tomita Y, Nakanishi H, Araki N, Hongyo T, Ochi T, Aozasa K (1997). Mutations of p53 tumor-suppressor gene in angiosarcoma. *Int J Cancer* 71: 952-955.
- 1429.** Nakahara R, Yokose T, Nagai K, Nishiwaki Y, Ochiai A (2001). Atypical adenomatous hyperplasia of the lung: a clinicopathological study of 118 cases including cases with multiple atypical adenomatous hyperplasia. *Thorax* 56: 302-305.
- 1430.** Nakajima M, Kasai T, Hashimoto H, Iwata Y, Manabe H (1999). Sarcomatoid carcinoma of the lung: a clinicopathologic study of 37 cases. *Cancer* 86: 608-616.
- 1431.** Nakajima R, Yokose T, Kakinuma R, Nagai K, Nishiwaki Y, Ochiai A (2002). Localized pure ground-glass opacity on high-resolution CT: histologic characteristics. *J Comput Assist Tomogr* 26: 323-329.
- 1432.** Nakamura H, Saji H, Ogata A, Hosaka M, Hagiwara M, Kawasaki N, Kato H (2003). Correlation between encoded protein overexpression and copy number of the HER2 gene with survival in non-small cell lung cancer. *Int J Cancer* 103: 61-66.
- 1433.** Nakamura S, Sasajima Y, Koshikawa T, Kitoh K, Kato M, Ueda R, Mori S, Suchi T (1995). Ki-1 (CD30) positive anaplastic large cell lymphoma of T-cell phenotype developing in association with long-standing tuberculous pyothorax: report of a case with detection of Epstein-Barr virus genome in the tumor cells. *Hum Pathol* 26: 1382-1385.
- 1434.** Nakanishi K (1990). Alveolar epithelial hyperplasia and adenocarcinoma of the lung. *Arch Pathol Lab Med* 114: 363-368.
- 1435.** Nakatani Y, Dickerson GR, Mark EJ (1990). Pulmonary endodermal tumor resembling fetal lung: a clinicopathologic study of five cases with immunohistochemical and ultrastructural characterization. *Hum Pathol* 21: 1097-1107.
- 1436.** Nakatani Y, Kitamura H, Inayama Y, Kamijo S, Nagashima Y, Shimoyama K, Nakamura N, Sano J, Ogawa N, Shibagaki T, Resl M, Mark EJ (1998). Pulmonary adenocarcinomas of the fetal lung type: a clinicopathologic study indicating differences in histology, epidemiology, and natural history of low-grade and high-grade forms. *Am J Surg Pathol* 22: 399-411.
- 1437.** Nakatsuka S, Yao M, Hoshida Y, Yamamoto S, Iuchi K, Aozasa K (2002). Pyothorax-associated lymphoma: a review of 106 cases. *J Clin Oncol* 20: 4255-4260.
- 1438.** Nakayama H, Noguchi M, Tsuchiya R, Kodama T, Shimosato Y (1990). Clonal growth of atypical adenomatous hyperplasia of the lung: cytofluorometric analysis of nuclear DNA content. *Mod Pathol* 3: 314-320.
- 1439.** Nakhoul F, Kerner H, Levin M, Best LA, Better OS (1994). Carcinoid tumor of the lung and type-1 multiple endocrine neoplasia associated with persistent hypercalcemia: a case report. *Miner Electrolyte Metab* 20: 107-111.
- 1440.** Nappi O, Glasner SD, Swanson PE, Wick MR (1994). Biphasic and monophasic sarcomatoid carcinomas of the lung. A reappraisal of 'carcinosarcomas' and 'spindle-cell carcinomas'. *Am J Clin Pathol* 102: 331-340.
- 1441.** Nappi O, Swanson PE, Wick MR (1994). Pseudovascular adenoid squamous cell carcinoma of the lung: clinicopathologic study of three cases and comparison with true pleuropulmonary angiosarcoma. *Hum Pathol* 25: 373-378.
- 1442.** Nappi O, Wick MR (1993). Sarcomatoid neoplasms of the respiratory tract. *Semin Diagn Pathol* 10: 137-147.
- 1443.** Nascimento AF, Ruiz R, Hornick JL, Fletcher CD (2002). Calcifying fibrous 'pseudotumor': clinicopathologic study of 15 cases and analysis of its relationship to inflammatory myofibroblastic tumor. *Int J Surg Pathol* 10: 189-196.
- 1444.** Nathaniels EK, Nathaniels AM, Wang CA (1970). Mediastinal parathyroid tumors: a clinical and pathological study of 84 cases. *Ann Surg* 171: 165-170.
- 1445.** Naunheim KS, Taylor JR, Skosey C, Hoffman PC, Ferguson MK, Golomb HM, Little AG (1987). Adenosquamous lung carcinoma: clinical characteristics, treatment, and prognosis. *Ann Thorac Surg* 44: 462-466.
- 1446.** Naylor SL, Johnson BE, Minna JD, Sakaguchi AY (1987). Loss of heterozygosity of chromosome 3p markers in small-cell lung cancer. *Nature* 329: 451-454.
- 1447.** Nazar-Stewart V, Vaughan TL, Stapleton P, Van Loo J, Nicol-Blades B, Eaton DL (2003). A population-based study of glutathione S-transferase M1, T1 and P1 genotypes and risk for lung cancer. *Lung Cancer* 40: 247-258.
- 1448.** Neal MH, Kosinski R, Cohen P, Orenstein JM (1986). Atypical endocrine tumors of the lung: a histologic, ultrastructural, and clinical study of 19 cases. *Hum Pathol* 17: 1264-1277.
- 1449.** Neft RE, Crowell RE, Gilliland FD, Murphy MM, Lane JL, Harms H, Coons T, Heaphy E, Belinsky SA, Lechner JF (1998). Frequency of trisomy 20 in nonmalignant bronchial epithelium from lung cancer patients and cancer-free former uranium miners and smokers. *Cancer Epidemiol Biomarkers Prev* 7: 1051-1054.
- 1450.** Neiman RS, Orzi A (1999). Mediastinal non-seminomatous germ cell tumours: their association with non-germ cell malignancies. *Pathol Res Pract* 195: 589-594.
- 1451.** Nemunaitis J, Klemow S, Tong A, Courtney A, Johnston W, Mack M, Taylor W, Solano M, Stone M, Mallams J, Mues G (1998). Prognostic value of K-ras mutations, ras oncoprotein, and c-erb B-2 oncoprotein expression in adenocarcinoma of the lung. *Am J Clin Oncol* 21: 155-160.
- 1452.** Nenninger R, Schultz A, Vandekerckhove B, Hunig T, Muller-Hermelink HK, Marx A (1997). Abnormal T lymphocyte development in myasthenia gravis-associated thymomas. In: *Epithelial Tumors of the Thymus: Pathology, Biology, Treatment, Epithelial Tumors of the Thymus: Pathology, Biology, Treatment*, Plenum Pub Corp: New York, London.
- 1453.** Nerlich A, Berndt R, Schleicher E (1991). Differential basement membrane composition in multiple epithelioid haemangioid endotheliomas of liver and lung. *Histopathology* 18: 303-307.
- 1454.** Newman HA, Cordell AR, Prichard RW (1966). Intracardiac myxomas. Literature review and report of six cases, one successfully treated. *Am Surg* 32: 219-230.
- 1455.** Ng AK, Bernardo MV, Weller E, Backstrand K, Silver B, Marcus KC, Tarbell NJ, Stevenson MA, Friedberg JW, Mauch PM (2002). Second malignancy after Hodgkin disease treated with radiation therapy with or without chemotherapy: long-term risks and risk factors. *Blood* 100: 1989-1996.
- 1456.** Ng WL, Ma L (1983). Is sclerosing hemangioma of lung an alveolar mixed tumour? *Pathology* 15: 205-211.
- 1457.** Nguyen GK (1995). Cytopathology of pulmonary carcinoid tumors in sputum and bronchial brushings. *Acta Cytol* 39: 1152-1160.
- 1458.** Nichols CR (1991). Mediastinal germ cell tumors. Clinical features and biologic correlates. *Chest* 99: 472-479.
- 1459.** Nichols CR, Heerema NA, Palmer C, Loehrer PJS, Williams SD, Einhorn LH (1987). Klinefelter's syndrome associated with mediastinal germ cell neoplasms. *J Clin Oncol* 5: 1290-1294.
- 1460.** Nichols CR, Hoffman R, Einhorn LH, Williams SD, Wheeler LA, Garnick MB (1985). Hematologic malignancies associated with primary mediastinal germ-cell tumors. *Ann Intern Med* 102: 603-609.
- 1461.** Nichols CR, Roth BJ, Heerema N, Griep J, Tricot G (1990). Hematologic neoplasia associated with primary mediastinal germ-cell tumors. *N Engl J Med* 322: 1425-1429.
- 1462.** Nichols CR, Saxman S, Williams SD, Loehrer PJ, Miller ME, Wright C, Einhorn LH (1990). Primary mediastinal nonseminomatous germ cell tumors: A modern single institution experience. *Cancer* 65: 1641-1646.
- 1463.** Nicholson AG, Goldstraw P, Fisher C (1998). Synovial sarcoma of the pleura and its differentiation from other primary pleural tumours: a clinicopathological and immunohistochemical review of three cases. *Histopathology* 33: 508-513.
- 1464.** Nicholson AG, Magkou C, Snead D, Vohra HA, Sheppard MN, Goldstraw P, Boddow E, Hansell DM, Travis WD, Corrin B (2002). Unusual sclerosing haemangiomas and sclerosing haemangioma-like lesions, and the value of TTF-1 in making the diagnosis. *Histopathology* 41: 404-413.
- 1465.** Nicholson AG, Perry LJ, Cury PM, Jackson P, McCormick CM, Corrin B, Wells AU (2001). Reproducibility of the WHO/IASLC grading system for pre-invasive squamous lesions of the bronchus: a study of inter-observer and intra-observer variation. *Histopathology* 38: 202-208.
- 1466.** Nicholson AG, Rigby M, Lincoln C, Meller S, Fisher C (1997). Synovial sarcoma of the heart. *Histopathology* 30: 349-352.
- 1467.** Nicholson AG, Wotherspoon AC, Diss TC, Butcher DN, Sheppard MN, Isaacson PG, Corrin B (1995). Pulmonary B-cell non-Hodgkin's lymphomas. The value of immunohistochemistry and gene analysis in diagnosis. *Histopathology* 26: 395-403.
- 1468.** Nicholson AG, Wotherspoon AC, Diss TC, Singh N, Butcher DN, Pan LX, Isaacson PG, Corrin B (1996). Lymphomatoid granulomatosis: evidence that some cases represent Epstein-Barr virus-associated B-cell lymphoma. *Histopathology* 29: 317-324.
- 1469.** Nicholson AG, Wotherspoon AC, Jones AL, Sheppard MN, Isaacson PG, Corrin B (1996). Pulmonary B-cell non-Hodgkin's lymphoma associated with autoimmune disorders: a clinicopathologic review of six cases. *Eur Respir J* 9: 2022-2025.
- 1470.** Nicholson SA, Beasley MB, Brambilla E, Hasleton PS, Colby TV, Sheppard MN, Falk R, Travis WD (2002). Small cell lung carcinoma (SCLC): a clinicopathologic study of 100 cases with surgical specimens. *Am J Surg Pathol* 26: 1184-1197.
- 1471.** Nicholson SA, Okby NT, Khan MA, Welsh JA, McMenamin MG, Travis WD, Jett JR, Tazelaar HD, Trastek V, Poirolero PC, Corn PG, Herman JG, Liotta LA, Caporaso NE, Harris CC (2001). Alterations of p14ARF, p53, and p73 genes involved in the E2F-1-mediated apoptotic pathways in non-small cell lung carcinoma. *Cancer Res* 61: 5636-5643.
- 1472.** Niehues T, Harms D, Jurgens H, Gobel U (1996). Treatment of pediatric malignant thymoma: long-term remission in a 14-year-old boy with EBV-associated thymic carcinoma by aggressive, combined modality treatment. *Med Pediatr Oncol* 26: 419-424.
- 1473.** Nielsen GP, O'Connell JX, Dickerson GR, Rosenberg AE (1997). Solitary fibrous tumor of soft tissue: a report of 15 cases, including 5 malignant examples with light microscopic, immunohistochemical, and ultrastructural data. *Mod Pathol* 10: 1028-1037.
- 1474.** Niho S, Suzuki K, Yokose T, Kodama T, Nishiwaki Y, Esumi H (1998). Monoclonality of both pale cells and cuboidal cells of sclerosing hemangioma of the lung. *Am J Pathol* 152: 1065-1069.
- 1475.** Niho S, Yokose T, Suzuki K, Kodama T, Nishiwaki Y, Mukai K (1999). Monoclonality of atypical adenomatous hyperplasia of the lung. *Am J Pathol* 154: 249-254.
- 1476.** Nind NR, Attanoos RL, Gibbs AR (2003). Unusual intraparenchymal growth patterns of malignant pleural mesothelioma. *Histopathology* 42: 150-155.
- 1477.** Nine JS, Yousem SA, Paradis IL, Keenan R, Griffith BP (1994). Lymphangioleiomyomatosis: recurrence after lung transplantation. *J Heart Lung Transplant* 13: 714-719.
- 1478.** Nishimura M, Kodama T, Nishiyama H, Nishiwaki Y, Yokose T, Shimosato Y (1997). A case of sarcomatoid carcinoma of the thymus. *Pathol Int* 47: 260-263.
- 1479.** Nishio M, Koshikawa T, Yatabe Y, Kuroishi T, Suyama M, Nagatake M, Sugiura T, Ariyoshi Y, Mitsudomi T, Takahashi T (1997). Prognostic significance of cyclin D1 and retinoblastoma expression in combination with p53 abnormalities in primary, resected non-small cell lung cancers. *Clin Cancer Res* 3: 1051-1058.
- 1480.** Nistal M, Garcia-Viera M, Martinez-Garcia C, Paniagua R (1994). Epithelial-myoepithelial tumor of the bronchus. *Am J Surg Pathol* 18: 421-425.
- 1481.** Niwa K, Tanaka T, Mori H, Takahashi M (1987). Extramedullary plasmacytoma of the mediastinum. *Jpn J Clin Oncol* 17: 95-100.
- 1482.** Noble EP, St Jeor ST, Ritchie T, Syndulko K, St Jeor SC, Fitch RJ, Brunner RL, Sparkes RS (1994). D2 dopamine receptor gene and cigarette smoking: a reward gene? *Med Hypotheses* 42: 257-260.
- 1483.** Noguchi M, Kodama T, Shimosato Y, Koide T, Naruke T, Singh G, Katal SL (1986). Papillary adenoma of type 2 pneumocytes. *Am J Surg Pathol* 10: 134-139.
- 1484.** Noguchi M, Morikawa A, Kawasaki M, Matsuno Y, Yamada T, Hirohashi S, Kondo H, Shimosato Y (1995). Small adeno-

- carcinoma of the lung. Histologic characteristics and prognosis. *Cancer* 75: 2844-2852.
- 1485.** Noh TW, Kim SH, Lim BJ, Yang WI, Chung KY (2001). Thymoma with pseudosarcomatous stroma. *Yonsei Med J* 42: 571-575.
- 1486.** Nolan LP, Heatley MK (2001). The value of immunocytochemistry in distinguishing between clear cell carcinoma of the kidney and ovary. *Int J Gynecol Pathol* 20: 155-159.
- 1487.** Nomori H, Kaseda S, Kobayashi K, Ishihara T, Yanai N, Torikata C (1988). Adenoid cystic carcinoma of the trachea and main-stem bronchus. A clinical, histopathologic, and immunohistochemical study. *J Thorac Cardiovasc Surg* 96: 271-277.
- 1488.** Nonomura A, Kurumaya H, Kono N, Nakanuma Y, Ohta G, Terahata S, Matsubara F, Matsuda T, Asaka T, Nishino T (1988). Primary pulmonary artery sarcoma. Report of two autopsy cases studied by immunohistochemistry and electron microscopy, and review of 110 cases reported in the literature. *Acta Pathol Jpn* 38: 883-896.
- 1489.** Nonomura A, Mizukami Y, Shimizu J, Watanabe Y, Kobayashi T, Kamimura R, Takashima T, Nakamura S, Tanimoto K (1995). Small giant cell carcinoma of the lung diagnosed preoperatively by transthoracic aspiration cytology. A case report. *Acta Cytol* 39: 129-133.
- 1490.** Notohara K, Hsueh CL, Awai M (1990). Glial fibrillary acidic protein immunoreactivity of chondrocytes in immature and mature teratomas. *Acta Pathol Jpn* 40: 335-342.
- 1491.** Novak L, Castro CY, Listinsky CM (2003). Multiple Langerhans cell nodules in an incidental thymectomy. *Arch Pathol Lab Med* 127: 218-220.
- 1492.** Novak R, Dasu S, Agamanolis D, Herold W, Malone J, Waterson J (1997). Trisomy 8 is a characteristic finding in pleuropulmonary blastoma. *Pediatr Pathol Lab Med* 17: 99-103.
- 1493.** Nugent JL, Bunn PA Jr, Matthews MJ, Ihde DC, Cohen MH, Gazdar A, Minna JD (1979). CNS metastases in small cell bronchogenic carcinoma: increasing frequency and changing pattern with lengthening survival. *Cancer* 44: 1885-1893.
- 1494.** Null JA, Livolsi VA, Glenn WW (1977). Hodgkin's disease of the thymus (granulomatous thymoma) and myasthenia gravis: a unique association. *Am J Clin Pathol* 67: 521-525.
- 1495.** O'Brien JD, Lium JH, Parosa JF, Deyoung BR, Wick MR, Trulock EP (1995). Lymphangiomyomatosis recurrence in the allograft after single-lung transplantation. *Am J Respir Crit Care Med* 151: 2033-2036.
- 1496.** O'Donovan M, Silva I, Uhlmann V, Bermingham N, Luttich K, Martin C, Sheils O, Killalea A, Kenny C, Pileri S, O'Leary JJ (2001). Expression profile of human herpesvirus 8 (HHV-8) in pyothorax associated lymphoma and in effusion lymphoma. *Mol Pathol* 54: 80-85.
- 1497.** O'Neill JH, Murray NM, Newsom-Davis J (1988). The Lambert-Eaton myasthenic syndrome. A review of 50 cases. *Brain* 111 (Pt 3): 577-596.
- 1498.** Obedian E, Fischer DB, Haffty BG (2000). Second malignancies after treatment of early-stage breast cancer: lumpectomy and radiation therapy versus mastectomy. *J Clin Oncol* 18: 2406-2412.
- 1499.** Oh KY, Shimizu M, Edwards WD, Tazelaar HD, Danielson GK (2001). Surgical pathology of the parietal pericardium: a study of 344 cases (1993-1999). *Cardiovasc Pathol* 10: 157-168.
- 1500.** Oh YL, Ko YH, Ree HJ (1998). Aspiration cytology of ectopic cervical thymoma mimicking a thyroid mass. A case report. *Acta Cytol* 42: 1167-1171.
- 1501.** Ohchi T, Tanaka H, Shibuya Y, Shibusa T, Inuzuka M, Satoh M, Abe S (1998). Thymic carcinoid with mucinous stroma: a case report. *Respir Med* 92: 880-882.
- 1502.** Ohgaki H, Kros JM, Okamoto Y, Gaspert A, Huang H, Kurrer MO (2004). APC mutations are infrequent but present in human lung cancer. *Cancer Lett* 207: 197-203.
- 1503.** Ohsawa M, Tomita Y, Kanno H, Iuchi K, Kawabata Y, Nakajima Y, Komatsu H, Mukai K, Shimoyama M, Aozasa K (1995). Role of Epstein-Barr virus in pleural lymphomagenesis. *Mod Pathol* 8: 848-853.
- 1504.** Ohshima K, Muta H, Kawasaki C, Muta K, Deyev V, Kanda M, Kumano Y, Podack ER, Kikuchi M (2001). Bcl10 expression, rearrangement and mutation in MALT lymphoma: correlation with expression of nuclear factor-kappaB. *Int J Oncol* 19: 283-289.
- 1505.** Ohtsuka M, Satoh H, Inoue M, Yazawa T, Yamashita YT, Sekizawa K, Hasegawa S (2000). Disseminated metastasis of neuroblastomatous component in immature mediastinal teratoma: a case report. *Anticancer Res* 20: 527-530.
- 1506.** Oizumi S, Igarashi K, Takenaka T, Yamashiro K, Hiraga H, Fujino T, Horimoto M (1999). Primary pericardial synovial sarcoma with detection of the chimeric transcript SYT-SSX. *Jpn Circ J* 63: 330-332.
- 1507.** Okada S, Ohshima K, Mori M (1994). The Cushing syndrome induced by atrial natriuretic peptide-producing thymic carcinoid. *Ann Intern Med* 121: 75-76.
- 1508.** Okamoto K, Kato S, Katsuki S, Wada Y, Toyozumi Y, Morimatsu M, Aoyagi S, Imaizumi T (2001). Malignant fibrous histiocytoma of the heart: case report and review of 46 cases in the literature. *Intern Med* 40: 1222-1226.
- 1509.** Okudela K, Nakamura N, Sano J, Ito T, Kitamura H (2001). Thymic carcinosarcoma consisting of squamous cell carcinoma and embryonal rhabdomyosarcomatous components. Report of a case and review of the literature. *Pathol Res Pract* 197: 205-210.
- 1510.** Okumura M, Miyoshi S, Fujii Y, Takeuchi Y, Shiono H, Inoue M, Fukuhara K, Kadota Y, Tateyama H, Eimoto T, Matsuda H (2001). Clinical and functional significance of WHO classification on human thymic epithelial neoplasms: a study of 146 consecutive tumors. *Am J Surg Pathol* 25: 103-110.
- 1511.** Okumura M, Ohta M, Tateyama H, Nakagawa K, Matsumura A, Maeda H, Tada H, Eimoto T, Matsuda H, Masaoka A (2002). The World Health Organization histologic classification system reflects the oncologic behavior of thymoma: a clinical study of 273 patients. *Cancer* 94: 624-632.
- 1512.** Oliai BR, Tazelaar HD, Lloyd RV, Doria MI, Trastek VF (1999). Leiomyosarcoma of the pulmonary veins. *Am J Surg Pathol* 23: 1082-1088.
- 1513.** Oliveira AM, Tazelaar HD, Myers JL, Erickson LA, Lloyd RV (2001). Thyroid transcription factor-1 distinguishes metastatic pulmonary from well-differentiated neuroendocrine tumors of other sites. *Am J Surg Pathol* 25: 815-819.
- 1514.** Oliveira P, Moura Nunes JF, Clode AL, da Costa JD, Almeida MO (1996). Alveolar adenoma of the lung: further characterization of this uncommon tumour. *Virchows Arch* 429: 101-108.
- 1515.** Omezzine N, Khouatra C, Larive S, Freyer G, Isaac-Pinet S, Geriniere L, Droz JP, Souquet PJ (2002). Rhabdomyosarcoma arising in mediastinal teratoma in an adult man: a case report. *Ann Oncol* 13: 323-326.
- 1516.** Onuki N, Wistuba II, Travis WD, Virmani AK, Yashima K, Brambilla E, Hasleton P, Gazdar AF (1999). Genetic changes in the spectrum of neuroendocrine lung tumors. *Cancer* 85: 600-607.
- 1517.** Oosterhuis JW, Rammeloo RH, Cornelisse CJ, de Jong B, Dam A, Sleijfer DT (1990). Ploidy of malignant mediastinal germ-cell tumors. *Hum Pathol* 21: 729-732.
- 1518.** Orzai A, Neiman RS, Ulbright TM, Heerema NA, John K, Nichols CR (1993). Hematopoietic precursor cells within the yolk sac tumor component are the source of secondary hematopoietic malignancies in patients with mediastinal germ cell tumors. *Cancer* 71: 3873-3881.
- 1519.** Ordonez NG (2000). Localized (solitary) fibrous tumor of the pleura. *Adv Anat Pathol* 7: 327-340.
- 1520.** Osada H, Tatematsu Y, Yatabe Y, Nakagawa T, Konishi H, Harano T, Tezel E, Takada M, Takahashi T (2002). Frequent and histological type-specific inactivation of 14-3-3sigma in human lung cancers. *Oncogene* 21: 2418-2424.
- 1521.** Osanai M, Igarashi T, Yoshida Y (2001). Unique cellular features in atypical adenomatous hyperplasia of the lung: ultrastructural evidence of its cytodifferentiation. *Ultrastruct Pathol* 25: 367-373.
- 1522.** Ost D, Joseph C, Sogoloff H, Menezes G (1999). Primary pulmonary melanoma: case report and literature review. *Mayo Clin Proc* 74: 62-66.
- 1523.** Osterlind K, Andersen PK (1986). Prognostic factors in small cell lung cancer: multivariate model based on 778 patients treated with chemotherapy with or without irradiation. *Cancer Res* 46: 4189-4194.
- 1524.** Ostoros G, Orosz Z, Kovacs G, Soltesz I (2002). Desmoplastic small round cell tumour of the pleura: a case report with unusual follow-up. *Lung Cancer* 36: 333-336.
- 1525.** Otani Y, Morishita Y, Yoshida I, Ishikawa S, Otaki A, Aihara T, Nakajima T (1996). A malignant Triton tumor in the anterior mediastinum requiring emergency surgery: report of a case. *Surg Today* 26: 834-836.
- 1526.** Ovcačak Z, Masera A, Lamovec J (1992). Malignant fibrous histiocytoma of the heart. *Arch Pathol Lab Med* 116: 872-874.
- 1527.** Ovrum E, Birkeland S (1979). Mediastinal tumours and cysts. A review of 91 cases. *Scand J Thorac Cardiovasc Surg* 13: 161-168.
- 1528.** Oyaizu T, Arita S, Hatano T, Tsubura A (1996). Immunohistochemical detection of estrogen and progesterone receptors performed with an antigen-retrieval technique on methacarn-fixed paraffin-embedded breast cancer tissues. *J Surg Res* 60: 69-73.
- 1529.** Pachter MR, Lattes R (1963). Mesenchymal tumors of mediastinum. 1. Tumors of fibrous tissue, adipose tissue, smooth muscle, and striated muscle. *Cancer* 16: 74-8.
- 1530.** Paez JG, Janne PA, Lee JC, Tracy S, Greulich H, Gabriel S, Herman P, Kaye FJ, Lindeman N, Boggon TJ, Naoki K, Sasaki H, Fujii Y, Eck MJ, Sellers WR, Johnson BE, Meyerson M (2004). EGFR Mutations in Lung Cancer: Correlation with Clinical Response to Gefitinib Therapy. *Science* .
- 1531.** Paget S (1989). The distribution of secondary growths in cancer of the breast. 1889. *Cancer Metastasis Rev* 8: 98-101.
- 1532.** Palanisamy N, Abou-Elella AA, Chaganti SR, Houldsworth J, Offit K, Louie DC, Terayu-Feldstein J, Cigudosa JC, Rao PH, Sanger WG, Weisenburger DD, Chaganti RS (2002). Similar patterns of genomic alterations characterize primary mediastinal large-B-cell lymphoma and diffuse large-B-cell lymphoma. *Genes Chromosomes Cancer* 33: 114-122.
- 1533.** Palcic B, Garner DM, Beveridge J, Sun XR, Doukine A, MacAulay C, Lam S, Payne PW (2002). Increase of sensitivity of sputum cytology using high-resolution image cytometry: field study results. *Cytometry* 50: 168-176.
- 1534.** Pallesen G, Hamilton-Dutoit SJ (1988). Ki-1 (CD30) antigen is regularly expressed by tumor cells of embryonal carcinoma. *Am J Pathol* 133: 446-450.
- 1535.** Palmer FJ, Sawyers TM (1978). Hyperparathyroidism, chemodectoma, thymoma, and myasthenia gravis. *Arch Intern Med* 138: 1402-1403.
- 1536.** Palmer PE, Safaii H, Wolfe HJ (1976). Alpha1-antitrypsin and alpha-fetoprotein. Protein markers in endodermal sinus (yolk sac) tumors. *Am J Clin Pathol* 65: 575-582.
- 1537.** Pan CC, Chen PC, Wang LS, Chi KH, Chiang H (2001). Thymoma is associated with an increased risk of second malignancy. *Cancer* 92: 2406-2411.
- 1538.** Pan CC, Chen WY, Chiang H (2001). Spindle cell and mixed spindle/lymphocytic thymomas: an integrated clinicopathologic and immunohistochemical study of 81 cases. *Am J Surg Pathol* 25: 111-120.
- 1539.** Pan CC, Ho DM, Chen WY, Huang CW, Chiang H (1998). Ki67 labelling index correlates with stage and histology but not significantly with prognosis in thymoma. *Histopathology* 33: 453-458.
- 1540.** Pan CC, Wu HP, Yang CF, Chen WY, Chiang H (1994). The clinicopathological correlation of epithelial subtyping in thymoma: a study of 112 consecutive cases. *Hum Pathol* 25: 893-899.
- 1541.** Paniagua JR, Sadaba JR, Davidson LA, Munsch CM (2000). Cystic tumour of the atrioventricular nodal region: report of a case successfully treated with surgery. *Heart* 83: E6.
- 1542.** Panos A, Kalangos A, Sztajzel J (1997). Left atrial myxoma presenting with myocardial infarction. Case report and review of the literature. *Int J Cardiol* 62: 73-75.
- 1543.** Papatimitriou A, Neustein HB, Dimairo S, Stanton R, Bresolin N (1984). Histiocytoid cardiomyopathy of infancy: deficiency of reducible cytochrome b in heart mitochondria. *Pediatr Res* 18: 1023-1028.
- 1544.** Papagiannopoulos K, Hughes S, Nicholson AG, Goldstraw P (2002). Cystic lung lesions in the pediatric and adult population: surgical experience at the Brompton Hospital. *Ann Thorac Surg* 73: 1594-1598.
- 1545.** Papagiannopoulos KA, Sheppard M, Bush AP, Goldstraw P (2001). Pleuropulmonary blastoma: is prophylactic resection of congenital lung cysts effective? *Ann Thorac Surg* 72: 604-605.

1546. Parente F, Grosgeorge J, Coindre JM, Terrier P, Vilain D, Turc-Carel C (1999). Comparative genomic hybridization reveals novel chromosome deletions in 90 primary soft tissue tumors. *Cancer Genet Cytogenet* 115: 89-95.
1547. Parish JM, Rosenow ECI, Swensen SJ, Crotty TB (1996). Pulmonary artery sarcoma. Clinical features. *Chest* 110: 1480-1488.
1548. Park HK, Park CM, Ko KH, Rim MS, Kim YI, Hwang JH, Im SC, Kim YC, Park KO (2000). A case of Cushing's syndrome in ACTH-secreting mediastinal paraganglioma. *Korean J Intern Med* 15: 142-146.
1549. Park IW, Wistuba II, Maitra A, Milchgrub S, Virmani AK, Minna JD, Gazdar AF (1999). Multiple clonal abnormalities in the bronchial epithelium of patients with lung cancer. *J Natl Cancer Inst* 91: 1863-1868.
1550. Park MJ, Shimizu K, Nakano T, Park YB, Kohno T, Tani M, Yokota J (2003). Pathogenic and biologic significance of TP14ARF alterations in non-small cell lung carcinoma. *Cancer Genet Cytogenet* 141: 5-13.
1551. Parkash V, Gerald WL, Parma A, Miettinen M, Rosai J (1995). Desmoplastic small round cell tumor of the pleura. *Am J Surg Pathol* 19: 659-665.
1552. Parker JR, Ro JY, Ordonez NG (1999). Benign nevus cell aggregates in the thymus: a case report. *Mod Pathol* 12: 329-332.
1553. Parkin DM, Pisani P, Lopez AD, Masuyer E (1994). At least one in seven cases of cancer is caused by smoking. Global estimates for 1985. *Int J Cancer* 59: 494-504.
1554. Parkin DM, Whelan SL, Ferlay J, Teppo L, Thomas DB (2002). *Cancer Incidence in Five Continents, Vol. VIII. IARC Scientific Publications No. 155.* IARC Press: Lyon.
1555. Parravicini C, Chandran B, Corbellino M, Berti E, Paulli M, Moore PS, Chang Y (2000). Differential viral protein expression in Kaposi's sarcoma-associated herpesvirus-infected diseases: Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castelman's disease. *Am J Pathol* 156: 743-749.
1556. Parrens M, Dubus P, Danjoux M, Jougon J, Brousset P, Velly JF, de Mascarel A, Merlio JP (2002). Muco-associated lymphoid tissue of the thymus hyperplasia vs lymphoma. *Am J Clin Pathol* 117: 51-56.
1557. Paties C, Zangrandi A, Vassallo G, Rindi G, Solcia E (1991). Multidirectional carcinoma of the thymus with neuroendocrine and sarcomatoid components and carcinoid syndrome. *Pathol Res Pract* 187: 170-177.
1558. Paulli M, Strater J, Gianelli U, Rousset MT, Gambacorta M, Orlandi E, Klersy C, Lavabre-Bertrand T, Morra E, Manegold C, Lazzarino M, Magrini U, Moller P (1999). Mediastinal B-cell lymphoma: a study of its histomorphologic spectrum based on 109 cases. *Hum Pathol* 30: 178-187.
1559. Paulsen SM, Egeblad K (1983). Sarcoma of the pulmonary artery. A light and electron microscopic study. *J Submicrosc Cytol* 15: 811-821.
1560. Payne WS, Ellis FH, Woolner LB, Moersch HJ (1959). The surgical treatment of cylindroma (adenoid cystic carcinoma) and muco-epidermoid tumors of the bronchus. *J Thorac Cardiovasc Surg* 38: 709-726.
1561. Payne WS, Woolner LB, Fontana RS (1964). Bronchial tumors originating from mucous glands - current classification and unusual manifestations. *Med Clin North Am* 48: 945-960.
1562. Pederzoli C, Terrini A, Ricci A, Motta A, Martinelli L, Graffigna A (2002). Pulmonary valve lipoma presenting as syncope. *Ann Thorac Surg* 73: 1305-1306.
1563. Pelosi G, Frassetto F, Maffini F, Solli P, Cavallon A, Viale G (2001). Pulmonary epithelial-myoepithelial tumor of unproven malignant potential: report of a case and review of the literature. *Mod Pathol* 14: 521-526.
1564. Pelosi G, Frassetto F, Pasini F, Maisonneuve P, Sonzogni A, Iannucci A, Terzi A, Bresaola E, Valduga F, Lupo C, Viale G (2001). Immunoreactivity for thyroid transcription factor-1 in stage I non-small cell carcinomas of the lung. *Am J Surg Pathol* 25: 363-372.
1565. Pelosi G, Frassetto F, Sonzogni A, Fazio N, Cavallon A, Viale G (2000). CD99 immunoreactivity in gastrointestinal and pulmonary neuroendocrine tumours. *Virchows Arch* 437: 270-274.
1566. Pelosi G, Pasini F, Sonzogni A, Maffini F, Maisonneuve P, Iannucci A, Terzi A, De Manzoni G, Bresaola E, Viale G (2003). Prognostic implications of neuroendocrine differentiation and hormone production in patients with Stage I non-small cell lung carcinoma. *Cancer* 97: 2487-2497.
1567. Penzel R, Hoegel J, Schmitz W, Blaecker H, Morresi-Hauf A, Aulmann S, Hecker E, Mechttersheimer G, Otto HF, Rieker RJ (2003). Clusters of chromosomal imbalances in thymic epithelial tumours are associated with the WHO classification and the staging system according to Masaoka. *Int J Cancer* 105: 494-498.
1568. Perchinsky MJ, Lichtenstein SV, Tyers GF (1997). Primary cardiac tumors: forty years' experience with 71 patients. *Cancer* 79: 1809-1815.
1569. Perdikogianni C, Stiakaki E, Danilatu V, Delides G, Kalmanti M (2001). Pleuropulmonary blastoma: an aggressive intrathoracic neoplasm of childhood. *Pediatr Hematol Oncol* 18: 259-266.
1570. Perera FP, Mooney LA, Stampfer M, Phillips DH, Bell DA, Rundle A, Cho S, Tsai WY, Ma J, Blackwood A, Tang D (2002). Associations between carcinogen-DNA damage, glutathione S-transferase genotypes, and risk of lung cancer in the prospective Physicians' Health Cohort Study. *Carcinogenesis* 23: 1641-1646.
1571. Perez-Ordonez B, Erlandson RA, Rosai J (1996). Follicular dendritic cell tumor: report of 13 additional cases of a distinctive entity. *Am J Surg Pathol* 20: 944-955.
1572. Perlman EJ, Cushing B, Hawkins E, Griffin CA (1994). Cytogenetic analysis of childhood endodermal sinus tumors: a Pediatric Oncology Group study. *Pediatr Pathol* 14: 695-708.
1573. Perlman EJ, Hu J, Ho D, Cushing B, Lauer S, Castleberry RP (2000). Genetic analysis of childhood endodermal sinus tumors by comparative genomic hybridization. *J Pediatr Hematol Oncol* 22: 100-105.
1574. Perlman EJ, Valentine MB, Griffin CA, Look AT (1996). Deletion of 1p36 in childhood endodermal sinus tumors by two-color fluorescence in situ hybridization: a pediatric oncology group study. *Genes Chromosomes Cancer* 16: 15-20.
1575. Perrone T, Frizzera G, Rosai J (1986). Mediastinal diffuse large-cell lymphoma with sclerosis. A clinicopathologic study of 60 cases. *Am J Surg Pathol* 10: 176-191.
1576. Perry L, Florio R, Dewar A, Nicholson A (2000). Giant lamellar bodies as a feature of pulmonary low-grade MALT lymphomas. *Histopathology* 36: 240-244.
1577. Pescarmona E, Giardini R, Brisigotti M, Callea F, Pisacane A, Baroni CD (1992). Thymoma in childhood: a clinicopathological study of five cases. *Histopathology* 21: 65-68.
1578. Pescarmona E, Rendina EA, Ricci C, Baroni CD (1989). Histiocytosis X and lymphoid follicular hyperplasia of the thymus in myasthenia gravis. *Histopathology* 14: 465-470.
1579. Pescarmona E, Rendina EA, Venuta F, D'Arcangelo E, Pagani M, Ricci C, Ruco LP, Baroni CD (1990). Analysis of prognostic factors and clinicopathological staging of thymoma. *Ann Thorac Surg* 50: 534-538.
1580. Pescarmona E, Rosati S, Pisacane A, Rendina EA, Venuta F, Baroni CD (1992). Microscopic thymoma: histological evidence of multifocal cortical and medullary origin. *Histopathology* 20: 263-266.
1581. Petersen I (2003). Chromosome numbers, ploidy and DNA imbalances of human lung cancer. //SUBMITTED// submitted.
1582. Petersen I, Bujard M, Petersen S, Wolf G, Goeze A, Schwendel A, Langreck H, Gellert K, Reichel M, Just K, du Manoir S, Cremer T, Dietel M, Ried T (1997). Patterns of chromosomal imbalances in adenocarcinoma and squamous cell carcinoma of the lung. *Cancer Res* 57: 2331-2335.
1583. Petersen I, Hidalgo A, Petersen S, Schluns K, Schewe C, Pacyna-Gengelbach M, Goeze A, Krebber B, Knosel T, Kaufmann O, Szymas J, von Deimling A (2000). Chromosomal imbalances in brain metastases of solid tumors. *Brain Pathol* 10: 395-401.
1584. Petersen S, Aninat-Meyer M, Schluns K, Gellert K, Dietel M, Petersen I (2000). Chromosomal alterations in the clonal evolution to the metastatic stage of squamous cell carcinomas of the lung. *Br J Cancer* 82: 65-73.
1585. Petersen S, Wolf G, Bockmuhl U, Gellert K, Dietel M, Petersen I (1998). Allelic loss on chromosome 10q in human lung cancer: association with tumour progression and metastatic phenotype. *Br J Cancer* 77: 270-276.
1586. Petitjean B, Jardin F, Joly B, Martin-Garcia N, Tilly H, Picquet JM, Briere J, Daniel C, Mehaut S, Abd-Al-Samad I, Copie-Bergman C, Delfau-Larue MH, Gaulard P (2002). Pyothorax-associated lymphoma: a peculiar clinicopathologic entity derived from B cells at late stage of differentiation and with occasional aberrant dual B- and T-cell phenotype. *Am J Surg Pathol* 26: 724-732.
1587. Peto J, Decarli A, La Vecchia C, Levi F, Negri E (1999). The European mesothelioma epidemic. *Br J Cancer* 79: 666-672.
- Peto J, Hodgson JT, Matthews FE, Jones JR (1995). Continuing increase in mesothelioma mortality in Britain. *Lancet* 345: 535-539.
1588. A. Peto R, Darby S, Deo H, Silcocks P, Whitley E, Doll R (2000). Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of national statistics with two case-control studies. *BMJ* 321: 323-329.
- Peto R, Lopez AD, Boreham J, Thun M, Heath CJr, Doll R (1994). Mortality from Smoking in Developed Countries 1950-2000: Indirect estimates from national vital statistics. Oxford University Press: Oxford.
1589. A. Peto R (2004). WHO Mortality statistics with UN population estimates, 1950-2000. www.ctsu.ox.ac.uk.
1590. Petruzzelli GJ (2001). The biology of distant metastases in head and neck cancer. *ORL J Otorhinolaryngol Relat Spec* 63: 192-201.
1591. Pfeifer GP, Denissenko MF, Olivier M, Tretyakova N, Hecht SS, Hainaut P (2002). Tobacco smoke carcinogens, DNA damage and p53 mutations in smoking-associated cancers. *Oncogene* 21: 7435-7451.
1592. Phillips GW, Choong M (1991). Chondrosarcoma presenting as an anterior mediastinal mass. *Clin Radiol* 43: 63-64.
1593. Picaud JC, Levrey H, Bouvier R, Chappuis JP, Louis D, Frappaz D, Claris O, Bellon G (2000). Bilateral cystic pleuropulmonary blastoma in early infancy. *J Pediatr* 136: 834-836.
1594. Pich A, Chiarle R, Chiusa L, Ponti R, Geuna M, Casadio C, Maggi G, Palestro G (1995). Long-term survival of thymoma patients by histologic pattern and proliferative activity. *Am J Surg Pathol* 19: 918-926.
1595. Pileri SA, Gaidano G, Zinzani PL, Falini B, Gaulard P, Zucca E, Pieri F, Berra E, Sabatini E, Ascani S, Piccoli M, Johnson PW, Giardini R, Pescarmona E, Novero D, Piccaluga PP, Marafioti T, Alonso MA, Cavalli F (2003). Primary mediastinal B-cell lymphoma: high frequency of BCL-6 mutations and consistent expression of the transcription factors OCT-2, BOB.1, and PU.1 in the absence of immunoglobulins. *Am J Pathol* 162: 243-253.
1596. Pileri SA, Grogan TM, Harris NL, Banks P, Campo E, Chan JK, Favera RD, Delsol G, Wolf-Peeters C, Falini B, Gascoyne RD, Gaulard P, Gatter KC, Isaacson PG, Jaffe ES, Klun P, Knowles DM, Mason DY, Mori S, Muller-Hermelink HK, Piris MA, Raffkiaer E, Stein H, Su IJ, Warnke RA, Weiss LM (2002). Tumours of histiocytes and accessory dendritic cells: an immunohistochemical approach to classification from the International Lymphoma Study Group based on 61 cases. *Histopathology* 41: 1-29.
1597. Pimpec-Barthes F, Martinod E, Riquet M, Saint-Blancard P, Jancovici R (1998). [Tumors of the phrenic nerve]. *Rev Mal Respir* 15: 93-95.
1598. Pinede L, Duhaut P, Loire R (2001). Clinical presentation of left atrial cardiac myxoma. A series of 112 consecutive cases. *Medicine (Baltimore)* 80: 159-172.
1599. Pinkard NB, Wilson RW, Lawless N, Dodd LG, McAdams HP, Koss MN, Travis WD (1996). Calcifying fibrous pseudotumor of pleura. A report of three cases of a newly described entity involving the pleura. *Am J Clin Pathol* 105: 189-194.
1600. Pinkus GS, Pinkus JL, Langhoff E, Matsumura F, Yamashiro S, Mosialos G, Sair JW (1997). Fascin, a sensitive new marker for Reed-Sternberg cells of Hodgkin's disease. Evidence for a dendritic or B cell derivation? *Am J Pathol* 150: 543-562.
1601. Pinyol M, Cobo F, Bea S, Jares P, Nayach I, Fernandez PL, Montserrat E, Cardesa A, Campo E (1998). p16(INK4a) gene inactivation by deletions, mutations, and hypermethylation is associated with transformed and aggressive variants of non-Hodgkin's lymphomas. *Blood* 91: 2977-2984.
1602. Pipitone S, Mongiovi M, Grillo R, Gagliano S, Sperandio V (2002). Cardiac rhabdomyoma in intrauterine life: clinical features and natural history. A case series

and review of published reports. *Ital Heart J* 3: 48-52.

- 1603.** Pisani RJ, DeRemee RA (1990). Clinical implications of the histopathologic diagnosis of pulmonary lymphomatoid granulomatosis. *Mayo Clin Proc* 65: 151-163.
- 1604.** Pittaluga S, Uppenkamp M, Cossman J (1987). Development of T3/T cell receptor gene expression in human pre-T neoplasms. *Blood* 69: 1062-1067.
- 1605.** Pogrebniak HW, Haas G, Linehan WM, Rosenberg SA, Pass HI (1992). Renal cell carcinoma: resection of solitary and multiple metastases. *Ann Thorac Surg* 54: 33-38.
- 1606.** Poletti V, Casadei G, Boaron M, Bertanti T, Venturi P, Colinelli C, Baruzzi G (1997). Epithelioid haemangioendothelioma of the lung imitating clinical features of pulmonary histiocytosis X. *Monaldi Arch Chest Dis* 52: 346-348.
- 1607.** Poletti V, Romagna M, Allen KA, Gasponi A, Spiga L (1995). Bronchoalveolar lavage in the diagnosis of disseminated lung tumors. *Acta Cytol* 39: 472-477.
- 1608.** Polski JM, Evans HL, Grosso LE, Popovic WJ, Taylor L, Dunphy CH (2000). CD7 and CD56-positive primary effusion lymphoma in a human immunodeficiency virus-negative host. *Leuk Lymphoma* 39: 633-639.
- 1609.** Pomplun S, Wotherspoon AC, Shah G, Goldstraw P, Ladas G, Nicholson AG (2002). Immunohistochemical markers in the differentiation of thymic and pulmonary neoplasms. *Histopathology* 40: 152-158.
- 1610.** Poppema S (1994). Case no D2 Slide workshop T-cell lymphomas: Comparison of Eastern and Western Experience. Pre-Congress Meeting of XX International Congress of The International Academy of Pathology
- 1611.** Popper HH, el Shabrawi Y, Wockel W, Hofler G, Kenner L, Juttner-Smolle FM, Pongratz MG (1994). Prognostic importance of human papilloma virus typing in squamous cell papilloma of the bronchus: comparison of in situ hybridization and the polymerase chain reaction. *Hum Pathol* 25: 1191-1197.
- 1612.** Popper HH, Wirnsberger G, Juttner-Smolle FM, Pongratz MG, Sommersgutter M (1992). The predictive value of human papilloma virus (HPV) typing in the prognosis of bronchial squamous cell papillomas. *Histopathology* 21: 323-330.
- 1613.** Povey S, Burley MW, Attwood J, Benham F, Hunt D, Jeremiah SJ, Franklin D, Gillett G, Malas S, Robson EB (1994). Two loci for tuberous sclerosis: one on 9q34 and one on 16p13. *Ann Hum Genet* 58 (Pt 2): 107-127.
- 1614.** Prat J, Bhan AK, Dickersin GR, Robboy SJ, Scully RE (1982). Hepatoid yolk sac tumor of the ovary (endodermal sinus tumor with hepatoid differentiation): a light microscopic, ultrastructural and immunohistochemical study of seven cases. *Cancer* 50: 2355-2368.
- 1615.** Pratt JW, Cohen DM, Mutabagani KH, Davis JT, Wheller JJ (2000). Neonatal intrapericardial teratomas: clinical and surgical considerations. *Cardiol Young* 10: 27-31.
- 1616.** Premaratne S, Hasaniya NW, Arakaki HY, Mugiishi MM, Mamiya RT, McNamara JJ (1995). Atrial myxomas: experiences with 35 patients in Hawaii. *Am J Surg* 169: 600-603.
- 1617.** Prichard RW (1951). Tumors of the Heart. *Arch Pathol* 98-128.
- 1618.** Prichard RW (1951). Tumors of the heart - review of the subject and report of 150 cases. *AMA Arch Pathol* 51: 98-128.
- 1619.** Priest JR, McDermott MB, Bhatia S, Watterson J, Manivel JC, Dehner LP (1997). Pleuropulmonary blastoma: a clinicopathologic study of 50 cases. *Cancer* 80: 147-161.
- 1620.** Priest JR, Watterson J, Strong L, Huff V, Woods WG, Byrd RL, Friend SH, Newsham I, Amylon MD, Pappo A, Mahoney DH, Langston C, Heyn R, Kohut G, Freyer DR, Bostrom B, Richardson MS, Barredo J, Dehner LP (1996). Pleuropulmonary blastoma: a marker for familial disease. *J Pediatr* 128: 220-224.
- 1621.** Prommegger R, Salzer GM (1998). Long-term results of surgery for adenoid cystic carcinoma of the trachea and bronchi. *Eur J Surg Oncol* 24: 440-444.
- 1622.** Przygodzki RM, Finkelstein SD, Langer JC, Swalsky PA, Fishback N, Bakker A, Guinee DG, Koss MN, Travis WD (1996). Analysis of p53, K-ras-2, and C-raf-1 in pulmonary neuroendocrine tumors. Correlation with histological subtype and clinical outcome. *Am J Pathol* 148: 1531-1541.
- 1623.** Przygodzki RM, Hubbs AE, Zhao FQ, O'Leary TJ (2002). Primary mediastinal seminomas: evidence of single and multiple KIT mutations. *Lab Invest* 82: 1369-1375.
- 1624.** Przygodzki RM, Koss MN, O'Leary TJ (2001). Pleomorphic (giant and/or spindle cell) carcinoma of lung shows a high percentage of variant CYP1A12. *Mol Diagn* 6: 109-115.
- 1625.** Pucci A, Gagliardotto P, Zanini C, Pansini S, di Summa M, Mollo F (2000). Histopathologic and clinical characterization of cardiac myxoma: review of 53 cases from a single institution. *Am Heart J* 140: 134-138.
- 1626.** Puglisi F, Finato N, Mariuzzi L, Marchini C, Floretti G, Beltrami CA (1995). Microscopic thymoma and myasthenia gravis. *J Clin Pathol* 48: 682-683.
- 1627.** Putnam JBJr, Schantz SP, Pugh WC, Hickey RC, Samaan NA, Garza R, Suda RW (1990). Extended en bloc resection of a primary mediastinal parathyroid carcinoma. *Ann Thorac Surg* 50: 138-140.
- 1628.** Puvaneswary M, Edwards JR, Bastian BC, Khatri SK (2000). Pericardial lipoma: ultrasound, computed tomography and magnetic resonance imaging findings. *Australas Radiol* 44: 321-324.
- 1629.** Quint LE, Tummala S, Brisson LJ, Francis IR, Krupnick AS, Kazeroni EA, Iannettoni MD, Whyte RI, Orringer MB (1996). Distribution of distant metastases from newly diagnosed non-small cell lung cancer. *Ann Thorac Surg* 62: 246-250.
- 1630.** Quintanilla-Martinez L, Wilkins EWJr, Choi N, Efirid J, Hug E, Harris NL (1994). Thymoma. Histologic subclassification is an independent prognostic factor. *Cancer* 74: 606-617.
- 1631.** Quintanilla-Martinez L, Wilkins EWJr, Ferry JA, Harris NL (1993). Thymoma—morphologic subclassification correlates with invasiveness and immunohistologic features: a study of 122 cases. *Hum Pathol* 24: 958-969.
- 1632.** Quintanilla-Martinez L, Zukerberg LR, Harris NL (1992). Prethymic adult lymphoblastic lymphoma. A clinicopathologic and immunohistochemical analysis. *Am J Surg Pathol* 16: 1075-1084.
- 1633.** Raab SS, Berg LC, Swanson PE, Wick MR (1993). Adenocarcinoma in the lung in patients with breast cancer. A prospective analysis of the discriminatory value of immunohistology. *Am J Clin Pathol* 100: 27-35.
- 1634.** Raaf HN, Raaf JH (1994). Sarcomas related to the heart and vasculature. *Semin Surg Oncol* 10: 374-382.
- 1635.** Rabkin MS, Kjeldsberg CR, Hammond ME, Wittwer CT, Nathwani B (1988). Clinical, ultrastructural immunohistochemical and DNA content analysis of lymphomas having features of interdigitating reticulum cells. *Cancer* 61: 1594-1601.
- 1636.** Ramachandra S, Hollowood K, Bisceglia M, Fletcher CD (1995). Inflammatory pseudotumour of soft tissues: a clinicopathological and immunohistochemical analysis of 18 cases. *Histopathology* 27: 313-323.
- 1637.** Ramani P, Shah A (1993). Lymphangiomas. Histologic and immunohistochemical analysis of four cases. *Am J Surg Pathol* 17: 329-335.
- 1638.** Ramaswamy S, Ross KN, Lander ES, Golub TR (2003). A molecular signature of metastasis in primary solid tumors. *Nat Genet* 33: 49-54.
- 1639.** Ramos-Nino ME, Timblin CR, Mossman BT (2002). Mesothelial cell transformation requires increased AP-1 binding activity and ERK-dependent Fra-1 expression. *Cancer Res* 62: 6065-6069.
- 1640.** Rao SK, Fraire AE (1995). Alveolar Cell Hyperplasia in Association with Adenocarcinoma of Lung. *Mod Pathol* 8: 165-169.
- 1641.** Ratnasinghe D, Yao SX, Tangrea JA, Qiao YL, Andersen MR, Barrett MJ, Giffen CA, Erozan Y, Tockman MS, Taylor PR (2001). Polymorphisms of the DNA repair gene XRCC1 and lung cancer risk. *Cancer Epidemiol Biomarkers Prev* 10: 119-123.
- 1642.** Raunio H, Rautio A, Gullsten H, Pelkonen O (2001). Polymorphisms of CYP2A6 and its practical consequences. *Br J Clin Pharmacol* 52: 357-363.
- 1643.** Ravandi-Kashani F, Cortes J, Giles FJ (2000). Myelodysplasia presenting as granulocytic sarcoma of mediastinum causing superior vena cava syndrome. *Leuk Lymphoma* 36: 631-637.
- 1644.** Refior M, Mees K (2000). [Coexistence of bilateral paraganglioma of the A. carotis, thymoma and thyroid adenoma: a chance finding?]. *Laryngorhinootologie* 79: 337-340.
- 1645.** Regnard JF, Magdeleinat P, Dromer C, Dulmet E, de Montpreville V, Levi JF, Levasseur P (1996). Prognostic factors and long-term results after thymoma resection: a series of 307 patients. *J Thorac Cardiovasc Surg* 112: 376-384.
- 1646.** Reichle FA, Rosemond GP (1966). Mucoepidermoid tumors of the bronchus. *J Thorac Cardiovasc Surg* 51: 443-448.
- 1647.** Reid AH, Tsai MM, Venzon DJ, Wright CF, Lack EE, O'Leary TJ (1996). MDM2 amplification, P53 mutation, and accumulation of the P53 gene product in malignant fibrous histiocytoma. *Diagn Mol Pathol* 5: 65-73.
- 1648.** Reimer D, Singh SM (1981). A kindred with 5 cases of multiple endocrine adenomatosis type I. *Hum Hered* 31: 84-88.
- 1649.** Reis-Filho JS, Pope LZ, Milanezi F, Balderrama CM, Serapiao MJ, Schmitt FC (2002). Primary epithelial malignant mesothelioma of the pericardium with deciduoid features: cytohistologic and immunohistochemical study. *Diagn Cytopathol* 26: 117-122.
- 1650.** Reix P, Levrey H, Parret M, Louis D, Bellon G (2000). [Pulmonary cystic images as a presentation of a pleuropulmonary blastoma]. *Arch Pediatr* 7: 287-289.
- 1651.** Rendina EA, Pescarmona EO, Venuta F, Nardi S, De Rosa G, Martelli M, Ricci C (1988). Thymoma: a clinico-pathologic study based on newly developed morphologic criteria. *Tumori* 74: 79-84.
- 1652.** Renshaw AA (1995). O-13 (CD99) in spindle-cell tumors - reactivity with hemangiopericytoma, solitary fibrous tumor, synovial sarcoma, and meningioma but rarely with sarcomatoid mesothelioma. *Appl Immunohistochem* 3: 250-256.
- 1653.** Rettmar K, Stierle U, Sheikhzadeh A, Diederich KW (1993). Primary angiosarcoma of the heart. Report of a case and review of the literature. *Jpn Heart J* 34: 667-683.
- 1654.** Rettmar K, Stierle U, Sheikhzadeh A, Diederich KW (1993). Primary angiosarcoma of the heart. Report of a case and review of the literature. *Jpn Heart J* 34: 667-683.
- 1655.** Reuter VE (2002). The pre and post chemotherapy pathologic spectrum of germ cell tumors. *Chest Surg Clin N Am* 12: 673-694.
- 1656.** Reynen K (1996). Frequency of primary tumors of the heart. *Am J Cardiol* 77: 107.
- 1657.** Rhodes A, Jasani B, Balaton AJ, Miller KD (2000). Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on in house tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries. *J Clin Pathol* 53: 292-301.
- 1658.** Richkind KE, Wason D, Vidaillet HJ (1994). Cardiac myxoma characterized by clonal telomeric association. *Genes Chromosomes Cancer* 9: 68-71.
- 1659.** Richmond I, Pritchard GE, Ashcroft T, Avery A, Corris PA, Walters EH (1993). Bronchus associated lymphoid tissue (BALT) in human lung: its distribution in smokers and non-smokers. *Thorax* 48: 1130-1134.
- 1660.** Rienmuller R, Lloret JL, Tiling R, Groh J, Manert W, Muller KD, Seifert K (1989). MR imaging of pediatric cardiac tumors previously diagnosed by echocardiography. *J Comput Assist Tomogr* 13: 621-626.
- 1661.** Rigaud G, Moore PS, Taruscio D, Scardoni M, Montresor M, Menestrina F, Scarpa A (2001). Alteration of chromosome arm 6p is characteristic of primary mediastinal B-cell lymphoma, as identified by genome-wide allelotyping. *Genes Chromosomes Cancer* 31: 191-195.
- 1662.** Ritter JH, Mills SE, Nappi O, Wick MR (1995). Angiosarcoma-like neoplasms of epithelial organs: true endothelial tumors or variants of carcinoma? *Semin Diagn Pathol* 12: 270-282.
- 1663.** Ritter JH, Wick MR (1999). Primary carcinomas of the thymus gland. *Semin Diagn Pathol* 16: 18-31.
- 1664.** Ro JY, Chen JL, Lee JS, Sahin AA, Ordonez NG, Ayala AG (1992). Sarcomatoid carcinoma of the lung. Immunohistochemical and ultrastructural studies of 14 cases. *Cancer* 69: 376-386.
- 1665.** Robert J, Pache JC, Seium Y, de Perrot M, Spiliopoulos A (2002). Pulmonary blastoma: report of five cases and identification of clinical features suggestive of the disease. *Eur J Cardiothorac Surg* 22: 708-711.
- 1666.** Robles AI, Linke SP, Harris CC (2002). The p53 network in lung carcinogenesis. *Oncogene* 21: 6898-6907.
- 1667.** Rodenburg CJ, Kluin P, Maes A, Paul

- LC (1985). Malignant lymphoma confined to the heart, 13 years after a cadaver kidney transplant. *N Engl J Med* 313: 122.
- 1668.** Rodenhuis S, Slebos RJ (1990). The ras oncogenes in human lung cancer. *Am Rev Respir Dis* 142: S27-S30.
- 1669.** Rodenhuis S, Slebos RJ (1992). Clinical significance of ras oncogene activation in human lung cancer. *Cancer Res* 52: 2665s-2669s.
- 1670.** Rodenhuis S, Slebos RJ, Boot AJ, Evers SG, Mooi WJ, Wagenaar SS, van Bodegom PC, Bos JL (1988). Incidence and possible clinical significance of K-ras oncogene activation in adenocarcinoma of the human lung. *Cancer Res* 48: 5738-5741.
- 1671.** Rodewald HR, Paul S, Haller C, Bluthmann H, Blum C (2001). Thymus medulla consisting of epithelial islets each derived from a single progenitor. *Nature* 414: 763-768.
- 1672.** Rodriguez Blanco V, Barriales Alvarez V, Puebla Rojo V, Moller Bustinza I, Castellanos Martinez E, Cortina Llosa A (1997). [Primary cardiac tumors: a review of 29 cases]. *Rev Port Cardiol* 16: 985-9, 956.
- 1673.** Rodriguez E, Mathew S, Reuter V, Ilson DH, Bosl GJ, Chaganti RS (1992). Cytogenetic analysis of 124 prospectively ascertained male germ cell tumors. *Cancer Res* 52: 2285-2291.
- 1674.** Rodriguez I, Ayala E, Caballero C, De Miguel C, Matias-Guiu X, Cubilla AL, Rosai J (2001). Solitary fibrous tumor of the thyroid gland: report of seven cases. *Am J Surg Pathol* 25: 1424-1428.
- 1675.** Roeyen G, Van Schil P, Somville J, Colpaert C, Van Oosterom A (1999). Chordoma of the mediastinum. *Eur J Surg Oncol* 25: 224-225.
- 1676.** Roggli VL, Vollmer RT, Greenberg SD, McGavran MH, Spjut HJ, Yesner R (1985). Lung cancer heterogeneity: a blinded and randomized study of 100 consecutive cases. *Hum Pathol* 16: 569-579.
- 1677.** Roglic M, Jukic S, Damjanovic I (1975). Cytology of the solitary papilloma of the bronchus. *Acta Cytol* 19: 11-13.
- 1678.** Rojas M, Godschalk R, Alexandrov K, Cascorbi I, Kriek E, Ostertag J, Van Schooten FJ, Bartsch H (2001). Myeloperoxidase—463A variant reduces benz[a]pyrene diol epoxide DNA adducts in skin of coal tar treated patients. *Carcinogenesis* 22: 1015-1018.
- 1679.** Rolla G, Bertero MT, Pastena G, Tartaglia N, Corradi F, Casabona R, Motta M, Caligaris-Cappio F (2002). Primary lymphoma of the heart. A case report and review of the literature. *Leuk Res* 26: 117-120.
- 1680.** Roller MB, Manoharan A, Lvoff R (1991). Primary cardiac lymphoma. *Acta Haematol* 85: 47-48.
- 1681.** Rolston R, Sasatomi E, Hunt J, Swalsky PA, Finkelstein SD (2001). Distinguishing de novo second cancer formation from tumor recurrence: mutational fingerprinting by microdissection genotyping. *J Mol Diagn* 3: 129-132.
- 1682.** Roque L, Oliveira P, Martins C, Carvalho C, Serpa A, Soares J (1996). A nonbalanced translocation (10;16) demonstrated by FISH analysis in a case of alveolar adenoma of the lung. *Cancer Genet Cytogenet* 89: 34-37.
- 1683.** Rosado-de-Christenson ML, Pugatch RD, Moran CA, Galobardes J (1994). Thymolipoma: analysis of 27 cases. *Radiology* 193: 121-126.
- 1684.** Rosado-de-Christenson ML, Templeton PA, Moran CA (1992). From the archives of the AFIP. Mediastinal germ cell tumors: radiologic and pathologic correlation. *Radiographics* 12: 1013-1030.
- 1685.** Rosai J (1996). *Ackerman's Surgical Pathology*. 8th ed. Mosby-Year Book: St. Louis.
- 1686.** Rosai J, Higa E (1972). Mediastinal endocrine neoplasm, of probable thymic origin, related to carcinoid tumor. *Clinicopathologic study of 8 cases. Cancer* 29: 1061-1074.
- 1687.** Rosai J, Higa E, Davie J (1972). Mediastinal endocrine neoplasm in patients with multiple endocrine adenomatosis. A previously unrecognized association. *Cancer* 29: 1075-1083.
- 1688.** Rosai J, Levine G, Weber WR, Higa E (1976). Carcinoid tumors and oat cell carcinomas of the thymus. *Pathol Annu* 11: 201-226.
- 1689.** Rosai J, Parkash V, Reuter VE (1995). On the origin of mediastinal germ cell tumors in males. *Int J Surg Pathol* 2: 73-78.
- 1690.** Rosai J, Sobin LH (1999). World Health Organization Histological Classification of Tumours. *Histological Typing of Tumours of the Thymus*. 2nd ed. Springer-Verlag: Berlin-Heidelberg.
- 1691.** Rosai J, Sobin LH (1999). World Health Organization Histological Classification of Tumours. *Histological Typing of Tumours of the Thymus*. 2nd ed. Springer-Verlag: Berlin-Heidelberg.
- 1692.** Rosenblatt MB, Lisa JR, Trinidad S (1966). Pitfalls in the clinical histologic diagnosis of bronchogenic carcinoma. *Dis Chest* 49: 396-404.
- 1693.** Rosenkranz ER, Murphy DJ Jr (1994). Diagnosis and neonatal resection of right atrial angiosarcoma. *Ann Thorac Surg* 57: 1014-1015.
- 1694.** Rosenwald A, Wright G, Leroy K, Yu X, Gaulard P, Gascoyne RD, Chan WC, Zhao T, Haioun C, Greiner TC, Weisenburger DD, Lynch JC, Vose J, Armitage JO, Smeland EB, Kvaloy S, Holte H, Delabie J, Campo E, Montserrat E, Lopez-Guillermo A, Ott G, Muller-Hermelink HK, Connors JM, Brazier R, Grogan TM, Fisher RI, Miller TP, Leblanc M, Chiorazzi M, Zhao H, Yang L, Powell J, Wilson WH, Jaffe ES, Simon R, Klausner RD, Staudt LM (2003). Molecular diagnosis of primary mediastinal B cell lymphoma identifies a clinically favorable subgroup of diffuse large B cell lymphoma related to Hodgkin lymphoma. *J Exp Med* 198: 851-862.
- 1695.** Rossi G, Cavazza A, Sturm N, Migaldi M, Facciolo N, Longo L, Maiorana A, Brambilla E (2003). Pulmonary carcinomas with pleomorphic, sarcomatoid, or sarcomatous elements. A clinicopathologic and immunohistochemical study of 75 cases. *Am J Surg Pathol* 27: 311-324.
- 1696.** Rostami-Hodjegan A, Lennard MS, Woods HF, Tucker GT (1998). Meta-analysis of studies of the CYP2D6 polymorphism in relation to lung cancer and Parkinson's disease. *Pharmacogenetics* 8: 227-238.
- 1697.** Roushdy-Hammady I, Siegel J, Emri S, Testa JR, Carbone M (2001). Genetic-susceptibility factor and malignant mesothelioma in the Cappadocian region of Turkey. *Lancet* 357: 444-445.
- 1698.** Rousselet MC, Francois S, Croue A, Maigre M, Saint-Andre JP, Ifrah N (1994). A lymph node interdigitating reticulum cell sarcoma. *Arch Pathol Lab Med* 118: 183-188.
- 1699.** Roux FJ, Lantuejoul S, Brambilla E, Brambilla C (1995). Mucinous cystadenoma of the lung. *Cancer* 76: 1540-1544.
- 1700.** Royer B, Cazals-Hatem D, Sibilia J, Agbalika F, Cayuela JM, Soussi T, Maloisel F, Clauvel JP, Brouet JC, Mariette X (1997). Lymphomas in patients with Sjogren's syndrome are marginal zone B-cell neoplasms, arise in diverse extranodal and nodal sites, and are not associated with viruses. *Blood* 90: 766-775.
- 1701.** Rubin BP, Lawrence BD, Perez-Atayde A, Xiao S, Yi ES, Fletcher CDM, Fletcher JA (2000). TPM-ALK fusion genes and ALK expression in inflammatory myofibroblastic tumor. *Lab Invest* 80: 15A.
- 1702.** Rubin BP, Skarin AT, Pisick E, Rizk M, Salgia R (2001). Use of cytokeratins 7 and 20 in determining the origin of metastatic carcinoma of unknown primary, with special emphasis on lung cancer. *Eur J Cancer Prev* 10: 77-82.
- 1703.** Rubin MA, Snell JA, Tazelaar HD, Lack EE, Austenfeld JL, Azumi N (1995). Cardiac papillary fibroelastoma: an immunohistochemical investigation and unusual clinical manifestations. *Mod Pathol* 8: 402-407.
- 1704.** Rudiger T, Jaffe ES, Delsol G, deWolf-Peeters C, Gascoyne RD, Georgii A, Harris NL, Kadin ME, MacLennan KA, Poppema S, Stein H, Weiss LE, Muller-Hermelink HK (1998). Workshop report on Hodgkin's disease and related diseases ('grey zone' lymphoma). *Ann Oncol* 9 Suppl 5: S31-S38.
- 1705.** Rudiger T, Ott G, Ott M, Muller-Deubert S, Muller-Hermelink HK (1998). Differential diagnosis between classic Hodgkin's lymphoma, T-cell-rich B-cell lymphoma, and paraneoplastic paraffin immunohistochemistry. *Am J Surg Pathol* 22: 1184-1191.
- 1706.** Rudnicka L, Papla B, Malinowski E (1996). Mediastinal myelolipoma. A case report. *Pol J Pathol* 47: 143-145.
- 1707.** Rudnicka L, Papla B, Malinowski E (1998). Mature cystic teratoma of the mediastinum containing a carcinoid. A case report. *Pol J Pathol* 49: 309-312.
- 1708.** Ruffie P, Feld R, Minkin S, Cormier Y, Boutan-Laroze A, Ginsberg R, Ayoub J, Shepherd FA, Evans WK, Figueredo A (1989). Diffuse malignant mesothelioma of the pleura in Ontario and Quebec: a retrospective study of 332 patients. *J Clin Oncol* 7: 1157-1168.
- 1709.** Ruffini E, Rena O, Oliaro A, Filosso PL, Bongiovanni M, Arslanian A, Papalia E, Maggi G (2002). Lung tumors with mixed histologic pattern. Clinicopathologic characteristics and prognostic significance. *Eur J Cardiothorac Surg* 22: 701-707.
- 1710.** Rusch V, Klimstra D, Linkov I, Dmitrovsky E (1995). Aberrant expression of p53 or the epidermal growth factor receptor is frequent in early bronchial neoplasia and coexpression precedes squamous cell carcinoma development. *Cancer Res* 55: 1365-1372.
- 1711.** Rusch VW, Venkatraman ES (1999). Important prognostic factors in patients with malignant pleural mesothelioma, managed surgically. *Ann Thorac Surg* 68: 1799-1804.
- 1712.** Russell WO, Cohen J, Enzinger F, Hajdu SI, Heise H, Martin RG, Meissner W, Miller WT, Schmitz RL, Suit HD (1977). A clinical and pathological staging system for soft tissue sarcomas. *Cancer* 40: 1562-1570.
- 1713.** Ruszkiewicz AR, Vernon-Roberts E (1995). Sudden death in an infant due to histiocytoid cardiomyopathy. A light-microscopic, ultrastructural, and immunohistochemical study. *Am J Forensic Med Pathol* 16: 74-80.
- 1714.** Ryan PE Jr, Obeid AI, Parker FB Jr (1995). Primary cardiac valve tumors. *J Heart Valve Dis* 4: 222-226.
- 1715.** Sabol SZ, Nelson ML, Fisher C, Gunzerath L, Brody CL, Hu S, Sirota LA, Marcus SE, Greenberg BD, Lucas FR, Benjamin J, Murphy DL, Hamer DH (1999). A genetic association for cigarette smoking behavior. *Health Psychol* 18: 7-13.
- 1716.** Sabourin JC, Kanavaros P, Briere J, Lescs MC, Petrella T, Zafrani ES, Gaulard P (1993). Epstein-Barr virus (EBV) genomes and EBV-encoded latent membrane protein (LMP) in pulmonary lymphomas occurring in nonimmunocompromised patients. *Am J Surg Pathol* 17: 995-1002.
- 1717.** Saccomanno G, Archer VE, Auerbach O, Saunders RP, Brennan LM (1974). Development of carcinoma of the lung as reflected in exfoliated cells. *Cancer* 33: 256-270.
- 1718.** Saccomanno G, Saunders RP, Archer VE, Auerbach O, Kuschner M, Beckler PA (1965). Cancer of the lung: the cytology of sputum prior to the development of carcinoma. *Acta Cytol* 9: 413-423.
- 1719.** Sachs LJ, Angrist A (1945). Congenital Cyst of the Myocardium. *Am J Pathol* 187-193.
- 1720.** Said JW, Shintaku IP, Asou H, deVos S, Baker J, Hanson G, Cesarman E, Nador R, Koeffler HP (1999). Herpesvirus 8 infections in primary effusion lymphoma: report of a unique case with T-cell phenotype. *Arch Pathol Lab Med* 123: 257-260.
- 1721.** Said JW, Tasaka T, Takeuchi S, Asou H, de Vos S, Cesarman E, Knowles DM, Koeffler HP (1996). Primary effusion lymphoma in women: report of two cases of Kaposi's sarcoma herpes virus-associated effusion-based lymphoma in human immunodeficiency virus-negative women. *Blood* 88: 3124-3128.
- 1722.** Sait SN, Brooks JJ, Ashraf M, Zhang PJ (2001). A novel t(1;8)(p13;p11) in a thymic carcinoma with unusual giant cell features and renal metastasis. *Cancer Genet Cytogenet* 124: 140-143.
- 1723.** Saito A, Watanabe K, Kusakabe T, Abe M, Suzuki T (1998). Mediastinal mature teratoma with coexistence of angiosarcoma, granulocytic sarcoma and a hematopoietic region in the tumor: a rare case of association between hematological malignancy and mediastinal germ cell tumor. *Pathol Int* 48: 749-753.
- 1724.** Saito T, Tamaru J, Kayao J, Kuzuu Y, Wakita H, Mikata A (2001). Cytomorphologic diagnosis of malignant lymphoma arising in the heart: a case report. *Acta Cytol* 45: 1043-1048.
- 1725.** Saitoh Y, Ohsako M, Umamoto M, Kohdera U, Okamura A, Imamura H (1995). [A case of primary mediastinal teratocarcinoma in a young girl]. *Nippon Kyobu Geka Gakkai Zasshi* 43: 104-108.
- 1726.** Sakaguchi N, Sano K, Ito M, Baba T, Fukuzawa M, Hotchi M (1996). A case of von Recklinghausen's disease with bilateral pheochromocytoma-malignant peripheral nerve sheath tumors of the adrenal and gastrointestinal autonomic nerve tumors. *Am J Surg Pathol* 20: 889-897.
- 1727.** Sakamoto H, Uda H, Tanaka T, Oda T, Morino H, Kikui M (1991). Pleomorphic adenoma in the periphery of the lung—report of a case and review of the literature. *Arch Pathol Lab Med* 115: 393-396.
- 1728.** Sakamoto K, Okita M, Kumagiri H, Kawamura S, Takeuchi K, Mikami R (2003). Sclerosing hemangioma isolated to the

- mediastinum. *Ann Thorac Surg* 75: 1021-1023.
- 1729.** Sales LM, Vontz FK (1970). Teratoma and DiGuglielmo syndrome. *South Med J* 63: 448-450.
- 1730.** Salih Deveci M, Ceyhan K, Deveci G, Finci R (2001). Pericardial rhabdomyomatous spindle cell thymoma with mucinous cystic degeneration. *Histopathology* 38: 479-481.
- 1731.** Saltzstein SL (1963). Pulmonary malignant lymphomas and pseudolymphomas: classification, therapy and prognosis. *Cancer* 1: 928-955.
- 1732.** Salyer WR, Eggleston JC (1976). Thymoma: a clinical and pathological study of 65 cases. *Cancer* 37: 229-249.
- 1733.** Sanchez-Cespedes M, Parrella P, Esteller M, Nomoto S, Trink B, Engles JM, Westra WH, Herman JG, Sidransky D (2002). Inactivation of LKB1/STK11 is a common event in adenocarcinomas of the lung. *Cancer Res* 62: 3659-3662.
- 1734.** Sandberg AA, Bridge JA (2002). Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors: congenital (infantile) fibrosarcoma and mesoblastic nephroma. *Cancer Genet Cytogenet* 132: 1-13.
- 1735.** Sankar NM, Thiruchelvam T, Thirunavukkarasu K, Pang K, Hanna WM (1998). Symptomatic lipoma in the right atrial free wall. A case report. *Tex Heart Inst J* 25: 152-154.
- 1736.** Sanna P, Bertoni F, Zucca E, Roggero E, Passega Sidler E, Fiori G, Pedrinis E, Mombelli G, Cavalli F (1998). Cardiac involvement in HIV-related non-Hodgkin's lymphoma: a case report and short review of the literature. *Ann Hematol* 77: 75-78.
- 1737.** Santeusano G, Mauriello A, Ventura L, Liberati F, Colananti A, Lasorella R, Spagnoli LG (2000). Immunohistochemical analysis of estrogen receptors in breast carcinomas using monoclonal antibodies that recognize different domains of the receptor molecule. *Appl Immunohistochem Mol Morphol* 8: 275-284.
- 1738.** Saphir O, Vass A (1938). Carcinosarcoma. *Am J Cancer* 33: 331-359.
- 1739.** Sapi Z, Szentirmay Z, Orosz Z (1999). Desmoplastic small round cell tumour of the pleura: a case report with further cytogenetic and ultrastructural evidence of 'mesothelioblastic' origin. *Eur J Surg Oncol* 25: 633-634.
- 1740.** Saracci R, Simonato L (2001). Familial malignant mesothelioma. *Lancet* 358: 1813-1814.
- 1741.** Sarma DP, Deshotels SJJr (1982). Carcinosarcoma of the lung. *J Surg Oncol* 19: 216-218.
- 1742.** Sartelet H, Lantuejoul S, Armari-Alla C, Pin I, Delattre O, Brambilla E (1998). Solid alveolar rhabdomyosarcoma of the thorax in a child. *Histopathology* 32: 165-171.
- 1743.** Sasajima Y, Yamabe H, Kobashi Y, Hirai K, Mori S (1993). High expression of the Epstein-Barr virus latent protein EB nuclear antigen-2 on pyothorax-associated lymphomas. *Am J Pathol* 143: 1280-1285.
- 1744.** Sasaki H, Ide N, Fukai I, Kiriyaama M, Yamakawa Y, Fujii Y (2002). Gene expression analysis of human thymoma correlates with tumor stage. *Int J Cancer* 101: 342-347.
- 1745.** Sasatomi E, Finkelstein SD, Woods JD, Bakker A, Swalsky PA, Luketich JD, Fernando HC, Yousem SA (2002). Comparison of accumulated allele loss between primary tumor and lymph node metastasis in stage II non-small cell lung carcinoma: implications for the timing of lymph node metastasis and prognostic value. *Cancer Res* 62: 2681-2689.
- 1746.** Sato M, Horio Y, Sekido Y, Minna JD, Shimokata K, Hasegawa Y (2002). The expression of DNA methyltransferases and methyl-CpG-binding proteins is not associated with the methylation status of p14(ARF), p16(INK4A), and RASSF1A in human lung cancer cell lines. *Oncogene* 21: 4822-4829.
- 1747.** Sato T, Seyama K, Fujii H, Maruyama H, Setoguchi Y, Iwakami S, Fukuchi Y, Hino O (2002). Mutation analysis of the TSC1 and TSC2 genes in Japanese patients with pulmonary lymphangioleiomyomatosis. *J Hum Genet* 47: 20-28.
- 1748.** Sato Y, Watanabe S, Mukai K, Kodama T, Upton MP, Goto M, Shimosato Y (1986). An immunohistochemical study of thymic epithelial tumors. II. Lymphoid component. *Am J Surg Pathol* 10: 862-870.
- 1749.** Satoh M, Horimoto M, Sakurai K, Funayama N, Igarashi K, Yamashiro K (1990). Primary cardiac rhabdomyosarcoma exhibiting transient and pronounced regression with chemotherapy. *Am Heart J* 120: 1458-1460.
- 1750.** Satoh Y, Ishikawa Y, Miyoshi T, Mukai H, Okumura S, Nakagawa K (2003). Pulmonary metastases from a low-grade endometrial stromal sarcoma confirmed by chromosome aberration and fluorescence in-situ hybridization approaches: a case of recurrence 13 years after hysterectomy. *Virchows Arch* 442: 173-178.
- 1751.** Satoh Y, Tsuchiya E, Weng SY, Kitagawa T, Matsubara T, Nakagawa K, Kinoshita I, Sugano H (1989). Pulmonary sclerosing hemangioma of the lung. A type II pneumocytoma by immunohistochemical and immunoelectron microscopic studies. *Cancer* 64: 1310-1317.
- 1752.** Savage KJ, Monti S, Kutok JL, Cattoretti G, Neuberg D, de Leval L, Kurtin P, Dal Cin P, Ladd C, Feuerhake F, Aguiar RC, Li S, Salles G, Berger F, Jing W, Pinkus GS, Habermann T, Dalla-Favera R, Harris NL, Aster JC, Golub TR, Shipp MA (2003). The molecular signature of mediastinal large B-cell lymphoma differs from that of other diffuse large B-cell lymphomas and shares features with classical Hodgkin lymphoma. *Blood* 102: 3871-3879.
- 1753.** Scarpa A, Bonetti F, Menestrina F, Menegazzi M, Chilosi M, Lestani M, Bovolenta C, Zamboni G, Fiore-Donati L (1987). Mediastinal large-cell lymphoma with sclerosis. Genotypic analysis establishes its B nature. *Virchows Arch A Pathol Anat Histol* 412: 17-21.
- 1754.** Scarpa A, Borgato L, Chilosi M, Capelli P, Menestrina F, Bonetti F, Zamboni G, Pizzolo G, Hirohashi S, Fiore-Donati L (1991). Evidence of c-myc gene abnormalities in mediastinal large B-cell lymphoma of young adult age. *Blood* 78: 780-788.
- 1755.** Scarpa A, Moore PS, Rigaud G, Inghirami G, Montresor M, Menegazzi M, Todeschini G, Menestrina F (1999). Molecular features of primary mediastinal B-cell lymphoma: involvement of p16(INK4A), p53 and c-myc. *Br J Haematol* 107: 106-113.
- 1756.** Scarpa A, Taruscio D, Scardino M, Iosi F, Paradisi S, Ennas MG, Rigaud G, Moore PS, Menestrina F (1999). Nonrandom chromosomal imbalances in primary mediastinal B-cell lymphoma detected by arbitrarily primed PCR fingerprinting. *Genes Chromosomes Cancer* 26: 203-209.
- 1757.** Scarpatetti M, Tsybrovskyy O, Popper HH (2002). Cytokeratin typing as an aid in the differential diagnosis of primary versus metastatic lung carcinomas, and comparison with normal lung. *Virchows Arch* 440: 70-76.
- 1758.** Scarpelli M, Montironi R, Ricciuti R, Vecchioni S, Pauri F (1997). Cardiac myxoma with glandular elements metastatic to the brain 12 years after the removal of the original tumor. *Clin Neuropathol* 16: 190-194.
- 1759.** Schleusener JT, Tazelaar HD, Jung SH, Cha SS, Cera PJ, Myers JL, Creagan ET, Goldberg RM, Marschke RFJr (1996). Neuroendocrine differentiation is an independent prognostic factor in chemotherapy-treated non-small cell lung carcinoma. *Cancer* 77: 1284-1291.
- 1760.** Schmid C, Pan L, Diss T, Isaacson PG (1991). Expression of B-cell antigens by Hodgkin's and Reed-Sternberg cells. *Am J Pathol* 139: 701-707.
- 1761.** Schmitz L, Favara BE (1998). Nosology and pathology of Langerhans cell histiocytosis. *Hematol Oncol Clin North Am* 12: 221-246.
- 1762.** Schneider-Stock R, Rys J, Walter H, Limon J, Iliszko M, Niezabitowski A, Roessner A (1999). A rare chimeric TLS/FUS-CHOP transcript in a patient with multiple liposarcomas: a case report. *Cancer Genet Cytogenet* 111: 130-133.
- 1763.** Schneider DT, Calaminus G, Koch S, Teske C, Schmidt P, Haas RJ, Harms D, Gobel U (2003). Epidemiological analysis of 1442 children and adolescents registered in the German Germ Cell Tumour Protocols. *Med Pediatr Oncol*.
- 1764.** Schneider DT, Calaminus G, Reinhard H, Gutjahr P, Kremens B, Harms D, Gobel U (2000). Primary mediastinal germ cell tumors in children and adolescents: results of the German cooperative protocols MAKEI 83/86, 89, and 96. *J Clin Oncol* 18: 832-839.
- 1765.** Schneider DT, Schuster AE, Fritsch MK, Calaminus G, Gobel U, Harms D, Lauer S, Olson T, Perlman EJ (2002). Genetic analysis of mediastinal nonseminomatous germ cell tumors in children and adolescents. *Genes Chromosomes Cancer* 34: 115-125.
- 1766.** Schneider DT, Schuster AE, Fritsch MK, Hu J, Olson T, Lauer S, Gobel U, Perlman EJ (2001). Multipoint imprinting analysis indicates a common precursor cell for gonadal and nongonadal pediatric germ cell tumors. *Cancer Res* 61: 7268-7276.
- 1767.** Schneider PM, Praeuer HW, Stoeltzing O, Boehm J, Manning J, Metzger R, Fink U, Wegener S, Hoelscher AH, Roth JA (2000). Multiple molecular marker testing (p53, C-Ki-ras, c-erbB-2) improves estimation of prognosis in potentially curative resected non-small cell lung cancer. *Br J Cancer* 83: 473-479.
- 1768.** Schwartzman PR, White RD (2000). Imaging of cardiac and paracardiac masses. *J Thorac Imaging* 15: 265-273.
- 1769.** Schwabe J, Calaminus G, Vorhoff W, Engelbrecht V, Hauffa BP, Gobel U (2002). Sexual precocity and recurrent beta-human chorionic gonadotropin upsurges preceding the diagnosis of a malignant mediastinal germ-cell tumor in a 9-year-old boy. *Ann Oncol* 13: 975-977.
- 1770.** Schwinger ME, Katz E, Rotterdam H, Slater J, Weiss EC, Kronzon I (1989). Right atrial papillary fibroelastoma: diagnosis by transthoracic and transesophageal echocardiography and percutaneous transvenous biopsy. *Am Heart J* 118: 1047-1050.
- 1771.** Sciot R, Dal Cin P, Fletcher CD, Hernandez JM, Garcia JL, Samson I, Ramos L, Brys P, Van Damme B, van den Berghe H (1997). Inflammatory myofibroblastic tumor of bone: report of two cases with evidence of clonal chromosomal changes. *Am J Surg Pathol* 21: 1166-1172.
- 1772.** Scopsi L, Collini P, Muscolino G (1999). A new observation of the Carney's triad with long follow-up period and additional tumors. *Cancer Detect Prev* 23: 435-443.
- 1773.** Sebire NJ, Rampling D, Malone M, Ramsay A, Sheppard M (2002). Gains of chromosome 8 in pleuropulmonary blastomas of childhood. *Pediatr Dev Pathol* 5: 221-222.
- 1774.** Seguin JR, Beigbeder JY, Hvass U, Langlois J, Grolleau R, Jourdan M, Klein B, Bataille R, Chaptal PA (1992). Interleukin 6 production by cardiac myxomas may explain constitutional symptoms. *J Thorac Cardiovasc Surg* 103: 599-600.
- 1775.** Seidemann K, Tiemann M, Schrappe M, Yakisan E, Simonitsch I, Janka-Schaub G, Dorffel W, Zimmermann M, Mann G, Gadner H, Parwaresch R, Riehm H, Reiter A (2001). Short-pulse B-non-Hodgkin lymphoma-type chemotherapy is efficacious treatment for pediatric anaplastic large cell lymphoma: a report of the Berlin-Frankfurt-Munster Group Trial NHL-BFM 90. *Blood* 97: 3699-3706.
- 1776.** Seitz V, Hummel M, Marafioti T, Anagnostopoulos I, Assaf C, Stein H (2000). Detection of clonal T-cell receptor gamma-chain gene rearrangements in Reed-Sternberg cells of classic Hodgkin disease. *Blood* 95: 3020-3024.
- 1777.** Sekeres M, Vasconcelles MJ, McMenamin M, Rosenfeld-Darling M, Bueno R (2000). Two patients with sarcoma. Case 1. Synovial cell sarcoma of the lung. *J Clin Oncol* 18: 2341-2342.
- 1778.** Sekido Y, Pass HI, Bader S, Mew DJ, Christian MF, Gazdar AF, Minna JD (1995). Neurofibromatosis type 2 (NF2) gene is somatically mutated in mesothelioma but not in lung cancer. *Cancer Res* 55: 1227-1231.
- 1779.** Sekine S, Shibata T, Matsuno Y, Maeshima A, Ishii G, Sakamoto M, Hirohashi S (2003). Beta-catenin mutations in pulmonary blastomas: association with morule formation. *J Pathol* 200: 214-221.
- 1780.** Selim AA, El Ayat G, Wells CA (2001). Immunohistochemical localization of gross cystic disease fluid protein-15, -24 and -44 in ductal carcinoma in situ of the breast: relationship to the degree of differentiation. *Histopathology* 39: 198-202.
- 1781.** Sellers TA, Bailey-Wilson JE, Elston RC, Wilson AF, Elston GZ, Ooi WL, Rothchild H (1990). Evidence for mendelian inheritance in the pathogenesis of lung cancer. *J Natl Cancer Inst* 82: 1272-1279.
- 1782.** Semeraro D, Gibbs AR (1989). Pulmonary adenoma: a variant of sclerosing haemangioma of lung? *J Clin Pathol* 42: 1222-1223.
- 1783.** Sensaki K, Aida S, Takagi K, Shibata H, Ogata T, Tanaka S, Tamai S (1993). Coexisting undifferentiated thymic carcinoma and thymic carcinoid tumor. *Respiration* 60: 247-249.
- 1784.** Seo JB, Im JG, Goo JM, Chung MJ, Kim MY (2001). Atypical pulmonary metastases: spectrum of radiologic findings.

- Radiographics 21: 403-417.
- 1785.** Seo T, Ando H, Watanabe Y, Harada T, Ito F, Kaneko K, Mimura S (1999). Acute respiratory failure associated with intrathoracic masses in neonates. *J Pediatr Surg* 34: 1633-1637.
- 1786.** Sepulveda W, Gomez E, Gutierrez J (2000). Intrapericardial teratoma. *Ultrasound Obstet Gynecol* 15: 547-548.
- 1787.** Serezhin BS, Stepanov MI (1990). [A carcinoid tumor in a mature thymic teratoma]. *Arkh Patol* 52: 59-62.
- 1788.** Shabb NS, Fahl M, Shabb B, Haswani P, Zaatari G (1998). Fine-needle aspiration of the mediastinum: a clinical, radiologic, cytologic, and histologic study of 42 cases. *Diagn Cytopathol* 19: 428-436.
- 1789.** Shaffer K, Pugatch RD, Sugarbaker DJ (1990). Primary mediastinal leiomyoma. *Ann Thorac Surg* 50: 301-302.
- 1790.** Shah RN, Badve S, Papreddy K, Schindler S, Laskin WB, Yeldandi AV (2002). Expression of cytokeratin 20 in mucinous bronchioloalveolar carcinoma. *Hum Pathol* 33: 915-920.
- 1791.** Shapiro LM (2001). Cardiac tumours: diagnosis and management. *Heart* 85: 218-222.
- 1792.** Shebib S, Sabbah RS, Sackey K, Akhtar M, Aur RJ (1989). Endodermal sinus (yolk sac) tumor in infants and children. A clinical and pathologic study: an 11 year review. *Am J Pediatr Hematol Oncol* 11: 36-39.
- 1793.** Sheen TS, Chang Y, Ko J, Wu C, Lee S (1999). Basaloid squamous cell carcinoma of the larynx. *Otolaryngol Head Neck Surg* 121: 647-650.
- 1794.** Shehata BM, Patterson K, Thomas JE, Scala-Barnett D, Dasu S, Robinson HB (1998). Histiocytoid cardiomyopathy: three new cases and a review of the literature. *Pediatr Dev Pathol* 1: 56-69.
- 1795.** Sheibani K, Winberg CD, Burke JS, Nathwani BN, Blayney DW, van de Velde S, Swartz WG, Rappaport R (1987). Lymphoblastic lymphoma expressing natural killer cell-associated antigens: a clinicopathologic study of six cases. *Leuk Res* 11: 371-377.
- 1796.** Shepherd FA (1993). Screening, diagnosis, and staging of lung cancer. *Curr Opin Oncol* 5: 310-322.
- 1797.** Shepherd FA (2000). Surgical management of small cell lung cancer. In: *Lung Cancer, Principles and Practice*, Lung Cancer, Principles and Practice, Lippincott Williams and Wilkins: Philadelphia, pp. 967-980.
- 1798.** Sherman JL, Rykwalder PJ, Tashkin DP (1981). Intravascular bronchioloalveolar tumor. *Am Rev Respir Dis* 123: 468-470.
- 1799.** Shibahara K, Sugio K, Osaki T, Uchiuni T, Maehara Y, Kohno K, Yasumoto K, Sugimachi K, Kuwano M (2001). Nuclear expression of the Y-box binding protein, YB-1, as a novel marker of disease progression in non-small cell lung cancer. *Clin Cancer Res* 7: 3151-3155.
- 1800.** Shields PG, Lerman C, Audrain J, Bowman ED, Main D, Boyd NR, Caporaso NE (1998). Dopamine D4 receptors and the risk of cigarette smoking in African-Americans and Caucasians. *Cancer Epidemiol Biomarkers Prev* 7: 453-458.
- 1801.** Shigemitsu K, Sekido Y, Usami N, Mori S, Sato M, Horio Y, Hasegawa Y, Bader SA, Gazdar AF, Minna JD, Hida T, Yoshioka H, Imaizumi M, Ueda Y, Takahashi M, Shimokata K (2001). Genetic alteration of the beta-catenin gene (CTNNB1) in human lung cancer and malignant mesothelioma and identification of a new 3p21.3 homozygous deletion. *Oncogene* 20: 4249-4257.
- 1802.** Shimazaki H, Aida S, Iizuka Y, Yoshizu H, Tamai S (2000). Vacuolated cell mesothelioma of the pericardium resembling liposarcoma: a case report. *Hum Pathol* 31: 767-770.
- 1803.** Shimazaki H, Aida S, Sato M, Deguchi H, Ozeki Y, Tamai S (2001). Lung carcinoma with rhabdoid cells: a clinicopathological study and survival analysis of 14 cases. *Histopathology* 38: 425-434.
- 1804.** Shimizu J, Kawaura Y, Tatsuzawa Y, Kinoshita T, Nozaki Z, Ohta Y, Nonomura A (2000). Malignant melanoma originating in the thymus. *Aust N Z J Surg* 70: 753-755.
- 1805.** Shimizu J, Yazaki U, Kinoshita T, Tatsuzawa Y, Kawaura Y, Nonomura A (2001). Primary mediastinal germ cell tumor in a middle-aged woman: case report and literature review. *Tumori* 87: 269-271.
- 1806.** Shimosato Y, Kameya T, Nagai K, Suemasu K (1977). Squamous cell carcinoma of the thymus. An analysis of eight cases. *Am J Surg Pathol* 1: 109-121.
- 1807.** Shimosato Y, Kodama T, Kameya T (1982). Morphogenesis of peripheral type adenocarcinoma of the lung. In: *Morphogenesis of lung cancer*, Shimosato Y, Melamed MR, Nettesheim P, eds., CRC press: Boca Raton, pp. 65-90.
- 1808.** Shimosato Y, Mukai K (1997). *Atlas of Tumor Pathology. Tumors of the Mediastinum*. 3rd ed. Armed Forces Institute of Pathology: Washington, D.C.
- 1809.** Shimosato Y, Suzuki A, Hashimoto T, Nishiwaki Y, Kodama T, Yoneyama T, Kameya T (1980). Prognostic implications of fibrotic focus (scar) in small peripheral lung cancers. *Am J Surg Pathol* 4: 365-373.
- 1810.** Shin MS, Odrezin GT, Van Dyke JA, Ho KJ (1991). Unusual initial calcification of primary and metastatic seminomas. Detection by computed tomography. *Chest* 99: 1543-1545.
- 1811.** Shiota Y, Matsumoto H, Sasaki N, Taniyama K, Hashimoto S, Sueishi K (1998). Solitary bronchioloalveolar adenoma of the lung. *Respiration* 65: 483-485.
- 1812.** Shirasaki A, Hirakata Y, Kitamura S, Bandoh S, Saitoh K (1995). A salivary gland-type monomorphic adenoma with trabecular proliferation in the lung. *Intern Med* 34: 1086-1088.
- 1813.** Shiseki M, Kohno T, Adachi J, Okazaki T, Otsuka T, Mizoguchi H, Noguchi M, Hirohashi S, Yokota J (1996). Comparative allelotyping of early and advanced stage non-small cell lung carcinomas. *Genes Chromosomes Cancer* 17: 71-77.
- 1814.** Shivapurkar N, Toyooka S, Eby MT, Huang CX, Sathyanarayana UG, Cunningham HT, Reddy JL, Brambilla E, Takahashi T, Minna JD, Chaudhary PM, Gazdar AF (2002). Differential inactivation of caspase-8 in lung cancers. *Cancer Biol Ther* 1: 65-69.
- 1815.** Shivapurkar N, Virmani AK, Wistuba II, Milchgrub S, Mackay B, Minna JD, Gazdar AF (1999). Deletions of chromosome 4 at multiple sites are frequent in malignant mesothelioma and small cell lung carcinoma. *Clin Cancer Res* 5: 17-23.
- 1816.** Shmookler BM, Marsh HB, Roberts WC (1977). Primary sarcoma of the pulmonary trunk and/or right or left main pulmonary artery—a rare cause of obstruction to right ventricular outflow. Report on two patients and analysis of 35 previously described patients. *Am J Med* 63: 263-272.
- 1817.** Shoji T, Tanaka F, Takata T, Yanagihara K, Otake Y, Hanaoka N, Miyahara R, Nakagawa T, Kawano Y, Ishikawa S, Katakura H, Wada H (2002). Clinical significance of p21 expression in non-small-cell lung cancer. *J Clin Oncol* 20: 3865-3871.
- 1818.** Shub C, Parkin TW, Lie JT (1979). An unusual mediastinal lipoma simulating cardiomegaly. *Mayo Clin Proc* 54: 60-62.
- 1819.** Shub C, Tajik AJ, Seward JB, Edwards WD, Pruitt RD, Orszulak TA, Pluth JR (1981). Cardiac papillary fibroelastomas. Two-dimensional echocardiographic recognition. *Mayo Clin Proc* 56: 629-633.
- 1820.** Shure D (1991). Radiographically occult endobronchial obstruction in bronchogenic carcinoma. *Am J Med* 91: 19-22.
- 1821.** Sickles EA, Belliveau RE, Wiernik PH (1974). Primary mediastinal choriocarcinoma in the male. *Cancer* 33: 1196-1203.
- 1822.** Siebenmann RE, Odermatt B, Hegglin J, Binswanger RO (1990). [Alveolar cell adenoma. A newly defined benign lung tumor]. *Pathologe* 11: 48-54.
- 1823.** Siegal GP, Dehner LP, Rosai J (1985). Histiocytosis X (Langerhans' cell granulomatosis) of the thymus. A clinicopathologic study of four childhood cases. *Am J Surg Pathol* 9: 117-124.
- 1824.** Siegel RJ, Bueso-Ramos C, Cohen C, Koss M (1991). Pulmonary blastoma with germ cell (yolk sac) differentiation: report of two cases. *Mod Pathol* 4: 566-570.
- 1825.** Silver SA, Askin FB (1997). True papillary carcinoma of the lung: a distinct clinicopathologic entity. *Am J Surg Pathol* 21: 43-51.
- 1826.** Silverman JF, Geisinger KR (1996). *Lung*. In: *Fine needle aspiration cytology of the thorax and abdomen*, Silverman JF, Geisinger KR, eds., Churchill Livingstone: New York, pp. 1-51.
- 1827.** Simon HU, Plotz SG, Dummer R, Blaser K (1999). Abnormal clones of T cells producing interleukin-5 in idiopathic eosinophilia. *N Engl J Med* 341: 1112-1120.
- 1828.** Simons A, Schepens M, Jeuken J, Sprenger S, van de Zande G, Bjerkehagen B, Forus A, Weibolt V, Molenaar I, van den Berg E, Myklebost O, Bridge J, van Kessel AG, Suijkerbuijk R (2000). Frequent loss of 9p21 (p16(INK4A)) and other genomic imbalances in human malignant fibrous histiocytoma. *Cancer Genet Cytogenet* 118: 89-98.
- 1829.** Sinclair DS, Bolen MA, King MA (2003). Mature teratoma within the posterior mediastinum. *J Thorac Imaging* 18: 53-55.
- 1830.** Singhal S, Amin KM, Kruklytis R, DeLong P, Friscia ME, Litzky LA, Putt ME, Kaiser LR, Albelda SM (2003). Alterations in cell cycle genes in early stage lung adenocarcinoma identified by expression profiling. *Cancer Biol Ther* 2: 291.
- 1831.** Siripornpitak S, Higgins CB (1997). MRI of primary malignant cardiovascular tumors. *J Comput Assist Tomogr* 21: 462-466.
- 1832.** Skalidis EI, Parthenakis FI, Zacharis EA, Datsis GE, Vardas PE (1999). Pulmonary tumor embolism from primary cardiac B-cell lymphoma. *Chest* 116: 1489-1490.
- 1833.** Skov BG, Sorensen JB, Hirsch FR, Larsson LI, Hansen HH (1991). Prognostic impact of histologic demonstration of chromogranin A and neuron specific enolase in pulmonary adenocarcinoma. *Ann Oncol* 2: 355-360.
- 1834.** Skyggebjerg KD (1988). Hydrops fetal-
- is caused by intrapericardial teratoma. *Acta Obstet Gynecol Scand* 67: 653-654.
- 1835.** Slagel DD, Powers CN, Melaragno MJ, Geisinger KR, Frable WJ, Silverman JF (1997). Spindle-cell lesions of the mediastinum: diagnosis by fine-needle aspiration biopsy. *Diagn Cytopathol* 17: 167-176.
- 1836.** Slebos RJ, Baas IO, Clement MJ, Offerhaus GJ, Askin FB, Hruban RH, Westra WH (1998). p53 alterations in atypical alveolar hyperplasia of the human lung. *Hum Pathol* 29: 801-808.
- 1837.** Slebos RJ, Kibbelaar RE, Dalesio O, Kooistra A, Stam J, Meijer CJ, Wagenaar SS, Vanderschueren RG, van Zandwijk N, Mooi WJ, Bos JL, Rodenhuis S (1990). K-ras oncogene activation as a prognostic marker in adenocarcinoma of the lung. *N Engl J Med* 323: 561-565.
- 1838.** Smith TA, Machen SK, Fisher C, Goldblum JR (1999). Usefulness of cytokeratin subsets for distinguishing monophasic synovial sarcoma from malignant peripheral nerve sheath tumor. *Am J Clin Pathol* 112: 641-648.
- 1839.** Smolarek TA, Wessner LL, McCormack FX, Mylet JC, Menon AG, Henke EP (1998). Evidence that lymphangiomatosis is caused by TSC2 mutations: chromosome 16p13 loss of heterozygosity in angiomyolipomas and lymph nodes from women with lymphangiomatosis. *Am J Hum Genet* 62: 810-815.
- 1840.** Smythe JF, Dyck JD, Smallhorn JF, Freedom RM (1990). Natural history of cardiac rhabdomyoma in infancy and childhood. *Am J Cardiol* 66: 1247-1249.
- 1841.** Snover DC, Levine GD, Rosai J (1982). Thymic carcinoma. Five distinctive histological variants. *Am J Surg Pathol* 6: 451-470.
- 1842.** Snyder CS, Dell'Aquila M, Haghghi P, Baergen RN, Suh YK, Yi ES (1995). Clonal changes in inflammatory pseudotumor of the lung: a case report. *Cancer* 76: 1545-1549.
- 1843.** Sobue T, Ajiki W, Tsukuma H, Oshima A, Hanai A, Fujimoto I (1999). Trends of lung cancer incidence by histologic type: a population-based study in Osaka, Japan. *Jpn J Cancer Res* 90: 6-15.
- 1844.** Soga J, Yakuwa Y, Osaka M (1999). Bronchopulmonary carcinoids: An analysis of 1,875 reported cases with special reference to a comparison between typical carcinoids and atypical varieties. *Ann Thorac Cardiovasc Surg* 5: 211-219.
- 1845.** Soga J, Yakuwa Y, Osaka M (1999). Evaluation of 342 cases of mediastinal/thymic carcinoids collected from literature: a comparative study between typical carcinoids and atypical varieties. *Ann Thorac Cardiovasc Surg* 5: 285-292.
- 1846.** Sole F, Bosch F, Woessner S, Perez-Losada A, Cervantes F, Montserrat E, Florensa L, Rozman C (1994). Refractory anemia with excess of blasts and isochromosome 12p in a patient with primary mediastinal germ-cell tumor. *Cancer Genet Cytogenet* 77: 111-113.
- 1847.** Sonobe H, Ohtsuki Y, Nakayama H, Asaba K, Nishiya K, Shimizu K (1998). A thymic squamous cell carcinoma with complex chromosome abnormalities. *Cancer Genet Cytogenet* 103: 83-85.
- 1848.** Sonobe H, Takeuchi T, Ohtsuki Y, Taguchi T, Shimizu K (1999). A thymoma with clonal complex chromosome abnormalities. *Cancer Genet Cytogenet* 110: 72-74.
- 1849.** Souhami RL, Bradbury I, Geddes DM,

- Spiro SG, Harper PG, Tobias JS (1985). Prognostic significance of laboratory parameters measured at diagnosis in small cell carcinoma of the lung. *Cancer Res* 45: 2878-2882.
1850. Souid AK, Ziemba MC, Dubansky AS, Mazur M, Oliphant M, Thomas FD, Ratner M, Sadowitz PD (1993). Inflammatory myofibroblastic tumor in children. *Cancer* 72: 2042-2048.
1851. Soulamis S, Chraibi S, Ait Ben Hammou C, Haddani J, Louahlia S, Chraibi N (1995). [Mediastinal malignant schwannoma disclosed by pericardial tamponade in von Recklinghausen disease]. *Ann Cardiol Angeiol (Paris)* 44: 418-421.
1852. Souma T, Oguma F, Ueno M, Terashima M, Sato K (1993). [A case report of pulmonary metastasis of malignant fibrous histiocytoma (MFH) accompanied by mediastinal lymph node metastasis]. *Kyobu Geka* 46: 1149-1151.
1853. Sourvinos G, Parisiss J, Sotsiou F, Arvanitis DL, Spandidos DA (1999). Detection of microsatellite instability in sporadic cardiac myxomas. *Cardiovasc Res* 42: 728-732.
1854. Sozzi G, Miozzo M, Donghi R, Pilotti S, Cariani CT, Pastorino U, Della Porta G, Pierotti MA (1992). Deletions of 17p and p53 mutations in preneoplastic lesions of the lung. *Cancer Res* 52: 6079-6082.
1855. Sozzi G, Pastorino U, Moiraghi L, Tagliabue E, Pezzella F, Ghirelli C, Torielli S, Sard L, Huebner K, Pierotti MA, Croce CM, Pilotti S (1998). Loss of FHIT function in lung cancer and preinvasive bronchial lesions. *Cancer Res* 58: 5032-5037.
1856. Sozzi G, Veronese ML, Negrini M, Baffa R, Coticelli MG, Inoue H, Torielli S, Pilotti S, De Gregorio L, Pastorino U, Pierotti MA, Ohta M, Huebner K, Croce CM (1996). The FHIT gene 3p14.2 is abnormal in lung cancer. *Cell* 85: 17-26.
1857. Spencer H (1961). Pulmonary blastoma. *J Pathol Bacteriol* 82: 161-165.
1858. Spencer H, Dail DH, Arneaud J (1980). Non-invasive bronchial epithelial papillary tumors. *Cancer* 45: 1486-1497.
1859. Spencer H, Nambu S (1986). Sclerosing haemangiomas of the lung. *Histopathology* 10: 477-487.
1860. Spiro SG, Porter JC (2002). Lung cancer—where are we today? Current advances in staging and nonsurgical treatment. *Am J Respir Crit Care Med* 166: 1166-1196.
1861. Spirtas R, Connelly RR, Tucker MA (1988). Survival patterns for malignant mesothelioma: the SEER experience. *Int J Cancer* 41: 525-530.
1862. Spirtas R, Heineman EF, Bernstein L, Beebe GW, Keehn RJ, Stark A, Harlow BL, Benichou J (1994). Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med* 51: 804-811.
1863. Spits H, Blom B, Jaleco AC, Weijer K, Verschuren MC, van Dongen JJ, Heemskerk MH, Res PC (1998). Early stages in the development of human T, natural killer and thymic dendritic cells. *Immunol Rev* 165: 75-86.
1864. Spitz MR, Shi H, Yang F, Hudmon KS, Jiang H, Chamberlain RM, Amos CI, Wan Y, Cinciripini P, Hong WK, Wu X (1998). Case-control study of the D2 dopamine receptor gene and smoking status in lung cancer patients. *J Natl Cancer Inst* 90: 358-363.
1865. Springfield D (1993). Liposarcoma. *Clin Orthop* 50-57.
1866. Squire JA, Bayani J, Luk C, Unwin L, Tokunaga J, MacMillan C, Irish J, Brown D, Gullane P, Kamel-Reid S (2002). Molecular cytogenetic analysis of head and neck squamous cell carcinoma: By comparative genomic hybridization, spectral karyotyping, and expression array analysis. *Head Neck* 24: 874-887.
1867. Sridhar KS, Bounassi MJ, Raub WJr, Richman SP (1990). Clinical features of adenosquamous lung carcinoma in 127 patients. *Am Rev Respir Dis* 142: 19-23.
1868. Sridhar KS, Raub WAJr, Duncan RC, Hilsenbeck S (1992). The increasing recognition of adenosquamous lung carcinoma (1977-1986). *Am J Clin Oncol* 15: 356-362.
1869. Srinivas BK, Gopalakrishnan M, Mahadevan R, Satyaprasad V (2002). Lipoma of the left ventricle. *Asian Cardiovasc Thorac Ann* 10: 64-65.
1870. Stackhouse EM, Harrison EGJr, Ellis FHJr (1969). Primary mixed malignancies of lung: carcinosarcoma and blastoma. *J Thorac Cardiovasc Surg* 57: 385-399.
1871. Stahel RA (1991). Diagnosis, staging, and prognostic factors of small cell lung cancer. *Curr Opin Oncol* 3: 306-311.
1872. Stefanaki K, Rontogianni D, Kouvidou CH, Bolioti S, Delides G, Pantelidaki A, Sotsiou F, Kanavaros P (1997). Expression of p53, mdm2, p21/waf1 and bcl-2 proteins in thymomas. *Histopathology* 30: 549-555.
1873. Stein H, Hummel M (1999). Cellular origin and clonality of classic Hodgkin's lymphoma: immunophenotypic and molecular studies. *Semin Hematol* 36: 233-241.
1874. Stein H, Marafioti T, Foss HD, Laumen H, Hummel M, Anagnostopoulos I, Wirth T, Demel G, Falini B (2001). Down-regulation of BOB.1/OBF.1 and Oct2 in classical Hodgkin disease but not in lymphocyte predominant Hodgkin disease correlates with immunoglobulin transcription. *Blood* 97: 496-501.
1875. Stenbygaard LE, Sorensen JB, Larsen H, Dombernowsky P (1999). Metastatic pattern in non-resectable non-small cell lung cancer. *Acta Oncol* 38: 993-998.
1876. Stephan JL, Galambun C, Boucheron S, Varlet F, Delabesse E, MacIntyre E (2000). Epstein-Barr virus—positive undifferentiated thymic carcinoma in a 12-year-old white girl. *J Pediatr Hematol Oncol* 22: 162-166.
1877. Stephens M, Khalil J, Gibbs AR (1987). Primary clear cell carcinoma of the thymus gland. *Histopathology* 11: 763-765.
1878. Sternberg C (1900). *Über Leukosarcomatose*. *Wien Klin Wschr* 21: 475-480.
1879. Sterner DJ, Mori M, Roggli VL, Fraire AE (1997). Prevalence of pulmonary atypical alveolar cell hyperplasia in an autopsy population: a study of 100 cases. *Mod Pathol* 10: 469-473.
1880. Stiller B, Hetzer R, Meyer R, Dittrich S, Pees C, Alexi-Meskishvili V, Lange PE (2001). Primary cardiac tumours: when is surgery necessary? *Eur J Cardiothorac Surg* 20: 1002-1006.
1881. Stock C, Ambros IM, Lion T, Haas OA, Zoubek A, Gadner H, Ambros PF (1994). Detection of numerical and structural chromosome abnormalities in pediatric germ cell tumors by means of interphase cytogenetics. *Genes Chromosomes Cancer* 11: 40-50.
1882. Stratakis CA, Carney JA, Lin JP, Papanicolaou DA, Karl M, Kastner DL, Pras E, Chrousos GP (1996). Carney complex, a familial multiple neoplasia and lentiginosis syndrome. Analysis of 11 kindreds and linkage to the short arm of chromosome 2. *J Clin Invest* 97: 699-705.
1883. Strickler JG, Hegstrom J, Thomas MJ, Yousem SA (1987). Myoepithelioma of the lung. *Arch Pathol Lab Med* 111: 1082-1085.
1884. Strimlan CV, Khasnabis S (1993). Primary mediastinal myelolipoma. *Cleve Clin J Med* 60: 69-71.
1885. Strizheva GD, Carsillo T, Kruger WD, Sullivan EJ, Ryu JH, Henske EP (2001). The spectrum of mutations in TSC1 and TSC2 in women with tuberous sclerosis and lymphangiomatosis. *Am J Respir Crit Care Med* 163: 253-258.
1886. Strobel P, Helmreich M, Menioudakis G, Lewin SR, Rudiger T, Bauer A, Hoffacker V, Gold R, Nix W, Schalte B, Elert O, Semik M, Muller-Hermelink HK, Marx A (2002). Paraneoplastic myasthenia gravis correlates with generation of mature naive CD4(+) T cells in thymomas. *Blood* 100: 159-166.
1887. Strobel P, Hartmann M, Jakob A, Mikesch K, Brink I, Dirnhofer S, Marx A (2004). Thymic carcinoma with overexpression of mutated KIT: Response to Imatinib. *N Engl J Med*.
1888. Strollo DC, Rosado-de-Christenson ML (2002). Primary mediastinal malignant germ cell neoplasms: imaging features. *Chest Surg Clin N Am* 12: 645-658.
1889. Strollo DC, Rosado de Christenson ML, Jett JR (1997). Primary mediastinal tumors. Part 1: tumors of the anterior mediastinum. *Chest* 112: 511-522.
1890. Struski S, Doco-Fenzy M, Cornillet-Lefebvre P (2002). Compilation of published comparative genomic hybridization studies. *Cancer Genet Cytogenet* 135: 63-90.
1891. Stucker I, Hirvonen A, de Waziers I, Cabelguenne A, Mitrunen K, Cenee S, Koum-Besson E, Hemon D, Beaune P, Loriot MA (2002). Genetic polymorphisms of glutathione S-transferases as modulators of lung cancer susceptibility. *Carcinogenesis* 23: 1475-1481.
1892. Sturm N, Lantuejoul S, Laverriere MH, Papotti M, Bricchon PY, Brambilla C, Brambilla E (2001). Thyroid transcription factor 1 and cytokeratins 1, 5, 10, 14 (34betaE12) expression in basaloid and large-cell neuroendocrine carcinomas of the lung. *Hum Pathol* 32: 918-925.
1893. Sturm N, Rossi G, Lantuejoul S, Laverriere MH, Papotti M, Bricchon PY, Brambilla C, Brambilla E (2002). Cytokeratins 1, 5, 10, 14 (34betaE12) expression along the whole spectrum of neuroendocrine proliferations of the lung, from neuroendocrine cell hyperplasia to small cell carcinoma. *Histopathology* 41: 1-11.
1894. Sturm N, Rossi G, Lantuejoul S, Papotti M, Frachon S, Claraz C, Bricchon PY, Brambilla C, Brambilla E (2002). Expression of thyroid transcription factor-1 in the spectrum of neuroendocrine cell lung proliferations with special interest in carcinoids. *Hum Pathol* 33: 175-182.
1895. Su L, Sheldon S, Weiss SW (1995). Inflammatory myofibroblastic tumor: cytogenetic evidence supporting clonal origin. *Mod Pathol* 8: 12A.
1896. Su LD, Atayde-Perez A, Sheldon S, Fletcher JA, Weiss SW (1998). Inflammatory myofibroblastic tumor: cytogenetic evidence supporting clonal origin. *Mod Pathol* 11: 364-368.
1897. Suarez Vilela D, Salas Valien JS, Gonzalez Moran MA, Izquierdo Garcia F, Riera Velasco JR (1992). Thymic carcinosarcoma associated with a spindle cell thymoma: an immunohistochemical study. *Histopathology* 21: 263-268.
1898. Suarez V, Fuggle WJ, Cameron AH, French TA, Hollingworth T (1987). Foamy myocardial transformation of infancy: an inherited disease. *J Clin Pathol* 40: 329-334.
1899. Sugimura H, Kohno T, Wakai K, Nagura K, Genka K, Igarashi H, Morris BJ, Baba S, Ohno Y, Gao C, Li Z, Wang J, Takezaki T, Tajima K, Varga T, Sawaguchi T, Lum JK, Martinson JJ, Tsugane S, Iwama T, Shinmura K, Yokota J (1999). hOGG1 Ser326Cys polymorphism and lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev* 8: 669-674.
1900. Sugio K, Kishimoto Y, Virmani AK, Hung JY, Gazdar AF (1994). K-ras mutations are a relatively late event in the pathogenesis of lung carcinomas. *Cancer Res* 54: 5811-5815.
1901. Sugita M, Geraci M, Gao B, Powell RL, Hirsch FR, Johnson G, Lapadat R, Gabrielson E, Bremnes R, Bunn PA, Franklin WA (2002). Combined use of oligonucleotide and tissue microarrays identifies cancer/testis antigens as biomarkers in lung carcinoma. *Cancer Res* 62: 3971-3979.
1902. Sugiura H, Morikawa T, Itoh K, Ono K, Okushiba S, Kondo S, Katoh H (2000). Thymic neuroendocrine carcinoma: a clinicopathologic study in four patients. *Ann Thorac Cardiovasc Surg* 6: 304-308.
1903. Sun JP, Asher CR, Yang XS, Cheng GG, Scalia GM, Massed AG, Griffin BP, Ratliff NB, Stewart WJ, Thomas JD (2001). Clinical and echocardiographic characteristics of papillary fibroelastomas: a retrospective and prospective study in 162 patients. *Circulation* 103: 2687-2693.
1904. Sunaga N, Kohno T, Kolligs FT, Fearon ER, Saito R, Yokota J (2001). Constitutive activation of the Wnt signaling pathway by CTNNB1 (beta-catenin) mutations in a subset of human lung adenocarcinoma. *Genes Chromosomes Cancer* 30: 316-321.
1905. Sundaresan V, Reeve JG, Stenning S, Stewart S, Bleehen NM (1991). Neuroendocrine differentiation and clinical behaviour in non-small cell lung tumours. *Br J Cancer* 64: 333-338.
1906. Sussman J, Rosai J (1990). Lymph node metastasis as the initial manifestation of malignant mesothelioma. Report of six cases. *Am J Surg Pathol* 14: 819-828.
1907. Suster S, Barbuto D, Carlson G, Rosai J (1991). Multilocular thymic cysts with pseudopitheliomatous hyperplasia. *Hum Pathol* 22: 455-460.
1908. Suster S, Fisher C, Moran CA (1998). Expression of bcl-2 oncoprotein in benign and malignant spindle cell tumors of soft tissue, skin, serosal surfaces, and gastrointestinal tract. *Am J Surg Pathol* 22: 863-872.
1909. Suster S, Huszar M, Herczeg E (1987). Spindle cell squamous carcinoma of the lung. Immunocytochemical and ultrastructural study of a case. *Histopathology* 11: 871-878.
1910. Suster S, Moran CA (1995). Chordomas of the mediastinum: clinicopathologic, immunohistochemical, and ultrastructural study of six cases presenting as posterior mediastinal masses. *Hum Pathol* 26: 1354-1362.
1911. Suster S, Moran CA (1995). Thymic carcinoid with prominent mucinous stroma. Report of a distinctive morphologic variant of thymic neuroendocrine neoplasm. *Am J Surg Pathol* 19: 1277-1285.
1912. Suster S, Moran CA (1996). Primary thymic epithelial neoplasms showing combined features of thymoma and thymic car-

- cinoma. A clinicopathologic study of 22 cases. *Am J Surg Pathol* 20: 1469-1480.
- 1913.** Suster S, Moran CA (1998). Thymic carcinoma: spectrum of differentiation and histologic types. *Pathology* 30: 111-122.
- 1914.** Suster S, Moran CA (1999). Micronodular thymoma with lymphoid B-cell hyperplasia: clinicopathologic and immunohistochemical study of eighteen cases of a distinctive morphologic variant of thymic epithelial neoplasm. *Am J Surg Pathol* 23: 955-962.
- 1915.** Suster S, Moran CA (1999). Primary thymic epithelial neoplasms: spectrum of differentiation and histological features. *Semin Diagn Pathol* 16: 2-17.
- 1916.** Suster S, Moran CA (1999). Spindle cell thymic carcinoma: clinicopathologic and immunohistochemical study of a distinctive variant of primary thymic epithelial neoplasm. *Am J Surg Pathol* 23: 691-700.
- 1917.** Suster S, Moran CA (1999). Thymoma, atypical thymoma, and thymic carcinoma. A novel conceptual approach to the classification of thymic epithelial neoplasms. *Am J Clin Pathol* 111: 826-833.
- 1918.** Suster S, Moran CA (2001). Neuroendocrine neoplasms of the mediastinum. *Am J Clin Pathol* 115 Suppl: S17-S27.
- 1919.** Suster S, Moran CA, Chan JK (1997). Thymoma with pseudosarcomatous stroma: report of an unusual histologic variant of thymic epithelial neoplasm that may simulate carcinosarcoma. *Am J Surg Pathol* 21: 1316-1323.
- 1920.** Suster S, Moran CA, Dominguez-Malagon H, Quevedo-Blanco P (1998). Germ cell tumors of the mediastinum and testis: a comparative immunohistochemical study of 120 cases. *Hum Pathol* 29: 737-742.
- 1921.** Suster S, Moran CA, Koss MN (1994). Epithelioid hemangioendothelioma of the anterior mediastinum. Clinicopathologic, immunohistochemical, and ultrastructural analysis of 12 cases. *Am J Surg Pathol* 18: 871-881.
- 1922.** Suster S, Moran CA, Koss MN (1994). Rhabdomyosarcomas of the anterior mediastinum: report of four cases unassociated with germ cell, teratomatous, or thymic carcinomatous components. *Hum Pathol* 25: 349-356.
- 1923.** Suster S, Rosai J (1991). Multilocular thymic cyst: an acquired reactive process. Study of 18 cases. *Am J Surg Pathol* 15: 388-398.
- 1924.** Suster S, Rosai J (1991). Thymic carcinoma. A clinicopathologic study of 60 cases. *Cancer* 67: 1025-1032.
- 1925.** Suvarna SK, Royds JA (1996). The nature of the cardiac myxoma. *Int J Cardiol* 57: 211-216.
- 1926.** Suzuki K, Asamura H, Kusumoto M, Kondo H, Tsuchiya R (2002). "Early" peripheral lung cancer: prognostic significance of ground glass opacity on thin-section computed tomographic scan. *Ann Thorac Surg* 74: 1635-1639.
- 1927.** Suzuki K, Nagai K, Yoshida J, Yokose T, Kodama T, Takahashi K, Nishimura M, Kawasaki H, Yokozaki M, Nishiwaki Y (1997). The prognosis of resected lung carcinoma associated with atypical adenomatous hyperplasia: a comparison of the prognosis of well-differentiated adenocarcinoma associated with atypical adenomatous hyperplasia and intrapulmonary metastasis. *Cancer* 79: 1521-1526.
- 1928.** Suzuki K, Takahashi K, Yoshida J, Nishimura M, Yokose T, Nishiwaki Y, Nagai K (1998). Synchronous double primary lung carcinomas associated with multiple atypical adenomatous hyperplasia. *Lung Cancer* 19: 131-139.
- 1929.** Suzuki K, Yokose T, Yoshida J, Nishimura M, Takahashi K, Nagai K, Nishiwaki Y (2000). Prognostic significance of the size of central fibrosis in peripheral adenocarcinoma of the lung. *Ann Thorac Surg* 69: 893-897.
- 1930.** Suzuki R, Kagami Y, Takeuchi K, Kami M, Okamoto M, Ichinohasama R, Mori N, Kojima M, Yoshino T, Yamabe H, Shiota M, Mori S, Ogura M, Hamajima N, Seto M, Suchi T, Morishima Y, Nakamura S (2000). Prognostic significance of CD56 expression for ALK-positive and ALK-negative anaplastic large-cell lymphoma of T/null cell phenotype. *Blood* 96: 2993-3000.
- 1931.** Suzuki Y, Saiga T, Ozeki Y, Koyama A, Homma M, Ohba S (1993). [Two cases of intrapulmonary teratoma]. *Nippon Kyobu Geka Gakkai Zasshi* 41: 498-502.
- 1932.** Swanson PE (1991). Soft tissue neoplasms of the mediastinum. *Semin Diagn Pathol* 8: 14-34.
- 1933.** Swensen SJ, Hartman TE, Mayo JR, Colby TV, Tazelaar HD, Muller NL (1995). Diffuse pulmonary lymphangiomatosis: CT findings. *J Comput Assist Tomogr* 19: 348-352.
- 1934.** Swinson DE, Jones JL, Richardson D, Cox G, Edwards JG, O'Byrne KJ (2002). Tumour necrosis is an independent prognostic marker in non-small cell lung cancer: correlation with biological variables. *Lung Cancer* 37: 235-240.
- 1935.** Sydorak RM, Kelly T, Feldstein VA, Sandberg PL, Silverman NH, Harrison MR, Albanese CT (2002). Prenatal resection of a fetal pericardial teratoma. *Fetal Diagn Ther* 17: 281-285.
- 1936.** Sydes S, Haque AK, Hawkins HK, Sorensen PH, Cowan DF (2002). Desmoplastic small round cell tumor of the lung. *Arch Pathol Lab Med* 126: 1226-1228.
- 1937.** Syrjanen KJ (2002). HPV infections and lung cancer. *J Clin Pathol* 55: 885-891.
- 1938.** Szczepanski T, Langerak AV, Willemse MJ, Wolvers-Tettero IL, van Wering ER, van Dongen JJ (2000). T cell receptor gamma (TCRG) gene rearrangements in T cell acute lymphoblastic leukemia refelct 'end-stage' recombinations: implications for minimal residual disease monitoring. *Leukemia* 14: 1208-1214.
- 1939.** Szczepanski T, Pongers-Willemsse MJ, Langerak AW, Harts WA, Wijkhuijs AJ, van Wering ER, van Dongen JJ (1999). Ig heavy chain gene rearrangements in T-cell acute lymphoblastic leukemia exhibit predominant DH6-19 and DH7-27 gene usage, can result in complete V-D-J rearrangements, and are rare in T-cell receptor alpha beta lineage. *Blood* 93: 4079-4085.
- 1940.** Szyfelbein WM, Ross JS (1988). Carcinoids, atypical carcinoids, and small-cell carcinomas of the lung: differential diagnosis of fine-needle aspiration biopsy specimens. *Diagn Cytopathol* 4: 1-8.
- 1941.** Tagge EP, Mulvihill D, Chandler JC, Richardson M, Uflacker R, Othersen HD (1996). Childhood pleuropulmonary blastoma: caution against nonoperative management of congenital lung cysts. *J Pediatr Surg* 31: 187-189.
- 1942.** Taguchi T, Jhanwar SC, Siegfried JM, Keller SM, Testa JR (1993). Recurrent deletions of specific chromosomal sites in 1p, 3p, 6q, and 9p in human malignant mesothelioma. *Cancer Res* 53: 4349-4355.
- 1943.** Taioli E, Gaspari L, Benhamou S, Boffetta P, Brockmoller J, Butkiewicz D, Cascorbi I, Clapper ML, Dolzan V, Haugen A, Hirvonen A, Husgafvel-Pursiainen K, Kalina I, Kremers P, Le Marchand L, London S, Rannu A, Romkes M, Schoket B, Seidegard J, Strange RC, Stucker I, To-Figuera J, Garte S (2003). Polymorphisms in CYP1A1, GSTM1, GSTT1 and lung cancer below the age of 45 years. *Int J Epidemiol* 32: 60-63.
- 1944.** Takach TJ, Reul GJ, Ott DA, Cooley DA (1996). Primary cardiac tumors in infants and children: immediate and long-term operative results. *Ann Thorac Surg* 62: 559-564.
- 1945.** Takagi N, Nakamura S, Yamamoto K, Kunishima K, Takagi I, Suyama M, Shinoda M, Sugiura T, Oyama A, Suzuki H, Koshikawa T, Kontani K, Ueda R, Takahashi T, Ariyoshi Y, Suchi T (1992). Malignant lymphoma of mucosa-associated lymphoid tissue arising in the thymus of a patient with Sjogren's syndrome. A morphologic, phenotypic, and genotypic study. *Cancer* 69: 1347-1355.
- 1946.** Takahashi K, Yoshida J, Nishimura M, Nagai K (2000). Thymic carcinoma. Outcome of treatment including surgical resection. *Jpn J Thorac Cardiovasc Surg* 48: 494-498.
- 1947.** Takahashi T, Nau MM, Chiba I, Birrer MJ, Rosenberg RK, Vinocour M, Levitt M, Pass H, Gazdar AF, Minna JD (1989). p53: a frequent target for genetic abnormalities in lung cancer. *Science* 246: 491-494.
- 1948.** Takai K, Sanada M, Hirose Y, Shibuya H (1997). [Diffuse large B-cell lymphoma mainly involving the heart and showing t(8;14) (q24;q32) with c-myc rearrangement]. *Rinsho Ketsueki* 38: 757-762.
- 1949.** Takamochi K, Ogura T, Suzuki K, Kawasaki H, Kurashima Y, Yokose T, Ochiai A, Nagai K, Nishiwaki Y, Esumi H (2001). Loss of heterozygosity on chromosomes 9q and 16p in atypical adenomatous hyperplasia concomitant with adenocarcinoma of the lung. *Am J Pathol* 159: 1941-1948.
- 1950.** Takamori S, Noguchi M, Morinaga S, Goya T, Tsugane S, Kakegawa T, Shimosato Y (1991). Clinicopathologic characteristics of adenosquamous carcinoma of the lung. *Cancer* 67: 649-654.
- 1951.** Takashima S, Maruyama Y, Hasegawa M, Saito A, Haniuda M, Kadoya M (2003). High-resolution CT features: prognostic significance in peripheral lung adenocarcinoma with bronchioloalveolar carcinoma components. *Respiration* 70: 36-42.
- 1952.** Takashima S, Maruyama Y, Hasegawa M, Yamanda T, Honda T, Kadoya M, Sone S (2002). Prognostic significance of high-resolution CT findings in small peripheral adenocarcinoma of the lung: a retrospective study on 64 patients. *Lung Cancer* 36: 289-295.
- 1953.** Takayama T, Kameya T, Inagaki K, Nonaka M, Miyazawa H, Ogawa N, Yano M, Morita T, Arai T, Niino S (1993). MEN type 1 associated with mediastinal carcinoma producing parathyroid hormone, calcitonin and chorionic gonadotropin. *Pathol Res Pract* 189: 1090-1096.
- 1954.** Takeda S, Miyoshi S, Akashi A, Ohta M, Minami M, Okumura M, Masaoka A, Matsuda H (2003). Clinical spectrum of primary mediastinal tumors: a comparison of adult and pediatric populations at a single Japanese institution. *J Surg Oncol* 83: 24-30.
- 1955.** Takeda S, Miyoshi S, Ohta M, Minami M, Masaoka A, Matsuda H (2003). Primary germ cell tumors in the mediastinum: a 50-year experience at a single Japanese institution. *Cancer* 97: 367-376.
- 1956.** Takeda S, Nanjo S, Nakamoto K, Imachi T, Yamamoto S (1994). Carcinosarcoma of the lung. Report of a case and review of the literature. *Respiration* 61: 113-116.
- 1957.** Takei H, Asamura H, Maeshima A, Suzuki K, Kondo H, Niki T, Yamada T, Tsuchiya R, Matsuno Y (2002). Large cell neuroendocrine carcinoma of the lung: a clinicopathologic study of eighty-seven cases. *J Thorac Cardiovasc Surg* 124: 285-292.
- 1958.** Takeuchi E, Shimizu E, Sano N, Yamaguchi T, Yanagawa H, Sone S (1998). A case of pleomorphic adenoma of the lung with multiple distant metastases - Observations on its oncogene and tumor suppressor gene expression. *Anticancer Res* 18: 2015-2020.
- 1959.** Takeuchi S, Koike M, Park S, Seriu T, Bartram CR, Taub HE, Williamson IK, Grewal J, Taguchi H, Koeffler HP (1998). The ATM gene and susceptibility to childhood T-cell acute lymphoblastic leukaemia. *Br J Haematol* 103: 536-538.
- 1960.** Takigawa N, Segawa Y, Nakata M, Saeki H, Mandai K, Kishino D, Shimono M, Ida M, Eguchi K (1999). Clinical investigation of atypical adenomatous hyperplasia of the lung. *Lung Cancer* 25: 115-121.
- 1961.** Takita H, Merrin C, Didolkar MS, Douglass HO, Edgerton F (1977). The surgical management of multiple lung metastases. *Ann Thorac Surg* 24: 359-364.
- 1962.** Talbot SM, Taub RN, Keohan ML, Edwards N, Galantowicz ME, Schulman LL (2002). Combined heart and lung transplantation for unresectable primary cardiac sarcoma. *J Thorac Cardiovasc Surg* 124: 1145-1148.
- 1963.** Talerman A (1986). Germ cell tumors. In: *Pathology of the Testis and its Adnexa*, Talerman A, Roth LM, eds., Churchill Livingstone: New York, pp. 29-65.
- 1964.** Talerman A, Gratama S (1983). Primary ganglioneuroblastoma of the anterior mediastinum in a 61-year-old woman. *Histopathology* 7: 967-975.
- 1965.** Tamura M, Ohta Y, Ishikawa N, Tsunetsuka Y, Oda M, Watanabe G (2002). [Thymic carcinoma; analysis of nine clinical studies]. *Kyobu Geka* 55: 1105-1109.
- 1966.** Tan DF, Huberman JA, Hyland A, Loewen GM, Brooks JS, Beck AF, Todorov IT, Bepler G (2001). MCM2—a promising marker for premalignant lesions of the lung: a cohort study. *BMC Cancer* 1: 6.
- 1967.** Tan PH, Sng IT (1995). Thymoma—a study of 60 cases in Singapore. *Histopathology* 26: 509-518.
- 1968.** Tan W, Chen GF, Xing DY, Song CY, Kadlubar FF, Lin DX (2001). Frequency of CYP2A6 gene deletion and its relation to risk of lung and esophageal cancer in the Chinese population. *Int J Cancer* 95: 96-101.
- 1969.** Tandon S, Kant S, Singh AK, Sinha KN, Chandra T, Agarwal PK (1999). Primary intrapulmonary teratoma presenting as pyothorax. *Indian J Chest Dis Allied Sci* 41: 51-55.
- 1970.** Tang D, Phillips DH, Stampfer M, Mooney LA, Hsu Y, Cho S, Tsai WY, Ma J, Cole KJ, She MN, Perera FP (2001). Association between carcinogen-DNA adducts in white blood cells and lung cancer risk in the physicians health study. *Cancer Res* 61: 6708-6712.
- 1971.** Tangthantham A, Wongsangiem M, Koanantakool T, Ponglertnapagorn P,

- Subhannachart P, Charupatanapongse U (1998). Intrapulmonary teratoma: a report of three cases. *J Med Assoc Thai* 81: 1028-1033.
1972. Taniere P, Manai A, Charpentier R, Terdjman P, Boucheron S, Cordier JF, Berger F (1998). Pyothorax-associated lymphoma: relationship with Epstein-Barr virus, human herpes virus-8 and body cavity-based high grade lymphomas. *Eur Respir J* 11: 779-783.
1973. Taniere P, Thivolet-Bejui F, Vitrey D, Isaac S, Loire R, Cordier JF, Berger F (1998). Lymphomatoid granulomatosis—a report on four cases: evidence for B phenotype of the tumoral cells. *Eur Respir J* 12: 102-106.
1974. Tanimura S, Tomoyasu H, Kohno T, Matsushita H (2002). [Basaloid carcinoma originated from the wall of thymic cyst presenting as pericardial and thoracic effusion; report of a case]. *Kyobu Geka* 55: 571-575.
1975. Taniyama K, Ohta S, Suzuki H, Matsumoto M, Nagashima Y, Tahara E (1992). Alpha-fetoprotein-producing immature mediastinal teratoma showing rapid and massive recurrent growth in an adult. *Acta Pathol Jpn* 42: 911-915.
1976. Tanoue LT, Ponn RB (2002). Therapy for stage I and stage II non-small cell lung cancer. *Clin Chest Med* 23: 173-190.
1977. Tashiro Y, Iwata Y, Nabae T, Manabe H (1995). Pulmonary oncocytoma: report of a case in conjunction with an immunohistochemical and ultrastructural study. *Pathol Int* 45: 448-451.
1978. Tateyama H, Eimoto T, Tada T, Hattori H, Murase T, Takino H (1999). Immunoreactivity of a new CD5 antibody with normal epithelium and malignant tumors including thymic carcinoma. *Am J Clin Pathol* 111: 235-240.
1979. Tateyama H, Eimoto T, Tada T, Inagaki H, Hattori H, Takino H (1997). Apoptosis, bcl-2 protein, and Fas antigen in thymic epithelial tumors. *Mod Pathol* 10: 983-991.
1980. Tateyama H, Eimoto T, Tada T, Mizuno T, Inagaki H, Hata A, Sasaki M, Masaoka A (1995). p53 protein expression and p53 gene mutation in thymic epithelial tumors. An immunohistochemical and DNA sequencing study. *Am J Clin Pathol* 104: 375-381.
1981. Tateyama H, Saito Y, Fujii Y, Okumura M, Nakamura K, Tada H, Yasumitsu T, Eimoto T (2001). The spectrum of micronodular thymic epithelial tumours with lymphoid B-cell hyperplasia. *Histopathology* 38: 519-527.
1982. Taubert H, Wurl P, Meye A, Berger D, Thamm B, Neumann K, Hinze R, Schmidt H, Rath FW (1995). Molecular and immunohistochemical p53 status in liposarcoma and malignant fibrous histiocytoma: identification of seven new mutations for soft tissue sarcomas. *Cancer* 76: 1187-1196.
1983. Taylor JR, Ryu J, Colby TV, Raffin TA (1990). Lymphangioleiomyomatosis. Clinical course in 32 patients. *N Engl J Med* 323: 1254-1260.
1984. Tazelaar HD, Batts KP, Srigley JR (2001). Primary extrapulmonary sugar tumor (PEST): a report of four cases. *Mod Pathol* 14: 615-622.
1985. Tazelaar HD, Kerr D, Yousem SA, Saldana MJ, Langston C, Colby TV (1993). Diffuse pulmonary lymphangiomatosis. *Hum Pathol* 24: 1313-1322.
1986. Tazelaar HD, Locke TJ, McGregor CG (1992). Pathology of surgically excised primary cardiac tumors. *Mayo Clin Proc* 67: 957-965.
1987. Teh BT (1998). Thymic carcinoids in multiple endocrine neoplasia type 1. *J Intern Med* 243: 501-504.
1988. Teh BT, McArdle J, Chan SP, Menon J, Hartley L, Pullan P, Ho J, Khir A, Wilkinson S, Larsson C, Cameron D, Shepherd J (1997). Clinicopathologic studies of thymic carcinoids in multiple endocrine neoplasia type 1. *Medicine (Baltimore)* 76: 21-29.
1989. Teh BT, Zedenius J, Kytola S, Skogseid B, Trotter J, Choplin H, Twigg S, Farnebo F, Giraud S, Cameron D, Robinson B, Calender A, Larsson C, Salmela P (1998). Thymic carcinoids in multiple endocrine neoplasia type 1. *Ann Surg* 228: 99-105.
1990. Teilum G (1959). Endodermal sinus tumours of the ovary and testis: comparative morphogenesis of the so-called mesonephroma ovarii (Schiller) and extraembryonic (yolk sac-allantoic) structures in the rat's placenta. *Cancer* 12: 1092-1105.
1991. Teramoto N, Cao L, Kawasaki N, Tonoyama Y, Sarker AB, Yoshino T, Takahashi K, Akagi T (1996). Variable expression of Epstein-Barr virus latent membrane protein 1 in Reed-Sternberg cells of Hodgkin's disease. *Acta Med Okayama* 50: 267-270.
1992. Terasaki H, Niki T, Hasegawa T, Yamada T, Suzuki K, Kusumoto M, Fujimoto K, Hayabuchi N, Matsuno Y, Shimoda T (2001). Primary synovial sarcoma of the lung: a case report confirmed by molecular detection of SYT-SSX fusion gene transcripts. *Jpn J Clin Oncol* 31: 212-216.
1993. Teraski H, Niki T, Matsuno Y, Yamada T, Maeshima A, Asamura H, Hayabuchi N, Hirohashi S (2003). Lung adenocarcinoma with mixed bronchiolo-alveolar and invasive components: clinicopathological features, subclassification by extent of invasive foci, and immunohistochemical characterization. *Am J Surg Pathol* 27: 937-951.
1994. Teruya-Feldstein J, Jaffe ES, Burd PR, Kanegane H, Kingma DW, Wilson WH, Longo DL, Tosato G (1997). The role of Mig, the monokine induced by interferon-gamma, and IP-10, the interferon-gamma-inducible protein-10, in tissue necrosis and vascular damage associated with Epstein-Barr virus-positive lymphoproliferative disease. *Blood* 90: 4099-4105.
1995. Teruya-Feldstein J, Zauber P, Setsuda JE, Berman EL, Sorbara L, Raffeld M, Tosato G, Jaffe ES (1998). Expression of human herpesvirus-8 oncogene and cytokine homologues in an HIV-seronegative patient with multicentric Castleman's disease and primary effusion lymphoma. *Lab Invest* 78: 1637-1642.
1996. Testa JR, Liu Z, Feder M, Bell DW, Balsara B, Cheng JQ, Taguchi T (1997). Advances in the analysis of chromosome alterations in human lung carcinomas. *Cancer Genet Cytogenet* 95: 20-32.
1997. Testa JR, Pass HI, Carbone M (2001). Molecular biology of mesothelioma. In: *Cancer: Principles and Practice of Oncology*, DeVita VT Jr, Hellman S, Rosenberg SA, eds., 6th ed. Lippincott Williams & Wilkins: Philadelphia, pp. 1937-1943.
1998. Thier R, Bruning T, Roos PH, Bolt HM (2002). Cytochrome P450 1B1, a new key-stone in gene-environment interactions related to human head and neck cancer? *Arch Toxicol* 76: 249-256.
1999. Thomas CF Jr, Tazelaar HD, Jett JR (2001). Typical and atypical pulmonary carcinoids : outcome in patients presenting with regional lymph node involvement. *Chest* 119: 1143-1150.
2000. Thomas CR, Wright CD, Loehrer PJ (1999). Thymoma: state of the art. *J Clin Oncol* 17: 2280-2289.
2001. Thomas KE, Winchell CP, Varco RL (1967). Diagnostic and surgical aspects of left atrial tumors. *J Thorac Cardiovasc Surg* 53: 535-548.
2002. Thompson L, Chang B, Barsky SH (1996). Monoclonal origins of malignant mixed tumors (carcinosarcomas). Evidence for a divergent histogenesis. *Am J Surg Pathol* 20: 277-285.
2003. To-Figueras J, Gene M, Gomez-Catalan J, Galan C, Firvida J, Fuentes M, Rodamilans M, Huguet E, Estape J, Corbella J (1996). Glutathione-S-Transferase M1 and codon 72 p53 polymorphisms in a northwestern Mediterranean population and their relation to lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev* 5: 337-342.
2004. Toide K, Yamazaki H, Nagashima R, Itoh K, Iwano S, Takahashi Y, Watanabe S, Kamataki T (2003). Aryl Hydrocarbon Hydroxylase Represents CYP1B1, and not CYP1A1, in Human Freshly Isolated White Cells: Trimodal Distribution of Japanese Population According to Induction of CYP1B1 mRNA by Environmental Dioxins. *Cancer Epidemiol Biomarkers Prev* 12: 219-222.
2005. Tollens T, Casselman F, Devlieger H, Gewillig MH, Vandenberghe K, Lerut TE, Daenen WJ (1998). Fetal cardiac tamponade due to an intrapericardial teratoma. *Ann Thorac Surg* 66: 559-560.
2006. Tomashefski JF Jr (1982). Benign endobronchial mesenchymal tumors: their relationship to parenchymal pulmonary hamartomas. *Am J Surg Pathol* 6: 531-540.
2007. Tomashefski JF Jr, Connors AF Jr, Rosenthal ES, Hsiue IL (1990). Peripheral vs central squamous cell carcinoma of the lung. A comparison of clinical features, histopathology, and survival. *Arch Pathol Lab Med* 114: 468-474.
2008. Tominaga K, Kadokura M, Saida K, Nakao K, Kushiro H, Ryu K, Yamamoto N (1994). [A surgical case of giant mediastinal teratoma]. *Kyobu Geka* 47: 944-947.
2009. Tomita M, Matsuzaki Y, Edagawa M, Maeda M, Shimizu T, Hara M, Onitsuka T (2002). Clinical and immunohistochemical study of eight cases with thymic carcinoma. *BMC Surg* 2: 3.
2010. Tomita S, Mori KL, Sakajiri S, Oshimi K (2003). B-cell marker negative (CD7+, CD19-) Epstein-Barr virus-related pyothorax-associated lymphoma with rearrangement in the JH gene. *Leuk Lymphoma* 44: 727-730.
2011. Tomizawa Y, Adachi J, Kohno T, Hamada K, Saito R, Noguchi M, Matsuno Y, Hirohashi S, Yamaguchi N, Yokota J (1999). Prognostic significance of allelic imbalances on chromosome 9p in stage I non-small cell lung carcinoma. *Clin Cancer Res* 5: 1139-1146.
2012. Tomizawa Y, Nakajima T, Kohno T, Saito R, Yamaguchi N, Yokota J (1998). Clinicopathological significance of Fhit protein expression in stage I non-small cell lung carcinoma. *Cancer Res* 58: 5478-5483.
2013. Tomsova M, Steiner I, Dominik J (2000). [Cardiac myxomas]. *Acta Medica (Hradec Kralove)* 43 Suppl: 29-32.
2014. Toole AL, Stern H (1972). Carcinoid and adenoid cystic carcinoma of the bronchus. *Ann Thorac Surg* 13: 63-81.
2015. Topol EJ, Biern RO, Reitz BA (1986). Cardiac papillary fibroelastoma and stroke. Echocardiographic diagnosis and guide to excision. *Am J Med* 80: 129-132.
2016. Toren A, Ben Bassat I, Rechavi G (1996). Infectious agents and environmental factors in lymphoid malignancies. *Blood* Rev 10: 89-94.
2017. Toyooka S, Maruyama R, Toyooka KO, McLerran D, Feng Z, Fukuyama Y, Virmani AK, Zochbauer-Muller S, Tsukuda K, Sugio K, Shimizu N, Shimizu K, Lee H, Chen CY, Fong KM, Gilcrease M, Roth JA, Minna JD, Gazdar AF (2003). Smoke exposure, histologic type and geography-related differences in the methylation profiles of non-small cell lung cancer. *Int J Cancer* 103: 153-160.
2018. Toyooka S, Pass HI, Shivapurkar N, Fukuyama Y, Maruyama R, Toyooka KO, Gilcrease M, Farinas A, Minna JD, Gazdar AF (2001). Aberrant methylation and simian virus 40 tag sequences in malignant mesothelioma. *Cancer Res* 61: 5727-5730.
2019. Toyooka S, Toyooka KO, Maruyama R, Virmani AK, Girard L, Miyajima K, Harada K, Ariyoshi Y, Takahashi T, Sugio K, Brambilla E, Gilcrease M, Minna JD, Gazdar AF (2001). DNA methylation profiles of lung tumors. *Mol Cancer Ther* 1: 61-67.
2020. Toyooka S, Tsuda T, Gazdar AF (2003). The TP53 gene, tobacco exposure, and lung cancer. *Hum Mutat* 21: 229-239.
2021. Travers H (1982). Congenital polycystic tumor of the atrioventricular node: possible familial occurrence and critical review of reported cases with special emphasis on histogenesis. *Hum Pathol* 13: 25-35.
2022. Travis WD (2001). Lung. In: *Pathology of Incipient Neoplasia*, Albores-Saavedra J, Henson DE, eds., 3rd ed. Oxford University Press: New York, pp. 295-318.
2023. Travis WD (2002). Pathology of lung cancer. *Clin Chest Med* 23: 65-81, viii.
2024. Travis WD, Colby TV, Corrin B, Shimosato Y, Brambilla E (1999). WHO Histological Classification of Tumours. *Histological Typing of Lung and Pleural Tumours*. 3rd ed. Springer-Verlag: Berlin.
2025. Travis WD, Colby TV, Koss MN, Rosado-de-Christenson ML, Müller NL, King TE (2002). *Atlas of Non-Tumor Pathology, Non-Neoplastic Disorders of the Lower Respiratory Tract*. 1st ed. AFIP: Washington, DC.
2026. Travis WD, Linnoila RI, Tsokos MG, Hitchcock CL, Cutler GB Jr, Nieman L, Chrousos G, Pass H, Doppman J (1991). Neuroendocrine tumors of the lung with proposed criteria for large-cell neuroendocrine carcinoma. An ultrastructural, immunohistochemical, and flow cytometric study of 35 cases. *Am J Surg Pathol* 15: 529-553.
2027. Travis WD, Lubin J, Ries L, Devesa S (1996). United States lung carcinoma incidence trends: declining for most histologic types among males, increasing among females. *Cancer* 77: 2464-2470.
2028. Travis WD, Rush W, Flieder DB, Falk R, Fleming MV, Gal AA, Koss MN (1998). Survival analysis of 200 pulmonary neuroendocrine tumors with clarification of criteria for atypical carcinoid and its separation from typical carcinoid. *Am J Surg Pathol* 22: 934-944.
2029. Travis WD, Travis LB, Devesa SS (1995). Lung cancer. *Cancer* 75: 191-202.
2030. Trillo A, Guha A (1988). Solitary condylomatous papilloma of the bronchus.

- 2031.** Trojani M, Contesso G, Coindre JM, Rouesse J, Bui NB, de Mascarel A, Goussot JF, David M, Bonichon F, Lagarde C (1984). Soft-tissue sarcomas of adults; study of pathological prognostic variables and definition of a histopathological grading system. *Int J Cancer* 33: 37-42.
- 2032.** Truong LD, Mody DR, Cagle PT, Jackson-York GL, Schwartz MR, Wheeler TM (1990). Thymic carcinoma. A clinicopathologic study of 13 cases. *Am J Surg Pathol* 14: 151-166.
- 2033.** Trupiano JK, Rice TW, Herzog J, Barr FG, Shipley J, Fisher C, Goldblum JR (2002). Mediastinal synovial sarcoma: report of two cases with molecular genetic analysis. *Ann Thorac Surg* 73: 628-630.
- 2034.** Tsang P, Cesarman E, Chadburn A, Liu YF, Knowles DM (1996). Molecular characterization of primary mediastinal B cell lymphoma. *Am J Pathol* 148: 2017-2025.
- 2035.** Tsuchida M, Yamato Y, Hashimoto T, Saito M, Hayashi J (2001). Recurrent thymic carcinoid tumor in the pleural cavity. 2 cases of long-term survivors. *Jpn J Thorac Cardiovasc Surg* 49: 666-668.
- 2036.** Tsuchiya R, Koga K, Matsuno Y, Mukai K, Shimosato Y (1994). Thymic carcinoma: proposal for pathological TNM and staging. *Pathol Int* 44: 505-512.
- 2037.** Tsuji N, Tateishi R, Ishiguro S, Terao T, Higashiyama M (1995). Adenomyoepithelioma of the lung. *Am J Surg Pathol* 19: 956-962.
- 2038.** Tsukamoto S, Omori K, Kitamura K, Ohata M, Sezai Y, Nemoto N (1993). [A case report of mediastinal teratoma complicated with cardiac tamponade]. *Nippon Kyobu Geka Gakkai Zasshi* 41: 688-693.
- 2039.** Tucker AS (1964). Lymphangiectasis - benign + malignant. *Am J Roentgenol Radium Ther Nucl Med* 91: 1104-8.
- 2040.** Turnbull AD, Huvos AG, Goodner JT, Foote FW Jr (1971). Mucoepidermoid tumors of bronchial glands. *Cancer* 28: 539-544.
- 2041.** Turner RR, Colby TV, Doggett RS (1984). Well-differentiated lymphocytic lymphoma. A study of 47 patients with primary manifestation in the lung. *Cancer* 54: 2088-2096.
- 2042.** Tyczynski JE, Bray F, Parkin DM (2003). Lung cancer in Europe in 2000: epidemiology, prevention, and early detection. *Lancet Oncol* 4: 45-55.
- 2043.** Ueberfuhr P, Meiser B, Fuchs A, Schulze C, Reichensperner H, Falk M, Weiss M, Wintersperger B, Issels R, Reichart B (2002). Heart transplantation: an approach to treating primary cardiac sarcoma? *J Heart Lung Transplant* 21: 1135-1139.
- 2044.** Uckun FM, Sinsel MG, Sun L, Steinherz PG, Trigg ME, Heerema NA, Sather HN, Reaman GH, Gaynon PS (1998). Biology and treatment of childhood T-lineage acute lymphoblastic leukemia. *Blood* 91: 735-746.
- 2045.** UICC (2002). International Union Against Cancer (UICC): TNM Classification of Malignant Tumours. 6th ed. Wiley and Sons: New York.
- 2046.** Ulbright TM, Clark SA, Einhorn LH (1985). Angiosarcoma associated with germ cell tumors. *Hum Pathol* 16: 268-272.
- 2047.** Ulbright TM, Loehrer PJ, Roth LM, Einhorn LH, Williams SD, Clark SA (1984). The development of non-germ cell malignancies within germ cell tumors. A clinicopathologic study of 11 cases. *Cancer* 54: 1824-1833.
- 2048.** Ulbright TM, Michael H, Loehrer PJ, Donohue JP (1990). Spindle cell tumors resected from male patients with germ cell tumors. A clinicopathologic study of 14 cases. *Cancer* 65: 148-156.
- 2049.** Ulbright TM, Roth LM (1990). A pathologic analysis of lesions following modern chemotherapy for metastatic germ-cell tumors. *Pathol Annu* 25 Pt 1: 313-340.
- 2050.** Ulbright TM, Roth LM, Brodhecker CA (1986). Yolk sac differentiation in germ cell tumors. A morphologic study of 50 cases with emphasis on hepatic, enteric, and parietal yolk sac features. *Am J Surg Pathol* 10: 151-164.
- 2051.** Ullmann R, Petzmann S, Sharma A, Cagle PT, Popper HH (2001). Chromosomal aberrations in a series of large-cell neuroendocrine carcinomas: unexpected divergence from small-cell carcinoma of the lung. *Hum Pathol* 32: 1059-1063.
- 2052.** Ullmann R, Schwendel A, Klemen H, Wolf G, Petersen I, Popper HH (1998). Unbalanced chromosomal aberrations in neuroendocrine lung tumors as detected by comparative genomic hybridization. *Hum Pathol* 29: 1145-1149.
- 2053.** Uppal R, Goldstraw P (1992). Primary pulmonary lymphoma. *Lung Cancer* 8: 95-100.
- 2054.** Uramoto H, Oyama T, Yoshimatsu T, Osaki T, Yasumoto K (2000). Benign mesenchymoma of the mediastinum. *Jpn J Thorac Cardiovasc Surg* 48: 814-816.
- 2055.** Urban C, Lackner H, Schwinger W, Beham-Schmid C (2003). Fatal hemophagocytic syndrome as initial manifestation of a mediastinal germ cell tumor. *Med Pediatr Oncol* 40: 247-249.
- 2056.** Ustun MO, Demircan A, Paksoy N, Ozkaynak C, Tuzuner S (1996). A case of intrapulmonary teratoma presenting with hair expectoration. *Thorac Cardiovasc Surg* 44: 271-273.
- 2057.** Usuda K, Saito Y, Nagamoto N, Sato M, Sagawa M, Kanma K, Takahasi S, Endo C, Fujimura S (1993). Relation between bronchoscopic findings and tumor size of roentgenographically occult bronchogenic squamous cell carcinoma. *J Thorac Cardiovasc Surg* 106: 1098-1103.
- 2058.** Vahakangas KH, Bennett WP, Castren K, Welsh JA, Khan MA, Blomeke B, Alavanja MC, Harris CC (2001). p53 and K-ras mutations in lung cancers from former and never-smoking women. *Cancer Res* 61: 4350-4356.
- 2059.** Val-Bernal JF, Figols J, Arce FP, Sanz-Ortiz J (2001). Cardiac epithelioid angiosarcoma presenting as cutaneous metastases. *J Cutan Pathol* 28: 265-270.
- 2060.** Val-Bernal JF, Villoria F, Fernandez FA (2000). Polypoid (pedunculated) subepicardial lipoma: a cardiac lesion resembling the epiploic appendage. *Cardiovasc Pathol* 9: 55-57.
- 2061.** Valk PE, Pounds TR, Hopkins DM, Haseman MK, Hofer GA, Greiss HB, Myers RW, Lutrin CL (1995). Staging non-small cell lung cancer by whole-body positron emission tomographic imaging. *Ann Thorac Surg* 60: 1573-1581.
- 2062.** Valli M, Fabris GA, Dewar A, Chikte S, Fisher C, Corrin B, Sheppard MN (1994). Atypical carcinoid tumour of the thymus: a study of eight cases. *Histopathology* 24: 371-375.
- 2063.** van de Rijn M, Lombard CM, Rouse RV (1994). Expression of CD34 by solitary fibrous tumors of the pleura, mediastinum, and lung. *Am J Surg Pathol* 18: 814-820.
- 2064.** van de Rijn M, Rouse RV (1994). CD34 a review. *Appl Immunohistochem* 2: 71-80.
- 2065.** Van den Bergh I, Debiec-Rychter M, Proot L, Hagemeijer A, Michielsens P (2002). Ring chromosome 6 may represent a cytogenetic subgroup in benign thymoma. *Cancer Genet Cytogenet* 137: 75-77.
- 2066.** van den Bosch JM, Wagenaar SS, Corrin B, Elbers JR, Knaepen PJ, Westermann CJ (1987). Mesenchymoma of the lung (so called hamartoma): a review of 154 parenchymal and endobronchial cases. *Thorax* 42: 790-793.
- 2067.** van den Oord JJ, Wolf-Peters C, de Vos R, Thomas J, Desmet VJ (1986). Sarcoma arising from interdigitating reticulum cells: report of a case, studied with light and electron microscopy, and enzyme- and immunohistochemistry. *Histopathology* 10: 509-523.
- 2068.** Van der Hauwaert LG (1971). Cardiac tumours in infancy and childhood. *Br Heart J* 33: 125-132.
- 2069.** van Spronsen DJ, Vrints LW, Hofstra G, Crommelin MA, Coebergh JW, Breed WP (1997). Disappearance of prognostic significance of histopathological grading of nodular sclerosing Hodgkin's disease for unselected patients, 1972-92. *Br J Haematol* 96: 322-327.
- 2070.** van Unnik JA, Coindre JM, Contesso C, Albus-Lutter CE, Schiodt T, Sylvester R, Thomas D, Bramwell V, Mouridsen HT (1993). Grading of soft tissue sarcomas: experience of the EORTC Soft Tissue and Bone Sarcoma Group. *Eur J Cancer* 29A: 2089-2093.
- 2071.** Vander Salm TJ (2000). Unusual primary tumors of the heart. *Semin Thorac Cardiovasc Surg* 12: 89-100.
- 2072.** Vargas SO, French CA, Faul PN, Fletcher JA, Davis IJ, Dal Cin P, Perez-Atayde AR (2001). Upper respiratory tract carcinoma with chromosomal translocation 15;19: evidence for a distinct disease entity of young patients with a rapidly fatal course. *Cancer* 92: 1195-1203.
- 2073.** Vargas SO, Nose V, Fletcher JA, Perez-Atayde AR (2001). Gains of chromosome 8 are confined to mesenchymal components in pleuropulmonary blastoma. *Pediatr Dev Pathol* 4: 434-445.
- 2074.** Vasey PA, Dunlop DJ, Kaye SB (1994). Primary mediastinal germ cell tumour and acute monocytic leukaemia occurring concurrently in a 15-year-old boy. *Ann Oncol* 5: 649-652.
- 2075.** Vassallo R, Ryu JH, Colby TV, Hartman J, Limper AH (2000). Pulmonary Langerhans'-cell histiocytosis. *N Engl J Med* 342: 1969-1978.
- 2076.** Vassallo R, Ryu JH, Schroeder DR, Decker PA, Limper AH (2002). Clinical outcomes of pulmonary Langerhans'-cell histiocytosis in adults. *N Engl J Med* 346: 484-490.
- 2077.** Vaughan CJ, Veugelaers M, Basson CT (2001). Tumors and the heart: molecular genetic advances. *Curr Opin Cardiol* 16: 195-200.
- 2078.** Vazquez MF, Flieder DB (2000). Small peripheral glandular lesions detected by screening CT for lung cancer. A diagnostic dilemma for the pathologist. *Radiol Clin North Am* 38: 579-589.
- 2079.** Veinot JP, Burns BF, Commons AS, Thomas J (1999). Cardiac neoplasms at the Canadian Reference Centre for Cancer Pathology. *Can J Cardiol* 15: 311-319.
- 2080.** Veinot JP, Walley VM (2000). Focal and patchy cardiac valve lesions: a clinicopathological review. *Can J Cardiol* 16: 1489-1507.
- 2081.** Verbeken E, Beys J, Moerman P, Knockaert D, Goddeeris P, Lauweryns JM (1985). Lung metastasis of malignant epithelioid hemangioendothelioma mimicking a primary intravascular bronchioalveolar tumor. A histologic, ultrastructural, and immunohistochemical study. *Cancer* 55: 1741-1746.
- 2082.** Viale G (1989). Cytokeratin immunocytochemistry in the practice of diagnostic histopathology. *Ultrastruct Pathol* 13: 91.
- 2083.** Viard-Leveugle I, Veyrenc S, French LE, Brambilla C, Brambilla E (2003). Frequent loss of Fas expression and function in human lung tumors with overexpression of FasL in small cell lung carcinoma. *J Pathol* 201: 268-277.
- 2084.** Vikkula M, Boon LM, Carraway KLI, Calvert JT, Diamonti AJ, Goumnerov B, Pasyk KA, Marchuk DA, Warman ML, Cantley LC, Mulliken JB, Olsen BR (1996). Vascular dysmorphogenesis caused by an activating mutation in the receptor tyrosine kinase TIE2. *Cell* 87: 1181-1190.
- 2085.** Vilchez RA, Kozinetz CA, Arrington AS, Madden CR, Butel JS (2003). Simian virus 40 in human cancers. *Am J Med* 114: 675-684.
- 2086.** Vineis P, Veglia F, Benhamou S, Butkiewicz D, Casorbi I, Clapper ML, Dolzan V, Haugen A, Hirvonen A, Ingelman-Sundberg M, Kihara M, Kiyohara C, Kremers P, Le Marchand L, Ohshima S, Pastorelli R, Rannug A, Romkes M, Schoket B, Shields P, Strange RC, Stucker I, Sugimura H, Garte S, Gaspari L, Taioli E (2003). CYP1A1 T3801 C polymorphism and lung cancer: a pooled analysis of 2451 cases and 3358 controls. *Int J Cancer* 104: 650-657.
- 2087.** Vlasveld LT, Splinter TA, Hagemeijer A, Van Lom K, Lowenberg B (1994). Acute myeloid leukaemia with +i(12p) shortly after treatment of mediastinal germ cell tumour. *Br J Haematol* 88: 196-198.
- 2088.** Vlodyavsky E, Ben Izhak O, Best LA, Kerner H (2000). Primary malignant melanoma of the anterior mediastinum in a child. *Am J Surg Pathol* 24: 747-749.
- 2089.** Vollmer RT (1982). The effect of cell size on the pathologic diagnosis of small and large cell carcinomas of the lung. *Cancer* 50: 1380-1383.
- 2090.** von Wasielewski R, Mengel M, Fischer R, Hansmann ML, Hübner K, Franklin J, Tesch H, Paulus U, Werner M, Diehl V, Georgii A (1997). Classical Hodgkin's disease. Clinical impact of the immunophenotype. *Am J Pathol* 151: 1123-1130.
- 2091.** Von Wasielewski S, Franklin J, Fischer R, Huebner K, Hansmann ML, Diehl V, Georgii A, von Wasielewski R (2003). Nodular sclerosing Hodgkin's disease: new grading predicts prognosis in intermediate and advanced stages. *Blood*.
- 2092.** Vonlanthen S, Heighway J, Kappeler A, Altermatt HJ, Borner MM, Betticher DC (2000). p21 is associated with cyclin D1, p16INK4a and pRb expression in resectable non-small cell lung cancer. *Int J Oncol* 16: 951-957.
- 2093.** Vougiouklakis T, Goussia A, Ioachim E, Peschos D, Agnantis N (2001). Cardiac fibroma. A case presentation. *Virchows Arch* 438: 635-636.
- 2094.** Vroegindeweij-Claessens LJ, Tijssen CC, Creemers GJ, Lockfeer JH, Teepeen JL (1990). Myasthenia gravis and thymoma in multiple endocrine neoplasia (MEN-1) syndrome. *J Neurol Neurosurg Psychiatry* 53: 624-625.

2095. Wajchenberg BL, Mendonca BB, Liberman B, Pereira MA, Carneiro PC, Wakamatsu A, Kirschner MA (1994). Ectopic adrenocorticotrophic hormone syndrome. *Endocr Rev* 15: 752-787.
2096. Wakely PJr, Suster S (2000). Langerhans' cell histiocytosis of the thymus associated with multicentric thymic cyst. *Hum Pathol* 31: 1532-1535.
2097. Walch AK, Zitzelsberger HF, Aubele MM, Mattis AE, Bauchinger M, Candidus S, Prauer HW, Werner M, Hoffer H (1998). Typical and atypical carcinoid tumors of the lung are characterized by 11q deletions as detected by comparative genomic hybridization. *Am J Pathol* 153: 1089-1098.
2098. Walker AN, Mills SE, Fechner RE (1990). Thymomas and thymic carcinomas. *Semin Diagn Pathol* 7: 250-265.
2099. Walker WP, Wittchow RJ, Bottles K, Layfield LJ, Hirschowitz S, Cohen MB (1994). Paraneoplastic blue inclusions in small cell undifferentiated carcinoma: a diagnostically useful finding demonstrated in fine-needle aspiration biopsy smears. *Diagn Cytopathol* 10: 212-215.
2100. Walles T, Teebken OE, Bartels M, Fangmann J, Scheumann GF, Pichlmaier MA, Klempnauer J (2000). Pancreatic metastasis of a pleuropulmonary blastoma in an adult. *Ann Oncol* 11: 1609-1611.
2101. Walter JW, Blei F, Anderson JL, Orlov SJ, Speer MC, Marchuk DA (1999). Genetic mapping of a novel familial form of infantile hemangioma. *Am J Med Genet* 82: 77-83.
2102. Walton JAJr, Kahn DR, Willis PWI (1972). Recurrence of a left atrial myxoma. *Am J Cardiol* 29: 872-876.
2103. Wang C, Mahaffey JE, Axelrod L, Perlman JA (1979). Hyperfunctioning supernumerary parathyroid glands. *Surg Gynecol Obstet* 148: 711-714.
2104. Wang HJ, Lin JL, Lin FY (2002). Images in cardiovascular medicine. Cardiac hemangioma. *Circulation* 106: 2520.
2105. Wang Q, Timur AA, Szafranski P, Sadgephour A, Jurecic V, Cowell J, Baldini A, Driscoll DJ (2001). Identification and molecular characterization of de novo translocation t(8;14)(q22.3;q13) associated with a vascular and tissue overgrowth syndrome. *Cytogenet Cell Genet* 95: 183-188.
2106. Wang Y, Spitz MR, Schabath MB, Ali-Osman F, Mata H, Wu X (2003). Association between glutathione S-transferase p1 polymorphisms and lung cancer risk in Caucasians: a case-control study. *Lung Cancer* 40: 25-32.
2107. Warhol MJ, Hickey WF, Corson JM (1982). Malignant mesothelioma: ultrastructural distinction from adenocarcinoma. *Am J Surg Pathol* 6: 307-314.
2108. Warnke RA, Weiss LM, Chan JKC, Cleary ML, Dorfman RF (1995). Tumors of the Lymph Nodes and Spleen. 3rd ed. Armed Forces Institute of Pathology: Washington, DC.
2109. Warren WH, Faber LP, Gould VE (1989). Neuroendocrine neoplasms of the lung. A clinicopathologic update. *J Thorac Cardiovasc Surg* 98: 321-332.
2110. Warren WH, Memoli VA, Gould VE (1984). Immunohistochemical and ultrastructural analysis of bronchopulmonary neuroendocrine neoplasms. II. Well-differentiated neuroendocrine carcinomas. *Ultrastruct Pathol* 7: 185-199.
2111. Watanabe J, Shimada T, Gillam EM, Ikuta T, Suemasu K, Higashi Y, Gotoh O, Kawajiri K (2000). Association of CYP1B1 genetic polymorphism with incidence to breast and lung cancer. *Pharmacogenetics* 10: 25-33.
2112. Watanabe S, Watanabe T, Arai K, Kasai T, Haratake J, Urayama H (2002). Results of wedge resection for focal bronchioloalveolar carcinoma showing pure ground-glass attenuation on computed tomography. *Ann Thorac Surg* 73: 1071-1075.
2113. Watanabe T, Hojo Y, Kozaki T, Nagashima M, Ando M (1991). Hypoplastic left heart syndrome with rhabdomyoma of the left ventricle. *Pediatr Cardiol* 12: 121-122.
2114. Watson JC, Stratakis CA, Bryant-Greenwood PK, Koch CA, Kirschner LS, Nguyen T, Carney JA, Oldfield EH (2000). Neurosurgical implications of Carney complex. *J Neurosurg* 92: 413-418.
2115. Wei Q, Cheng L, Amos CI, Wang LE, Guo Z, Hong WK, Spitz MR (2000). Repair of tobacco carcinogen-induced DNA adducts and lung cancer risk: a molecular epidemiologic study. *J Natl Cancer Inst* 92: 1764-1772.
2116. Weidner N (1999). Germ-cell tumors of the mediastinum. *Semin Diagn Pathol* 16: 42-50.
2117. Weinberger MA, Katz S, Davis EW (1955). Peripheral bronchial adenoma of mucous gland type-clinical and pathologic aspects. *J Thorac Surg* 29: 626-635.
2118. Weirich G, Schneider P, Fellbaum C, Brauch H, Nathrath W, Scholz M, Prauer H, Hoffer H (1997). p53 alterations in thymic epithelial tumours. *Virchows Arch* 431: 17-23.
2119. Weiss SW, Goldblum JR (2001). Enzinger and Weiss's Soft Tissue Tumors. 4th ed. Mosby-Harcourt: St Louis.
2120. Weiss SW, Ishak KG, Dail DH, Sweet DE, Enzinger FM (1986). Epithelioid hemangioperithelioma and related lesions. *Semin Diagn Pathol* 3: 259-287.
2121. Weiss SW, Nickloff BJ (1993). CD-34 is expressed by a distinctive cell population in peripheral nerve, nerve sheath tumors, and related lesions. *Am J Surg Pathol* 17: 1039-1045.
2122. Weldon-Linne CM, Victor TA, Christ ML, Fry WA (1981). Angiogenic nature of the "intravascular bronchioloalveolar tumor" of the lung: an electron microscopic study. *Arch Pathol Lab Med* 105: 174-179.
2123. Weng SY, Tsuchiya E, Kasuga T, Sugano H (1992). Incidence of atypical bronchioloalveolar cell hyperplasia of the lung: relation to histological subtypes of lung cancer. *Virchows Arch A Pathol Anat Histol* 420: 463-471.
2124. Werling RW, Yaziji H, Bacchi CE, Gown AM (2003). CDX2, a Highly Sensitive and Specific Marker of Adenocarcinomas of Intestinal Origin: An Immunohistochemical Survey of 476 Primary and Metastatic Carcinomas. *Am J Surg Pathol* 27: 303-310.
2125. Westra WH (2000). Early glandular neoplasia of the lung. *Respir Res* 1: 163-169.
2126. Westra WH, Baas IO, Hruban RH, Askin FB, Wilson K, Offerhaus GJ, Slebos RJ (1996). K-ras oncogene activation in atypical alveolar hyperplasias of the human lung. *Cancer Res* 56: 2224-2228.
2127. Westra WH, Gerald WL, Rosai J (1994). Solitary fibrous tumor. Consistent CD34 immunoreactivity and occurrence in the orbit. *Am J Surg Pathol* 18: 992-998.
2128. Weynand B, Draguet AP, Bernard P, Marbaix E, Galant C (1999). Calcifying fibrous pseudotumour: first case report in the peritoneum with immunostaining for CD34. *Histopathology* 34: 86-87.
2129. Wheatley A, Howard N (1967). The surgical treatment of lung metastases. *Br J Surg* 54: 364-368.
2130. Whelan AJ, Watson MS, Porter FD, Steiner RD (1995). Klippel-Trenaunay-Weber syndrome associated with a 5:11 balanced translocation. *Am J Med Genet* 59: 492-494.
2131. Whitesell PL, Peters SG (1993). Pulmonary manifestations of extrathoracic malignant lesions. *Mayo Clin Proc* 68: 483-491.
2132. Wiatrowska BA, Krol J, Zakowski MF (2001). Large-cell neuroendocrine carcinoma of the lung: proposed criteria for cytologic diagnosis. *Diagn Cytopathol* 24: 58-64.
2133. Wick MR (1990). Mediastinal cysts and intrathoracic thyroid tumors. *Semin Diagn Pathol* 7: 285-294.
2134. Wick MR (2000). Immunohistology of neuroendocrine and neuroectodermal tumors. *Semin Diagn Pathol* 17: 194-203.
2135. Wick MR, Berg LC, Hertz MI (1992). Large cell carcinoma of the lung with neuroendocrine differentiation. A comparison with large cell "undifferentiated" pulmonary tumors. *Am J Clin Pathol* 97: 796-805.
2136. Wick MR, Carney JA, Bernatz PE, Brown LR (1982). Primary mediastinal carcinoid tumors. *Am J Surg Pathol* 6: 195-205.
2137. Wick MR, Ritter JH (2002). Neuroendocrine neoplasms: evolving concepts and terminology. *Curr Diagn Pathol* 8: 102-112.
2138. Wick MR, Ritter JH, Humphrey PA (1997). Sarcomatoid carcinomas of the lung: a clinicopathologic review. *Am J Clin Pathol* 108: 40-53.
2139. Wick MR, Ritter JH, Nappi O (1995). Inflammatory sarcomatoid carcinoma of the lung: report of three cases and clinicopathologic comparison with inflammatory pseudotumors in adult patients. *Hum Pathol* 26: 1014-1021.
2140. Wick MR, Rosai J (1988). Neuroendocrine neoplasms of the thymus. *Pathol Res Pract* 183: 188-199.
2141. Wick MR, Rosai J (1991). Neuroendocrine neoplasms of the mediastinum. *Semin Diagn Pathol* 8: 35-51.
2142. Wick MR, Scheithauer BW (1982). Oat-cell carcinoma of the thymus. *Cancer* 49: 1652-1657.
2143. Wick MR, Scheithauer BW, Weiland LH, Bernatz PE (1982). Primary thymic carcinomas. *Am J Surg Pathol* 6: 613-630.
2144. Wick MR, Scott RE, Li CY, Carney JA (1980). Carcinoid tumor of the thymus: a clinicopathologic report of seven cases with a review of the literature. *Mayo Clin Proc* 55: 246-254.
2145. Wiencke JK (2002). DNA adduct burden and tobacco carcinogenesis. *Oncogene* 21: 7376-7391.
2146. Wiese TH, Enzweiler CN, Borges AC, Beling M, Rogalla P, Taupitz M, Baumann G, Hamm B (2001). Electron beam CT in the diagnosis of recurrent cardiac lipoma. *AJR Am J Roentgenol* 176: 1066-1068.
2147. Wigle DA, Jurisica I, Radulovich N, Pintiile M, Rossant J, Liu N, Lu C, Woodgett J, Seiden I, Johnston M, Keshavjee S, Darling G, Winton T, Breitkreutz BJ, Jorgenson P, Tyers M, Shepherd FA, Tsao MS (2002). Molecular profiling of non-small cell lung cancer and correlation with disease-free survival. *Cancer Res* 62: 3005-3008.
2148. Willis RA (1973). The Spread of Tumours in the Human Body. Butterworths: London.
2149. Willman CL, Busque L, Griffith BB, Favara BE, McClain KL, Duncan MH, Gilliland DG (1994). Langerhans' cell histiocytosis (histiocytosis X)—a clonal proliferative disease. *N Engl J Med* 331: 154-160.
2150. Wilson AJ, Ratliff JL, Lagios MD, Aguilar MJ (1979). Mediastinal meningioma. *Am J Surg Pathol* 3: 557-562.
2151. Wilson RW, Galateau-Salle F, Moran CA (1999). Desmoid tumors of the pleura: a clinicopathologic mimic of localized fibrous tumor. *Mod Pathol* 12: 9-14.
2152. Wilson RW, Moran CA (1997). Primary melanoma of the lung: a clinicopathologic and immunohistochemical study of eight cases. *Am J Surg Pathol* 21: 1196-1202.
2153. Wilson RW, Moran CA (1998). Primary ependymoma of the mediastinum: a clinicopathologic study of three cases. *Ann Diagn Pathol* 2: 293-300.
2154. Wilson WH, Kingma DW, Raffeld M, Wittes RE, Jaffe ES (1996). Association of lymphomatoid granulomatosis with Epstein-Barr viral infection of B lymphocytes and response to interferon-alpha 2b. *Blood* 87: 4531-4537.
2155. Wingo PA, Ries LA, Giovino GA, Miller DS, Rosenberg HM, Shopland DR, Thun MJ, Edwards BK (1999). Annual report to the nation on the status of cancer, 1973-1996, with a special section on lung cancer and tobacco smoking. *J Natl Cancer Inst* 91: 675-690.
2156. Wintersperger BJ, Becker CR, Gulbins H, Knez A, Bruening R, Heuck A, Reiser MF (2000). Tumors of the cardiac valves: imaging findings in magnetic resonance imaging, electron beam computed tomography, and echocardiography. *Eur Radiol* 10: 443-449.
2157. Wistuba II, Behrens C, Milchgrub S, Bryant D, Hung J, Minna JD, Gazdar AF (1999). Sequential molecular abnormalities are involved in the multistage development of squamous cell lung carcinoma. *Oncogene* 18: 643-650.
2158. Wistuba II, Behrens C, Virmani AK, Mele G, Milchgrub S, Girard L, Fondon JWI, Garner HR, McKay B, Latif F, Lerman MI, Lam S, Gazdar AF, Minna JD (2000). High resolution chromosome 3p allelotyping of human lung cancer and preneoplastic/preinvasive bronchial epithelium reveals multiple, discontinuous sites of 3p allele loss and three regions of frequent breakpoints. *Cancer Res* 60: 1949-1960.
2159. Wistuba II, Behrens C, Virmani AK, Milchgrub S, Syed S, Lam S, Mackay B, Minna JD, Gazdar AF (1999). Allelic losses at chromosome 8p21-23 are early and frequent events in the pathogenesis of lung cancer. *Cancer Res* 59: 1973-1979.
2160. Wistuba II, Berry J, Behrens C, Maitra A, Shivapurkar N, Milchgrub S, Mackay B, Minna JD, Gazdar AF (2000). Molecular changes in the bronchial epithelium of patients with small cell lung cancer. *Clin Cancer Res* 6: 2604-2610.
2161. Wistuba II, Gazdar AF (2003). Characteristic genetic alterations in lung cancer. *Methods Mol Med* 74: 3-28.
2162. Wistuba II, Lam S, Behrens C, Virmani AK, Fong KM, LeRiche J, Samet JM, Srivastava S, Minna JD, Gazdar AF (1997). Molecular damage in the bronchial epithelium of current and former smokers. *J Natl Cancer Inst* 89: 1366-1373.
2163. Witkin GB, Miettinen M, Rosai J (1989). A biphasic tumor of the mediastinum with features of synovial sarcoma.

- A report of four cases. *Am J Surg Pathol* 13: 490-499.
- 2164.** Witkin GB, Rosai J (1989). Solitary fibrous tumor of the mediastinum. A report of 14 cases. *Am J Surg Pathol* 13: 547-557.
- 2165.** Wold LE, Lie JT (1980). Cardiac myxomas: a clinicopathologic profile. *Am J Pathol* 101: 219-240.
- 2166.** Wolfe JTI, Wick MR, Banks PM, Scheithauer BW (1983). Clear cell carcinoma of the thymus. *Mayo Clin Proc* 58: 365-370.
- 2167.** Wolff M, Goodman EN (1980). Functioning lipoadenoma of a supernumerary parathyroid gland in the mediastinum. *Head Neck Surg* 2: 302-307.
- 2168.** Wong MP, Chung LP, Yuen ST, Leung SY, Chan SY, Wang E, Fu KH (1995). In situ detection of Epstein-Barr virus in non-small cell lung carcinomas. *J Pathol* 177: 233-240.
- 2169.** Wood DE (2000). Mediastinal germ cell tumors. *Semin Thorac Cardiovasc Surg* 12: 278-289.
- 2170.** Woolner LB, Jamplis RW, Kirkin JW (1955). Seminoma (germinoma) of the anterior mediastinum. *N Engl J Med* 252: 653-657.
- 2171.** Wotherspoon AC, Ortiz-Hidalgo C, Falzon MR, Isaacson PG (1991). Helicobacter pylori-associated gastritis and primary B-cell gastric lymphoma. *Lancet* 338: 1175-1176.
- 2172.** Wright CD, Kesler KA, Nichols CR, Mahomed Y, Einhorn LH, Miller ME, Brown JW (1990). Primary mediastinal nonseminomatous germ cell tumors. Results of a multimodality approach. *J Thorac Cardiovasc Surg* 99: 210-217.
- 2173.** Wright JR Jr (2000). Pleuropulmonary blastoma: A case report documenting transition from type I (cystic) to type III (solid). *Cancer* 88: 2853-2858.
- 2174.** Wu TC, Kuo TT (1993). Study of Epstein-Barr virus early RNA 1 (EBER1) expression by in situ hybridization in thymic epithelial tumors of Chinese patients in Taiwan. *Hum Pathol* 24: 235-238.
- 2175.** Wu X, Gwyn K, Amos CI, Makan N, Hong WK, Spitz MR (2001). The association of microsomal epoxide hydrolase polymorphisms and lung cancer risk in African-Americans and Mexican-Americans. *Carcinogenesis* 22: 923-928.
- 2176.** Wynder EL, Graham EA (1950). Tobacco smoking as a possible etiologic factor in bronchiogenic carcinoma. A study of six hundred and eighty four proved cases. *JAMA* 143: 328-336.
- 2177.** Wynder EL, Muscat JE (1995). The changing epidemiology of smoking and lung cancer histology. *Environ Health Perspect* 103 Suppl 8: 143-148.
- 2178.** Xiao S, Li DZ, Vijg J, Sugarbaker DJ, Corson JM, Fletcher JA (1995). Codeletion of p15 and p16 in primary malignant mesothelioma. *Oncogene* 11: 511-515.
- 2179.** Xiao S, Nalabolu SR, Aster JC, Ma J, Abruzzo L, Jaffe ES, Stone R, Weissman SM, Hudson TJ, Fletcher JA (1998). FGFR1 is fused with a novel zinc-finger gene, ZNF198, in the t(8;13) leukaemia/lymphoma syndrome. *Nat Genet* 18: 84-87.
- 2180.** Xu HM, Li WH, Hou N, Zhang SG, Li HF, Wang SQ, Yu ZY, Li ZJ, Zeng MY, Zhu GM (1997). Neuroendocrine differentiation in 32 cases of so-called sclerosing hemangioma of the lung: identified by immunohistochemical and ultrastructural study. *Am J Surg Pathol* 21: 1013-1022.
- 2181.** Yamaguchi M, Seto M, Okamoto M, Ichinohasama R, Nakamura N, Yoshino T, Suzumiya J, Murase T, Miura I, Akasaka T, Tamaru J, Suzuki R, Kagami Y, Hirano M, Morishima Y, Ueda R, Shiku H, Nakamura S (2002). De novo CD5+ diffuse large B-cell lymphoma: a clinicopathologic study of 109 patients. *Blood* 99: 815-821.
- 2182.** Yamaguchi T, Imamura Y, Nakayama K, Kawada T, Yamamoto T, Ueyama K (2002). Primary pulmonary leiomyosarcoma: report of a case diagnosed by fine needle aspiration cytology. *Acta Cytol* 46: 912-916.
- 2183.** Yamaji I, Iimura O, Mito T, Yoshida S, Shimamoto K, Minase T (1984). An ectopic, ACTH producing, oncocyctic carcinoid tumor of the thymus: report of a case. *Jpn J Med* 23: 62-66.
- 2184.** Yamakawa Y, Masaoka A, Hashimoto T, Niwa H, Mizuno T, Fujii Y, Nakahara K (1991). A tentative tumor-node-metastasis classification of thymoma. *Cancer* 68: 1984-1987.
- 2185.** Yamamoto T, Horiguchi H, Shibagaki T, Kamma H, Ogata T, Mitsui K (1993). Encapsulated type II pneumocyte adenoma: a case report and review of the literature. *Respiration* 60: 373-377.
- 2186.** Yamamoto T, Tamura J, Orima S, Saitoh T, Sakuraya M, Maehara T, Shiota A, Maezawa A, Nojima Y, Naruse T (1999). Rhabdomyosarcoma in a patient with mosaic Klinefelter syndrome and transformation of immature teratoma. *J Int Med Res* 27: 196-200.
- 2187.** Yamasaki M, Takeshima Y, Fujii S, Kitaguchi S, Matsuura M, Tagawa K, Inai K (2000). Correlation between genetic alterations and histopathological subtypes in bronchiolo-alveolar carcinoma and atypical adenomatous hyperplasia of the lung. *Pathol Int* 50: 778-785.
- 2188.** Yamasaki S, Matsushita H, Tanimura S, Nakatani T, Hara S, Endo Y, Hara M (1998). B-cell lymphoma of mucosa-associated lymphoid tissue of the thymus: a report of two cases with a background of Sjogren's syndrome and monoclonal gammopathy. *Hum Pathol* 29: 1021-1024.
- 2189.** Yamashita K, Yamoto M, Shikone T, Minami S, Nakano R (1999). Immunohistochemical localization of inhibin and activin subunits in human epithelial ovarian tumors. *Am J Obstet Gynecol* 180: 316-322.
- 2190.** Yamashita S, Ohyama C, Nakagawa H, Takeuchi A, Watanabe M, Hoshi S (2002). Primary choriocarcinoma in the posterior mediastinum. *J Urol* 167: 1789.
- 2191.** Yamato H, Ohshima K, Suzumiya J, Kikuchi M (2001). Evidence for local immunosuppression and demonstration of c-myc amplification in pyothorax-associated lymphoma. *Histopathology* 39: 163-171.
- 2192.** Yamato Y, Tsuchida M, Watanabe T, Aoki T, Koizumi N, Umezu H, Hayashi J (2001). Early results of a prospective study of limited resection for bronchioloalveolar adenocarcinoma of the lung. *Ann Thorac Surg* 71: 971-974.
- 2193.** Yamauchi K, Yasuda M (2002). Comparison in treatments of nonleukemic granulocytic sarcoma: report of two cases and a review of 72 cases in the literature. *Cancer* 94: 1739-1746.
- 2194.** Yanagisawa K, Shyr Y, Xu BJ, Massion PP, Larsen PH, White BC, Roberts JR, Edgerton M, Gonzalez A, Nadaf S, Moore JH, Caprioli RM, Carbone DP (2003). Proteomic patterns of tumour subtypes in non-small-cell lung cancer. *Lancet* 362: 433-439.
- 2195.** Yang GC, Yee HT, Wu CD, Aye LM, Chachoua A (2002). TIA-1+ cytotoxic large T-cell lymphoma of the mediastinum: case report. *Diagn Cytopathol* 26: 154-157.
- 2196.** Yang P, Hasegawa T, Hirose T, Fukumoto T, Uyama T, Monden Y, Sano T (1997). Pleuropulmonary blastoma: fluorescence in situ hybridization analysis indicating trisomy 2. *Am J Surg Pathol* 21: 854-859.
- 2197.** Yang YJ, Steele CT, Ou XL, Snyder KP, Kohman LJ (2001). Diagnosis of high-grade pulmonary neuroendocrine carcinoma by fine-needle aspiration biopsy: non-small-cell or small-cell type? *Diagn Cytopathol* 25: 292-300.
- 2198.** Yano M, Yamakawa Y, Kiriyama M, Hara M, Murase T (2002). Sclerosing hemangioma with metastases to multiple nodal stations. *Ann Thorac Surg* 73: 981-983.
- 2199.** Yashima K, Litzky LA, Kaiser L, Rogers T, Lam S, Wistuba II, Milchgrub S, Srivastava S, Piatyszek MA, Shay JW, Gazdar AF (1997). Telomerase expression in respiratory epithelium during the multistage pathogenesis of lung carcinomas. *Cancer Res* 57: 2373-2377.
- 2200.** Yatabe Y, Masuda A, Koshikawa T, Nakamura S, Kuroishi T, Osada H, Takahashi T, Mitsudomi T, Takahashi T (1998). p27KIP1 in human lung cancers: differential changes in small cell and non-small cell carcinomas. *Cancer Res* 58: 1042-1047.
- 2201.** Yatabe Y, Mitsudomi T, Takahashi T (2002). TTF-1 expression in pulmonary adenocarcinomas. *Am J Surg Pathol* 26: 767-773.
- 2202.** Yesner R, Carter D (1982). Pathology of carcinoma of the lung. Changing patterns. *Clin Chest Med* 3: 257-289.
- 2203.** Yesner R, Gerstl B, Auerbach O (1965). Application of World Health Organization classification of lung carcinoma to biopsy material. *Ann Thoracic Surg* 1: 33-49.
- 2204.** Yesner R, Hurwitz A (1953). Localized pleural mesothelioma of epithelial type. *J Thorac Surg* 26: 325-329.
- 2205.** Yi ES, Auger WR, Friedman PJ, Morris TA, Shin SS (1995). Intravascular bronchioloalveolar tumor of the lung presenting as pulmonary thromboembolic disease and pulmonary hypertension. *Arch Pathol Lab Med* 119: 255-260.
- 2206.** Yokose T, Doi M, Tanno K, Yamazaki K, Ochiai A (2001). Atypical adenomatous hyperplasia of the lung in autopsy cases. *Lung Cancer* 33: 155-161.
- 2207.** Yokose T, Ito Y, Ochiai A (2000). High prevalence of atypical adenomatous hyperplasia of the lung in autopsy specimens from elderly patients with malignant neoplasms. *Lung Cancer* 29: 125-130.
- 2208.** Yokose T, Suzuki K, Nagai K, Nishiwaki Y, Sasaki S, Ochiai A (2000). Favorable and unfavorable morphological prognostic factors in peripheral adenocarcinoma of the lung 3 cm or less in diameter. *Lung Cancer* 29: 179-188.
- 2209.** Yokota J, Kohno T (2004). Molecular footprints of human lung cancer progression. *Cancer Sci* 95: 197-204.
- 2210.** Yoneda S, Marx A, Heimann S, Shirakusa T, Kikuchi M, Muller-Hermelink HK (1999). Low-grade metaplastic carcinoma of the thymus. *Histopathology* 35: 19-30.
- 2211.** Yoneda S, Marx A, Muller-Hermelink HK (1999). Low-grade metaplastic carcinomas of the thymus: biphasic thymic epithelial tumors with mesenchymal metaplasia—an update. *Pathol Res Pract* 195: 555-563.
- 2212.** Yoon DH, Roberts W (2002). Sex distribution in cardiac myxomas. *Am J Cardiol* 90: 563-565.
- 2213.** Yoon YC, Lee KS, Kim TS, Seo JB, Han J (2002). Benign bronchopulmonary tumors: radiologic and pathologic findings. *J Comput Assist Tomogr* 26: 784-796.
- 2214.** Yoshikawa T, Noguchi Y, Matsukawa H, Kondo J, Matsumoto A, Nakatani Y, Kitamura H, Ito T (1994). Thymus carcinoid producing parathyroid hormone (PTH)-related protein: report of a case. *Surg Today* 24: 544-547.
- 2215.** Youn HJ, Jung SE, Chung WS, Choi MG, Lee KY, Chung KW, Hong SJ, Sun HS (2002). Obstruction of right ventricular outflow tract by extended cardiac metastasis from esophageal cancer. *J Am Soc Echocardiogr* 15: 1541-1544.
- 2216.** Yousem SA (1986). Angiosarcoma presenting in the lung. *Arch Pathol Lab Med* 110: 112-115.
- 2217.** Yousem SA (1989). Pulmonary adenosquamous carcinomas with amyloid-like stroma. *Mod Pathol* 2: 420-426.
- 2218.** Yousem SA, Colby TV, Chen YY, Chen WG, Weiss LM (2001). Pulmonary Langerhans' cell histiocytosis: molecular analysis of clonality. *Am J Surg Pathol* 25: 630-636.
- 2219.** Yousem SA, Hochholzer L (1986). Alveolar adenoma. *Hum Pathol* 17: 1066-1071.
- 2220.** Yousem SA, Hochholzer L (1987). Malignant mesotheliomas with osseous and cartilaginous differentiation. *Arch Pathol Lab Med* 111: 62-66.
- 2221.** Yousem SA, Hochholzer L (1987). Mucoepidermoid tumors of the lung. *Cancer* 60: 1346-1352.
- 2222.** Yousem SA, Hochholzer L (1987). Unusual thoracic manifestations of epithelioid hemangioendothelioma. *Arch Pathol Lab Med* 111: 459-463.
- 2223.** Yousem SA, Shaw H, Cieply K (2001). Involvement of 2p23 in pulmonary inflammatory pseudotumors. *Hum Pathol* 32: 428-433.
- 2224.** Yousem SA, Weiss LM, Warnke RA (1985). Primary mediastinal non-Hodgkin's lymphomas: a morphologic and immunologic study of 19 cases. *Am J Clin Pathol* 83: 676-680.
- 2225.** Yousem SA, Wick MR, Randhawa P, Manivel JC (1990). Pulmonary blastoma. An immunohistochemical analysis with comparison with fetal lung in its pseudoglandular stage. *Am J Clin Pathol* 93: 167-175.
- 2226.** Yu GH, Kussmaul WG, DiSesa VJ, Lodato RF, Brooks JS (1993). Adult intracardiac rhabdomyoma resembling the extracardiac variant. *Hum Pathol* 24: 448-451.
- 2227.** Yuda S, Nakatani S, Yutani C, Yamagishi M, Kitamura S, Miyatake K (2002). Trends in the clinical and morphological characteristics of cardiac myxoma: 20-year experience of a single tertiary referral center in Japan. *Circ J* 66: 1008-1013.
- 2228.** Zabarovsky ER, Lerman MI, Minna JD (2002). Tumor suppressor genes on chromosome 3p involved in the pathogenesis of lung and other cancers. *Oncogene* 21: 6915-6935.
- 2229.** Zacharias J, Nicholson AG, Ladas GP, Goldstraw P (2003). Large cell neuroendocrine carcinoma and large cell carcinoma with neuroendocrine morphology of the lung: prognosis after complete resection and systematic nodal dissection. *Ann Thorac Surg* 75: 348-352.
- 2230.** Zafarana G, Gillis AJ, van Gurp RJ,

- Olsson PG, Elstrodt F, Stoop H, Millan JL, Oosterhuis JW, Looijenga LH (2002). Coamplification of DAD-R, SOX5, and EK11 in human testicular seminomas, with specific overexpression of DAD-R, correlates with reduced levels of apoptosis and earlier clinical manifestation. *Cancer Res* 62: 1822-1831.
- 2231.** Zaharopoulos P, Wong JY, Stewart GD (1982). Cytomorphology of the variants of small-cell carcinoma of the lung. *Acta Cytol* 26: 800-808.
- 2232.** Zamecnik J, Kodet R (2002). Value of thyroid transcription factor-1 and surfactant apoprotein A in the differential diagnosis of pulmonary carcinomas: a study of 109 cases. *Virchows Arch* 440: 353-361.
- 2233.** Zarate-Osorno A, Medeiros LJ, Longo DL, Jaffe ES (1992). Non-Hodgkin's lymphomas arising in patients successfully treated for Hodgkin's disease. A clinical, histologic, and immunophenotypic study of 14 cases. *Am J Surg Pathol* 16: 885-895.
- 2234.** Zaring RA, Roepke JE (1999). Pathologic quiz case. Pulmonary mass in a patient presenting with a hemothorax. Diagnosis: primary pulmonary biphasic synovial sarcoma. *Arch Pathol Lab Med* 123: 1287-1289.
- 2235.** Zellos LS, Sugarbaker DJ (2002). Multimodality treatment of diffuse malignant pleural mesothelioma. *Semin Oncol* 29: 41-50.
- 2236.** Zeren H, Moran CA, Suster S, Fishback NF, Koss MN (1995). Primary pulmonary sarcomas with features of monophasic synovial sarcoma: a clinicopathological, immunohistochemical, and ultrastructural study of 25 cases. *Hum Pathol* 26: 474-480.
- 2237.** Zetter BR (1990). The cellular basis of site-specific tumor metastasis. *N Engl J Med* 322: 605-612.
- 2238.** Zettl A, Strobel P, Wagner K, Katzenberger T, Ott G, Rosenwald A, Peters K, Krein A, Semik M, Muller-Hermelink HK, Marx A (2000). Recurrent genetic aberrations in thymoma and thymic carcinoma. *Am J Pathol* 157: 257-266.
- 2239.** Zhang PJ, Livolsi VA, Brooks JJ (2000). Malignant epithelioid vascular tumors of the pleura: report of a series and literature review. *Hum Pathol* 31: 29-34.
- 2239A.** Zhang X, Su T, Zhang Q-Y, Gu J, Caggana M, Li H, Ding X (2002). Genetic polymorphisms of the human CYP2A13 gene: identification of single nucleotide polymorphisms and functional characterization of an Arg257Cys variant. *J. Pharmacol Exp Ther* 302: 416-423.
- 2240.** Zhao H, Spitz MR, Gwyn KM, Wu X (2002). Microsomal epoxide hydrolase polymorphisms and lung cancer risk in non-Hispanic whites. *Mol Carcinog* 33: 99-104.
- 2241.** Zheng T, Holford TR, Boyle P, Chen Y, Ward BA, Flannery J, Mayne ST (1994). Time trend and the age-period-cohort effect on the incidence of histologic types of lung cancer in Connecticut, 1960-1989. *Cancer* 74: 1556-1567.
- 2242.** Zhou R, Zettl A, Strobel P, Wagner K, Muller-Hermelink HK, Zhang S, Marx A, Starostik P (2001). Thymic epithelial tumors can develop along two different pathogenetic pathways. *Am J Pathol* 159: 1853-1860.
- 2243.** Zhou W, Liu G, Thurston SW, Xu LL, Miller DP, Wain JC, Lynch TJ, Su L, Christiani DC (2002). Genetic polymorphisms in N-acetyltransferase-2 and microsomal epoxide hydrolase, cumulative cigarette smoking, and lung cancer. *Cancer Epidemiol Biomarkers Prev* 11: 15-21.
- 2244.** Zochbauer-Muller S, Gazdar AF, Minna JD (2002). Molecular pathogenesis of lung cancer. *Annu Rev Physiol* 64: 681-708.
- 2245.** Zojer N, Dekan G, Ackermann J, Fiegl M, Kaufmann H, Drach J, Huber H (2000). Aneuploidy of chromosome 7 can be detected in invasive lung cancer and associated premalignant lesions of the lung by fluorescence in situ hybridisation. *Lung Cancer* 28: 225-235.
- 2246.** Zon R, Orazi A, Neiman RS, Nichols CR (1994). Benign hematologic neoplasm associated with mediastinal mature teratoma in a patient with Klinefelter's syndrome: a case report. *Med Pediatr Oncol* 23: 376-379.
- 2247.** Zu Y, Perle MA, Yan Z, Liu J, Kumar A, Waisman J (2001). Chromosomal abnormalities and p53 gene mutation in a cardiac angiosarcoma. *Appl Immunohistochem Mol Morphol* 9: 24-28.
- 2248.** Zukerberg LR, Collins AB, Ferry JA, Harris NL (1991). Coexpression of CD15 and CD20 by Reed-Sternberg cells in Hodgkin's disease. *Am J Pathol* 139: 475-483.
- 2249.** Zull DN, Diamond M, Beringer D (1985). Angina and sudden death resulting from papillary fibroelastoma of the aortic valve. *Ann Emerg Med* 14: 470-473.
- 2250.** Stewart BW, Kleihues P (2003). *World Cancer Report*. IARC Press: Lyon.