

Subject Index

- Access to data, 202, 206, 270
- Accession number, 84, 85, 88, 263
- Active data collection, 37, 191
- Address of patient, 50, 193
- Advisory committee, 23, 190
- Age
 - at incidence, 51
 - pattern of cancer incidence, 8
- Age-specific incidence rates, 8, 123, 129, 130
- Age-standardized cancer ratio (ASCAR) 153–155
- Age-standardized rates, 129–147
 - direct method, 131
 - indirect method, 142
 - standard error, 135
- Autopsy reports, 32, 55, 56, 222
- Automatic coding *see* Coding, computerized

- Behaviour of tumour, 57
 - in ICD-O, 71, 74
- Benign tumours, CNS, 32
- Biopsy, 55
- Birth
 - cohorts, 123
 - date, 46, 49
 - place, 50
- Borderline malignancies, 32, 33, 56

- Cancer registry
 - data sources, 29–41
 - definition, 23
 - hospital-based, 177–184
 - operations, 82–100, 230–231
 - planning 22–28
 - purposes 7–21
 - recommended size, 24, 190
 - reporting of results, 108–125
- CANREG software, 267–274
- Carcinoma *in situ*, 58, 69
- Case-control studies, 17
- Case finding *see* Data sources
- Cause of death
 - coding, ICD, 34, 62
 - recording, 62

- Cervical cancer
 - radiotherapy risks, 18
 - screening, 19
- Childhood tumours, 19, 44, 76
- Classification of neoplasms, 64–81
- Coding
 - cause of death, 34
 - computerized, 94
 - country names, 208
 - in CANREG, 268
 - manual, 93
 - neoplasms, 64–81, 90, 232, 252
 - of data, 89, 243, 248, 264
 - revisions, 80, 91
- Computer
 - access restriction, 203, 206
 - CANREG software, 267–274
 - checks for data quality, 104–105
 - equipment, 27, 234
 - in developing countries, 195
 - in registry operations, 82–100, 241
 - storage 92–93
- Confidence intervals, 138, 139, 145–147
- Confidentiality of data, 1, 24, 89, 99, 189, 199–207
 - Danish Cancer Registry, 236
- Connecticut, 4
- Consistency of data *see* Validation
- Crude incidence rates, 128, 130
- Cumulative rate, 147–150
 - standard error, 149
- Cumulative risk, 147–148
- Cytology reports, 32, 192

- Data
 - accuracy, 102
 - coding, 89, 93–94
 - collection, 37–41, 191, 201, 240
 - completeness, 101, 102–104
 - consistency *see* Validation
 - items, 43–63, 181–182, 192–194, 237
 - quality, 101–107
 - security *see* Confidentiality
 - transmission, 201
 - validation, 90, 104, 212–219

- Data sources
 - autopsy services, 32, 222
 - cytology services, 32, 192
 - death certificates, 33, 55, 63, 192
 - haematology laboratories, 33, 192
 - hospitals, 29, 191, 222, 247
 - outpatient clinics, 31, 192
 - pathology laboratories, 31, 191, 248
 - private clinics, 31, 192
 - radiotherapy departments, 39, 191
 - recording, 62
- Date of birth, 46, 49
- Death certificate
 - abstracts, 264
 - as data source, 33, 55, 63, 192, 241
- Death Certificate Only cases
 - definition, 34–35, 55, 63, 194
 - in survival analysis, 160
 - uses, 111
- Denmark
 - cancer incidence, 9
 - cancer registration, 3, 24
 - Cancer Registry, 4, 220–236
- Developing countries, 185–198
- Diagnosis
 - basis of, 54
 - certainty, 56
- Differentiation, 73
- Discharge letter, 39
- Disk storage, 93
- Documentation of system, 90–91, 235

- Editing of data *see* Validation
- England and Wales, cancer registration, 24
- Enquiry generation, 97
- Epidemiology
 - analytical, 17
 - data release for, 204
 - descriptive, 8
 - research, 7
- Equipment, 27
- Error messages, 105, 106
- Ethnic group, 57
 - differences, 14, 15
- Etiology, 8
- Extent of disease, 58

- Fatality ratio, 175
- Finance for cancer registration, 25, 191
- Follow-up, 98, 160–161, 182–183, 188, 194, 244
- Forecasting, 18
- Forms, notification, 38, 223, 225–229, 238–239, 260–262

- General practitioners, 35
- Geographic variation in cancer incidence, 10–13
- German Democratic Republic, 24
- Grading, 73
- Graphical presentation of results, 113
 - bar graph, 113, 119
 - component band graph, 120, 121
 - histogram, 113, 119
 - line graph, 121–125
 - pie chart, 120
- Gynaecological cancers
 - staging, 58

- Haematology laboratories, 33, 192
- Hamburg, cancer registration, 3, 4
- Histological verification of diagnosis, 55, 73, 111
- Histology
 - reports, 31, 42, 55
 - validation versus site 215–217
 - see also* Morphology
- History of registration, 3
- Hodgkin's disease, 71, 72
 - in ICD-9, 69, 75
 - in ICD-O, 70
- Hospitals
 - as data sources, 29, 40
 - cancer registries, 1, 22, 23, 29, 177–184, 186
- Human immunodeficiency virus (HIV), 77
- Hungary, 3

- Iceland, 3, 24
- Identification
 - information, 17, 46, 188, 237
 - number, 36, 46, 48, 223
- Incidence
 - age-specific rates, 129
 - age-standardization, 129–147
 - calculating rates, 126
 - crude, 128
 - date, 54, 160
 - rates, 8, 126
 - reporting, 108–124
 - truncated rates, 133
 - see also* Trends with time
- Index number, 47
- Information *see* Data
- Insurance system, health
 - as data source, 36
- International Association of Cancer Registries, 6

- International Classification of Diseases (ICD), 34, 65
 - conversion tables, 80
 - for Oncology (ICD-O), 56–58, 67, 69–78
 - ICD-7, 65
 - ICD-9, 68, 75
 - ICD-10, 76
- Intervention trials, monitoring, 17
- Japanese migrants, 14
- Laterality, 60
- Legal aspects, 199, 221
- Leukaemias, 33, 72
- Linkage of records, 17, 82–88, 205
 - computerized, 87
 - Denmark, 24, 232
 - Manila Registry, 263
 - manual, 84
 - multiple reports, 83
 - multiple tumours, 84
 - Ontario Cancer Registry, 249–251
 - Thames Cancer Registry, 242
- Liver cancer, 80
- Lymphoma, 33
 - in ICD-O, 70
- Magnetic tape storage, 92
- Malignant melanoma of skin, 68
- Manila Cancer Registry, 258–266
- Manual registration, 84–87, 93, 195
- Manual of Tumor Nomenclature and Coding (MOTNAC), 66
- Mapping of cancer, 14
- Massachusetts, 3
- Mecklenburg, 3
- Medical records departments, 30, 191
- Metastases, 39, 41, 252
 - biopsy, 55
 - coding of, 59, 74
- Migrant studies, 14, 53
- Morphology, 64
 - in ICD-9, 68
 - in ICD-O, 70, 75
- Mortality/incidence ratio *see* Fatality ratio
- Multiple notification, 29, 84, 86, 218, 244, 251, 254–256, 265
- Multiple tumours, 17, 60, 78, 88, 218
- Names, 32, 48, 86, 188
 - in linkage, 84
- Neoplasm
 - behaviour, 57
 - classification, 64–81
 - coding, 47
 - description, 46
 - morphology, 57
 - site, 56
- Netherlands, 3
- Neurofibromatosis, 77
- Non-Hodgkin lymphoma, 72
 - in ICD-9, 69
 - in ICD-10, 77
 - in ICD-O, 70
- Notification of cases, 221
 - forms, 38, 223, 225–229, 238–239, 260–262
- Occupation, recording, 53, 90
- Occupational cancer studies, 17, 18
- Ontario Cancer Registry, 246–257
- Passive data collection, 37
- Person-years, 127
- Planning
 - cancer registry, 22–28
 - health services, 18, 22
- Population
 - at risk, 127
 - denominators, 24, 110, 127, 189
 - instability, 187
 - register, 36
- Population-based cancer registration, 23, 186
- Portugal, 3
- Proportional incidence ratio (PIR), 155–158
- Punched cards, 91
- Quality of data, 101–107, 111, 233
 - see also* Validation
- Radiotherapy
 - cancer risks, 18
 - notes as data source, 39, 191
 - planning services, 19
- Record linkage *see* Linkage of records
- Registrable cases/cancers, 41, 178–179, 221
- Religion, 52
- Reporting of results, 108–125, 183–184, 196
 - by CANREG, 271
 - Danish Cancer Registry, 114–125, 236
 - graphical presentation, 113
 - tabular presentation, 112
- Rizal Cancer Registry, 258–266
- Screening
 - monitoring, 19
 - programmes, as data source, 36

- Security *see* Confidentiality
- Sex
- coding, 49
 - differences in cancer incidence, 8
 - specific cancers, 127, 151
- Site of tumour, 56
- classification, 64, 194
 - histology validation, 215–217
 - in ICD-O, 70, 74
 - metastasis, 59
- Spain, 3
- Staffing, 26, 188, 190, 234
- Staging of cancer, 58–59
- Standard error of incidence rates, 135, 137
- Standardized incidence ratio (SIR), 142, 144
- relationship to proportional incidence ratio, 155, 157
 - standard error, 142, 145
- Survival, 19, 159–176
- actuarial method calculation, 164
 - age-adjustment, 170
 - corrected rate, 167
 - direct method calculation, 163
 - Kaplan-Meier method, 169
 - relative rate, 168
 - standard error, 170
- Sweden, 3
- Synonyms, 94
- Systematized Nomenclature of Medicine (SNOMED), 67
- Systematized Nomenclature of Pathology (SNOP), 67
- Tabular presentation of results, 112
- Thames Cancer Registry, 237–245
- Time trends, 16
- TNM classification, 59
- Topography *see* Site of tumour
- Training, 27, 190–191
- Treatment
- and survival, 19
 - facilities, planning, 18
 - recording, 60, 180, 240
 - see also* Radiotherapy
- Trends with time, 16
- as quality indicator, 111
 - effects of changed classification, 80
 - graphs, 124, 125
 - in forecasting, 18
 - testing for, 140–143
- Truncated rates, 133–135
- Tumour *see* Neoplasm
- Unknown primary site, 74, 111
- Urban-rural differences in cancer incidence, 13
- Validation of data, 90, 104, 212–219, 261
- World Health Organization
- disease classification, 64–67
 - recommendation for registries, 5
- World standard population, 131