

# BENZENE

VOLUME 120



This publication represents the views and expert opinions of an IARC Working Group on the Evaluation of Carcinogenic Risks to Humans, which met in Lyon, 10–17 October 2017

LYON, FRANCE - 2018

IARC MONOGRAPHS  
ON THE EVALUATION  
OF CARCINOGENIC RISKS  
TO HUMANS

## 6. EVALUATION AND RATIONALE

---

### 6.1 Cancer in humans

There is *sufficient evidence* in humans for the carcinogenicity of benzene. Benzene causes acute myeloid leukaemia in adults.

Positive associations have been observed for non-Hodgkin lymphoma, chronic lymphoid leukaemia, multiple myeloma, chronic myeloid leukaemia, acute myeloid leukaemia in children, and cancer of the lung.

### 6.2 Cancer in experimental animals

There is *sufficient evidence* in experimental animals for the carcinogenicity of benzene.

### 6.3 Overall evaluation

Benzene is *carcinogenic to humans (Group 1)*.

### 6.4 Rationale

#### *Support for Group 1 from mechanistic data*

A Group 1 evaluation was supported by mechanistic data demonstrating that benzene exhibits many of the key characteristics of carcinogens. In particular, there is *strong* evidence, including in exposed humans, that benzene: is metabolically activated to electrophilic metabolites; induces oxidative stress and associated oxidative DNA damage; is genotoxic, inducing DNA damage and chromosomal changes; is immunosuppressive; and causes haematotoxicity.

