Corrigenda to t	he IARC Monograpi	hs – Volume 113	
Contraction to the			

Monograph	Section	Table/Figure	Page	Details of Corrigendum	Monograph first posted online	Correction made to online version?	Correction made in printed version?
2,4-D	4	Text	439	The following sentence was corrected as follows: "One study using human <del>CYP34A</del> CYP3A4 expressed in yeast reported metabolism of 2,4-D to 2,4- <del>dichlorphenol</del> dichlorophenol (2,4-DCP)"	25 July 2016	Yes, 8 September 2016	Yes
2,4-D	4	Text	450	The following sentence was corrected as follows: In Chinese hamster V79 cells, 2,4-D was mutagenic in the hypoxanthine-guanine phosphoribosyl transferase (HGPRT HGPRT) assay (Pavlica et al., 1991). In Chinese hamster ovary (CHO) cells, no mutagenic effect was reported in the HGPRT HGPRT assay after exposure to 2,4- D salts and esters in the presence or absence of metabolic activation (Gollapudi et al., 1999).	25 July 2016	Yes, 8 September 2016	Yes
2,4-D	4	Text	441	A new section header was added above "4.2 Mechanisms of carcinogenesis": 4.1.3 Modulation of metabolic enzymes	25 July 2016	Yes8 September 2016	Yes
2,4-D	4	Text	441	The following text was moved from page 439 to page 441, below "4.1.3 Modulation of metabolic enzymes", with an addition to the first sentence: "No data on modulation of metabolic enzymes in humans	25 July 2016	Yes, 8 September 2016	Yes

Corrigenda to the IARC Monographs - Volume 113							
Monograph	Section	Table/Figure	Page	Details of Corrigendum	Monograph first posted online	Correction made to online version?	Correction made in printed version?
				<ul> <li>were available to the Working Group. At the median lethal dose (LD50, 375 mg/kg), a single gavage dose of 2,4-D induced cytochrome P450 (CYP1A1, CYP1A2, and CYP1B1) mRNAs in the mammary gland, liver, and kidney of female Sprague-Dawley rats (Badawi et al., 2000).</li> <li>In mouse liver, dietary exposure to 2,4-D at a concentration of 0.125% (w/w) induced total cytochrome oxidase activity and the activities of cytosolic and microsomal epoxide hydro- lases (Lundgren et al., 1987). A less pronounced increase in total cytosolic glutathione transferase activity was observed. Total protein levels of CYP450 and cytosolic epoxide hydrolase were induced [probably due to induction of CYP4A mediated by peroxisome proliferator-activated receptor (PPAR).]"</li> </ul>			
2,4-D	4	Text	450	The header "(c) Experimental systems" was corrected to "(b) Experimental systems".	29 July 2015	Yes, 8 September 2016	Yes
2,4-D	4.3.3	Text		The number of agents previously evaluated in Group 2B was corrected from 65 to 59, as follows: "Of these 181 chemicals previously evaluated by the IARC Monographs and screened in the ToxCast/Tox21 programmes, 8 are classified in Group 1 (carcinogenic to humans), 18 are in Group 2A (probably carcinogenic to humans), 59 are in Group 2B (possibly carcinogenic to	29 July 2015	Yes, 30 July 2018	No

Corrigenda to the IARC Monographs – Volume 113								
Monograph	Section	Table/Figure	Page	Details of Corrigendum	Monograph first posted online	Correction made to online version?	Correction made in printed version?	
				humans), 95 are in Group 3 (not classifiable as to its carcinogenicity to humans), and 1 is in Group 4 (probably not carcinogenic to humans)."				
Entire Volume				The online volume was reviewed and a number of small editorial corrections were made prior to printing. Links for IARC publications and supplemental material were added or updated; small errors in formatting and text/line flow, spacing of digits in numbers with 4 digits or more, use of en-dash in ranges of numbers, and use of italics were corrected; figures for section 2 were moved from section 3 to section 2; the key for Fig. 4.7 of DDT was repositioned for clarity; on page 227, "0 <i>p</i> , <i>p</i> '-DDD.5–1.5%" was corrected to " <i>p</i> , <i>p</i> '-DDD, 0.5–1.5%	29 July 2015	Yes, 30 July 2018	Yes	