

References

- Abraham, S.K., Sarma, L. & Kesavan, P.C. (1993) Protective effects of chlorogenic acid, curcumin and β -carotene against γ -radiation-induced in vivo chromosomal damage. *Mutat. Res.*, **303**, 109–112
- Abril, E.R., Rybski, J.A., Scuderi, P. & Watson, R.R. (1989) Beta-carotene stimulates human leukocytes to secrete a novel cytokine. *J. Leukocyte Biol.*, **45**, 255–261
- Adelekan, D.A., Thurnham, D.I. & Adekile, A.D. (1989) Reduced antioxidant capacity in paediatric patients with homozygous sickle cell disease. *Eur. J. clin. Nutr.*, **43**, 609–614
- Ahmed, S., Lee, M.A. & Lieber, C.S. (1994) Interactions between alcohol and beta-carotene in patients with alcoholic liver disease. *Am. J. clin. Nutr.*, **60**, 430–436
- Aidoo, A., Lyn-Cook, L.E., Lensing, S., Bishop, M.E. & Wamer, W. (1995) In vivo antimutagenic activity of β -carotene in rat spleen. *Carcinogenesis*, **16**, 2237–2241
- Alabaster, O., Tang, Z., Frost, A. & Shivapurkar, N. (1995) Effect of beta-carotene and wheat bran on colonic aberrant crypt and tumor formation in rats exposed to azoxymethane and high dietary fat. *Carcinogenesis*, **16**, 127–132
- Alabaster, O., Tang, Z. & Shivapurkar, N. (1996) Dietary fiber and the chemopreventive modulation of colon carcinogenesis. *Mutat. Res.*, **350**, 185–197
- Alam, B.S. & Alam, S.Q. (1987) The effect of different levels of dietary beta-carotene on DMBA-induced salivary gland tumors. *Nutr. Cancer*, **9**, 93–101
- Alam, B.S., Alam, S.Q., Weir, J.C., Jr & Gibson, W.A. (1984) Chemopreventive effects of beta-carotene and 13-*cis*-retinoic acid on salivary gland tumors. *Nutr. Cancer*, **6**, 4–12
- Alam, B.S., Alam, S.Q. & Weir, J.C., Jr (1988) Effects of excess vitamin A and canthaxanthin on salivary gland tumors. *Nutr. Cancer*, **11**, 233–241
- Alavanja, M.C.R., Brown, C.C., Swanson, C. & Brownson, R.C. (1993) Saturated fat intake and lung cancer risk among nonsmoking women in Missouri. *J. natl Cancer Inst.*, **85**, 1906–1916
- Albanes, D., Heinonen, M., Pukkala, E. & Teppo, L. (1991) Dietary antioxidants and the risk of lung cancer. *Am. J. Epidemiol.*, **134**, 471–479
- Albanes, D., Virtamo, J., Rautalahti, M., Haukka, J., Palmgren, J., Gref, C.-G. & Heinonen, O.P. (1992) Serum beta-carotene before and after beta-carotene supplementation. *Eur. J. clin. Nutr.*, **46**, 15–24
- Albanes, D., Heinonen, O.P., Taylor, P. R., Virtamo, J., Edwards, B.K., Rautalahti, M., Hartman, A.M., Palmgren, J., Freedman, L.S., Haapakoski, J., Barret, M.J., Pietinen, P., Malila, N., Tala, E., Liippo, K., Salomaa, E.-R., Tangrea, J.A., Teppo, L., Askin, F., Taskinen, E., Erozan, Y., Greenwald, P. & Huttunen, J.K. (1996) α -Tocopherol and β -carotene supplements and lung cancer incidence in the Alpha-Tocopherol Beta-Carotene Cancer Prevention Study: Effects of base-line characteristics and study compliance. *J. natl Cancer Inst.*, **88**, 1560–1570
- Albanes, D., Virtamo, J., Taylor, P.R., Rautalahti, M., Pietinen, P. & Heinonen, O.P. (1997) Effect of supplemental β -carotene, cigarette smoking and alcohol consumption on serum carotenoids in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. *Am. J. clin. Nutr.*, **66**, 366–372
- Allard, J.P., Royall, D., Kurian, R., Muggli, R. & Jeejeebhoy, K.N. (1994) Effects of beta-carotene supplementation on lipid peroxidation in humans. *Am. J. clin. Nutr.*, **59**, 884–890
- Alpha-Tocopherol Beta-Carotene Cancer Prevention Study Group (1994a) The Alpha-Tocopherol Beta-Carotene Lung Cancer Prevention Study: Design, methods, participant characteristics and compliance. *Ann. Epidemiol.*, **4**, 1–10
- Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group (1994b) The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. *New Engl. J. Med.*, **330**, 1029–1035
- Ambrosone, C.B., Marshall, J.R., Vena, J.E., Laughlin, R., Graham, S., Nemoto, T. & Freudenheim, J.L. (1995) Interaction of family history of breast cancer and dietary antioxidants with breast cancer risk (New York, United States). *Cancer Causes Control*, **6**, 407–415

- Ames, B.N., Shigenaga, M.K. & Gold, L.S. (1993) DNA lesions, inducible DNA repair, and cell division: Three key factors in mutagenesis and carcinogenesis. *Environ. Health Perspectives*, **101** (Suppl. 5), 35–44
- Anon. (1987) Teratology Society position paper: Recommendations for vitamin A use during pregnancy. *Teratology*, **35**, 269–275
- Appel, M.J. & Woutersen, R.A. (1996) Effects of dietary beta-carotene and selenium on initiation and promotion of pancreatic carcinogenesis in azaserine-treated rats. *Carcinogenesis*, **17**, 1411–1416
- Appel, M.J., Rovers, G. & Woutersen, R.A. (1991) Inhibitory effects of micronutrients on pancreatic carcinogenesis in azaserine-treated rats. *Carcinogenesis*, **12**, 2157–2161
- Appel, M.J., Van Garderen-Hoetmer, A. & Woutersen, R.A. (1996) Lack of inhibitory effects of beta-carotene, vitamin C, vitamin E and selenium on development of ductular adenocarcinomas in exocrine pancreas of hamsters. *Cancer Lett.*, **103**, 157–162
- Arden, G.B. & Barker, F.M. (1991) Canthaxanthin and the eye: A critical ocular toxicologic assessment. *J. Toxicol. cut. ocular Toxicol.*, **10**, 115–155
- Arroyo, P.L., Hatch-Pigott, V., Mower, H.F. & Cooney, R.V. (1992) Mutagenicity of nitric oxide and its inhibition by antioxidants. *Mutat. Res.*, **281**, 193–202
- Ascherio, A., Stampfer, M.J., Colditz, G.A., Rimm, E.B., Litin, L. & Willett, W.C. (1992) Correlations of vitamin A and E intakes with the plasma concentrations of carotenoids and tocopherols among American men and women. *J. Nutr.*, **122**, 1792–1801
- Astorg, P., Gradelet, S., Leclerc, J., Canivenc, M.-C. & Siess, M.-H. (1994) Effects of β -carotene and canthaxanthin on liver xenobiotic-metabolizing enzymes in the rat. *Food Chem. Toxicol.*, **32**, 735–742
- Astorg, P., Gradelet, S., Bergès, R. & Suschetet, M. (1996) No evidence for an inhibitory effect of beta-carotene or of canthaxanthin on the initiation of liver preneoplastic foci by diethylnitrosamine in the rat. *Nutr. Cancer*, **25**, 27–34
- Astorg, P., Gradelet, S., Bergès, R. & Suschetet, M. (1997) Dietary lycopene decreases the initiation of liver preneoplastic foci by diethylnitrosamine in the rat. *Nutr. Cancer*, **29**, 60–68
- Azuine, M.A. & Bhide, S.V. (1992) Protective single/combined treatment with betel leaf and turmeric against methyl(acetoxymethyl)nitrosamine-induced hamster oral carcinogenesis. *Int. J. Cancer*, **51**, 412–415
- Azuine, M.A., Amonkar, A.J. & Bhide, S.V. (1991) Chemopreventive efficacy of betel leaf extract and its constituents on 7,12-dimethylbenz(a)anthracene induced carcinogenesis and their effect on drug detoxification system in mouse skin. *Indian J. exp. Biol.*, **29**, 346–351
- Azuine, M.A., Goswami, U.C., Kayal, J.J. & Bhide, S.V. (1992) Antimutagenic and anticarcinogenic effects of carotenoids and dietary palm oil. *Nutr. Cancer*, **17**, 287–295
- Bagdon, R.E., Zbinden, G. & Studer, A. (1960) Chronic toxicity studies of β -carotene. *Toxicol. appl. Toxicol.*, **2**, 225–236
- Baghurst, P.A., McMichael, A.J., Slavotinek, A.H., Baghurst, K.I., Boyle, P. & Walker, A.M. (1991) A case-control study of diet and cancer of the pancreas. *Am. J. Epidemiol.*, **134**, 167–179
- Bakker Schut, T.C., Puppels, G.J., Kraan, Y.M., Greve, J., van der Maas, L.L. & Figdor, C.G. (1997) Intracellular carotenoid levels measured by Raman microspectroscopy: Comparison of lymphocytes from lung cancer patients and healthy individuals. *Int. J. Cancer*, **74**, 20–25
- Bandera, E.V., Freudenheim, J.L., Marshall, J.R., Zielezny, M., Priore, R., Brasure, J., Baptiste, M. & Graham, S. (1997) Diet and alcohol consumption and lung cancer risk in the New York State cohort (United States). *Cancer Causes Control*, **8**, 828–840
- Banoub, R.W., Fernstrom, M. & Ruch, R.J. (1996) Lack of growth inhibition or enhancement of gap junctional intercellular communication and connexin43 expression by β -carotene in murine lung epithelial cells *in vitro*. *Cancer Lett.*, **108**, 35–40
- Barbone, F., Austin, H. & Partridge, E.E. (1993) Diet and endometrial cancer: A case-control study. *Am. J. Epidemiol.*, **137**, 393–403
- Barua, A.B., Kostic, D. & Olson, J.A. (1993) New simplified procedures for the extraction and simultaneous high-performance liquid chromatographic analysis of retinol, tocopherols and carotenoids in human serum. *J. Chromatogr.*, **617**, 257–264

- Basu, T.K., Temple, N.J. & Hodgson, A.M. (1988) Vitamin A, beta-carotene and cancer. In: Tryfiades, G.P. & Prasad, K.N., eds, *Nutrition, Growth and Cancer*, New York, Alan R. Liss, pp. 217–228
- Batieha, A.M., Armenian, H.K., Norkus, E.P., Morris, J.S., Spate, V.E. & Comstock, G.W. (1993) Serum micronutrients and the subsequent risk for cervical cancer in a population-based nested case control study. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 335–339
- Bauernfeind, J.C. (1972) Carotenoid vitamin A precursors and analogs in foods and feeds. *J. Agric. Food Chem.*, **20**, 456–473
- Beems, R.B. (1987) The effect of beta-carotene on BP-induced respiratory tract tumors in hamsters. *Nutr. Cancer*, **10**, 197–204
- Belisario, M.A., Pecce, R., Battista, C., Panza, N. & Pacilio, G. (1985) Inhibition of cyclophosphamide mutagenicity by β -carotene. *Biomed. Pharmacother.*, **39**, 445–448
- Ben-Amotz, A., Mokady, S., Edelstein, S. & Avron, M. (1989) Bioavailability of a natural isomer mixture as compared with synthetic all-*trans*- β -carotene in rats and chicks. *J. Nutr.*, **119**, 1013–1019
- Bendich, A. (1988) The safety of β -carotene. *Nutr. Cancer*, **11**, 207–214
- Bendich, A. (1989) Carotenoids and the immune response. *J. Nutr.*, **119**, 112–115
- Bendich, A. (1990a) Antioxidant micronutrients and immune responses. *Ann. N.Y. Acad. Sci.*, **587**, 168–180
- Bendich, A. (1990b) Antioxidant vitamins and their functions in immune responses. *Adv. exp. Med. Biol.*, **262**, 35–55
- Bendich, A. (1990c) Carotenoids and the immune system. In: Krinsky, N.I., Mathews-Roth, M.M. & Taylor, R.F., eds, *Carotenoids Chemistry and Biology*, New York, Plenum Press, pp. 323–335
- Bendich, A. (1991) Beta-carotene and the immune response. *Proc. Nutr. Soc.*, **50**, 263–274
- Bendich, A. & Olson, J.A. (1989) Biological actions of carotenoids. *FASEB J.*, **3**, 1927–1932
- Bendich, A. & Shapiro, S.S. (1986) Effect of beta-carotene and canthaxanthin on the immune responses of the rat. *J. Nutr.*, **116**, 2254–2262
- Berg, G., Kohlmeier, L. & Brenner, H. (1997) Use of oral contraceptives and serum beta-carotene. *Eur. J. clin. Nutr.*, **51**, 181–187
- Bernhard, K. & Grosjean, M. (1995) Infrared spectroscopy. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1B, *Spectroscopy*, Basel, Birkhäuser Verlag, pp. 117–134
- Berset, D. & Pfander, H. (1985) Investigation of carotenoid composition in the petals of a garden hybrid *Narcissus* cv 'Golden Harvest'. *Helv. chim. Acta*, **68**, 1149–1154
- Bertram, J.S. & Bortkiewicz, H. (1995) Dietary carotenoids inhibit neoplastic transformation and modulate gene expression in mouse and human cells. *Am. J. clin. Nutr.*, **62**, 1327S–1336S
- Bertram, J.S., Pung, A., Churley, M., Kappock, T.J., Wilkins, L.R. & Cooney, R.V. (1991) Diverse carotenoids protect against chemically induced neoplastic transformation. *Carcinogenesis*, **12**, 671–678
- Bhattacharaya, R.K., Firozi, P.F. & Aboobaker, V.S. (1984) Factors modulating the formation of DNA adducts by aflatoxin B₁ *in vitro*. *Carcinogenesis*, **5**, 1359–1362
- Bianchi-Santamaria, A., Dell'Orti, M., Frigoli, G., Gobbi, M., Arnaboldi, A. & Santamaria, L. (1994) Beta-carotene storage in rat organs following carrier mediated supplementation. *Int. J. Vit. Nutr. Res.*, **64**, 15–20
- Bierer, T.L., Merchen, N.R., Nelson, D.R. & Erdman, J.W. (1993) Transport of newly-absorbed beta-carotene by the preruminant calf. *Ann. N.Y. Acad. Sci.*, **691**, 226–228
- Bierer, T.L., Merchen, N.R. & Erdman, J.W. (1995) Comparative absorption and transport of five common carotenoids in preruminant calves. *J. Nutr.*, **125**, 1569–1577
- Bingham, S.A., Gill, C., Welch, A., Day, K., Cassidy, A., Khaw, K.T., Sneyd, M.J., Key, T.J.A., Roe, L. & Day, N.E. (1994) Comparison of dietary assessment methods in nutritional epidemiology: Weighed records v. 24 h recalls, food-frequency questionnaires and estimated-diet records. *Br. J. Nutr.*, **72**, 619–643
- Blaner, W.S. & Olson, J.A. (1994) Retinol and retinoic acid metabolism. In: Sporn, M.B., Roberts, A.B. & Goodman, D.S., eds, *The Retinoids: Biology, Chemistry, and Medicine*, 2nd Ed., New York, Raven Press, pp. 229–255

- Blankenhorn, D.H. (1957) Carotenoids in man. IV. Carotenoid stores in normal adults. *J. biol. Chem.*, **229**, 809–816
- Block, G., Coyle, L.M., Hartman, A.M. & Scoppa, S.M. (1994) Revision of dietary analysis software for the Health Habits and History Questionnaire. *Am. J. Epidemiol.*, **139**, 1190–1196
- Blot, W.J., Li, J.Y., Taylor, P.R., Guo, W., Dawsey, S., Wang, G.-Q., Yang, C.S., Zheng, S.-F., Gail, M., Li, G.-Y., Yu, Y., Liu, B.-Q., Tangrea, J., Sun, Y.-H., Liu, F., Fraumeni, J.F., Jr, Zhang, Y.-H. & Li, B. (1993) Nutrition intervention trials in Linxian, China: Supplementation with specific vitamin/mineral combinations, cancer incidence, and disease-specific mortality in the general population. *J. natl Cancer Inst.*, **85**, 1483–1492
- Blot, W.J., Taylor, P.R., Li, J.Y. & Li, B. (1994) Lung cancer and vitamin supplementation (Letter). *New Engl. J. Med.*, **331**, 614
- Blot, W.J., Li, J.Y., Taylor, P.R., Guo, W., Dawsey, S. & Li, B. (1995) The Linxian trials: Mortality rates by vitamin–mineral intervention group. *Am. J. clin. Nutr.*, **62** (Suppl.), 1424S–1426S
- Boeing, H., Frentzel Beyme, R., Berger, M., Berndt, V., Gores, W., Korner, M., Lohmeier, R., Menarcher, A., Männl, H.F., Meinhardt, M., Müller, R., Ostermeier, H., Paul, F., Schwemmle, K., Wagner, K.H. & Wahrendorf, J. (1991) Case-control study on stomach cancer in Germany. *Int. J. Cancer*, **47**, 858–864
- Bogden, J.D., Bendich, A., Kemp, F.W., Bruening, K.S., Shurnick, J.H., Denny, T., Baker, H. & Louria, D.B. (1994) Daily micronutrient supplements enhance delayed-hypersensitivity skin test responses in older people. *Am. J. clin. Nutr.*, **60**, 437–447
- Bond, G.G., Thompson, F.E. & Cook, R.R. (1987) Dietary vitamin A and lung cancer: Results of a case-control study among chemical workers. *Nutr. Cancer*, **9**, 109–121
- Bone, R.A., Landrum, J.T. & Tarsis, S.L. (1985) Preliminary identification of the human macular pigment. *Vision Res.*, **25**, 1531–1535
- Bone, R.A., Landrum, J.T., Fernandez, L. & Tarsis, S.L. (1988) Analysis of the macular pigment by HPLC: Retinal distribution and age study. *Invest. Ophthalmol. vis. Sci.*, **29**, 843–849
- Bone, R.A., Landrum, J.T., Hime, G.W., Cains, A. & Zamor, J. (1993) Stereochemistry of the human macular carotenoids. *Invest. Ophthalmol. vis. Sci.*, **34**, 2033–2040
- Bone, R.A., Landrum, J.T., Friedes, L.M., Gomez, C.M., Kilburn, M.D., Menendez, E., Vidal, I. & Wang, W. (1997) Distribution of lutein and zeaxanthin stereoisomers in the human retina. *Exp. Eye Res.*, **64**, 211–218
- Bonithon-Kopp, C., Coudray, C., Berr, C., Touboul, P.-J., Feve, J.M., Favier, A. & Ducimetiere, P. (1997) Combined effects of lipid peroxidation and antioxidant status on carotid atherosclerosis in a population aged 59–71 y. *Am. J. clin. Nutr.*, **65**, 121–127
- Borenstein, B. & Bunnell, R.H. (1966) Carotenoids: Properties, occurrence, and utilization in foods. *Adv. Food Res.*, **15**, 195–276
- Bos, R.P., van Poppel, G., Theuvs, J.L.G. & Kok, F.J. (1992) Decreased excretion of thioethers in urine of smokers after the use of β -carotene. *Int. Arch. occup. environ. Health*, **64**, 189–193
- Bostick, R.M., Potter, J.D., McKenzie, D.R., Sellers, T.A., Kushi, L.H., Steinmetz, K.A. & Folsom, A.R. (1993) Reduced risk of colon cancer with high intake of vitamin E: The Iowa women's health study. *Cancer Res.*, **53**, 4230–4237
- Bowen, P.E., Mobarhan, S. & Smith, J.C., Jr (1993) Carotenoid absorption in humans. *Meth. Enzymol.*, **214**, 3–17
- Brady, W.E., Mares-Perlman, J.A., Bowen, P. & Stacewicz-Sapuntzakis, M. (1996) Human serum carotenoid concentrations are related to physiologic and lifestyle factors. *J. Nutr.*, **126**, 129–137
- Braga, C., La Vecchia, C., Negri, E., Franceschi, S. & Parpinel, M. (1997) Intake of selected foods and nutrients and breast cancer risk: An age- and menopause-specific analysis. *Nutr. Cancer*, **28**, 258–263
- Breslow, R.A., Alberg, A.J., Helzlsouer, K.J., Bush, T.L., Norkus, E.P., Morris, J.S., Spate, V.E. & Comstock, G.W. (1995) Serological precursors of cancer: Malignant melanoma, basal and squamous cell skin cancer, and prediagnostic levels of retinol, β -carotene, lycopene, α -tocopherol and selenium. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 837–842

- Briefel, R., Sowell, A., Huff, D., Hodge, C., Koncikowski, S., Wright, J. & Gunter, E. (1996) The distribution of serum carotenoids in the US population, 1988–1994: Results from the Third National Health and Nutrition Examination Survey (NHANES III). *FASEB J.*, **10**, A813
- Britton, G. (1995a) Structure and properties of carotenoids in relation to function. *FASEB J.*, **9**, 1551–1558
- Britton, G. (1995b) UV/Visible spectroscopy. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1B, *Spectroscopy*, Basel, Birkhäuser Verlag, pp. 13–62
- Britton, G. (1995c) Example 1: Higher plants. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag, pp. 201–214
- Britton, G., Liaaen-Jensen, S. & Pfander, H., eds (1995a) *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag
- Britton, G., Liaaen-Jensen, S. & Pfander, H., eds (1995b) *Carotenoids*, Vol. 1B, *Spectroscopy*, Basel, Birkhäuser Verlag
- Brockman, H.E., Stack, H.F. & Waters, M.D. (1992) Antimutagenicity profiles of some natural substances. *Mutat. Res.*, **267**, 157–172
- Brown, L.M., Blot, W.J., Schuman, S.H., Smith, V.M., Ershow, A.G., Marks, R.D. & Fraumeni, J.F. (1988) Environmental factors and high risk of esophageal cancer among men in coastal South Carolina. *J. Natl Cancer Inst.*, **80**, 1620–1625
- Brown, E.D., Micozzi, M.S., Craft, N.E., Bieri, J.G., Beecher, G., Edwards, B.K., Rose, A., Taylor, P.R. & Smith, J.C., Jr (1989) Plasma carotenoids in normal men after a single ingestion of vegetables or purified β -carotene. *Am. J. clin. Nutr.*, **49**, 1258–1265
- Brubacher, G.B. & Weiser, H. (1985) The vitamin A activity of β -carotene. *Int. J. Vit. Nutr. Res.*, **55**, 5–15
- Bruemmer, B., White, E., Vaughan, T.L. & Cheney, C.L. (1996) Nutrient intake in relation to bladder cancer among middle-aged men and women. *Am. J. Epidemiol.*, **144**, 485–495
- Bueno de Mesquita, H.B., Maisonneuve, P., Runia, S. & Moerman, C.J. (1991) Intake of foods and nutrients and cancer of the exocrine pancreas: A population-based case-control study in the Netherlands. *Int. J. Cancer*, **48**, 540–549
- Buiatti, E., Palli, D., Decarli, A., Amadori, D., Avellini, C., Bianchi, S., Bonaguri, C., Cipriani, F., Cocco, P., Giacosa, A., Marubini, E., Minacci, C., Puntoni, R., Russo, A., Vindigni, C., Fraumeni, J.F., Jr & Blot, W.J. (1990) A case-control study of gastric cancer and diet in Italy: II. Association with nutrients. *Int. J. Cancer*, **45**, 896–901
- Bukin, Y.V., Zaridze, D.G., Draudin-Kryleno, V.A., Orlov, E.N., Sigacheva, N.A., Dawei, F., Kurtgzman, M.Ya., Schlenskaya, I.N., Gorbacheva, O.N., Nichipai, A.M., Kuvshinov, Yu.P., Poddubny, B.K. & Maximovitch, D.M. (1993) Effect of beta-carotene supplementation on the activity of ornithine decarboxylase (ODC) in stomach mucosa of patients with chronic atrophic gastritis. *Eur. J. Cancer Prev.*, **2**, 61–68
- Burdon, R.H. (1995) Superoxide and hydrogen peroxide in relation to mammalian cell proliferation. *Free Radical Med.*, **18**, 775–794
- Burger, H., Kovacs, A., Weiser, B., Grimson, R., Nachman, S., Tropper, P., van Bennekim, A.M., Elie, M.C. & Blaner, W.S. (1997) Maternal serum vitamin A levels are not associated with mother-child transmission of HIV-1 in the United States. *J. Acquir. Immune Defic. Synd. Hum. Retroviruses*, **14**, 321–326
- Burney, P.G.J., Comstock, G.W. & Morris, J.S. (1989) Serologic precursors of cancer: Serum micronutrients and the subsequent risk for pancreatic cancer. *Am. J. clin. Nutr.*, **49**, 895–900
- Burton G.W. & Ingold K.U. (1984) β -Carotene: An unusual type of lipid antioxidant. *Science*, **224**, 569–573
- Bushway, R.J., Yang, A. & Yamani, A.M. (1986) Comparison of alpha- and beta-carotene content of supermarket vs roadside stand produce in Maine (Report 0734-9556). Orono, Maine, University of Maine
- Byers, T., Marshall, J., Graham, S., Mettlin, C. & Swanson, M. (1983) A case-control study of dietary and nondietary factors in ovarian cancer. *J. Natl Cancer Inst.*, **71**, 681–686
- Byers, T.E., Graham, S., Haughey, B.P., Marshall, J.R. & Swanson, M.K. (1987) Diet and lung cancer risk: Findings from the Western New York Diet Study. *Am. J. Epidemiol.*, **125**, 351–363
- Cahill, R.J., O'Sullivan, K.R., Mathias, P.M., Beattie, S., Hamilton, H. & O'Morain, C. (1993) Effects of vitamin antioxidant supplementation on cell kinetics of patients with adenomatous polyps. *Gut*, **34**, 963–967

- Camoirano, A., Balansky, R.M., Bennicelli, C., Izzotti, A., D'Agostini, F. & De Flora, S. (1994) Experimental databases on inhibition of the bacterial mutagenicity of 4-nitroquinoline 1-oxide and cigarette smoke. *Mutat. Res.*, **317**, 89–109
- Candelora, E.C., Stockwell, H.G., Armstrong, A.W. & Pinkham, P.A. (1992) Dietary intake and risk of lung cancer in women who never smoked. *Nutr. Cancer*, **17**, 263–270
- Cantilena, L.R. & Nierenberg, D.W. (1989) Simultaneous analysis of five carotenoids in human plasma by five isocratic high performance liquid chromatography. *J. Micronutr. Anal.*, **6**, 181–209
- Cantilena, L.R., Stukel, T.A., Greenberg, E.R., Nann, S. & Nierenberg, D.W. (1992) Diurnal and seasonal variation of five carotenoids measured in human serum. *Am. J. clin. Nutr.*, **55**, 659–663
- Castonguay, A., Pepin, P. & Stoner, G.D. (1991) Lung tumorigenicity of NNK given orally to A/J mice: Its application to chemopreventive efficacy studies. *Exp. Lung Res.*, **17**, 485–499
- Chang, W.-C., Lin, Y.-L., Lee, M.-J., Shioh, S.-J. & Wang, C.-J. (1996) Inhibitory effect of crocetin on benzo(a)pyrene genotoxicity and neoplastic transformation in C3H 10T1/2 cells. *Anticancer Res.*, **16**, 3603–3608
- Chen, L., Sly, L., Jones, C.S., Tarone, R. & De Luca, L.M. (1993) Differential effects of dietary beta-carotene on papilloma and carcinoma formation induced by an initiation–promotion protocol in SENCAR mouse skin. *Carcinogenesis*, **14**, 713–717
- Chew, B.P., Wong, M.W. & Wong, T.S. (1996) Effects of lutein from marigold extract on immunity and growth of mammary tumors in mice. *Anticancer Res.*, **16**, 3689–3694
- Chug-Ahuja, J.K., Holden, J.M., Forman, M.R., Mangels, A.R., Beecher, G.R. & Lanza, E. (1993) The development and application of carotenoid database for fruits, vegetables and related multicomponent foods. *J. Am. Diet Assoc.*, **93**, 318–323
- Chyou, P.-H., Nomura, M.Y.A., Hankin, J.H. & Stemmermann, G.N. (1990) A case–cohort study of diet and stomach cancer. *Cancer Res.*, **50**, 7501–7504
- Clinton, S.K., Emenhiser, C., Schwartz, S.J., Bostwick, D.J., Williams, A.W., Moore, B.J. & Erdman, J.W.J. (1996) *cis-trans* Lycopene isomers, carotenoids and retinol in human prostate. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 823–833
- Colacchio, T.A. & Memoli, V. A. (1986) Chemoprevention of colorectal neoplasms. Ascorbic acid and beta-carotene. *Arch. Surg.*, **121**, 1421–1424
- Colacchio, T.A., Memoli, V.A. & Hildebrandt, L. (1989) Antioxidants vs carotenoids. *Arch. Surg.*, **124**, 217–221
- Comstock, G.W., Helzlsouer, K.J. & Bush, T.L. (1991) Prediagnostic serum levels of carotenoids and vitamin E as related to subsequent cancer in Washington County, Maryland. *Am. J. clin. Nutr.*, **53**, 260S–264S
- Comstock, G.W., Alberg, A.J. & Helzlsouer, K.J. (1993) Reported effects of long-term freezer storage on concentrations of retinol, β -carotene, and α -tocopherol in serum or plasma summarized. *Clin. Chem.*, **39**, 1075–1078
- Comstock, G.W., Alberg, A.J., Huang, H.Y., Wu, K., Burke, A.E., Hoffman, S.C., Norkus, E.P., Gross, M., Cutler, R.G., Morris, J.S., Spate, V.L. & Helzlsouer, K.J. (1997) The risk of developing lung cancer associated with antioxidants in the blood: Ascorbic acid, carotenoids, α -tocopherol, selenium, and total peroxyl radical absorbing capacity. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 907–916
- Connett, J.E., Kuller, L.H., Kjelsberg, M.O., Polk, B.F., Collins, G., Rider, A. & Hulley, S.B. (1989) Relationship between carotenoids and cancer. The Multiple Risk Factor Intervention Trial (MRFIT) Study. *Cancer*, **64**, 126–134
- Cooney, R.V., Kappock, T.J., Pung, A. & Bertram, J.S. (1993) Solubilization, cellular uptake, and activity of β -carotene and other carotenoids as inhibitors of neoplastic transformation in cultured cells. *Meth. Enzymol.*, **214**, 55–68
- Cooney, R.V., Franke, A.A., Hankin, J.H., Custer, L.J., Wilkins, L.R., Harwood, P.J. & Le Marchand, L. (1995) Seasonal variations in plasma micronutrients and antioxidants. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 207–215
- Correa, P., Fontham, E., Pickle, L.W., Chen, V., Lin, Y.P. & Haenszel, W. (1985) Dietary determinants of gastric cancer in south Louisiana inhabitants. *J. natl Cancer Inst.*, **75**, 645–654

- Cozzi, R., Ricordi R., Aglitti, T., Gatta, V., Perticone, P. & De Salvia, R. (1997) Ascorbic acid and β -carotene as modulators of oxidative damage. *Carcinogenesis*, **18**, 223–228
- Craft, N.E. (1992) Carotenoid reversed-phase high-performance liquid chromatography methods: Reference compendium. *Meth. Enzymol.*, **213**, 185–205
- Craft, N.E., Brown, E.D. & Smith, J.C., Jr (1988) Effects of storage and handling conditions on concentrations of individual carotenoids, retinol, and tocopherol in plasma. *Clin. Chem.*, **34**, 44–48
- Cutler, R.G. (1991) Antioxidants and aging. *Am. J. clin. Nutr.*, **53**, 373S–379S
- Daicker, B., Schiedt, K., Adnet, J.J. & Bermond, P. (1987) Canthaxanthin retinopathy. *Graefe's Arch. clin. exp. Ophthalmol.*, **225**, 189–197
- Dartigues, J.-F., Dabis, F., Gros, N., Moise, A., Bois, G., Salamon, R., Dilhuydy, J.M. & Courty, G. (1990) Dietary vitamin A, beta carotene and risk of epidermoid lung cancer in south-western France. *Eur. J. Epidemiol.*, **6**, 261–265
- Das, B.S., Thurnham, D.I. & Das, D.B. (1996) Plasma α -tocopherol, retinol and carotenoids in children with falciparum malaria. *Am. J. clin. Nutr.*, **64**, 94–100
- Daudu, P.A., Kelley, D.S., Taylor, P.C., Burri, B.J. & Wu, M.M. (1994) Effect of a low beta-carotene diet on the immune functions of adult women. *Am. J. clin. Nutr.*, **60**, 969–972
- Decarli, A., Liati, P., Negri, E., Franceschi, S. & La Vecchia, C. (1987) Vitamin A and other dietary factors in the etiology of esophageal cancer. *Nutr. Cancer*, **10**, 29–37
- Devery, J. & Milborrow, B.V. (1994) β -Carotene-15,15'-dioxygenase (EC1.13.11.21) isolation reaction mechanism and an improved assay procedure. *Br. J. Nutr.*, **72**, 397–414
- Dimenstein, R., Trugo, N.M., Donangelo, C.M., Trugo, L.C. & Anastacio, A.S. (1996) Effect of subadequate maternal vitamin-A status on placental transfer of retinol and beta-carotene to the human fetus. *Biol. Neonate*, **69**, 230–234
- Dimitrov, N.V. & Ullrey, D.E. (1990) Bioavailability of carotenoids. In: Krinsky, N.I., Mathews-Roth, M.M. & Taylor, R.F., eds, *Carotenoids Chemistry and Biology*, New York, Plenum Press, pp. 269–277
- Dimitrov, N.V., Meyer, C., Ullrey, D.E., Chenoweth, W., Michelakis, A., Malone, W., Boone, C. & Fink, G. (1988) Bioavailability of β -carotene in humans. *Am. J. clin. Nutr.*, **48**, 298–304
- Diplock, A.T. (1995) Safety of antioxidant vitamins and beta-carotene. *Am. J. clin. Nutr.*, **62**, 1510S–1516S
- Dorgan, J.F., Ziegler, R.G., Schoenberg, J.B., Hartge, P., McAdams, M.J., Falk, R.T., Wilcox, H.B. & Shaw, G.L. (1993) Race and sex differences in associations of vegetables, fruits, and carotenoids with lung cancer risk in New Jersey (United States). *Cancer Causes Control*, **4**, 273–281
- Drewnowski, A., Rock, C.L., Henderson, S.A., Shore, A.B., Fischler, C., Galan, P., Preziosi, P. & Hercberg, S. (1997) Serum β -carotene and vitamin C as biomarkers of vegetable and fruit intakes in a community based sample of French adults. *Am. J. clin. Nutr.*, **65**, 1796–1802
- Duszka, C., Grolier, P., Azim, E.-M., Alexandre-Gouabau, M.-C., Borel, P. & Azais-Braesco, V. (1996) Rat intestinal β -carotene dioxygenase activity is located primarily in the cytosol of mature jejunal enterocytes. *J. Nutr.*, **126**, 2550–2556
- van Eewyk, J., Davis, F.G. & Bowen, P.E. (1991) Dietary and serum carotenoids and cervical intraepithelial neoplasia. *Int. J. Cancer*, **48**, 34–38
- Eichholzer, M., Stahelin, H.B. & Gey, K.F. (1992) Inverse correlation between essential antioxidants in plasma and subsequent risk to develop cancer, ischemic heart disease and stroke respectively: 12-year follow-up of the Prospective Basel Study. In: Emerit, I. & Chance, B., eds, *Free Radicals and Aging*, Basel, Birkhauser Verlag, pp. 398–410
- Eichholzer, M., Stähelin, H.B., Gey, K.F., Lüdin, E. & Bernasconi, F. (1996) Prediction of male cancer mortality by plasma levels of interacting vitamins: 17-year follow-up of the Prospective Basel Study. *Int. J. Cancer*, **66**, 145–150
- Eiserich, J.P., van der Vliet, A., Handelman, G.J., Halliwell, B. & Cross, C.E. (1995) Dietary antioxidants and cigarette smoke-induced biomolecular damage: A complex interaction. *Am. J. clin. Nutr.*, **62**, 1490S–1500S
- El-Gorab, M., Underwood, B.A. & Loerch, J.D. (1975) The role of bile salts in the uptake of β -carotene and retinol by rat everted gut sacs. *Biochim. biophys. Acta*, **401**, 265–277

- Emenhiser, C., Sander, L.C. & Schwartz, S.J. (1995) Capability of a polymeric C30 stationary phase to resolve *cis-trans* carotenoid isomers in reversed-phase liquid chromatography. *J. Chromatogr. A*, **707**, 205–216
- Enger, S.M., Longnecker, M.P., Chen, M.J., Harper, J.M., Lee, E.R., Frankl, H.D. & Haile, R.W. (1996) Dietary intake of specific carotenoids and vitamins A, C, and E, and prevalence of colorectal adenomas. *Cancer Epidemiol. Biomarkers. Prev.*, **5**, 147–153
- Engle, A., Muscat, J.E. & Harris, R.E. (1991) Nutritional risk factors and ovarian cancer. *Nutr. Cancer*, **15**, 239–247
- Englert, G. (1995) NMR spectroscopy. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1B, *Spectroscopy*, Basel, Birkhäuser Verlag, pp. 147–260
- Englert, G., Noack, K., Broger, E.A., Glinz, E., Vecchi, M. & Zell, R. (1992) Synthesis, isolation, and full spectroscopic characterization of eleven (*Z*)-isomers of (3*R*,3'*R*)-zeaxanthin. *Helv. chim. Acta*, **74**, 969–982
- Epstein, J.H. (1977) Effects of beta-carotene on ultraviolet induced cancer formation in the hairless mouse skin. *Photochem. Photobiol.*, **25**, 211–213
- Erdman, J.W., Bierer, T.L. & Gugger, E.T. (1993) Absorption and transport of carotenoids. *Ann. N.Y. Acad. Sci.*, **691**, 76–85
- Ershov, Y.V., Bykhovskiy, V.Y. & Dmitrovskii, A.A. (1994) Stabilization and competitive inhibition of β -carotene 15-15'-dioxygenase by carotenoids. *Biochem. mol. Biol. Int.*, **34**, 755–763
- Estève, J., Riboli, E., Pequignot, G., Terracini, B., Merletti, F., Crosignani, P., Ascunce, N., Zubiri, L., Blanchet, F., Raymond, L., Repetto, F. & Tuyns, A.J. (1996) Diet and cancers of the larynx and hypopharynx: The IARC multi-center study in southwestern Europe. *Cancer Causes Control*, **7**, 240–252
- Everett, S.A., Dennis, M.F., Patel, K.B., Maddix, S., Kundu, S.C. & Willson, R. (1996) Scavenging of nitrogen dioxide, thiyl, and sulfonyl free radicals by the nutritional antioxidant β -carotene. *J. Biol. Chem.*, **271**, 3988–3994
- Ewertz, M. & Gill, C. (1990) Dietary factors and breast-cancer risk in Denmark. *Int. J. Cancer*, **46**, 779–784
- Eye Disease Case-Control Study Group (1993) Antioxidant status and neovascular age-related macular degeneration. *Arch. Ophthalmol.*, **111**, 104–109
- Falk, R.T., Pickle, L.W., Fontham, E.T., Correa, P. & Fraumeni, J.F. (1988) Life-style risk factors for pancreatic cancer in Louisiana: A case-control study. *Am. J. Epidemiol.*, **128**, 324–336
- Fernandez, E., La Vecchia, C., D'Avanzo, B., Negri, E. & Franceschi, S. (1997) Risk factors for colorectal cancer in subjects with family history of the disease. *Br. J. Cancer*, **75**, 1381–1384
- Flores, M., Menchu, M.T., Lara, M.Y. & Arroyave, G. (1969) [Vitamin A content of foodstuffs included in the food composition tables used in Latin America.] *Arch. Latinoam. Nutr.*, **19**, 311–341 (in Spanish)
- Fontham, E.T., Pickle, L.W., Haenszel, W., Correa, P., Lin, Y.P. & Falk, R.T. (1988) Dietary vitamins A and C and lung cancer risk in Louisiana. *Cancer*, **62**, 2267–2273
- Fontham, E.T.H., Malcom, G.T., Sing, V.N., Ruiz, B., Schmidt, B. & Correa, P. (1995) Effect of β -carotene supplementation on serum α -tocopherol concentration. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 801–803
- Forman, M.R., Beecher, G., Muesing, R., Lanza, E., Olson, B., Campbell, W.S., McAdam, P., Schulman, J.D. & Graubard, B.I. (1996) The fluctuation of plasma carotenoid concentrations by phase of the menstrual cycle: A controlled diet study. *Am. J. Clin. Nutr.*, **64**, 559–565
- Franke, A.A., Harwood, P.J., Shimamoto, T., Lumeng, S., Zhang, L., Bertram, J.S., Wilkens, L.R., Le Marchand, L. & Cooney, R.V. (1994) Effects of micronutrients and antioxidants on lipid peroxidation in human plasma and in cell culture. *Cancer Lett.*, **79**, 17–26
- Freudenheim, J.L., Graham, S., Marshall, J.R., Haughey, B.P., Cholewinski, S. & Wilkinson, G. (1991) Folate intake and carcinogenesis of the colon and rectum. *Int. J. Epidemiol.*, **20**, 368–374
- Freudenheim, J.L., Graham, S., Byers, T.E., Marshall, J.R., Haughey, B.P., Swanson, M.K. & Wilkinson, G. (1992) Diet, smoking, and alcohol in cancer of the larynx: A case-control study. *Nutr. Cancer*, **17**, 33–45
- Freudenheim, J.L., Marshall, J.R., Vena, J.E., Laughlin, R., Brasure, J.R., Swanson, M.K., Nemoto, T. & Graham, S. (1996) Premenopausal breast cancer risk and intake of vegetables, fruits, and related nutrients. *J. Natl Cancer Inst.*, **88**, 340–348

- Friedman, J.M. & Polifka, J.E. (1994) *Teratogenic Effects of Drugs: A Resource for Clinicians*, Baltimore, The Johns Hopkins University Press, pp. 654–655
- Friedman, G.D., Blaner, W.S., Goodman, D.S., Vogelmann, J.H., Brind, J.L., Hoover, R., Fireman, B.H. & Orentreich, N. (1986) Serum retinol-binding protein levels do not predict subsequent lung cancer. *Am. J. Epidemiol.*, **123**, 781–789
- Frommel, T.O., Mobarhan, S., Doria, M., Halline, A.G., Luk, G.D., Bowen, P.E., Candel, A. & Liao, Y. (1995) Effect of beta-carotene supplementation on indices of colonic cell proliferation. *J. natl Cancer Inst.*, **87**, 1781–1787
- Fukao, A., Tsubono, Y., Kawamura, M., Ido, T., Akazawa, N., Tsuji, I., Komatsu, S., Minami, Y. & Hisamichi, S. (1996) The independent association of smoking and drinking with serum beta-carotene levels among males in Miyagi, Japan. *Int. J. Epidemiol.*, **25**, 300–306
- Fuller, C.J., Faulkner, H., Bendich, A., Parker, R.S. & Roe, D.A. (1992) Effect of beta-carotene supplementation on photosuppression of delayed-type hypersensitivity in normal young men. *Am. J. clin. Nutr.*, **56**, 684–690
- Furr, H.C. & Clark, R.M. (1997) Intestinal absorption and tissue distribution of carotenoids. *J. nutr. Biochem.*, **8**, 364–377
- Gao, Y.T., McLaughlin, J.K., Gridley, G., Blot, W.J., Ji, B.T., Dai, Q. & Fraumeni, J.F. (1994) Risk factors for esophageal cancer in Shanghai, China. II. Role of diet and nutrients. *Int. J. Cancer*, **58**, 197–202
- Garewal, H. (1995) Antioxidants in oral cancer prevention. *Am. J. clin. Nutr.*, **62**, 1410S–1416S
- Garewal, H.S., Meyskens, F.L., Jr, Killen, D., Reeves, D., Kiersch, T.A., Elletson, H., Strosberg, A., King, D. & Steinbronn, K. (1990) Response of oral leukoplakia to β -carotene. *J. clin. Oncol.*, **8**, 1715–1720
- Garmyn, M., Ribaya Mercado, J.D., Russel, R.M., Bhawan, J. & Gilchrist, B.A. (1995) Effect of beta-carotene supplementation on the human sunburn reaction. *Exp. Dermatol.*, **4**, 104–111
- Gärtner, C., Stahl, W. & Sies, H. (1996) Preferential increase in chylomicron levels of the xanthophylls lutein and zeaxanthin compared to β -carotene in the human. *Int. J. Vit. Nutr. Res.*, **66**, 119–125
- Gärtner, C., Stahl, W. & Sies, H. (1997) Lycopene is more bioavailable from tomato paste than from fresh tomatoes. *Am. J. clin. Nutr.*, **66**, 116–122
- Gaziano, J.M. (1994) Antioxidant vitamins and coronary artery disease risk. *Am. J. Med.*, **97** (Suppl. 3A), 18S–21S
- Gaziano, J.M. & Hennekens, C.H. (1993) The role of beta-carotene in the prevention of cardiovascular disease. *Ann. N.Y. Acad. Sci.*, **691**, 148–155
- Gaziano, J.M., Johnson, E.J., Russell, R.M., Manson, J.E., Stampfer, M.J., Ridker, P.M., Frei, B., Hennekens, C.H. & Krinsky, N.I. (1995a) Discrimination in absorption or transport of β -carotene isomers after oral supplementation with either all-*trans*- or 9-*cis*- β -carotene. *Am. J. clin. Nutr.*, **61**, 1248–1252
- Gaziano, J.M., Hatta, A., Flynn, M., Johnson, E.J., Krinsky, N.I., Ridker, P.M., Hennekens, C.H. & Frei, B. (1995b) Supplementation of β -carotene in vivo and in vitro does not inhibit low density lipoprotein oxidation. *Atherosclerosis*, **112**, 187–195
- Gaziano, J.M., Manson, J.E., Ridker, P.M., Buring, J.E. & Hennekens, C.H. (1996) Beta-carotene therapy for chronic stable angina. *Circulation*, **94**, 508
- Geisen, C., Denk, C., Gremm, B., Baust, C., Karger, A., Bollag, W. & Schwarz, E. (1997) High-level expression of the retinoic acid receptor β gene in normal cells of the uterine cervix is regulated by the retinoic acid receptor α and is abnormally down-regulated in cervical carcinoma cells. *Cancer Res.*, **57**, 1460–1467
- Gensler, H.L., Aickin, M. & Peng, Y.M. (1990) Cumulative reduction of primary skin tumor growth in UV-irradiated mice by the combination of retinyl palmitate and canthaxanthin. *Cancer Lett.*, **53**, 27–31
- Gerber, M., Cavallo, F., Marubini, E., Richardson, S., Barbieri, A., Capitelli, E., Costa, A., Crastes de Paulet, A., Crastes de Paulet, P., Decarli, A., Pastorino, U. & Pujol, H. (1988) Liposoluble vitamins and lipid parameters in breast cancer. A joint study in northern Italy and southern France. *Int. J. Cancer*, **42**, 489–494
- Gerster, H. (1997) The potential role of lycopene for human health. *J. Am. Coll. Nutr.*, **16**, 109–126
- Gey, K.F., Stahelin, H.B. & Eichholzer, M. (1993a) Poor plasma status of carotene and vitamin C is associated with higher mortality from ischemic heart disease and stroke: Basel prospective study. *Clin. Invest.*, **71**, 3–6

- Gey, K.F., Moser, U.K., Jordan P., Stähelin, H.B., Eichholzer, M. & Lüdin, E. (1993b) Increased risk of cardiovascular disease at suboptimal plasma concentrations of essential antioxidants: An epidemiological update with special attention to carotene and vitamin C. *Am. J. clin. Nutr.*, **57** (Suppl.), 787S–797S
- Ghadirian, P., Simard, A., Baillargeon, J., Maisonneuve, P. & Boyle, P. (1991) Nutritional factors and pancreatic cancer in the Francophone community in Montreal, Canada. *Int. J. Cancer*, **47**, 1–6
- Ghadirian, P., Lacroix, A., Maisonneuve, P., Perret, C., Potvin, C., Gravel, D., Bernard, D. & Boyle, P. (1997) Nutritional factors and colon carcinoma. A case-control study involving French Canadians in Montreal, Quebec, Canada. *Cancer*, **80**, 858–864
- Gijare, P.S., Rao, K.V.K. & Bhide, S.V. (1990) Modulatory effects of snuff, retinoic acid, and beta-carotene on DMBA-induced hamster cheek pouch carcinogenesis in relation to keratin expression. *Nutr. Cancer*, **14**, 253–259
- Giovannucci, E., Stampfer, M.J., Colditz, G.A., Rimm, E.B., Trichopoulos, D., Rosner, B.A., Speizer, F.E. & Willett, W.C. (1993) Folate, methionine, and alcohol intake and risk of colorectal adenoma. *J. natl Cancer Inst.*, **85**, 875–884
- Giovannucci, E., Ascherio, A., Rimm, E.B., Stampfer, M.J., Colditz, G.A. & Willett, W.C. (1995) Intake of carotenoids and retinol in relation to risk of prostate cancer. *J. natl Cancer Inst.*, **87**, 1767–1776
- Giuliano, A.R., Papenfuss, M., Nour, M., Canfield, L.M., Schneider, A. & Hatch, K. (1997) Antioxidant nutrients: Associations with persistent human papillomavirus infection. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 917–923
- Glover, J. (1960) The conversion of β -carotene into vitamin A. *Vit. Horm. (USA)*, **18**, 371–386
- Goldberg, J., Flowerdew, G., Smith, E., Brody, J.A. & Tso, M.O.M. (1988) Factors associated with AMD: Analyses of data from the first NHANES. *Am. J. Epidemiol.*, **128**, 700–710
- Gonzalez, C.A., Riboli, E., Badosa, J., Batiste, E., Cardona, T., Pita, S., Sanz, J.M., Torrent, M. & Agudo, A. (1994) Nutritional factors and gastric cancer in Spain. *Am. J. Epidemiol.*, **139**, 466–473
- Gonzalez de Mejia, E., Loarca-Pina, G. & Ramos-Gomez, M. (1997a) Antimutagenicity of xanthophylls present in Aztec marigold (*Tagetes erecta*) against 1-nitropyrene. *Mutat. Res.*, **389**, 219–226
- Gonzalez de Mejia, E., Ramos-Gomez, M. & Loarca-Pina, G. (1997b) Antimutagenic activity of natural xanthophylls against aflatoxin B1 in *Salmonella typhimurium*. *Environ. mol. Mutag.*, **30**, 346–353
- Goodman, D.S. & Huang, H.S. (1965) Biosynthesis of vitamin A with rat intestinal enzymes. *Science*, **149**, 879–880
- Goodman, D.S., Blomstrand, R., Werner, B., Huang, H.S. & Shiratori, T. (1966a) The intestinal absorption and metabolism of vitamin A and β -carotene in man. *J. clin. Invest.*, **45**, 1615–1623
- Goodman, D.S., Huang, H.S. & Shiratori, T. (1966b) Mechanism of the biosynthesis of vitamin A from β -carotene. *J. biol. Chem.*, **241**, 1929–1932
- Goodman, G.E., Omenn, G.S. & CARET Co-investigators and Staff (1992) Carotene and retinol efficacy trial: Lung cancer chemoprevention trial in heavy cigarette smokers and asbestos-exposed workers. *Adv. exp. Med. Biol.*, **320**, 137–140
- Goodman, G.E., Omenn, G.S., Thornquist, M.D., Lund, B., Metch, B. & Gylys-Colwell, I. (1993) The Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high risk populations: Pilot study with cigarette smokers. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 389–396
- Goodman, G.E., Metch, B.J. & Omenn, G.S. (1994) The effect of long-term β -carotene and vitamin A administration on serum concentrations of α -tocopherol. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 429–432
- Goodman, G.E., Thornquist, M.D., Kestin, M., Metch, B., Anderson, G., Omenn, G.S. & CARET Coinvestigators (1996) The association between participant characteristics and serum concentrations of β -carotene, retinol, retinyl palmitat and α -tocopherol among participants in the Carotene and Retinol Efficacy Trial (CARET) for prevention of lung cancer. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 815–821
- Goodwin, T.W., ed. (1976) *Chemistry and Biochemistry of Plant Pigments*, New York, Academic Press, pp. 225–261
- Goodwin, T.W., ed. (1980) *The Biochemistry of the Carotenoids*, New York, Chapman & Hall, pp. 143–203

- Goralczyk, R., Buser, S., Bausch, J., Bee, W., Zuklke, V. & Barker, F.M. (1997) Occurrence of birefringent retinal inclusions in cynomolgus monkeys after high doses of canthaxanthin. *Invest. ophthalmol. vis. Sci.*, **38**, 741–752
- Goswami, U.C., Saloi, T.N., Firozi, P.F. & Bhattacharya, R.K. (1989) Modulation by some natural carotenoids of DNA adduct formation by aflatoxin B₁ *in vitro*. *Cancer Lett.*, **47**, 127–132
- Gottlieb, K., Zarling, E.J., Mobarhan, S., Bowen, P. & Sugerman, S. (1993) β -Carotene decreases markers of lipid peroxidation in healthy volunteers. *Nutr. Cancer*, **19**, 207–212
- Gradelet, S., Astorg, P., Leclerc, J., Chevalier, J., Vernevaut, M.F. & Siess, M.-H. (1996a) Effects of canthaxanthin, astaxanthin, lycopene and lutein on liver xenobiotic-metabolizing enzymes in the rat. *Xenobiotica*, **26**, 49–63
- Gradelet, S., Leclerc, J., Siess, M.-H. & Astorg P.O. (1996b) β -Apo-8'-carotenal, but not β -carotene, is a strong inducer of liver cytochromes P4501A1 and 1A2 in rat. *Xenobiotica*, **26**, 909–919
- Gradelet, S., Astorg, P., Pineau, T., Canivenc, M.C., Siess, M.H., Leclerc, J. & Lesca, P. (1997) Ah receptor-dependent CYP1A induction by two carotenoids, canthaxanthin and beta-apo-8'-carotenal, with no affinity for the TCDD binding site. *Biochem. Pharmacol.*, **54**, 307–315
- Gradelet, S., Le Bon, A.-M., Bergès, R., Suschetet, M. & Astorg, P. (1998) Dietary carotenoids inhibit aflatoxin B₁-induced liver preneoplastic foci and DNA damage in the rat: Role of the modulation of aflatoxin B₁ metabolism. *Carcinogenesis*, **19**, 403–411
- Graham, S., Marshall, J., Haughey, B., Brasure, J., Freudenheim, J., Zielezny, M., Wilkinson, G. & Nolan, J. (1990a) Nutritional epidemiology of cancer of the esophagus. *Am. J. Epidemiol.*, **131**, 454–467
- Graham, S., Haughey, B., Marshall, J., Brasure, J., Zielezny, M., Freudenheim, J., West, D., Nolan, J. & Wilkinson, G. (1990b) Diet in the epidemiology of gastric cancer. *Nutr. Cancer*, **13**, 19–34
- Graham, S., Hellmann, R., Marshall, J., Freudenheim, J., Vena, J., Swanson, M., Zielezny, M., Nemoto, T., Stubbe, N. & Raimondo, T. (1991) Nutritional epidemiology of postmenopausal breast cancer in western New York. *Am. J. Epidemiol.*, **134**, 552–566
- Graham, S., Zielezny, M., Marshall, J., Priore, R., Freudenheim, J., Brasure, J., Haughey, B., Nasca, P. & Zdeb, M. (1992) Diet in the epidemiology of postmenopausal breast cancer in the New York State cohort. *Am. J. Epidemiol.*, **136**, 1327–1337
- Granado, F., Olmedilla, B., Blanco, I. & Rojas-Hidalgo, E. (1992) Carotenoid composition of raw and cooked Spanish vegetables. *J. Agric. Food Chem.*, **40**, 2135–2140
- Granado, F., Olmedilla, B., Blanco, I. & Rojas-Hidalgo, E. (1996) Major fruit and vegetable contributors to the main serum carotenoids in the Spanish diet. *Eur. J. clin. Nutr.*, **50**, 246–250
- Greenberg, E.R., Baron, J.A., Stukel, T.A., Stevens, M.M., Mandel, J.S., Spencer, S.K., Elias, P.M., Lowe, N., Nierenberg, D.N., Bayrd, G., Vance, J.C., Freeman, D.H., Clendenning, W.E., Kwan, T. & the Skin Cancer Prevention Study Group (1990) A clinical trial of betacarotene to prevent basal-cell and squamous-cell cancers of the skin. *New Engl. J. Med.*, **323**, 789–795
- Greenberg, E.R., Baron, J.A., Tosteson, T.D., Freeman, D.H., Beck, G.J., Bond, J.H., Colacchio, T.A., Collier, J.A., Frankl, H.D., Haile, R.W., Mandel, J.S., Nierenberg, D.W., Rothstein, R., Snover, D.C., Stevens, M.M., Summers, R.W. & van Stolk, R. (1994) A clinical trial of antioxidant vitamins to prevent colorectal adenoma. *New Engl. J. Med.*, **331**, 141–147
- Greenberg, E.R., Baron, J.A., Karagas, M., Stukel, T.A., Nierenberg, D.N., Stevens, M.M., Mandel, J.S. & Haile, R.W. (1996) Mortality associated with low plasma concentration of beta carotene and the effect of oral supplementation. *J. Am. med. Assoc.*, **275**, 699–703
- Gregory, J.R., Foster, K., Tyler, H. & Wiseman, M. (1990) *The Dietary and Nutritional Survey of British Adults*, London, Her. Majesty's Stationery Office
- Gridley, G., McLaughlin, J.K., Block, G., Blot, W.J., Winn, D.M., Greenberg, R.S., Schoenberg, J.B., Preston Martin, S., Austin, D.F. & Fraumeni, J.F. (1990) Diet and oral and pharyngeal cancer among blacks. *Nutr. Cancer*, **14**, 219–225

- Grizzle, J., Omenn, G., Goodman, G.E., Thornquist, M.D., Rosenstock, L., Barnhart, S., Balmes, J., Cherniak, M., Cone, J., Cullen, M., Glass, A., Keogh, J. & Valanis, B. (1991) Design of the Beta-Carotene and Retinol Efficacy Trial (CARET) for chemoprevention of cancer in populations at high risk: Heavy smokers and asbestos-exposed workers. In: Pastorino, U. & Hong, W.K., eds, *Chemoimmuno Prevention of Cancer*, Stuttgart, Georg Thieme Verlag, pp. 167–172
- Gross J. (1991) *Pigments in Vegetables, Chlorophylls and Carotenoids*, New York, Van Nostrand Reinhold, pp. 99–112
- Gross, M.D., Bishop, T.D., Belcher, J.D. & Jacobs, D.R., Jr (1997) Induction of HL-60 cell differentiation by carotenoids. *Nutr. Cancer*, **27**, 169–173
- Grubbs, C.J., Eto, I., Juliana, M.M & Whitaker, L.M. (1991) Effect of canthaxanthin on chemically induced mammary carcinogenesis. *Oncology*, **48**, 239–245
- Gruszecki, W.I. & Siewiesiuk, J. (1990) Orientation of xanthophylls in phosphatidyl choline multibilayers. *Biochim. biophys. Acta*, **1023**, 405–412
- Gugger, E.T. & Erdman, J.W. (1996) Intracellular β -carotene transport in bovine liver and intestine is not mediated by cytosolic protein. *J. Nutr.*, **126**, 1470–1474
- Gugger, E.T., Bierer, T.L., Henze, T.M., White, W.S. & Erdman, J.W. (1992) β -Carotene uptake and tissue distribution in ferrets (*Mustela putorius furo*). *J. Nutr.*, **122**, 115–119
- Gunson, H.H., Merry, A.H., Britton, G. & Stratton, F. (1984) Detection of carotenoids in blood donors taking Orobronze: A cautionary note. *Clin. Lab. Haematol.*, **6**, 287–292
- Gutteridge, J.M. (1986) Aspects to consider when detecting and measuring lipid peroxidation. *Free Radical Res. Commun.*, **1**, 173–184
- Haenszel, W., Correa, P., Lopez, A., Cuello, C., Zarama, G., Zavala, D. & Fontham, E. (1985) Serum micronutrient levels in relation to gastric pathology. *Int. J. Cancer*, **36**, 43–48
- Halliwell, B. & Chirico, S. (1993) Lipid peroxidation: Its mechanism, measurement, and significance. *Am. J. clin. Nutr.*, **57**, 715S–724S
- Hammond, B.R. & Fuld, K. (1992) Interocular differences in macular pigment density. *Invest. Ophthalmol. vis. Sci.*, **33**, 350–355
- Han, J.S. (1992) Effects of various chemical compounds on spontaneous and hydrogen peroxide-induced reversion in strain TA104 of *Salmonella typhimurium*. *Mutat. Res.*, **266**, 77–84
- Handelman, G.J., Dratz, E.A., Reay, C.C. & van Kuijk, F.J.G.M. (1988) Carotenoids in the human macula and whole retina. *Invest. Ophthalmol. vis. Sci.*, **29**, 850–855
- Handelman, G.J., Snodderly, D.M., Krinsky, N.I., Russett, M.D. & Adler, A.J. (1991) Biological control of the primate macular pigment. *Invest. Ophthalmol. vis. Sci.*, **32**, 257–267
- Handelman, G.J., Snodderly, D.M., Adler, A.J., Russett, M.D. & Dratz, E.A. (1992) Measurement of carotenoids in human and monkey retinas. *Meth. Enzymol.*, **213**, 220–230
- Handelman, G.J., Packer, L. & Cross, C.E. (1996) Destruction of tocopherols, carotenoids, and retinol in human plasma by cigarette smoke. *Am. J. clin. Nutr.*, **63**, 559–565
- Hansen, S. & Maret, W. (1988) Retinal is not formed *in vitro* by enzymatic central cleavage of β -carotene. *Biochemistry*, **27**, 200–206
- Hansson, L.-E., Nyren, O., Bergstrom, R., Wolk, A., Lindgren, A., Baron, J. & Adami, H.O. (1994) Nutrients and gastric cancer risk: A population-based case-control study in Sweden. *Int. J. Cancer*, **57**, 638–644
- Harris, R.W., Forman, D., Doll, R., Vessey, M.P. & Wald, N.J. (1986) Cancer of the cervix uteri and vitamin A. *Br. J. Cancer*, **53**, 653–659
- Harris, R.W.C., Key, T.J.A., Silcocks, P.B., Bull, D. & Wald, N.J. (1991) A case-control study of dietary carotene in men with lung cancer and in men with other epithelial cancers. *Nutr. Cancer*, **15**, 63–68
- Hart, D.J. & Scott, K.J. (1995) Development and evaluation of an HPLC method for the analysis of carotenoids in foods, and the measurement of carotenoid content of vegetables and fruits commonly consumed in the UK. *Food Chem.*, **54**, 101–111

- Hathcock, J.N., Hattan, D.G., Jenkins, M.Y., McDonald, J.T., Sundaresan, P.R. & Wilkening, V.L. (1990) Evaluation of vitamin A toxicity. *Am. J. clin. Nutr.*, **52**, 183–202
- Haveland-Smith, R.B. (1981) Evaluation of genotoxicity of some natural food colors. *Mutat. Res.*, **91**, 285–290
- Hayes, R.B., Bogdanovicz, J.F.A.T., Schroeder, F.H., de Bruijn, A., Raatgever, J.W., van der Maas, P.J., Oishi, K. & Yoshida, O. (1988) Serum retinol and prostate cancer. *Cancer*, **62**, 2021–2026
- Hazuka, M.B., Edeards Prasad, J., Newman, F., Kinzie, J.J. & Prasad, K.N. (1990) Beta-carotene induces morphological differentiation and decreases adenylate cyclase activity in melanoma cells in culture. *J. Am. Coll. Nutr.*, **9**, 1443–1459
- He, Y. & Campbell, C. (1990) Effects of carotenoids on aflatoxin B₁-induced mutagenesis in *S. typhimurium* TA100 and TA98. *Nutr. Cancer*, **13**, 243–253
- He, Y., Root, M.M., Parker, R.S. & Campbell, T.C. (1997) Effects of carotenoid-rich food extracts on the development of preneoplastic lesions in rat liver and on in-vivo and in-vitro antioxidant status. *Nutr. Cancer*, **27**, 238–244
- Hebert, J.R., Hurley, T.G., Hsieh, J., Rogers, E., Stoddard, A.M., Sorensen, G. & Nicolosi, R.J. (1994) Determinants of plasma vitamins and lipids: The Working Well Study. *Am. J. Epidemiol.*, **140**, 132–147
- Hebuterne, X., Wang, X.-D., Johnson, E.J., Krinsky, N.I. & Russell, R.M. (1995) Intestinal absorption and metabolism of 9-*cis*- β -carotene *in vivo*: Biosynthesis of 9-*cis*-retinoic acid. *J. Lipid Res.*, **36**, 1264–1273
- Hebuterne, X., Wang, X.-D., Tang, G.-W., Smith, D.E. & Russell, R.M. (1996) *In vivo* biosynthesis of retinoic acid from β -carotene involves an excentric cleavage pathway in ferret intestine. *J. Lipid Res.*, **37**, 482–492
- Heilbrun, L.K., Nomura, A., Hankin, J.H. & Stemmermann, N.G. (1989) Diet and colorectal cancer with special reference to fiber intake. *Int. J. Cancer*, **44**, 1–6
- Heinonen, M. (1990) Food groups as the source of vitamin A and beta-carotene in Finland. *Int. J. Vit. Nutr. Res.*, **61**, 3–9
- Heinonen, M.I., Ollilainen, V., Linkola, E.K., Varo, P.T. & Koivistoinen, P.E. (1989) Carotenoids in Finnish foods: Vegetables, fruits, and berries. *J. Agric. Food Chem.*, **37**, 655–659
- Heliövaara, M., Knekt, P., Aho, K., Aaran, R.K., Alfthan, G. & Aromaa, A. (1994) Serum antioxidants and risk of rheumatoid arthritis. *Ann. rheum. Dis.*, **53**, 51–53
- Helzlsouer, K.J., Comstock, G.W. & Morris, J.S. (1989) Selenium, lycopene, α -tocopherol, β -carotene, retinol, and subsequent bladder cancer. *Cancer Res.*, **49**, 6144–6148
- Helzlsouer, K.J., Alberg, A.J., Norkus, E.P., Morris, J.S., Hoffman, S.C. & Comstock, G.W. (1996) Prospective study of serum micronutrients and ovarian cancer. *J. natl Cancer Inst.*, **88**, 32–37
- Hengartner, U., Bernhard, K., Meyer, K., Glinz, E. & Englert, G. (1992) Synthesis, isolation, and NMR-spectroscopic characterization of fourteen (*Z*)-isomers of lycopene and of some acetylenic didehydro- and tetrahydrolycopenes. *Helv. chim. Acta*, **75**, 1848–1865
- Hennekens, C.H. & Eberlein, K. (1985) A randomised trial of aspirin and β -carotene among US physicians. *Prev. Med.*, **14**, 165–168
- Hennekens, C.H., Buring, J.E. & Peto, R. (1994) Antioxidant vitamins: Benefits not yet proved (Editorial). *New Engl. J. Med.*, **330**, 1080–1081
- Hennekens, C.H., Buring, J.E., Manson, J.E., Stampfer, M., Rosner, B., Cook, N.R., Belanger, C., LaMotte, F., Gaziano, J.M., Ridker, P.M., Willett, W. & Peto, R. (1996) Lack of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *New Engl. J. Med.*, **334**, 1145–1149
- Herrero, R., Potischman, N., Brinton, L.A., Reeves, W.C., Brenes, M.M., Tenorio, F., de Britton, R.C. & Gaitan, E. (1991) A case-control study of nutrient status and invasive cervical cancer. *Am. J. Epidemiol.*, **134**, 1335–1346
- Heseker, H., Kohlmeier, M., Schneider, R., Speitling, A. & Kubler, W. (1991) [Vitamin supply to adults in the Federal Republic of Germany.] *Ernährungs-wissenschaft*, **38**, 227–233 (in German)
- Heywood, R., Palmer, A.K., Gregson, R.L. & Hummler, H. (1985) Toxicity of beta-carotene. *Toxicology*, **36**, 91–100

- Hibino, T., Shimpo, K., Kawai, K., Chihara, T., Maruta, K., Arai, M., Nagatsu, T. & Fujita, K. (1990) Polyamine levels of urine and erythrocytes on inhibition of DMBA-induced oral carcinogenesis by topical beta-carotene. *Biogenic Amines*, **7**, 209–216
- Hicks, R.M., Turton, J.A., Tomlinson, C.N., Gwynne, J., Chrysostomou, E., Nandra, K. & Pedrick, M. (1984) No effect of β -carotene on the response of an inbred mouse strain to the bladder carcinogen *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine (BBN). *Proc. Nutr. Soc.*, **43**, 2A
- High, E.G. & Day, H.G. (1951) Effects of different amounts of lutein, squalene, phytol and related substances on the utilization of carotene and vitamin A for storage and growth in the rat. *J. Nutr.*, **43**, 245–250
- Hinds, M.W., Kolonel, L.N., Hankin, J.H. & Lee, J. (1984) Dietary vitamin A, carotene, vitamin C and risk of lung cancer in Hawaii. *Am. J. Epidemiol.*, **119**, 227–237
- Hirose, M., Hasegawa, R., Kimura, J., Akagi, K., Yoshida, Y., Tanaka, H., Miki, T., Satoh, T., Wakabayashi, K., Ito, N. & Shirai, T. (1995) Inhibitory effects of 1-*O*-hexyl-2,3,5-trimethylhydroquinone (HTHQ), green tea catechins and other antioxidants on 2-amino-6-methyldipyrido[1,2-*a*:3',2'-*d*]imidazole (Glu-P-1)-induced rat hepatocarcinogenesis and dose-dependent inhibition by HTHQ of lesion induction by Glu-P-1 or 2-amino-3,8-dimethylimidazo[4,5-*f*]quinoxaline (MeIQx). *Carcinogenesis*, **16**, 3049–3055
- Ho, S.C., Donnan, S.P., Martin, C.W. & Tsao, S.Y. (1988) Dietary vitamin A, beta-carotene and risk of epidermoid lung cancer among Chinese males. *Singapore med. J.*, **29**, 213–218
- Holland, B., Welch, A.A., Unwin, I.D., Buss, D.H., Paul, A.A. & Southgate, D.A.T. (1991a) *McCance and Widdowson's The Composition of Foods*, 5th Ed., Cambridge, Royal Society of Chemistry
- Holland, B., Unwin, I.D. & Buss, D.H. (1991b) *Vegetables, Herbs and Spices*, Fifth supplement to *McCance and Widdowson's The Composition of Foods*, 5th Ed., Cambridge, Royal Society of Chemistry
- Hollander, D. & Ruble, P.E. (1978) β -Carotene intestinal absorption: Bile, fatty acid, pH, and flow rate effects on transport. *Am. J. Physiol.*, **235**, E686–E691
- Holmberg, L., Ohlander, E.M., Byers, T., Zack, M., Wolk, A., Bergström, R., Bergkvist, L., Thurfjell, E., Bruce, A.S. & Adami, H.O. (1994) Diet and breast cancer risk. *Arch. intern. Med.*, **154**, 1805–1811
- Hoppe, P.P. & Schoner, F.J. (1987) Application of carotenoids to animal nutrition and bioavailability of synthetic β -carotene in laboratory animals and calves (Abstract 53). In: *Proceedings of the 8th International Symposium on Carotenoids*, Boston, MA, 27–31 July 1987
- Hoppe, P.P., Chew, B.P., Safer, A., Stegemann, I. & Biesalski, H.K. (1996) Dietary β -carotene elevates plasma steady-state and tissue concentrations of β -carotene and enhances vitamin A balance in preruminant calves. *J. Nutr.*, **126**, 202–208
- Howard, A.N., Williams, N.R., Palmer, C.R., Cambou, J.P., Evans, A.E., Foote, J.W., Marques-Vidal, P., McCrum, E.E., Ruidavets, J.B., Nigdikar, S.V., Rajput-Williams, J. & Thurnham, D.I. (1996) Do hydroxy carotenoids prevent coronary heart disease? A comparison between Belfast and Toulouse. *Int. J. Vit. Nutr. Res.*, **66**, 113–118
- Howe, G.R., Harrison, L. & Jain, M. (1986) A short diet history for assessing dietary exposure to *N*-nitrosamines in epidemiologic studies. *Am. J. Epidemiol.*, **124**, 595–602
- Howe, G.R., Hirohata, T., Hislop, T.G., Iscovich, J.M., Yuan, J.M., Katsouyanni, K., Lubin, F., Marubini, E., Modan, B., Rohan, T., Toniolo, P. & Yu, S.-Z. (1990) Dietary analysis and risk of breast cancer: Combined analysis of 12 case-control studies. *J. natl Cancer Inst.*, **82**, 561–569
- Howe, G.R., Ghadirian, P., Bueno de Mesquita, H.B., Zatonski, W.A., Baghurst, P.A., Miller, A.B., Simard, A., Baillargeon, J., De Waard, F., Pazewozniak, K., McMichael, A.J., Jain, M., Hsieh, C.C., Maisonneuve, P., Boyle, P. & Walker, A.M. (1992) A collaborative case-control study of nutrient intake and pancreatic cancer within the SEARCH programme. *Int. J. Cancer*, **51**, 365–372
- Hsing, A.W., Comstock, G.W., Abbey, H. & Polk, B.F. (1990) Serologic precursors of cancer. Retinol, carotenoids, and tocopherol and risk for prostate cancer. *J. natl Cancer Inst.*, **82**, 941–946
- Hu, J., Nyren, O., Wolk, A., Bergstrom, R., Yuen, J., Adami, H.O., Guo, L., Li, H., Huang, G., Xu, X., Zhao, F., Chen, Y., Wang, C., Qin, H., Hu, C. & Li, Y. (1994) Risk factors for oesophageal cancer in northeast China. *Int. J. Cancer*, **57**, 38–46

- Hu, J., Johnson, K.C., Mao, Y., Xu, T., Lin, Q., Wang, C., Zhao, F., Wang, G., Chen, Y. & Yang, Y. (1997) A case-control study of diet and lung cancer in north-east China. *Int. J. Cancer*, **71**, 924-931
- Hughes, D.A., Wright, A.J.A., Finglas, P.M., Peerless, A.C.J., Bailey, A.L., Astley, S.B., Pinder, A.C. & Southon, S. (1997) Comparison of effects of beta-carotene and lycopene supplementation on the expression of functionally associated molecules on human monocytes. *Biochem. Soc. Trans.*, **25**, S206
- Humble, C.G., Samet, J.M. & Skipper, B.E. (1987) Use of quantified and frequency indices of vitamin A intake in a case-control study of lung cancer. *Int. J. Epidemiol.*, **16**, 341-346
- Hunter, D.J., Manson, J.E., Colditz, G.A., Stampfer, M.J., Rosner, B., Hennekens, C.H., Speizer, F.E. & Willett, W.C. (1993) A prospective study of the intake of vitamins C, E, and A and the risk of breast cancer. *New Engl. J. Med.*, **329**, 234-240
- Hurley, W.L. & Doane, R.M. (1989) Recent developments in the roles of vitamins and minerals in reproduction. *J. Dairy Sci.*, **72**, 784
- Imaida, K., Hirose, M., Yamaguchi, S., Takahashi, S. & Ito, N. (1990) Effects of naturally occurring antioxidants on combined 1,2-dimethylhydrazine- and 1-methyl-1-nitrosourea-initiated carcinogenesis in F344 rats. *Cancer Lett.*, **55**, 53-59
- Ingram, D.M., Nottage, E. & Roberts, T. (1991) The role of diet in the development of breast cancer: A case-control study of patients with breast cancer, benign epithelial hyperplasia and fibrocystic disease of the breast. *Br. J. Cancer*, **64**, 187-191
- Inhoffen, H.H., Pommer, H. & Bohlmann, F. (1950) [Synthesis of carotenoids. XIV. Total synthesis of β -carotene.] *Ann. Chem.*, **569**, 237-246 (in German)
- Iscovich, J.M., Iscovich, R.B., Howe, G.R., Shiboski, S. & Kaldor, J.M. (1989) A case-control study of diet and breast cancer in Argentina. *Int. J. Cancer*, **44**, 770-776
- Isler, O., Ruegg, R. & Schwieter, U. (1967) Carotenoids as food colorants. *Pure appl. Chem.*, **14**, 245-263
- Ito, Y., Sasaki, R., Minohara, M., Otani, M. & Aoki, K. (1987) Quantitation of serum carotenoid concentrations in healthy inhabitants by high-performance liquid chromatography. *Clin. chim. Acta*, **169**, 197-208
- Ito, Y., Suzuki, S., Yagyu, K., Sasaki, R., Suzuki, K. & Aoki, K. (1997) Relationship between serum carotenoid levels and cancer death rates in the residents, living in a rural area of Hokkaido, Japan. *J. Epidemiol.*, **7**, 1-8
- IUPAC Commission on the Nomenclature of Organic Chemistry and IUPAC-IUB Commission on Biochemical Nomenclature (1975) Nomenclature of carotenoids. *Pure appl. Chem.*, **41**, 407-431
- Jacques, P.F. & Chylack, L.T., Jr (1991) Epidemiologic evidence of a role for the antioxidant vitamins and carotenoids in cataract prevention. *Am. J. clin. Nutr.*, **53**, 352S-355S
- Jain, M., Howe, G.R., Johnson, K.C. & Miller, A.B. (1980a) Evaluation of a diet history questionnaire for epidemiologic studies. *Am. J. Epidemiol.*, **111**, 212-219
- Jain, M., Cook, G.M., Davis, E.G., Grace, M.G., Howe, G.R. & Miller, A.B. (1980b) A case-control study of diet and colorectal cancer. *Int. J. Cancer*, **26**, 757-768
- Jain, M., Burch, J.D., Howe, G.R., Risch, H.A. & Miller, A.B. (1990) Dietary factors and risk of lung cancer: Results from a case-control study, Toronto, 1981-1985. *Int. J. Cancer*, **45**, 287-293
- Järvinen, R., Knekt, P., Seppänen, R. & Teppo, L. (1997) Diet and breast cancer risk in a cohort of Finnish women. *Cancer Lett.*, **114**, 251-253
- Jinno, K., Okada, Y., Tanimizu, M., Hyodo, I., Kurimoto, H., Sunahara, S., Takenaka, H. & Moriwaki, S. (1994) Decreased serum levels of β -carotene in patients with hepatocellular carcinoma. *Int. Hepatol. Comm.*, **2**, 43-46
- Johnson, E.J. & Russell, R.M. (1992) Distribution of orally administered β -carotene among lipoproteins in healthy men. *Am. J. clin. Nutr.*, **56**, 128-135
- Johnson, E.J., Suter, P.M., Sahyoun, N., Ribaya-Mercado, J.D. & Russell, R.M. (1995) Relation between β -carotene intake and plasma and adipose tissue concentrations of carotenoids and retinoids. *Am. J. clin. Nutr.*, **62**, 598-603
- Johnson, T.M., Yu, Z.X., Ferrans, V.J., Lowenstein, R.A. & Finkel, T. (1996) Reactive oxygen species are downstream mediators of p53-dependent apoptosis. *Proc. natl Acad. Sci. USA*, **93**, 11848-11852

- Jones, R.C., Sugie, S., Braley, J. & Weisburger, J.H. (1989) Dietary beta-carotene in rat models of gastrointestinal cancer. *J. Nutr.*, **119**, 508–514
- Jyonouchi, H., Sun, S.N., Tomita, Y. & Gross, M.D. (1995) Astaxanthin, a carotenoid without vitamin A activity, augments antibody responses in cultures including T-helper cell clones and suboptimal doses of antigen. *J. Nutr.*, **125**, 2483–2492
- Jyonouchi, H., Sun, S., Mizokami, M. & Gross, M.D. (1996) Effects of various carotenoids on cloned, effector-stage T-helper cell activity. *Nutr. Cancer*, **26**, 313–324
- Kaaks, R., Riboli, E. & Sinha, R. (1997) Biochemical markers of dietary intake. In: Toniolo, P., Boffetta, P., Shuker, D.E.G., Rothman, N., Hulka, B. & Pearce, N., eds, *Application of Biomarkers in Cancer Epidemiology* (IARC Scientific Publications No. 142), Lyon, IARC, pp. 103–126
- Kada, T.K., Tulikawa, K. & Sadaie, Y. (1972) *In vitro* and host-mediated 'rec-assay' procedures for screening chemical mutagens, and phloxine, a mutagenic red dye detected. *Mutat. Res.*, **16**, 165–174
- Kalandidi, A., Katsouyanni, K., Vorpoulou, N., Bastas, G., Saracci, R. & Trichopoulos, D. (1990) Passive smoking and diet in the etiology of lung cancer among non-smokers. *Cancer Causes Control*, **1**, 15–21
- Kaplan, L.A., Lau, J.M. & Stein, E.A. (1990) Carotenoid composition, concentrations and relationships in various human organs. *Clin. Physiol. Biochem.*, **8**, 1–10
- Karagas, M.R., Greenberg, E.R., Nierenberg, D., Stukel, T.A., Morris, J.S., Stevens, M.M. & Baron, J.A. (1997) Risk of squamous cell carcinoma of the skin in relation to plasma selenium, α -tocopherol, β -carotene, and retinol: A nested case-control study. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 25–29
- Kardinaal, A.F.M., Kok, F.J., Ringstad, J., Gomez-Aracena, J., Mazaev, V.P., Kohlmeier, L., Martin, B.C., Aro, A., Kark, J.D., Delgado-Rodriguez, M., Riemersma, R.A., van't Veer, P., Huttunen, J.K. & Martin-Moreno, J.M. (1993) Antioxidants in adipose tissue and risk of myocardial infarction: The EURAM-IC study. *Lancet*, **342**, 1379–1384
- Karrer, P. & Eugster, C.H. (1950) [Synthesis of carotenoids. II. Total synthesis of β -carotenes.] *Helv. chim. Acta*, **33**, 1172–1174 (in German)
- Katsouyanni, K., Willett, W., Trichopoulos, D., Boyle, P., Trichopoulou, A., Vasilaros, S., Papadiamantis, J. & MacMahon, B. (1988) Risk of breast cancer among Greek women in relation to nutrient intake. *Cancer*, **61**, 181–185
- Katsumura, N., Okuno, M., Onogi, N., Moriwaki, H., Muto, Y. & Kojima, S. (1996) Suppression of mouse skin papilloma by canthaxanthin and β -carotene *in vivo*: Possibility of the regression of tumorigenesis by carotenoids without conversion to retinoic acid. *Nutr. Cancer*, **26**, 203–208
- Kaugars, G.E., Silverman, S., Jr, Lowas, J.G.L., Brandt, R.B., Riley, W.T., Dao, Q., Singh, V.N. & Gallo, J. (1994) A clinical trial of antioxidant supplements in the treatment of oral leukoplakia. *Oral Surg. oral Med. oral Pathol.*, **78**, 462–468
- Kazi, N., Radvany, R., Oldham, T., Keshavarzian, A., Frommel, T.O., Libertin, C. & Mobarhan, S. (1997) Immunomodulatory effect of beta-carotene on T lymphocyte subsets in patients with resected colonic polyps and cancer. *Nutr. Cancer*, **28**, 140–145
- Key, T.J.A., Silcocks, P.B., Davey, G.K., Appleby, P.N. & Bishop, D.T. (1997) A case-control study of diet and prostate cancer. *Br. J. Cancer*, **76**, 678–687
- Khachik, F., Beecher, G.R. & Goli, M.B. (1991) Separation, identification, and quantification of carotenoids in fruits, vegetables and human plasma by high performance liquid chromatography. *Pure appl. Chem.*, **63**, 71–80
- Khachik, F., Goli, M.B., Beecher, G.R., Holden, J.M., Lusby, W.R., Tenorio, M.D. & Barrera, M.R. (1992a) Effect of food preparation on qualitative and quantitative distribution of major carotenoid constituents of tomatoes and several green vegetables. *J. Agric. Food Chem.*, **40**, 390–398
- Khachik, F., Beecher, G.R., Goli, M.B., Lusby, W.R. & Smith, J.C. (1992b) Separation and identification of carotenoids and their oxidation products in the extracts of human plasma. *Anal. Chem.*, **64**, 2111–2122
- Khachik, F., Beecher, G.R. & Smith, J.C., Jr (1995) Lutein, lycopene, and their oxidative metabolites in chemoprevention of cancer. *J. cell. Biochem.*, **22**, 236–246

- Khachik, F., Spangler, C.J., Smith, J.C., Canfield, L.M., Steck, A. & Pfander, H. (1997) Identification, quantification, and relative concentrations of carotenoids and their metabolites in human milk and serum. *Anal. Chem.*, **69**, 1873–1881
- Kikendall, J.W., Burgess, M. & Bowen, P.E. (1990) Effect of oral beta carotene on recurrence of colonic adenomas (Abstract). *Gastroenterology*, **98**, A289
- Kikendall, J.W., Mobarhan, S., Nelson, R., Burgess, M. & Bowen, P.E. (1991) Oral beta carotene does not reduce the recurrence of colorectal adenomas (Abstract). *Am. J. Gastroenterol.*, **36**, 1356
- Kim, D.J., Takasuka, N., Kim, J.M., Sekine, K., Ota, T., Asamoto, M., Murakoshi, M., Nishino, H., Nir, Z. & Tsuda, H. (1997) Chemoprevention by lycopene of mouse lung neoplasia after combined initiation treatment with DEN, MNU and DMH. *Cancer Lett.*, **120**, 15–22
- Kirkpatrick, C.S., White, E. & Lee, J.A.H. (1994) Case-control study of malignant melanoma in Washington State. II. Diet, alcohol, and obesity. *Am. J. Epidemiol.*, **139**, 869–880
- Klepsch, E. & Baltas, A. (1994) European Parliament and Council Directive 94/36/EC of 30 June 1994 on colours for use in food stuffs. *Off. J. Eur. Community*, **L237**, 13–29
- Kliwer, S.A., Umesono, K. & Evans, R.M. (1994) The retinoid X receptors. In: Blomhoff, R., ed., *Vitamin A in Health and Disease*, New York, Marcel Dekker, pp. 239–255
- Knekt, P., Aromaa, A., Maatela, J., Aaran, R.-K., Nikkari, T., Hakama, M., Hakulinen, T., Peto, R. & Teppo, L. (1990) Serum vitamin A and subsequent risk of cancer: Cancer incidence follow-up of the Finnish Mobile Clinic Health Examination Survey. *Am. J. Epidemiol.*, **132**, 857–870
- Knekt, P., Aromaa, A., Maatela, J., Alfthan, G., Aaran, R.-K., Nikkari, T., Hakama, M., Hakulinen, T. & Teppo, L. (1991) Serum micronutrients and risk of cancers of low incidence in Finland. *Am. J. Epidemiol.*, **134**, 356–361
- Knekt, P., Reunanen, A., Jarvinen, R., Seppanen, R., Heliovaara, M. & Aromaa, A. (1994) Antioxidant vitamin intake and coronary mortality in a longitudinal population study. *Am. J. Epidemiol.*, **139**, 1180–1189
- Kohlmeier, L. & Hastings, S.B. (1995) Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention. *Am. J. clin. Nutr.*, **62** (Suppl.), 1370S–1376S
- Kohlmeier, L. & Kohlmeier, M. (1995) Adipose tissue as a medium for epidemiologic exposure assessment. *Environ. Health Perspectives*, **103** (Suppl. 3), 99–106
- Kohlmeier, L., Kark, J.D., Gomez Gracia, E., Martin, B.C., Steck, S.E., Kardinaal, A.F., Ringstad, J., Thamm, M., Mashev, V., Riemersma, R., Martin Moreno, J.M., Huttunen, J.K. & Kok, F.J. (1997) Lycopene and myocardial infarction risk in the EURAMIC Study. *Am. J. Epidemiol.*, **146**, 618–626
- Kolonel, L.N., Hankin, J.H. & Yoshizawa, C.N. (1987) Vitamin A and prostate cancer in elderly men: Enhancement of risk. *Cancer Res.*, **47**, 2982–2985
- Kolonel, L.N., Yoshizawa, C.N. & Hankin, J.H. (1988) Diet and prostatic cancer: A case-control study in Hawaii. *Am. J. Epidemiol.*, **127**, 999–1012
- Komaki, C., Okuno, M., Onogi, N., Moriwaki, H., Kawamori, T., Tanaka, T., Mori, H. & Muto, Y. (1996) Synergistic suppression of azoxymethane-induced foci of colonic aberrant crypts by the combination of beta-carotene and perilla oil in rats. *Carcinogenesis*, **17**, 1897–1901
- Koo, L.C. (1988) Dietary habits and lung cancer risk among Chinese females in Hong Kong who never smoked. *Nutr. Cancer*, **11**, 155–172
- Köpcke, W., Barker, F.M. & Schalch, W. (1995) Canthaxanthin deposition in the retina: A biostatistical evaluation of 411 patients. *J. Toxicol. cutaneous ocular Toxicol.*, **14**, 89–104
- Kornhauser, A., Wamer, W. & Lambert, L. (1990) β -Carotene protection against phototoxicity *in vivo*. In: Krinsky, N.I., Mathews-Roth, M.M. & Taylor, R.F., eds, *Carotenoids Chemistry and Biology*, New York, Plenum Press, pp. 301–312
- Kostic, D., White, W.S. & Olson, J.A. (1995) Intestinal absorption, serum clearance and interactions between lutein and β -carotene when administered to human adults in separate or combined oral doses. *Am. J. clin. Nutr.*, **62**, 604–610
- Krinsky, N.I. (1993a) Actions of carotenoids in biological systems. *Ann. Rev. Nutr.*, **13**, 561–587

- Krinsky, N.I. (1993b) Micronutrients and their influence on mutagenicity and malignant transformation. *Ann. N.Y. Acad. Sci.*, **686**, 229–242
- Krinsky, N.I. (1994) Carotenoids and cancer: Basic research studies. In: Frei, B., ed., *Natural Antioxidants in Human Health and Disease*, New York, Academic Press, pp. 239–261
- Krinsky, N.I. & Deneke, S.M. (1982) Interaction of oxygen and oxy-radicals with carotenoids 1. *J. natl Cancer Inst.*, **69**, 205–210
- Krinsky, N.I., Cornwell, D.G. & Oncley, J.L. (1958) The transport of vitamin A and carotenoids in human plasma. *Arch. Biochem. Biophys.*, **73**, 233–246
- Krinsky, N.I., Russett, M.D., Handelman, G.J. & Snodderly, D.M. (1990a) Structural and geometrical isomers of carotenoids in human plasma. *J. Nutr.*, **120**, 1654–1662
- Krinsky, N.I., Mathews-Roth, M.M., Welankiwar, S., Sehgal, P.K., Lausen, N.C.G. & Russett, M. (1990b) The metabolism of [¹⁴C]β-carotene and the presence of other carotenoids in rats and monkeys. *J. Nutr.*, **120**, 81–87
- Kromhout, D. (1987) Essential micronutrients in relation to carcinogenesis. *Am. J. clin. Nutr.*, **45**, 1361–1367
- Kull, D. & Pfander, H. (1995) List of new carotenoids. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A., Basel, Birkhäuser Verlag, pp. 295–317
- Kune, S., Kune, G.A. & Watson, L.F. (1987) Case-control study of dietary etiological factors: The Melbourne colorectal cancer study. *Nutr. Cancer*, **9**, 21–42
- Kune, G.A., Kune S., Watson, L.F., Pierce, R., Field, B., Vitetta, L., Merenstein, D., Hayes, A. & Irving, L. (1989) Serum levels of β-carotene, vitamin A, and zinc in male lung cancer cases and controls. *Nutr. Cancer*, **12**, 169–176
- Kune, G.A., Bannerman, S., Field, B., Watson, L.F., Cleland, H., Merenstein, D. & Vitetta, L. (1992) Diet, alcohol, smoking, serum β-carotene, and vitamin A in male nonmelanocytic skin cancer patients and controls. *Nutr. Cancer*, **18**, 237–244
- Kune, G.A., Kune, S., Field, B., Watson, L.F., Cleland, H., Merenstein, D. & Vitetta, L. (1993) Oral and pharyngeal cancer, diet, smoking, alcohol, and serum vitamin A and β-carotene levels: A case-control study in men. *Nutr. Cancer*, **20**, 61–70
- Kushi, L.H., Folsom, A.R., Prineas, R.J., Mink, P.J., Wu, Y. & Bostick, R.M. (1996) Dietary antioxidant vitamins and death from coronary heart disease in postmenopausal women. *New Engl. J. Med.*, **334**, 1156–1162
- Lahiri, M., Maru, G.B. & Bhide, S.V. (1993) Effect of plant phenols, β-carotene and α-tocopherol on benzo[a]pyrene-induced DNA damage in the mouse forestomach mucosa (target organ) and bone marrow polychromatic erythrocytes (non-target organ). *Mutat. Res.*, **303**, 97–100
- Lakshman, M.R., Mychkovsky, I. & Attlesey, M. (1989) Enzymatic conversion of all-*trans*-β-carotene to retinal by a cytosolic enzyme from rabbit and rat intestinal mucosa. *Proc. natl Acad. Sci. USA*, **86**, 9124–9128
- Lambert, L.A., Koch, W.H., Wamer, W.G. & Kornhauser, A. (1990) Antitumor activity in skin of Skh and Sencar mice by two dietary β-carotene formulations. *Nutr. Cancer*, **13**, 213–221
- Lambert, L.A., Wamer, W.G., Wei, R.R., Lavu, S., Chirtel, S.J. & Kornhauser, R.A. (1994) The protective but nonsynergistic effect of dietary beta-carotene and vitamin E on skin tumorigenesis in Skh mice. *Nutr. Cancer*, **21**, 1–12
- Landrum, J.T., Bone, R.A. & Kilburn, M.D. (1997) The macular pigment: A possible role in protection from age-related macular degeneration. *Adv. Pharmacol.*, **38**, 537–556
- Lascari, A.D. (1981) Carotenemia. A review. *Clin. Pediatr.*, **20**, 25–29
- La Vecchia, C., Decarli, A., Fasoli, M. & Gentile, A. (1986) Nutrition and diet in the etiology of endometrial cancer. *Cancer*, **57**, 1248–1253
- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B. & Franceschi, S. (1987a) A case-control study of diet and gastric cancer in northern Italy. *Int. J. Cancer*, **40**, 484–489
- La Vecchia, C., Decarli, A., Negri, E., Parazzini, F., Gentile, A., Cecchetti, G., Fasoli, M. & Franceschi, S. (1987b) Dietary factors and the risk of epithelial ovarian cancer. *J. natl Cancer Inst.*, **79**, 663–669

- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B., Gallotti, L., Gentile, A. & Franceschi, S. (1988a) A case-control study of diet and colorectal cancer in northern Italy. *Int. J. Cancer*, **41**, 492-498
- La Vecchia, C., Decarli, A., Fasoli, M., Parazzini, F., Franceschi, S., Gentile, A. & Negri, E. (1988b) Dietary vitamin A and the risk of intraepithelial and invasive cervical neoplasia. *Gynecol. Oncol.*, **30**, 187-195
- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B. & Franceschi, S. (1988c) Risk factors for hepatocellular carcinoma in northern Italy. *Int. J. Cancer*, **42**, 872-876
- La Vecchia, C., Negri, E., Decarli, A., D'Avanzo, B., Liberati, C. & Franceschi, S. (1989) Dietary factors in the risk of bladder cancer. *Nutr. Cancer*, **12**, 93-101
- La Vecchia, C., Ferraroni, M., D'Avanzo, B., Decarli, A. & Franceschi, S. (1994) Selected micronutrient intake and the risk of gastric cancer. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 393-398
- Lee, H.P., Gourley, L., Duffy, S.W., Estève, J., Lee, J. & Day, N.E. (1989) Colorectal cancer and diet in an Asian population: A case-control study among Singapore Chinese. *Int. J. Cancer*, **43**, 1007-1016
- Lee, H.P., Gourley, L., Duffy, S.W., Estève, J., Lee, J. & Day, N.E. (1991) Dietary effects on breast cancer risk in Singapore. *Lancet*, **337**, 1197-1200
- LeGardeur, B.Y., Lopez, S.A. & Johnson, W.D. (1990) A case-control study of serum vitamins A, E, and C in lung cancer patients. *Nutr. Cancer*, **14**, 133-140
- Leichter, J. & Dunn, B.P. (1992) Effect of β -carotene supplementation on fetal growth of rats exposed to cigarette smoke during pregnancy. *Biochem. Arch.*, **8**, 97-204
- Le Marchand, L., Yoshizawa, C.N., Kolonel, L.N., Hankin, J.H. & Goodman, M.T. (1989) Vegetable consumption and lung cancer risk: A population-based case-control study in Hawaii. *J. natl Cancer Inst.*, **81**, 1158-1164
- Le Marchand, L., Hankin, J.H., Kolonel, L.N. & Wilkens, L.R. (1991) Vegetable and fruit consumption in relation to prostate cancer risk in Hawaii: A reevaluation of the effect of dietary beta-carotene. *Am. J. Epidemiol.*, **133**, 215-219
- Le Marchand, L., Hankin, J.H., Kolonel, L.N., Beecher, G.B., Wilkens, L.R. & Zhao, L.P. (1993) Intake of specific carotenoids and lung cancer risk. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 183-187
- Leo, M.A., Kim, C.-I., Lowe, N. & Lieber, C.S. (1992) Interaction of ethanol with β -carotene: Delayed blood clearance and enhanced hepatotoxicity. *Hepatology*, **15**, 883-891
- Leo, M.A., Ahmed, S., Aleynik, S.I., Siegel, J.H., Kasmin, F. & Lieber, C.S. (1995) Carotenoids and tocopherols in various hepatobiliary conditions. *J. Hepatol.*, **23**, 550-556
- Leo, M.A., Aleynik, S.I., Aleynik, M.K. & Lieber, C.S. (1997) Beta-carotene beadlets potentiate hepatotoxicity of alcohol. *Am. J. clin. Nutr.*, **66**, 1461-1469
- Lepage, G., Champagne, J., Ronco, N., Lamarre, A., Osberg, I., Sokol, R.J. & Roy, C.C. (1996) Supplementation with carotenoids corrects increased lipid peroxidation in children with cystic fibrosis. *Am. J. clin. Nutr.*, **64**, 87-93
- Levi, F., La Vecchia, C., Gulie, C. & Negri, E. (1993a) Dietary factors and breast cancer risk in Vaud, Switzerland. *Nutr. Cancer*, **19**, 327-335
- Levi, F., Franceschi, S., Negri, E. & La Vecchia, C. (1993b) Dietary factors and the risk of endometrial cancer. *Cancer*, **71**, 3575-3581
- Levy, J., Bosin, E., Feldman, B., Giat, Y., Miinster, A., Danilenko, M. & Sharoni, Y. (1995) Lycopene is a more potent inhibitor of human cancer cell proliferation than either alpha-carotene or beta-carotene. *Nutr. Cancer*, **24**, 257-266
- Levy, L.W., Regalado, E., Navarrete, S. & Watkins, R.H. (1997) Bixin and norbixin in human plasma: Determination of the absorption of a single dose of annatto food color. *Analyst*, **122**, 977-980
- Li, B., Taylor, P.R., Li, J.Y., Dawsey, S.M., Wang, W., Tangrea, J.A., Liu, B.Q., Ershow, A.G., Zheng, S.F., Fraumeni, J.F., Jr, Yang, Q., Yu, Y., Sun, Y., Li, G., Zhang, D., Greenwald, P., Lian, G.-T., Yang, C.S. & Blot, W.J. (1993) Linxian nutrition intervention trials: Design, methods, participant characteristics and compliance. *Ann. Epidemiol.*, **3**, 577-585
- Li, J.-Y., Taylor, P.R., Li, B., Dawsey, S., Wang, G.-Q., Ershow, A.G., Guo, W., Liu, S.-F., Yang, C.S., Shen, Q., Wang, W., Mark, S.D., Zou, X.-N., Greenwald, P., Wu, Y.-P. & Blot, W.J. (1993) Nutrition intervention trials in Linxian, China: Multiple vitamin/mineral supplementation, cancer incidence, and disease-specific mortality among adults with esophageal dysplasia. *J. natl Cancer Inst.*, **85**, 1492-1498

- Liebler, D.C. (1993) Antioxidant reactions of carotenoids. *Ann. N.Y. Acad. Sci.*, **669**, 20–31
- Lin, B.C., Wong, C.W., Chen, H.W. & Privalsky, M.L. (1997) Plasticity of tetramer formation by retinoid X receptors: An alternative paradigm for DNA recognition. *J. biol. Chem.*, **272**, 9860–9867
- Lipkin, M., Bhandari, M., Hakissian, M., Croll, W. & Wong, G. (1994) Surrogate endpoint biomarker assays in phase II chemoprevention clinical trials. *J. Cell Biochem.*, **19**, 47–54
- London, S.J., Stein, E.A., Henderson, I.C., Stampfer, M.J., Wood, W.C., Remine, S., Dmochowski, J.R., Robert, N.J. & Willett, W.C. (1992) Carotenoids, retinol, and vitamin E and risk of proliferative benign breast disease and breast cancer. *Cancer Causes Control*, **3**, 503–512
- Long, C., ed. (1961) *Handbook of Biochemistry*, Cleveland, Ohio, CRC Press, p. 639
- Lotan, R., Xu, X.C., Lippman, S.M., Ro, J.Y., Lee, J.S., Lee, J.J. & Hong, W.K. (1995) Suppression of retinoic acid receptor- β in premalignant oral lesions and its up-regulation by isotretinoin. *New Engl. J. Med.*, **332**, 1405–1410
- Mackerras, D., Buffler, P.A., Randall, D.E., Nichaman, M.Z., Pickle, L.W. & Mason, T.J. (1988) Carotene intake and the risk of laryngeal cancer in coastal Texas. *Am. J. Epidemiol.*, **128**, 980–988
- MacLennan, R., Macrae, F., Bain, C., Battistutta, D., Chapuis, P., Gratten, H., Lambert, J., Newland, R.C., Ngu, M., Russell, A., Ward, M., Wahlqvist, M.L. & Australian Polyp Prevention Project (1995) Randomized trial of intake of fat, fiber, and beta carotene to prevent colorectal adenomas. *J. natl Cancer Inst.*, **87**, 1760–1766
- Maclure, M. & Willett, W. (1990) A case-control study of diet and risk of renal adenocarcinoma. *Epidemiology*, **1**, 430–440
- Macrae, F.A., Hughes, N.R., Bhathal, P.S., Tay, D., Selbie, L. & MacLennan, R. (1991) Dietary suppression of rectal epithelial cell proliferation (Abstract 383). *Gastroenterology*, **100**, 1991
- Maiani, G., Mobarhan, S., Ceccanti, M., Ranaldi, L., Gettner, S., Bowen, P., Friedman, H., De Lorenzo, A. & Ferro-Luzzi, A. (1989) Beta-carotene serum response in young and elderly females. *Eur. J. clin. Nutr.*, **43**, 749–761
- Maiani, G., Pappalardo, G., Ferro-Luzzi, A., Raguzzini, A., Azzini, E., Guadalaxara, A., Trifero, M., Frommel, T. & Mobarhan, S. (1995) Accumulation of β -carotene in normal colorectal mucosa and colonic neoplastic lesions in humans. *Nutr. Cancer*, **24**, 23–31
- Malaker, K., Anderson, B.J., Beecroft, W.A. & Hodson, D.I. (1991). Management of oral mucosal dysplasia with beta-carotene retinoic acid: A pilot cross-over study. *Cancer Detect. Prev.*, **15**, 335–340
- Malvy, D.J.-M., Burtschy, B., Arnaud, J., Sommelet, D., Leverger, G., Dostalova, L., Drucker, J., Amédée-Manesme, O. & the 'Cancer in Children and Antioxidant Micronutrients' French Study Group (1993) Serum beta-carotene and antioxidant micronutrients in children with cancer. *Int. J. Epidemiol.*, **22**, 761–771
- Manetta, A., Schubert, T., Chapman, J., Schell, M.J., Peng, Y.-M., Liao, S.Y. & Meyskens, F.J., Jr (1996) β -Carotene treatment of cervical intraepithelial neoplasia: A phase II study. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 929–932
- Mangels, A.R., Holden, J.M., Beecher, G.R., Forman, M.R. & Lanza, E. (1993) Carotenoid content of fruits and vegetables: An evaluation of analytic data. *J. Am. Diet. Assoc.*, **93**, 284–296
- Mannick, E.E., Bravo, L.E., Zarama, G., Realpe, J.L., Zhang, X., Ruiz, B., Fontham, E.T., Mera, R., Miller, M.J. & Correa, P. (1996) Inducible nitric oxide synthase, nitrotyrosine, and apoptosis in *Helicobacter pylori* gastritis: Effect of antibiotics and antioxidants. *Cancer Res.*, **56**, 3238–3243
- Manoharan, K. & Banerjee, M.R. (1985) Beta-carotene reduces sister chromatid exchanges induced by chemical carcinogens in mouse mammary cells in organ culture. *Cell Biol. int. Rep.*, **9**, 783–789
- Manson, J.E., Stampfer, M., Willett, W.C., Colditz, G.A., Rosner, B., Speizer, F.E. & Hennekens, C.H. (1991) A prospective study of antioxidant vitamins and incidence of coronary heart disease in women (Abstract). *Circulation*, **84** (Suppl. II), 546
- Manson, J.E., Gaziano, J.M., Jonas, M.A. & Hennekens, C.H. (1993) Antioxidants and cardiovascular disease: A review. *J. Am. Coll. Nutr.*, **12**, 426–432
- Mantovani, A. (1992) The role of multigeneration studies in safety assessment of residues of veterinary drugs and additives. *Ann. Inst. super. Sanita*, **28**, 429–435

- Mares-Perlman, J.A., Brady, W.E., Klein, R., Klein, B.E.K., Palta, M., Bowen, P. & Stacewicz-Sapuntzakis, M. (1994) Serum levels of carotenoids and tocopherols in people with age-related maculopathy (Abstract). *Invest. Ophthalmol. vis. Sci.*, **35**, 2004
- Mares-Perlman, J.A., Brady, W.E., Klein, B.E.K., Klein, R., Palta, M., Bowen, P. & Stacewicz-Sapuntzakis, M. (1995) Serum carotenoids and tocopherols and severity of nuclear and cortical opacities. *Invest. Ophthalmol. vis. Sci.*, **36**, 276–288
- Margetts, B.M. & Jackson, A.A. (1993) Interaction between people's diet and their smoking habits: The dietary and nutritional survey of British adults. *Br. med. J.*, **307**, 1381–1384
- Margetts, B.M. & Jackson, A.A. (1996) The determinants of plasma β -carotene: Interaction between smoking and other lifestyle factors. *Eur. J. clin. Nutr.*, **50**, 236–238
- Mark, S.D., Liu, F., Li, J., Gail, M., Shen, Q., Dawsey, S., Liu, F., Taylor, P.T., Li, B. & Blot, W.J. (1994) Effect of vitamin and mineral supplementation on esophageal cytology: Results from the Linxian Dysplasia Trial. *Int. J. Cancer*, **57**, 162–166
- Mark, S.D., Wang, W., Fraumeni, J.F., Jr, Li, J.-Y., Taylor, P.R., Wang, G.Q., Wande, G., Dawsey, S.M., Li, B. & Blot, W.J. (1996) Lowered risks of hypertension and cerebrovascular disease after vitamin/mineral supplementation. *Am. J. Epidemiol.*, **143**, 658–664
- Marshall, J.R., Graham, S., Byers, T., Swanson, M. & Brasure, J. (1983) Diet and smoking in the epidemiology of cancer of the cervix. *J. natl Cancer Inst.*, **70**, 847–851
- Marubini, E., Decarli, A., Costa, A., Mazzoleni, C., Andreoli, C., Barbieri, A., Capitelli, E., Carlucci, M., Cavallo, F., Monferroni, N., Pastorino, U. & Salvini, S. (1988) The relationship of dietary intake and serum levels of retinol and beta-carotene with breast cancer. Results of a case-control study. *Cancer*, **61**, 173–180
- Mathews-Roth, M.M. (1982) Antitumor activity of beta-carotene, canthaxanthin and phytoene. *Oncology*, **39**, 33–37
- Mathews, Roth, M.M. (1983) Carotenoid pigment administration and delay in development of UV-B-induced tumors. *Photochem. Photobiol.*, **37**, 509–511
- Mathews-Roth, M.M. (1986) β -Carotene therapy for erythropoietic protoporphyria and other photosensitivity diseases. *Biochemie*, **68**, 875–884
- Mathews-Roth, M.M. (1987) Photoprotection by carotenoids. *Fed. Proc.*, **46**, 1890–1893
- Mathews-Roth, M.M. (1988) Lack of genotoxicity with beta-carotene. *Toxicol. Lett.*, **41**, 185–191
- Mathews-Roth, M.M. (1993) Carotenoids in erythropoietic protoporphyria and other photosensitivity diseases. *Ann. N.Y. Acad. Sci.*, **691**, 127–138
- Mathews-Roth, M.M. & Gulbrandsen, C.L. (1974) Transport of beta-carotene in serum of individuals with carotenemia. *Clin. Chem.*, **20**, 1578–1579
- Mathews-Roth, M.M. & Krinsky, N.I. (1985) Carotenoid dose level and protection against UV-B induced skin tumours. *Photochem. Photobiol.*, **42**, 35–38
- Mathews-Roth, M.M. & Krinsky, N.I. (1987) Carotenoids affect development of UV-B induced skin cancer. *Photochem Photobiol.*, **46**, 507–509
- Mathews Roth, M.M., Pathak, M.A., Parrish, J., Fitzpatrick, T.B., Kass, E.H., Toda, K. & Clemens, W. (1972) A clinical trial of the effects of oral beta-carotene on the responses of human skin to solar radiation. *J. Invest. Dermatol.*, **59**, 349–353
- Mathews-Roth, M.M., Pathak M.A., Fitzpatrick T.B., Harber L.C. & Kass E.H. (1977) Beta-carotene therapy for erythropoietic protoporphyria and other photosensitive diseases. *Arch. Dermatol.*, **113**, 1229–1232
- Mathews-Roth, M.M., Welankiwar, S., Sehgal, P.K., Lausen, N.C.G., Russett, M. & Krinsky, N.I. (1990) Distribution of [14 C]canthaxanthin and [14 C]lycopene in rats and monkeys. *J. Nutr.*, **120**, 1205–1213
- Mathews-Roth, M.M., Lausen, N., Drouin, G., Richter, A. & Krinsky, N. (1991) Effects of carotenoid administration on bladder cancer prevention. *Oncology*, **48**, 177–179
- Matsushima-Nishiwaki, R., Shidoji, Y., Nishiwaki, S., Yamada, T., Moriwaki, H. & Muto, Y. (1995) Suppression by carotenoids of microcystin-induced morphological changes in mouse hepatocytes. *Lipids*, **30**, 1029–1034
- Mayne, S.T. (1996) Beta-carotene, carotenoids, and disease prevention in humans. *FASEB J.*, **10**, 690–701

- Mayne, S.T. & Parker, R.S. (1986) Subcellular distribution of dietary beta-carotene in chick liver. *Lipids*, **21**, 164–169
- Mayne, S.T. & Parker, R.S. (1989) Antioxidant activity of dietary canthaxanthin. *Nutr. Cancer*, **12**, 225–236
- Mayne, S.T., Janerich, D.T., Greenwald, P., Chorost, S., Tucci, C., Zaman, M.B., Melamed, M.R., Kiely, M. & McKneally, M.F. (1994) Dietary beta carotene and lung cancer risk in US nonsmokers. *J. natl Cancer Inst.*, **86**, 33–38
- Mayne, S.T., Handelman, G.J. & Beecher, G. (1996) β -Carotene and lung cancer promotion in heavy smokers: A plausible relationship? (Editorial). *J. natl Cancer Inst.*, **88**, 1513–1515
- Mayne, S., Cartmel, B., Silva, F., Fallon, B., Briskin, K., Baum, M., Shor-Posner, G. & Goodwin, W.J., Jr (1997) Effect of supplemental beta-carotene on plasma concentrations of carotenoids, retinol and alpha-tocopherol in humans (Abstract). *FASEB J.*, **11**, A448
- McLaren, D.S. & Zekian, B. (1971) Failure of enzymic cleavage of β -carotene. The cause of vitamin A deficiency in a child. *Am. J. Dis. Child.*, **121**, 278–280
- McLarty, J.W. (1995) Beta-carotene, vitamin A and lung cancer chemoprevention: Results of an intermediate endpoint study. *Am. J. clin. Nutr.*, **62**, 1431S–1438S
- McLaughlin, J.K., Mandel, J.S., Blot, W.J., Schuman, L.M., Mehl, E.S. & Fraumeni, J.F. (1984) A population-based case-control study of renal cell carcinoma. *J. natl Cancer Inst.*, **72**, 275–284
- McLaughlin, J.K., Gridley, G., Block, G., Winn, D.M., Preston Martin, S., Schoenberg, J.B., Greenberg, R.S., Stemhagen, A., Austin, D.F., Ershow, A.G., Blot, W.J. & Fraumeni, J.F., Jr (1988) Dietary factors in oral and pharyngeal cancer. *J. natl Cancer Inst.*, **80**, 1237–1243
- Menkes, M.S., Comstock, G.W., Vuilleumier, J.P., Helsing, K.J., Rider, A.A. & Brookmeyer, R. (1986) Serum beta-carotene, vitamins A and E, selenium, and the risk of lung cancer. *New Engl. J. Med.*, **315**, 1250–1254
- Mettlin, C. (1989) Milk drinking, other beverage habits, and lung cancer risk. *Int. J. Cancer*, **43**, 608–612
- Mettlin, C., Selenskas, S., Natarajan, N. & Huben, R. (1989) Beta-carotene and animal fats and their relationship to prostate cancer risk. A case-control study. *Cancer*, **64**, 605–612
- Meydani, M., Martin, A., Ribaya-Mercado, J.D., Gong, J., Blumberg, J.B. & Russell, R.M. (1994) Beta-carotene supplementation increases antioxidant capacity of plasma in older women. *J. Nutr.*, **124**, 2397–2403
- Meyer, F. & White, E. (1993) Alcohol and nutrients in relation to colon cancer in middle-aged adults. *Am. J. Epidemiol.*, **138**, 225–236
- Meyer, J.C., Grundmann, H.P., Seeger, B. & Schnyder, U.W. (1985) Plasma concentrations of beta-carotene and canthaxanthin during and after stopping intake of a combined preparation. *Dermatology*, **171**, 76–81
- Meyers, D.G., Maloley, R.A. & Weeks, D. (1996) Safety of antioxidant vitamins. *Arch. intern. Med.*, **156**, 925–935
- Meyskens, F.L., Jr & Manetta, A. (1995) Prevention of cervical intraepithelial neoplasia and cervical cancer. *Am. J. clin. Nutr.*, **62**, 1417S–1419S
- Micozzi, M., Beecher, G.R., Taylor, P.R. & Khachlik, F. (1990) Carotenoid analyses of selected raw and cooked foods associated with a lower risk for cancer. *J. natl Cancer Inst.*, **82**, 282–285
- Micozzi, M.S., Brown, E.D., Edwards, B.K., Bieri, J.G., Taylor, P.R., Khachik, F., Beecher, G.R. & Smith, Jr., J.C. (1992) Plasma carotenoid response to chronic intake of selected foods and β -carotene supplements in men. *Am. J. clin. Nutr.*, **55**, 1120–1125
- Milas, N.A., Davis, P., Belic, I. & Fles, D.A. (1950) Synthesis of β -carotene. *J. Am. chem. Soc.*, **72**, 4844
- Mobarhan, S., Bowen, P., Andersen, B., Evans, M., Stacewicz Sapuntzakis, M., Sugerman, S., Simms, P., Lucchesi, D. & Friedman, H. (1990) Effects of beta-carotene repletion on beta-carotene absorption, lipid peroxidation, and neutrophil superoxide formation in young men. *Nutr. Cancer*, **14**, 195–206
- Mobarhan, S., Shiau, A., Grande, A., Srinivas, K., Stacewicz-Sapuntzakis, M., Oldham, T., Liao, Y., Bowen, P., Dyavanapalli, M., Kazi, N., McNeal, K. & Frommel, T. (1994) β -Carotene supplementation results in an increased serum and colonic mucosal concentration of β -carotene and a decrease in α -tocopherol concentration in patients with colonic neoplasia. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 501–505

- Moji, H., Murata, T., Morinobu, T., Manago, M., Tamai, H., Okamoto, R., Mino, M., Fujimura, M. & Takeuchi, T. (1995) Plasma levels of retinol, retinol-binding protein, all-*trans* beta-carotene and cryptoxanthin in low birth weight infants. *J. nutr. Sci. Vitaminol.*, **41**, 595–606
- Mokady, S. & Ben-Amotz, A. (1991) Dietary lipid level and the availability of β -carotene of *Dunaliella bardawil* in rats. *Nutr. Cancer*, **15**, 47–52
- Mokady, S., Avron, M. & Ben-Amotz, A. (1990) Accumulation in chick livers of 9-*cis* versus all-*trans* β -carotene. *J. Nutr.*, **120**, 889–892
- Monk, B.E. (1982) Metabolic carotenaemia. *Br. J. Dermatol.*, **106**, 485–488
- Moon, R.C., Rao, K.V., Detrisac, C.J., Kelloff, G.J., Steele, V.E. & Doody, L.A. (1994) Chemoprevention of respiratory tract neoplasia in the hamster by oltipraz, alone and in combination. *Int. J. Oncol.*, **4**, 661–667
- Moore, T., ed. (1957) *Vitamin A*, Amsterdam, Elsevier
- Moreno, F.S., Rizzi, M.B.S.L., Dagli, M.L.Z. & Penteado, M.V.C. (1991) Inhibitory effects of beta-carotene on preneoplastic lesions induced in Wistar rats by the resistant hepatocyte model. *Carcinogenesis*, **12**, 1817–1822
- Moreno, F.S., Wu, T.-S., Penteado, M.V.C., Rizzi, M.B.S.L., Jordão, A.A., Almeida-Muradian, L.B. & Dagli, M.L.Z. (1995) A comparison of beta-carotene and vitamin A effects on a hepatocarcinogenesis model. *Int. Vitam. Nutr. Res.*, **65**, 87–94
- Morris, D.L., Kritchevsky, S.B. & Davis, C.E. (1994) Serum carotenoids and coronary heart disease. The Lipid Research Clinics Coronary Primary Prevention Trial and Follow-up Study. *J. Am med. Assoc.*, **272**, 1439–1441
- Mukherjee, A., Agarwal, K., Aguilar, M.A. & Sharma, A. (1991) Anticlastogenic activity of beta-carotene against cyclophosphamide in mice in vivo. *Mutat. Res.*, **263**, 41–46
- Müller, J.M., Rupec, R.A. & Baeuerle, P.A. (1997) Study of gene regulation by NK-kappa B and AP-1 in response to reactive oxygen intermediates. *Methods*, **11**, 301–312
- Multiple Risk Factor Intervention Trial Research Group (1982) Multiple Risk Factor Intervention Trial. Risk factor changes and mortality results. *J. Am. med. Assoc.*, **248**, 1465–1477
- Munoz, S.E., Ferraroni, M., La Vecchia, C. & Decarli, A. (1997) Gastric cancer risk factors in subjects with family history. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 137–140
- Murakoshi, M., Takayasu, J., Kimura, O., Kohmura, E., Nishino, H., Iwashima, A., Okuzumi, J., Sakai, T., Sugimoto, T., Imanishi, J. & Iwasaki, R. (1989) Inhibitory effects of α -carotene on proliferation of the human neuroblastoma cell line GOTO. *J. natl Cancer Inst.*, **81**, 1649–1652
- Murakoshi, M., Nishino, H., Satomi, Y., Takayasu, J., Hasegawa, T., Tokuda, H., Iwashima, A., Okuzumi, J., Okabe, H., Kitano, H. & Iwasaki, R. (1992) Potent preventive action of alpha-carotene against carcinogenesis: spontaneous liver carcinogenesis and promoting stage of lung and skin carcinogenesis in mice are suppressed more effectively by alpha-carotene than by beta-carotene. *Cancer Res.*, **52**, 6583–6587
- Murata, T., Tamai, H., Morinobu, T., Manago, M., Takenaka, H., Hayashi, K. & Mino, M. (1994) Effect of long-term administration of beta-carotene on lymphocyte subsets in humans. *Am. J. clin. Nutr.*, **60**, 597–602
- Muto, T., Shidoji, Y., Moriwaki, H., Kawaguchi, T. & Noda, T. (1995) Growth retardation in human cervical dysplasia-derived cell lines by beta-carotene through down-regulation of epidermal growth factor receptor. *Am. J. clin. Nutr.*, **62**, 1535S–1540S
- Nagao, A. & Olson, J.A. (1994) Enzymatic formation of 9-*cis*, 13-*cis*, and all-*trans* retinals from isomers of β -carotene. *FASEB J.*, **8**, 968–973
- Nagao, A., During, A., Hoshino, C., Terao, J. & Olson, J.A. (1996) Stoichiometric conversion of all *trans* β -carotene to retinal by pig intestinal extract. *Arch. Biochem. Biophys.*, **328**, 57–63
- Nagasawa, H., Konishi, R., Sensui, N., Yamamoto, K. & Ben-Amotz, A. (1989) Inhibition by beta-carotene-rich algae *Dunaliella* of spontaneous mammary tumourigenesis in mice. *Anticancer Res.*, **9**, 71–76
- Nagasawa, H., Mitamura, T., Sakamoto, S. & Yamamoto, K. (1995) Effects of lycopene on spontaneous mammary tumour development in SHN virgin mice. *Anticancer Res.*, **15**, 1173–1178

- Nair, P.P., Lohani, A., Norkus, E.P., Feagins, H. & Bhagavan, H.N. (1996) Uptake and distribution of carotenoids, retinol, and tocopherols in human colonic epithelial cells *in vivo*. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 913–916
- Napoli, J.L. & Race, K.R. (1988) Biogenesis of retinoic acid from β -carotene. *J. Biol. Chem.*, **263**, 17372–17377
- Narisawa, T., Fukaura, Y., Hasebe, M., Ito, M., Aizawa, R., Murakoshi, M., Uemura, S., Khachik, F. & Nishino, H. (1996) Inhibitory effects of natural carotenoids, alpha-carotene, beta-carotene, lycopene and lutein, on colonic aberrant crypt foci formation in rats. *Cancer Lett.*, **107**, 137–142
- Nathanail, L. & Powers, H.J. (1992) Vitamin A status of young Gambian children: Biochemical evaluation and conjunctival impression cytology. *Ann. trop. Paediatr.*, **12**, 67–73
- Nau, H., Chahoud, I., Dencker, L., Lammer, E.J., & Scott, W.J. (1994) Teratogenicity of vitamin A and retinoids. In: Blomhoff, R., ed., *Vitamin A in Health and Disease*, New York, Marcel Dekker, pp. 615–663
- Negri, E., La Vecchia, C., Franceschi, S., D'Avanzo, B., Talamini, R., Parpinel, M., Ferraroni, M., Filiberti, R., Montella, M., Falcini, F., Conti, E. & Decarli, A. (1996) Intake of selected micronutrients and the risk of breast cancer. *Int. J. Cancer*, **65**, 140–144
- Nells, H.J.C.F. & De Leenheer, A.P. (1983) Isocratic nonaqueous reversed-phase liquid chromatography of carotenoids. *Anal. Chem.*, **55**, 270–275
- Nenseter, M.S., Volden, V., Berg, T., Drevon, C.A., Ose, L. & Tonstad, S. (1995) No effect of beta-carotene supplementation on the susceptibility of low density lipoprotein to *in vitro* oxidation among hypercholesterolaemic, postmenopausal women. *Scand. J. Clin. Lab. Invest.*, **55**, 477–485
- Nierenberg, D.W. & Nann, S.L. (1992) A method for determining concentrations of retinol, tocopherol and five carotenoids in human plasma and tissue samples. *Am. J. Clin. Nutr.*, **56**, 417–426
- Nierenberg, D.W., Stukel, T.A., Baron, J.A., Dain, B.J. & Greenberg, E.R. (1989) Determinants of plasma levels of beta-carotene and retinol. *Am. J. Epidemiol.*, **130**, 511–521
- Nierenberg, D.W., Stukel, T.A., Mott, L.A. & Greenberg, E.R. (1994) Steady-state serum concentration of alpha tocopherol not altered by supplementation with oral beta carotene. *J. Natl Cancer Inst.*, **86**, 117–120
- Nikawa, T., Schulz, W.A., van den Brink, C.E., Hanusch, M., van der Saag, P., Stahl, W. & Sies, H. (1995) Efficacy of all-*trans*- β -carotene, canthaxanthin, and all-*trans*-, 9-*cis*-, and 4-oxoretinoic acids in inducing differentiation of an F9 embryonal carcinoma RAR β -lacZ reporter cell line. *Arch. Biochem. Biophys.*, **316**, 665–672
- Nishino, H. (1995) Cancer chemoprevention by natural carotenoids and their related compounds. *J. Cell. Biochem.*, **22** (Suppl.), 231–235
- Nishino, H. (1998) Cancer prevention by natural carotenoids. *J. Cell. Biochem.* (in press)
- Nomura, A.M.Y., Stemmermann, G.N., Heilbrun, L.K., Salkeld, R.M. & Vuilleumier, J.P. (1985) Serum vitamin levels and the risk of cancer of specific sites in men of Japanese ancestry in Hawaii. *Cancer Res.*, **45**, 2369–2372
- Nomura, A.M.Y., Kolonel, L.N., Hankin, J.H. & Yoshizawa, C.N. (1991) Dietary factors in cancer of the lower urinary tract. *Int. J. Cancer*, **48**, 199–205
- Nomura, A.M.Y., Stemmermann, G.N. & Chyou, P.-H. (1995) Gastric cancer among the Japanese in Hawaii. *Jpn. J. Cancer Res.*, **86**, 916–923
- Nomura, A.M., Ziegler, R.G., Stemmermann, G.N., Chyou, P.H. & Craft, N.E. (1997) Serum micronutrients and upper aerodigestive tract cancer. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 407–412
- Nonomura, A.M. (1990) Industrial biosynthesis of carotenoids. In: Krinsky, N.I., Mathews-Roth, M.M. & Taylor, R.F., eds, *Carotenoids: Chemistry and Biology*, New York, Plenum Press, pp. 365–374
- Norum, K.R. (1993) Acute myeloid leukaemia and retinoids. *Eur. J. Clin. Nutr.*, **47**, 77–87
- Novotny, J.A., Dueker, S.R., Zech, L.A. & Clifford, A.J. (1995) Compartmental analysis of the dynamics of β -carotene metabolism in an adult volunteer. *J. Lipid Res.*, **36**, 1825–1838
- Novotny, J.A., Zech, L.A., Furr, H.C., Dueker, S.R. & Clifford, A.J. (1996) Mathematical modeling in nutrition: Constructing a physiologic compartmental model of the dynamics of β -carotene metabolism. *Adv. Food Nutr. Res.*, **40**, 25–54

- Nyandieka, H.S., Wakhis, J. & Kilonzo, M.M. (1990) Association of reduction of AFB₁-induced liver tumours by antioxidants with increased activity of microsomal enzymes. *Indian J. Med. Res.*, **92**, 332–336
- Ocké, M.C., Schrijver, J., Obermann-de Boer, G.L., Bloemberg, B.P.M., Haenen, G.R.M.M. & Kromhout, D. (1995) Stability of blood (pro)vitamins during four years of storage at -20 °C: Consequences for epidemiologic research. *J. clin. Epidemiol.*, **48**, 1077–1085
- Ocké, M.C., Bueno de Mesquita, H.B., Feskens, E.J., van Staveren, W.A. & Kromhout, D. (1997) Repeated measurements of vegetables, fruits, beta-carotene, and vitamins C and E in relation to lung cancer. The Zutphen Study. *Am. J. Epidemiol.*, **145**, 358–365
- Odin, A.P. (1997) Vitamins as antimutagens: Advantages and some possible mechanisms of antimutagenic action. *Mutat. Res.*, **386**, 39–67
- O'Fallon, J. & Chew, B.P. (1984) The subcellular distribution of β -carotene in bovine corpus luteum. *Proc. Soc. exp. Biol. Med.*, **177**, 406–411
- Ohno, Y., Yoshida, O., Oishi, K., Okada, K., Yanabe, H. & Schroeder, F.H. (1988) Dietary β -carotene and cancer of the prostate: A case-control study in Kyoto, Japan. *Cancer Res.*, **48**, 1331–1336
- Oishi, K., Okada, K., Yoshida, O., Yanabe, H., Ohno, Y., Hayes, R.B. & Schroeder, F.H. (1988) A case-control study of prostatic cancer with reference to dietary habits. *Prostate*, **12**, 179–190
- Okai, Y., Higashi-Okai, K., Yano, Y. & Otani, S. (1996a) All *trans* β -carotene enhances mitogenic responses and ornithine decarboxylase activity of BALB/c 3T3 fibroblast cells induced by tumor promoter and fetal bovine serum but suppresses mutagen dependent *umu C* gene expression in *Salmonella typhimurium* (TA 1535/pSK 1002). *Cancer Lett.*, **99**, 15–21
- Okai, Y., Higashi-Okai, K., Nakamura, S.-I., Yano, Y. & Otani, S. (1996b) Suppressive effects of retinoids, carotenoids and antioxidant vitamins on heterocyclic amine-induced *umu C* gene expression in *Salmonella typhimurium* (TA1535/pSK 1002). *Mutat. Res.*, **368**, 133–140
- Okuzumi, J., Nishino, H., Murakoshi, M., Iwashima, A., Tanaka, Y., Yamane, T., Fujita, Y. & Takahashi, T. (1990) Inhibitory effects of fucoxanthin, a natural carotenoid, on *N-myc* expression and cell cycle progression in human malignant tumor cells. *Cancer Lett.*, **55**, 75–81
- Okuzumi, J., Takahashi, T., Yamana, T., Kiato, Y., Nagake, M., Ohya, K., Nishino, H. & Tanaka, Y. (1993) Inhibitory effects of fucoxanthin, a natural carotenoid on *N-ethyl-N'-nitro-N-nitrosoguanidine* induced mouse duodenal carcinogenesis. *Cancer Lett.*, **68**, 159–168
- Olmedilla, B., Grando, F., Rojas-Hidalgo, E. & Blanco, I. (1990) A rapid separation of ten carotenoids, three retinoids, alpha-tocopherol, and d-alpha-tocopherol acetate by high performance liquid chromatography and its application to serum and vegetable samples. *J. liq. Chromatogr.*, **13**, 1455–1485
- Olmedilla, B., Granado, F., Blanco, I. & Rojas-Hidalgo, E. (1994) Seasonal and sex-related variations in six serum carotenoids, retinol, and α -tocopherol. *Am. J. clin. Nutr.*, **60**, 106–110
- Olmedilla, B., Granado, F. & Blanco, I. (1995) Hyper-beta-carotenemia unrelated to diet: A case of brain tumor. *Int. J. Vit. Nutr. Res.*, **65**, 21–23
- Olsen, G.W., Mandel, J.S., Gibson, R.W., Wattenberg, L.W. & Schuman, L.M. (1991) Nutrients and pancreatic cancer: A population-based case-control study. *Cancer Causes Control*, **2**, 291–297
- Olson, J.A. (1961) The conversion of radioactive β -carotene into vitamin A by the rat intestine *in vivo*. *J. biol. Chem.*, **236**, 349–356
- Olson, J.A. (1983) Formation and function of vitamin A. In: Porter, J.W. & Spurgeon, D.L., eds, *Biosynthesis of Isoprenoid Compounds*, New York, John Wiley & Sons, pp. 371–412
- Olson, J.A. (1984) Serum levels of vitamin A and carotenoids as reflectors of nutritional status. *J. natl Cancer Inst.*, **73**, 1439–1444
- Olson, J.A. (1993) Molecular actions of carotenoids. *Ann. N.Y. Acad. Sci.*, **691**, 156–166
- Olson, J.A. (1994) Absorption, transport and metabolism of carotenoids in humans. *Pure appl. Chem.*, **66**, 1011–1016
- Olson, J.A. (1998) Carotenoids. In: Shils, M.E., Olson, J.A., Shike, M. & Ross, A.C., eds, *Modern Nutrition in Health and Disease*, 9th Ed., Baltimore, Williams & Wilkins (in press)
- Olson, J.A. & Hayaishi, O. (1965) The enzymatic cleavage of β -carotene into vitamin A by soluble enzymes of rat liver and intestine. *Proc. natl Acad. Sci. USA*, **54**, 1364–1370

- Omaye, S.T., Krinsky, N.I., Kagan, V.E., Mayne, S.T., Liebler, D.C. & Bidlack, W.R. (1997) Symposium overview: Beta-carotene: Friend or foe? *Fundam. appl. Toxicol.*, **40**, 163–174
- Omenn, G.S. (1996) Micronutrients (vitamins and minerals) as cancer-preventive agents In: Stewart, B.W., McGregor, D. & Kleihues, P., eds, *Principles of Chemoprevention* (IARC Scientific Publication No. 139), Lyon, IARC, pp. 33–45
- Omenn, G.S., Goodman, G.E., Grizzle, J., Thornquist, M.D., Rosenstock, L., Barnhart, S., Anderson, G., Balmes, J., Cherniak, M.G., Cone, J., Cullen, M., Glass A., Keogh, J., Mejskens, F., Jr & Valanis, B. (1991) CARET, the β -Carotene and Retinol Efficacy Trial to prevent lung cancer in asbestos-exposed workers and smokers. *Anti-cancer Drugs*, **2**, 79–86
- Omenn, G.S. & CARET Coinvestigators (1993a) CARET, the Beta-Carotene and Retinol Efficacy Trial to prevent lung cancer in asbestos-exposed workers and in smokers. *Sourcebook on Asbestos Diseases: Medical, Legal, and Engineering Aspects*, **7**, 219–241
- Omenn, G.S., Goodman, G.E., Thornquist, M.D., Rosenstock, L., Barnhart, S., Gyls-Colwell, I., Metch, B. & Lund, B. (1993b) The β -Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high risk populations: Pilot study with asbestos-exposed workers. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 381–387
- Omenn, G.S., Goodman, G.E., Thornquist, M.D., Grizzle, J., Rosenstock, L., Barnhart, S., Balmes, J., Cherniak, M.G., Cone, J., Cullen, M., Glass, A., Keogh, J., Mejskens, F., Jr, Valanis, B. & Williams, J., Jr (1994) The β -Carotene and Retinol Efficacy Trial (CARET) for chemoprevention of lung cancer in high risk populations: Smokers and asbestos-exposed workers. *Cancer Res.*, **54** (Suppl.), 2038S–2043S
- Omenn, G.S., Goodman, G.E., Thornquist, M.D., Balmes, J., Cullen, M.R., Glass, A., Keogh, J.P., Meyskens, F.L., Jr, Valanis, B., Williams, J.H., Jr, Barnhart, S., Cherniak, M.G., Brodtkin, C.A. & Hammar, S. (1996a) Risk factors for lung cancer and for intervention effects in CARET, the Beta-Carotene and Retinol Efficacy Trial. *J. natl Cancer Inst.*, **88**, 1550–1559
- Omenn, G.S., Goodman, G.E., Thornquist, M.D., Balmes, J., Cullen, M.R., Glass, A., Keogh, J.P., Meyskens, F.L., Jr, Valanis, B., Williams, J.H., Jr, Barnhart, S. & Hammar, S. (1996b) Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *New Engl. J. Med.*, **334**, 1150–1155
- Omenn, G.S., Goodman, G.E., Thornquist, M.D., Barnhart, S., Balmes, J., Cherniak, M.G., Cullen, M., Glass, A., Keogh, J., Liu, D., Mejskens, F., Jr, Perloff, M., Valanis, B. & Williams, J., Jr (1996c) Chemoprevention of lung cancer: The β -Carotene and Retinol Efficacy Trial (CARET) in high risk smokers and asbestos-exposed workers. In: Hakama, M., Beral, V., Buiatti, E., Faivre, J. & Parkin, D.M., eds, *Chemoprevention in Cancer Control* (IARC Scientific Publication No. 136), Lyon, IARC, pp. 67–85
- O'Neill, M.E. & Thurnham, D.I. (1998) Intestinal absorption of β -carotene, lycopene and lutein in men and women following a standard meal; response curves in the triglyceride-rich lipoprotein fraction. *Br. J. Nutr.*, **79**, 149–159
- Ong, A.S.H. & Tee, E.S. (1992) Natural source of carotenoids from plants and oils. *Meth. Enzymol.*, **213**, 142–167
- Ong, T., Whong, W.-Z., Stewart, J.D. & Brockman, H.E. (1989) Comparative antimutagenicity of 5 compounds against 5 mutagenic complex mixtures in *Salmonella typhimurium* strain TA98. *Mutat. Res.*, **222**, 19–25
- Orentreich, N., Matias, J.R., Vogelmann, J.H., Salkeld, R.M., Bhagavan, H. & Friedman, G.D. (1991) The predictive value of serum β -carotene for subsequent development of lung cancer. *Nutr. Cancer*, **16**, 167–169
- Orr, J.W., Jr, Wilson, K., Bodiford, C., Cornwell, A., Soong, S.J., Honea, K.L., Hatch, K. & Shingleton, H.M. (1985) Nutritional status of patients with untreated cervical cancer. *Am. J. Obstet. Gynecol.*, **151**, 632–635
- Oshima, S., Sakamoto, H., Ishiguro, Y. & Terao, J. (1997) Accumulation and clearance of capsanthin in blood plasma after the ingestion of paprika juice in men. *J. Nutr.*, **127**, 1475–1479
- Palan, P.R., Romney, S.L., Mikhail, M., Basu, J. & Vermund, S.H. (1988) Decreased plasma β -carotene levels in women with uterine cervical dysplasias and cancer. *J. natl Cancer Inst.*, **6**, 454–455

- Palan, P.R., Mikhail, M.S., Basu, J. & Romney, S.L. (1991) Plasma levels of antioxidant β -carotene and α -tocopherol in uterine cervix dysplasias and cancer. *Nutr. Cancer*, **15**, 13–20
- Palan, P.R., Mikhail, M.S., Basu, J. & Romney, S.L. (1992) β -Carotene levels in exfoliated cervico-vaginal epithelial cells in cervical intraepithelial neoplasia and cervical cancer. *J. Obstet. Gynecol.*, **167**, 1899–1903
- Palozza, P. & Krinsky, N.I. (1991) The inhibition of radical-initiated peroxidation of microsomal lipids by both α -tocopherol and β -carotene. *Free Radicals Biol. Med.*, **11**, 407–414
- Palozza, P. & Krinsky, N.I. (1992a) Antioxidant effects of carotenoids *in vivo* and *in vitro*: An overview. *Meth. Enzymol.*, **213**, 402–420
- Palozza, P. & Krinsky, N.I. (1992b) β -Carotene and α -tocopherol are synergistic antioxidants. *Arch. Biochem. Biophys.*, **297**, 184–187
- Palozza, P., Calviello, G. & Bartoli, G.M. (1995) Prooxidant activity of β -carotene under 100% oxygen pressure in rat liver microsomes. *Free Radicals Biol. Med.*, **19**, 887–892
- Palozza, P., Calviello, G., Serini, S., Moscato, P., Luberto, C. & Bartoli, G.M. (1997) Antitumor effect of an oral administration of canthaxanthin on BALB/c mice bearing thymoma cells. *Nutr. Cancer*, **28**, 199–205
- Pamuk, E.R., Byers, T., Coates, R.J., Vann, J.W., Sowell, A.L., Gunter, E.W. & Glass, D. (1994) Effect of smoking on serum nutrient concentrations in African-American women. *Am. J. clin. Nutr.*, **59**, 891–895
- Pan, W.-H., Wang, C.-Y., Huang, S.-M., Yeh, S.-Y., Lin, W.-G., Lin, D.-I. & Liaw, Y.-F. (1993) Vitamin A, vitamin E or beta-carotene status and hepatitis B-related hepatocellular carcinoma. *Ann. Epidemiol.*, **3**, 217–224
- Parker, R.S. (1988) Carotenoid and tocopherol composition of human adipose tissue. *Am. J. clin. Nutr.*, **47**, 33–36
- Parker, R.S. (1996) Absorption, metabolism, and transport of carotenoids. *FASEB J.*, **10**, 542–551
- Parker, R.S. (1997) Bioavailability of carotenoids. *Eur. J. clin. Nutr.*, **51**, S86–S90
- Pastorino, U., Pisani, P., Berrino, F., Andreoli, C., Barbieri, A., Costa, A., Mazzoleni, C., Gramegna, G. & Marubini, E. (1987) Vitamin A and female lung cancer: A case-control study on plasma and diet. *Nutr. Cancer*, **10**, 171–179
- Paul, A.A. & Southgate, D.A.T. (1976) *McCance and Widdowson's The Composition of Foods*, 4th rev. Ed., London, Her Majesty's Stationery Office
- Pedrick, M.S., Turton, J.A. & Hicks, R.M. (1990) The incidence of bladder cancer in carcinogen-treated rats is not substantially reduced by dietary β -carotene (Abstract). *Int. J. Vit. Nutr. Res.*, **60**, 189
- de Pee, S. & West, C.E. (1996) Dietary carotenoids and their role in combating vitamin A deficiency: A review of the literature. *Eur. J. clin. Nutr.*, **50** (Suppl. 3), S38–S53
- de Pee, S., West, C.E., Muhilal, Karyadi, D. & Hautvast, J.G.A.J. (1995) Lack of improvement in vitamin A status with increased consumption of dark-green leafy vegetables. *Lancet*, **346**, 75–81
- Peng, Y.S., Peng, Y.M., McGee, D.L. & Alberts, D.S. (1994) Carotenoids, tocopherols, and retinoids in human buccal mucosal cells: Intra- and interindividual variability and storage stability. *Am. J. clin. Nutr.*, **59**, 636–643
- Peng, Y.-M., Peng, Y.-S., Lin, Y., Moon, T., Roe, D.J. & Ritenbaugh, C. (1995) Concentration and plasma-tissue-diet relationships of carotenoids, retinoids and tocopherols in humans. *Nutr. Cancer*, **23**, 233–246
- Perrig, W.J., Perrig, P. & Stahelin, H.B. (1997) The relation between antioxidants and memory performance in the old and very old. *J. Am. Geriatr. Soc.*, **45**, 718–724
- Peters, R.K., Pike, M.C., Garabrant, D. & Mack, T.M. (1992) Diet and colon cancer in Los Angeles County, California. *Cancer Causes Control*, **3**, 457–473
- Peters, J.C., Lawson, K.D., Middleton, S.J. & Triebwasser, K.C. (1997) Assessment of the nutritional effects of Olestra, a nonabsorbed fat replacement: Summary. *J. Nutr.*, **127** (Suppl. 8), 1719S–1728S
- Pfander, H. (1987) *Key to Carotenoids*, Basel, Birkhäuser Verlag

- Phillips, R.W., Kikendall, J.W., Luk, G.D., Willis, S.M., Murphy, J.R., Maydonovitch, C., Bowen, P.E., Stacewicz-Sapuntzakis, M. & Wong, R.K. (1993) Beta-carotene inhibits rectal mucosal ornithine decarboxylase activity in colon cancer patients. *Cancer Res.*, **53**, 3723–3275
- Pierce, R.J., Kune, G.A., Kune, S., Watson, L.F., Field, B., Merenstein, D., Hayes, A. & Irving, L.B. (1989) Dietary and alcohol intake, smoking pattern, occupational risk, and family history in lung cancer patients: Results of a case-control study in males. *Nutr. Cancer*, **12**, 237–248
- Pinnock, C.B. & Alderman, C.P. (1992) The potential for teratogenicity of vitamin A and its congeners. *Med. J. Aust.*, **157**, 804–809
- Poh-Fitzpatrick, M.B. & Barbera, L.G. (1984) Absence of crystalline retinopathy after long-term therapy with β -carotene. *J. Am. Acad. Dermatol.*, **11**, 111–113
- Pollack, J., Campbell, J.M., Potter, S.M. & Erdman, J.W. (1994) Mongolian gerbils (*Meriones unguiculatus*) absorb β -carotene intact from a test meal. *J. Nutr.*, **124**, 869–873
- Pool-Zobel, B.L., Bub, A., Muller, H., Wollowski, I. & Rechkemmer, G. (1997) Consumption of vegetables reduces genetic damage in humans: First results of a human intervention trial with carotenoid-rich foods. *Carcinogenesis*, **18**, 1847–1850
- Poor, C.L., Bierer, T.L., Merchen, N.R., Fahey, G.C., Murphy, M. & Erdman, J.W. (1992) Evaluation of the preruminant calf as a model for the study of human carotenoid metabolism. *J. Nutr.*, **122**, 262–268
- Poor, C.L., Bierer, T., Merchen, N.R., Fahey, G.C. & Erdman, J.W. (1993) The accumulation of α - and β -carotene in serum and tissues of preruminant calves fed raw and steamed carrot slurries. *J. Nutr.*, **123**, 1296–1304
- van Poppel, G., Kok, F.J. & Hermus R.J.J. (1992) Beta-carotene supplementation in smokers reduces the frequency of micronuclei in sputum. *Br. J. Cancer*, **66**, 1164–1168
- van Poppel, G., Spanhaak, S. & Ockhuizen, T. (1993) Effect of beta-carotene on immunological indexes in healthy male smokers. *Am. J. clin. Nutr.*, **57**, 402–407
- van Poppel, G., Poulsen, H., Loft, S. & Verhagen, H. (1995) No influence of beta carotene on oxidative DNA damage in male smokers. *J. natl Cancer Inst.*, **87**, 310–311
- Potischman, N. & Brinton, L.A. (1996) Nutrition and cervical neoplasia. *Cancer Causes Control*, **7**, 113–126
- Potischman, N., McCulloch, C.E., Byers, T., Nemoto, T., Stubbe, N., Milch, R., Parker, R., Rasmussen, K.M., Root, M., Graham, S. & Campbell, T.C. (1990) Breast cancer and dietary and plasma concentrations of carotenoids and vitamin A. *Am. J. clin. Nutr.*, **52**, 909–915
- Potischman, N., Herrero, R., Brinton, L.A., Reeves, W.C., Stacewicz-Sapuntzakis, M., Jones, C.J., Brenes, M.M., Tenorio, F., de Britton, R.C. & Gaitan, E. (1991a) A case-control study of nutrient status and invasive cervical cancer. *Am. J. Epidemiol.*, **134**, 1347–1355
- Potischman, N., McCulloch, C.E., Byers, T., Houghton, L., Nemoto, T., Graham, S. & Campbell, T.C. (1991b) Associations between breast cancer, plasma triglycerides, and cholesterol. *Nutr. Cancer*, **15**, 205–215
- Potischman, N., Hoover, R.N., Brinton, L.A., Swanson, C.A., Herrero, R., Tenorio, F., de Britton, R.C., Gaitan, E. & Reeves, W.C. (1994) The relations between cervical cancer and serological markers of nutritional status. *Nutr. Cancer*, **21**, 193–201
- Potter, J.D. & McMichael, A.J. (1986) Diet and cancer of the colon and rectum: A case-control study. *J. natl Cancer Inst.*, **76**, 557–569
- Prabhala, R.H., Maxey, V., Hicks, M.J. & Watson, R.R. (1989) Enhancement of the expression of activation markers on human peripheral blood mononuclear cells by *in vitro* culture with retinoids and carotenoids. *J. Leukocyte Biol.*, **45**, 249–254
- Prabhala, R.H., Garewal, H.S., Hicks, M.J., Sampliner, R.E. & Watson, R.R. (1991) The effects of 13-*cis*-retinoic acid and beta-carotene on cellular immunity in humans. *Cancer*, **67**, 1556–1560
- Prasad, K.N. & Kumar, R. (1996) Effect of individual and multiple antioxidant vitamins on growth and morphology of human nontumorigenic and tumorigenic parotid acinar cells in culture. *Nutr. Cancer*, **26**, 11–19
- Prince, M.R., Frisoli, J.K., Goetschkes, M.M., Stringham, J.M. & LaMuraglia, G.M. (1991) Rapid serum carotene loading with high-dose β -carotene: Clinical implications. *J. cardiovasc. Pharmacol.*, **17**, 343–347

- Princen, H.M.G., van Poppel, G., Vogelezang, C., Buytenhek, R. & Kok, F.J. (1992) Supplementation with vitamin E but not β -carotene *in vivo* protects low density lipoprotein from lipid peroxidation *in vitro*. Effect of cigarette smoking. *Arteriosclerosis Thrombosis*, **12**, 554–562
- Pung, A., Rundhaug, J.E., Yoshizawa, C.N. & Bertram, J.S. (1988) β -Carotene and canthaxanthin inhibit chemically- and physically-induced neoplastic transformation in 10T1/2 cells. *Carcinogenesis*, **9**, 1533–1539
- Pung, A., Franke, A., Zhang, L.X., Ippendorf, H., Martin, H.D., Sies, H. & Bertram, J.S. (1993) A synthetic carotenoid inhibits carcinogen-induced neoplastic transformation and enhances gap junctional communication. *Carcinogenesis*, **14**, 1001–1005
- Raj, A.S. & Katz, M. (1985) Beta-carotene as an inhibitor of benz[*a*]pyrene and mitomycin induced chromosome breaks in bone marrow of mice. *Can. J. genet. Cytol.*, **27**, 598–602
- Ramaswamy, G. & Krishnamoorthy, L. (1996) Serum carotene, vitamin A, and vitamin C levels in breast cancer and cancer of the uterine cervix. *Nutr. Cancer*, **25**, 173–177
- Ramaswamy, P.G., Krishnamoorthy, L., Rao, V.R. & Bhargava, M.K. (1990) Vitamin and provitamin A levels in epithelial cancers: A preliminary study. *Nutr. Cancer*, **14**, 273–276
- Rao, M.N., Ghosh, P. & Lakshman, M.R. (1997) Purification and partial characterization of a cellular carotenoid-binding protein from ferret liver. *J. biol. Chem.*, **272**, 24455–24460
- Rapola, J.M., Virtamo, J., Ripatti, S. Huttunen, J.K., Albanes, D., Taylor, P.R. & Heinonen, O.P. (1997) Randomised trial of tocopherol and β -carotene supplements on incidence of major coronary events in men with previous myocardial infarction. *Lancet*, **349**, 1715–1720
- Rautalahti, M., Albanes, D., Haukka, J., Roos, E., Gref, C.-G. & Virtamo, J. (1993) Seasonal variation of serum concentrations of β -carotene and α -tocopherol. *Am. J. clin. Nutr.*, **57**, 551–556
- Reaven, P.D., Khouw, A., Beltz, W.F., Parthasarathy, S.M. & Witztum, J.L. (1993) Effect of dietary antioxidant combinations in humans. Protection of LDL by vitamin E but not by β -carotene. *Arteriosclerosis Thrombosis*, **13**, 590–600
- Redlich, C.A., Grauer, J.N., van Bennekum, A.M., Clever, S.L., Ponn, R.B. & Blaner, W.S. (1996) Characterization of carotenoid, vitamin A, and α -tocopherol levels in human lung tissue and pulmonary macrophages. *Am. J. respir. crit. Care Med.*, **154**, 1436–1443
- Renner, H.W. (1985) Anticlastogenic effect of beta-carotene in Chinese hamsters: Time and dose response with different mutagens. *Mutat. Res.*, **144**, 251–256
- Renner, H.W. (1990) In vivo effects of single or combined dietary antimutagens on mutagen-induced chromosomal aberrations. *Mutat. Res.*, **244**, 185–188
- Rettura, G., Stratford, F., Levenson, S.M. & Seifter, E. (1982) Prophylactic and therapeutic actions of supplemental beta-carotene in mice inoculated with C3HBA adenocarcinoma cells: Lack of therapeutic action of supplemental ascorbic acid. *J. natl Cancer Inst.*, **69**, 73–77
- Ribaya-Mercado, J.D., Holmgren, S.C., Fox, J.G. & Russell, R.M. (1989) Dietary β -carotene absorption and metabolism in ferrets and rats. *J. Nutr.*, **119**, 665–668
- Ribaya-Mercado, J.D., Lopez-Miranda, J., Ordovas, J.M., Blanco, M.C., Fox, J.G. & Russell, R.M. (1993) Distribution of β -carotene and vitamin A in lipoprotein fractions of ferret serum. *Ann. N.Y. Acad. Sci.*, **691**, 232–237
- Riboli, E., Gonzalez, C.A., Lopez-Abente, G., Errezola, M., Izarzugaza, I., Escolar, A., Nebot, M., Hemon, B. & Agudo, A. (1991) Diet and bladder cancer in Spain: A multicenter case-control study. *Int. J. Cancer*, **49**, 214–219
- Richards, G.A., Theron, A.J., van Rensburg, C.E.J., van Rensburg, A.J., van der Merwe, C.A., Kuyil, J.M. & Anderson, R. (1990) Investigation of the effects of oral administration of vitamin E and beta-carotene on the chemiluminescence responses and the frequency of sister chromatid exchanges in circulating leukocytes from cigarette smokers. *Am. Rev. respir. Dis.*, **142**, 648–654
- Richardson, S., Gerber, M. & Cenee, S. (1991) The role of fat, animal protein and some vitamin consumption in breast cancer: A case control study in southern France. *Int. J. Cancer*, **48**, 1–9

- Riemersma, R.A., Wood, D.A., Macintyre, C.C.A., Elton, R.A., Gey, K.F. & Oliver, M.F. (1991) Risk of angina pectoris and plasma concentrations of vitamins A, C, and E and carotene. *Lancet*, **337**, 1–5
- Rimm, E.B., Stampfer, M.J., Ascherio, A., Giovannucci, E., Colditz, G.A. & Willett, W.C. (1993) Vitamin E consumption and the risk of coronary heart disease in men. *New Engl. J. Med.*, **328**, 1450–1456
- Ringer, T.V., DeLoof, M.J., Winterrowd, G.E., Francom, S.F., Gaylor, S.K., Ryan, J.A., Sanders, M.E. & Hughes, G.S. (1991) Beta-carotene's effects on serum lipoproteins and immunologic indices in humans. *Am. J. clin. Nutr.*, **53**, 688–694
- Risch, H.A., Jain, M., Choi, N.W., Fodor, J.G., Pfeiffer, C.J., Howe, G.R., Harrison, L.W., Craib, K.J. & Miller, A.B. (1985) Dietary factors and the incidence of cancer of the stomach. *Am. J. Epidemiol.*, **122**, 947–959
- Risch, H.A., Burch, J.D., Miller, A.B., Hill, G.B., Steele, R. & Howe, G.R. (1988) Dietary factors and the incidence of cancer of the urinary bladder. *Am. J. Epidemiol.*, **127**, 1179–1191
- Risch, H.A., Jain, M., Marrett, L.D. & Howe, G.R. (1994) Dietary fat intake and risk of epithelial ovarian cancer. *J. natl Cancer Inst.*, **86**, 1409–1415
- Ritenbaugh, C., Peng, Y.M., Aickin, M., Graver, E., Branch, M. & Alberts, D.S. (1996) New carotenoid values for foods improve relationship of food frequency questionnaire intake estimates to plasma values. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 907–912
- Rock, C.L. & Swendseid, M.E. (1992) Plasma beta-carotene response in humans after meals supplemented with dietary pectin. *Am. J. clin. Nutr.*, **55**, 96–99
- Rock, C.L., Swendseid, M.E., Jacob, R.A. & McKee, R.W. (1992) Plasma carotenoid levels in human subjects fed a low carotenoid diet. *J. Nutr.*, **122**, 96–100
- Rock, C.L., Demitrack, M.A., Rosenwald, E.N. & Brown, M.B. (1995) Carotenoids and menstrual cycle phase in young women. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 283–288
- Rock, C.L., Flatt, S.W., Wright, F.A., Faerber, S., Newman, V., Kealey, S. & Pierce, J.P. (1997) Responsiveness of carotenoids to a high vegetable diet intervention designed to prevent breast cancer recurrence. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 617–623
- Roe, D.A. (1987) Photodegradation of carotenoids in human subjects. *Fed. Proc.*, **46**, 1886–1889
- Rohan, T.E., McMichael, A.J. & Baghurst, P.A. (1988) A population-based case-control study of diet and breast cancer in Australia. *Am. J. Epidemiol.*, **128**, 478–489
- Rohan, T.E., Howe, G.R., Freidenreich, C.M., Jain, M. & Miller, A.B. (1993) Dietary fibre, vitamins A, C, and E, and risk of breast cancer: A cohort study. *Cancer Causes Control*, **4**, 29–37
- Rohan, T.E., Howe, G.R., Burch, J.D. & Jain, M. (1995) Dietary factors and risk of prostate cancer: A case-control study in Ontario, Canada. *Cancer Causes Control*, **6**, 145–154
- Roidt, L., White, E., Goodman, G.E., Wahl, P.W., Omenn, G.S., Rollins, B. & Karbeck, J.M. (1988) Association of food frequency questionnaire estimates of vitamin A intake with serum vitamin A levels. *Am. J. Epidemiol.*, **128**, 645–654
- Romert, L., Jansson, T., Curvall, M. & Jenssen, D. (1994) Screening for agents inhibiting the mutagenicity of extracts and constituents of tobacco products. *Mutat. Res.*, **322**, 97–110
- Rose, B., Mehta, P.P. & Loewenstein, W.R. (1993) Gap-junction protein gene suppresses tumorigenicity. *Carcinogenesis*, **14**, 1073–1075
- Ross, R.K., Shimizu, H., Paganini Hill, A., Honda, G. & Henderson, B.E. (1987) Case-control studies of prostate cancer in blacks and whites in southern California. *J. natl Cancer Inst.*, **78**, 869–874
- Rossing, M.A., Vaughan, T.L. & McKnight, B. (1989) Diet and pharyngeal cancer. *Int. J. Cancer*, **44**, 593–597
- Rybski, J.A., Grogan, T.M., Aickin, M. & Gensler, H.L. (1991) Reduction of murine cutaneous UVB-induced tumor-infiltrating TG lymphocytes by dietary canthaxanthin. *J. invest. Dermatol.*, **97**, 892–897
- Sahyoun, N.R., Jacques, P.F. & Russell, R.M. (1996) Carotenoids, vitamins C and E, and mortality in an elderly population. *Am. J. Epidemiol.*, **144**, 501–511
- Saintot, M., Astre, C., Scali, J. & Gerber, M. (1995) Within-subjects seasonal variation and determinants of inter-individual variations of plasma β -carotene. *Int. J. Vit. Nutr. Res.*, **65**, 169–174

- Salonen, J.T., Nyyssonen, K., Parviainen, M., Kantola, M., Korpela, H. & Salonen, R. (1993) Low plasma beta-carotene, vitamin E and selenium levels associate with accelerated carotid atherogenesis in hypercholesterolemic eastern Finnish men (Abstract). *Circulation*, **87**, 678
- Salvadori, D.M.F., Ribeiro, L.R., Oliveira, M.D.M., Pereira, C.A.B. & Becak, W. (1992a) The protective effect of β -carotene on genotoxicity induced by cyclophosphamide. *Mutat. Res.*, **265**, 237–244
- Salvadori, D.M., Ribeiro, L.R., Oliveira, M.D., Pereira, C.A. & Becak, W. (1992b) Beta-carotene as a modulator of chromosomal aberrations induced in mouse bone marrow cells. *Environ. mol. Mutag.*, **20**, 206–210
- Salvadori, D.M.F., Ribeiro, L.R. & Natarajan, A.T. (1993) The anticlastogenicity of β -carotene evaluated on human hepatoma cells. *Mutat. Res.*, **303**, 151–156
- Salvadori, D.M.F., Ribeiro, L.R. & Natarajan, A.T. (1994) Effect of β -carotene on clastogenic effects of mitomycin C, methyl methanesulphonate and bleomycin in Chinese hamster ovary cells. *Mutagenesis*, **9**, 53–57
- Sanders, T.A.B., Haines, A.P., Wormald, R., Wright, L.A. & Obeid, O. (1993) Essential fatty acids, plasma cholesterol, and fat-soluble vitamins in subjects with age-related maculopathy and matched control subjects. *Am. J. clin. Nutr.*, **57**, 428–433
- Sanderson, M.J., White, K.L.M., Drake, I.M. & Schorah, C.J. (1997) Vitamin E and carotenoids in gastric biopsies: The relation to plasma concentrations in patients with and without *Helicobacter pylori* gastritis. *Am. J. clin. Nutr.*, **65**, 101–106
- Sankaranarayanan, R., Mathew, B., Varghese, C., Sudhakaran, P.R., Menon, V., Jayadeep, A., Nair, M.K., Mathews, C., Mahalingam, T.R., Balaram, P. & Nair, P.P. (1997) Chemoprevention of oral leukoplakia with vitamin A and beta-carotene: An assessment. *Eur. J. Cancer*, **33**, 231–236
- Santamaria, L. & Bianchi, A. (1989) Cancer chemoprevention by supplemental carotenoids in animals and humans. *Prev. Med.*, **18**, 603–623
- Santamaria, L., Bianchi, A., Arnaboldi, A. & Andreoni, L. (1981) Prevention of the benzo(α)-pyrene photocarcinogenic effect by β -carotene and canthaxanthine. *Med. Biol. Environ.*, **9**, 113–120
- Santamaria, L., Bianchi, A., Arnaboldi, A. & Bermond, P. (1983a) Dietary carotenoids block photocarcinogenic enhancement by benzo(a)-pyrene and inhibit its carcinogenesis in the dark. *Experientia*, **39**, 1043–1045
- Santamaria, L., Bianchi, A., Arnaboldi, A., Andreoni, L. & Bermond, P. (1983b) Benzo[a]pyrene carcinogenicity and its prevention by carotenoids. Relevance in social medicine. In: Meyskens, F.L. & Prasad, K.N., eds, *Modulation and Mediation of Cancer by Vitamins*, Basel, Karger, pp. 81–88
- Santamaria, L., Bianchi, A., Arnaboldi, A., Ravetto, C., Bianchi, L., Pizzala, R., Andreoni, L., Santagati, G. & Bermond, P. (1988) Chemoprevention of indirect and direct chemical carcinogenesis by carotenoids as oxygen radical quenchers. *Ann. N.Y. Acad. Sci.*, **534**, 584–596
- Santos, M.S., Meydani, S.N., Leka, L., Wu, D., Fotouhi, N., Meydani, M., Hennekens, C.H. & Gaziano, J.M. (1996) Natural killer cell activity in elderly men is enhanced by beta-carotene supplementation. *Am. J. clin. Nutr.*, **64**, 772–777
- Santos, M.S., Leka, L.S., Ribaya-Mercado, J.D., Russel, R.M., Meydani, M., Hennekens, C.H., Gaziano, J.M. & Meydani, S.N. (1997) Short- and long-term beta-carotene supplementation do not influence T cell-mediated immunity in healthy elderly persons. *Am. J. clin. Nutr.*, **66**, 917–924
- Sarkar, A., Mukherjee, B. & Chatterjee, M. (1994) Inhibitory effect of beta-carotene on chronic 2-acetylaminofluorene-induced hepatocarcinogenesis in rat: Reflection in hepatic drug metabolism. *Carcinogenesis*, **15**, 1055–1060
- Sarkar, A., Mukherjee, B. & Chatterjee, M. (1995a) Inhibition of 3'-methyl-4-dimethyl-aminoazobenzene-induced hepatocarcinogenesis in rat by dietary beta-carotene: Changes in hepatic anti-oxidant defense enzyme levels. *Int. J. Cancer*, **61**, 799–805
- Sarkar, A., Bishayee, A. & Chatterjee, M. (1995b) Beta-carotene prevents lipid peroxidation and red blood cell membrane protein damage in experimental hepatocarcinogenesis. *Cancer Biochem. Biophys.*, **15**, 111–125
- Schardein, J.L. (1993) *Chemically Induced Birth Defects*, 2nd Ed., New York, Marcel Dekker, pp. 549–555

- Schiedt, K. & Liaaen-Jensen, S. (1995) Isolation and analysis. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag, pp. 81–108
- Schierle, J., Härdi, W., Faccin, N., Bühler, I. & Schüepp, W. (1995) Example 8: Geometrical isomers of β,β -carotene: A rapid, routine method for quantitative determination. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag, pp. 265–272
- Schmitz, H.H., Poor, C.L., Wellman, R.B. & Erdman, J.W. (1991) Concentrations of selected carotenoids and vitamin A in human liver, kidney and lung tissue. *J. Nutr.*, **121**, 1613–1621
- Schober, S.E., Comstock, G.W., Helsing, K.J., Salkeld, R.M., Morris, J.S., Rider, A.A. & Brookmeyer, R. (1987) Serologic precursors of cancer. I. Prediagnostic serum nutrients and colon cancer risk. *Am. J. Epidemiol.*, **126**, 1033–1041
- Schüep, W., Hess, D. & Schierle, J. (1995) Example 7: Human plasma: Simultaneous determination of carotenoids, retinol and tocopherols. In: Britton, G., Liaaen-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag, pp. 261–264
- Schwartz, J. & Shklar, G. (1987) Regression of experimental hamster cancer by beta carotene and algae extracts. *J. oral maxillofac. Surg.*, **45**, 510–515
- Schwartz, J. & Shklar, G. (1988) Regression of experimental oral carcinomas by local injection of beta-carotene and canthaxanthin. *Nutr. Cancer*, **11**, 35–40
- Schwartz, J.L. & Shklar, G. (1997) Retinoid and carotenoid angiogenesis: A possible explanation for the enhanced oral carcinogenesis. *Nutr. Cancer*, **27**, 192–199
- Schwartz, J., Suda, D. & Light, G. (1986) Beta carotene is associated with the regression of hamster buccal pouch carcinoma and the induction of tumor necrosis factor in macrophages. *Biochem. Biophys. Res. Commun.*, **136**, 1130–1135
- Schwartz, J., Shklar, G., Reid, S. & Trickler, D. (1988) Prevention of experimental oral cancer by extracts of *Spirulina-Dunaliella* algae. *Nutr. Cancer*, **11**, 127–134
- Schwartz, J.L., Sloane, D. & Shklar, G. (1989) Prevention and inhibition of oral cancer in the hamster buccal pouch model associated with carotenoid immune enhancement. *Tumor Biol.*, **10**, 297–309
- Schwartz, J.L., Flynn, E. & Shklar, G. (1990) The effect of carotenoids on the antitumor immune response *in vivo* and *in vitro* with hamster and mouse immune effectors. *Ann. N.Y. Acad. Sci.*, **587**, 92–109
- Schwartz, J.L., Flynn, E., Trickler, D. & Shklar, G. (1991) Directed lysis of experimental cancer by beta-carotene in liposomes. *Nutr. Cancer*, **16**, 107–124
- Schweigert, F.J. & Eisele, W. (1990) Parenteral β -carotene administration to cows: Effect on plasma levels, lipoprotein distribution and secretion in the milk. *Z. Ernährungswiss.*, **29**, 184–191
- Schweigert, F.J., Rosival, I., Rambeck, W.A. & Gropp, J. (1995) Plasma transport and tissue distribution of [14 C] β -carotene and [3 H] retinol administered orally to pigs. *Int. J. Vit. Nutr. Res.*, **65**, 95–100
- Scott K.J., Thurnham D.I., Hart D.J., Bingham S.A. & Day K. (1996) The correlation between the intake of lutein, lycopene and β -carotene from vegetables and fruits and blood plasma concentrations in a group of women ages 50–65 years in the UK. *Br. J. Nutr.*, **75**, 409–418
- Seddon, A.M., Ajani, U.A., Sperduto, R.D., Hiller, R., Blair, N., Burton, T.C., Farber, M.D., Gragoudas, E.S., Haller, J., Miller, D.T., Yannuzzi, L.A. & Willett, W. (1994a) Dietary carotenoids, vitamin A, C, and E, and advanced age-related macular degeneration. *J. Am. med. Assoc.*, **272**, 1413–1420
- Seddon, J.M., Christen, W.G., Manson, J.E., LaMotte, F.S., Glynn, R.J., Buring, J.E. & Hennekens, C.H. (1994b) The use of vitamin supplements and the risk of cataract among US male physicians. *Am. J. public Health*, **84**, 788–792
- Seifter, E., Rettura, G., Padawer, J. & Levenson, S.M. (1982) Moloney murine sarcoma virus tumors in CBA/J mice: Chemopreventive and chemotherapeutic actions of supplemental beta-carotene. *J. natl Cancer Inst.*, **68**, 835–840
- Seifter, E., Rettura, G., Padawer, J., Stratford, F., Goodwin, P. & Levenson, S.M. (1983) Regression of C3HBA mouse tumor due to X-ray therapy combined with supplemental beta-carotene or vitamin A. *J. natl Cancer Inst.*, **71**, 409–417

- Seifter, E., Rettura, G., Padawer, J., Stratford, F., Weinzwieg, J., Demetriou, A.A. & Levenson, S.M. (1984) Morbidity and mortality reduction by supplemental vitamin A or beta-carotene in CBA mice given total-body gamma-radiation. *J. natl Cancer Inst.*, **73**, 1167–1177
- Select Committee of GRAS Substances (1979) *Evaluation of the Health Aspects of Carotene (Beta-Carotene) as a Food Ingredient (FDA/BF-80/37)*, Bethesda, Maryland, Life Sciences Research Office, Federation of American Societies for Experimental Biology
- Sen, C.K. & Packer, L. (1996) Antioxidant and redox regulation of gene transcription. *FASEB J.*, **10**, 709–720
- Shapiro, S.S., Mott, D.J. & Machlin, L.J. (1984) Kinetic characteristics of β -carotene uptake and depletion in rat tissues. *J. Nutr.*, **114**, 1924–1933
- Shekelle, R.B., Lepper, M., Liu, S., Maliza, C., Raynor, W.J., Jr, Rossof, A.H., Paul, O., Shryock, A.M. & Stamler, J. (1981) Dietary vitamin A and risk of cancer in the Western Electric study. *Lancet*, **ii**, 1185–1190
- Shi, H., Furr, H.C. & Olson, J.A. (1991) Retinoids and carotenoids in the bovine pineal gland. *Brain Res. Bull.*, **26**, 235–239
- Shibata, A., Paganini Hill, A., Ross, R.K. & Henderson, B.E. (1992a) Intake of vegetables, fruits, beta-carotene, vitamin C and vitamin supplements and cancer incidence among the elderly: A prospective study. *Br. J. Cancer*, **66**, 673–679
- Shibata, A., Paganini Hill, A., Ross, R.K., Yu, M.C. & Henderson, B.E. (1992b) Dietary beta-carotene, cigarette smoking, and lung cancer in men. *Cancer Causes Control*, **3**, 207–214
- Shibata, A., Mack, T.M., Paganini Hill, A., Ross, R.K. & Henderson, B.E. (1994) A prospective study of pancreatic cancer in the elderly. *Int. J. Cancer*, **58**, 46–49
- Shikany, J.M., Witte, J.S., Henning, S.M., Swendseid, M.E., Bird, C.L., Frankl, H.D., Lee, E.R. & Haile, R.W. (1997) Plasma carotenoids and the prevalence of adenomatous polyps of the distal colon and rectum. *Am. J. Epidemiol.*, **145**, 552–557
- Shivapurkar, N., Tang, Z., Frost, A. & Alabaster, O. (1995) Inhibition of progression of aberrant crypt foci and colon tumor development by vitamin E and beta-carotene in rats on a high-risk diet. *Cancer Lett.*, **91**, 125–132
- Shklar, G. & Schwartz, J. (1988) Tumor necrosis factor in experimental cancer regression with alphatocopherol, beta-carotene, canthaxanthin and algae extract. *Eur. J. Cancer clin. Oncol.*, **24**, 839–850
- Shklar, G., Schwartz, J., Trickler, D. & Reid, S. (1989) Regression of experimental cancer by oral administration of combined alpha-tocopherol and beta-carotene. *Nutr. Cancer*, **12**, 321–325
- Shklar, G., Schwartz, J., Trickler, D. & Cheverie, S.R. (1993) The effectiveness of a mixture of beta-carotene, alpha-tocopherol, glutathione, and ascorbic acid for cancer prevention. *Nutr. Cancer*, **20**, 145–151
- Shu, X.O., Gao, Y.T., Yuan, J.M., Ziegler, R.G. & Brinton, L.A. (1989) Dietary factors and epithelial ovarian cancer. *Br. J. Cancer*, **59**, 92–96
- Shu, X.O., Zheng, W., Potischman, N., Brinton, L.A., Hatch, M.C., Gao, Y.T. & Fraumeni, J.F. (1993) A population-based case-control study of dietary factors and endometrial cancer in Shanghai, People's Republic of China. *Am. J. Epidemiol.*, **137**, 155–165
- Sies, H. & Stahl, W. (1995) Vitamins E and C, β -carotene, and other carotenoids as antioxidants. *Am. J. clin. Nutr.*, **62**, 1315S–1321S
- Simic, M.G. (1992) Carotenoid free radicals. *Meth. Enzymol.*, **213**, 444–453
- Simpson, K.L. (1990) Use of food composition tables for retinol and provitamin A carotenoid content. *Meth. Enzymol.*, **190**, 237–241
- Sivakumar, B. & Parvin, S.G. (1997) Characteristics of carotene cleavage enzyme from rat intestine (Abstract). In: *Abstracts for the 16th International Congress on Nutrition, Montreal, 27 July–1 August 1997*, p. 127
- Slattery, M.L., Schuman, K.L., West, D.W., French, T.K. & Robison, L.M. (1989) Nutrient intake and ovarian cancer. *Am. J. Epidemiol.*, **130**, 497–502
- Slattery, M.L., Abbott, T.M., Overall, J.C., Jr, Robison, L.M., French, T.K., Jolles, C., Gardner, J.W. & West, D.W. (1990) Dietary vitamins A, C, and E and selenium as risk factors for cervical cancer. *Epidemiology*, **1**, 8–15

- Slattery, M.L., Potter, J.D., Coates, A., Ma, K.N., Berry, T.D., Duncan, D.M. & Caan, B.J. (1997) Plant foods and colon cancer: An assessment of specific foods and their related nutrients (United States). *Cancer Causes Control*, **8**, 575–590
- Smith, A.H. & Waller, K.D. (1991) Serum beta-carotene in persons with cancer and their immediate families. *Am. J. Epidemiol.*, **133**, 661–671
- Smucker, R., Block, G., Coyle, L., Harvin, A. & Kessler, L. (1989) A dietary and risk factor questionnaire and analysis system for personal computers. *Am. J. Epidemiol.*, **129**, 455–459
- Snodderly, D.M. (1995) Evidence for protection against age-related macular degeneration by carotenoids and antioxidant vitamins. *Am. J. clin. Nutr.*, **62** (Suppl.), 1448S–1461S
- Snodderly, D.M., Russett, M.D., Land, R.I. & Krinsky, N.I. (1990) Plasma carotenoids of monkeys (*Macaca fascicularis* and *Saimiri sciureus*) fed a nonpurified diet. *J. Nutr.*, **120**, 1663–1671
- Snodderly, D.M., Handelman, G.J. & Adler, A.J. (1991) Distribution of individual macular pigment carotenoids in the central retina of macaque and squirrel monkeys. *Invest. Ophthalmol. vis. Sci.*, **32**, 268–279
- Snodderly, D.M., Shen, B., Land, R.I. & Krinsky, N.I. (1997) Dietary manipulation of plasma carotenoid concentrations of squirrel monkeys (*Saimiri sciureus*). *J. Nutr.*, **127**, 122–129
- Som, S., Chatterjee, M. & Banerjee, M. (1984) β -Carotene inhibition of 7,12-dimethyl-benz[*a*]-anthracene-induced transformation of murine mammary cells *in vitro*. *Carcinogenesis*, **5**, 937–940
- Speek A.J., Speek-Saichua S. & Schreurs W.H.P. (1988) Total carotenoid and β -carotene content of Thai vegetables and the effect of processing. *Food Chem.*, **27**, 245–257
- Sperduto, R.D., Ferris, F.L. & Kurinij, N. (1990) Do we have a nutritional treatment for age-related cataract or macular degeneration? *Arch. Ophthalmol.*, **108**, 1403–1405
- Sperduto, R.D., Hu, T.-S., Milton, R.C., Zhao, J.-L., Everett, D.F., Cheng, Q.-F., Blot, W.J., Bing, L., Taylor, P.R., Jun-Yao, L., Dawsey, S. & Guo, W.-D. (1993) The Linxian cataract studies: Two nutrition intervention studies. *Arch. Ophthalmol.*, **111**, 1246–1253
- Stacewicz-Sapuntzakis, M., Bowen, P.E., Kikendall, W. & Burgess, M. (1986) Levels of various carotenoids and retinol in serum of middle aged men and women. *Fed. Proc.*, **45**, 592
- Stacewicz-Sapuntzakis, M., Bowen, P.E., Kikendall, J.W. & Burgess, M. (1987) Simultaneous determination of serum retinol and various carotenoids: Their distribution in middle-aged men and women. *J. Micronutr. Anal.*, **3**, 27–45
- Stähelin, H.B., Gey, K.F., Eichholzer, M., Ludin, E., Bernasconi, F., Thurneysen, J. & Brubacher, G. (1991) Plasma antioxidant vitamins and subsequent cancer mortality in the 12-year follow-up of the Prospective Basel Study. *Am. J. Epidemiol.*, **133**, 766–775
- Stahl, W. & Sies, H. (1992) Uptake of lycopene and its geometrical isomers is greater from heat-processed than from unprocessed tomato juice in humans. *J. Nutr.*, **122**, 2161–2166
- Stahl, W. & Sies, H. (1996) Lycopene: A biologically important carotenoid for humans? *Arch. Biochem. Biophys.*, **336**, 1–9
- Stahl, W., Schwarz, W., Sundquist, A.R. & Sies, H. (1992) *cis-trans* Isomers of lycopene and β -carotene in human serum and tissues. *Arch. Biochem. Biophys.*, **294**, 173–177
- Stahl, W., Sundquist, A.R., Hanusch, M., Schwarz, W. & Sies, H. (1993) Separation of β -carotene and lycopene geometric isomers in biological samples. *Clin. Chem.*, **39**, 810–814
- Stahl, W., Schwarz, W., von Laar, J. & Sies, H. (1995) all-*trans*- β -Carotene preferentially accumulates in human chylomicrons and very low density lipoproteins compared with the 9-*cis* geometrical isomer. *J. Nutr.*, **125**, 2128–2133
- Stahl, W., Nicolai, S., Briviba, K., Hanusch, M., Broszeit, G., Peters, M., Martin, H.-D. & Sies, H. (1997) Biological activities of natural and synthetic carotenoids: Induction of gap junctional communication and singlet oxygen quenching. *Carcinogenesis*, **18**, 89–92
- Steering Committee of the Physicians' Health Study Research Group (1988) Preliminary report: Findings from the aspirin component of the ongoing Physicians' Health Study. *New Engl. J. Med.*, **318**, 262–264

- Steineck, G., Hagman, U., Gerhardsson, M. & Norell, S.E. (1990) Vitamin A supplements, fried foods, fat and urothelial cancer. A case-referent study in Stockholm in 1985–87. *Int. J. Cancer*, **45**, 1006–1011
- Steinel, H.H. & Baker, R.S.U. (1990) Effects of beta-carotene on chemically-induced skin tumours in HRA/Skh hairless mice. *Cancer Lett.*, **51**, 163–168
- Steinmetz, K.A., Potter, J.D. & Folsom, A.R. (1993) Vegetables, fruit, and lung cancer in the Iowa Women's Health Study. *Cancer Res.*, **53**, 536–543
- Stich, H.F. & Dunn, B.P. (1986) Relationship between cellular levels of beta-carotene and sensitivity to genotoxic agents. *Int. J. Cancer*, **38**, 713–717
- Stich, H.F., Stich, W., Rosin, M.P. & Vallejera, M.O. (1984) Use of the micronucleus test to monitor the effect of vitamin A, beta-carotene and canthaxanthin of the buccal mucosa of betel nut/tobacco chewers. *Int. J. Cancer*, **34**, 745–750
- Stich, H.F., Hornby, A.P. & Dunn, B.P. (1985) A pilot beta-carotene intervention trial with Inuits using smokeless tobacco. *Int. J. Cancer*, **36**, 321–327
- Stich, H.F., Hornby, A.P. & Dunn, B.P. (1986) Beta-carotene levels in exfoliated mucosa cells of population groups at low and elevated risk for oral cancer. *Int. J. Cancer*, **37**, 389–393
- Stich, H.F., Rosin, M.P., Hornby, A.P., Mathew, B., Sankaranarayanan, R. & Nair, M.K. (1988) Remission of oral leukoplakia and micronuclei in tobacco/betel quid chewers treated with beta-carotene and with beta-carotene plus vitamin A. *Int. J. Cancer*, **42**, 195–199
- Stich, H.F., Rosin, M.P., Hornby, A.P., Mathew, B., Sankaranarayanan, R. & Nair, M.K. (1990a). Pilot intervention studies with carotenoids. In: Krinsky, N.I., Mathews-Roth, M.M. & Taylor, R.F., eds, *Carotenoids: Chemistry and Biology*, New York, Plenum Press, pp. 313–321
- Stich, H.F., Tsang, S.S. & Palcic, B. (1990b) The effect of retinoids, carotenoids and phenolics on chromosomal instability of bovine papillomavirus DNA-carrying cells. *Mutat. Res.*, **241**, 387–393
- Stivala, L.A., Savio, M., Cazzalini, O., Pizzala, R., Rehak, L., Bianchi, L., Vannini, V. & Prosperi, E. (1996) Effect of β -carotene on cell cycle progression of human fibroblasts. *Carcinogenesis*, **17**, 2395–2401
- Street, D.A., Comstock, G.W., Salkeld, R.M., Schuep, W. & Klag, M.J. (1994) Serum antioxidants and myocardial infarction. Are low levels of carotenoids and alpha-tocopherol risk factors for myocardial infarction? *Circulation*, **90**, 1154–1161
- Stryker, W.S., Kaplan, L.A., Stein, E.A., Stampfer, M.J., Sober, A. & Willett, W.C. (1988) The relation of diet, cigarette smoking, and alcohol consumption to plasma beta-carotene and alpha-tocopherol levels. *Am. J. Epidemiol.*, **127**, 283–296
- Stryker, W.S., Stampfer, M.J., Stein, E.A., Kaplan, L., Louis, T.A., Sober, A. & Willett, W.C. (1990) Diet, plasma levels of beta-carotene and alpha-tocopherol, and risk of malignant melanoma. *Am. J. Epidemiol.*, **131**, 597–611
- Sturgeon, S.R., Ziegler, R.G., Brinton, L.A., Nasca, P.C., Mallin, K. & Gridley, G. (1991) Diet and the risk of vulvar cancer. *Ann. Epidemiol.*, **1**, 427–437
- Suda, D., Schwartz, J. & Shklar, G. (1986) Inhibition of experimental oral carcinogenesis by topical beta-carotene. *Carcinogenesis*, **7**, 711–715
- Suda, D., Schwartz, J. & Shklar, G. (1987) GGT reduction in beta carotene-inhibition of hamster buccal pouch carcinogenesis. *Eur. J. Cancer clin. Oncol.*, **23**, 43–46
- Suzuki, T., Nakashima, M., Ohishi, N. & Yagi, K. (1996) Absorption and isomerization of 9-*cis* β -carotene in rats. *J. clin. Biochem. Nutr.*, **21**, 1–15
- Svensson, A. & Vahlquist, A. (1995) Metabolic carotenemia and carotenoderma in a child. *Acta dermat. venereol.*, **75**, 70–71
- Takagi, S., Kishi, F., Nakajima, K., Kimura, Y. & Nakano, M. (1990) A seasonal variation of carotenoid composition in green leaves and effect of environmental factors on it. *Sci. Rep. Fac. Agr. Okayama Univ.*, **75**, 1–7
- Tanaka, T., Morishita, Y., Suzui, M., Kojima, T., Okumura, A. & Mori, H. (1994) Chemoprevention of mouse urinary bladder carcinogenesis by the naturally occurring carotenoid astaxanthin. *Carcinogenesis*, **15**, 15–19
- Tanaka, T., Makita, H., Ohnishi, M., Mori, H., Satoh, K. & Hara, A. (1995a) Chemoprevention of rat oral carcinogenesis by naturally occurring xanthophylls, astaxanthin and canthaxanthin. *Cancer Res.*, **55**, 4059–4064

- Tanaka, T., Kawamori, T., Ohnishi, M., Makita, H., Satoh, K. & Hara, A. (1995b) Suppression of azoxymethane-induced rat colon carcinogenesis by dietary administration of naturally occurring xanthophylls astaxanthin and canthaxanthin during the postinitiation phase. *Carcinogenesis*, **16**, 2957–2963
- Tang, X. & Edenharder, R. (1997) Inhibition of the mutagenicity of 2-nitrofluorene, 3-nitrofluoranthene and 1-nitropyrene by vitamins, porphyrins and related compounds, and vegetable and fruit juices and solvent extracts. *Food Chem. Toxicol.*, **35**, 373–378
- Tang, G. & Russell, R.M. (1991) Formation of all-*trans* retinoic acid and 13-*cis*-retinoic acid from all-*trans* retinyl palmitate in humans. *J. Nutr. Biochem.*, **2**, 210–213
- Tang, G.-W., Wang, X.-D., Russell, R.M. & Krinsky, N.I. (1991) Characterization of β -apo-13-carotene and β -apo-14'-carotenal as enzymatic products of excentric cleavage of β -carotene. *Biochemistry*, **30**, 9829–9834
- Tang, G.-W., Blanco, M.C., Fox, J.G. & Russell, R.M. (1995) Supplementing ferrets with canthaxanthin affects the tissue distribution of canthaxanthin, other carotenoids, vitamin A and vitamin E. *J. Nutr.*, **125**, 1945–1951
- Tangney, C.C., Brownei, C. & Wu, S.M. (1991) Impact of menstrual periodicity on serum lipid levels and estimates of dietary intake. *J. Am. Coll. Nutr.*, **10**, 107–113
- Tavani, A., Negri, E., Franceschi, S. & La Vecchia, C. (1994) Risk factors for esophageal cancer in lifelong nonsmokers. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 387–392
- Tavani, A., Pregnolato, A., Negri, E., Franceschi, S., Serraino, D., Carbone, A. & La Vecchia, C. (1997) Diet and risk of lymphoid neoplasms and soft tissue sarcomas. *Nutr. Cancer*, **27**, 256–260
- Taylor, A. (1993) Cataract: Relationship between nutrition and oxidation. *J. Am. Coll. Nutr.*, **12**, 138–146
- Taylor, A., Jacques, P.F. & Epstein E.M. (1995) Relations among aging, antioxidant status, and cataract. *Am. J. clin. Nutr.*, **62** (Suppl.), 1439S–1447S
- Tee, E.S. & Lim, C.L. (1991) Carotenoids composition and content of Malaysian vegetables and fruits by the AOAC and HPLC methods. *Food Chem.*, **41**, 309–339
- Teicher, B.A., Schwartz, J.L., Holden, S.A., Ara, G. & Northey, D. (1994) *In vivo* modulation of several anti-cancer agents by beta-carotene. *Cancer Chemother Pharmacol.*, **34**, 235–241
- Teikari, J.M., Laatikainen, L., Virtamo, J., Haukka, J., Rautalahti, M., Liesto, K. & Heinonen, O.P. (1995) Alpha-tocopherol and beta carotene in age-related macular degeneration, a placebo-controlled clinical trial (Abstract). *Invest. Ophthalmol. vis. Sci.*, **36**, S9
- Temple, N.J. & Basu, T.K. (1987) Protective effect of beta-carotene against colon tumors in mice. *J. natl Cancer Inst.*, **78**, 1211–1214
- Terao, J. (1989) Antioxidant activity of β -carotene-related carotenoids in solution. *Lipids*, **24**, 659–661
- Terwel, L. & van der Hoeven, J.C.M. (1985) Antimutagenic activity of some naturally occurring compounds towards cigarette-smoke condensate and benzo[*a*]pyrene in the *Salmonella*/-microsome assay. *Mutat. Res.*, **152**, 1–4
- Thompson, J.N., Duval, S. & Verdier, P. (1985) Investigation of carotenoids in human blood using high-performance liquid chromatography. *J. Micronutr. Anal.*, **1**, 81–91
- Thurnham, D.I. (1990) Anti-oxidant vitamins and cancer prevention. *J. Micronutr. Anal.*, **7**, 279–299
- Thurnham, D.I. (1994) Carotenoids: Functions and fallacies. *Proc. Nutr. Soc.*, **53**, 77–87
- Thurnham, D.I. & Flora, P.S. (1988) Do higher vitamin A requirements in men explain the difference between the sexes in plasma provitamin A carotenoids and retinol (Abstract). *Proc. Nutr. Soc.*, **47**, 181A
- Thurnham, D.I., Smith, E. & Flora, P.S. (1988a) Concurrent liquid-chromatographic assay of retinol, α -tocopherol, β -carotene, α -carotene, lycopene and β -cryptoxanthin in plasma with tocopherol acetate as internal standard. *Clin. Chem.*, **34**, 377–381
- Thurnham, D.I., Munoz, N., Lu, J., Wahrendorf, J., Zheng, S., Hambidge, K.M. & Crespi, M. (1988b) Nutritional and haematological status of Chinese farmers: The influence of 13.5 months treatment with riboflavin, retinol and zinc. *Eur. J. clin. Nutr.*, **42**, 647–660

- Thurnham, D.I., Singkamani, R., Kaewichit, R. & Wongworapat, K. (1990) Influence of malaria infection on peroxy-radical trapping capacity in plasma from rural and urban Thai adults. *Br. J. Nutr.*, **64**, 257–271
- Thurnham, D.I., Northrop-Clewes, C.A., Paracha, P.I. & McLoone, U.J. (1997) The possible significance of parallel changes in plasma lutein and retinol in Pakistani infants during the summer season. *Br. J. Nutr.*, **78**, 775–784
- Toma, S., Benso, S., Albanese, E., Palumbo, R., Cantoni, E., Nicolo, G. & Mangiante, P. (1992) Treatment of oral leukoplakia with beta-carotene. *Oncology*, **49**, 77–81
- Tomita, Y., Himeno, K., Nomoto, K., Endo, H. & Hirohata, T. (1987) Augmentation of tumor immunity against syngeneic tumors in mice by beta-carotene. *J. natl Cancer Inst.*, **78**, 679–681
- Toniolo, P., Riboli, E., Protta, F., Charrel, M. & Cappa, A.P.M. (1989) Calorie-providing nutrients and risk of breast cancer. *J. natl Cancer Inst.*, **81**, 278–286
- Tonucci, L.H., Holden, J.M., Beecher, G., Khachik, F., Davis, C.S. & Mulokozi, G. (1995) Carotenoid content of thermally processed tomato-based food products. *J. Agric. Food Chem.*, **43**, 579–586
- Torun, M., Yardim, S., Gonenc, A., Sargin, H., Menevse, A. & Simsek, B. (1995) Serum beta-carotene, vitamin E, vitamin C and malondialdehyde levels in several types of cancer. *J. clin. Pharmacol. Ther.*, **20**, 259–263
- Truscott, D.G. (1996) β -Carotene and disease: A suggested pro-oxidant and anti-oxidant mechanism and speculations concerning its role in cigarette smoking. *J. Photochem. Photobiol.*, **35**, 233–235
- Trush, M.A. & Kensler, T.W. (1991) An overview of the relationship between oxidative stress and chemical carcinogenesis. *Free Radicals Biol. Med.*, **10**, 201–209
- Tsuda H., Uehara, N., Iwahori, Y., Asamoto, M., Iigo, M., Nagao, M., Matsumoto, K., Ito, M. & Hirono, I. (1994) Chemopreventive effects of beta-carotene, alpha-tocopherol and five naturally occurring antioxidants on initiation of hepatocarcinogenesis by 2-amino-3-methylimidazo[4,5-f]quinoline in the rat. *Jpn. J. Cancer Res.*, **85**, 1214–1219
- Tsugane, S., Kabuto, M., Imai, H., Gey, F., Tgei, Y., Hanaoka, T., Sugano, K. & Watanabe, S. (1993) *Helicobacter pylori*, dietary factors, and atrophic gastritis in five Japanese populations with different gastric cancer mortality. *Cancer Causes Control*, **4**, 297–305
- Tsushima, M., Maoka, T., Katsuyama, M., Kozuka, M., Matsuno, T., Tokuda, H., Nishino, H. & Iwashima, A. (1995) Inhibitory effect of natural carotenoids on Epstein-Barr virus activation activity of a tumor promoter in Raji cells. A screening study for anti-tumor promoters. *Biol. Pharm. Bull.*, **18**, 227–233
- Tuyns, A.J., Riboli, E., Doornbos, G. & Pequignot, G. (1987a) Diet and esophageal cancer in Calvados (France). *Nutr. Cancer*, **9**, 81–92
- Tuyns, A.J., Haelterman, M. & Kaaks, R. (1987b) Colorectal cancer and the intake of nutrients: Oligosaccharides are a risk factor, fats are not. A case-control study in Belgium. *Nutr. Cancer*, **10**, 181–196
- Tyurin, V.A., Kagan, V.E., Corongiu, F.P., Day, B.W., Banni, S., Tyurina, Y.Y. & Carta, G. (1997) Peroxidase-catalyzed oxidation of beta-carotene in HL-60 cells and in model systems: Involvement of phenoxyl radicals. *Lipids*, **32**, 131–142
- UK Subgroup of the ECP-EURONUT-IM Study Group (1992) Plasma vitamin concentrations in patients with intestinal metaplasia and in controls. *Eur. J. Cancer Prev.*, **1**, 177–186
- Umegaki, K., Takeuchi, N., Ikegami, S. & Ichikawa, T. (1994a) Effect of beta-carotene on spontaneous and X-ray-induced chromosomal damage in bone marrow cells of mice. *Nutr. Cancer*, **22**, 277–284
- Umegaki, K., Ikegami, S., Inoue, K., Ichikawa, T., Kobayashi, S., Soeno, N. & Tomabechi, K. (1994b) Beta-carotene prevents X-ray induction of micronuclei in human lymphocytes. *Am. J. clin. Nutr.*, **59**, 409–412
- US Department of Agriculture (1976–94) *Composition of Foods* (Agriculture Handbooks No. 8-1–8-22), Washington DC, US Government Printing Office
- Valsecchi, M.G. (1992) Modelling the relative risk of esophageal cancer in a case-control study. *J. clin. Epidemiol.*, **45**, 347–355

- van't Veer, P., Kolb, C.M., Verhoef, P., Kok, F.J., Schouten, E.G., Hermus, R.J.J. & Sturmons, F. (1990) Dietary fiber, beta-carotene and breast cancer: Results from a case-control study. *Int. J. Cancer*, **45**, 825-828
- van't Veer, P., Strain, J.J., Fernandez-Crehuet, J., Martin, B.C., Thamm, M., Kardinaal, A.F.M., Kohlmeier, L., Huttunen, J.K., Martin-Moreno, J.M. & Kok, F.J. (1996) Tissue antioxidants and postmenopausal breast cancer: The European Community Multicentre Study on Antioxidants, Myocardial Infarction, and Cancer of the Breast (EURAMIC). *Cancer Epidemiol. Biomarkers Prev.*, **5**, 441-447
- Vena, J.E., Graham, S., Freudenheim, J., Marshall, J., Zielezny, M., Swanson, M. & Sufrin, G. (1992) Diet in the epidemiology of bladder cancer in western New York. *Nutr. Cancer*, **18**, 255-264
- Verhoeven, D.T.H., Assen, N., Goldbohm, R.A., Dorant, E., van't Veer, P., Sturmans, F., Hermus, R.J.J. & van den Brandt, P.A. (1997) Vitamins C and E, retinol, beta carotene and dietary fibre in relation to breast cancer risk: A prospective cohort study. *Br. J. Cancer*, **75**, 149-155
- Verreault, R., Chu, J., Mandelson, M. & Shy, K. (1989) A case-control study of diet and invasive cervical cancer. *Int. J. Cancer*, **43**, 1050-1054
- de Vet, H.C., Knipschild, P.G., Willebrand, D., Schouten, H.J. & Sturmans, F. (1991) The effect of beta-carotene on the regression and progression of cervical dysplasia: A clinical experiment. *J. clin. Epidemiol.*, **44**, 273-283
- Villard, L. & Bates, C.J. (1987) Dietary intake of vitamin A precursors by rural Gambian pregnant and lactating women. *Hum. Nutr. appl. Nutr.*, **41A**, 135-145
- Virtanen, S.M., van't Veer, Kok, F., Kardinaal, A.F.M. & Aro, A. for the EURAMIC Study Group (1996) Predictors of adipose tissue carotenoid and retinol levels in nine countries. *Am. J. Epidemiol.*, **144**, 968-979
- van Vliet, T., van Schaik, F., van Schoonhoven, J. & Schrijver, J. (1991) Determination of several retinoids, carotenoids and E vitamers by high-performance liquid chromatography. Application to plasma and tissues of rats fed a diet rich in either β -carotene or canthaxanthin. *J. Chromatogr.*, **553**, 179-186
- van Vliet, T., van Schaik, F. & van den Berg, H. (1992) Beta-carotene metabolism: The enzymatic cleavage to retinal. *Netherlands J. Nutr.*, **53**, 186-190
- van Vliet, T., van Schaik, F., van den Berg, H. & Schreurs, W.H.P. (1993) Effect of vitamin A and β -carotene intake on dioxygenase activity in rat intestine. *Ann. N.Y. Acad. Sci.*, **691**, 220-222
- van Vliet, T., van Shaik, F. & van den Berg, H. (1996a) *In vitro* measurement of β -carotene cleavage activity: Methodological considerations and the effects of other carotenoids on β -carotene cleavage. *Int. J. Vit. Nutr. Res.*, **66**, 77-85
- van Vliet, T., van Vlissingen, M.F., van Schaik, F. & van den Berg, H. (1996b) β -Carotene absorption and cleavage in rats is affected by the vitamin A concentration of the diet. *J. Nutr.*, **126**, 499-508
- Wahlqvist, M.L., Wattanapenpaiboon, N., Macrae, F.A., Lambert, J.R., MacLennan, R., Hsu-Hage, B.H.-H. & Australian Polyp Prevention Investigators (1994) Changes in serum carotenoids in subjects with colorectal adenomas after 24 mo of β -carotene supplementation. *Am. J. clin. Nutr.*, **60**, 936-943
- Wald, N.J., Boreham, J., Hayward, J.L. & Bulbrook, R.D. (1984) Plasma retinol, β -carotene and vitamin E levels in relation to the future risk of breast cancer. *Br. J. Cancer*, **49**, 321-324
- Wald, N.J., Thompson, S.G., Densem, J.W., Boreham, J. & Bailey, A. (1988) Serum beta-carotene and subsequent risk of cancer: Results from the BUPA Study. *Br. J. Cancer*, **57**, 428-433
- Wang, X.-D. (1994) Review: Absorption and metabolism of β -carotene. *J. Am. Coll. Nutr.*, **13**, 314-325
- Wang, C.-J., Chou, M.-Y. & Lin, J.-K. (1989) Inhibition of growth and development of the transplantable C-6 glioma cells inoculated in rats by retinoids and carotenoids. *Cancer Lett.*, **48**, 135-142
- Wang, C.-J., Shiah, H.-S. & Lin, J.-K. (1991a) Modulatory effect of crocetin on aflatoxin B₁ cytotoxicity and DNA adduct formation in C3H10T1/2 fibroblast cell. *Cancer Lett.*, **56**, 1-10
- Wang, C.-J., Shiow, S.J. & Lin, J.K. (1991b) Effects of crocetin on the hepatotoxicity and hepatic DNA binding of aflatoxin B₁ in rats. *Carcinogenesis*, **12**, 459-462

- Wang, X.-D., Tang, G.-W., Fox, J.G., Krinsky, N.I. & Russell, R.M. (1991) Enzymic conversion of β -carotene in β -apocarotenals and retinoids by human, monkey, ferret, and rat tissues. *Arch. Biochem. Biophys.*, **285**, 8–16
- Wang, X.-D., Krinsky, N.I., Marini, R.P., Tang, G.-W., Yu, J., Hurley, R., Fox, J.G. & Russell, R.M. (1992) Intestinal uptake and lymphatic absorption of β -carotene in ferrets: A model for human β -carotene metabolism. *Am. J. Physiol.*, **263**, G480–G486
- Wang, G., Dawsey, S.M., Li, J., Taylor, P.R., Li, B., Blot, W.J., Weinstein, W.M., Liu, F., Lewin, K.J., Wang, H., Wiggett, S., Gail, M.H. & Yang, C.S. (1994) Effects of vitamin/mineral supplementation on the prevalence of histological dysplasia and early cancer of the esophagus and stomach: Results from the general population trial in Linxian, China. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 161–166
- Wang, X.-D., Krinsky, N.I., Benotti, P.N. & Russell, R.M. (1994) Biosynthesis of 9-*cis*-retinoic acid from 9-*cis*- β -carotene in human intestinal mucosa *in vitro*. *Arch. Biochem. Biophys.*, **313**, 150–155
- Wang, X.-D., Marini, R.P., Hebuterne, X., Fox, J.G., Krinsky, N.I. & Russell, R.M. (1995) Vitamin E enhances the lymphatic transport of β -carotene and its conversion to vitamin A in the ferret. *Gastroenterology*, **108**, 719–726
- Wang, C.J., Cheng, T.-C., Liu, J.-Y., Chou, F.-P., Kuo, M.-L. & Lin, J.-K. (1996) Inhibition of protein kinase C and proto-oncogene expression by crocetin in NIH/3T3 cells. *Mol. Carcinog.*, **17**, 235–240
- Wang, X.-D., Russell, R.M., Liu, C., Stickel, F., Smith, D.E. & Krinsky, N.I. (1996) β -Oxidation in rabbit liver *in vitro* and in the perfused ferret liver contributes to retinoic acid biosynthesis from β -apocarotenoids. *J. Biol. Chem.*, **271**, 26490–26498
- Wang, X.D., Krinsky, N.I., Chun, L., Peacocke, M., & Russell, R.M. (1997) β -Apo-14'-carotenoid acid transactivates the response element of retinoic acid receptor 2 gene via its conversion into retinoic acid (Abstract). *FASEB J.*, **11**, A181
- Waters, M.D., Brady, A.L., Stack, H.F. & Brockman, H.E. (1990) Antimutagenicity profiles for some model compounds. *Mutat. Res.*, **238**, 57–85
- Watson, R.R., Prabhala, R.H., Plezia, P.M. & Alberts, D.S. (1991) Effect of beta-carotene on lymphocyte subpopulations in elderly humans: Evidence for a dose-response relationship [published erratum appears in *Am. J. Clin. Nutr.* 1991, **53**, 988]. *Am. J. Clin. Nutr.*, **53**, 90–94
- Weber, U., Goerz, G., Baseler, H. & Michaelis, L. (1992) Canthaxanthin retinopathy. Follow-up for over 6 years (Abstract). *Klin. Monatsbl. Augenheilkd.*, **201**, 174–177
- Weedon, B.C.L. & Moss, G.P. (1995) Structure and nomenclature. In: Britton, G., Lioac-Jensen, S. & Pfander, H., eds, *Carotenoids*, Vol. 1A, *Isolation and Analysis*, Basel, Birkhäuser Verlag, pp. 27–70
- Weiser, H., Riss, G. & Biesalski, H.K. (1993) Uptake and metabolism of β -carotene isomers in rats. *Ann. N.Y. Acad. Sci.*, **691**, 223–225
- Weitberg, A.B., Weitzman, S.A., Clark, E.P. & Stossel, T.P. (1985) Effects of antioxidants on antioxidant-induced sister chromatid exchange formation. *J. Clin. Invest.*, **75**, 1835–1841
- West, D.W., Slattery, M.L., Robison, L.M., Schuman, K.L., Ford, M.H., Mahoney, A.W., Lyon, J.L. & Sorensen, A.W. (1989) Dietary intake and colon cancer: Sex- and anatomic site specific associations. *Am. J. Epidemiol.*, **130**, 883–894
- West, D.W., Slattery, M.L., Robison, L.M., French, T.K. & Mahoney, A.W. (1991) Adult dietary intake and prostate cancer risk in Utah: A case-control study with special emphasis on aggressive tumors. *Cancer Causes Control*, **2**, 85–94
- West, S., Vitale, S., Hallfrisch, J., Munoz, B., Muller, D., Bressler, S. & Bressler, N.M. (1994) Are antioxidants or supplements protective for age-related macular degeneration? *Arch. Ophthalmol.*, **112**, 222–227
- White, W.S., Peck, K.M., Ulman, E.A. & Erdman, J.W. (1993a) The ferret as a model for evaluation of the bioavailability of all-*trans* β -carotene and its isomers. *J. Nutr.*, **123**, 1129–1139
- White, W.S., Peck, K.M., Bierer, T.L., Gugger, E.T. & Erdman, J.W. (1993b) Interactions of oral β -carotene and canthaxanthin in ferrets. *J. Nutr.*, **123**, 1405–1413
- White, W.S., Stacewicz-Sapuntzakis, M., Erdman, J.W., Jr & Bowen, P.E. (1994) Pharmacokinetics of β -carotene and canthaxanthin after ingestion of individual and combined doses by human subjects. *J. Am. Coll. Nutr.*, **13**, 665–671

- Whittemore, A.S., Wu Williams, A.H., Lee, M., Zheng, S., Gallagher, R.P., Jiao, D.A., Zhou, L., Wang, X.H., Chen, K., Jung, D., Teh, C.-Z., Ling, C., Yao, X.J., Paffenbarger, R.S. & Henderson, B.E. (1990) Diet, physical activity, and colorectal cancer among Chinese in North America and China. *J. natl Cancer Inst.*, **82**, 915–926
- WHO (1966) *WHO Expert Committee on Biological Standardization, 18th Report* (WHO tech. Rep. Ser. 329), Geneva
- WHO (1990) *Canthaxanthin* (Food Addit. Ser. 26), Geneva, pp. 45–73
- Whong, W.-Z., Stewart, J., Brockman, H.E. & Ong, T.-M. (1988) Comparative antimutagenicity of chlorophyllin and five other agents against aflatoxin B₁-induced reversion in *Salmonella typhimurium* strain TA98. *Teratog. Carcinog. Mutag.*, **8**, 215–224
- Willett, W.C., Polk, B.F., Underwood, B.A., Stampfer, M.J., Pressel, S., Rosner, B., Taylor, J.O., Schneider, K. & Hames, C.G. (1984) Relation of serum vitamins A and E and carotenoids to the risk of cancer. *New Engl. J. Med.*, **310**, 430–434
- Willett, W.C., Sampson, L., Stampfer, M.J., Rosner, B., Bain, C., Witschi, J., Hennekens, C.H. & Speizer, F.E. (1985) Reproducibility and validity of a semiquantitative food frequency questionnaire. *Am. J. Epidemiol.*, **122**, 51–65
- Witt, E.H., Reznick, A.Z., Viguie, C.A., Starke Reed, P. & Packer, L. (1992) Exercise, oxidative damage and effects of antioxidant manipulation. *J. Nutr.*, **122**, 766–773
- Wolterbeek, A.P.M., Schoevers, E.J., Bruyntjes, J.P., Rutten, A.A.J.J.L. & Feron, V.J. (1995a) Benzo[a]pyrene-induced respiratory tract cancer in hamsters fed a diet rich in beta-carotene. A histomorphological study. *J. Environ. Pathol. Toxicol. Oncol.*, **14**, 35–43
- Wolterbeek, A.P.M., Roggeband, R., van Moorsel, C.J.A., Baan, R.A., Koeman, J.H., Feron, V.J. & Rutten, A.A.J.J.L. (1995b) Vitamin A and β -carotene influence the level of benzo[a]pyrene-induced DNA adducts and DNA-repair activities in hamster tracheal epithelium in organ culture. *Cancer Lett.*, **91**, 205–214
- Woodall, A.A., Jackson, M.J. & Britton, G. (1997) Carotenoids and protection of phospholipids in solution or in liposomes against oxidation by peroxy radicals: Relationship between carotenoid structure and protective ability. *Biochim. biophys. Acta*, **1336**, 575–586
- Woutersen, R.A. & van Garderen-Hoetmer, A. (1988) Inhibition of dietary fat promoted development of (pre)neoplastic lesions in exocrine pancreas of rats and hamsters by supplemental selenium and beta-carotene. *Cancer Lett.*, **42**, 79–85
- Wu, A.H., Henderson, B.E., Pike, M.C. & Yu, M.C. (1985) Smoking and other risk factors for lung cancer in women. *J. natl Cancer Inst.*, **74**, 747–751
- WuLeung, W.T., Butrum, R.R. & Chang, F.H. (1972) *Food Composition Table for Use in East Asia*, Rome, United Nations Food and Agriculture Organization
- Xu, M.J., Plezia, P.M., Alberts, D.S., Emerson, S.S., Peng, Y.M., Sayers, S.M., Liu, Y., Ritenbaugh, C. & Gensler, H.L. (1992) Reduction in plasma or skin alpha-tocopherol concentration with long-term oral administration of beta-carotene in humans and mice. *J. natl Cancer Inst.*, **84**, 1559–1565
- Yamamoto, I., Maruyama, H. & Moriguchi, M. (1994). Effect of beta-carotene, sodium ascorbate and cellulose on 1,2-dimethylhydrazine-induced intestinal carcinogenesis in rats. *Cancer Lett.*, **86**, 5–9
- Yang, C.S., Sun, Y.-H., Yang, Q., Miller, K.W., Li, G., Zheng, S., Ershow, A.G., Blot, W.J. & Li, J.-Y. (1984) Vitamin A and other deficiencies in Linxian, a high esophageal cancer incidence area in northern China. *J. natl Cancer Inst.*, **73**, 1449–1453
- Yong, L., Forman, M.R., Beecher, G.R., Granbard, B.I., Campbell, W.S., Reichmar, M.E., Taylor, P.R., Lanza, E., Holden, J.M. & Judd, J.T. (1994) Relationship between dietary intake and plasma concentrations of carotenoids in pre-menopausal women: Application of the USDA-NCI carotenoid food composition database. *Am. J. clin. Nutr.*, **60**, 223–230
- Yong, L.C., Brown, C.C., Schatzkin, A., Dresser, C.M., Slesinski, M.J., Cox, C.S. & Taylor, P.R. (1997) Intake of vitamins E, C, and A and risk of lung cancer. The NHANES I epidemiologic followup study. First National Health and Nutrition Examination Survey. *Am. J. Epidemiol.*, **146**, 231–243
- You, W.C., Blot, W.J., Chang, Y.S., Ershow, A.G., Yang, Z.T., An, Q., Henderson, B., Xu, G.W., Fraumeni, J.F., Jr & Wang, T.G. (1988) Diet and high risk of stomach cancer in Shandong, China. *Cancer Res.*, **48**, 3518–3523

- You, C.-S., Parker, R.S., Goodman, K.J., Swanson, J.E. & Corso, T.N. (1996) Evidence of *cis-trans* isomerization of 9-*cis*- β -carotene during absorption in humans. *Am. J. clin. Nutr.*, **64**, 177-183
- Yu, M.W., Zhang, Y.J., Blaner, W.S. & Santella, R.M. (1994) Influence of vitamins A, C, and E and beta-carotene on aflatoxin B₁ binding to DNA in woodchuck hepatocytes. *Cancer*, **73**, 596-604
- Yu, M.W., Chiang, Y.C., Lien, J.P. & Chen, C.J. (1997) Plasma antioxidant vitamins, chronic hepatitis B virus infection and urinary aflatoxin B₁-DNA adducts in healthy males. *Carcinogenesis*, **18**, 1189-1194
- Yuan, J.M., Wang, Q.S., Ross, R.K., Henderson, B.E. & Yu, M.C. (1995) Diet and breast cancer in Shanghai and Tianjin, China. *Br. J. Cancer*, **71**, 1353-1358
- Yun, T.-K., Kim, S.-H. & Lee, Y.-S. (1995) Trial of a new medium-term model using benzo(a)pyrene induced lung tumor in newborn mice. *Anticancer Res.*, **15**, 839-846
- Zaridze, D., Lifanova, Y., Maximovitch, D., Day, N.E. & Duffy, S.W. (1991) Diet, alcohol consumption and reproductive factors in a case-control study of breast cancer in Moscow. *Int. J. Cancer*, **48**, 493-501
- Zaridze, D., Evstifeeva, T. & Boyle, P. (1993) Chemoprevention of oral leukoplakia and chronic esophagitis in an area of high incidence of oral and esophageal cancer. *Ann. Epidemiol.*, **3**, 225-234
- Zbinden, G. & Studer, A. (1958) [Animal experiments on chronic resistance to β -carotene, lycopene, 7,7'-dihydro- β -carotene and bixin.] *Lebensmitt. Untersuch. Forsch.*, **108**, 113-134 (in German)
- Zechmeister, L. (1962) *cis-trans Isomeric Carotenoids, Vitamin A and Arylpolyenes*, Vienna, Springer Verlag
- Zeng, S., Furr, H.C. & Olson, J.A. (1992) Metabolism of carotenoid analogs in humans. *Am. J. clin. Nutr.*, **56**, 433-439
- Zhang, L.-X., Cooney, R.V. & Bertram, J.S. (1991) Carotenoids enhance gap junctional communication and inhibit lipid peroxidation in C3H 10T1/2 cells: Relationship to their cancer chemopreventive action. *Carcinogenesis*, **12**, 2109-2114
- Zhang, L.-X., Cooney, R.V. & Bertram, J.S. (1992) Carotenoids up-regulate *connexin43* gene expression independent of their provitamin A or antioxidant properties. *Cancer Res.*, **52**, 5707-5712
- Zhang, L., Blot, W.J., You, W.C., Chang, Y.S., Liu, X.Q., Kneller, R.W., Zhao, L., Liu, W.D., Li, J.Y., Jin, M.L., Xu, G.W., Fraumeni, J.F., Jr & Yang, C.S. (1994) Serum micronutrients in relation to precancerous gastric lesions. *Int. J. Cancer*, **56**, 650-654
- Zhang, Y.H., Kramer, T.R., Taylor, P.R., Li, J.Y., Blot, W.J., Brown, C.C., Guo, W., Dawsey, S.M. & Li, B. (1995) Possible immunologic involvement of antioxidants in cancer prevention. *Am. J. clin. Nutr.*, **62**, 1477S-1482S
- Zhang, S., Tang, G., Russell, R.M., Mayzel, K.A., Stampfer, M.J., Willett, W.C. & Hunter, D.J. (1997) Measurement of retinoids and carotenoids in breast adipose tissue and a comparison of concentrations in breast cancer cases and control subjects. *Am. J. clin. Nutr.*, **66**, 626-632
- Zheng, W., Blot, W.J., Shu, X.O., Diamond, E.L., Gao, Y.T., Ji, B.T. & Fraumeni, J.F. (1992a) Risk factors for oral and pharyngeal cancer in Shanghai, with emphasis on diet. *Cancer Epidemiol. Biomarkers Prev.*, **1**, 441-448
- Zheng, W., Blot, W.J., Shu, X.O., Gao, Y.T., Ji, B.T., Ziegler, R.G. & Fraumeni, J.F. (1992b) Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am. J. Epidemiol.*, **136**, 178-191
- Zheng, W., Blot, W.J., Diamond, E.L., Norkus, E.P., Spate, V., Morris, J.S. & Comstock, G.W. (1993) Serum micronutrients and the subsequent risk of oral and pharyngeal cancer. *Cancer Res.*, **53**, 795-798
- Zheng, W., Sellers, T.A., Doyle, T.J., Kushi, L.H., Potter, J.D. & Folsom, A.R. (1995) Retinol, antioxidant vitamins, and cancers of the upper digestive tract in a prospective cohort study of postmenopausal women. *Am. J. Epidemiol.*, **142**, 955-960
- Zhu, D., Caveney, S., Kidder, G.M. & Naus, C.C. (1991) Transfection of C6 glioma cells with connexin 43 cDNA: Analysis of expression, intercellular coupling, and cell proliferation. *Proc. natl Acad. Sci. USA*, **88**, 1883-1887
- Ziegler, R.G., Morris, L.E., Blot, W.J., Pottern, L.M., Hoover, R. & Fraumeni, J.F. (1981) Esophageal cancer among black men in Washington, DC. II. Role of nutrition. *J. natl Cancer Inst.*, **67**, 1199-1206

Ziegler, R.G., Brinton, L.A., Hamman, R.F., Lehman, H.F., Levine, R.S., Mallin, K., Norman, S.A., Rosenthal, J.F., Trumble, A.C. & Hoover, R.N. (1990) Diet and the risk of invasive cervical cancer among white women in the United States. *Am. J. Epidemiol.*, 132, 432-445

Ziegler, R.G., Mayne, S.T. & Swanson, C.A. (1996) Nutrition and lung cancer. *Cancer Causes Control*, 7, 157-177