

References

- Adami, H.O., McLaughlin, J., Ekblom, A., Berne, C., Silverman, D., Hacker, D. & Persson, I. (1991) Cancer risk in patients with diabetes mellitus. *Cancer Causes Control*, **2**, 307–314
- Ainsworth, B.E. (2000) Issues in the assessment of physical activity in women. *Res. Q. Exerc. Sport*, **71**, S37–S42
- Ainsworth, B.E., Haskell, W.L., Leon, A.S., Jacobs, D.R., Jr, Montoye, H.J., Sallis, J.F. & Paffenbarger, R.S., Jr (1993) Compendium of physical activities: classification of energy costs of human physical activities. *Med. Sci. Sports Exerc.*, **25**, 71–80
- Ainsworth, B.E., Montoye, H.J. & Leon, A.S. (1994) Methods of assessing physical activity during leisure and work. In: Bouchard, C., Shephard, R.J. & Stephens, T., eds, *Physical Activity, Fitness, and Health: A Consensus of Current Knowledge*, Champaign, Human Kinetics Publishers, pp. 146–159
- Ainsworth, B.E., Haskell, W.L., Whitt, M.C., Irwin, M.L., Swartz, A.M., Strath, S.J., O'Brien, W.L., Bassett, D.R., Jr, Schmitz, K.H., Emplainscourt, P.O., Jacobs, D.R., Jr & Leon, A.S. (2000) Compendium of physical activities: an update of activity codes and MET intensities. *Med. Sci. Sports Exerc.*, **32**, S498–S504
- Akre, O., Ekblom, A., Sparen, P. & Tretli, S. (2000) Body size and testicular cancer. *J. Natl Cancer Inst.*, **92**, 1093–1096
- Al-Isa, A.N. (1995) Prevalence of obesity among adult Kuwaitis: a cross-sectional study. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 431–433
- Al-Mannai, A., Dickerson, J.W., Morgan, J.B. & Khalfan, H. (1996) Obesity in Bahraini adults. *J. R. Soc. Health*, **116**, 30–40
- Al Nuaim, A. *et al.* (1996) Prevalence of diabetes mellitus, obesity and hypercholesterolemia in Saudi Arabia. In: Musaiger, A.O. & Miladi, S.S., eds, *Diet-related Non-communicable Diseases in the Arab Countries in the Gulf*, Cairo, FAO, UN, pp. 73–81
- Albanes, D., Blair, A. & Taylor, P.R. (1989) Physical activity and risk of cancer in the NHANES I population. *Am. J. Public Health*, **79**, 744–750
- Albanes, D., Conway, J.M., Taylor, P.R., Moe, P.W. & Judd, J. (1990) Validation and comparison of eight physical activity questionnaires. *Epidemiology*, **1**, 65–71
- Albert, C.M., Mittleman, M.A., Chae, C.U., Lee, I.M., Hennekens, C.H. & Manson, J.E. (2000) Triggering of sudden death from cardiac causes by vigorous exertion. *New Engl. J. Med.*, **343**, 1355–1361
- Albright, A., Franz, M., Hornsby, G., Kriska, A., Marrero, D., Ullrich, I. & Verity, L.S. (2000) American College of Sports Medicine position stand. Exercise and type 2 diabetes. *Med. Sci. Sports Exerc.*, **32**, 1345–1360
- Allaben, W.T., Chou, M., Pegram, R.A., Leakey, J., Feuers, R.J., Duffy, P.H., Turturro, A. & Hart, R.W. (1990) Modulation of toxicity and carcinogenesis by caloric restriction. *Korean J. Toxicol.*, **6**, 167–182
- Allison, D.B., Faith, M.S., Heo, M. & Kotler, D.P. (1997) Hypothesis concerning the U-shaped relation between body mass index and mortality. *Am. J. Epidemiol.*, **146**, 339–349
- Allison, D.B., Faith, M.S., Heo, M., Townsend-Butterworth, D. & Williamson, D.F. (1999a) Meta-analysis of the effect of excluding early deaths on the estimated relationship between body mass index and mortality. *Obes. Res.*, **7**, 342–354
- Allison, D.B., Zannolli, R., Faith, M.S., Heo, M., Pietrobelli, A., VanItallie, T.B., Pi-Sunyer, F.X. & Heymsfield, S.B. (1999b) Weight loss increases and fat loss decreases all-cause mortality rate: results from two independent cohort studies. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 603–611
- Amemiya, T., Kawahara, R., Yoshino, M., Komori, K. & Hirata, Y. (1990) Population study on the adipose tissue distribution in Japanese women born in 1948. *Diabetes Res. Clin. Pract.*, **10 Suppl. 1**, S71–S76
- American College of Sports Medicine (ACSM) (1990) American College of Sports Medicine position stand. The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness in healthy adults. *Med. Sci. Sports Exerc.*, **22**, 265–274
- Amiel, S.A., Sherwin, R.S., Simonson, D.C., Lauritano, A.A. & Tamborlane, W.V. (1986) Impaired insulin action in puberty. A contributing factor to poor glycemic control in adolescents with diabetes. *New Engl. J. Med.*, **315**, 215–219
- An, P., Rice, T., Gagnon, J., Hong, Y., Leon, A.S., Skinner, J.S., Wilmore, J.H., Bouchard, C. & Rao, D.C. (2000) A genetic study of sex hormone-binding globulin measured before and after a 20-week endurance exercise training program: the HERITAGE Family Study. *Metabolism*, **49**, 1014–1020
- Andersen, R.E., Wadden, T.A., Bartlett, S.J., Zemel, B., Verde, T.J. & Franckowiak, S.C. (1999) Effects of lifestyle activity vs structured aerobic exercise in obese women: a randomized trial. *JAMA*, **281**, 335–340
- Andersen, L.B., Schnohr, P., Schroll, M. & Hein, H.O. (2000) All-cause mortality associated with physical activity during leisure time, work, sports, and cycling to work. *Arch. Intern. Med.*, **160**, 1621–1628
- Anderssen, N., Jacobs, D.R., Sidney, S., Bild, D.E., Sternfeld, B., Slaterry, M.L. & Hannan, P. (1996) Change and secular trends in physical activity patterns in young adults: a seven-year longitudinal follow-up in the Coronary Artery Risk Development in Young Adults Study (CARDIA). *Am. J. Epidemiol.*, **143**, 351–362
- Anderssen, S.A., Holme, I., Urdal, P. & Hjermann, I. (1998) Associations between central obesity and indexes of hemostatic, carbohydrate and lipid metabolism. Results of a 1-year intervention from the Oslo Diet and Exercise Study. *Scand. J. Med. Sci. Sports*, **8**, 109–115
- Andersson, B., Mårin, P., Lissner, L., Vermeulen, A. & Björntorp, P. (1994) Testosterone concentrations in women and men with NIDDM. *Diabetes Care*, **17**, 405–411

- Andersson, S.O., Baron, J., Wolk, A., Lindgren, C., Bergström, R. & Adami, H.O. (1995) Early life risk factors for prostate cancer: a population-based case-control study in Sweden. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 187–192
- Andersson, S.O., Baron, J., Bergström, R., Lindgren, C., Wolk, A. & Adami, H.O. (1996) Lifestyle factors and prostate cancer risk: a case-control study in Sweden. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 509–513
- Andersson, S.O., Wolk, A., Bergström, R., Adami, H.O., Engholm, G., Englund, A. & Nyrén, O. (1997) Body size and prostate cancer: a 20-year follow-up study among 135006 Swedish construction workers. *J. Natl Cancer Inst.*, **89**, 385–389
- Andres, R. (1985) Mortality and obesity: the rationale for age-group specific weight-height tables. In: Andres, R., Bierman, E.L. & Hazzard, W.R., eds, *Principles of Geriatric Medicine*, New York, McGraw Hill, pp. 311–318
- Andres, R., Muller, D.C. & Sorkin, J.D. (1993) Long-term effects of change in body weight on all-cause mortality. A review. *Ann. Intern. Med.*, **119**, 737–743
- Andrianopoulos, G., Nelson, R.L., Bombeck, C.T. & Souza, G. (1987) The influence of physical activity in 1,2-dimethylhydrazine induced colon carcinogenesis in the rat. *Anticancer Res.*, **7**, 849–852
- Apter, D. (1996) Hormonal events during female puberty in relation to breast cancer risk. *Eur. J. Cancer Prev.*, **5**, 476–482
- Arce, J.C., De Souza, M.J., Pescatello, L.S. & Luciano, A.A. (1993) Subclinical alterations in hormone and semen profile in athletes. *Fertil. Steril.*, **59**, 398–404
- Argente, J., Caballo, N., Barrios, V., Muñoz, M.T., Pozo, J., Chowen, J.A., Morandé, G. & Hernández, M. (1997a) Multiple endocrine abnormalities of the growth hormone and insulin-like growth factor axis in patients with anorexia nervosa: effect of short- and long-term weight recuperation. *J. Clin. Endocrinol. Metab.*, **82**, 2084–2092
- Argente, J., Caballo, N., Barrios, V., Pozo, J., Muñoz, M.T., Chowen, J.A. & Hernández, M. (1997b) Multiple endocrine abnormalities of the growth hormone and insulin-like growth factor axis in prepubertal children with exogenous obesity: effect of short- and long-term weight reduction. *J. Clin. Endocrinol. Metab.*, **82**, 2076–2083
- Armario, A., Montero, J.L. & Jolin, T. (1987) Chronic food restriction and the circadian rhythms of pituitary-adrenal hormones, growth hormone and thyroid-stimulating hormone. *Ann. Nutr. Metab.*, **31**, 81–87
- Armstrong, T., Bauman, A. & Davies, J. (2000) *Physical Activity Patterns of Australian Adults. Results of the 1999 National Physical Activity Survey*, Canberra, Australian Institute of Health and Welfare, pp. 1–68
- Arvola, P., Wu, X., Kahonen, M., Makynen, H., Riutta, A., Mucha, I., Solakivi, T., Kainulainen, H. & Porsti, I. (1999) Exercise enhances vasorelaxation in experimental obesity associated hypertension. *Cardiovasc. Res.*, **43**, 992–1002
- Asal, N.R., Risser, D.R., Kadamani, S., Geyer, J.R., Lee, E.T. & Cheng, N. (1988) Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect. Prev.*, **11**, 359–377
- Attia, N., Tamborlane, W.V., Heptulla, R., Maggs, D., Grozman, A., Sherwin, R.S. & Caprio, S. (1998) The metabolic syndrome and insulin-like growth factor I regulation in adolescent obesity. *J. Clin. Endocrinol. Metab.*, **83**, 1467–1471
- Aubert, M.L., Pierroz, D.D., Gruaz, N.M., d'Alleves, V., Vuagnat, B.A., Pralong, F.P., Blum, W.F. & Sizonenko, P.C. (1998) Metabolic control of sexual function and growth: role of neuropeptide Y and leptin. *Mol. Cell Endocrinol.*, **140**, 107–113
- Austin, H., Austin, J.M., Jr, Partridge, E.E., Hatch, K.D. & Shingleton, H.M. (1991) Endometrial cancer, obesity, and body fat distribution. *Cancer Res.*, **51**, 568–572
- Asia-Pacific Perspective (2000) *The Asia-Pacific Perspective: Redefining Obesity and its Treatment*, Health Communications Australia
- Axelsson, J.F. (1987) Forced swimming alters vaginal estrous cycles, body composition, and steroid levels without disrupting lordosis behavior or fertility in rats. *Physiol. Behav.*, **41**, 471–479
- Ayabe, T., Tsutsumi, O., Sakai, H., Yoshikawa, H., Yano, T., Kurimoto, F. & Taketani, Y. (1997) Increased circulating levels of insulin-like growth factor-I and decreased circulating levels of insulin-like growth factor binding protein-1 in postmenopausal women with endometrial cancer. *Endocr. J.*, **44**, 419–424
- Ayatollahi, S.M. & Carpenter, R.G. (1993) Height, weight, BMI and weight-for-height of adults in southern Iran: how should obesity be defined? *Ann. Hum. Biol.*, **20**, 13–19
- Azziz, R. (1989) Reproductive endocrinologic alterations in female asymptomatic obesity. *Fertil. Steril.*, **52**, 703–725
- Azziz, R., Potter, H.D., Bradley, E.L., Jr & Boots, L.R. (1994) D⁵-Androstene-3 β ,17 β -diol in healthy eumenorrheic women: relationship to body mass and hormonal profile. *Fertil. Steril.*, **62**, 321–326
- Baecke, J.A., Burema, J. & Frijters, J.E. (1982) A short questionnaire for the measurement of habitual physical activity in epidemiological studies. *Am. J. Clin. Nutr.*, **36**, 936–942
- Bagatell, C.J. & Bremner, W.J. (1990) Sperm counts and reproductive hormones in male marathoners and lean controls. *Fertil. Steril.*, **53**, 688–692
- Bagga, D., Ashley, J.M., Geffrey, S.P., Wang, H.J., Barnard, R.J., Korenman, S. & Heber, D. (1995) Effects of a very low fat, high fiber diet on serum hormones and menstrual function. Implications for breast cancer prevention. *Cancer*, **76**, 2491–2496
- Baik, M., Choi, C.B., Keller, W.L. & Park, C.S. (1992) Developmental stages and energy restriction affect cellular oncogene expression in tissues of female rats. *J. Nutr.*, **122**, 1614–1619
- Baik, I., Ascherio, A., Rimm, E.B., Giovannucci, E., Spiegelman, D., Stampfer, M.J. & Willett, W.C. (2000) Adiposity and mortality in men. *Am. J. Epidemiol.*, **152**, 264–271
- Baker, E.A., Brennan, L.K., Brownson, R. & Houseman, R.A. (2000) Measuring the determinants of physical activity in the community: current and future directions. *Res. Q. Exerc. Sport*, **71**, S146–S158
- Ball, M.J., Wilson, B.D., Robertson, I.K., Wilson, N. & Russell, D.G. (1993) Obesity and body fat distribution in New Zealanders: a pattern of coronary heart disease risk. *N.Z. Med. J.*, **106**, 69–72
- Ballard-Barbash, R., Schatzkin, A., Taylor, P.R. & Kahle, L.L. (1990a) Association of change in body mass with breast cancer. *Cancer Res.*, **50**, 2152–2155

- Ballard-Barbash, R., Schatzkin, A., Carter, C.L., Kannel, W.B., Kreger, B.E., D'Agostino, R.B., Splansky, G.L., Anderson, K.M. & Helsel, W.E. (1990b) Body fat distribution and breast cancer in the Framingham Study. *J. Natl Cancer Inst.*, **82**, 286–290
- Ballard-Barbash, R., Schatzkin, A., Albanes, D., Schiffman, M.H., Kreger, B.E., Kannel, W.B., Anderson, K.M. & Helsel, W.E. (1990c) Physical activity and risk of large bowel cancer in the Framingham Study. *Cancer Res*, **50**, 3610–3613
- Ballor, D.L. (1991) Effect of dietary restriction and/or exercise on 23-h metabolic rate and body composition in female rats. *J. Appl. Physiol.*, **71**, 801–806
- Banerjee, S., Saenger, P., Hu, M., Chen, W. & Barzilai, N. (1997) Fat accretion and the regulation of insulin-mediated glycogen synthesis after puberty in rats. *Am. J. Physiol.*, **273**, R1534–R1539
- Bang, P., Brandt, J., Degerblad, M., Enberg, G., Kaijser, L., Thorén, M. & Hall, K. (1990) Exercise-induced changes in insulin-like growth factors and their low molecular weight binding protein in healthy subjects and patients with growth hormone deficiency. *Eur. J. Clin. Invest.*, **20**, 285–292
- Banu, M.J., Orhii, P.B., Mejia, W., McCarter, R.J., Mosekilde, L., Thomsen, J.S. & Kalu, D.N. (1999) Analysis of the effects of growth hormone, voluntary exercise, and food restriction on diaphyseal bone in female F344 rats. *Bone*, **25**, 469–480
- Baquin, P. & Brukner, P. (1997) Injuries presenting to an Australian sports medicine centre: a 12-month study. *Clin. J. Sport Med.*, **7**, 28–31
- Barbe, P., Bennet, A., Stebenet, M., Perret, B. & Louvet, J.P. (1993) Sex-hormone-binding globulin and protein-energy malnutrition indexes as indicators of nutritional status in women with anorexia nervosa. *Am. J. Clin. Nutr.*, **57**, 319–322
- Barefoot, J.C., Heitmann, B.L., Helms, M.J., Williams, R.B., Surwit, R.S. & Siegler, I.C. (1998) Symptoms of depression and changes in body weight from adolescence to mid-life. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 688–694
- Bastarrachea, J., Hortobagyi, G.N., Smith, T.L., Kau, S.W. & Buzdar, A.U. (1994) Obesity as an adverse prognostic factor for patients receiving adjuvant chemotherapy for breast cancer. *Ann. Intern. Med.*, **120**, 18–25
- Bates, G.W. & Whitworth, N.S. (1982) Effect of body weight reduction on plasma androgens in obese, infertile women. *Fertil. Steril.*, **38**, 406–409
- Bauman, A., Smith, B., Stoker, L., Bellew, B. & Booth, M. (1999) Geographical influences upon physical activity participation: evidence of a 'coastal effect'. *Aust. N.Z. J. Public Health*, **23**, 322–324
- Baumgartner, R.N. (2000) Body composition in healthy aging. *Ann. NY Acad. Sci.*, **904**, 437–448
- Baxter, R.C. (2000) Insulin-like growth factor (IGF)-binding proteins: interactions with IGFs and intrinsic bioactivities. *Am. J. Physiol. Endocrinol. Metab.*, **278**, E967–E976
- Baxter, R.C. & Turtle, J.R. (1978) Regulation of hepatic growth hormone receptors by insulin. *Biochem. Biophys. Res. Commun.*, **84**, 350–357
- Beer-Borst, S., Morabia, A., Hercberg, S., Vitek, O., Bernstein, M.S., Galan, P., Galasso, R., Giampaoli, S., Houterman, S., McCrum, E., Panico, S., Pannozzo, F., Preziosi, P., Ribas, L., Serra-Majem, L., Verschuren, W.M., Yarnell, J. & Northridge, M.E. (2000) Obesity and other health determinants across Europe: the EURALIM project. *J. Epidemiol. Community Health*, **54**, 424–430
- Beitins, I.Z., McArthur, J.W., Turnbull, B.A., Skrinar, G.S. & Bullen, B.A. (1991) Exercise induces two types of human luteal dysfunction: confirmation by urinary free progesterone. *J. Clin. Endocrinol. Metab.*, **72**, 1350–1358
- Bejma, J. & Ji, L.L. (1999) Aging and acute exercise enhance free radical generation in rat skeletal muscle. *J. Appl. Physiol.*, **87**, 465–470
- Bell, A.W., Bassett, J.M., Chandler, K.D. & Boston, R.C. (1983) Fetal and maternal endocrine responses to exercise in the pregnant ewe. *J. Dev. Physiol.*, **5**, 129–141
- Benhamou, S., Lenfant, M.H., Ory-Paoletti, C. & Flamant, R. (1993) Risk factors for renal-cell carcinoma in a French case-control study. *Int. J. Cancer*, **55**, 32–36
- Benito, E., Obrador, A., Stiggelbout, A., Bosch, F.X., Mulet, M., Muñoz, N. & Kaldor, J. (1990) A population-based case-control study of colorectal cancer in Majorca. I. Dietary factors. *Int. J. Cancer*, **45**, 69–76
- Benito, M., Valverde, A.M. & Lorenzo, M. (1996) IGF-I: a mitogen also involved in differentiation processes in mammalian cells. *Int. J. Biochem. Cell Biol.*, **28**, 499–510
- Bennett, S.A. & Magnus, P. (1994) Trends in cardiovascular risk factors in Australia. Results from the National Heart Foundation's Risk Factor Prevalence Study, 1980–1989. *Med. J. Aust.*, **161**, 519–527
- Bennett, A., Tacca, M.D., Stamford, I.F. & Zebro, T. (1977) Prostaglandins from tumours of human large bowel. *Br. J. Cancer*, **35**, 881–884
- Bereket, A., Lang, C.H., Blethen, S.L., Gelato, M.C., Fan, J., Frost, R.A. & Wilson, T.A. (1995) Effect of insulin on the insulin-like growth factor system in children with new-onset insulin-dependent diabetes mellitus. *J. Clin. Endocrinol. Metab.*, **80**, 1312–1317
- Bereket, A., Lang, C.H. & Wilson, T.A. (1999) Alterations in the growth hormone-insulin-like growth factor axis in insulin dependent diabetes mellitus. *Horm. Metab. Res.*, **31**, 172–181
- Bergström, A. (2001) Thesis. Renal cell cancer: the role of physical activity and body size. Karolinska Institutet, Stockholm, pp. 1–62
- Bergström, A., Moradi, T., Lindblad, P., Nyren, O., Adami, H.O. & Wolk, A. (1999) Occupational physical activity and renal cell cancer: a nationwide cohort study in Sweden. *Int. J. Cancer*, **83**, 186–191
- Bergström, A., Pisani, P., Tenet, V., Wolk, A. & Adami, H.O. (2001) Overweight as an avoidable cause of cancer in Europe. *Int. J. Cancer*, **91**, 421–430
- Berlin, J.A. & Colditz, G.A. (1990) A meta-analysis of physical activity in the prevention of coronary heart disease. *Am. J. Epidemiol.*, **132**, 612–628
- Bermon, S., Ferrari, P., Bernard, P., Altare, S. & Dolisi, C. (1999) Responses of total and free insulin-like growth factor-I and insulin-like growth factor binding protein-3 after resistance exercise and training in elderly subjects. *Acta Physiol. Scand.*, **165**, 51–56
- Bernasconi, D., Del Monte, P., Meozzi, M., Randazzo, M., Marugo, A., Badaracco, B. & Marugo, M. (1996) The impact of obesity on hormonal parameters in hirsute and nonhirsute women. *Metabolism*, **45**, 72–75

- Bernstein, L. & Ross, R.K. (1993) Endogenous hormones and breast cancer risk. *Epidemiol. Rev.*, **15**, 48–65
- Bernstein, L., Ross, R.K., Lobo, R.A., Hanisch, R., Krailo, M.D. & Henderson, B.E. (1987) The effects of moderate physical activity on menstrual cycle patterns in adolescence: implications for breast cancer prevention. *Br. J. Cancer*, **55**, 681–685
- Bernstein, L., Henderson, B.E., Hanisch, R., Sullivan-Halley, J. & Ross, R.K. (1994) Physical exercise and reduced risk of breast cancer in young women. *J. Natl Cancer Inst.*, **86**, 1403–1408
- Bernstein, C., Bernstein, H., Garewal, H., Dinning, P., Jabi, R., Sampliner, R.E., McCuskey, M.K., Panda, M., Roe, D.J., L'Heureux, L. & Payne, C. (1999) A bile acid-induced apoptosis assay for colon cancer risk and associated quality control studies. *Cancer Res.*, **59**, 2353–2357
- Berrino, F., Bellati, C., Secreto, G., Camerini, E., Pala, V., Panico, S., Allegro, G. & Kaaks, R. (2001) Reducing bioavailable sex hormones through a comprehensive change in diet: the DIANA (Diet and Androgens) randomized trial. *Cancer Epidemiol. Biomarkers Prev.*, **10**, 25–33
- Berrios, X., Koponen, T., Huiguang, T., Khaltaev, N., Puska, P. & Nissinen, A. (1997) Distribution and prevalence of major risk factors of noncommunicable diseases in selected countries: the WHO Inter-Health Programme. *Bull. World Health Organ.*, **75**, 99–108
- Berstein, L.M. (1988) Newborn macrosomy and cancer. *Adv. Cancer Res.*, **50**, 231–278
- Beumont, P.J.V., George, G.C.W., Pimstone, B.L. & Vinik, A.I. (1976) Body weight and the pituitary response to hypothalamic-releasing hormones in patients with anorexia nervosa. *J. Clin. Endocrinol. Metab.*, **43**, 487–496
- Bhagavathi, R. & Devi, S.A. (1993) Interaction of exercise and age on substrates of carbohydrate metabolism. *Indian J. Exp. Biol.*, **31**, 72–75
- Bijnen, F.C., Feskens, E.J., Caspersen, C.J., Nagelkerke, N., Mosterd, W.L. & Kromhout, D. (1999) Baseline and previous physical activity in relation to mortality in elderly men: the Zutphen Elderly Study. *Am. J. Epidemiol.*, **150**, 1289–1296
- Bild, D.E., Sholinsky, P., Smith, D.E., Lewis, C.E., Hardin, J.M. & Burke, G.L. (1996) Correlates and predictors of weight loss in young adults: the CARDIA study. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 47–55
- Bird, C.L., Frankl, H.D., Lee, E.R. & Haile, R.W. (1998) Obesity, weight gain, large weight changes, and adenomatous polyps of the left colon and rectum. *Am. J. Epidemiol.*, **147**, 670–680
- Birt, D.F. (1987) Fat and calorie effects on carcinogenesis at sites other than the mammary gland. *Am. J. Clin. Nutr.*, **45**, 203–209
- Birt, D.F., Julius, A.D., White, L.T. & Pour, P.M. (1989) Enhancement of pancreatic carcinogenesis in hamsters fed a high-fat diet ad libitum and at a controlled calorie intake. *Cancer Res.*, **49**, 5848–5851
- Birt, D.F., Pelling, J.C., White, L.T., Dimitroff, K. & Barnett, T. (1991) Influence of diet and calorie restriction on the initiation and promotion of skin carcinogenesis in the SENCAR mouse model. *Cancer Res.*, **51**, 1851–1854
- Birt, D.F., Pinch, H.J., Barnett, T., Phan, A. & Dimitroff, K. (1993) Inhibition of skin tumor promotion by restriction of fat and carbohydrate calories in SENCAR mice. *Cancer Res.*, **53**, 27–31
- Birt, D.F., Pelling, J.C., Anderson, J. & Barnett, T. (1994a) Consumption of reduced-energy/low-fat diet or constant-energy/high-fat diet during mezerein treatment inhibited mouse skin tumor promotion. *Carcinogenesis*, **15**, 2341–2345
- Birt, D.F., Copenhaver, J., Pelling, J.C. & Anderson, J. (1994b) Dietary energy restriction and fat modulation of protein kinase C isoenzymes and phorbol ester binding in Sencar mouse epidermis. *Carcinogenesis*, **15**, 2727–2732
- Birt, D.F., Kris, E.S. & Luthra, R. (1995) Modification of murine skin tumor promotion by dietary energy and fat. In: Mukhtar, H., ed., *Skin Cancer: Mechanisms and Human Relevance*, Boca Raton, CRC Press, pp. 371–381
- Birt, D.F., Barnett, T., Pour, P.M. & Copenhaver, J. (1996) High-fat diet blocks the inhibition of skin carcinogenesis and reductions in protein kinase C by moderate energy restriction. *Mol. Carcinog.*, **16**, 115–120
- Birt, D.F., Pour, P.M., Nagel, D.L., Barnett, T., Blackwood, D. & Duysen, E. (1997) Dietary energy restriction does not inhibit pancreatic carcinogenesis by N-nitrosobis-2-(oxo-propyl)amine in the Syrian hamster. *Carcinogenesis*, **18**, 2107–2111
- Birt, D.F., Yaktine, A. & Duysen, E. (1999) Glucocorticoid mediation of dietary energy restriction inhibition of mouse skin carcinogenesis. *J. Nutr.*, **129**, 571S–574S
- Birt, D.F., Duysen, E., Wang, W. & Yaktine, A. (2001) Corticosterone supplementation reduced selective protein kinase c isoform expression in the epidermis of adrenalectomized mice. *Cancer Epidemiol. Biomarkers Prev.*, **10**, 679–685
- Björntorp, P. (1990) "Portal" adipose tissue as a generator of risk factors for cardiovascular disease and diabetes. *Arteriosclerosis*, **10**, 493–496
- Björntorp, P. (1997) Body fat distribution, insulin resistance, and metabolic diseases. *Nutrition*, **13**, 795–803
- Blaakaer, J. (1997) The pituitary-gonadal function in postmenopausal women with epithelial ovarian tumors. *APMIS Suppl.*, **74**, 1–27
- Blair, S.N., Shaten, J., Brownell, K., Collins, G. & Lissner, L. (1993) Body weight change, all-cause mortality, and cause-specific mortality in the Multiple Risk Factor Intervention Trial. *Ann. Intern. Med.*, **119**, 749–757
- Blair, S.N., Kohl, H.W., III, Barlow, C.E., Paffenbarger, R.S., Jr, Gibbons, L.W. & Macera, C.A. (1995) Changes in physical fitness and all-cause mortality. A prospective study of healthy and unhealthy men. *JAMA*, **273**, 1093–1098
- Blair, S.N., Kampert, J.B., Kohl, H.W., III, Barlow, C.E., Macera, C.A., Paffenbarger, R.S., Jr. & Gibbons, L.W. (1996) Influences of cardiorespiratory fitness and other precursors on cardiovascular disease and all-cause mortality in men and women. *JAMA*, **276**, 205–210
- Blitzer, P.H., Blitzer, E.C. & Rimm, A.A. (1976) Association between teen-age obesity and cancer in 56,111 women: all cancers and endometrial carcinoma. *Prev. Med.*, **5**, 20–31
- Bloch, C.A., Clemons, P. & Sperling, M.A. (1987) Puberty decreases insulin sensitivity. *J. Pediatr.*, **110**, 481–487
- Boeing, H., Schlehofer, B. & Wahrendorf, J. (1997) Diet, obesity and risk for renal cell carcinoma: results from a case control-study in Germany. *Z. Ernahrungswiss.*, **36**, 3–11

- Boeing, H., Weisgerber, U.M., Jeckel, A., Rose, H.J. & Kroke, A. (2000) Association between glycosylated hemoglobin and diet and other lifestyle factors in a nondiabetic population: cross-sectional evaluation of data from the Potsdam cohort of the European Prospective Investigation into Cancer and Nutrition Study. *Am. J. Clin. Nutr.*, **71**, 1115–1122
- Boissonneault, G.A., Elson, C.E. & Pariza, M.W. (1986) Net energy effects of dietary fat on chemically induced mammary carcinogenesis in F344 rats. *J. Natl Cancer Inst.*, **76**, 335–338
- Bona, G., Petri, A., Rapa, A., Conti, A. & Sartorio, A. (1999) The impact of gender, puberty and body mass on reference values for urinary growth hormone (GH) excretion in normally growing non-obese and obese children. *Clin. Endocrinol. (Oxf.)*, **50**, 775–781
- Bonen, A. (1992) Recreational exercise does not impair menstrual cycles: a prospective study. *Int. J. Sports Med.*, **13**, 110–120
- Bonen, A. (1995) Benefits of exercise for type II diabetics: convergence of epidemiologic, physiologic, and molecular evidence. *Can. J. Appl. Physiol.*, **20**, 261–279
- Bonnefoy, M., Kostka, T., Patricot, M.C., Berthouze, S.E., Mathian, B. & Lacour, J.R. (1999) Influence of acute and chronic exercise on insulin-like growth factor-I in healthy active elderly men and women. *Aging (Milano)*, **11**, 373–379
- Booth, M.L., Hunter, C., Gore, C.J., Bauman, A. & Owen, N. (2000) The relationship between body mass index and waist circumference: implications for estimates of the population prevalence of overweight. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1058–1061
- Borghouts, L.B. & Keizer, H.A. (2000) Exercise and insulin sensitivity: a review. *Int. J. Sports Med.*, **21**, 1–12
- Bosland, M.C. (2000) The role of steroid hormones in prostate carcinogenesis. *J. Natl Cancer Inst. Monogr.*, **27**, 39–66
- Bostick, R.M., Potter, J.D., Kushi, L.H., Sellers, T.A., Steinmetz, K.A., McKenzie, D.R., Gapstur, S.M. & Folsom, A.R. (1994) Sugar, meat, and fat intake, and non-dietary risk factors for colon cancer incidence in Iowa women (United States). *Cancer Causes Control*, **5**, 38–52
- Bouchard, C. (1994) Genetics of obesity: overview and research directions. In: Bouchard, C., ed., *The Genetics of Obesity*, Boca Raton, CRC Press, pp. 223–233
- Bouchardy, C., Lê, M.G. & Hill, C. (1990) Risk factors for breast cancer according to age at diagnosis in a French case-control study. *J. Clin. Epidemiol.*, **43**, 267–275
- Boutwell, R.K., Brush, M.K. & Rusch, H.P. (1948) Some physiological effects associated with chronic caloric restriction. *Am. J. Physiol.*, **154**, 517
- Boutwell, R.K., Brush, M.K. & Rusch, H.P. (1949) The stimulating effect of dietary fat on carcinogenesis. *Cancer Res.*, **9**, 741–746
- Boyar, A.P., Rose, D.P., Loughridge, J.R., Engle, A., Palgi, A., Laakso, K., Kinne, D. & Wynder, E.L. (1988) Response to a diet low in total fat in women with postmenopausal breast cancer: a pilot study. *Nutr. Cancer*, **11**, 93–99
- Boyd, N.F., Greenberg, C., Lockwood, G., Little, L., Martin, L., Byng, J., Yaffe, M. & Trichler, D. (1997) Effects at two years of a low-fat, high-carbohydrate diet on radiologic features of the breast: results from a randomized trial. Canadian Diet and Breast Cancer Prevention Study Group. *J. Natl Cancer Inst.*, **89**, 488–496
- Boyle, C.A., Dobson, A.J., Egger, G. & Magnus, P. (1994) Can the increasing weight of Australians be explained by the decreasing prevalence of cigarette smoking? *Int. J. Obes. Relat. Metab. Disord.*, **18**, 55–60
- Bradlow, H.L., Hershcopf, R.E. & Fishman, J.F. (1986) Oestradiol 16 α -hydroxylase: a risk marker for breast cancer. *Cancer Surv.*, **5**, 573–583
- Bratusch-Marrain, P.R., Smith, D. & DeFronzo, R.A. (1982) The effect of growth hormone on glucose metabolism and insulin secretion in man. *J. Clin. Endocrinol. Metab.*, **55**, 973–982
- Brind, J., Strain, G., Millier, L., Zumoff, B., Vogelman, J. & Orentreich, N. (1990) Obese men have elevated plasma levels of estrone sulfate. *Int. J. Obes.*, **14**, 483–486
- Brinton, L.A. & Swanson, C.A. (1992) Height and weight at various ages and risk of breast cancer. *Ann. Epidemiol.*, **2**, 597–609
- Brinton, L.A., Berman, M.L., Mortel, R., Twiggs, L.B., Barrett, R.J., Wilbanks, G.D., Lannom, L. & Hoover, R.N. (1992) Reproductive, menstrual, and medical risk factors for endometrial cancer: results from a case-control study. *Am. J. Obstet. Gynecol.*, **167**, 1317–1325
- Brown, L.M., Swanson, C.A., Gridley, G., Swanson, G.M., Schoenberg, J.B., Greenberg, R.S., Silverman, D.T., Pottern, L.M., Hayes, R.B., Schwartz, A.G., Liff, J.M., Fraumeni, J.F., Jr & Hoover, R.N. (1995) Adenocarcinoma of the esophagus: role of obesity and diet. *J. Natl Cancer Inst.*, **87**, 104–109
- Brown, S.A., Upchurch, S., Anding, R., Winter, M. & Ramirez, G. (1996) Promoting weight loss in type II diabetes. *Diabetes Care*, **19**, 613–624
- Brown, C.D., Higgins, M., Donato, K.A., Rohde, F.C., Garrison, R., Obarzanek, E., Ernst, N.D. & Horan, M. (2000) Body mass index and the prevalence of hypertension and dyslipidemia. *Obes. Res.*, **8**, 605–619
- Brownson, R.C., Zahm, S.H., Chang, J.C. & Blair, A. (1989) Occupational risk of colon cancer. An analysis by anatomic subsite. *Am. J. Epidemiol.*, **130**, 675–687
- Brownson, R.C., Chang, J.C., Davis, J.R. & Smith, C.A. (1991) Physical activity on the job and cancer in Missouri. *Am. J. Public Health*, **81**, 639–642
- Brownson, R.C., Smith, C.A., Pratt, M., Mack, N.E., Jackson-Thompson, J., Dean, C.G., Dabney, S. & Wilkerson, J.C. (1996) Preventing cardiovascular disease through community-based risk reduction: the Bootheel Heart Health Project. *Am. J. Public Health*, **86**, 206–213
- Bruning, P.F., Bonfrer, J.M., Hart, A.A., Van Noord, P.A., van der Hoeven, H., Collette, H.J., Battermann, J.J., Jong-Bakker, M., Nooijen, W.J. & de Waard, F. (1992a) Body measurements, estrogen availability and the risk of human breast cancer: a case-control study. *Int. J. Cancer*, **51**, 14–19
- Bruning, P.F., Bonfrer, J.M., Van Noord, P.A., Hart, A.A., Jong-Bakker, M. & Nooijen, W.J. (1992b) Insulin resistance and breast-cancer risk. *Int. J. Cancer*, **52**, 511–516
- Bruning, P.F., Van Doorn, J., Bonfrer, J.M., Van Noord, P.A., Korse, C.M., Linders, T.C. & Hart, A.A. (1995) Insulin-like growth-factor-binding protein 3 is decreased in early-stage operable pre-menopausal breast cancer. *Int. J. Cancer*, **62**, 266–270
- Bruunsgaard, H., Hartkopp, A., Mohr, T., Konradsen, H., Heron, I., Mordhorst, C.H. & Pedersen, B.K. (1997) *In vivo* cell-mediated immunity and vaccination response following prolonged, intense exercise. *Med. Sci. Sports Exerc.*, **29**, 1176–1181

- Buckwalter, J.A. & Lane, N.E. (1997) Athletics and osteoarthritis. *Am. J. Sports Med.*, **25**, 873–881
- Buermann, B. & Tremblay, A. (1996) Effects of exercise training on abdominal obesity and related metabolic complications. *Sports Med.*, **21**, 191–212
- Bueno de Mesquita, H.B., Moerman, C.J., Runia, S. & Maisonneuve, P. (1990) Are energy and energy-providing nutrients related to exocrine carcinoma of the pancreas? *Int. J. Cancer*, **46**, 435–444
- Build and Blood Pressure Study (1959) Chicago, Society of Actuaries
- Build and Blood Pressure Study 1979 (1980) Chicago, Society of Actuaries and Association of Life Insurance Medical Directors of America
- Bullen, B.A., Skrinar, G.S., Beitins, I.Z., Carr, D.B., Reppert, S.M., Dotson, C.O., Fencel, M.D., Gervino, E.V. & McArthur, J.W. (1984) Endurance training effects on plasma hormonal responsiveness and sex hormone excretion. *J. Appl. Physiol.*, **56**, 1453–1463
- Bullen, B.A., Skrinar, G.S., Beitins, I.Z., von Mering, G., Turnbull, B.A. & McArthur, J.W. (1985) Induction of menstrual disorders by strenuous exercise in untrained women. *New Engl. J. Med.*, **312**, 1349–1353
- Burghen, G.A., Givens, J.R. & Kitabchi, A.E. (1980) Correlation of hyperandrogenism with hyperinsulinism in polycystic ovarian disease. *J. Clin. Endocrinol. Metab.*, **50**, 113–116
- Burks, D.J., de Mora, J.F., Schubert, M., Withers, D.J., Myers, M.G., Towery, H.H., Altamuro, S.L., Flint, C.L. & White, M.F. (2000) IRS-2 pathways integrate female reproduction and energy homeostasis. *Nature*, **407**, 377–382
- Burnet, F.M. (1970) The concept of immunological surveillance. *Prog. Exp. Tumor Res.*, **13**, 1–27
- Burroughs, K.D., Dunn, S.E., Barrett, J.C. & Taylor, J.A. (1999) Insulin-like growth factor-I: a key regulator of human cancer risk? *J. Natl Cancer Inst.*, **91**, 579–581
- Butkus, J.A., Brogan, R.S., Giustina, A., Castello, G., Sothmann, M. & Wehrenberg, W.B. (1995) Changes in the growth hormone axis due to exercise training in male and female rats: secretory and molecular responses. *Endocrinology*, **136**, 2664–2670
- Byers, T., Marshall, J., Graham, S., Mettlin, C. & Swanson, M. (1983) A case-control study of dietary and nondietary factors in ovarian cancer. *J. Natl Cancer Inst.*, **71**, 681–686
- Caan, B.J., Coates, A.O., Slattery, M.L., Potter, J.D., Quesenberry, C.P., Jr & Edwards, S.M. (1998) Body size and the risk of colon cancer in a large case-control study. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 178–184
- Calle, E.E., Miracle-McMahill, H.L., Thun, M.J. & Heath, C.W., Jr (1995) Estrogen replacement therapy and risk of fatal colon cancer in a prospective cohort of postmenopausal women. *J. Natl Cancer Inst.*, **87**, 517–523
- Calle, E.E., Murphy, T.K., Rodriguez, C., Thun, M.J. & Heath, C.W. Jr (1998a) Occupation and breast cancer mortality in a prospective cohort of US women. *Am. J. Epidemiol.*, **148**, 191–197
- Calle, E.E., Murphy, T.K., Rodriguez, C., Thun, M.J. & Heath, C.W. Jr (1998b) Diabetes mellitus and pancreatic cancer mortality in a prospective cohort of United States adults. *Cancer Causes Control*, **9**, 403–410
- Calle, E.E., Thun, M.J., Petrelli, J.M., Rodriguez, C. & Heath, C.W., Jr (1999) Body-mass index and mortality in a prospective cohort of U.S. adults. *New Engl. J. Med.*, **341**, 1097–1105
- Camargo, C.A., Jr, Weiss, S.T., Zhang, S., Willett, W.C. & Speizer, F.E. (1999) Prospective study of body mass index, weight change, and risk of adult-onset asthma in women. *Arch. Intern. Med.*, **159**, 2582–2588
- Camoriano, J.K., Loprinzi, C.L., Ingle, J.N., Therneau, T.M., Krook, J.E. & Veeder, M.H. (1990) Weight change in women treated with adjuvant therapy or observed following mastectomy for node-positive breast cancer. *J. Clin. Oncol.*, **8**, 1327–1334
- Cann, C.E., Martin, M.C., Genant, H.K. & Jaffe, R.B. (1984) Decreased spinal mineral content in amenorrheic women. *JAMA*, **251**, 626–629
- Cappon, J., Brasel, J.A., Mohan, S. & Cooper, D.M. (1994) Effect of brief exercise on circulating insulin-like growth factor I. *J. Appl. Physiol.*, **76**, 2490–2496
- Cappuccio, F.P. (1997) Ethnicity and cardiovascular risk: variations in people of African ancestry and South Asian origin. *J. Hum. Hypertens.*, **11**, 571–576
- Caprio, S., Plewe, G., Diamond, M.P., Simonson, D.C., Boulware, S.D., Sherwin, R.S. & Tamborlane, W.V. (1989) Increased insulin secretion in puberty: a compensatory response to reductions in insulin sensitivity. *J. Pediatr.*, **114**, 963–967
- Carpenter, C.L., Ross, R.K., Paganini-Hill, A. & Bernstein, L. (1999) Lifetime exercise activity and breast cancer risk among postmenopausal women. *Br. J. Cancer*, **80**, 1852–1858
- Cartee, G.D. (1994) Aging skeletal muscle: response to exercise. *Exerc. Sport Sci. Rev.*, **22**, 91–120
- Casagrande, J.T., Louie, E.W., Pike, M.C., Roy, S., Ross, R.K. & Henderson, B.E. (1979) "Incessant ovulation" and ovarian cancer. *Lancet*, **2**, 170–173
- CASH (1987) The reduction in risk of ovarian cancer associated with oral-contraceptive use. The Cancer and Steroid Hormone Study of the Centers for Disease Control and the National Institute of Child Health and Human Development. *New Engl. J. Med.*, **316**, 650–655
- Caspersen, C.J. (1989) Physical activity epidemiology: concepts, methods, and applications to exercise science. *Exerc. Sport Sci. Rev.*, **17**, 423–473
- Caspersen, C.J. (1994) What are the lessons from the US approach to setting targets? In: Killoran, A.J., Fentem, P. & Caspersen, C.J., eds, *Moving on: International Perspectives on Promoting Physical Activity*, London, Health Education Authority, pp. 35–55
- Caspersen, C.J., Powell, K.E. & Christenson, G.M. (1985) Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. *Public Health Rep.*, **100**, 126–131
- Caspersen, C.J., Merritt, R.K. & Stephens, T. (1994) International physical activity patterns: A methodological perspective. In: Dishman, R.K., ed., *Advances in Exercise Adherence*, Champaign, Human Kinetics Publishers, pp. 71–110
- Caspersen, C.J., Pereira, M.A. & Curran, K.M. (2000) Changes in physical activity patterns in the United States, by sex and cross-sectional age. *Med. Sci. Sports Exerc.*, **32**, 1601–1609

- Caufriez, A., Golstein, J., Lebrun, P., Herchuelz, A., Furlanetto, R. & Copinschi, G. (1984) Relations between immunoreactive somato-medin C, insulin and T3 patterns during fasting in obese subjects. *Clin. Endocrinol. (Oxf.)*, **20**, 65–70
- Cauley, J.A., Gutai, J.P., Kuller, L.H., LeDonne, D. & Powell, J.G. (1989) The epidemiology of serum sex hormones in post-menopausal women. *Am. J. Epidemiol.*, **129**, 1120–1131
- Centers for Disease Control (1997) Monthly estimates of leisure-time physical inactivity—United States, 1994. *MMWR Morb. Mortal. Wkly Rep.*, **46**, 393–397
- Cerhan, J.R., Torner, J.C., Lynch, C.F., Rubenstein, L.M., Lemke, J.H., Cohen, M.B., Lubaroff, D.M. & Wallace, R.B. (1997) Association of smoking, body mass, and physical activity with risk of prostate cancer in the Iowa 65+ Rural Health Study (United States). *Cancer Causes Control*, **8**, 229–238
- Chadan, S.G., Dill, R.P., Vanderhoek, K. & Parkhouse, W.S. (1999) Influence of physical activity on plasma insulin-like growth factor-1 and insulin-like growth factor binding proteins in healthy older women. *Mech. Ageing Dev.*, **109**, 21–34
- Chagnon, Y.C., Pérusse, L., Weisnagel, S.J., Rankinen, T. & Bouchard, C. (2000) The human obesity gene map: the 1999 update. *Obes. Res.*, **8**, 89–117
- Chan, J.M., Stampfer, M.J., Giovannucci, E., Gann, P.H., Ma, J., Wilkinson, P., Hennekens, C.H. & Pollak, M. (1998) Plasma insulin-like growth factor-I and prostate cancer risk: a prospective study. *Science*, **279**, 563–566
- Chandra, R.K. & Kutty, K.M. (1980) Immunocompetence in obesity. *Acta Paediatr. Scand.*, **69**, 25–30
- Chang, W.Y. & Prins, G.S. (1999) Estrogen receptor- β : implications for the prostate gland. *Prostate*, **40**, 115–124
- Chang, R.J., Laufer, L.R., Meldrum, D.R., DeFazio, J., Lu, J.K., Vale, W.W., Rivier, J.E. & Judd, H.L. (1983) Steroid secretion in polycystic ovarian disease after ovarian suppression by a long-acting gonadotropin-releasing hormone agonist. *J. Clin. Endocrinol. Metab.*, **56**, 897–903
- Chao, D., Espeland, M.A., Farmer, D., Register, T.C., Lenchik, L., Applegate, W.B. & Ettinger, W.H. (2000) Effect of voluntary weight loss on bone mineral density in older overweight women. *J. Am. Geriatr. Soc.*, **48**, 753–759
- Chapin, R.E., Gulati, D.K., Barnes, L.H. & Teague, J.L. (1993) The effects of feed restriction on reproductive function in Sprague-Dawley rats. *Fundam. Appl. Toxicol.*, **20**, 23–29
- Chapman, I.M., Hartman, M.L., Pieper, K.S., Skiles, E.H., Pezzoli, S.S., Hintz, R.L. & Thorner, M.O. (1998) Recovery of growth hormone release from suppression by exogenous insulin-like growth factor I (IGF-I): evidence for a suppressive action of free rather than bound IGF-I. *J. Clin. Endocrinol. Metab.*, **83**, 2836–2842
- Chasan-Taber, S., Rimm, E.B., Stampfer, M.J., Spiegelman, D., Colditz, G.A., Giovannucci, E., Ascherio, A. & Willett, W.C. (1996) Reproducibility and validity of a self-administered physical activity questionnaire for male health professionals. *Epidemiology*, **7**, 81–86
- Chaturvedi, N. & Fuller, J.H. (1995) Mortality risk by body weight and weight change in people with NIDDM. The WHO Multinational Study of Vascular Disease in Diabetes. *Diabetes Care*, **18**, 766–774
- Chen, J., Campbell, T.C., Junyao, L. & Peto, R. (1990) *Diet, Life-Style, and Mortality in China: A Study of the Characteristics of 65 Chinese Counties*, Oxford, Oxford University Press
- Chen, W., Nichols, J., Zhou, Y., Chung, K.T., Hart, R.W. & Chou, M.W. (1995) Effect of dietary restriction on glutathione S-transferase activity specific toward aflatoxin B1-8,9-epoxide. *Toxicol. Lett.*, **78**, 235–243
- Chen, W., Zhou, Y., Nichols, J., Chung, K.T., Hart, R.W. & Chou, M.W. (1996) Effect of dietary restriction on benzo[a]pyrene (BaP) metabolic activation and pulmonary BaP-DNA adduct formation in mouse. *Drug Chem. Toxicol.*, **19**, 21–39
- Chen, C.L., White, E., Malone, K.E. & Daling, J.R. (1997) Leisure-time physical activity in relation to breast cancer among young women (Washington, United States). *Cancer Causes Control*, **8**, 77–84
- Cheney, K.E., Liu, R.K., Smith, G.S., Meredith, P.J., Mickey, M.R. & Walford, R.L. (1983) The effect of dietary restriction of varying duration on survival, tumor patterns, immune function, and body temperature in B10C3F1 female mice. *J. Gerontol.*, **38**, 420–430
- Cheng, K.K., Sharp, L., McKinney, P.A., Logan, R.F., Chilvers, C.E., Cook-Mozaffari, P., Ahmed, A. & Day, N.E. (2000) A case-control study of oesophageal adenocarcinoma in women: a preventable disease. *Br J Cancer*, **83**, 127–132
- Chiappelli, F., Gwirtsman, H.E., Lowy, M., Gormley, G., Nguyen, L.D., Nguyen, L., Popow, J., Esmail, I., Fahey, J.L. & Strober, M. (1991) Pituitary-adrenal-immune system in normal subjects and in patients with anorexia nervosa: the number of circulating helper T lymphocytes (CD4) expressing the homing receptor Leu8 is regulated in part by pituitary-adrenal products. *Psychoneuroendocrinology*, **16**, 423–432
- Chie, W.C., Chen, C.F., Lee, W.C. & Chen, C.J. (1996) Body size and risk of pre- and post-menopausal breast cancer in Taiwan. *Anticancer Res.*, **16**, 3129–3132
- Chie, W.C., Li, C.Y., Huang, C.S., Chang, K.J. & Lin, R.S. (1998) Body size as a factor in different ages and breast cancer risk in Taiwan. *Anticancer Res.*, **18**, 565–570
- Ching, P.L., Willett, W.C., Rimm, E.B., Colditz, G.A., Gortmaker, S.L. & Stampfer, M.J. (1996) Activity level and risk of overweight in male health professionals. *Am. J. Public Health*, **86**, 25–30
- Choban, P.S., Onyejekwe, J., Burge, J.C. & Flancbaum, L. (1999) A health status assessment of the impact of weight loss following Roux-en-Y gastric bypass for clinically severe obesity. *J. Am. Coll. Surg.*, **188**, 491–497
- Chou, M.W., Kong, J., Chung, K.T. & Hart, R.W. (1993a) Effect of caloric restriction on the metabolic activation of xenobiotics. *Mutat. Res.*, **295**, 223–235
- Chou, M.W., Pegram, R.A., Turturro, A., Holson, R. & Hart, R.W. (1993b) Effect of caloric restriction on the induction of hepatic cytochrome P-450 and Ah receptor binding in C57BL/6N and DBA/2J mice. *Drug Chem. Toxicol.*, **16**, 1–19
- Chou, M.W., Chen, W., Mikhailova, M.V., Nichols, J., Weis, C., Jackson, C.D., Hart, R.W. & Chung, K.T. (1997) Dietary restriction modulated carcinogen-DNA adduct formation and the carcinogen-induced DNA strand breaks. *Toxicol. Lett.*, **92**, 21–30
- Chow, W.H., Dosemeci, M., Zheng, W., Vetter, R., McLaughlin, J.K., Gao, Y.T. & Blot, W.J. (1993) Physical activity and occupational risk of colon cancer in Shanghai, China. *Int. J. Epidemiol.*, **22**, 23–29

- Chow, W.H., Malke, H.S., Hsing, A.W., McLaughlin, J.K., Weiner, J.A., Stone, B.J., Ericsson, J.L. & Blot, W.J. (1994) Occupational risks for colon cancer in Sweden. *J. Occup. Med.*, **36**, 647-651
- Chow, W.H., Finkle, W.D., McLaughlin, J.K., Frankl, H., Ziel, H.K. & Fraumeni, J.F. (1995) The relation of gastroesophageal reflux disease and its treatment to adenocarcinomas of the esophagus and gastric cardia. *JAMA*, **274**, 474-477
- Chow, W.H., McLaughlin, J.K., Mandel, J.S., Wacholder, S., Niwa, S. & Fraumeni, J.F., Jr (1996) Obesity and risk of renal cell cancer. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 17-21
- Chow, W.H., Blot, W.J., Vaughan, T.L., Risch, H.A., Gammon, M.D., Stanford, J.L., Dubrow, R., Schoenberg, J.B., Mayne, S.T., Farrow, D.C., Ahsan, H., West, A.B., Rotterdam, H., Niwa, S. & Fraumeni, J.F., Jr (1998) Body mass index and risk of adenocarcinomas of the esophagus and gastric cardia. *J. Natl Cancer Inst.*, **90**, 150-155
- Chow, W.H., Gridley, G., Fraumeni, J.F., Jr & Järnholm, B. (2000) Obesity, hypertension, and the risk of kidney cancer in men. *New Engl. J. Med.*, **343**, 1305-1311
- Chu, S.Y., Lee, N.C., Wingo, P.A., Senie, R.T., Greenberg, R.S. & Peterson, H.B. (1991) The relationship between body mass and breast cancer among women enrolled in the Cancer and Steroid Hormone Study. *J. Clin. Epidemiol.*, **44**, 1197-1206
- Chung, M.H., Kasai, H., Nishimura, S. & Yu, B.P. (1992) Protection of DNA damage by dietary restriction. *Free Radic. Biol. Med.*, **12**, 523-525
- Chyou, P.H., Nomura, A.M. & Stemmermann, G.N. (1994) A prospective study of weight, body mass index and other anthropometric measurements in relation to site-specific cancers. *Int. J. Cancer*, **57**, 313-317
- Cigolini, M., Seidell, J.C., Targher, G., Deslypere, J.P., Ellsinger, B.M., Charzewska, J., Cruz, A. & Björntorp, P. (1995) Fasting serum insulin in relation to components of the metabolic syndrome in European healthy men: the European Fat Distribution Study. *Metabolism*, **44**, 35-40
- Clarke, G. & Whittemore, A.S. (2000) Prostate cancer risk in relation to anthropometry and physical activity: the National Health and Nutrition Examination Survey I Epidemiological Follow-Up Study. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 875-881
- Clemmons, D.R. & Underwood, L.E. (1991) Nutritional regulation of IGF-I and IGF binding proteins. *Annu. Rev. Nutr.*, **11**, 393-412
- Clemmons, D.R., Klibanski, A., Underwood, L.E., McArthur, J.W., Ridgway, E.C., Beitins, I.Z. & Van Wyk, J.J. (1981) Reduction of plasma immunoreactive somatomedin C during fasting in humans. *J. Clin. Endocrinol. Metab.*, **53**, 1247-1250
- Clemmons, D.R., Snyder, D.K. & Busby, W.H. (1991) Variables controlling the secretion of insulin-like growth factor binding protein-2 in normal human subjects. *J. Clin. Endocrinol. Metab.*, **73**, 727-733
- Coakley, E.H., Rimm, E.B., Colditz, G., Kawachi, I. & Willett, W. (1998) Predictors of weight change in men: results from the Health Professionals Follow-up Study. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 89-96
- Coates, R.J., Clark, W.S., Eley, J.W., Greenberg, R.S., Huguley, C.M., Jr & Brown, R.L. (1990) Race, nutritional status, and survival from breast cancer. *J. Natl Cancer Inst.*, **82**, 1684-1692
- Coates, R.J., Uhler, R.J., Hall, H.I., Potischman, N., Brinton, L.A., Ballard-Barbash, R., Gammon, M.D., Brogan, D.R., Daling, J.R., Malone, K.E., Schoenberg, J.B. & Swanson, C.A. (1999) Risk of breast cancer in young women in relation to body size and weight gain in adolescence and early adulthood. *Br. J. Cancer*, **81**, 167-174
- Coenen, C., Wegener, M., Wedmann, B., Schmidt, G. & Hoffmann, S. (1992) Does physical exercise influence bowel transit time in healthy young men? *Am. J. Gastroenterol.*, **87**, 292-295
- Cohen, N.D. & Hilf, R. (1974) Influence of insulin on growth and metabolism of 7,12-dimethylbenz(alpha)anthracene-induced mammary tumors. *Cancer Res.*, **34**, 3245-3252
- Cohen, L.A., Choi, K.W. & Wang, C.X. (1988) Influence of dietary fat, caloric restriction, and voluntary exercise on N-nitrosomethylurea-induced mammary tumorigenesis in rats. *Cancer Res.*, **48**, 4276-4283
- Cohen, L.A., Choi, K., Backlund, J.Y., Harris, R. & Wang, C.X. (1991) Modulation of N-nitrosomethylurea induced mammary tumorigenesis by dietary fat and voluntary exercise. *In Vivo*, **5**, 333-344
- Cohen, L.A., Boylan, E., Epstein, M. & Zang, E. (1992) Voluntary exercise and experimental mammary cancer. *Adv Exp Med Biol*, **322**, 41-59
- Cohen, L.A., Kendall, M.E., Meschter, C., Epstein, M.A., Reinhardt, J. & Zang, E. (1993) Inhibition of rat mammary tumorigenesis by voluntary exercise. *In Vivo*, **7**, 151-158
- Coiro, V., Passeri, M., Capretti, L., Speroni, G., Davoli, C., Marchesi, C., Rossi, G., Camellini, L., Volpi, R., Roti, E. & Chiodera, P. (1990) Serotonergic control of TSH and PRL secretion in obese men. *Psychoneuroendocrinology*, **15**, 261-268
- Colbert, L.H., Davis, J.M., Essig, D.A., Ghaffar, A. & Mayer, E.P. (2000a) Exercise and tumor development in a mouse predisposed to multiple intestinal adenomas. *Med. Sci. Sports Exerc.*, **32**, 1704-1708
- Colbert, L.H., Hootman, J.M. & Macera, C.A. (2000b) Physical activity-related injuries in walkers and runners in the aerobics center longitudinal study. *Clin. J. Sport Med.*, **10**, 259-263
- Colditz, G.A., Willett, W.C., Stampfer, M.J., Manson, J.E., Hennekens, C.H., Arky, R.A. & Speizer, F.E. (1990) Weight as a risk factor for clinical diabetes in women. *Am. J. Epidemiol.*, **132**, 501-513
- Cole, T.J., Bellizzi, M.C., Flegal, K.M. & Dietz, W.H. (2000) Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ*, **320**, 1240-1243
- Collaborative Group on Hormonal Factors in Breast Cancer (1997) Breast cancer and hormone replacement therapy: collaborative reanalysis of data from 51 epidemiological studies of 52,705 women with breast cancer and 108,411 women without breast cancer. *Lancet*, **350**, 1047-1059
- Colman, E., Katzell, L.I., Rogus, E., Coon, P., Muller, D. & Goldberg, A.P. (1995) Weight loss reduces abdominal fat and improves insulin action in middle-aged and older men with impaired glucose tolerance. *Metabolism*, **44**, 1502-1508
- Compston, J.E., Laskey, M.A., Croucher, P.I., Coxon, A. & Kreitzman, S. (1992) Effect of diet-induced weight loss on total body bone mass. *Clin. Sci. (Colch.)*, **82**, 429-432

- Connelly, J.B., Cooper, J.A. & Meade, T.W. (1992) Strenuous exercise, plasma fibrinogen, and factor VII activity. *Br. Heart J.*, **67**, 351–354
- Conover, C.A. & Lee, P.D. (1990) Insulin regulation of insulin-like growth factor-binding protein production in cultured HepG2 cells. *J. Clin. Endocrinol. Metab.*, **70**, 1062–1067
- Conover, C.A., Lee, P.D., Kanaley, J.A., Clarkson, J.T. & Jensen, M.D. (1992) Insulin regulation of insulin-like growth factor binding protein-1 in obese and nonobese humans. *J. Clin. Endocrinol. Metab.*, **74**, 1355–1360
- Constantini, N.W. & Warren, M.P. (1994) Special problems of the female athlete. *Baillieres Clin. Rheumatol.*, **8**, 199–219
- Coogan, P.F. & Aschengrau, A. (1999) Occupational physical activity and breast cancer risk in the upper Cape Cod cancer incidence study. *Am. J. Ind. Med.*, **36**, 279–285
- Coogan, P.F., Clapp, R.W., Newcomb, P.A., Mittendorf, R., Bogdan, G., Baron, J.A. & Longnecker, M.P. (1996) Variation in female breast cancer risk by occupation. *Am. J. Ind. Med.*, **30**, 430–437
- Coogan, P.F., Newcomb, P.A., Clapp, R.W., Trentham-Dietz, A., Baron, J.A. & Longnecker, M.P. (1997) Physical activity in usual occupation and risk of breast cancer (United States). *Cancer Causes Control*, **8**, 626–631
- Cooper, C., Barker, D.J. & Wickham, C. (1988) Physical activity, muscle strength, and calcium intake in fracture of the proximal femur in Britain. *BMJ*, **297**, 1443–1446
- Cook, J.C., Klinefelter, G.R., Hardisty, J.F., Sharpe, R.M. & Foster, P.M. (1999) Rodent Leydig cell tumorigenesis: a review of the physiology, pathology, mechanisms, and relevance to humans. *Crit. Rev. Toxicol.*, **29**, 169–261
- Copeland, K.C., Colletti, R.B., Devlin, J.T. & McAuliffe, T.L. (1990) The relationship between insulin-like growth factor-I, adiposity, and aging. *Metabolism*, **39**, 584–587
- Cordain, L., Latin, R.W. & Behnke, J.J. (1986) The effects of an aerobic running program on bowel transit time. *J. Sports Med. Phys. Fitness*, **26**, 101–104
- Cottreau, C.M., Ness, R.B., Kriska, A.M. (2000) Physical activity and reduced risk of ovarian cancer. *Obstet. Gynecol.*, **96**, 609–614
- Coughlin, S.S., Neaton, J.D., Randall, B. & Sengupta, A. (1997) Predictors of mortality from kidney cancer in 332,547 men screened for the Multiple Risk Factor Intervention Trial. *Cancer*, **79**, 2171–2177
- Coulam, C.B., Annegers, J.F. & Kranz, J.S. (1983) Chronic anovulation syndrome and associated neoplasia. *Obstet. Gynecol.*, **61**, 403–407
- Counts, D.R., Gwirtsman, H., Carlsson, L.M., Lesem, M. & Cutler, G.B. (1992) The effect of anorexia nervosa and refeeding on growth hormone-binding protein, the insulin-like growth factors (IGFs), and the IGF-binding proteins. *J. Clin. Endocrinol. Metab.*, **75**, 762–767
- Cramer, D.W. & Welch, W.R. (1983) Determinants of ovarian cancer risk. II. Inferences regarding pathogenesis. *J. Natl Cancer Inst.*, **71**, 717–721
- Cramer, D.W., Hutchison, G.B., Welch, W.R., Scully, R.E. & Ryan, K.J. (1983) Determinants of ovarian cancer risk. I. Reproductive experiences and family history. *J. Natl Cancer Inst.*, **71**, 711–716
- Crandall, C.J. (1999) Estrogen replacement therapy and colon cancer: a clinical review. *J. Womens Health Gen. Based Med.*, **8**, 1155–1166
- Crave, J.C., Lejeune, H., Bréban, C., Baret, C. & Pugeat, M. (1995a) Differential effects of insulin and insulin-like growth factor I on the production of plasma steroid-binding globulins by human hepatoblastoma-derived (Hep G2) cells. *J. Clin. Endocrinol. Metab.*, **80**, 1283–1289
- Crave, J.C., Fimbel, S., Lejeune, H., Cugnardey, N., Déchaud, H. & Pugeat, M. (1995b) Effects of diet and metformin administration on sex hormone-binding globulin, androgens, and insulin in hirsute and obese women. *J. Clin. Endocrinol. Metab.*, **80**, 2057–2062
- Craven-Giles, T., Tagliaferro, A.R., Ronan, A.M., Baumgartner, K.J. & Roebuck, B.D. (1994) Dietary modulation of pancreatic carcinogenesis: calories and energy expenditure. *Cancer Res.*, **54**, 1964s–1968s
- Crawford, D.A., Jeffery, R.W. & French, S.A. (1999) Television viewing, physical inactivity and obesity. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 437–440
- Cummings, S.R., Nevitt, M.C., Browner, W.S., Stone, K., Fox, K.M., Ensrud, K.E., Cauley, J., Black, D. & Vogt, T.M. (1995) Risk factors for hip fracture in white women. Study of Osteoporotic Fractures Research Group. *New Engl. J. Med.*, **332**, 767–773
- Curtis, A.B., Strogatz, D.S., James, S.A. & Raghunathan, T.E. (1998) The contribution of baseline weight and weight gain to blood pressure change in African Americans: the Pitt County Study. *Ann. Epidemiol.*, **8**, 497–503
- Dahlgren, E., Friberg, L.G., Johansson, S., Lindström, B., Odén, A., Samsioe, G. & Janson, P.O. (1991) Endometrial carcinoma; ovarian dysfunction — a risk factor in young women. *Eur. J. Obstet. Gynecol. Reprod. Biol.*, **41**, 143–150
- Dal Maso, L., La Vecchia, C., Franceschi, S., Preston-Martin, S., Ron, E., Levi, F., Mack, W., Mark, S.D., McTiernan, A., Kolonel, L., Mabuchi, K., Jin, F., Wingren, G., Galanti, M.R., Hallquist, A., Glatte, E., Lund, E., Linos, D. & Negri, E. (2000) A pooled analysis of thyroid cancer studies. V. Anthropometric factors. *Cancer Causes Control*, **11**, 137–144
- Daneryd, P.L., Hafstrom, L.R. & Karlberg, I.H. (1990) Effects of spontaneous physical exercise on experimental cancer anorexia and cachexia. *Eur. J. Cancer*, **26**, 1083–1088
- Dattilo, A.M. & Kris-Etherton, P.M. (1992) Effects of weight reduction on blood lipids and lipoproteins: a meta-analysis. *Am. J. Clin. Nutr.*, **56**, 320–328
- D'Avanzo, B., La Vecchia, C., Talamini, R. & Franceschi, S. (1996a) Anthropometric measures and risk of cancers of the upper digestive and respiratory tract. *Nutr. Cancer*, **26**, 219–227
- D'Avanzo, B., Nanni, O., La Vecchia, C., Franceschi, S., Negri, E., Giacosa, A., Conti, E., Montella, M., Talamini, R. & Decarli, A. (1996b) Physical activity and breast cancer risk. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 155–160
- Davidow, A.L., Neugut, A.I., Jacobson, J.S., Ahsan, H., Garbowski, G.C., Forde, K.A., Treat, M.R. & Waye, J.D. (1996) Recurrent adenomatous polyps and body mass index. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 313–315

- Davidson, M.H., Hauptman, J., DiGirolamo, M., Foreyt, J.P., Halsted, C.H., Heber, D., Heimburger, D.C., Lucas, C.P., Robbins, D.C., Chung, J. & Heymsfield, S.B. (1999) Weight control and risk factor reduction in obese subjects treated for 2 years with orlistat: a randomized controlled trial. *JAMA*, **281**, 235–242
- Davis, R.B., Boyd, D.G., McKinney, M.E. & Jones, C.C. (1990) Effects of exercise and exercise conditioning on blood platelet function. *Med. Sci. Sports Exerc.*, **22**, 49–53
- Day, G.L., Blot, W.J., Austin, D.F., Bernstein, L., Greenberg, R.S., Preston-Martin, S., Schoenberg, J.B., Winn, D.M., McLaughlin, J.K. & Fraumeni, J.F., Jr (1993) Racial differences in risk of oral and pharyngeal cancer: alcohol, tobacco, and other determinants. *J. Natl Cancer Inst.*, **85**, 465–473
- de Castro, J.J., Aleixo Dias, J., Baptista, F., Garcia e Costa, Galvao-Teles, A. & Camilo-Alves, A. (1998) Secular trends of weight, height and obesity in cohorts of young Portuguese males in the District of Lisbon: 1960–1990. *Eur J. Epidemiol.*, **14**, 299–303
- De Créé, C., Van Kranenburg, G., Geurten, P., Fujimori, Y. & Keizer, H.A. (1997a) 4-Hydroxycatecholestrogen metabolism responses to exercise and training: possible implications for menstrual cycle irregularities and breast cancer. *Fertil. Steril.*, **67**, 505–516
- De Créé, C., Van Kranenburg, G., Geurten, P., Fujimura, Y. & Keizer, H.A. (1997b) Exercise-induced changes in enzymatic O-methylation of catecholestrogens by erythrocytes of eumenorrhic women. *Med. Sci. Sports Exerc.*, **29**, 1580–1587
- De Créé, C., Ball, P., Seidlitz, B., Van Kranenburg, G., Geurten, P. & Keizer, H.A. (1997c) Responses of catecholestrogen metabolism to acute graded exercise in normal menstruating women before and after training. *J. Clin. Endocrinol. Metab.*, **82**, 3342–3348
- De Pergola, G., Triggiani, V., Giorgino, F., Cospite, M.R., Garruti, G., Cignarelli, M., Guastamacchia, E. & Giorgino, R. (1994) The free testosterone to dehydroepiandrosterone sulphate molar ratio as a marker of visceral fat accumulation in premenopausal obese women. *Int. J. Obes. Relat. Metab. Disord.*, **18**, 659–664
- De Pergola, G., Zamboni, M., Pannacciulli, N., Turcato, E., Giorgino, F., Armellini, F., Logoluso, F., Sciaraffia, M., Bosello, O. & Giorgino, R. (1998) Divergent effects of short-term, very-low-calorie diet on insulin-like growth factor-I and insulin-like growth factor binding protein-3 serum concentrations in premenopausal women with obesity. *Obes. Res.*, **6**, 408–415
- de Ridder, C.M., Bruning, P.F., Zonderland, M.L., Thijssen, J.H., Bonfrer, J.M., Blankenstein, M.A., Huisveld, I.A. & Erich, W.B. (1990) Body fat mass, body fat distribution, and plasma hormones in early puberty in females. *J. Clin. Endocrinol. Metab.*, **70**, 888–893
- De Souza, M.J., Arce, J.C., Pescatello, L.S., Scherzer, H.S. & Luciano, A.A. (1994) Gonadal hormones and semen quality in male runners. A volume threshold effect of endurance training. *Int. J. Sports Med.*, **15**, 383–391
- De Stavola, B.L., Hardy, R., Kuh, D., dos Santos Silva, I., Wadsworth, M. & Swerdlow, A.J. (2000) Birthweight, childhood growth and risk of breast cancer in a British cohort. *Br. J. Cancer*, **83**, 964–968
- de Waard, F. & Baanders-van Halewijn, E.A. (1974) A prospective study in general practice on breast-cancer risk in postmenopausal women. *Int. J. Cancer*, **14**, 153–160
- de Waard, F., Ramlau, R., Mulders, Y., de Vries, T. & van Waveren, S. (1993) A feasibility study on weight reduction in obese postmenopausal breast cancer patients. *Eur. J. Cancer Prev.*, **2**, 233–238
- Dean, D.J. & Cartee, G.D. (2000) Calorie restriction increases insulin-stimulated tyrosine phosphorylation of insulin receptor and insulin receptor substrate-1 in rat skeletal muscle. *Acta Physiol. Scand.*, **169**, 133–139
- Dean, D.J., Gazdag, A.C., Wetter, T.J. & Cartee, G.D. (1998) Comparison of the effects of 20 days and 15 months of calorie restriction on male Fischer 344 rats. *Aging (Milano)*, **10**, 303–307
- Decarli, A., Favero, A., La Vecchia, C., Russo, A., Ferraroni, M., Negri, E. & Franceschi, S. (1997) Macronutrients, energy intake, and breast cancer risk: implications from different models. *Epidemiology*, **8**, 425–428
- Deeg, D.J.H., Miles, T.P., Van Zonneveld, R.J. & Curb, J.D. (1990) Weight change, survival time and cause of death in Dutch elderly. *Arch. Gerontol. Geriatr.*, **10**, 97–111
- DeFronzo, R.A. (1988) Lilly lecture 1987. The triumvirate: β -cell, muscle, liver. A collusion responsible for NIDDM. *Diabetes*, **37**, 667–687
- Dekker, R., Kingma, J., Groothoff, J.W., Eisma, W.H. & Ten Duis, H.J. (2000) Measurement of severity of sports injuries: an epidemiological study. *Clin. Rehabil.*, **14**, 651–656
- Del Giudice, M.E., Fantus, I.G., Ezzat, S., McKeown-Eyssen, G., Page, D. & Goodwin, P.J. (1998) Insulin and related factors in premenopausal breast cancer risk. *Breast Cancer Res. Treat.*, **47**, 111–120
- Demark-Wahnefried, W., Winer, E.P. & Rimer, B.K. (1993) Why women gain weight with adjuvant chemotherapy for breast cancer. *J. Clin. Oncol.*, **11**, 1418–1429
- Demark-Wahnefried, W., Rimer, B.K. & Winer, E.P. (1997) Weight gain in women diagnosed with breast cancer. *J. Am. Diet. Assoc.*, **97**, 519–529
- Demers, L.M., Harrison, T.S., Halbert, D.R. & Santen, R.J. (1981) Effect of prolonged exercise on plasma prostaglandin levels. *Prostaglandins Med.*, **6**, 413–418
- den Tonkelaar, I., Seidell, J.C. & Collette, H.J. (1995a) Body fat distribution in relation to breast cancer in women participating in the DOM-project. *Breast Cancer Res. Treat.*, **34**, 55–61
- den Tonkelaar, I., de Waard, F., Seidell, J.C. & Fracheboud, J. (1995b) Obesity and subcutaneous fat patterning in relation to survival of postmenopausal breast cancer patients participating in the DOM-project. *Breast Cancer Res. Treat.*, **34**, 129–137
- Dengel, D.R., Pratley, R.E., Hagberg, J.M., Rogus, E.M. & Goldberg, A.P. (1996) Distinct effects of aerobic exercise training and weight loss on glucose homeostasis in obese sedentary men. *J. Appl. Physiol.*, **81**, 318–325
- Denti, L., Pasolini, G., Sanfelici, L., Ablondi, F., Freddi, M., Benedetti, R. & Valenti, G. (1997) Effects of aging on dehydroepiandrosterone sulfate in relation to fasting insulin levels and body composition assessed by bioimpedance analysis. *Metabolism*, **46**, 826–832
- Després, J.P., Moorjani, S., Lupien, P.J., Tremblay, A., Nadeau, A. & Bouchard, C. (1990) Regional distribution of body fat, plasma lipoproteins, and cardiovascular disease. *Arteriosclerosis*, **10**, 497–511

- Després, J.P., Pouliot, M.C., Moorjani, S., Nadeau, A., Tremblay, A., Lupien, P.J., Thériault, G. & Bouchard, C. (1991) Loss of abdominal fat and metabolic response to exercise training in obese women. *Am. J. Physiol.*, **261**, E159–E167
- Deurenberg, P., Weststrate, J.A. & Seidell, J.C. (1991) Body mass index as a measure of body fatness: age- and sex-specific prediction formulas. *Br. J. Nutr.*, **65**, 105–114
- Deurenberg-Yap, M., Schmidt, G., van Staveren, W.A. & Deurenberg, P. (2000) The paradox of low body mass index and high body fat percentage among Chinese, Malays and Indians in Singapore. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1011–1017
- Dhahbi, J.M., Mote, P.L., Wingo, J., Tillman, J.B., Walford, R.L. & Spindler, S.R. (1999) Calories and aging alter gene expression for gluconeogenic, glycolytic, and nitrogen-metabolizing enzymes. *Am. J. Physiol.*, **277**, E352–E360
- Dhurandhar, N.V. & Kulkarni, P.R. (1992) Prevalence of obesity in Bombay. *Int. J. Obes. Relat. Metab. Disord.*, **16**, 367–375
- Di Luigi, L., Conti, F.G., Casini, A., Guidetti, L., Zezze, G., Pigozzi, F., Spera, G., Fortunio, G. & Romanelli, F. (1997) Growth hormone and insulin-like growth factor I responses to moderate submaximal acute physical exercise in man: effects of octreotide, a somatostatin analogue, administration. *Int. J. Sports Med.*, **18**, 257–263
- Dickson, R.B., Thompson, E.W. & Lippman, M.E. (1990) Regulation of proliferation, invasion and growth factor synthesis in breast cancer by steroids. *J. Steroid Biochem. Mol. Biol.*, **37**, 305–316
- Dietz, W.H. (1994) Critical periods in childhood for the development of obesity. *Am. J. Clin. Nutr.*, **59**, 955–959
- Dietz, A.T., Newcomb, P.A., Marcus, P.M. & Storer, B.E. (1995) The association of body size and large bowel cancer risk in Wisconsin (United States) women. *Cancer Causes Control*, **6**, 30–36
- Dishman, R.K. & Buckworth, J. (1996) Increasing physical activity: a quantitative synthesis. *Med. Sci. Sports Exerc.*, **28**, 706–719
- Dishman, R.K., Oldenburg, B., O'Neal, H. & Shephard, R.J. (1998) Worksite physical activity interventions. *Am. J. Prev. Med.*, **15**, 344–361
- Djuric, Z., Lu, M.H., Lewis, S.M., Luongo, D.A., Chen, X.W., Heilbrun, L.K., Reading, B.A., Duffy, P.H. & Hart, R.W. (1992) Oxidative DNA damage levels in rats fed low-fat, high-fat, or calorie-restricted diets. *Toxicol. Appl. Pharmacol.*, **115**, 156–160
- Doak, C.M., Adair, L.S., Monteiro, C. & Popkin, B.M. (2000) Overweight and underweight coexist within households in Brazil, China and Russia. *J. Nutr.*, **130**, 2965–2971
- Dolan, K., Sutton, R., Walker, S.J., Morris, A.I., Campbell, F. & Williams, E.M. (1999) New classification of oesophageal and gastric carcinomas derived from changing patterns in epidemiology. *Br. J. Cancer*, **80**, 834–842
- Doll, H.A., Petersen, S.E. & Stewart-Brown, S.L. (2000) Obesity and physical and emotional well-being: associations between body mass index, chronic illness, and the physical and mental components of the SF-36 questionnaire. *Obes. Res.*, **8**, 160–170
- Dorgan, J.F., Brown, C., Barrett, M., Splansky, G.L., Kreger, B.E., D'Agostino, R.B., Albanes, D. & Schatzkin, A. (1994) Physical activity and risk of breast cancer in the Framingham Heart Study. *Am. J. Epidemiol.*, **139**, 662–669
- Dosemeci, M., Hayes, R.B., Vetter, R., Hoover, R.N., Tucker, M., Engin, K., Unsal, M. & Blair, A. (1993) Occupational physical activity, socioeconomic status, and risks of 15 cancer sites in Turkey. *Cancer Causes Control*, **4**, 313–321
- Dowell, R.T., Tipton, C.M. & Tomanek, R.J. (1976) Cardiac enlargement mechanisms with exercise training and pressure overload. *J. Mol. Cell Cardiol.*, **8**, 407–418
- Drinkard, C.R., Sellers, T.A., Potter, J.D., Zheng, W., Bostick, R.M., Nelson, C.L. & Folsom, A.R. (1995) Association of body mass index and body fat distribution with risk of lung cancer in older women. *Am. J. Epidemiol.*, **142**, 600–607
- Drinkwater, B.L., Bruemner, B. & Chesnut, C.H., III (1990) Menstrual history as a determinant of current bone density in young athletes. *JAMA*, **263**, 545–548
- Dubin, N., Moseson, M. & Pasternack, B.S. (1986) Epidemiology of malignant melanoma: pigmentary traits, ultraviolet radiation, and the identification of high-risk populations. *Recent Results Cancer Res.*, **102**, 56–75
- Dublin, L.I. (1953) Relation of obesity to longevity. *New Engl. J. Med.*, **248**, 971–974
- Duffy, P.H., Feuers, R.J., Leakey, J.A., Nakamura, K., Turturro, A. & Hart, R.W. (1989) Effect of chronic caloric restriction on physiological variables related to energy metabolism in the male Fischer 344 rat. *Mech. Ageing Dev.*, **48**, 117–133
- Duffy, P.H., Feuers, R., Nakamura, K.D., Leakey, J. & Hart, R.W. (1990a) Effect of chronic caloric restriction on the synchronization of various physiological measures in old female Fischer 344 rats. *Chronobiol. Int.*, **7**, 113–124
- Duffy, P.H., Feuers, R.J. & Hart, R.W. (1990b) Effect of chronic caloric restriction on the circadian regulation of physiological and behavioral variables in old male B6C3F1 mice. *Chronobiol. Int.*, **7**, 291–303
- Duffy, P.H., Feuers, R.J., Pipkin, J., Berg, T.F., Divine, B., Leakey, J., Turturro, A. & Hart, R.W. (1995) The effect of caloric modulation and aging on the physiological response of rodents to drug toxicity. In: Hart, R., Neuman, D. & Robertson, R., eds, *Dietary Restriction: Implications for the Design and Interpretation of Toxicity and Carcinogenicity Studies*, Washington, DC, ILSI Press, pp. 127–140
- Duncan, K., Harris, S. & Ardies, C.M. (1997) Running exercise may reduce risk for lung and liver cancer by inducing activity of antioxidant and phase II enzymes. *Cancer Lett.*, **116**, 151–158
- Dunn, S.E., Kari, F.W., French, J., Leininger, J.R., Travlos, G., Wilson, R. & Barrett, J.C. (1997) Dietary restriction reduces insulin-like growth factor I levels, which modulates apoptosis, cell proliferation, and tumor progression in p53-deficient mice. *Cancer Res.*, **57**, 4667–4672
- Dunn, A.L., Andersen, R.E. & Jakicic, J.M. (1998) Lifestyle physical activity interventions. History, short- and long-term effects, and recommendations. *Am. J. Prev. Med.*, **15**, 398–412
- Dunn, A.L., Marcus, B.H., Kampert, J.B., Garcia, M.E., Kohl, H.W. & Blair, S.N. (1999) Comparison of lifestyle and structured interventions to increase physical activity and cardiorespiratory fitness: a randomized trial. *JAMA*, **281**, 327–334

- Durstine, J.L. & Haskell, W.L. (1994) Effects of exercise training on plasma lipids and lipoproteins. *Exerc. Sport Sci. Rev.*, **22**, 477–521
- Dyer, A.R., Stamler, J. & Greenland, P. (2000) Associations of weight change and weight variability with cardiovascular and all-cause mortality in the Chicago Western Electric Company Study. *Am. J. Epidemiol.*, **152**, 324–333
- Eaton, N.E., Reeves, G.K., Appleby, P.N. & Key, T.J. (1999) Endogenous sex hormones and prostate cancer: a quantitative review of prospective studies. *Br. J. Cancer*, **80**, 930–934
- Ebeling, P. & Koivisto, V.A. (1994) Non-esterified fatty acids regulate lipid and glucose oxidation and glycogen synthesis in healthy man. *Diabetologia*, **37**, 202–209
- Egger, G. & Swinburn, B. (1997) An "ecological" approach to the obesity pandemic. *BMJ*, **315**, 477–480
- Ehrmann, D.A. (1999) Insulin-lowering therapeutic modalities for polycystic ovary syndrome. *Endocrinol. Metab. Clin. North Am.*, **28**, 423–438
- Ehrmann, D.A., Barnes, R.B. & Rosenfield, R.L. (1995) Polycystic ovary syndrome as a form of functional ovarian hyperandrogenism due to dysregulation of androgen secretion. *Endocr. Rev.*, **16**, 322–353
- Ekbom, A., Trichopoulos, D., Adami, H.O., Hsieh, C.C. & Lan, S.J. (1992) Evidence of prenatal influences on breast cancer risk. *Lancet*, **340**, 1015–1018
- Ekbom, A., Hsieh, C.C., Lipworth, L., Adami, H.O. & Trichopoulos, D. (1997) Intrauterine environment and breast cancer risk in women: a population-based study. *J. Natl Cancer Inst.*, **89**, 71–76
- Eliakim, A., Wolach, B., Kodesh, E., Gavrieli, R., Radnay, J., Ben-Tovim, T., Yarom, Y. & Falk, B. (1997) Cellular and humoral immune response to exercise among gymnasts and untrained girls. *Int. J. Sports Med.*, **18**, 208–212
- Elias, A.N., Pandian, M.R., Wang, L., Suarez, E., James, N. & Wilson, A.F. (2000) Leptin and IGF-I levels in unconditioned male volunteers after short-term exercise. *Psychoneuroendocrinology*, **25**, 453–461
- Elliott, E.A., Matanoski, G.M., Rosenshein, N.B., Grumbine, F.C. & Diamond, E.L. (1990) Body fat patterning in women with endometrial cancer. *Gynecol. Oncol.*, **39**, 253–258
- Elwood, J.M., Cole, P., Rothman, K.J. & Kaplan, S.D. (1977) Epidemiology of endometrial cancer. *J. Natl Cancer Inst.*, **59**, 1055–1060
- Engelman, R.W., Day, N.K. & Good, R.A. (1993) Calories, parity, and prolactin influence mammary epithelial kinetics and differentiation and alter mouse mammary tumor risk. *Cancer Res.*, **53**, 1188–1194
- Engelman, R.W., Day, N.K. & Good, R.A. (1994) Calorie intake during mammary development influences cancer risk: lasting inhibition of C3H/HeOu mammary tumorigenesis by peripubertal calorie restriction. *Cancer Res.*, **54**, 5724–5730
- Engelman, R.W., Owens, U.E., Bradley, W.G., Day, N.K. & Good, R.A. (1995) Mammary and submandibular gland epidermal growth factor expression is reduced by calorie restriction. *Cancer Res.*, **55**, 1289–1295
- Enger, S.M., Ross, R.K., Paganini-Hill, A., Carpenter, C.L. & Bernstein, L. (2000) Body size, physical activity, and breast cancer hormone receptor status: results from two case-control studies. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 681–687
- Enriori, C.L., Orsini, W., del Carmen Cremona, M., Etkin, A.E., Cardillo, L.R. & Reforzo-Membrives, J. (1986) Decrease of circulating level of SHBG in postmenopausal obese women as a risk factor in breast cancer: reversible effect of weight loss. *Gynecol. Oncol.*, **23**, 77–86
- Ensrud, K.E., Lipschutz, R.C., Cauley, J.A., Seeley, D., Nevitt, M.C., Scott, J., Orwoll, E.S., Genant, H.K. & Cummings, S.R. (1997a) Body size and hip fracture risk in older women: a prospective study. Study of Osteoporotic Fractures Research Group. *Am. J. Med.*, **103**, 274–280
- Ensrud, K.E., Cauley, J., Lipschutz, R. & Cummings, S.R. (1997b) Weight change and fractures in older women. Study of Osteoporotic Fractures Research Group. *Arch. Intern. Med.*, **157**, 857–863
- Erfurth, E.M., Hagmar, L.E., Saaf, M. & Hall, K. (1996) Serum levels of insulin-like growth factor I and insulin-like growth factor-binding protein 1 correlate with serum free testosterone and sex hormone binding globulin levels in healthy young and middle-aged men. *Clin. Endocrinol. (Oxf.)*, **44**, 659–664
- Eriksson, J., Taimela, S., Eriksson, K., Parviainen, S., Peltonen, J. & Kujala, U. (1997) Resistance training in the treatment of non-insulin-dependent diabetes mellitus. *Int. J. Sports Med.*, **18**, 242–246
- Ershler, W.B., Berman, E. & Moore, A.L. (1986) Slower B16 melanoma growth but greater pulmonary colonization in calorie-restricted mice. *J. Natl Cancer Inst.*, **76**, 81–85
- Estivariz, C.F. & Ziegler, T.R. (1997) Nutrition and the insulin-like growth factor system. *Endocrine*, **7**, 65–71
- European Commission (1999) *A Pan-EU Survey on Consumer Attitudes to Physical Activity, Body Weight and Health*. Luxembourg, Office for Official Publications of the European Communities
- Evans, D.J., Hoffmann, R.G., Kalkhoff, R.K. & Kissebah, A.H. (1983) Relationship of androgenic activity to body fat topography, fat cell morphology, and metabolic aberrations in premenopausal women. *J. Clin. Endocrinol. Metab.*, **57**, 304–310
- Evans, D.J., Barth, J.H. & Burke, C.W. (1988) Body fat topography in women with androgen excess. *Int. J. Obes.*, **12**, 157–162
- Everhart, J.E. (1993) Contributions of obesity and weight loss to gallstone disease. *Ann. Intern. Med.*, **119**, 1029–1035
- Everhart, J. & Wright, D. (1995) Diabetes mellitus as a risk factor for pancreatic cancer. A meta-analysis. *JAMA*, **273**, 1605–1609
- Everitt, A.V., Seedsman, N.J. & Jones, F. (1980) The effects of hypophysectomy and continuous food restriction, begun at ages 70 and 400 days, on collagen aging, proteinuria, incidence of pathology and longevity in the male rat. *Mech. Ageing Dev.*, **12**, 161–172
- Ewbank, P.P., Darga, L.L. & Lucas, C.P. (1995) Physical activity as a predictor of weight maintenance in previously obese subjects. *Obes. Res.*, **3**, 257–263
- Ewertz, M., Machado, S.G., Boice, J.D., Jr & Jensen, O.M. (1984) Endometrial cancer following treatment for breast cancer: a case-control study in Denmark. *Br. J. Cancer*, **50**, 687–692
- Fagard, R.H. (1999) Physical activity in the prevention and treatment of hypertension in the obese. *Med. Sci. Sports Exerc.*, **31**, S624–S630

- Fahrner, C.L. & Hackney, A.C. (1998) Effects of endurance exercise on free testosterone concentration and the binding affinity of sex hormone binding globulin (SHBG). *Int. J. Sports Med.*, **19**, 12–15
- Falkner, K.L., Trevisan, M. & McCann, S.E. (1999) Reliability of recall of physical activity in the distant past. *Am. J. Epidemiol.*, **150**, 195–205
- Falorni, A., Bini, V., Cabiati, G., Papi, F., Arzano, S., Celi, F. & Sanasi, M. (1997) Serum levels of type I procollagen C-terminal propeptide, insulin-like growth factor-I (IGF-I), and IGF binding protein-3 in obese children and adolescents: relationship to gender, pubertal development, growth, insulin, and nutritional status. *Metabolism*, **46**, 862–871
- Farnsworth, W.E. (1996) Roles of estrogen and SHBG in prostate physiology. *Prostate*, **28**, 17–23
- Farrow, D.C., Weiss, N.S., Lyon, J.L. & Daling, J.R. (1989) Association of obesity and ovarian cancer in a case-control study. *Am. J. Epidemiol.*, **129**, 1300–1304
- Farrow, D.C., Vaughan, T.L., Sweeney, C., Gammon, M.D., Chow, W.H., Risch, H.A., Stanford, J.L., Hansten, P.D., Mayne, S.T., Schoenberg, J.B., Rotterdam, H., Ahsan, H., West, A.B., Dubrow, R., Fraumeni, J.F. & Blot, W.J. (2000) Gastroesophageal reflux disease, use of H2 receptor antagonists, and risk of esophageal and gastric cancer. *Cancer Causes Control*, **11**, 231–238
- Fathalla, M.F. (1971) Incessant ovulation—a factor in ovarian neoplasia? *Lancet*, **2**, 163
- Felig, P., Pozefsky, T., Marliss, E. & Cahill, G.F. (1970) Alanine: key role in gluconeogenesis. *Science*, **167**, 1003–1004
- Felson, D.T., Zhang, Y., Anthony, J.M., Naimark, A. & Anderson, J.J. (1992) Weight loss reduces the risk for symptomatic knee osteoarthritis in women. The Framingham Study. *Ann. Intern. Med.*, **116**, 535–539
- Fernandes, G., Chandrasekar, B., Troyer, D.A., Venkatraman, J.T. & Good, R.A. (1995) Dietary lipids and calorie restriction affect mammary tumor incidence and gene expression in mouse mammary tumor virus/v-Ha-ras transgenic mice. *Proc. Natl Acad. Sci. USA*, **92**, 6494–6498
- Fernandes, G., Venkatraman, J.T., Turturro, A., Attwood, V.G. & Hart, R.W. (1997) Effect of food restriction on life span and immune functions in long-lived Fischer-344 x Brown Norway F1 rats. *J. Clin. Immunol.*, **17**, 85–95
- Ferry, R.J., Jr, Katz, L.E., Grimberg, A., Cohen, P. & Weinzimer, S.A. (1999) Cellular actions of insulin-like growth factor binding proteins. *Horm. Metab. Res.*, **31**, 192–202
- Feskens, E.J., Loeber, J.G. & Kromhout, D. (1994) Diet and physical activity as determinants of hyperinsulinemia: the Zutphen Elderly Study. *Am. J. Epidemiol.*, **140**, 350–360
- Festi, D., Colecchia, A., Orsini, M., Sangermano, A., Sottili, S., Simoni, P., Mazzella, G., Villanova, N., Bazzoli, F., Lapenna, D., Petroni, M.L., Pavesi, S., Neri, M. & Roda, E. (1998) Gallbladder motility and gallstone formation in obese patients following very low calorie diets. Use it (fat) to lose it (well). *Int. J. Obes. Relat. Metab. Disord.*, **22**, 592–600
- Feuers, R.J., Duffy, P.H., Leakey, J.A., Turturro, A., Mittelstaedt, R.A. & Hart, R.W. (1989) Effect of chronic caloric restriction on hepatic enzymes of intermediary metabolism in the male Fischer 344 rat. *Mech. Ageing Dev.*, **48**, 179–189
- Feuers, R.J., Duffy, P.H., Chen, F., Desai, V., Oriake, E., Shaddock, J.G., Pipkin, J.W., Weindruch, R. & Hart, R.W. (1995) Intermediary metabolism and antioxidant systems. In: Hart, R., Neuman, D. & Robertson, R., eds, *Dietary Restriction: Implications for the Design and Interpretation of Toxicity and Carcinogenicity Studies*, Washington, DC, ILSI Press, pp. 181–195
- Fiatarone, M.A., O'Neill, E.F., Ryan, N.D., Clements, K.M., Solares, G.R., Nelson, M.E., Roberts, S.B., Kehayias, J.J., Lipsitz, L.A. & Evans, W.J. (1994) Exercise training and nutritional supplementation for physical frailty in very elderly people. *New Engl. J. Med.*, **330**, 1769–1775
- Field, C.J., Gougeon, R. & Marliss, E.B. (1991) Changes in circulating leukocytes and mitogen responses during very-low-energy all-protein reducing diets. *Am. J. Clin. Nutr.*, **54**, 123–129
- Field, A.E., Colditz, G.A., Willett, W.C., Longcope, C. & McKinlay, J.B. (1994) The relation of smoking, age, relative weight, and dietary intake to serum adrenal steroids, sex hormones, and sex hormone-binding globulin in middle-aged men. *J. Clin. Endocrinol. Metab.*, **79**, 1310–1316
- Field, A.E., Byers, T., Hunter, D.J., Laird, N.M., Manson, J.E., Williamson, D.F., Willett, W.C. & Colditz, G.A. (1999) Weight cycling, weight gain, and risk of hypertension in women. *Am. J. Epidemiol.*, **150**, 573–579
- Finkle, W.D., McLaughlin, J.K., Rasgon, S.A., Yeoh, H.H. & Low, J.E. (1993) Increased risk of renal cell cancer among women using diuretics in the United States. *Cancer Causes Control*, **4**, 555–558
- Fischer, J. & Johnson, M.A. (1990) Low body weight and weight loss in the aged. *J. Am. Diet. Assoc.*, **90**, 1697–1706
- Fischer, W.H. & Lutz, W.K. (1994) Mouse skin papilloma formation by chronic dermal application of 7,12-dimethylbenz[a]anthracene is not reduced by diet restriction. *Carcinogenesis*, **15**, 129–131
- Fisher, R.P., Falkner, K.L., Trevisan, M. & McCauley, M.R. (2000) Adapting the cognitive interview to enhance long-term (35 years) recall of physical activities. *J. Appl. Psychol.*, **85**, 180–189
- Fishman, J., Boyar, R.M. & Hellman, L. (1975) Influence of body weight on estradiol metabolism in young women. *J. Clin. Endocrinol. Metab.*, **41**, 989–991
- Flegal, K.M., Troiano, R.P., Pamuk, E.R., Kuczmarski, R.J. & Campbell, S.M. (1995) The influence of smoking cessation on the prevalence of overweight in the United States. *New Engl. J. Med.*, **333**, 1165–1170
- Flegal, K.M., Carroll, M.D., Kuczmarski, R.J. & Johnson, C.L. (1998) Overweight and obesity in the United States: prevalence and trends, 1960–1994. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 39–47
- Flier, J.S. (1983) Insulin receptors and insulin resistance. *Annu. Rev. Med.*, **34**, 145–160
- Flood, V., Webb, K., Lazarus, R. & Pang, G. (2000) Use of self-report to monitor overweight and obesity in populations: some issues for consideration. *Aust. N.Z. J. Public Health*, **24**, 96–99
- Foekens, J.A., Portengen, H., Janssen, M. & Klijn, J.G. (1989) Insulin-like growth factor-1 receptors and insulin-like growth factor-1-like activity in human primary breast cancer. *Cancer*, **63**, 2139–2147
- Fogelholm, M. & Hiilloskorpi, H. (1999) Weight and diet concerns in Finnish female and male athletes. *Med. Sci. Sports Exerc.*, **31**, 229–235

- Fogelholm, M. & Kukkonen-Harjula, K. (2000) Does physical activity prevent weight gain – a systematic review. *Obes. Rev.*, **1**, 95–111
- Fogelholm, M., Männistö, S., Vartiainen, E. & Pietinen, P. (1996a) Determinants of energy balance and overweight in Finland 1982 and 1992. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 1097–1104
- Fogelholm, M., Van Marken-Lichtenbelt, W., Ottenheijm, R. & Westerterp, K. (1996b) Amenorrhea in ballet dancers in the Netherlands. *Med. Sci. Sports Exerc.*, **28**, 545–550
- Fogelholm, M., Sievänen, H., Heinonen, A., Virtanen, M., Uusi-Rasi, K., Pasanen, M. & Vuori, I. (1997) Association between weight cycling history and bone mineral density in premenopausal women. *Osteopor. Int.*, **7**, 354–358
- Fogelholm, M., Kujala, U., Kaprio, J. & Sarna, S. (2000a) Predictors of weight change in middle-aged and old men. *Obes. Res.*, **8**, 367–373
- Fogelholm, M., Kukkonen-Harjula, K., Nenonen, A. & Pasanen, M. (2000b) Effects of walking training on weight maintenance after a very-low-energy diet in premenopausal obese women: a randomized controlled trial. *Arch. Intern. Med.*, **160**, 2177–2184
- Folsom, A.R., Kaye, S.A., Potter, J.D. & Prineas, R.J. (1989) Association of incident carcinoma of the endometrium with body weight and fat distribution in older women: early findings of the Iowa Women's Health Study. *Cancer Res.*, **49**, 6828–6831
- Folsom, A.R., Kaye, S.A., Prineas, R.J., Potter, J.D., Gapstur, S.M. & Wallace, R.B. (1990) Increased incidence of carcinoma of the breast associated with abdominal adiposity in postmenopausal women. *Am. J. Epidemiol.*, **131**, 794–803
- Folsom, A.R., French, S.A., Zheng, W., Baxter, J.E. & Jeffery, R.W. (1996) Weight variability and mortality: the Iowa Women's Health Study. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 704–709
- Folsom, A.R., Kushi, L.H., Anderson, K.E., Mink, P.J., Olson, J.E., Hong, C.P., Sellers, T.A., Lazovich, D. & Prineas, R.J. (2000) Associations of general and abdominal obesity with multiple health outcomes in older women: the Iowa Women's Health Study. *Arch. Intern. Med.*, **160**, 2117–2128
- Fontaine, K.R., Bartlett, S.J. & Barofsky, I. (2000) Health-related quality of life among obese persons seeking and not currently seeking treatment. *Int. J. Eating Disord.*, **27**, 101–105
- Ford, E.S. (1999) Body mass index and colon cancer in a national sample of adult US men and women. *Am. J. Epidemiol.*, **150**, 390–398
- Forrester, T., Wilks, R., Bennett, F., McFarlane-Anderson, N., McGee, D., Cooper, R. & Fraser, H. (1996) Obesity in the Caribbean. *Ciba Found. Symp.*, **201**, 17–31
- Forster, M.J., Sohal, B.H. & Sohal, R.S. (2000) Reversible effects of long-term caloric restriction on protein oxidative damage. *J. Gerontol. A Biol. Sci. Med. Sci.*, **55**, B522–B529
- Fortmann, S.P., Winkleby, M.A., Flora, J.A., Haskell, W.L. & Taylor, C.B. (1990) Effect of long-term community health education on blood pressure and hypertension control. The Stanford Five-City Project. *Am. J. Epidemiol.*, **132**, 629–646
- Frame, L.T., Hart, R.W. & Leakey, J.E. (1998) Caloric restriction as a mechanism mediating resistance to environmental disease. *Environ. Health Perspect.*, **106**, Suppl. 1, 313–324
- Franceschi, S., Favero, A., La Vecchia, C., Baron, A.E., Negri, E., Dal Maso, L., Giacosa, A., Montella, M., Conti, E. & Amadori, D. (1996) Body size indices and breast cancer risk before and after menopause. *Int. J. Cancer*, **67**, 181–186
- Franceschi, S., Dal Maso, L., Levi, F., Conti, E., Talamini, R. & La Vecchia, C. (2001) Leanness as early marker of cancer of the oral cavity and pharynx. *Ann. Oncol.*, **12**, 331–336
- Franz, M.J., Monk, A., Barry, B., McClain, K., Weaver, T., Cooper, N., Upham, P., Bergenstal, R. & Mazze, R.S. (1995) Effectiveness of medical nutrition therapy provided by dietitians in the management of non-insulin-dependent diabetes mellitus: a randomized, controlled clinical trial. *J. Am. Diet. Assoc.*, **95**, 1009–1017
- Fraser, G. & Pearce, N. (1993) Occupational physical activity and risk of cancer of the colon and rectum in New Zealand males. *Cancer Causes Control*, **4**, 45–50
- Fraser, G.E. & Shavlik, D. (1997) Risk factors, lifetime risk, and age at onset of breast cancer. *Ann. Epidemiol.*, **7**, 375–382
- Fredriks, A.M., van Buuren, S., Wit, J.M. & Verloove-Vanhorick, S.P. (2000) Body index measurements in 1996–7 compared with 1980. *Arch. Dis. Child.*, **82**, 107–112
- Fredriksson, M., Bengtsson, N.O., Hardell, L. & Axelson, O. (1989) Colon cancer, physical activity, and occupational exposures. A case-control study. *Cancer*, **63**, 1838–1842
- Freedman, L.S., Clifford, C. & Messina, M. (1990) Analysis of dietary fat, calories, body weight, and the development of mammary tumors in rats and mice: a review. *Cancer Res.*, **50**, 5710–5719
- French, S.A., Jeffery, R.W., Folsom, A.R., Williamson, D.F. & Byers, T. (1995) History of intentional and unintentional weight loss in a population-based sample of women aged 55 to 69 years. *Obes. Res.*, **3**, 163–170
- French, S.A., Folsom, A.R., Jeffery, R.W., Zheng, W., Mink, P.J. & Baxter, J.E. (1997) Weight variability and incident disease in older women: the Iowa Women's Health Study. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 217–223
- French, S.A., Jeffery, R.W. & Murray, D. (1999a) Is dieting good for you? Prevalence, duration and associated weight and behaviour changes for specific weight loss strategies over four years in US adults. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 320–327
- French, S.A., Folsom, A.R., Jeffery, R.W. & Williamson, D.F. (1999b) Prospective study of intentionality of weight loss and mortality in older women: the Iowa Women's Health Study. *Am. J. Epidemiol.*, **149**, 504–514
- Friedenreich, C.M. & Rohan, T.E. (1995) Physical activity and risk of breast cancer. *Eur. J. Cancer Prev.*, **4**, 145–151
- Friedenreich, C.M., Courneya, K.S. & Bryant, H.E. (1998) The lifetime total physical activity questionnaire: development and reliability. *Med. Sci. Sports Exerc.*, **30**, 266–274
- Friedenreich, C.M., Bryant, H.E. & Courneya, K.S. (2001a) Case-control study of lifetime physical activity and breast cancer risk. *Am. J. Epidemiol.*, **154**, 336–347
- Friedenreich, C.M., Courneya, K.S. & Bryant, H.E. (2001b) Influence of physical activity in different age and life periods on the risk of breast cancer. *Epidemiology*, **12**, 604–612

- Friedenreich, C.M., Courneya, K.S. & Bryant, H.E. (2001c) Relation between intensity of physical activity and breast cancer risk reduction. *Med. Sci. Sports Exerc.* **33**, 1538–1545
- Friedman, G.D. & van den Eeden, S.K. (1993) Risk factors for pancreatic cancer: an exploratory study. *Int. J. Epidemiol.*, **22**, 30–37
- Friedman, J.M. & Halaas, J.L. (1998) Leptin and the regulation of body weight in mammals. *Nature*, **395**, 763–770
- Frisch, R.E. (1987) Body fat, menarche, fitness and fertility. *Hum. Reprod.*, **2**, 521–533
- Frisch, R.E., Wyshak, G. & Vincent, L. (1980) Delayed menarche and amenorrhea in ballet dancers. *New Engl. J. Med.*, **303**, 17–19
- Frisch, R.E., Gotz-Welbergen, A.V., McArthur, J.W., Albright, T., Witschi, J., Bullen, B., Birnholz, J., Reed, R.B. & Hermann, H. (1981) Delayed menarche and amenorrhea of college athletes in relation to age of onset of training. *JAMA*, **246**, 1559–1563
- Frisch, R.E., Wyshak, G., Albright, N.L., Albright, T.E., Schiff, I., Jones, K.P., Witschi, J., Shiang, E., Koff, E. & Marguglio, M. (1985) Lower prevalence of breast cancer and cancers of the reproductive system among former college athletes compared to non-athletes. *Br. J. Cancer*, **52**, 885–891
- Frystyk, J., Vestbo, E., Skjaerbaek, C., Mogensen, C.E. & Orskov, H. (1995) Free insulin-like growth factors in human obesity. *Metabolism*, **44**, 37–44
- Fujimoto, W.Y. (1996) Overview of non-insulin-dependent diabetes mellitus (NIDDM) in different population groups. *Diabet. Med.*, **13**, S7–S10
- Fujioka, S., Matsuzawa, Y., Tokunaga, K., Kawamoto, T., Kobatake, T., Keno, Y., Kotani, K., Yoshida, S. & Tarui, S. (1991) Improvement of glucose and lipid metabolism associated with selective reduction of intra-abdominal visceral fat in premenopausal women with visceral fat obesity. *Int. J. Obes.*, **15**, 853–859
- Fulton, J.E. & Shekelle, R.B. (1997) Cigarette smoking, weight gain, and coronary mortality: results from the Chicago Western Electric Study. *Circulation*, **96**, 1438–1444
- Gabriel, H. & Kindermann, W. (1997) The acute immune response to exercise: what does it mean? *Int. J. Sports Med.*, **18 Suppl. 1**, S28–S45
- Galanis, D.J., Kolonel, L.N., Lee, J. & Le Marchand, L. (1998a) Anthropometric predictors of breast cancer incidence and survival in a multi-ethnic cohort of female residents of Hawaii, United States. *Cancer Causes Control*, **9**, 217–224
- Galanis, D.J., Harris, T., Sharp, D.S. & Petrovitch, H. (1998b) Relative weight, weight change, and risk of coronary heart disease in the Honolulu Heart Program. *Am. J. Epidemiol.*, **147**, 379–386
- Gallagher, R.P., Elwood, J.M., Hill, G.B., Coldman, A.J., Threfall, W.J. & Spinelli, J.J. (1985) Reproductive factors, oral contraceptives and risk of malignant melanoma: Western Canada Melanoma Study. *Br. J. Cancer*, **52**, 901–907
- Gallagher, R.P., Huchcroft, S., Phillips, N., Hill, G.B., Coldman, A.J., Coppin, C. & Lee, T. (1995) Physical activity, medical history, and risk of testicular cancer (Alberta and British Columbia, Canada). *Cancer Causes Control*, **6**, 398–406
- Gallagher, D., Visser, M., Sepulveda, D., Pierson, R.N., Harris, T. & Heymsfield, S.B. (1996) How useful is body mass index for comparison of body fatness across age, sex, and ethnic groups? *Am. J. Epidemiol.*, **143**, 228–239
- Gama, R., Teale, J.D. & Marks, V. (1990) The effect of synthetic very low calorie diets on the GH-IGF-1 axis in obese subjects. *Clin. Chim. Acta*, **188**, 31–38
- Gammon, M.D., Schoenberg, J.B., Britton, J.A., Kelsey, J.L., Coates, R.J., Brogan, D., Potischman, N., Swanson, C.A., Daling, J.R., Stanford, J.L. & Brinton, L.A. (1998) Recreational physical activity and breast cancer risk among women under age 45 years. *Am. J. Epidemiol.*, **147**, 273–280
- Gann, P.H., Hennekens, C.H., Ma, J., Longcope, C. & Stampfer, M.J. (1996) Prospective study of sex hormone levels and risk of prostate cancer. *J. Natl Cancer Inst.*, **88**, 1118–1126
- Gapstur, S.M., Gann, P.H., Lowe, W., Liu, K., Colangelo, L. & Dyer, A. (2000) Abnormal glucose metabolism and pancreatic cancer mortality. *JAMA*, **283**, 2552–2558
- Garabrant, D.H., Peters, J.M., Mack, T.M. & Bernstein, L. (1984) Job activity and colon cancer risk. *Am. J. Epidemiol.*, **119**, 1005–1014
- Garcia-Palmieri, M.R., Costas, R., Jr., Cruz-Vidal, M., Sorlie, P.D. & Havlik, R.J. (1982) Increased physical activity: a protective factor against heart attacks in Puerto Rico. *Am. J. Cardiol.*, **50**, 749–755
- Gardin, J.M., Schumacher, D., Constantine, G., Davis, K.D., Leung, C. & Reid, C.L. (2000) Valvular abnormalities and cardiovascular status following exposure to dexfenfluramine or phentermine/fenfluramine. *JAMA*, **283**, 1703–1709
- Garfinkel, L. (1985) Overweight and cancer. *Ann. Intern. Med.*, **103**, 1034–1036
- Garfinkel, L. & Stellman, S.D. (1988) Mortality by relative weight and exercise. *Cancer*, **62**, 1844–1850
- Garrow, J.S. & Summerbell, C.D. (1995) Meta-analysis: effect of exercise, with or without dieting, on the body composition of overweight subjects. *Eur. J. Clin. Nutr.*, **49**, 1–10
- Garthwaite, S.M., Cheng, H., Bryan, J.E., Craig, B.W. & Holloszy, J.O. (1986) Ageing, exercise and food restriction: effects on body composition. *Mech. Ageing Dev.*, **36**, 187–196
- Gelber, A.C., Hochberg, M.C., Mead, L.A., Wang, N.Y., Wigley, F.M. & Klag, M.J. (2000) Joint injury in young adults and risk for subsequent knee and hip osteoarthritis. *Ann. Intern. Med.*, **133**, 321–328
- Gerhardsson, M., Norell, S.E., Kiviranta, H., Pedersen, N.L. & Ahlbom, A. (1986) Sedentary jobs and colon cancer. *Am. J. Epidemiol.*, **123**, 775–780
- Gerhardsson, M., Floderus, B. & Norell, S.E. (1988) Physical activity and colon cancer risk. *Int. J. Epidemiol.*, **17**, 743–746
- Gerhardsson de Verdier, M., Steineck, G., Hagman, U., Rieger, A. & Norell, S.E. (1990a) Physical activity and colon cancer: a case-referent study in Stockholm. *Int. J. Cancer*, **46**, 985–989
- Gerhardsson de Verdier, M., Hagman, U., Steineck, G., Rieger, A. & Norell, S.E. (1990b) Diet, body mass and colorectal cancer: a case-referent study in Stockholm. *Int. J. Cancer*, **46**, 832–838
- Ghadirian, P., Simard, A., Baillargeon, J., Maisonneuve, P. & Boyle, P. (1991) Nutritional factors and pancreatic cancer in the francophone community in Montreal, Canada. *Int. J. Cancer*, **47**, 1–6

- Ghannem, H., Maarouf, R., Tabka, A., Haj, F.A. & Marzouki, M. (1993) La triade obésité, hypertension et troubles de la glycorégulation dans une population semi-urbaine du Sahel Tunisien. *Diabete Metab.*, **19**, 310–314
- Giagulli, V.A., Kaufman, J.M. & Vermeulen, A. (1994) Pathogenesis of the decreased androgen levels in obese men. *J. Clin. Endocrinol. Metab.*, **79**, 997–1000
- Gibson, S.L. & Hilf, R. (1980) Regulation of estrogen-binding capacity by insulin in 7,12-dimethylbenz(a)anthracene-induced mammary tumors in rats. *Cancer Res.*, **40**, 2343–2348
- Giesbrecht, G.G. (1995) The respiratory system in a cold environment. *Aviat. Space Environ. Med.*, **66**, 890–902
- Gill, J.M. & Hardman, A.E. (2000) Postprandial lipemia: effects of exercise and restriction of energy intake compared. *Am. J. Clin. Nutr.*, **71**, 465–471
- Gillette, C.A., Zhu, Z., Westerlind, K.C., Melby, C.L., Wolfe, P. & Thompson, H.J. (1997) Energy availability and mammary carcinogenesis: effects of calorie restriction and exercise. *Carcinogenesis*, **18**, 1183–1188
- Giovannucci, E. (1995) Insulin and colon cancer. *Cancer Causes Control*, **6**, 164–179
- Giovannucci, E. (1999) Insulin-like growth factor-I and binding protein-3 and risk of cancer. *Horm. Res.*, **51 Suppl. 3**, 34–41
- Giovannucci, E., Ascherio, A., Rimm, E.B., Colditz, G.A., Stampfer, M.J. & Willett, W.C. (1995) Physical activity, obesity, and risk for colon cancer and adenoma in men. *Ann. Intern. Med.*, **122**, 327–334
- Giovannucci, E., Colditz, G.A., Stampfer, M.J. & Willett, W.C. (1996) Physical activity, obesity, and risk of colorectal adenoma in women (United States). *Cancer Causes Control*, **7**, 253–263
- Giovannucci, E., Rimm, E.B., Stampfer, M.J., Colditz, G.A. & Willett, W.C. (1997) Height, body weight, and risk of prostate cancer. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 557–563
- Giovannucci, E., Leitzmann, M., Spiegelman, D., Rimm, E.B., Colditz, G.A., Stampfer, M.J. & Willett, W.C. (1998) A prospective study of physical activity and prostate cancer in male health professionals. *Cancer Res.*, **58**, 5117–5122
- Giovannucci, E., Pollak, M.N., Platz, E.A., Willett, W.C., Stampfer, M.J., Majeed, N., Colditz, G.A., Speizer, F.E. & Hankinson, S.E. (2000) A prospective study of plasma insulin-like growth factor-1 and binding protein-3 and risk of colorectal neoplasia in women. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 345–349
- Giuffrida, D., Lupo, L., La Porta, G.A., La Rosa, G.L., Padova, G., Foti, E., Marchese, V. & Belfiore, A. (1992) Relation between steroid receptor status and body weight in breast cancer patients. *Eur. J. Cancer*, **28**, 112–115
- Gleeson, M. (2000) Mucosal immunity and respiratory illness in elite athletes. *Int. J. Sports Med.*, **21 Suppl. 1**, S33–S43
- Glenny, A.M., O'Meara, S., Melville, A., Sheldon, T.A. & Wilson, C. (1997) The treatment and prevention of obesity: a systematic review of the literature. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 715–737
- Godin, G. & Shephard, R.J. (1985) A simple method to assess exercise behavior in the community. *Can. J. Appl. Sport Sci.*, **10**, 141–146
- Godsland, I.F., Leyva, F., Walton, C., Worthington, M. & Stevenson, J.C. (1998) Associations of smoking, alcohol and physical activity with risk factors for coronary heart disease and diabetes in the first follow-up cohort of the Heart Disease and Diabetes Risk Indicators in a Screened Cohort study (HDDRISC-1). *J. Intern. Med.*, **244**, 33–41
- Gofin, J., Abramson, J.H., Kark, J.D. & Epstein, L. (1996) The prevalence of obesity and its changes over time in middle-aged and elderly men and women in Jerusalem. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 260–266
- Goldberg, C.J., Dowling, F.E. & Fogarty, E.E. (1993) Adolescent idiopathic scoliosis — early menarche, normal growth. *Spine*, **18**, 529–535
- Golden, N.H., Kreitzer, P., Jacobson, M.S., Chasalow, F.I., Schebendach, J., Freedman, S.M. & Shenker, I.R. (1994) Disturbances in growth hormone secretion and action in adolescents with anorexia nervosa. *J. Pediatr.*, **125**, 655–660
- Goldstein, D.J. (1992) Beneficial health effects of modest weight loss. *Int. J. Obes. Relat. Metab. Disord.*, **16**, 397–415
- Golland, L.C., Evans, D.L., Stone, G.M., Tyler-McGowan, C.M., Hodgson, D.R. & Rose, R.J. (1999) Maximal exercise transiently disrupts hormonal secretory patterns in standardbred geldings. *Equine Vet. J. Suppl.*, **30**, 581–585
- Good, R.A. & Fernandes, G. (1981) Enhancement of immunologic function and resistance to tumor growth in Balb/c mice by exercise. *Fed. Proc.*, **40**, 1040
- Good, R., Hanson, L. & Edelman, R. (1982) Infections and undernutrition. *Nutr. Rev.*, **40**, 119–128
- Goodman, M.T. & Wilkens, L.R. (1993) Relation of body size and the risk of lung cancer. *Nutr. Cancer*, **20**, 179–186
- Goodman, M.T., Morgenstern, H. & Wynder, E.L. (1986) A case-control study of factors affecting the development of renal cell cancer. *Am. J. Epidemiol.*, **124**, 926–941
- Goodman, M.T., Kolonel, L.N. & Wilkens, L.R. (1992) The association of body size, reproductive factors and thyroid cancer. *Br. J. Cancer*, **66**, 1180–1184
- Goodman, M.T., Hankin, J.H., Wilkens, L.R., Lyu, L.C., McDuffie, K., Liu, L.Q. & Kolonel, L.N. (1997) Diet, body size, physical activity, and the risk of endometrial cancer. *Cancer Res.*, **57**, 5077–5085
- Goodman-Gruen, D. & Barrett-Connor, E. (1997) Epidemiology of insulin-like growth factor-I in elderly men and women. The Rancho Bernardo Study. *Am. J. Epidemiol.*, **145**, 970–976
- Goodpaster, B.H., Kelley, D.E., Wing, R.R., Meier, A. & Thaete, F.L. (1999) Effects of weight loss on regional fat distribution and insulin sensitivity in obesity. *Diabetes*, **48**, 839–847
- Goodrick, C.L. (1974) The effects of exercise on longevity and behavior of hybrid mice which differ in coat color. *J. Gerontol.*, **29**, 129–133
- Goodwin, P.J., Panzarella, T. & Boyd, N.F. (1988) Weight gain in women with localized breast cancer—a descriptive study. *Breast Cancer Res. Treat.*, **11**, 59–66
- Goodwin, P., Esplen, M.J., Butler, K., Winocur, J., Pritchard, K., Brazel, S., Gao, J. & Miller, A. (1998) Multidisciplinary weight management in locoregional breast cancer: results of a phase II study. *Breast Cancer Res. Treat.*, **48**, 53–64
- Goodyear, L.J. & Kahn, B.B. (1998) Exercise, glucose transport, and insulin sensitivity. *Annu. Rev. Med.*, **49**, 235–261

- Grady, D. & Ernster, V.L. (1996) Endometrial cancer. In: Schottenfeld, D. & Fraumeni, J.F., Jr, eds, *Cancer Epidemiology and Prevention*, New York, Oxford University Press, pp. 1058–1089
- Graham, T.E. & MacLean, D.A. (1998) Ammonia and amino acid metabolism in skeletal muscle: human, rodent and canine models. *Med. Sci. Sports Exerc.*, **30**, 34–46
- Graham, S., Haughey, B., Marshall, J. Priore, R., Byers, T., Rzepka, T. Mettlin, C. & Pontes, J.E. (1983) Diet in the epidemiology of carcinoma of the prostate gland. *J. Natl. Cancer Inst.*, **70**, 687–692
- Graham, S., Marshall, J., Haughey, B., Mittelman, A., Swanson, M., Zielezny, M., Byers, T., Wilkinson, G. & West, D. (1988) Dietary epidemiology of cancer of the colon in western New York. *Am. J. Epidemiol.*, **128**, 490–503
- Gram, I.T., Funkhouser, E. & Tabar, L. (1999) Moderate physical activity in relation to mammographic patterns. *Cancer Epidemiol. Biomarkers Prev.*, **8**, 117–122
- Grant, M.B., Mames, R.N., Fitzgerald, C., Ellis, E.A., Caballero, S., Chegini, N. & Guy, J. (1993) Insulin-like growth factor I as an angiogenic agent. *In vivo* and *in vitro* studies. *Ann. N.Y. Acad. Sci.*, **692**, 230–242
- Grasl-Kraupp, B., Bursch, W., Ruttkey-Nedecky, B., Wagner, A., Lauer, B. & Schulte-Hermann, R. (1994) Food restriction eliminates preneoplastic cells through apoptosis and antagonizes carcinogenesis in rat liver. *Proc. Natl Acad. Sci. USA*, **91**, 9995–9999
- Gray, A.B., Telford, R.D. & Weidemann, M.J. (1993) Endocrine response to intense interval exercise. *Eur. J. Appl. Physiol.*, **66**, 366–371
- Greenberg, E.R., Vessey, M.P., McPherson, K., Doll, R. & Yeates, D. (1985) Body size and survival in premenopausal breast cancer. *Br. J. Cancer*, **51**, 691–697
- Greene, J.W. (1993) Exercise-induced menstrual irregularities. *Compr. Ther.*, **19**, 116–120
- Greenwald, P., Damon, A., Kirmss, V. & Polan, A.K. (1974) Physical and demographic features of men before developing cancer of the prostate. *J. Natl Cancer Inst.*, **53**, 341–346
- Grenman, S., Rönnemaa, T., Irjala, K., Kaihola, H.L. & Grönroos, M. (1986) Sex steroid, gonadotropin, cortisol, and prolactin levels in healthy, massively obese women: correlation with abdominal fat cell size and effect of weight reduction. *J. Clin. Endocrinol. Metab.*, **63**, 1257–1261
- Grimm, J.J. (1999) Interaction of physical activity and diet: implications for insulin-glucose dynamics. *Public Health Nutr.*, **2**, 363–368
- Grisso, J.A., Kelsey, J.L., Strom, B.L., O'Brien, L.A., Maislin, G., LaPann, K., Samelson, L. & Hoffman, S. (1994) Risk factors for hip fracture in black women. The Northeast Hip Fracture Study Group. *New Engl. J. Med.*, **330**, 1555–1559
- Grol, M.E., Eimers, J.M., Alberts, J.F., Bouter, L.M., Gerstenbluth, I., Halabi, Y., van Sonderen, E. & van den Heuvel, W.J. (1997) Alarming high prevalence of obesity in Curacao: data from an interview survey stratified for socioeconomic status. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 1002–1009
- Grönberg, H., Damber, L. & Damber, J.E. (1996) Total food consumption and body mass index in relation to prostate cancer risk: a case-control study in Sweden with prospectively collected exposure data. *J. Urol.*, **155**, 969–974
- Gross, L.D., Sallis, J.F., Buono, M.J., Roby, J.J. & Nelson, J.A. (1990) Reliability of interviewers using the Seven-Day Physical Activity Recall. *Res. Q. Exerc. Sport*, **61**, 321–325
- Guagnano, M.T., Ballone, E., Pace-Palitti, V., Vecchia, R.D., D'Orazio, N., Manigrasso, M.R., Merlitti, D. & Sensi, S. (2000) Risk factors for hypertension in obese women. The role of weight cycling. *Eur. J. Clin. Nutr.*, **54**, 356–360
- Guare, J.C., Wing, R.R. & Grant, A. (1995) Comparison of obese NIDDM and nondiabetic women: short- and long-term weight loss. *Obes. Res.*, **3**, 329–335
- Guest, C.S., O'Dea, K., Hopper, J.L. & Larkins, R.G. (1993) Hyperinsulinaemia and obesity in aborigines of south-eastern Australia, with comparisons from rural and urban European populations. *Diabetes Res. Clin. Pract.*, **20**, 155–164
- Guo, W.D., Hsing, A.W., Li, J.Y., Chen, J.S., Chow, W.H. & Blot, W.J. (1994) Correlation of cervical cancer mortality with reproductive and dietary factors, and serum markers in China. *Int. J. Epidemiol.*, **23**, 1127–1132
- Guo, S.S., Zeller, C., Chumlea, W.C. & Siervogel, R.M. (1999) Aging, body composition, and lifestyle: the Fels Longitudinal Study. *Am. J. Clin. Nutr.*, **70**, 405–411
- Guzick, D.S., Wing, R., Smith, D., Berga, S.L. & Winters, S.J. (1994) Endocrine consequences of weight loss in obese, hyperandrogenic, anovulatory women. *Fertil. Steril.*, **61**, 598–604
- Haapanen, N., Miilunpalo, S., Pasanen, M., Oja, P. & Vuori, I. (1997a) Association between leisure time physical activity and 10-year body mass change among working-aged men and women. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 288–296
- Haapanen, N., Miilunpalo, S., Vuori, I., Oja, P. & Pasanen, M. (1997b) Association of leisure time physical activity with the risk of coronary heart disease, hypertension and diabetes in middle-aged men and women. *Int. J. Epidemiol.*, **26**, 739–747
- Haapanen-Niemi, N., Miilunpalo, S., Pasanen, M., Vuori, I., Oja, P. & Malmberg, J. (2000) Body mass index, physical inactivity and low level of physical fitness as determinants of all-cause and cardiovascular disease mortality—16 y follow-up of middle-aged and elderly men and women. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1465–1474
- Haapasalo, H., Kannus, P., Sievanen, H., Pasanen, M., Uusi-Rasi, K., Heinonen, A., Oja, P. & Vuori, I. (1998) Effect of long-term unilateral activity on bone mineral density of female junior tennis players. *J. Bone Miner. Res.*, **13**, 310–319
- Haddad, F., Bodell, P.W., McCue, S.A., Herrick, R.E. & Baldwin, K.M. (1993) Food restriction-induced transformations in cardiac functional and biochemical properties in rats. *J. Appl. Physiol.*, **74**, 606–612
- Hadden, D.R., Blair, A.L., Wilson, E.A., Boyle, D.M., Atkinson, A.B., Kennedy, A.L., Buchanan, K.D., Merrett, J.D., Montgomery, D.A. & Weaver, J.A. (1986) Natural history of diabetes presenting age 40–69 years: a prospective study of the influence of intensive dietary therapy. *Q. J. Med.*, **59**, 579–598
- Haffner, S.M. (2000) Sex hormones, obesity, fat distribution, type 2 diabetes and insulin resistance: epidemiological and clinical correlation. *Int. J. Obes. Relat. Metab. Disord.*, **24 Suppl. 2**, S56–S58
- Haffner, S.M., Mykkanen, L., Valdez, R.A. & Katz, M.S. (1993a) Relationship of sex hormones to lipids and lipoproteins in nondiabetic men. *J. Clin. Endocrinol. Metab.*, **77**, 1610–1615

- Haffner, S.M., Valdez, R.A., Stern, M.P. & Katz, M.S. (1993b) Obesity, body fat distribution and sex hormones in men. *Int. J. Obes. Relat. Metab. Disord.*, **17**, 643–649
- Haffner, S.M., Karhapää, P., Mykkänen, L. & Laakso, M. (1994a) Insulin resistance, body fat distribution, and sex hormones in men. *Diabetes*, **43**, 212–219
- Haffner, S.M., Valdez, R.A., Mykkänen, L., Stern, M.P. & Katz, M.S. (1994b) Decreased testosterone and dehydroepiandrosterone sulfate concentrations are associated with increased insulin and glucose concentrations in nondiabetic men. *Metabolism*, **43**, 599–603
- Haffner, S.M., Miettinen, H., Karhapää, P., Mykkänen, L. & Laakso, M. (1997) Leptin concentrations, sex hormones, and cortisol in nondiabetic men. *J. Clin. Endocrinol. Metab.*, **82**, 1807–1809
- Hagen, J., Deitel, M., Khanna, R.K. & Ilves, R. (1987) Gastroesophageal reflux in the massively obese. *Int. Surg.*, **72**, 1–3
- Hainer, V., Stich, V., Kunesova, M., Parizkova, J., Zak, A., Wernischova, V. & Hrabak, P. (1992) Effect of 4-wk treatment of obesity by very-low-calorie diet on anthropometric, metabolic, and hormonal indexes. *Am. J. Clin. Nutr.*, **56**, 281S–282S
- Hakim, A.A., Petrovitch, H., Burchfiel, C.M., Ross, G.W., Rodriguez, B.L., White, L.R., Yano, K., Curb, J.D. & Abbott, R.D. (1998) Effects of walking on mortality among non-smoking retired men. *New Engl. J. Med.*, **338**, 94–99
- Häkkinen, K., Pakarinen, A., Kraemer, W.J., Newton, R.U. & Alen, M. (2000) Basal concentrations and acute responses of serum hormones and strength development during heavy resistance training in middle-aged and elderly men and women. *J. Gerontol. A Biol. Sci. Med. Sci.*, **55**, B95–B105
- Hall, D.M., Oberley, T.D., Moseley, P.M., Buettner, G.R., Oberley, L.W., Weindruch, R. & Kregel, K.C. (2000a) Caloric restriction improves thermotolerance and reduces hyperthermia-induced cellular damage in old rats. *FASEB J.*, **14**, 78–86
- Hall, I.J., Newman, B., Millikan, R.C. & Moorman, P.G. (2000b) Body size and breast cancer risk in black women and white women. The Carolina Breast Cancer Study. *Am. J. Epidemiol.*, **151**, 754–764
- Hambrecht, R., Wolf, A., Gielen, S., Linke, A., Hofer, J., Erbs, S., Schoene, N. & Schuler, G. (2000) Effect of exercise on coronary endothelial function in patients with coronary artery disease. *New Engl. J. Med.*, **342**, 454–460
- Hamilton-Fairley, D., Kiddy, D., Anyaoku, V., Koistinen, R., Seppälä, M. & Franks, S. (1993) Response of sex hormone binding globulin and insulin-like growth factor binding protein-1 to an oral glucose tolerance test in obese women with polycystic ovary syndrome before and after calorie restriction. *Clin. Endocrinol. (Oxf.)*, **39**, 363–367
- Hamm, P., Shekelle, R.B. & Stamler, J. (1989) Large fluctuations in body weight during young adulthood and twenty-five-year risk of coronary death in men. *Am. J. Epidemiol.*, **129**, 312–318
- Hammerman, M.R. (1999) The growth hormone-insulin-like growth factor axis in kidney re-revisited. *Nephrol. Dial. Transplant.*, **14**, 1853–1860
- Hammond, E.C. & Garfinkel, L. (1969) Coronary heart disease, stroke, and aortic aneurysm. Factors in the etiology. *Arch. Environ. Health*, **19**, 167–182
- Han, T.S., van Leer, E.M., Seidell, J.C. & Lean, M.E. (1995) Waist circumference action levels in the identification of cardiovascular risk factors: prevalence study in a random sample. *BMJ*, **311**, 1401–1405
- Handa, K., Ishii, H., Kono, S., Shinchi, K., Imanishi, K., Mihara, H. & Tanaka, K. (1997) Behavioral correlates of plasma sex hormones and their relationships with plasma lipids and lipoproteins in Japanese men. *Atherosclerosis*, **130**, 37–44
- Hankinson, S.E., Willett, W.C., Manson, J.E., Colditz, G.A., Hunter, D.J., Spiegelman, D., Barbieri, R.L. & Speizer, F.E. (1998a) Plasma sex steroid hormone levels and risk of breast cancer in postmenopausal women. *J. Natl Cancer Inst.*, **90**, 1292–1299
- Hankinson, S.E., Willett, W.C., Colditz, G.A., Hunter, D.J., Michaud, D.S., Deroo, B., Rosner, B., Speizer, F.E. & Pollak, M. (1998b) Circulating concentrations of insulin-like growth factor-I and risk of breast cancer. *Lancet*, **351**, 1393–1396
- Hanson, R.L., McCance, D.R., Jacobsson, L.T., Narayan, K.M., Nelson, R.G., Pettitt, D.J., Bennett, P.H. & Knowler, W.C. (1995) The U-shaped association between body mass index and mortality: relationship with weight gain in a Native American population. *J. Clin. Epidemiol.*, **48**, 903–916
- Hargreaves, M. (1998) 1997 Sir William Refshauge Lecture. Skeletal muscle glucose metabolism during exercise: implications for health and performance. *J. Sci. Med. Sport*, **1**, 195–202
- Harkonen, M., Naveri, H., Kuoppasalmi, K. & Huhtaniemi, I. (1990) Pituitary and gonadal function during physical exercise in the male rat. *J. Steroid Biochem.*, **35**, 127–132
- Harlass, F.E., Plymate, S.R., Fariss, B.L. & Belts, R.P. (1984) Weight loss is associated with correction of gonadotropin and sex steroid abnormalities in the obese anovulatory female. *Fertil. Steril.*, **42**, 649–652
- Harman, S.M., Metter, E.J., Blackman, M.R., Landis, P.K. & Carter, H.B. (2000) Serum levels of insulin-like growth factor I (IGF-I), IGF-II, IGF-binding protein-3, and prostate-specific antigen as predictors of clinical prostate cancer. *J. Clin. Endocrinol. Metab.*, **85**, 4258–4265
- Harris, T., Cook, E.F., Garrison, R., Higgins, M., Kannel, W. & Goldman, L. (1988) Body mass index and mortality among nonsmoking older persons. The Framingham Heart Study. *JAMA*, **259**, 1520–1524
- Harris, R.E., Namboodiri, K.K. & Wynder, E.L. (1992) Breast cancer risk: effects of estrogen replacement therapy and body mass. *J. Natl Cancer Inst.*, **84**, 1575–1582
- Harris, S.R., Brix, A.E., Broderson, J.R. & Bunce, O.R. (1995) Chronic energy restriction versus energy cycling and mammary tumor promotion. *Proc. Soc. Exp. Biol. Med.*, **209**, 231–236
- Hartge, P., Schiffman, M.H., Hoover, R., McGowan, L., Leshner, L. & Norris, H.J. (1989) A case-control study of epithelial ovarian cancer. *Am. J. Obstet. Gynecol.*, **161**, 10–16
- Hartman, W.M., Stroud, M., Sweet, D.M. & Saxton, J. (1993) Long-term maintenance of weight loss following supplemented fasting. *Int. J. Eat. Disord.*, **14**, 87–93
- Hartman, T.J., Albanes, D., Rautalahti, M., Tangrea, J.A., Virtamo, J., Stolzenberg, R. & Taylor, P.R. (1998) Physical activity and prostate cancer in the Alpha-Tocopherol, Beta-Carotene (ATBC) Cancer Prevention Study (Finland). *Cancer Causes Control*, **9**, 11–18
- Hartmann, A., Plappert, U., Raddatz, K., Grunert-Fuchs, M. & Speit, G. (1994) Does physical activity induce DNA damage? *Mutagenesis*, **9**, 269–272

- Harvell, D.M., Strecker, T.E., Xie, B., Buckles, L.K., Tochacek, M., McComb, R.D. & Shull, J.D. (2001a) Diet/gene interactions in estrogen-induced mammary carcinogenesis in the ACI rat. *J. Nutr.*, **131**, 3087–3091
- Harvell, D.M., Spady, T.J., Strecker, T.E., Lemus-Wilson, A.M., Pennington, K.L., Shen, F., Birt, D.F., McComb, R.D. & Shull, J.D. (2001b) Dietary energy restriction inhibits estrogen induced pituitary tumorigenesis in a rat strain specific manner. In: Li, J.J., Li, S.A. & Daling, J.R., eds, *Hormonal Carcinogenesis III*, New York, Springer Verlag, pp. 496–501
- Haskell, W.L. (1994) J.B. Wolfe Memorial Lecture. Health consequences of physical activity: understanding and challenges regarding dose-response. *Med. Sci. Sports Exerc.*, **26**, 649–660
- Hatta, H., Atomi, Y., Shinohara, S., Yamamoto, Y. & Yamada, S. (1988) The effects of ovarian hormones on glucose and fatty acid oxidation during exercise in female ovariectomized rats. *Horm. Metab. Res.*, **20**, 609–611
- Hautanen, A. (2000) Synthesis and regulation of sex hormone-binding globulin in obesity. *Int. J. Obes. Relat. Metab. Disord.*, **24 Suppl. 2**, S64–S70
- Health Canada (1999) *Physical Activity of Canadians*. 2.1 Description of the survey and reports. National Population Health Survey Highlights, Ottawa, Health Canada
- Heasman, K.Z., Sutherland, H.J., Campbell, J.A., Elhakim, T. & Boyd, N.F. (1985) Weight gain during adjuvant chemotherapy for breast cancer. *Breast Cancer Res. Treat.*, **5**, 195–200
- Heath, C.W., Jr, Lally, C.A., Calle, E.E., McLaughlin, J.K. & Thun, M.J. (1997) Hypertension, diuretics, and antihypertensive medications as possible risk factors for renal cell cancer. *Am. J. Epidemiol.*, **145**, 607–613
- Heber, D., Ashley, J.M., Leaf, D.A. & Barnard, R.J. (1991) Reduction of serum estradiol in postmenopausal women given free access to low-fat high-carbohydrate diet. *Nutrition*, **7**, 137–139
- Hebert, J.R., Augustine, A., Barone, J., Kabat, G.C., Kinne, D.W. & Wynder, E.L. (1988) Weight, height and body mass index in the prognosis of breast cancer: early results of a prospective study. *Int. J. Cancer*, **42**, 315–318
- Hebert, P.R., Ajani, U., Cook, N.R., Lee, I.M., Chan, K.S. & Hennekens, C.H. (1997) Adult height and incidence of cancer in male physicians (United States). *Cancer Causes Control*, **8**, 591–597
- Heilbronn, L.K., Noakes, M. & Clifton, P.M. (1999) Effect of energy restriction, weight loss, and diet composition on plasma lipids and glucose in patients with type 2 diabetes. *Diabetes Care*, **22**, 889–895
- Heinonen, A., Kannus, P., Sievanen, H., Oja, P., Pasanen, M., Rinne, M., Uusi-Rasi, K. & Vuori, I. (1996) Randomised controlled trial of effect of high-impact exercise on selected risk factors for osteoporotic fractures. *Lancet*, **348**, 1343–1347
- Heitmann, B.L. (2000) Ten-year trends in overweight and obesity among Danish men and women aged 30–60 years. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1347–1352
- Heitmann, B.L., Kaprio, J., Harris, J.R., Rissanen, A., Korkeila, M. & Koskenvuo, M. (1997) Are genetic determinants of weight gain modified by leisure-time physical activity? A prospective study of Finnish twins. *Am. J. Clin. Nutr.*, **66**, 672–678
- Helakorpi, S., Uutela, A., Prättälä, R. & Puska, P. (1999) *Health Behaviour and Health Among Finnish Adult Population, Spring 1999*, Helsinki, National Public Health Institute
- Hellénus, M.L., Brismar, K.E., Berglund, B.H. & de Faire, U.H. (1995) Effects on glucose tolerance, insulin secretion, insulin-like growth factor 1 and its binding protein, IGFBP-1, in a randomized controlled diet and exercise study in healthy, middle-aged men. *J. Intern. Med.*, **238**, 121–130
- Heller, S.R., Clarke, P., Daly, H., Davis, I., McCulloch, D.K., Allison, S.P. & Tattersall, R.B. (1988) Group education for obese patients with type 2 diabetes: greater success at less cost. *Diabet. Med.*, **5**, 552–556
- Helmrich, S.P., Ragland, D.R., Leung, R.W. & Paffenbarger, R.S., Jr (1991) Physical activity and reduced occurrence of non-insulin-dependent diabetes mellitus. *New Engl. J. Med.*, **325**, 147–152
- Helzlsouer, K.J., Alberg, A.J., Gordon, G.B., Longcope, C., Bush, T.L., Hoffman, S.C. & Comstock, G.W. (1995) Serum gonadotropins and steroid hormones and the development of ovarian cancer. *JAMA*, **274**, 1926–1930
- Henderson, B.E., Casagrande, J.T., Pike, M.C., Mack, T., Rosario, I. & Duke, A. (1983) The epidemiology of endometrial cancer in young women. *Br. J. Cancer*, **47**, 749–756
- Henderson, B.E., Ross, R. & Bernstein, L. (1988) Estrogens as a cause of human cancer: the Richard and Hinda Rosenthal Foundation award lecture. *Cancer Res.*, **48**, 246–253
- Heuson, J.C. & Legros, N. (1972) Influence of insulin deprivation on growth of the 7,12-dimethylbenz(a)anthracene-induced mammary carcinoma in rats subjected to alloxan diabetes and food restriction. *Cancer Res.*, **32**, 226–232
- Heymsfield, S.B., Segal, K.R., Hauptman, J., Lucas, C.P., Boldrin, M.N., Rissanen, A., Wilding, J.P. & Sjöström, L. (2000) Effects of weight loss with orlistat on glucose tolerance and progression to type 2 diabetes in obese adults. *Arch. Intern. Med.*, **160**, 1321–1326
- Hiatt, R.A., Tolan, K. & Quesenberry, C.P., Jr (1994) Renal cell carcinoma and thiazide use: a historical, case-control study (California, USA). *Cancer Causes Control*, **5**, 319–325
- Higgins, M., D'Agostino, R., Kannel, W., Cobb, J. & Pinsky, J. (1993) Benefits and adverse effects of weight loss. Observations from the Framingham Study. *Ann. Intern. Med.*, **119**, 758–763
- Hikita, H., Vaughan, J. & Pitot, H.C. (1997) The effect of two periods of short-term fasting during the promotion stage of hepatocarcinogenesis in rats: the role of apoptosis and cell proliferation. *Carcinogenesis*, **18**, 159–166
- Hikita, H., Vaughan, J., Babcock, K. & Pitot, H.C. (1999) Short-term fasting and the reversal of the stage of promotion in rat hepatocarcinogenesis: role of cell replication, apoptosis, and gene expression. *Toxicol. Sci.*, **52**, 17–23
- Hilderman, T., McKnight, K., Dhalla, K.S., Rupp, H. & Dhalla, N.S. (1996) Effects of long-term dietary restriction on cardiovascular function and plasma catecholamines in the rat. *Cardiovasc. Drugs Ther.*, **10 Suppl. 1**, 247–250
- Hilf, R., Hissin, P.J. & Shafie, S.M. (1978) Regulatory interrelationships for insulin and estrogen action in mammary tumors. *Cancer Res.*, **38**, 4076–4085

- Hill, M.J. (1998) Energy intake, physical exercise, overweight and cancer. *Eur. J. Cancer Prev.*, **7**, 251–252
- Hill, R.N., Crisp, T.M., Hurley, P.M., Rosenthal, S.L. & Singh, D.V. (1998) Risk assessment of thyroid follicular cell tumors. *Environ. Health Perspect.*, **106**, 447–457
- Himeno, Y., Engelman, R.W. & Good, R.A. (1992) Influence of calorie restriction on oncogene expression and DNA synthesis during liver regeneration. *Proc. Natl Acad. Sci. USA*, **89**, 5497–5501
- Hindmarsh, P., Di Silvio, L., Pringle, P.J., Kurtz, A.B. & Brook, C.G. (1988) Changes in serum insulin concentration during puberty and their relationship to growth hormone. *Clin. Endocrinol. (Oxf.)*, **28**, 381–388
- Hirose, K., Tajima, K., Hamajima, N., Inoue, M., Takezaki, T., Kuroishi, T., Yoshida, M. & Tokudome, S. (1995) A large-scale, hospital-based case-control study of risk factors of breast cancer according to menopausal status. *Jpn J. Cancer Res.*, **86**, 146–154
- Hirose, K., Tajima, K., Hamajima, N., Takezaki, T., Inoue, M., Kuroishi, T., Kuzuya, K., Nakamura, S. & Tokudome, S. (1996) Subsite (cervix/endometrium)-specific risk and protective factors in uterus cancer. *Jpn J. Cancer Res.*, **87**, 1001–1009
- Hislop, T.G., Coldman, A.J., Elwood, J.M., Brauer, G. & Kan, L. (1986) Childhood and recent eating patterns and risk of breast cancer. *Cancer Detect. Prev.*, **9**, 47–58
- Ho, S.C., Woo, J. & Sham, A. (1994) Risk factor change in older persons, a perspective from Hong Kong: weight change and mortality. *J. Gerontol.*, **49**, M269–M272
- Hochberg, Z., Hertz, P., Colin, V., Ish-Shalom, S., Yeshurun, D., Youdim, M.B. & Amit, T. (1992) The distal axis of growth hormone (GH) in nutritional disorders: GH-binding protein, insulin-like growth factor-I (IGF-I), and IGF-I receptors in obesity and anorexia nervosa. *Metabolism*, **41**, 106–112
- Hodge, A.M. & Zimmet, P.Z. (1994) The epidemiology of obesity. *Baillieres Clin. Endocrinol. Metab.*, **8**, 577–599
- Hodge, A.M., Dowse, G.K., Zimmet, P.Z. & Collins, V.R. (1995) Prevalence and secular trends in obesity in Pacific and Indian Ocean island populations. *Obes. Res.*, **3 Suppl. 2**, 77s–87s
- Hodge, A.M., Dowse, G.K., Gareeboo, H., Tuomilehto, J., Alberti, K.G. & Zimmet, P.Z. (1996) Incidence, increasing prevalence, and predictors of change in obesity and fat distribution over 5 years in the rapidly developing population of Mauritius. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 137–146
- Hodgson, D.M., Chiappelli, F., Kung, M., Tio, D.L., Morrow, N.S. & Taylor, A.N. (1996) Effect of acute dietary restriction on the colonization of MADB106 tumor cells in the rat. *Neuroimmunomodulation*, **3**, 371–380
- Hodgson, D.M., Chiappelli, F., Morrow, N.S. & Taylor, A.N. (1997) Chronic dietary restriction influences tumor metastasis in the rat: parametric considerations. *Nutr. Cancer*, **28**, 189–198
- Hoerberigs, J.H. (1992) Factors related to the incidence of running injuries. A review. *Sports Med.*, **13**, 408–422
- Hoek, H.W., van Harten, P.N., van Hoeken, D. & Susser, E. (1998) Lack of relation between culture and anorexia nervosa—results of an incidence study on Curacao. *New Engl. J. Med.*, **338**, 1231–1232
- Hoffman, S.A., Paschkis, K.E., DeBias, D.A., Cantarow, A. & Williams, T.L. (1962) The influence of exercise on the growth of transplanted rat tumors. *Cancer Res.*, **22**, 597–599
- Hoffman-Goetz, L. (1998) Influence of physical activity and exercise on innate immunity. *Nutr. Rev.*, **56**, S126–S130
- Hoffman-Goetz, L., MacNeil, B., Arumugam, Y. & Randall Simpson, J. (1992) Differential effects of exercise and housing condition on murine natural killer cell activity and tumor growth. *Int. J. Sports Med.*, **13**, 167–171
- Hoffman-Goetz, L., May, K.M. & Arumugam, Y. (1994) Exercise training and mouse mammary tumour metastasis. *Anticancer Res.*, **14**, 2627–2631
- Hoffman-Goetz, L., Apter, D., Demark-Wahnefried, W., Goran, M.I., McTiernan, A. & Reichman, M.E. (1998) Possible mechanisms mediating an association between physical activity and breast cancer. *Cancer*, **83**, 621–628
- Holbrook, T.L. & Barrett-Connor, E. (1993) The association of lifetime weight and weight control patterns with bone mineral density in an adult community. *Bone Miner.*, **20**, 141–149
- Holdstock, D.J., Misiewicz, J.J., Smith, T. & Rowlands, E.N. (1970) Propulsion (mass movements) in the human colon and its relationship to meals and somatic activity. *Gut*, **11**, 91–99
- Hollander, P.A., Elbein, S.C., Hirsch, I.B., Kelley, D., McGill, J., Taylor, T., Weiss, S.R., Crockett, S.E., Kaplan, R.A., Comstock, J., Lucas, C.P., Lodewick, P.A., Canovatchel, W., Chung, J. & Hauptman, J. (1998) Role of orlistat in the treatment of obese patients with type 2 diabetes. A 1-year randomized double-blind study. *Diabetes Care*, **21**, 1288–1294
- Holloszy, J.O. (1997) Mortality rate and longevity of food-restricted exercising male rats: a reevaluation. *J. Appl. Physiol.*, **82**, 399–403
- Holloszy, J.O. & Schechtman, K.B. (1991) Interaction between exercise and food restriction: effects on longevity of male rats. *J. Appl. Physiol.*, **70**, 1529–1535
- Holloszy, J.O., Smith, E.K., Vining, M. & Adams, S. (1985) Effect of voluntary exercise on longevity of rats. *J. Appl. Physiol.*, **59**, 826–831
- Holme, I., Helgeland, A., Hjermann, I., Leren, P. & Lund-Larsen, P.G. (1981) Physical activity at work and at leisure in relation to coronary risk factors and social class. A 4-year mortality follow-up. The Oslo study. *Acta Med. Scand.*, **209**, 277–283
- Holte, J., Bergh, T., Gennarelli, G. & Wide, L. (1994) The independent effects of polycystic ovary syndrome and obesity on serum concentrations of gonadotrophins and sex steroids in premenopausal women. *Clin. Endocrinol. (Oxf.)*, **41**, 473–481
- Holte, J., Bergh, T., Berne, C., Wide, L. & Lithell, H. (1995) Restored insulin sensitivity but persistently increased early insulin secretion after weight loss in obese women with polycystic ovary syndrome. *J. Clin. Endocrinol. Metab.*, **80**, 2586–2593
- Hopkins, W.G., Wilson, N.C., Russell, D.G. & Herbison, G.P. (1991) *Life in New Zealand Commission Report. Volume III: Physical Activity*, Dunedin, University of Otago, pp. 1–54
- Hopkins, N.J., Jakeman, P.M., Hughes, S.C. & Holly, J.M. (1994) Changes in circulating insulin-like growth factor-binding protein-1 (IGFBP-1) during prolonged exercise: effect of carbohydrate feeding. *J. Clin. Endocrinol. Metab.*, **79**, 1887–1890

- Hornum, M., Cooper, D.M., Brasel, J.A., Bueno, A. & Sietsema, K.E. (1997) Exercise-induced changes in circulating growth factors with cyclic variation in plasma estradiol in women. *J. Appl. Physiol.*, **82**, 1946–1951
- Host, C.R., Norton, K.I., Olds, T.S., Lowe, E.L. & Mulligan, S.P. (1995) The effects of altered exercise distribution on lymphocyte subpopulations. *Eur. J. Appl. Physiol.*, **72**, 157–164
- Houmard, J.A., McCulley, C., Shinebarger, M.H. & Bruno, N.J. (1994) Effects of exercise training on plasma androgens in men. *Horm. Metab. Res.*, **26**, 297–300
- Houmard, J.A., Shaw, C.D., Hickey, M.S. & Tanner, C.J. (1999) Effect of short-term exercise training on insulin-stimulated PI 3-kinase activity in human skeletal muscle. *Am. J. Physiol.*, **277**, E1055–E1060
- Hsieh, C.C., Trichopoulos, D., Katsouyanni, K. & Yuasa, S. (1990) Age at menarche, age at menopause, height and obesity as risk factors for breast cancer: associations and interactions in an international case-control study. *Int. J. Cancer*, **46**, 796–800
- Hsieh, C.C., Signorello, L.B., Lipworth, L., Lagiou, P., Mantzoros, C.S. & Trichopoulos, D. (1998) Predictors of sex hormone levels among the elderly: a study in Greece. *J. Clin. Epidemiol.*, **51**, 837–841
- Hsieh, C.C., Thanos, A., Mitropoulos, D., Deliveliotis, C., Mantzoros, C.S. & Trichopoulos, D. (1999) Risk factors for prostate cancer: a case-control study in Greece. *Int. J. Cancer*, **80**, 699–703
- Hsing, A.W., McLaughlin, J.K., Zheng, W., Gao, Y.T. & Blot, W.J. (1994) Occupation, physical activity, and risk of prostate cancer in Shanghai, People's Republic of China. *Cancer Causes Control*, **5**, 136–140
- Hsing, A.W., McLaughlin, J.K., Cocco, P., Co-Chien, H.T. & Fraumeni, J.F., Jr (1998a) Risk factors for male breast cancer (United States). *Cancer Causes Control*, **9**, 269–275
- Hsing, A.W., McLaughlin, J.K., Chow, W.H., Schuman, L.M., Co-Chien, H.T., Gridley, G., Bjelke, E., Wacholder, S. & Blot, W.J. (1998b) Risk factors for colorectal cancer in a prospective study among U.S. white men. *Int. J. Cancer*, **77**, 549–553
- Hsing, A.W., Deng, J., Sesterhenn, I.A., Mostofi, F.K., Stanczyk, F.Z., Benichou, J., Xie, T. & Gao, Y.T. (2000) Body size and prostate cancer: a population-based case-control study in China. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 1335–1341
- Hsu, L.K. (1996) Epidemiology of the eating disorders. *Psychiatr. Clin. North Am.*, **19**, 681–700
- Hsu, L.K. (1997) Can dieting cause an eating disorder? *Psychol. Med.*, **27**, 509–513
- Hsu-Hage, B.H. & Wahlqvist, M.L. (1993) Cardiovascular risk in adult Melbourne Chinese. *Aust. J. Public Health*, **17**, 306–313
- Hu, Y.H., Nagata, C., Shimizu, H., Kaneda, N. & Kashiki, Y. (1997) Association of body mass index, physical activity, and reproductive histories with breast cancer: a case-control study in Gifu, Japan. *Breast Cancer Res. Treat.*, **43**, 65–72
- Hu, F.B., Manson, J.E., Liu, S., Hunter, D., Colditz, G.A., Michels, K.B., Speizer, F.E. & Giovannucci, E. (1999a) Prospective study of adult onset diabetes mellitus (type 2) and risk of colorectal cancer in women. *J. Natl Cancer Inst.*, **91**, 542–547
- Hu, F.B., Sigal, R.J., Rich-Edwards, J.W., Colditz, G.A., Solomon, C.G., Willett, W.C., Speizer, F.E. & Manson, J.E. (1999b) Walking compared with vigorous physical activity and risk of type 2 diabetes in women: a prospective study. *JAMA*, **282**, 1433–1439
- Hu, F.B., Stampfer, M.J., Colditz, G.A., Ascherio, A., Rexrode, K.M., Willett, W.C. & Manson, J.E. (2000) Physical activity and risk of stroke in women. *JAMA*, **283**, 2961–2967
- Huang, Z., Hankinson, S.E., Colditz, G.A., Stampfer, M.J., Hunter, D.J., Manson, J.E., Hennekens, C.H., Rosner, B., Speizer, F.E. & Willett, W.C. (1997) Dual effects of weight and weight gain on breast cancer risk. *JAMA*, **278**, 1407–1411
- Huang, Z., Willett, W.C., Manson, J.E., Rosner, B., Stampfer, M.J., Speizer, F.E. & Colditz, G.A. (1998) Body weight, weight change, and risk for hypertension in women. *Ann. Intern. Med.*, **128**, 81–88
- Huang, Z., Willett, W.C., Colditz, G.A., Hunter, D.J., Manson, J.E., Rosner, B., Speizer, F.E. & Hankinson, S.E. (1999) Waist circumference, waist:hip ratio, and risk of breast cancer in the Nurses' Health Study. *Am. J. Epidemiol.*, **150**, 1316–1324
- Hurel, S.J., Koppiker, N., Newkirk, J., Close, P.R., Miller, M., Mardell, R., Wood, P.J. & Kendall-Taylor, P. (1999) Relationship of physical exercise and ageing to growth hormone production. *Clin. Endocrinol. (Oxf.)*, **51**, 687–691
- Hurley, B.F., Nemeth, P.M., Martin, W.H., Hagberg, J.M., Dalsky, G.P. & Holloszy, J.O. (1986) Muscle triglyceride utilization during exercise: effect of training. *J. Appl. Physiol.*, **60**, 562–567
- Hursting, S.D., Switzer, B.R., French, J.E. & Kari, F.W. (1993) The growth hormone: insulin-like growth factor 1 axis is a mediator of diet restriction-induced inhibition of mononuclear cell leukemia in Fischer rats. *Cancer Res.*, **53**, 2750–2757
- Hursting, S.D., Perkins, S.N. & Phang, J.M. (1994) Calorie restriction delays spontaneous tumorigenesis in p53-knockout transgenic mice. *Proc. Natl Acad Sci U S A*, **91**, 7036–7040
- Hursting, S.D., Perkins, S.N., Brown, C.C., Haines, D.C. & Phang, J.M. (1997) Calorie restriction induces a p53-independent delay of spontaneous carcinogenesis in p53-deficient and wild-type mice. *Cancer Res.*, **57**, 2843–2846
- IARC (1986) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*. Vol. 38, *Tobacco Smoking*, Lyon, International Agency for Research on Cancer
- IARC (1988) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*. Vol. 44, *Alcohol Drinking*, Lyon, International Agency for Research on Cancer
- IARC (1999) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*. Vol. 72, *Hormonal Contraception and Post-Menopausal Hormonal Therapy*, Lyon, IARC
- Iatropoulos, M.J., Williams, G.M., Abdo, K.M., Kari, F.W. & Hart, R.W. (1997) Mechanistic studies on genotoxicity and carcinogenicity of salicylazosulfapyridine, an anti-inflammatory medicine. *Exp. Toxicol. Pathol.*, **49**, 15–28
- Ikuyama, T., Watanabe, T., Minegishi, Y. & Osanai, H. (1993) Effect of voluntary exercise on 3'-methyl-4-dimethylaminoazobenzene-induced hepatomas in male Jc1:Wistar rats. *Proc. Soc. Exp. Biol. Med.*, **204**, 211–215
- Ilic, M., Vlaisnac, H. & Marinkovic, J. (1996) Case-control study of risk factors for prostate cancer. *Br. J. Cancer*, **74**, 1682–1686

- Imai, K., Matsuyama, S., Miyake, S., Suga, K. & Nakachi, K. (2000) Natural cytotoxic activity of peripheral-blood lymphocytes and cancer incidence: an 11-year follow-up study of a general population. *Lancet*, **356**, 1795–1799
- Innes, K., Byers, T. & Schymura, M. (2000) Birth characteristics and subsequent risk for breast cancer in very young women. *Am. J. Epidemiol.*, **152**, 1121–1128
- Inoue, M., Okayama, A., Fujita, M., Enomoto, T., Tanizawa, O. & Ueshima, H. (1994) A case-control study on risk factors for uterine endometrial cancer in Japan. *Jpn J. Cancer Res.*, **85**, 346–350
- Ip, C. (1990) Quantitative assessment of fat and calorie as risk factors in mammary carcinogenesis in an experimental model. *Prog. Clin. Biol. Res.*, **346**, 107–117
- Iranmanesh, A., Lizarralde, G. & Veldhuis, J.D. (1991) Age and relative adiposity are specific negative determinants of the frequency and amplitude of growth hormone (GH) secretory bursts and the half-life of endogenous GH in healthy men. *J. Clin. Endocrinol. Metab.*, **73**, 1081–1088
- Iribarren, C., Sharp, D.S., Burchfiel, C.M. & Petrovitch, H. (1995) Association of weight loss and weight fluctuation with mortality among Japanese American men. *New Engl. J. Med.*, **333**, 686–692
- Irish Heart Foundation (1994) *Happy Heart National Survey: A Report on Health Behaviour in Ireland*, Dublin, Irish Heart Foundation
- Ismail, M.N., Zawiah, H., Chee, S.S. & Ng, K.K. (1995) Prevalence of obesity and chronic energy deficiency (CED) in adult Malaysians. *Malaysian J. Nutr.*, **1**, 1–10
- Ivancic, A., Prpic-Krizevac, I., Sucic, M. & Juric, M. (1998) Hyperinsulinemia and sex hormones in healthy premenopausal women: relative contribution of obesity, obesity type, and duration of obesity. *Metabolism*, **47**, 13–19
- Ivy, J.L. (1997) Role of exercise training in the prevention and treatment of insulin resistance and non-insulin-dependent diabetes mellitus. *Sports Med.*, **24**, 321–336
- Iwasaki, K., Gleiser, C.A., Masoro, E.J., McMahan, C.A., Seo, E.J. & Yu, B.P. (1988) The influence of dietary protein source on longevity and age-related disease processes of Fischer rats. *J. Gerontol.*, **43**, B5–12
- Jacobs, D.R., Jr, Hahn, L.P., Haskell, W.L., Pirie, P. & Sidney, S. (1989) Validity and reliability of short physical activity history: CARDIA and the Minnesota Heart Health Program. *J. Cardiopulm. Rehabil.*, **9**, 448–459
- Jacobs, D.R., Jr, Ainsworth, B.E., Hartman, T.J. & Leon, A.S. (1993) A simultaneous evaluation of 10 commonly used physical activity questionnaires. *Med. Sci. Sports Exerc.*, **25**, 81–91
- Jakicic, J.M., Wing, R.R., Butler, B.A. & Robertson, R.J. (1995) Prescribing exercise in multiple short bouts versus one continuous bout: effects on adherence, cardiorespiratory fitness, and weight loss in overweight women. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 893–901
- Jakicic, J.M., Winters, C., Lang, W. & Wing, R.R. (1999) Effects of intermittent exercise and use of home exercise equipment on adherence, weight loss, and fitness in overweight women: a randomized trial. *JAMA*, **282**, 1554–1560
- Jakubowicz, D.J. & Nestler, J.E. (1997) 17α -Hydroxyprogesterone responses to leuprolide and serum androgens in obese women with and without polycystic ovary syndrome offer dietary weight loss. *J. Clin. Endocrinol. Metab.*, **82**, 556–560
- James, S.J. & Muskhelishvili, L. (1994) Rates of apoptosis and proliferation vary with caloric intake and may influence incidence of spontaneous hepatoma in C57BL/6 x C3H F₁ mice. *Cancer Res.*, **54**, 5508–5510
- James, W.P., Astrup, A., Finer, N., Hilsted, J., Kopelman, P., Rossner, S., Saris, W.H. & Van Gaal, L.F. (2000) Effect of sibutramine on weight maintenance after weight loss: a randomized trial. STORM Study Group. Sibutramine Trial of Obesity Reduction and Maintenance. *Lancet*, **356**, 2119–2125
- Jäpel, M., Lötzerich, H. & Appell, H.J. (1992) Physical exercise may improve macrophage phagocytic activity of tumor bearing mice. *In Vivo*, **6**, 215–218
- Jasper, H., Pennisi, P., Vitale, M., Mella, A., Ropelato, G. & Chervin, A. (1999) Evaluation of disease activity by IGF-I and IGF binding protein-3 (IGFBP3) in acromegaly patients distributed according to a clinical score. *J. Endocrinol. Invest.*, **22**, 29–34
- Jebb, S.A. & Moore, M.S. (1999) Contribution of a sedentary lifestyle and inactivity to the etiology of overweight and obesity: current evidence and research issues. *Med. Sci. Sports Exerc.*, **31**, S534–S541
- Jeffery, R.W., Bjornson-Benson, W.M., Rosenthal, B.S., Lindquist, R.A., Kurth, C.L. & Johnson, S.L. (1984) Correlates of weight loss and its maintenance over two years of follow-up among middle-aged men. *Prev. Med.*, **13**, 155–168
- Jeffery, R.W., Gray, C.W., French, S.A., Hellerstedt, W.L., Murray, D., Luepker, R.V. & Blackburn, H. (1995) Evaluation of weight reduction in a community intervention for cardiovascular disease risk: changes in body mass index in the Minnesota Heart Health Program. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 30–39
- Jeffery, R.W., Drewnowski, A., Epstein, L.H., Stunkard, A.J., Wilson, G.T., Wing, R.R. & Hill, D.R. (2000) Long-term maintenance of weight loss: current status. *Health Psychol.*, **19**, 5–16
- Jensen, L.B., Quaade, F. & Sørensen, O.H. (1994) Bone loss accompanying voluntary weight loss in obese humans. *J. Bone Miner. Res.*, **9**, 459–463
- Ji, B.T., Hatch, M.C., Chow, W.H., McLaughlin, J.K., Dai, Q., Howe, G.R., Gao, Y.T. & Fraumeni, J.F., Jr (1996) Anthropometric and reproductive factors and the risk of pancreatic cancer: a case-control study in Shanghai, China. *Int. J. Cancer*, **66**, 432–437
- Ji, B.T., Chow, W.H., Yang, G., McLaughlin, J.K., Gao, R.N., Zheng, W., Shu, X.O., Jin, F., Fraumeni, J.F., Jr & Gao, Y.T. (1997) Body mass index and the risk of cancers of the gastric cardia and distal stomach in Shanghai, China. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 481–485
- Joakimsen, R.M., Fonnebo, V., Magnus, J.H., Tollan, A. & Sogaard, A.J. (1998) The Tromsø Study: body height, body mass index and fractures. *Osteopor. Int.*, **8**, 436–442
- John, E.M., Schwartz, G.G., Dreon, D.M. & Koo, J. (1999) Vitamin D and breast cancer risk: the NHANES I epidemiologic follow-up study, 1971–1975 to 1992. National Health and Nutrition Examination Survey. *Cancer Epidemiol. Biomarkers Prev.*, **8**, 399–406
- Jones, N.L. & Campbell, E.J. (1982) *Clinical Exercise Testing*, 2nd ed., Philadelphia, W.B. Saunders, pp. 1–249

- Jones, C.O. & White, N.G. (1994) Adiposity in aboriginal people from Arnhem Land, Australia: variation in degree and distribution associated with age, sex and lifestyle. *Ann. Hum. Biol.*, **21**, 207–227
- Jones, J.I. & Clemmons, D.R. (1995) Insulin-like growth factors and their binding proteins: biological actions. *Endocr. Rev.*, **16**, 3–34
- Jonsdottir, I.H. (2000) Exercise immunology: neuroendocrine regulation of NK-cells. *Int. J. Sports Med.*, **21 Suppl. 1**, S20–S23
- Jürimäe, T., Karelson, K., Smirnova, T. & Viru, A. (1990) The effect of a single-circuit weight-training session on the blood biochemistry of untrained university students. *Eur. J. Appl. Physiol.*, **61**, 344–348
- Juul, A., Main, K., Blum, W.F., Lindholm, J., Ranke, M.B. & Skakkebaek, N.E. (1994) The ratio between serum levels of insulin-like growth factor (IGF)-I and the IGF binding proteins (IGFBP-1, 2 and 3) decreases with age in healthy adults and is increased in acromegalic patients. *Clin. Endocrinol. (Oxf.)*, **41**, 85–93
- Kaaks, R. (1996) Nutrition, hormones, and breast cancer: is insulin the missing link? *Cancer Causes Control*, **7**, 605–625
- Kaaks, R. & Lukanova, A. (2001) Energy balance and cancer: the role of insulin and insulin-like growth factor-I. *Proc. Nutr. Soc.*, **60**, 1–16
- Kaaks, R., Van Noord, P.A., den Tonkelaar, I., Peeters, P.J.H., Riboli, E. & Grobbee, D.E. (1998) Breast-cancer incidence in relation to height, weight and body-fat distribution in the Dutch "DOM" cohort. *Int. J. Cancer*, **76**, 647–651
- Kaaks, R., Lukanova, A. & Sommersberg, B. (2000a) Plasma androgens, IGF-I, body size, and prostate cancer risk: a synthetic review. *Prostate Cancer Prostat. Dis.*, **3**, 157–172
- Kaaks, R., Toniolo, P., Akhmedkhanov, A., Lukanova, A., Biessy, C., Déchaud, H., Rinaldi, S., Zeleniuch-Jacquotte, A., Shore, R.E. & Riboli, E. (2000b) Serum C-peptide, insulin-like growth factor (IGF)-I, IGF-binding proteins, and colorectal cancer risk in women. *J. Natl Cancer Inst.*, **92**, 1592–1600
- Kabat, G.C. & Wynder, E.L. (1992) Body mass index and lung cancer risk. *Am. J. Epidemiol.*, **135**, 769–774
- Kabat, G.C., Ng, S.K. & Wynder, E.L. (1993) Tobacco, alcohol intake, and diet in relation to adenocarcinoma of the esophagus and gastric cardia. *Cancer Causes Control*, **4**, 123–132
- Kabat, G.C., Chang, C.J. & Wynder, E.L. (1994) The role of tobacco, alcohol use, and body mass index in oral and pharyngeal cancer. *Int. J. Epidemiol.*, **23**, 1137–1144
- Kabat, G.C., Chang, C.J., Sparano, J.A., Sepkovic, D.W., Hu, X.P., Khalil, A., Rosenblatt, R. & Bradlow, H.L. (1997) Urinary estrogen metabolites and breast cancer: a case-control study. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 505–509
- Kabuto, M., Akiba, S., Stevens, R.G., Neriishi, K. & Land, C.E. (2000) A prospective study of estradiol and breast cancer in Japanese women. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 575–579
- Kadyrova, R.K. & Shakieva, R.A. (1986) Dynamics of changes in the lipid composition of bile in patients with alimentary obesity during treatment [in Russian]. *Ter. Arkh.*, **58**, 79–82
- Kahn, H.S., Tatham, L.M., Rodriguez, C., Calle, E.E., Thun, M.J. & Heath, C.W. (1997) Stable behaviors associated with adults' 10-year change in body mass index and likelihood of gain at the waist. *Am. J. Public Health*, **87**, 747–754
- Kaijser, M., Lichtenstein, P., Granath, F., Ertlandsson, G., Cnattingius, S. & Ekblom, A. (2001) In utero exposures and breast cancer: a study of opposite-sexed twins. *J. Natl Cancer Inst.*, **93**, 60–62
- Kakizawa, S., Kaneko, T., Hasegawa, S. & Hirano, T. (1995) Effects of feeding, fasting, background adaptation, acute stress, and exhaustive exercise on the plasma somatolactin concentrations in rainbow trout. *Gen. Comp. Endocrinol.*, **98**, 137–146
- Kampert, J.B., Blair, S.N., Barlow, C.E. & Kohl, H.W.I. (1996) Physical activity, physical fitness, and all-cause and cancer mortality: a prospective study of men and women. *Ann. Epidemiol.*, **6**, 452–457
- Kampman, E., Potter, J.D., Slattery, M.L., Caan, B.J. & Edwards, S. (1997) Hormone replacement therapy, reproductive history, and colon cancer: a multicenter, case-control study in the United States. *Cancer Causes Control*, **8**, 146–158
- Kannus, P., Haapasalo, H., Sankelo, M., Sievänen, H., Pasanen, M., Heinonen, A., Oja, P. & Vuori, I. (1995) Effect of starting age of physical activity on bone mass in the dominant arm of tennis and squash players. *Ann. Intern. Med.*, **123**, 27–31
- Kari, F.W., Dunn, S.E., French, J.E. & Barrett, J.C. (1999) Roles for insulin-like growth factor-1 in mediating the anti-carcinogenic effects of caloric restriction. *J. Nutr. Health Aging*, **3**, 92–101
- Kark, J.D., Yaari, S., Rasooly, I. & Goldbourt, U. (1995) Are lean smokers at increased risk of lung cancer? The Israel Civil Servant Cancer Study. *Arch. Intern. Med.*, **155**, 2409–2416
- Karlsson, J., Sjöström, L. & Sullivan, M. (1998) Swedish obese subjects (SOS) — an intervention study of obesity. Two-year follow-up of health-related quality of life (HRQL) and eating behavior after gastric surgery for severe obesity. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 113–126
- Kasim-Karakas, S.E., Almario, R.U., Mueller, W.M. & Pearson, J. (2000) Changes in plasma lipoproteins during low-fat, high-carbohydrate diets: effects of energy intake. *Am. J. Clin. Nutr.*, **71**, 1439–1447
- Kato, I., Tominaga, S. & Ikari, A. (1990) A case-control study of male colorectal cancer in Aichi Prefecture, Japan: with special reference to occupational activity level, drinking habits and family history. *Jpn J. Cancer Res.*, **81**, 115–121
- Kato, I., Toniolo, P., Zeleniuch-Jacquotte, A., Shore, R.E., Koenig, K.L., Akhmedkhanov, A. & Riboli, E. (2000) Diet, smoking and anthropometric indices and postmenopausal bone fractures: a prospective study. *Int. J. Epidemiol.*, **29**, 85–92
- Katsouyanni, K., Boyle, P. & Trichopoulos, D. (1991) Diet and urine estrogens among postmenopausal women. *Oncology*, **48**, 490–494
- Katz, L.E., Satin-Smith, M.S., Collett-Solberg, P., Baker, L., Stanley, C.A. & Cohen, P. (1998) Dual regulation of insulin-like growth factor binding protein-1 levels by insulin and cortisol during fasting. *J. Clin. Endocrinol. Metab.*, **83**, 4426–4430
- Kaye, S.A., Folsom, A.R., Soler, J.T., Prineas, R.J. & Potter, J.D. (1991) Associations of body mass and fat distribution with sex hormone concentrations in postmenopausal women. *Int. J. Epidemiol.*, **20**, 151–156

- Kazakoff, K., Cardesa, T., Liu, J., Adrian, T.E., Bagchi, D., Bagchi, M., Birt, D.F. & Pour, P.M. (1996) Effects of voluntary physical exercise on high-fat diet-promoted pancreatic carcinogenesis in the hamster model. *Nutr. Cancer*, **26**, 265–279
- Kearney, J.M., Kearney, M.J., McElhone, S. & Gibney, M.J. (1999) Methods used to conduct the pan-European Union survey on consumer attitudes to physical activity, body weight and health. *Public Health Nutr.*, **2**, 79–86
- Keen, A.D. & Drinkwater, B.L. (1997) Irreversible bone loss in former amenorrhoeic athletes. *Osteopor. Int.*, **7**, 311–315
- Keenan, K.P., Laroque, P., Soper, K.A., Morrissey, R.E. & Dixit, R. (1996) The effects of overfeeding and moderate dietary restriction on Sprague-Dawley rat survival, pathology, carcinogenicity, and the toxicity of pharmaceutical agents. *Exp. Toxicol. Pathol.*, **48**, 139–144
- Keizer, H.A. & Rogol, A.D. (1990) Physical exercise and menstrual cycle alterations. What are the mechanisms? *Sports Med.*, **10**, 218–235
- Kelder, S.H., Perry, C.L. & Klepp, K.I. (1993) Community-wide youth exercise promotion: long-term outcomes of the Minnesota Heart Health Program and the Class of 1989 Study. *J. School Health*, **63**, 218–223
- Kelley, D.E. & Goodpaster, B.H. (1999) Effects of physical activity on insulin action and glucose tolerance in obesity. *Med. Sci. Sports Exerc.*, **31**, S619–S623
- Kelley, D.S., Daudu, P.A., Branch, L.B., Johnson, H.L., Taylor, P.C. & Mackey, B. (1994) Energy restriction decreases number of circulating natural killer cells and serum levels of immunoglobulins in overweight women. *Eur. J. Clin. Nutr.*, **48**, 9–18
- Kelsey, J.L., LiVolsi, V.A., Holford, T.R., Fischer, D.B., Mostow, E.D., Schwartz, P.E., O'Connor, T. & White, C. (1982) A case-control study of cancer of the endometrium. *Am. J. Epidemiol.*, **116**, 333–342
- Kennedy, S.H., Brown, G.M., McVey, G. & Garfinkel, P.E. (1991) Pineal and adrenal function before and after refeeding in anorexia nervosa. *Biol. Psychiatry*, **30**, 216–224
- Kestin, A.S., Ellis, P.A., Barnard, M.R., Errichetti, A., Rosner, B.A. & Michelson, A.D. (1993) Effect of strenuous exercise on platelet activation state and reactivity. *Circulation*, **88**, 1502–1511
- Key, T.J. & Pike, M.C. (1988) The dose-effect relationship between 'unopposed' oestrogens and endometrial mitotic rate: its central role in explaining and predicting endometrial cancer risk. *Br. J. Cancer*, **57**, 205–212
- Key, T.J., Silcocks, P.B., Davey, G.K., Appleby, P.N. & Bishop, D.T. (1997) A case-control study of diet and prostate cancer. *Br. J. Cancer*, **76**, 678–687
- Khandwala, H.M., McCutcheon, I.E., Flyvbjerg, A. & Friend, K.E. (2000) The effects of insulin-like growth factors on tumorigenesis and neoplastic growth. *Endocr. Rev.*, **21**, 215–244
- Kiddy, D.S., Hamilton-Fairley, D., Seppala, M., Koistinen, R., James, V.H., Reed, M.J. & Franks, S. (1989) Diet-induced changes in sex hormone binding globulin and free testosterone in women with normal or polycystic ovaries: correlation with serum insulin and insulin-like growth factor-I. *Clin. Endocrinol. (Oxf.)*, **31**, 757–763
- Kiddy, D.S., Hamilton-Fairley, D., Bush, A., Short, F., Anyaoku, V., Reed, M.J. & Franks, S. (1992) Improvement in endocrine and ovarian function during dietary treatment of obese women with polycystic ovary syndrome. *Clin. Endocrinol. (Oxf.)*, **36**, 105–111
- Kim, Y.I. (1998) Diet, lifestyle, and colorectal cancer: is hyperinsulinemia the missing link? *Nutr. Rev.*, **56**, 275–279
- Kim, J.D., McCarter, R.J. & Yu, B.P. (1996) Influence of age, exercise, and dietary restriction on oxidative stress in rats. *Aging (Milano)*, **8**, 123–129
- King, A.C., Frey-Hewitt, B., Dreon, D.M. & Wood, P.D. (1989) Diet vs exercise in weight maintenance. The effects of minimal intervention strategies on long-term outcomes in men. *Arch. Intern. Med.*, **149**, 2741–2746
- King, A.C., Haskell, W.L., Taylor, C.B., Kraemer, H.C. & DeBusk, R.F. (1991) Group vs home-based exercise training in healthy older men and women. A community-based clinical trial. *JAMA*, **266**, 1535–1542
- King, D.S., Baldus, P.J., Sharp, R.L., Kesl, L.D., Feltmeyer, T.L. & Riddle, M.S. (1995) Time course for exercise-induced alterations in insulin action and glucose tolerance in middle-aged people. *J. Appl. Physiol.*, **78**, 17–22
- King, A.C., Pruitt, L.A., Phillips, W., Oka, R., Rodenburg, A. & Haskell, W.L. (2000) Comparative effects of two physical activity programs on measured and perceived physical functioning and other health-related quality of life outcomes in older adults. *J. Gerontol. A Biol. Sci. Med. Sci.*, **55**, M74–M83
- Kirkpatrick, C.S., White, E. & Lee, J.A. (1994) Case-control study of malignant melanoma in Washington State. II. Diet, alcohol, and obesity. *Am. J. Epidemiol.*, **139**, 869–880
- Kirschner, M.A., Samojlik, E., Drejka, M., Szmal, E., Schneider, G. & Ertel, N. (1990) Androgen-estrogen metabolism in women with upper body versus lower body obesity. *J. Clin. Endocrinol. Metab.*, **70**, 473–479
- Klesges, R.C., Klesges, L.M., Haddock, C.K. & Eck, L.H. (1992) A longitudinal analysis of the impact of dietary intake and physical activity on weight change in adults. *Am. J. Clin. Nutr.*, **55**, 818–822
- Kluge, A., Zimmermann, R., Munkel, B., Mohri, M., Sack, S., Schaper, J. & Schaper, W. (1995) Insulin-like growth factor I is involved in inflammation linked angiogenic processes after microembolisation in porcine heart. *Cardiovasc. Res.*, **29**, 407–415
- Klurfeld, D.M., Welch, C.B., Davis, M.J. & Kritchevsky, D. (1989a) Determination of degree of energy restriction necessary to reduce DMBA-induced mammary tumorigenesis in rats during the promotion phase. *J. Nutr.*, **119**, 286–291
- Klurfeld, D.M., Welch, C.B., Lloyd, L.M. & Kritchevsky, D. (1989b) Inhibition of DMBA-induced mammary tumorigenesis by caloric restriction in rats fed high-fat diets. *Int. J. Cancer*, **43**, 922–925
- Klurfeld, D.M., Lloyd, L.M., Welch, C.B., Davis, M.J., Tulp, O.L. & Kritchevsky, D. (1991) Reduction of enhanced mammary carcinogenesis in LA/N-cp (corpulent) rats by energy restriction. *Proc. Soc. Exp. Biol. Med.*, **196**, 381–384
- Knatterud, G.L., Klimt, C.R., Goldner, M.G., Hawkins, B.S., Weisenfeld, S., Kreines, H. & Haddock, L. (1982) Effects of hypoglycemic agents on vascular complications in patients with adult-onset diabetes. VIII. Evaluation of insulin therapy: final report. *Diabetes*, **31**, Suppl. 5, 1–81
- Knekt, P., Heliövaara, M., Rissanen, A., Aromaa, A., Seppänen, R., Teppo, L. & Pukkala, E. (1991) Leanness and lung-cancer risk. *Int. J. Cancer*, **49**, 208–213

- Knip, M. & Nuutinen, O. (1993) Long-term effects of weight reduction on serum lipids and plasma insulin in obese children. *Am. J. Clin. Nutr.*, **57**, 490–493
- Koffler, K.H., Menkes, A., Redmond, R.A., Whitehead, W.E., Pratley, R.E. & Hurley, B.F. (1992) Strength training accelerates gastrointestinal transit in middle-aged and older men. *Med. Sci. Sports Exerc.*, **24**, 415–419
- Kohl, H.W., Fulton, J.E. & Caspersen, C.J. (2000) Physical activity assessment among children and adolescents. *Prev. Med.*, **31**, S54–S76
- Koistinen, H., Koistinen, R., Selenius, L., Ylikorkala, Q. & Seppälä, M. (1996) Effect of marathon run on serum IGF-I and IGF-binding protein 1 and 3 levels. *J. Appl. Physiol.*, **80**, 760–764
- Kolonel, L.N., Nomura, A.M., Lee, J. & Hirohata, T. (1986) Anthropometric indicators of breast cancer risk in postmenopausal women in Hawaii. *Nutr. Cancer*, **8**, 247–256
- Kolonel, L.N., Yoshizawa, C.N. & Hankin, J.H. (1988) Diet and prostatic cancer: a case-control study in Hawaii. *Am. J. Epidemiol.*, **127**, 999–1012
- Kono, S., Handa, K., Hayabuchi, H., Kiyohara, C., Inoue, H., Marugame, T., Shinomiya, S., Hamada, H., Onuma, K. & Koga, H. (1999) Obesity, weight gain and risk of colon adenomas in Japanese men. *Jpn. J. Cancer Res.*, **90**, 805–811
- Koohestani, N., Chia, M.C., Pham, N.A., Tran, T.T., Minkin, S., Wolever, T.M. & Bruce, W.R. (1998) Aberrant crypt focus promotion and glucose intolerance: correlation in the rat across diets differing in fat, n-3 fatty acids and energy. *Carcinogenesis*, **19**, 1679–1684
- Kopelman, P.G., White, N., Pilkington, T.R. & Jeffcoate, S.L. (1981) The effect of weight loss on sex steroid secretion and binding in massively obese women. *Clin. Endocrinol. (Oxf.)*, **15**, 113–116
- Koprowski, C., Ross, R.K., Mack, W.J., Henderson, B.E. & Bernstein, L. (1999) Diet, body size and menarche in a multiethnic cohort. *Br. J. Cancer*, **79**, 1907–1911
- Kotake, K., Koyama, Y., Nasu, J., Fukutomi, T. & Yamaguchi, N. (1995) Relation of family history of cancer and environmental factors to the risk of colorectal cancer: a case-control study. *Jpn. J. Clin. Oncol.*, **25**, 195–202
- Koumantaki, Y., Tzonou, A., Koumantakis, E., Kaklamani, E., Aravantinos, D. & Trichopoulos, D. (1989) A case-control study of cancer of endometrium in Athens. *Int. J. Cancer*, **43**, 795–799
- Koziris, L.P., Hickson, R.C., Chatterton, R.T., Jr, Groseth, R.T., Christie, J.M., Goldflies, D.G. & Unterman, T.G. (1999) Serum levels of total and free IGF-I and IGFBP-3 are increased and maintained in long-term training. *J. Appl. Physiol.*, **86**, 1436–1442
- Kraemer, R.R., Kilgore, J.L., Kraemer, G.R. & Castracane, V.D. (1992) Growth hormone, IGF-I, and testosterone responses to resistive exercise. *Med. Sci. Sports Exerc.*, **24**, 1346–1352
- Kraemer, W.J., Fleck, S.J., Dziados, J.E., Harman, E.A., Marchitelli, L.J., Gordon, S.E., Mello, R., Frykman, P.N., Koziris, L.P. & Triplett, N.T. (1993) Changes in hormonal concentrations after different heavy-resistance exercise protocols in women. *J. Appl. Physiol.*, **75**, 594–604
- Kraemer, W.J., Aguilera, B.A., Terada, M., Newton, R.U., Lynch, J.M., Rosendaal, G., McBride, J.M., Gordon, S.E. & Hakkinen, K. (1995) Responses of IGF-I to endogenous increases in growth hormone after heavy-resistance exercise. *J. Appl. Physiol.*, **79**, 1310–1315
- Kraemer, W.J., Volek, J.S., Bush, J.A., Putukian, M. & Sebastianelli, W.J. (1998) Hormonal responses to consecutive days of heavy-resistance exercise with or without nutritional supplementation. *J. Appl. Physiol.*, **85**, 1544–1555
- Kraemer, W.J., Häkkinen, K., Newton, R.U., Nindl, B.C., Volek, J.S., McCormick, M., Gotshalk, L.A., Gordon, S.E., Fleck, S.J., Campbell, W.W., Putukian, M. & Evans, W.J. (1999) Effects of heavy-resistance training on hormonal response patterns in younger vs. older men. *J. Appl. Physiol.*, **87**, 982–992
- Kramer, T.R., Moore, R.J., Shippee, R.L., Friedl, K.E., Martinez-Lopez, L., Chan, M.M. & Askew, E.W. (1997) Effects of food restriction in military training on T-lymphocyte responses. *Int. J. Sports Med.*, **18 Suppl. 1**, S84–S90
- Kreiger, N., Marrett, L.D., Dodds, L., Hilditch, S. & Darlington, G.A. (1993) Risk factors for renal cell carcinoma: results of a population-based case-control study. *Cancer Causes Control*, **4**, 101–110
- Kritchevsky, D. (1992) Caloric restriction and experimental carcinogenesis. *Adv. Exp. Med. Biol.*, **322**, 131–141
- Kritchevsky, D. (1997) Caloric restriction and experimental mammary carcinogenesis. *Breast Cancer Res. Treat.*, **46**, 161–167
- Kritchevsky, D. (1999) Caloric restriction and experimental carcinogenesis. *Toxicol. Sci.*, **52**, 13–16
- Kritchevsky, D., Welch, C.B. & Klurfeld, D.M. (1989) Response of mammary tumors to caloric restriction for different time periods during the promotion phase. *Nutr. Cancer*, **12**, 259–269
- Kroke, A., Klipstein-Grobusch, K., Bergmann, M.M., Weber, K. & Boeing, H. (2000) Influence of body composition on quantitative ultrasound parameters of the os calcis in a population-based sample of pre- and postmenopausal women. *Calcif. Tissue Int.*, **66**, 5–10
- Kronborg, O. & Fenger, C. (1999) Clinical evidence for the adenoma-carcinoma sequence. *Eur. J. Cancer Prev.*, **8**, Suppl. 1, S73–S86
- Krotkiewski, M., Björntorp, P., Sjöström, L. & Smith, U. (1983) Impact of obesity on metabolism in men and women. Importance of regional adipose tissue distribution. *J. Clin. Invest.*, **72**, 1150–1162
- Kujala, U.M., Kaprio, J., Sarna, S. & Koskenvuo, M. (1998) Relationship of leisure-time physical activity and mortality: the Finnish twin cohort. *JAMA*, **279**, 440–444
- Kumae, T., Yamasaki, K., Ishizaki, K. & Ito, T. (1999) Effects of summer camp endurance training on non-specific immunity in long-distance runners. *Int. J. Sports Med.*, **20**, 390–395
- Kumagai, S., Shono, N., Kondo, Y. & Nishizumi, M. (1994) The effect of endurance training on the relationships between sex hormone binding globulin, high density lipoprotein cholesterol, apoprotein A1 and physical fitness in pre-menopausal women with mild obesity. *Int. J. Obes. Relat. Metab. Disord.*, **18**, 249–254
- Kumar, S.P., Roy, S.J., Tokumo, K. & Reddy, B.S. (1990) Effect of different levels of calorie restriction on azoxymethane-induced colon carcinogenesis in male F344 rats. *Cancer Res.*, **50**, 5761–5766

- Kumari, B.S. & Chandra, R.K. (1993) Overnutrition and immune responses. *Nutr. Res.*, **13**, S3–S18
- Kune, G.A., Kune, S. & Watson, L.F. (1990) Body weight and physical activity as predictors of colorectal cancer risk. *Nutr. Cancer*, **13**, 9–17
- Kyogoku, S., Hirohata, T., Takeshita, S., Nomura, Y., Shigematsu, T. & Horie, A. (1990) Survival of breast-cancer patients and body size indicators. *Int. J. Cancer*, **46**, 824–831
- La Vecchia, C., Franceschi, S., Gallus, G., Decarli, A., Colombo, E., Mangioni, C. & Tognoni, G. (1982) Oestrogens and obesity as risk factors for endometrial cancer in Italy. *Int. J. Epidemiol.*, **11**, 120–126
- La Vecchia, C., Franceschi, S., Decarli, A., Gallus, G. & Tognoni, G. (1984) Risk factors for endometrial cancer at different ages. *J. Natl Cancer Inst.*, **73**, 667–671
- La Vecchia, C., Parazzini, F., Negri, E., Fasoli, M., Gentile, A. & Franceschi, S. (1991) Anthropometric indicators of endometrial cancer risk. *Eur. J. Cancer*, **27**, 487–490
- La Vecchia, C., Negri, E., Franceschi, S., Talamini, R., Bruzzi, P., Palli, D. & Decarli, A. (1997a) Body mass index and postmenopausal breast cancer: an age-specific analysis. *Br. J. Cancer*, **75**, 441–444
- La Vecchia, C., Negri, E., Decarli, A. & Franceschi, S. (1997b) Diabetes mellitus and colorectal cancer risk. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 1007–1010
- La Vecchia, C., Ron, E., Franceschi, S., Dal Maso, L., Mark, S.D., Chatenoud, L., Braga, C., Preston-Martin, S., McTiernan, A., Kolonel, L., Mabuchi, K., Jin, F., Wingren, G., Galanti, M.R., Hallquist, A., Lund, E., Levi, F., Linos, D. & Negri, E. (1999a) A pooled analysis of case-control studies of thyroid cancer. III. Oral contraceptives, menopausal replacement therapy and other female hormones. *Cancer Causes Control*, **10**, 157–166
- La Vecchia, C., Braga, C., Franceschi, S., Dal Maso, L. & Negri, E. (1999b) Population-attributable risk for colon cancer in Italy. *Nutr. Cancer*, **33**, 196–200
- Laakso, M. & Lehto, M. (1997) Epidemiology of macrovascular disease in diabetes. *Diabetes Rev.*, **5**, 294–315
- LaCroix, A.Z., Leveille, S.G., Hecht, J.A., Grothaus, L.C. & Wagner, E.H. (1996) Does walking decrease the risk of cardiovascular disease hospitalizations and death in older adults? *J. Am. Geriatr. Soc.*, **44**, 113–120
- Lagergren, J., Bergström, R. & Nyrén, O. (1999a) Association between body mass and adenocarcinoma of the esophagus and gastric cardia. *Ann. Intern. Med.*, **130**, 883–890
- Lagergren, J., Bergström, R., Lindgren, A. & Nyrén, O. (1999b) Symptomatic gastroesophageal reflux as a risk factor for esophageal adenocarcinoma. *New Engl. J. Med.*, **340**, 825–831
- Lagergren, J., Bergström, R., Adami, H.O. & Nyrén, O. (2000) Association between medications that relax the lower esophageal sphincter and risk for esophageal adenocarcinoma. *Ann. Intern. Med.*, **133**, 165–175
- Lagiou, P., Signorello, L.B., Trichopoulos, D., Tzonou, A., Trichopoulou, A. & Mantzoros, C.S. (1998) Leptin in relation to prostate cancer and benign prostatic hyperplasia. *Int. J. Cancer*, **76**, 25–28
- Lagopoulos, L., Sunahara, G.I., Würzner, H., Dombrowsky, I. & Stalder, R. (1991) The effects of alternating dietary restriction and ad libitum feeding of mice on the development of diethylnitrosamine-induced liver tumours and its correlation to insulinaemia. *Carcinogenesis*, **12**, 311–315
- Lahmann, P.H., Lissner, L., Gullberg, B. & Berglund, G. (2000) Sociodemographic factors associated with long-term weight gain, current body fatness and central adiposity in Swedish women. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 685–694
- Lahti-Koski, M., Vartiainen, E., Mannisto, S. & Pietinen, P. (2000) Age, education and occupation as determinants of trends in body mass index in Finland from 1982 to 1997. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1669–1676
- Lane, H.W., Teer, P., Keith, R.E., White, M.T. & Strahan, S. (1991) Reduced energy intake and moderate exercise reduce mammary tumor incidence in virgin female BALB/c mice treated with 7,12-dimethylbenz(a)anthracene. *J. Nutr.*, **121**, 1883–1888
- Langendonk, J.G., Meinders, A.E., Burggraaf, J., Frölich, M., Roelen, C.A., Schoemaker, R.C., Cohen, A.F. & Pijl, H. (1999) Influence of obesity and body fat distribution on growth hormone kinetics in humans. *Am. J. Physiol.*, **277**, E824–E829
- Langlois, J.A., Harris, T., Looker, A.C. & Madans, J. (1996) Weight change between age 50 years and old age is associated with risk of hip fracture in white women aged 67 years and older. *Arch. Intern. Med.*, **156**, 989–994
- Langlois, J.A., Visser, M., Davidovic, L.S., Maggi, S., Li, G. & Harris, T.B. (1998) Hip fracture risk in older white men is associated with change in body weight from age 50 years to old age. *Arch. Intern. Med.*, **158**, 990–996
- Lanzone, A., Fulghesu, A.M., Andreani, C.L., Apa, R., Fortini, A., Caruso, A. & Mancuso, S. (1990) Insulin secretion in polycystic ovarian disease: effect of ovarian suppression by GnRH agonist. *Hum. Reprod.*, **5**, 143–149
- LaPerriere, A., Antoni, M.H., Ironson, G., Perry, A., McCabe, P., Klimas, N., Helder, L., Schneiderman, N. & Fletcher, M.A. (1994) Effects of aerobic exercise training on lymphocyte subpopulations. *Int. J. Sports Med.*, **15 Suppl. 3**, S127–S130
- Lapidus, L., Helgesson, O., Merck, C. & Björntorp, P. (1988) Adipose tissue distribution and female carcinomas. A 12-year follow-up of participants in the population study of women in Gothenburg, Sweden. *Int. J. Obes.*, **12**, 361–368
- LaPorte, R.E., Black-Sandler, R., Cauley, J.A., Link, M., Bayles, C. & Marks, B. (1983) The assessment of physical activity in older women: analysis of the interrelationship and reliability of activity monitoring, activity surveys, and caloric intake. *J. Gerontol.*, **38**, 394–397
- Larsen, M.L. (1989) The utility of glycated hemoglobin in identification of impaired glucose tolerance. *Diabetes Res.*, **12**, 67–70
- Larsson, B., Bengtsson, C., Björntorp, P., Lapidus, L., Sjöström, L., Svärdsudd, K., Tibblin, G., Wedel, H., Welin, L. & Wilhelmsen, L. (1992) Is abdominal body fat distribution a major explanation for the sex difference in the incidence of myocardial infarction? The study of men born in 1913 and the study of women, Goteborg, Sweden. *Am. J. Epidemiol.*, **135**, 266–273
- Lasko, C.M. & Bird, R.P. (1995) Modulation of aberrant crypt foci by dietary fat and caloric restriction: the effects of delayed intervention. *Cancer Epidemiol Biomarkers Prev.*, **4**, 49–55

- Lasko, C.M., Good, C.K., Adam, J. & Bird, R.P. (1999) Energy restriction modulates the development of advanced preneoplastic lesions depending on the level of fat in the diet. *Nutr Cancer*, **33**, 69–75
- Lauer, J.B., Reed, G.W. & Hill, J.O. (1999) Effects of weight cycling induced by diet cycling in rats differing in susceptibility to dietary obesity. *Obes. Res.*, **7**, 215–222
- Lavrencic, A., Salobir, B.G. & Keber, I. (2000) Physical training improves flow-mediated dilation in patients with the polymetabolic syndrome. *Arterioscler. Thromb. Vasc. Biol.*, **20**, 551–555
- Lawrence, C., Tessaro, I., Durgerian, S., Caputo, T., Richart, R., Jacobson, H. & Greenwald, P. (1987) Smoking, body weight, and early-stage endometrial cancer. *Cancer*, **59**, 1665–1669
- Lazarus, R., Wake, M., Hesketh, K. & Waters, E. (2000) Change in body mass index in Australian primary school children, 1985–1997. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 679–684
- Le Marchand, L., Kolonel, L.N., Earle, M.E. & Mi, M.P. (1988a) Body size at different periods of life and breast cancer risk. *Am. J. Epidemiol.*, **128**, 137–152
- Le Marchand, L., Kolonel, L.N., Myers, B.C. & Mi, M.P. (1988b) Birth characteristics of premenopausal women with breast cancer. *Br. J. Cancer*, **57**, 437–439
- Le Marchand, L., Wilkens, L.R. & Mi, M.P. (1991a) Early-age body size, adult weight gain and endometrial cancer risk. *Int. J. Cancer*, **48**, 807–811
- Le Marchand, L., Kolonel, L.N. & Yoshizawa, C.N. (1991b) Lifetime occupational physical activity and prostate cancer risk. *Am. J. Epidemiol.*, **133**, 103–111
- Le Marchand, L., Wilkens, L.R. & Mi, M.P. (1992) Obesity in youth and middle age and risk of colorectal cancer in men. *Cancer Causes Control*, **3**, 349–354
- Le Marchand, L., Kolonel, L.N., Wilkens, L.R., Myers, B.C. & Hirohata, T. (1994) Animal fat consumption and prostate cancer: a prospective study in Hawaii. *Epidemiology*, **5**, 276–282
- Le Marchand, L., Wilkens, L.R., Kolonel, L.N., Hankin, J.H. & Lyu, L.C. (1997) Associations of sedentary lifestyle, obesity, smoking, alcohol use, and diabetes with the risk of colorectal cancer. *Cancer Res.*, **57**, 4787–4794
- Le Pen, C., Levy, E., Loos, F., Banzet, M.N. & Basdevant, A. (1998) "Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects. *J. Epidemiol. Community Health*, **52**, 445–450
- Leakey, J.A., Cunny, H.C., Bazare, J., Jr, Webb, P.J., Lipscomb, J.C., Slikker, W., Jr, Feuers, R.J., Duffy, P.H. & Hart, R.W. (1989) Effects of aging and caloric restriction on hepatic drug metabolizing enzymes in the Fischer 344 rat. II: Effects on conjugating enzymes. *Mech. Ageing Dev.*, **48**, 157–166
- Leakey, J., Seng, J., Manjgaladze, M., Kozlovskaya, N., Xia, S., Lee, M.Y., Frame, L., Chen, S., Rhodes, C., Duffy, P. & Hart, R. (1995) Influence of caloric intake on drug metabolizing enzyme expression: relevance to tumorigenesis and toxicity testing. In: Hart, R., Neuman, D. & Robertson, R., eds, *Dietary Restriction: Implications for the Design and Interpretation of Toxicity and Carcinogenicity Studies*, Washington, DC, ILSI Press, pp. 167–180
- Leakey, J., Seng, J.E., Barnas, C., Baker, V. & Hart, R. (1998) A mechanistic basis for the beneficial effects of dietary restriction on longevity and disease. Consequences for the interpretation of rodent toxicity studies. *Int. J. Toxicol.*, **17**, 5–56
- Lean, M.E. (1997) Sibutramine — a review of clinical efficacy. *Int. J. Obes. Relat. Metab. Disord.*, **21**, Suppl. 1, S30–S36
- Lean, M.E., Han, T.S. & Morrison, C.E. (1995) Waist circumference as a measure for indicating need for weight management. *BMJ*, **311**, 158–161
- Lean, M.E., Han, T.S. & Deurenberg, P. (1996) Predicting body composition by densitometry from simple anthropometric measurements. *Am. J. Clin. Nutr.*, **63**, 4–14
- Lean, M.E., Han, T.S. & Seidell, J.C. (1998) Impairment of health and quality of life in people with large waist circumference. *Lancet*, **351**, 853–856
- Lee, I.M. & Paffenbarger, R.S., Jr (1992a) Quetelet's index and risk of colon cancer in college alumni. *J. Natl Cancer Inst.*, **84**, 1326–1331
- Lee, I.M. & Paffenbarger, R.S., Jr (1992b) Re: "Body mass index and lung cancer risk". *Am. J. Epidemiol.*, **136**, 1417–1419
- Lee, I.M. & Paffenbarger, R.S., Jr (1992c) Change in body weight and longevity. *JAMA*, **268**, 2045–2049
- Lee, I.M. & Paffenbarger, R.S., Jr (1994) Physical activity and its relation to cancer risk: a prospective study of college alumni. *Med. Sci. Sports Exerc.*, **26**, 831–837
- Lee, I.M. & Paffenbarger, R.S., Jr (1996) Is weight loss hazardous? *Nutr. Rev.*, **54**, S116–S124
- Lee, I.M. & Paffenbarger, R.S., Jr (1998) Physical activity and stroke incidence: the Harvard Alumni Health Study. *Stroke*, **29**, 2049–2054
- Lee, I.M. & Paffenbarger, R.S., Jr (2000) Associations of light, moderate, and vigorous intensity physical activity with longevity. The Harvard Alumni Health Study. *Am. J. Epidemiol.*, **151**, 293–299
- Lee, I.M., Paffenbarger, R.S., Jr & Hsieh, C. (1991) Physical activity and risk of developing colorectal cancer among college alumni. *J. Natl Cancer Inst.*, **83**, 1324–1329
- Lee, I.M., Paffenbarger, R.S., Jr & Hsieh, C.C. (1992) Physical activity and risk of prostatic cancer among college alumni. *Am. J. Epidemiol.*, **135**, 169–179
- Lee, I.M., Manson, J.A., Hennekens, C.H., Paffenbarger, R.S., Jr (1993) Body weight and mortality. *JAMA*, **270**, 2823–2828
- Lee, I.M., Hsieh, C.C. & Paffenbarger, R.S., Jr (1995) Exercise intensity and longevity in men. The Harvard Alumni Health Study. *JAMA*, **273**, 1179–1184
- Lee, I.M., Manson, J.E., Ajani, U., Paffenbarger, R.S.J., Hennekens, C.H. & Buring, J.E. (1997a) Physical activity and risk of colon cancer: the Physicians' Health Study (United States). *Cancer Causes Control*, **8**, 568–574
- Lee, P.D., Giudice, L.C., Conover, C.A. & Powell, D.R. (1997b) Insulin-like growth factor binding protein-1: recent findings and new directions. *Proc. Soc. Exp. Biol. Med.*, **216**, 319–357
- Lee, I.M., Sesso, H.D. & Paffenbarger, R.S.J. (1999a) Physical activity and risk of lung cancer. *Int. J. Epidemiol.*, **28**, 620–625
- Lee, D.Y., Kim, S.J. & Lee, Y.C. (1999b) Serum insulin-like growth factor (IGF)-I and IGF-binding proteins in lung cancer patients. *J. Korean Med. Sci.*, **14**, 401–404

- Lee, C.K., Klopp, R.G., Weindruch, R. & Prolla, T.A. (1999c) Gene expression profile of aging and its retardation by caloric restriction. *Science*, **285**, 1390–1393
- Lee, C.D., Blair, S.N. & Jackson, A.S. (1999d) Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. *Am. J. Clin. Nutr.*, **69**, 373–380
- Leenen, R., van der Kooy, K., Seidell, J.C., Deurenberg, P. & Koppeschaar, H.P. (1994) Visceral fat accumulation in relation to sex hormones in obese men and women undergoing weight loss therapy. *J. Clin. Endocrinol. Metab.*, **78**, 1515–1520
- Leermakers, E.A., Perri, M.G., Shigaki, C.L. & Fuller, P.R. (1999) Effects of exercise-focused versus weight-focused maintenance programs on the management of obesity. *Addict. Behav.*, **24**, 219–227
- Lees, A.W., Jenkins, H.J., May, C.L., Cherian, G., Lam, E.W. & Hanson, J. (1989) Risk factors and 10-year breast cancer survival in northern Alberta. *Breast Cancer Res. Treat.*, **13**, 143–151
- Leitzmann, M.F., Rimm, E.B., Willett, W.C., Spiegelman, D., Grodstein, F., Stampfer, M.J., Colditz, G.A. & Giovannucci, E. (1999) Recreational physical activity and the risk of cholecystectomy in women. *New Engl. J. Med.*, **341**, 777–784
- Lemaitre, R.N., Heckbert, S.R., Psaty, B.M. & Siscovick, D.S. (1995) Leisure-time physical activity and the risk of nonfatal myocardial infarction in postmenopausal women. *Arch. Intern. Med.*, **155**, 2302–2308
- Lemieux, S., Prud'homme, D., Bouchard, C., Tremblay, A. & Després, J.P. (1996) A single threshold value of waist girth identifies normal-weight and overweight subjects with excess visceral adipose tissue. *Am. J. Clin. Nutr.*, **64**, 685–693
- Leung, K.C., Waters, M.J., Markus, I., Baumbach, W.R. & Ho, K.K. (1997) Insulin and insulin-like growth factor-I acutely inhibit surface translocation of growth hormone receptors in osteoblasts: a novel mechanism of growth hormone receptor regulation. *Proc. Natl Acad. Sci. USA*, **94**, 11381–11386
- Leung, K.C., Doyle, N., Ballesteros, M., Waters, M.J. & Ho, K.K. (2000) Insulin regulation of human hepatic growth hormone receptors: divergent effects on biosynthesis and surface translocation. *J. Clin. Endocrinol. Metab.*, **85**, 4712–4720
- Levi, F., La Vecchia, C., Negri, E. & Franceschi, S. (1993) Selected physical activities and the risk of endometrial cancer. *Br. J. Cancer*, **67**, 846–851
- Levi, F., Pasche, C., Lucchini, F., Tavani, A. & La Vecchia, C. (1999a) Occupational and leisure-time physical activity and the risk of colorectal cancer. *Eur. J. Cancer Prev.*, **8**, 487–493
- Levi, F., Pasche, C., Lucchini, F. & La Vecchia, C. (1999b) Occupational and leisure time physical activity and the risk of breast cancer. *Eur. J. Cancer*, **35**, 775–778
- Lew, E.A. & Garfinkel, L. (1979) Variations in mortality by weight among 750,000 men and women. *J. Chronic. Dis.*, **32**, 563–576
- Lin, S.J., Defosse, P.A. & Guarente, L. (2000) Requirement of NAD and SIR2 for life-span extension by calorie restriction in *Saccharomyces cerevisiae*. *Science*, **289**, 2126–2128
- Lindblad, P., Wolk, A., Bergström, R., Persson, I. & Adami, H.O. (1994) The role of obesity and weight fluctuations in the etiology of renal cell cancer: a population-based case-control study. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 631–639
- Lindblad, P., Chow, W.H., Chan, J., Bergström, A., Wolk, A., Gridley, G., McLaughlin, J.K., Nyren, O. & Adami, H.O. (1999) The role of diabetes mellitus in the aetiology of renal cell cancer. *Diabetologia*, **42**, 107–112
- Lindgarde, F. & Saltin, B. (1981) Daily physical activity, work capacity and glucose tolerance in lean and obese normoglycaemic middle-aged men. *Diabetologia*, **20**, 134–138
- Lindholm, C., Hagenfeldt, K. & Ringertz, B.M. (1994) Pubertal development in elite juvenile gymnasts. Effects of physical training. *Acta Obstet. Gynecol. Scand.*, **73**, 269–273
- Lipman, J.M., Turturro, A. & Hart, R.W. (1989) The influence of dietary restriction on DNA repair in rodents: a preliminary study. *Mech. Ageing Dev.*, **48**, 135–143
- Lissner, L., Andres, R., Muller, D.C. & Shimokata, H. (1990) Body weight variability in men: metabolic rate, health and longevity. *Int. J. Obes.*, **14**, 373–383
- Lissner, L., Odell, P.M., D'Agostino, R.B., Stokes, J., Kreger, B.E., Belanger, A.J. & Brownell, K.D. (1991) Variability of body weight and health outcomes in the Framingham population. *New Engl. J. Med.*, **324**, 1839–1844
- Little, J., Logan, R.F., Hawtin, P.G., Hardcastle, J.D. & Turner, I.D. (1993) Colorectal adenomas and energy intake, body size and physical activity: a case-control study of subjects participating in the Nottingham faecal occult blood screening programme. *Br. J. Cancer*, **67**, 172–176
- Liu, G.C., Coulston, A.M., Lardinois, C.K., Hollenbeck, C.B., Moore, J.G. & Reaven, G.M. (1985) Moderate weight loss and sulfonylurea treatment of non-insulin-dependent diabetes mellitus. Combined effects. *Arch. Intern. Med.*, **145**, 665–669
- Liu, S., Lee, I.M., Linson, P., Ajani, U., Buring, J.E. & Hennekens, C.H. (2000) A prospective study of physical activity and risk of prostate cancer in US physicians. *Int. J. Epidemiol.*, **29**, 29–35
- Liu, Y., Duysen, E., Yaktine, A.L., Au, A., Wang, W. & Birt, D.F. (2001) Dietary energy restriction inhibits ERK but not JNK or p38 activity in the epidermis of SENCAR mice. *Carcinogenesis*, **22**, 607–612
- Livingstone, B. (2000) Epidemiology of childhood obesity in Europe. *Eur. J. Pediatr.*, **159**, S14–S34
- Lobo, R.A., Granger, L., Goebelsmann, U. & Mishell, D.R., Jr (1981) Elevations in unbound serum estradiol as a possible mechanism for inappropriate gonadotropin secretion in women with PCO. *J. Clin. Endocrinol. Metab.*, **52**, 156–158
- Løchen, M.L. & Rasmussen, K. (1992) The Tromsø study: physical fitness, self reported physical activity, and their relationship to other coronary risk factors. *J. Epidemiol. Community Health*, **46**, 103–107
- Lojander, J., Mustajoki, P., Rönkä, S., Mecklin, P. & Maasilta, P. (1998) A nurse-managed weight reduction programme for obstructive sleep apnoea syndrome. *J. Intern. Med.*, **244**, 251–255
- Lok, E., Scott, F.W., Mongeau, R., Nera, E.A., Malcolm, S. & Clayson, D.B. (1990) Calorie restriction and cellular proliferation in various tissues of the female Swiss Webster mouse. *Cancer Lett.*, **51**, 67–73
- London, S.J., Colditz, G.A., Stampfer, M.J., Willett, W.C., Rosner, B. & Speizer, F.E. (1989) Prospective study of relative weight, height, and risk of breast cancer. *JAMA*, **262**, 2853–2858

- Long, S.D., O'Brien, K., MacDonald, K.G., Leggett-Frazier, N., Swanson, M.S., Pories, W.J. & Caro, J.F. (1994) Weight loss in severely obese subjects prevents the progression of impaired glucose tolerance to type II diabetes. A longitudinal interventional study. *Diabetes Care*, **17**, 372–375
- Longnecker, M.P., Gerhardsson de Verdier, M., Frumkin, H. & Carpenter, C. (1995) A case-control study of physical activity in relation to risk of cancer of the right colon and rectum in men. *Int. J. Epidemiol.*, **24**, 42–50
- Loprinzi, C.L., Athmann, L.M., Kardinal, C.G., O'Fallon, J.R., See, J.A., Bruce, B.K., Dose, A.M., Miser, A.W., Kern, P.S., Tschetter, L.K. & Rayson, S. (1996) Randomized trial of dietician counseling to try to prevent weight gain associated with breast cancer adjuvant chemotherapy. *Oncology*, **53**, 228–232
- Losonczy, K.G., Harris, T.B., Cornoni-Huntley, J., Simonsick, E.M., Wallace, R.B., Cook, N.R., Ostfeld, A.M. & Blazer, D.G. (1995) Does weight loss from middle age to old age explain the inverse weight mortality relation in old age? *Am. J. Epidemiol.*, **141**, 312–321
- Loucks, A.B. (1990) Effects of exercise training on the menstrual cycle: existence and mechanisms. *Med. Sci. Sports Exerc.*, **22**, 275–280
- Loucks, A.B., Verdun, M. & Heath, E.M. (1998) Low energy availability, not stress of exercise, alters LH pulsatility in exercising women. *J. Appl. Physiol.*, **84**, 37–46
- Lu, M.H., Hinson, W.G., Turturro, A., Anson, J. & Hart, R.W. (1991) Cell cycle analysis in bone marrow and kidney tissues of dietary restricted rats. *Mech. Ageing Dev.*, **59**, 111–121
- Lu, M.H., Hinson, W.G., Turturro, A., Sheldon, W.G. & Hart, R.W. (1993) Cell proliferation by cell cycle analysis in young and old dietary restricted mice. *Mech. Ageing Dev.*, **68**, 151–162
- Lu, H., Buisson, A., Uhley, V. & Jen, K.L. (1995) Long-term weight cycling in female Wistar rats: effects on metabolism. *Obes. Res.*, **3**, 521–530
- Lubin, F., Ruder, A.M., Wax, Y. & Modan, B. (1985) Overweight and changes in weight throughout adult life in breast cancer etiology. A case-control study. *Am. J. Epidemiol.*, **122**, 579–588
- Lubin, F., Rozen, P., Arieli, B., Farbstein, M., Knaani, Y., Bat, L. & Farbstein, H. (1997) Nutritional and lifestyle habits and water-fiber interaction in colorectal adenoma etiology. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 79–85
- Luepker, R.V., Murray, D.M., Jacobs, D.R.J., Mittelmark, M.B., Bracht, N., Carlaw, R., Crow, R., Elmer, P., Finnegan, J., Folsom, A.R., Grimm, R., Hannan, P.J., Jeffrey, R., Lando, H., McGovern, P., Mullis, R., Perry, C.L., Pechacek, T., Pirie, P., Sprafka, J.M., Weisbrod, R. & Blackburn, H. (1994) Community education for cardiovascular disease prevention: risk factor changes in the Minnesota Heart Health Program. *Am. J. Public Health*, **84**, 1383–1393
- Lukanova, A., Toniolo, P., Akhmedkhanov, A., Biessy, C., Haley, N.J., Shore, R.E., Riboli, E., Rinaldi, S. & Kaaks, R. (2001) A prospective study of insulin-like growth factor-I, IGF-binding proteins-1, -2 and -3 and lung cancer risk in women. *Int. J. Cancer*, **92**, 888–892
- Lund Nilsen, T.I. & Vatten, L.J. (1999) Anthropometry and prostate cancer risk: a prospective study of 22,248 Norwegian men. *Cancer Causes Control*, **10**, 269–275
- Lund Nilsen, T.I., Johnsen, R. & Vatten, L.J. (2000) Socio-economic and lifestyle factors associated with the risk of prostate cancer. *Br. J. Cancer*, **82**, 1358–1363
- Ma, J., Pollak, M.N., Giovannucci, E., Chan, J.M., Tao, Y., Hennekens, C.H. & Stampfer, M.J. (1999) Prospective study of colorectal cancer risk in men and plasma levels of insulin-like growth factor (IGF)-I and IGF-binding protein-3. *J. Natl Cancer Inst.*, **91**, 620–625
- Macera, C.A. & Pratt, M. (2000) Public health surveillance of physical activity. *Res. Q. Exerc. Sport*, **71**, 97–103
- Mackinnon, L.T. (2000) Chronic exercise training effects on immune function. *Med. Sci. Sports Exerc.*, **32**, S369–S376
- Maclure, M. & Willett, W. (1990) A case-control study of diet and risk of renal adenocarcinoma. *Epidemiology*, **1**, 430–440
- Maclure, M., Travis, L.B., Willett, W. & MacMahon, B. (1991) A prospective cohort study of nutrient intake and age at menarche. *Am. J. Clin. Nutr.*, **54**, 649–656
- Maehle, B.O. & Tretli, S. (1996) Pre-morbid body-mass-index in breast cancer: reversed effect on survival in hormone receptor negative patients. *Breast Cancer Res. Treat.*, **41**, 123–130
- Maggio, C.A. & Pi-Sunyer, F.X. (1997) The prevention and treatment of obesity. Application to type 2 diabetes. *Diabetes Care*, **20**, 1744–1766
- Magnusson, C., Baron, J., Persson, I., Wolk, A., Bergström, R., Trichopoulos, D. & Adami, H.O. (1998) Body size in different periods of life and breast cancer risk in postmenopausal women. *Int. J. Cancer*, **76**, 29–34
- Magnusson, C., Baron, J.A., Correia, N., Bergström, R., Adami, H.O. & Persson, I. (1999) Breast-cancer risk following long-term oestrogen- and oestrogen-progestin-replacement therapy. *Int. J. Cancer*, **81**, 339–344
- Malkinson, A.M. (1992) Primary lung tumors in mice: an experimentally manipulable model of human adenocarcinoma. *Cancer Res.*, **52**, 2670s–2676s
- Mandarino, L.J. (1999) Skeletal muscle insulin resistance in humans. In: Reaven, G.M. & Laws, A., eds, *Insulin Resistance*, Totowa, NJ, Humana Press, pp. 179–195
- Manjgaladze, M., Chen, S., Frame, L.T., Seng, J.E., Duffy, P.H., Feuers, R.J., Hart, R.W. & Leakey, J.E. (1993) Effects of caloric restriction on rodent drug and carcinogen metabolizing enzymes: implications for mutagenesis and cancer. *Mutat. Res.*, **295**, 201–222
- Mann, J.I. (2000) Can dietary intervention produce long-term reduction in insulin resistance? *Br. J. Nutr.*, **83 Suppl. 1**, S169–S172
- Manning, J.M. & Bronson, F.H. (1991) Suppression of puberty in rats by exercise: effects on hormone levels and reversal with GnRH infusion. *Am. J. Physiol.*, **260**, R717–R723
- Manning, R.M., Jung, R.T., Leese, G.P. & Newton, R.W. (1995) The comparison of four weight reduction strategies aimed at overweight diabetic patients. *Diabet. Med.*, **12**, 409–415
- Männistö, S., Pietinen, P., Pyy, M., Palmgren, J., Eskelinen, M. & Uusitupa, M. (1996) Body-size indicators and risk of breast cancer according to menopause and estrogen-receptor status. *Int. J. Cancer*, **68**, 8–13
- Manousos, O., Souglakos, J., Bosetti, C., Tzonou, A., Chatzidakis, V., Trichopoulos, D., Adami, H.O. & Mantzoros, C. (1999) IGF-I and IGF-II in relation to colorectal cancer. *Int. J. Cancer*, **83**, 15–17

- Manson, J.E., Willett, W.C., Stampfer, M.J., Colditz, G.A., Hunter, D.J., Hankinson, S.E., Hennekens, C.H. & Speizer, F.E. (1995) Body weight and mortality among women. *New Engl. J. Med.*, **333**, 677–685
- Manson, J.E., Hu, F.B., Rich-Edwards, J.W., Colditz, G.A., Stampfer, M.J., Willett, W.C., Speizer, F.E. & Hennekens, C.H. (1999) A prospective study of walking as compared with vigorous exercise in the prevention of coronary heart disease in women. *New Engl. J. Med.*, **341**, 650–658
- Mantzoros, C.S., Tzonou, A., Signorello, L.B., Stampfer, M., Trichopoulos, D. & Adami, H.O. (1997) Insulin-like growth factor 1 in relation to prostate cancer and benign prostatic hyperplasia. *Br. J. Cancer*, **76**, 1115–1118
- Mantzoros, C.S., Bolhke, K., Moschos, S. & Cramer, D.W. (1999) Leptin in relation to carcinoma *in situ* of the breast: a study of premenopausal cases and controls. *Int. J. Cancer*, **80**, 523–526
- Marcos, A., Varela, P., Toro, O., Lopez-Vidriero, I., Nova, E., Madruga, D., Casas, J. & Morande, G. (1997a) Interactions between nutrition and immunity in anorexia nervosa: a 1-y follow-up study. *Am. J. Clin. Nutr.*, **66**, 485S–490S
- Marcos, A., Varela, P., Toro, O., Nova, E., Lopez-Vidriero, I. & Morande, G. (1997b) Evaluation of nutritional status by immunologic assessment in bulimia nervosa: influence of body mass index and vomiting episodes. *Am. J. Clin. Nutr.*, **66**, 491S–497S
- Marcus, R., Cann, C., Madvig, P., Minkoff, J., Goddard, M., Bayer, M., Martin, M., Gaudiani, L., Haskell, W. & Genant, H. (1985) Menstrual function and bone mass in elite women distance runners. *Endocrine and metabolic features. Ann. Intern. Med.*, **102**, 158–163
- Marcus, P.M., Newcomb, P.A. & Storer, B.E. (1994) Early adulthood physical activity and colon cancer risk among Wisconsin women. *Cancer Epidemiol. Biomarkers Prev.*, **3**, 641–644
- Marcus, B.H., Owen, N., Forsyth, L.H., Cavill, N.A. & Fridinger, F. (1998) Physical activity interventions using mass media, print media, and information technology. *Am. J. Prev. Med.*, **15**, 362–378
- Marcus, P.M., Newman, B., Moorman, P.G., Millikan, R.C., Baird, D.D., Qaqish, B. & Sternfeld, B. (1999) Physical activity at age 12 and adult breast cancer risk (United States). *Cancer Causes Control*, **10**, 293–302
- Margetts, B.M., Rogers, E., Widhal, K., Remaut de Winter, A.M. & Zunft, H.J. (1999) Relationship between attitudes to health, body weight and physical activity and level of physical activity in a nationally representative sample in the European Union. *Public Health Nutr.*, **2**, 97–103
- Margolis, K.L., Ensrud, K.E., Schreiner, P.J. & Tabor, H.K. (2000) Body size and risk for clinical fractures in older women. Study of Osteoporotic Fractures Research Group. *Ann. Intern. Med.*, **133**, 123–127
- Mårin, P., Kvist, H., Lindstedt, G., Sjöström, L. & Björntorp, P. (1993) Low concentrations of insulin-like growth factor-I in abdominal obesity. *Int. J. Obes. Relat. Metab. Disord.*, **17**, 83–89
- Markovic, T.P., Jenkins, A.B., Campbell, L.V., Furler, S.M., Kraegen, E.W. & Chisholm, D.J. (1998) The determinants of glycemic responses to diet restriction and weight loss in obesity and NIDDM. *Diabetes Care*, **21**, 687–694
- Markowitz, S., Morabia, A., Garibaldi, K. & Wynder, E. (1992) Effect of occupational and recreational activity on the risk of colorectal cancer among males: a case-control study. *Int. J. Epidemiol.*, **21**, 1057–1062
- Marks, S.J., Moore, N.R., Clark, M.L., Strauss, B.J. & Hockaday, T.D. (1996) Reduction of visceral adipose tissue and improvement of metabolic indices: effect of dexfenfluramine in NIDDM. *Obes. Res.*, **4**, 1–7
- Marnett, L.J. (2000) Oxyradicals and DNA damage. *Carcinogenesis*, **21**, 361–370
- Maron, B.J., Shirani, J., Poliac, L.C., Mathenge, R., Roberts, W.C. & Mueller, F.O. (1996) Sudden death in young competitive athletes. Clinical, demographic, and pathological profiles. *JAMA*, **276**, 199–204
- Marshall, J.C. & Kelch, R.P. (1979) Low dose pulsatile gonadotropin-releasing hormone in anorexia nervosa: a model of human pubertal development. *J. Clin. Endocrinol. Metab.*, **49**, 712–718
- Marshall, J.R., Graham, S., Haughey, B.P., Shedd, D., O'Shea, R., Brasure, J., Wilkinson, G.S. & West, D. (1992) Smoking, alcohol, dentition and diet in the epidemiology of oral cancer. *Eur. J. Cancer B, Oral Oncol*, **28B**, 9–15
- Martha, P.M. & Reiter, E.O. (1991) Pubertal growth and growth hormone secretion. *Endocrinol. Metab. Clin. North Am.*, **20**, 165–182
- Marti, B. & Minder, C.E. (1989) Physical occupational activity and colonic carcinoma mortality in Swiss men 1979–1982. *Soz. Präventivmed.*, **34**, 30–37
- Martinez, M.E., Giovannucci, E., Spiegelman, D., Hunter, D.J., Willett, W.C. & Colditz, G.A. (1997) Leisure-time physical activity, body size, and colon cancer in women. Nurses' Health Study Research Group. *J. Natl Cancer Inst.*, **89**, 948–955
- Martinez, J.A., Kearney, J.M., Kafatos, A., Paquet, S. & Martinez-Gonzalez, M.A. (1999a) Variables independently associated with self-reported obesity in the European Union. *Public Health Nutr.*, **2**, 125–133
- Martinez, M.E., Heddens, D., Earnest, D.L., Bogert, C.L., Roe, D., Einspahr, J., Marshall, J.R. & Alberts, D.S. (1999b) Physical activity, body mass index, and prostaglandin E₂ levels in rectal mucosa. *J. Natl Cancer Inst.*, **91**, 950–953
- Martinsen, E.V. & Stephens, T. (1994) Exercise and mental health in clinical and free-living populations. In: Dishman, R.K., ed., *Advances in Exercise Adherence*, Champaign, IL, Human Kinetics, pp. 55–72
- Martorell, R., Kettel Khan, L., Hughes, M.L. & Grummer-Strawn, L.M. (2000a) Obesity in women from developing countries. *Eur. J. Clin. Nutr.*, **54**, 247–252
- Martorell, R., Kettel Khan, L., Hughes, M.L. & Grummer-Strawn, L.M. (2000b) Overweight and obesity in preschool children from developing countries. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 959–967
- Mayer-Davis, E.J., D'Agostino, R., Karter, A.J., Haffner, S.M., Rewers, M.J., Saad, M. & Bergman, R.N. (1998) Intensity and amount of physical activity in relation to insulin sensitivity: the Insulin Resistance Atherosclerosis Study. *JAMA*, **279**, 669–674
- McCredie, M. & Stewart, J.H. (1992) Risk factors for kidney cancer in New South Wales, Australia. II. Urologic disease, hypertension, obesity, and hormonal factors. *Cancer Causes Control*, **3**, 323–331
- McGuire, M.T., Wing, R.R., Klem, M.L., Lang, W. & Hill, J.O. (1999) What predicts weight regain in a group of successful weight losers? *J. Consult. Clin. Psychol.*, **67**, 177–185

- McKeown-Eyssen, G. (1994) Epidemiology of colorectal cancer revisited: are serum triglycerides and/or plasma glucose associated with risk? *Cancer Epidemiol. Biomarkers Prev.*, **3**, 687–695
- McLaughlin, J.K., Mandel, J.S., Blot, W.J., Schuman, L.M., Mehl, E.S. & Fraumeni, J.F., Jr (1984) A population-based case-control study of renal cell carcinoma. *J. Natl Cancer Inst.*, **72**, 275–284
- McLaughlin, J.K., Gridley, G., Block, G., Winn, D.M., Preston-Martin, S., Schoenberg, J.B., Greenberg, R.S., Stenham, A., Austin, D.F., Ershow, A.G., Blot, W.J. & Fraumeni, J.F., Jr (1988) Dietary factors in oral and pharyngeal cancer. *J. Natl Cancer Inst.*, **80**, 1237–1243
- McLaughlin, J.K., Gao, Y.T., Gao, R.N., Zheng, W., Ji, B.T., Blot, W.J. & Fraumeni, J.F., Jr (1992) Risk factors for renal-cell cancer in Shanghai, China. *Int. J. Cancer*, **52**, 562–565
- McMurray, R.W., Bradsher, R.W., Steele, R.W. & Pilkington, N.S. (1990) Effect of prolonged modified fasting in obese persons on in vitro markers of immunity: lymphocyte function and serum effects on normal neutrophils. *Am. J. Med. Sci.*, **299**, 379–385
- McNee, R.K., Mason, B.H., Neave, L.M. & Kay, R.G. (1987) Influence of height, weight, and obesity on breast cancer incidence and recurrence in Auckland, New Zealand. *Breast Cancer Res. Treat.*, **9**, 145–150
- McTiernan, A., Stanford, J.L., Weiss, N.S., Daling, J.R. & Voigt, L.F. (1996) Occurrence of breast cancer in relation to recreational exercise in women age 50–64 years. *Epidemiology*, **7**, 598–604
- McTiernan, A., Ulrich, C., Kumai, C., Bean, D., Schwartz, R., Mahloch, J., Hastings, R., Gralow, J. & Potter, J.D. (1998) Anthropometric and hormone effects of an eight-week exercise-diet intervention in breast cancer patients: results of a pilot study. *Cancer Epidemiol. Biomarkers Prev.*, **7**, 477–481
- Megia, A., Herranz, L., Luna, R., Gomez-Candela, C., Pallardo, F. & Gonzalez-Gancedo, P. (1993) Protein intake during aggressive calorie restriction in obesity determines growth hormone response to growth hormone-releasing hormone after weight loss. *Clin. Endocrinol. (Oxf.)*, **39**, 217–220
- Mehta, R.S., Harris, S.R., Gunnett, C.A., Bunce, O.R. & Hartle, D.K. (1993) The effects of patterned calorie-restricted diets on mammary tumor incidence and plasma endothelin levels in DMBA-treated rats. *Carcinogenesis*, **14**, 1693–1696
- Meilahn, E.N., De Stavola, B., Allen, D.S., Fentiman, I., Bradlow, H.L., Sepkovic, D.W. & Kuller, L.H. (1998) Do urinary oestrogen metabolites predict breast cancer? Guernsey III cohort follow-up. *Br. J. Cancer*, **78**, 1250–1255
- Mellemgaard, A., Engholm, G., McLaughlin, J.K. & Olsen, J.H. (1994) Risk factors for renal-cell carcinoma in Denmark. III. Role of weight, physical activity and reproductive factors. *Int. J. Cancer*, **56**, 66–71
- Mellemgaard, A., Lindblad, P., Schlehofer, B., Bergström, R., Mandel, J.S., McCredie, M., McLaughlin, J.K., Niwa, S., Odaka, N., Pommer, W. & Olsen, J.H. (1995) International renal-cell cancer study. III. Role of weight, height, physical activity, and use of amphetamines. *Int. J. Cancer*, **60**, 350–354
- Mercer, C.D., Wren, S.F., DaCosta, L.R. & Beck, I.T. (1987) Lower esophageal sphincter pressure and gastroesophageal pressure gradients in excessively obese patients. *J. Med.*, **18**, 135–146
- Merritt, R.J., Bistran, B.R., Blackburn, G.L. & Suskind, R.M. (1980) Consequences of modified fasting in obese pediatric and adolescent patients. I. Protein-sparing modified fast. *J. Pediatr.*, **96**, 13–19
- Merry, B.J. & Holehan, A.M. (1985) *In vivo* DNA synthesis in the dietary restricted long-lived rat. *Exp. Gerontol.*, **20**, 15–28
- Merzenich, H., Boeing, H. & Wahrendorf, J. (1993) Dietary fat and sports activity as determinants for age at menarche. *Am. J. Epidemiol.*, **138**, 217–224
- Messer, N.A. & l'Anson, H. (2000) The nature of the metabolic signal that triggers onset of puberty in female rats. *Physiol. Behav.*, **68**, 377–382
- Meyer, F., Moisan, J., Marcoux, D. & Bouchard, C. (1990) Dietary and physical determinants of menarche. *Epidemiology*, **1**, 377–381
- Meyer, H.E., Tverdal, A. & Falch, J.A. (1995) Changes in body weight and incidence of hip fracture among middle aged Norwegians. *BMJ*, **311**, 91–92
- Meyer, H.E., Tverdal, A. & Selmer, R. (1998) Weight variability, weight change and the incidence of hip fracture: a prospective study of 39,000 middle-aged Norwegians. *Osteopor. Int.*, **8**, 373–378
- Mezzetti, M., La Vecchia, C., Decarli, A., Boyle, P., Talamini, R. & Franceschi, S. (1998) Population attributable risk for breast cancer: diet, nutrition, and physical exercise. *J. Natl Cancer Inst.*, **90**, 389–394
- Michels, K.B., Trichopoulos, D., Robins, J.M., Rosner, B.A., Manson, J.E., Hunter, D.J., Colditz, G.A., Hankinson, S.E., Speizer, F.E. & Willett, W.C. (1996) Birthweight as a risk factor for breast cancer. *Lancet*, **348**, 1542–1546
- Micic, D., Macut, D., Popovic, V., Kendereski, A., Sumarac-Dumanovic, M., Zoric, S., Dieguez, C. & Casanueva, F.F. (1999) Growth hormone (GH) response to GH-releasing peptide-6 and GH-releasing hormone in normal-weight and overweight patients with non-insulin-dependent diabetes mellitus. *Metabolism*, **48**, 525–530
- Mikkelsen, K.L., Heitmann, B.L., Keiding, N. & Sørensen, T.I. (1999) Independent effects of stable and changing body weight on total mortality. *Epidemiology*, **10**, 671–678
- Miles, M.P., Naukam, R.J., Hackney, A.C. & Clarkson, P.M. (1999) Blood leukocyte and glutamine fluctuations after eccentric exercise. *Int. J. Sports Med.*, **20**, 322–327
- Miller, D.J., Freedson, P.S. & Kline, G.M. (1994) Comparison of activity levels using the Caltrac® accelerometer and five questionnaires. *Med. Sci. Sports Exerc.*, **26**, 376–382
- Mills, P.K., Beeson, W.L., Phillips, R.L. & Fraser, G.E. (1989) Cohort study of diet, lifestyle, and prostate cancer in Adventist men. *Cancer*, **64**, 598–604
- Mink, P.J., Folsom, A.R., Sellers, T.A. & Kushi, L.H. (1996) Physical activity, waist-to-hip ratio, and other risk factors for ovarian cancer: a follow-up study of older women. *Epidemiology*, **7**, 38–45
- Mittal, A., Muthukumar, A., Jolly, C.A., Zaman, K. & Fernandes, G. (2000) Reduced food consumption increases water intake and modulates renal aquaporin-1 and -2 expression in autoimmune prone mice. *Life Sci.*, **66**, 1471–1479

- Mittendorf, R., Longnecker, M.P., Newcomb, P.A., Dietz, A.T., Greenberg, E.R., Bogdan, G.F., Clapp, R.W. & Willett, W.C. (1995) Strenuous physical activity in young adulthood and risk of breast cancer (United States). *Cancer Causes Control*, **6**, 347–353
- Mittleman, M.A., Maclure, M., Tofler, G.H., Sherwood, J.B., Goldberg, R.J. & Muller, J.E. (1993) Triggering of acute myocardial infarction by heavy physical exertion. Protection against triggering by regular exertion. Determinants of Myocardial Infarction Onset Study Investigators. *New Engl. J. Med.*, **329**, 1677–1683
- Moens, G., van Gaal, L., Muls, E., Viaene, B. & Jacques, P. (1999) Body mass index and health among the working population. *Eur. J. Public Health*, **9**, 119–123
- Mohle-Boetani, J.C., Grosser, S., Whittemore, A.S., Malec, M., Kampert, J.B. & Paffenbarger, R.S., Jr (1988) Body size, reproductive factors, and breast cancer survival. *Prev. Med.*, **17**, 634–642
- Moisan, J., Meyer, F. & Gingras, S. (1991) Leisure physical activity and age at menarche. *Med. Sci. Sports Exerc.*, **23**, 1170–1175
- Molarius, A. & Seidell, J.C. (1998) Selection of anthropometric indicators for classification of abdominal fatness – a critical review. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 719–727
- Molarius, A., Seidell, J.C., Kuulasmaa, K., Dobson, A.J. & Sans, S. (1997) Smoking and relative body weight: an international perspective from the WHO MONICA Project. *J. Epidemiol. Community Health*, **51**, 252–260
- Molarius, A., Seidell, J.C., Sans, S., Tuomilehto, J. & Kuulasmaa, K. (1999) Varying sensitivity of waist action levels to identify subjects with overweight or obesity in 19 populations of the WHO MONICA Project. *J. Clin. Epidemiol.*, **52**, 1213–1224
- Molarius, A., Seidell, J.C., Sans, S., Tuomilehto, J. & Kuulasmaa, K. (2000) Educational level, relative body weight, and changes in their association over 10 years: an international perspective from the WHO MONICA Project. *Am. J. Public Health*, **90**, 1260–1268
- Moldoveanu, A.I., Shephard, R.J. & Shek, P.N. (2000) Exercise elevates plasma levels but not gene expression of IL-1 β , IL-6, and TNF- α in blood mononuclear cells. *J. Appl. Physiol.*, **89**, 1499–1504
- Møller, H., Mellemegaard, A., Lindvig, K. & Olsen, J.H. (1994) Obesity and cancer risk: a Danish record-linkage study. *Eur. J. Cancer*, **30A**, 344–350
- Möllerström, G., Carlström, K., Lagrelidius, A. & Einhorn, N. (1993) Is there an altered steroid profile in patients with endometrial carcinoma? *Cancer*, **72**, 173–181
- Montagnani, C.F., Arena, B. & Maffulli, N. (1992) Estradiol and progesterone during exercise in healthy untrained women. *Med. Sci. Sports Exerc.*, **24**, 764–768
- Monteiro, C.A., D'A Benicio, M.H., Conde, W.L. & Popkin, B.M. (2000) Shifting obesity trends in Brazil. *Eur. J. Clin. Nutr.*, **54**, 342–346
- Moore, D.B., Folsom, A.R., Mink, P.J., Hong, C.P., Anderson, K.E. & Kushi, L.H. (2000a) Physical activity and incidence of postmenopausal breast cancer. *Epidemiology*, **11**, 292–296
- Moore, L.L., Visioni, A.J., Wilson, P.W., D'Agostino, R.B., Finkle, W.D. & Ellison, R.C. (2000b) Can sustained weight loss in overweight individuals reduce the risk of diabetes mellitus? *Epidemiology*, **11**, 269–273
- Moradi, T., Nyrén, O., Bergström, R., Gridley, G., Linet, M., Wolk, A., Dosemeci, M. & Adami, H.O. (1998) Risk for endometrial cancer in relation to occupational physical activity: a nationwide cohort study in Sweden. *Int. J. Cancer*, **76**, 665–670
- Moradi, T., Adami, H.O., Bergström, R., Gridley, G., Wolk, A., Gerhardsson, M., Dosemeci, M. & Nyrén, O. (1999) Occupational physical activity and risk for breast cancer in a nationwide cohort study in Sweden. *Cancer Causes Control*, **10**, 423–430
- Moradi, T., Nyrén, O., Zack, M., Magnusson, C., Persson, I. & Adami, H.O. (2000a) Breast cancer risk and lifetime leisure-time and occupational physical activity (Sweden). *Cancer Causes Control*, **11**, 523–531
- Moradi, T., Weiderpass, E., Signorello, L.B., Persson, I., Nyrén, O. & Adami, H.O. (2000b) Physical activity and postmenopausal endometrial cancer risk (Sweden). *Cancer Causes Control*, **11**, 829–837
- Morales, A.J., Laughlin, G.A., Butzow, T., Maheshwari, H., Baumann, G. & Yen, S.S. (1996) Insulin, somatotrophic, and luteinizing hormone axes in lean and obese women with polycystic ovary syndrome: common and distinct features. *J. Clin. Endocrinol. Metab.*, **81**, 2854–2864
- Mori, M., Harabuchi, I., Miyake, H., Casagrande, J.T., Henderson, B.E. & Ross, R.K. (1988) Reproductive, genetic, and dietary risk factors for ovarian cancer. *Am. J. Epidemiol.*, **128**, 771–777
- Mori, M., Nishida, T., Sugiyama, T., Komai, K., Yakushiji, M., Fukuda, K., Tanaka, T., Yokoyama, M. & Sugimori, H. (1998) Anthropometric and other risk factors for ovarian cancer in a case-control study. *Jpn J. Cancer Res.*, **89**, 246–253
- Moriguchi, S., Oonishi, K., Kato, M. & Kishino, Y. (1995) Obesity is a risk factor for deteriorating cellular immune functions decreased with aging. *Nutr. Res.*, **15**, 151–160
- Morimoto, Y., Arisue, K. & Yamamura, Y. (1977) Relationship between circadian rhythm of food intake and that of plasma corticosterone and effect of food restriction on circadian adrenocortical rhythm in the rat. *Neuroendocrinology*, **23**, 212–222
- Morris, J.N., Clayton, D.G., Everitt, M.G., Semmence, A.M. & Burgess, E.H. (1990) Exercise in leisure time: coronary attack and death rates. *Br. Heart J.*, **63**, 325–334
- Moses, J., Steptoe, A., Mathews, A. & Edwards, S. (1989) The effects of exercise training on mental well-being in the normal population: a controlled trial. *J. Psychosom. Res.*, **33**, 47–61
- Moseson, M., Koenig, K.L., Shore, R.E. & Pasternack, B.S. (1993) The influence of medical conditions associated with hormones on the risk of breast cancer. *Int. J. Epidemiol.*, **22**, 1000–1009
- Mowat, M.R. (1998) p53 in tumor progression: life, death, and everything. *Adv. Cancer Res.*, **74**, 25–48
- Mowe, M., Bohmer, T. & Kindt, E. (1994) Reduced nutritional status in an elderly population (> 70 y) is probable before disease and possibly contributes to the development of disease. *Am. J. Clin. Nutr.*, **59**, 317–324
- Mukherjee, P., Sotnikov, A.V., Mangian, H.J., Zhou, J.R., Visek, W.J. & Clinton, S.K. (1999) Energy intake and prostate tumor growth, angiogenesis, and vascular endothelial growth factor expression. *J. Natl Cancer Inst.*, **91**, 512–523

- Mulrow, C.D., Chiquette, E., Angel, L., Cornell, J., Summerbell, C., Anagnostis, B., Grimm, R. & Brand, M.B. (2000) Dieting to reduce body weight for controlling hypertension in adults. *Cochrane Database Syst. Rev.*, **21**, CD000484
- Murphy, T.K., Calle, E.E., Rodriguez, C., Khan, H.S. & Thun, M.J. (2000a) Body mass index and colon cancer mortality in a large prospective study. *Am. J. Epidemiol.*, **152**, 847–854
- Murphy, M.H., Nevill, A.M. & Hardman, A.E. (2000b) Different patterns of brisk walking are equally effective in decreasing postprandial lipaemia. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1303–1309
- Murray, D.M., Kurth, C., Mullis, R. & Jeffery, R.W. (1990) Cholesterol reduction through low-intensity interventions: results from the Minnesota Heart Health Program. *Prev. Med.*, **19**, 181–189
- Musaiger, A.O. & Gregory, W.B. (2000) Profile of body composition of school children (6–18 y) in Bahrain. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1093–1096
- Muscat, J.E. & Wynder, E.L. (1992) Tobacco, alcohol, asbestos, and occupational risk factors for laryngeal cancer. *Cancer*, **69**, 2244–2251
- Muscat, J.E., Hoffmann, D. & Wynder, E.L. (1995) The epidemiology of renal cell carcinoma. A second look. *Cancer*, **75**, 2552–2557
- Musey, V.C., Goldstein, S., Farmer, P.K., Moore, P.B. & Phillips, L.S. (1993) Differential regulation of IGF-1 and IGF-binding protein-1 by dietary composition in humans. *Am. J. Med. Sci.*, **305**, 131–138
- Muskhelishvili, L., Hart, R.W., Turturro, A. & James, S.J. (1995) Age-related changes in the intrinsic rate of apoptosis in livers of diet-restricted and ad libitum-fed B6C3F1 mice. *Am. J. Pathol.*, **147**, 20–24
- Muskhelishvili, L., Turturro, A., Hart, R.W. & James, S.J. (1996) Pi-class glutathione-S-transferase-positive hepatocytes in aging B6C3F1 mice undergo apoptosis induced by dietary restriction. *Am. J. Pathol.*, **149**, 1585–1591
- Mussolino, M.E., Looker, A.C., Madans, J.H., Langlois, J.A. & Orwoll, E.S. (1998) Risk factors for hip fracture in white men: the NHANES I Epidemiologic Follow-up Study. *J. Bone Miner. Res.*, **13**, 918–924
- Must, A., Willett, W.C. & Dietz, W.H. (1993) Remote recall of childhood height, weight, and body build by elderly subjects. *Am. J. Epidemiol.*, **138**, 56–64
- Muti, P., Bradlow, H.L., Micheli, A., Krogh, V., Freudenheim, J.L., Schunemann, H.J., Stanulla, M., Yang, J., Sepkovic, D.W., Trevisan, M. & Berrino, F. (2000) Estrogen metabolism and risk of breast cancer: a prospective study of the 2:16alpha-hydroxyestrone ratio in premenopausal and postmenopausal women. *Epidemiology*, **11**, 635–640
- Naber, T.H., Schermer, T., de Bree, A., Nusteling, K., Eggink, L., Kruijmel, J.W., Bakkeren, J., van Heereveld, H. & Katan, M.B. (1997) Prevalence of malnutrition in nonsurgical hospitalized patients and its association with disease complications. *Am. J. Clin. Nutr.*, **66**, 1232–1239
- Nair, S.C., Toshkov, I.A., Yaktine, A.L., Barnett, T.D., Chaney, W.G. & Birt, D.F. (1995) Dietary energy restriction-induced modulation of protein kinase C zeta isozyme in the hamster pancreas. *Mol. Carcinog.*, **14**, 10–15
- Nakamura, K.D., Duffy, P.H., Lu, M.H., Turturro, A. & Hart, R.W. (1989) The effect of dietary restriction on myc protooncogene expression in mice: a preliminary study. *Mech. Ageing Dev.*, **48**, 199–205
- Nam, S.Y., Lee, E.J., Kim, K.R., Cha, B.S., Song, Y.D., Lim, S.K., Lee, H.C. & Huh, K.B. (1997) Effect of obesity on total and free insulin-like growth factor (IGF)-1, and their relationship to IGF-binding protein (BP)-1, IGFBP-2, IGFBP-3, insulin, and growth hormone. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 355–359
- National Institutes of Health and National Heart, Lung and Blood Institute (NHLBI) (1998) Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults—the evidence report. *Obes. Res.*, **6**, 51S–210S
- National Task Force on the Prevention and Treatment of Obesity (2000) Overweight, obesity, and health risk. *Arch. Intern. Med.*, **160**, 898–904
- National Toxicology Program (NTP) (1997) Toxicology and carcinogenesis studies of dietary restriction in F344/N rats and B6C3F₁ mice (Technical Report Series Number 460), Washington, DC, Department of Health and Human Services, NIH, NIEHS
- Ndiaye, B., Cournot, G., Pelissier, M.A., Debray, O.W. & Lemonnier, D. (1995) Rat serum osteocalcin concentration is decreased by restriction of energy intake. *J. Nutr.*, **125**, 1283–1290
- Negri, E., Ron, E., Franceschi, S., Dal Maso, L., Mark, S.D., Preston-Martin, S., McTiernan, A., Kolonel, L., Kleinerman, R., Land, C., Jin, F., Wingren, G., Galanti, M.R., Hallquist, A., Glattre, E., Lund, E., Levi, F., Linos, D., Braga, C. & La Vecchia, C. (1999) A pooled analysis of case-control studies of thyroid cancer. I. Methods. *Cancer Causes Control*, **10**, 131–142
- Nehlsen-Cannarella, S.L., Nieman, D.C., Balk-Lamberton, A.J., Markoff, P.A., Chritton, D.B., Gusewitch, G. & Lee, J.W. (1991) The effects of moderate exercise training on immune response. *Med. Sci. Sports Exerc.*, **23**, 64–70
- Nelson, J.F., Felicio, L.S., Randall, P.K., Sims, C. & Finch, C.E. (1982) A longitudinal study of estrous cyclicity in aging C57BL/6J mice: I. Cycle frequency, length and vaginal cytology. *Biol. Reprod.*, **27**, 327–339
- Nelson, M.E., Fiatarone, M.A., Morganti, C.M., Trice, I., Greenberg, R.A. & Evans, W.J. (1994) Effects of high-intensity strength training on multiple risk factors for osteoporotic fractures. A randomized controlled trial. *JAMA*, **272**, 1909–1914
- Nestler, J.E. (2000) Obesity, insulin, sex steroids and ovulation. *Int. J. Obes. Relat. Metab. Disord.*, **24 Suppl. 2**, S71–S73
- Neugut, A.I., Lee, W.C., Garbowski, G.C., Wayne, J.D., Forde, K.A., Treat, M.R. & Fenoglio-Preiser, C. (1991) Obesity and colorectal adenomatous polyps. *J. Natl Cancer Inst.*, **83**, 359–361
- Neugut, A.I., Terry, M.B., Hocking, G., Mosca, L., Garbowski, G.C., Forde, K.A., Treat, M.R. & Wayne, J. (1996) Leisure and occupational physical activity and risk of colorectal adenomatous polyps. *Int. J. Cancer*, **68**, 744–748
- Newberne, P.M., Bueche, D., Suphiphat, V., Schrager, T.F. & Sahaphong, S. (1990) The influence of pre- and postnatal caloric intake on colon carcinogenesis. *Nutr. Cancer*, **13**, 165–173

- Newcomb, P.A., Klein, R., Klein, B.E., Haffner, S., Mares-Perlman, J., Cruickshanks, K.J. & Marcus, P.M. (1995) Association of dietary and life-style factors with sex hormones in postmenopausal women. *Epidemiology*, **6**, 318–321
- Newman, S.C., Lees, A.W. & Jenkins, H.J. (1997) The effect of body mass index and oestrogen receptor level on survival of breast cancer patients. *Int. J. Epidemiol.*, **26**, 484–490
- Ng, E.H., Gao, F., Ji, C.Y., Ho, G.H. & Soo, K.C. (1997) Risk factors for breast carcinoma in Singaporean Chinese women: the role of central obesity. *Cancer*, **80**, 725–731
- Ng, E.H., Ji, C.Y., Tan, P.H., Lin, V., Soo, K.C. & Lee, K.O. (1998) Altered serum levels of insulin-like growth-factor binding proteins in breast cancer patients. *Ann. Surg. Oncol.*, **5**, 194–201
- Nguyen, U.N., Mouglin, F., Simon-Rigaud, M.L., Rouillon, J.D., Marguet, P. & Regnard, J. (1998) Influence of exercise duration on serum insulin-like growth factor and its binding proteins in athletes. *Eur. J. Appl. Physiol.*, **78**, 533–537
- Nicklas, B.J., Ryan, A.J., Treuth, M.M., Harman, S.M., Blackman, M.R., Hurley, B.F. & Rogers, M.A. (1995) Testosterone, growth hormone and IGF-I responses to acute and chronic resistive exercise in men aged 55-70 years. *Int. J. Sports Med.*, **16**, 445–450
- Niedhammer, I., Bugel, I., Bonenfant, S., Goldberg, M. & Leclerc, A. (2000) Validity of self-reported weight and height in the French GAZEL cohort. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1111–1118
- Nieman, D.C. (1994) Exercise, upper respiratory tract infection, and the immune system. *Med. Sci. Sports Exerc.*, **26**, 128–139
- Nieman, D.C. (1997) Exercise immunology: practical applications. *Int. J. Sports Med.*, **18** Suppl. 1, S91–S100
- Nieman, D.C. & Pedersen, B.K. (1999) Exercise and immune function. Recent developments. *Sports Med.*, **27**, 73–80
- Nieman, D.C., Nehlsen-Cannarella, S.L., Markoff, P.A., Balk-Lamberton, A.J., Yang, H., Chritton, D.B., Lee, J.W. & Arabatzis, K. (1990) The effects of moderate exercise training on natural killer cells and acute upper respiratory tract infections. *Int. J. Sports Med.*, **11**, 467–473
- Nieman, D.C., Henson, D.A., Gusewitch, G., Warren, B.J., Dotson, R.C., Butterworth, D.E. & Nehlsen-Cannarella, S.L. (1993) Physical activity and immune function in elderly women. *Med. Sci. Sports Exerc.*, **25**, 823–831
- Nieman, D.C., Buckley, K.S., Henson, D.A., Warren, B.J., Suttles, J., Ahle, J.C., Simandle, S., Fagoaga, O.R. & Nehlsen-Cannarella, S.L. (1995) Immune function in marathon runners versus sedentary controls. *Med. Sci. Sports Exerc.*, **27**, 986–992
- Nieman, D.C., Nehlsen-Cannarella, S.L., Henson, D.A., Butterworth, D.E., Fagoaga, O.R., Warren, B.J. & Rainwater, M.K. (1996) Immune response to obesity and moderate weight loss. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 353–360
- Nieman, D.C., Nehlsen-Cannarella, S.L., Fagoaga, O.R., Henson, D.A., Utter, A., Davis, J.M., Williams, F. & Butterworth, D.E. (1998) Influence of mode and carbohydrate on the cytokine response to heavy exertion. *Med. Sci. Sports Exerc.*, **30**, 671–678
- Niwa, K., Imai, A., Hashimoto, M., Yokoyama, Y., Mori, H., Matsuda, Y. & Tamaya, T. (2000) A case-control study of uterine endometrial cancer of pre- and post-menopausal women. *Oncol. Rep.*, **7**, 89–93
- Norrish, A.E., McRae, C.U., Holdaway, I.M. & Jackson, R.T. (2000) Height-related risk factors for prostate cancer. *Br. J. Cancer*, **82**, 241–245
- Nyholm, H.C., Nielsen, A.L., Lyndrup, J., Dreisler, A., Hagen, C. & Haug, E. (1993) Plasma oestrogens in postmenopausal women with endometrial cancer. *Br. J. Obstet. Gynaecol.*, **100**, 1115–1119
- Nyomba, B.L., Berard, L. & Murphy, L.J. (1997) Free insulin-like growth factor I (IGF-I) in healthy subjects: relationship with IGF-binding proteins and insulin sensitivity. *J. Clin. Endocrinol. Metab.*, **82**, 2177–2181
- O'Dea, J.P., Wieland, R.G., Hallberg, M.C., Llerena, L.A., Zorn, E.M. & Genuth, S.M. (1979) Effect of dietary weight loss on sex steroid binding, sex steroids, and gonadotropins in obese postmenopausal women. *J. Lab. Clin. Med.*, **93**, 1004–1008
- Ögren, M., Hedberg, M., Berglund, G., Borgström, A. & Janzon, L. (1996) Risk of pancreatic carcinoma in smokers enhanced by weight gain. Results from 10-year follow-up of the Malmö preventive Project Cohort Study. *Int. J. Pancreatol.*, **20**, 95–101
- Okano, G., Suzuki, M., Kojima, M., Sato, Y., Lee, S.J., Okamura, K., Noriyasu, S., Doi, T., Shimomura, Y., Fushiki, T. & Shimizu, S. (1999) Effect of timing of meal intake after squat exercise training on bone formation in the rat hindlimb. *J. Nutr. Sci. Vitaminol. (Tokyo)*, **45**, 543–552
- Oleshansky, M.A., Zoltick, J.M., Herman, R.H., Mougey, E.H. & Meyerhoff, J.L. (1990) The influence of fitness on neuroendocrine responses to exhaustive treadmill exercise. *Eur. J. Appl. Physiol.*, **59**, 405–410
- Oliveria, S.A., Kohl, H.W., III, Trichopoulos, D. & Blair, S.N. (1996) The association between cardiorespiratory fitness and prostate cancer. *Med. Sci. Sports Exerc.*, **28**, 97–104
- O'Loughlin, J., Paradis, G., Meshefedjian, G. & Gray-Donald, K. (2000) A five-year trend of increasing obesity among elementary school-children in multiethnic, low-income, inner-city neighborhoods in Montreal, Canada. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 1176–1182
- Olson, S.H., Trevisan, M., Marshall, J.R., Graham, S., Zielesny, M., Vena, J.E., Hellmann, R. & Freudenheim, J.L. (1995) Body mass index, weight gain, and risk of endometrial cancer. *Nutr. Cancer*, **23**, 141–149
- Olson, S.H., Vena, J.E., Dorn, J.P., Marshall, J.R., Zielesny, M., Laughlin, R. & Graham, S. (1997) Exercise, occupational activity, and risk of endometrial cancer. *Ann. Epidemiol.*, **7**, 46–53
- O'Mara, B.A., Byers, T. & Schoenfeld, E. (1985) Diabetes mellitus and cancer risk: a multisite case-control study. *J. Chronic. Dis.*, **38**, 435–441
- Ornish, D., Brown, S.E., Scherwitz, L.W., Billings, J.H., Armstrong, W.T., Ports, T.A., McLanahan, S.M., Kirkeeide, R.L., Brand, R.J. & Gould, K.L. (1990) Can lifestyle changes reverse coronary heart disease? The Lifestyle Heart Trial. *Lancet*, **336**, 129–133
- Oscari, L.B. & Holloszy, J.O. (1970) Weight reduction in obese rats by exercise or food restriction: effect on the heart. *Am. J. Physiol.*, **219**, 327–330

- Oster, M.H., Fielder, P.J., Levin, N. & Cronin, M.J. (1995) Adaptation of the growth hormone and insulin-like growth factor-I axis to chronic and severe calorie or protein malnutrition. *J. Clin. Invest.*, **95**, 2258–2265
- Østerlind, A., Tucker, M.A., Stone, B.J. & Jensen, O.M. (1988) The Danish case-control study of cutaneous malignant melanoma. III. Hormonal and reproductive factors in women. *Int. J. Cancer*, **42**, 821–824
- Owen, N., Leslie, E., Salmon, J. & Fotheringham, M.J. (2000) Environmental determinants of physical activity and sedentary behavior. *Exerc. Sport Sci. Rev.*, **28**, 153–158
- Owens, J.F., Matthews, K.A., Wing, R.R. & Kuller, L.H. (1992) Can physical activity mitigate the effects of aging in middle-aged women? *Circulation*, **85**, 1265–1270
- Owusu, W., Willett, W., Ascherio, A., Spiegelman, D., Rimm, E., Feskanich, D. & Colditz, G. (1998) Body anthropometry and the risk of hip and wrist fractures in men: results from a prospective study. *Obes. Res.*, **6**, 12–19
- Paffenbarger, R.S., Jr, Kampert, J.B. & Chang, H.G. (1980) Characteristics that predict risk of breast cancer before and after the menopause. *Am. J. Epidemiol.*, **112**, 258–268
- Paffenbarger, R.S., Jr, Wing, A.L., Hyde, R.T. & Jung, D.L. (1983) Physical activity and incidence of hypertension in college alumni. *Am. J. Epidemiol.*, **117**, 245–257
- Paffenbarger, R.S., Jr, Hyde, R.T. & Wing, A.L. (1987) Physical activity and incidence of cancer in diverse populations: a preliminary report. *Am. J. Clin. Nutr.*, **45**, 312–317
- Paffenbarger, R.S., Jr, Lee, I.M. & Wing, A.L. (1992) The influence of physical activity on the incidence of site-specific cancers in college alumni. *Adv. Exp. Med. Biol.*, **322**, 7–15
- Paffenbarger, R.S., Jr, Hyde, R.T., Wing, A.L., Lee, I.M., Jung, D.L. & Kampert, J.B. (1993) The association of changes in physical-activity level and other lifestyle characteristics with mortality among men. *New Engl. J. Med.*, **328**, 538–545
- Pamuk, E.R., Williamson, D.F., Madans, J., Serdula, M.K., Kleinman, J.C. & Byers, T. (1992) Weight loss and mortality in a national cohort of adults, 1971–1987. *Am. J. Epidemiol.*, **136**, 686–697
- Pamuk, E.R., Williamson, D.F., Serdula, M.K., Madans, J. & Byers, T.E. (1993) Weight loss and subsequent death in a cohort of U.S. adults. *Ann. Intern. Med.*, **119**, 744–748
- Pan, D.A., Lillioja, S., Kriketos, A.D., Milner, M.R., Baur, L.A., Bogardus, C., Jenkins, A.B. & Storlien, L.H. (1997a) Skeletal muscle triglyceride levels are inversely related to insulin action. *Diabetes*, **46**, 983–988
- Pan, X.R., Li, G.W., Hu, Y.H., Wang, J.X., Yang, W.Y., An, Z.X., Hu, Z.X., Lin, J., Xiao, J.Z., Cao, H.B., Liu, P.A., Jiang, X.G., Jiang, Y.Y., Wang, J.P., Zheng, H., Zhang, H., Bennett, P.H. & Howard, B.V. (1997b) Effects of diet and exercise in preventing NIDDM in people with impaired glucose tolerance. The Da Qing IGT and Diabetes Study. *Diabetes Care*, **20**, 537–544
- Parazzini, F., La Vecchia, C., Negri, E., Fasoli, M. & Cecchetti, G. (1988) Risk factors for adenocarcinoma of the cervix: a case-control study. *Br. J. Cancer*, **57**, 201–204
- Parazzini, F., Moroni, S., La Vecchia, C., Negri, E., dal Pino, D. & Bolis, G. (1997) Ovarian cancer risk and history of selected medical conditions linked with female hormones. *Eur. J. Cancer*, **33**, 1634–1637
- Parazzini, F., La Vecchia, C., Negri, E., Riboldi, G.L., Surace, M., Benzi, G., Maina, A. & Chiaffarino, F. (1999) Diabetes and endometrial cancer: an Italian case-control study. *Int. J. Cancer*, **81**, 539–542
- Parker, D.R., Gonzalez, S., Derby, C.A., Gans, K.M., Lasater, T.M. & Carleton, R.A. (1997) Dietary factors in relation to weight change among men and women from two southeastern New England communities. *Int. J. Obes. Relat. Metab. Disord.*, **21**, 103–109
- Parslov, M., Lidegaard, O., Klinton, S., Pedersen, B., Jonsson, L., Eriksen, P.S. & Ottesen, B. (2000) Risk factors among young women with endometrial cancer: a Danish case-control study. *Am. J. Obstet. Gynecol.*, **182**, 23–29
- Pashko, L.L. & Schwartz, A.G. (1992) Reversal of food restriction-induced inhibition of mouse skin tumor promotion by adrenalectomy. *Carcinogenesis*, **13**, 1925–1928
- Pashko, L.L. & Schwartz, A.G. (1996) Inhibition of 7,12-dimethylbenz[a]anthracene-induced lung tumorigenesis in A/J mice by food restriction is reversed by adrenalectomy. *Carcinogenesis*, **17**, 209–212
- Pasquali, R., Casimirri, F., Venturoli, S., Paradisi, R., Mattioli, L., Capelli, M., Melchionda, N. & Labò, G. (1983) Insulin resistance in patients with polycystic ovaries: its relationship to body weight and androgen levels. *Acta Endocrinol. (Copenh.)*, **104**, 110–116
- Pasquali, R., Antenucci, D., Melchionda, N., Fabbri, R., Venturoli, S., Patrono, D. & Capelli, M. (1987) Sex hormones in obese premenopausal women and their relationships to body fat mass and distribution, B cell function and diet composition. *J. Endocrinol. Invest.*, **10**, 345–350
- Pasquali, R., Antenucci, D., Casimirri, F., Venturoli, S., Paradisi, R., Fabbri, R., Balestra, V., Melchionda, N. & Barbara, L. (1989) Clinical and hormonal characteristics of obese amenorrheic hyperandrogenic women before and after weight loss. *J. Clin. Endocrinol. Metab.*, **68**, 173–179
- Pasquali, R., Casimirri, F., Platè, L. & Capelli, M. (1990) Characterization of obese women with reduced sex hormone-binding globulin concentrations. *Horm. Metab. Res.*, **22**, 303–306
- Pasquali, R., Casimirri, F., Cantobelli, S., Melchionda, N., Morselli Labate, A.M., Fabbri, R., Capelli, M. & Bortoluzzi, L. (1991) Effect of obesity and body fat distribution on sex hormones and insulin in men. *Metabolism*, **40**, 101–104
- Pasquali, R., Casimirri, F., Venturoli, S., Antonio, M., Morselli, L., Reho, S., Pezzoli, A. & Paradisi, R. (1994) Body fat distribution has weight-independent effects on clinical, hormonal, and metabolic features of women with polycystic ovary syndrome. *Metabolism*, **43**, 706–713
- Pasquali, R., Casimirri, F., De lasio, R., Mesini, P., Boschi, S., Chierici, R., Flaminia, R., Biscotti, M. & Vicennati, V. (1995) Insulin testosterone and sex hormone-binding globulin concentrations in adult normal weight and obese men. *J. Clin. Endocrinol. Metab.*, **80**, 654–658
- Pasquali, R., Vicennati, V., Bertazzo, D., Casimirri, F., Pascal, G., Tortelli, O. & Morselli Labate, A.M. (1997a) Determinants of sex hormone-binding globulin blood concentrations in premenopausal and postmenopausal women with different estrogen status. Virgilio-Menopause-Health Group. *Metabolism*, **46**, 5–9

- Pasquali, R., Casimirri, F. & Vicennati, V. (1997b) Weight control and its beneficial effect on fertility in women with obesity and polycystic ovary syndrome. *Hum. Reprod.*, **12 Suppl. 1**, 82–87
- Pate, R.R., Pratt, M., Blair, S.N., Haskell, W.L., Macera, C.A., Bouchard, C., Buchner, D., Ettinger, W., Heath, G.W., King, A.C., Kriska, A., Leon, A.S., Marcus, B.H., Morris, J., Paffenbarger, R.S., Jr, Patrick, K., Pollock, M.L., Rippe, J.M., Sallis, J. & Wilmore, J.H. (1995) Physical activity and public health. A recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *JAMA*, **273**, 402–407
- Pathak, D.R. & Whittemore, A.S. (1992) Combined effects of body size, parity, and menstrual events on breast cancer incidence in seven countries. *Am. J. Epidemiol.*, **135**, 153–168
- Patton, G.C., Selzer, R., Coffey, C., Carlin, J.B. & Wolfe, R. (1999) Onset of adolescent eating disorders: population based cohort study over 3 years. *BMJ*, **318**, 765–768
- Pavlou, K.N., Krey, S. & Steffee, W.P. (1989) Exercise as an adjunct to weight loss and maintenance in moderately obese subjects. *Am. J. Clin. Nutr.*, **49**, 1115–1123
- Peacock, S.L., White, E., Daling, J.R., Voigt, L.F. & Malone, K.E. (1999) Relation between obesity and breast cancer in young women. *Am. J. Epidemiol.*, **149**, 339–346
- Pedersen, B.K., Bruunsgaard, H., Ostrowski, K., Krabbe, K., Hansen, H., Krzykowski, K., Toft, A., Søndergaard, S.R., Petersen, E.W., Ibsen, T. & Schjerling, P. (2000) Cytokines in aging and exercise. *Int. J. Sports Med.*, **21 Suppl. 1**, S4–S9
- Peltonen, M., Huhtasaari, F., Stegmayr, B., Lundberg, V. & Asplund, K. (1998) Secular trends in social patterning of cardiovascular risk factor levels in Sweden. The Northern Sweden MONICA Study 1986–1994. Multi-national Monitoring of Trends and Determinants in Cardiovascular Disease. *J. Intern. Med.*, **244**, 1–9
- Penn, I. (1994) Depressed immunity and the development of cancer. *Cancer Detect. Prev.*, **18**, 241–252
- Penttilä, T.L., Koskinen, P., Penttilä, T.A., Anttila, L. & Irjala, K. (1999) Obesity regulates bioavailable testosterone levels in women with or without polycystic ovary syndrome. *Fertil. Steril.*, **71**, 457–461
- Pereira, M.A., FitzGerald, S.J., Gregg, E.W., Joswiak, M.L., Ryan, W.J., Suminski, R.R., Utter, A.C. & Zmuda, J.M. (1997) A collection of physical activity questionnaires for health-related research. *Med. Sci. Sports Exerc.*, **29**, S1–205
- Perri, M.G., McAdoo, W.G., McAllister, D.A., Lauer, J.B. & Yancey, D.Z. (1986) Enhancing the efficacy of behavior therapy for obesity: effects of aerobic exercise and a multicomponent maintenance program. *J. Consult. Clin. Psychol.*, **54**, 670–675
- Perri, M.G., McAllister, D.A., Gange, J.J., Jordan, R.C., McAdoo, G. & Nezu, A.M. (1988) Effects of four maintenance programs on the long-term management of obesity. *J. Consult. Clin. Psychol.*, **56**, 529–534
- Perri, M.G., Martin, A.D., Leermakers, E.A., Sears, S.F. & Notelovitz, M. (1997) Effects of group- versus home-based exercise in the treatment of obesity. *J. Consult. Clin. Psychol.*, **65**, 278–285
- Perseghin, G., Price, T.B., Petersen, K.F., Roden, M., Cline, G.W., Gerow, K., Rothman, D.L. & Shulman, G.I. (1996) Increased glucose transport-phosphorylation and muscle glycogen synthesis after exercise training in insulin-resistant subjects. *New Engl. J. Med.*, **335**, 1357–1362
- Pescatello, L.S., Fargo, A.E., Leach, C.N., Jr & Scherzer, H.H. (1991) Short-term effect of dynamic exercise on arterial blood pressure. *Circulation*, **83**, 1557–1561
- Peters, E.M. (1997) Exercise, immunology and upper respiratory tract infections. *Int. J. Sports Med.*, **18 Suppl. 1**, S69–S77
- Peters, R.K., Garabrant, D.H., Yu, M.C. & Mack, T.M. (1989) A case-control study of occupational and dietary factors in colorectal cancer in young men by subsite. *Cancer Res.*, **49**, 5459–5468
- Peters, E.T., Seidell, J.C., Menotti, A., Aravanis, C., Dontas, A., Fidanza, F., Karvonen, M., Nedeljkovic, S., Nissinen, A., Buzina, R., Bloemberg, B. & Kromhout, D. (1995) Changes in body weight in relation to mortality in 6441 European middle-aged men: the Seven Countries Study. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 862–868
- Petrek, J.A., Peters, M., Cirrincione, C., Rhodes, D. & Bajorunas, D. (1993) Is body fat topography a risk factor for breast cancer? *Ann. Intern. Med.*, **118**, 356–362
- Petridou, E., Syrigou, E., Toupadaki, N., Zavitsanos, X., Willett, W. & Trichopoulos, D. (1996) Determinants of age at menarche as early life predictors of breast cancer risk. *Int. J. Cancer*, **68**, 193–198
- Petridou, E., Roukas, K.I., Dessypris, N., Aravantinos, G., Bafaloukos, D., Efrimidis, A., Papacharalambous, A., Pektasidis, D., Rigatos, G. & Trichopoulos, D. (1997) Baldness and other correlates of sex hormones in relation to testicular cancer. *Int. J. Cancer*, **71**, 982–985
- Petridou, E., Papadiamantis, Y., Markopoulos, C., Spanos, E., Dessypris, N. & Trichopoulos, D. (2000) Leptin and insulin growth factor I in relation to breast cancer (Greece). *Cancer Causes Control*, **11**, 383–388
- Peyrat, J.P., Bonnetterre, J., Hecquet, B., Vennin, P., Louchez, M.M., Fournier, C., Lefebvre, J. & Demaille, A. (1993) Plasma insulin-like growth factor-1 (IGF-1) concentrations in human breast cancer. *Eur. J. Cancer*, **29A**, 492–497
- Pfeilschifter, J., Scheidt-Nave, C., Leidig-Bruckner, G., Woitige, H.W., Blum, W.F., Wuster, C., Haack, D. & Ziegler, R. (1996) Relationship between circulating insulin-like growth factor components and sex hormones in a population-based sample of 50- to 80-year-old men and women. *J. Clin. Endocrinol. Metab.*, **81**, 2534–2540
- Pike, M.C., Krailo, M.D., Henderson, B.E., Casagrande, J.T. & Hoel, D.G. (1983) 'Hormonal' risk factors, 'breast tissue age' and the age-incidence of breast cancer. *Nature*, **303**, 767–770
- Pinto, B.M. & Maruyama, N.C. (1999) Exercise in the rehabilitation of breast cancer survivors. *Psychooncology*, **8**, 191–206
- Pintor, C., Genazzani, A.R., Puggioni, R., Carboni, G., Faedda, A., Pisano, E., Orani, S., Fanni, T., D'Ambrogio, G. & Corda, R. (1980) Effect of weight loss on adrenal androgen plasma levels in obese prepubertal girls. In: Genazzani, A.R. (ed.), *Adrenal Androgens*, New York, Raven Press, pp. 259–266
- Pishdad, G.R. (1996) Overweight and obesity in adults aged 20–74 in southern Iran. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 963–965
- Pi-Sunyer, F.X. (1999) Comorbidities of overweight and obesity: current evidence and research issues. *Med. Sci. Sports Exerc.*, **31**, S602–S608

- Platz, E.A., Giovannucci, E., Rimm, E.B., Curhan, G.C., Spiegelman, D., Colditz, G.A. & Willett, W.C. (1998) Retrospective analysis of birth weight and prostate cancer in the Health Professionals Follow-up Study. *Am. J. Epidemiol.*, **147**, 1140–1144
- Plymate, S.R., Jones, R.E., Matej, L.A. & Friedl, K.E. (1988) Regulation of sex hormone binding globulin (SHBG) production in Hep G2 cells by insulin. *Steroids*, **52**, 339–340
- Poehlman, E.T. & Copeland, K.C. (1990) Influence of physical activity on insulin-like growth factor-I in healthy younger and older men. *J. Clin. Endocrinol. Metab.*, **71**, 1468–1473
- Poehlman, E.T., Rosen, C.J. & Copeland, K.C. (1994) The influence of endurance training on insulin-like growth factor-1 in older individuals. *Metabolism*, **43**, 1401–1405
- Poehlman, E.T., Toth, M.J., Fishman, P.S., Vaitkevicius, P., Gottlieb, S.S., Fisher, M.L. & Fonong, T. (1995) Sarcopenia in aging humans: the impact of menopause and disease. *J. Gerontol. A Biol. Sci. Med. Sci.*, **50**, Spec. No., 73–77
- Poehlman, E.T., Turturro, A., Bodkin, N., Cefalu, W., Heymsfield, S., Holloszy, J., Kemnitz, J. (2001) Caloric restriction mimetics: physical activity and body composition changes. *J. Gerontol. A Biol. Sci. Med. Sci.*, (in press)
- Poetschke, H.L., Klug, D.B., Perkins, S.N., Wang, T.T., Richie, E.R. & Hursting, S.D. (2000) Effects of calorie restriction on thymocyte growth, death and maturation. *Carcinogenesis*, **21**, 1959–1964
- Pollak, M. (2000) Insulin-like growth factor physiology and cancer risk. *Eur. J. Cancer*, **36**, 1224–1228
- Pollak, M., Beamer, W. & Zhang, J.C. (1998) Insulin-like growth factors and prostate cancer. *Cancer Metastasis Rev.*, **17**, 383–390
- Pollard, M. & Luckert, P.H. (1985) Tumorigenic effects of direct- and indirect-acting chemical carcinogens in rats on a restricted diet. *J. Natl Cancer Inst.*, **74**, 1347–1349
- Pollard, M., Luckert, P.H. & Pan, G.Y. (1984) Inhibition of intestinal tumorigenesis in methylazoxymethanol-treated rats by dietary restriction. *Cancer Treat. Rep.*, **68**, 405–408
- Pollard, M., Luckert, P.H. & Snyder, D. (1989) Prevention of prostate cancer and liver tumors in L-W rats by moderate dietary restriction. *Cancer*, **64**, 686–690
- Pollock, M.L., Carroll, J.F., Graves, J.E., Leggett, S.H., Braith, R.W., Limacher, M. & Hagberg, J.M. (1991) Injuries and adherence to walk/jog and resistance training programs in the elderly. *Med. Sci. Sports Exerc.*, **23**, 1194–1200
- Polis, M.A., Peeters, P.H., Bueno-de-Mesquita, H.B., Ocké, M.C., Wentink, C.A., Kemper, H.C. & Collette, H.J. (1995) Validity and repeatability of a modified Baecke questionnaire on physical activity. *Int. J. Epidemiol.*, **24**, 381–388
- Polis, M.A., Peeters, P.H., Ocké, M.C., Slimani, N., Bueno-de-Mesquita, H.B. & Collette, H.J. (1997) Estimation of reproducibility and relative validity of the questions included in the EPIC physical activity questionnaire. *Int. J. Epidemiol.*, **26 Suppl. 1**, S181–S189
- Popkin, B.M. & Doak, C.M. (1998) The obesity epidemic is a worldwide phenomenon. *Nutr. Rev.*, **56**, 106–114
- Poretzky, L., Cataldo, N.A., Rosenwaks, Z. & Giudice, L.C. (1999) The insulin-related ovarian regulatory system in health and disease. *Endocr. Rev.*, **20**, 535–582
- Pories, W.J., Swanson, M.S., MacDonald, K.G., Long, S.B., Morris, P.G., Brown, B.M., Barakat, H.A., deRamon, R.A., Israel, G., Dolezal, J.M. & Dohm, L. (1995) Who would have thought it? An operation proves to be the most effective therapy for adult-onset diabetes mellitus. *Ann. Surg.*, **222**, 339–352
- Potischman, N., Hoover, R.N., Brinton, L.A., Siiteri, P., Dorgan, J.F., Swanson, C.A., Berman, M.L., Mortel, R., Twiggs, L.B., Barrett, R.J., Wilbanks, G.D., Persky, V. & Lurain, J.R. (1996) Case-control study of endogenous steroid hormones and endometrial cancer. *J. Natl Cancer Inst.*, **88**, 1127–1135
- Potter, J.D. (1996) Nutrition and colorectal cancer. *Cancer Causes Control*, **7**, 127–146
- Potter, J.D., Bostick, R.M., Grandits, G.A., Fosdick, L., Elmer, P., Wood, J., Grambsch, P. & Louis, T.A. (1996) Hormone replacement therapy is associated with lower risk of adenomatous polyps of the large bowel: the Minnesota Cancer Prevention Research Unit Case-Control Study. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 779–784
- Pouliot, M.C., Després, J.P., Lemieux, S., Moorjani, S., Bouchard, C., Tremblay, A., Nadeau, A. & Lupien, P.J. (1994) Waist circumference and abdominal sagittal diameter: best simple anthropometric indexes of abdominal visceral adipose tissue accumulation and related cardiovascular risk in men and women. *Am. J. Cardiol.*, **73**, 460–468
- Poulos, J.E., Leggett-Frazier, N., Khazanie, P., Long, S., Sportsman, R., MacDonald, K. & Caro, J.F. (1994) Circulating insulin-like growth factor I concentrations in clinically severe obese patients with and without NIDDM in response to weight loss. *Horm. Metab. Res.*, **26**, 478–480
- Pour, P.M., Permert, J., Mogaki, M., Fujii, H. & Kazakoff, K. (1993) Endocrine aspects of exocrine cancer of the pancreas. Their patterns and suggested biologic significance. *Am. J. Clin. Pathol.*, **100**, 223–230
- Powell, K.E., Thompson, P.D., Caspersen, C.J. & Kendrick, J.S. (1987) Physical activity and the incidence of coronary heart disease. *Annu. Rev. Public Health*, **8**, 253–287
- Pratt, M., Macera, C.A. & Blanton, C. (1999) Levels of physical activity and inactivity in children and adults in the United States: current evidence and research issues. *Med. Sci. Sports Exerc.*, **31**, S526–S533
- Prentice, A.M. & Jebb, S.A. (1995) Obesity in Britain: gluttony or sloth? *BMJ*, **311**, 437–439
- Prentice, R., Thompson, D., Clifford, C., Gorbach, S., Goldin, B. & Byar, D. (1990) Dietary fat reduction and plasma estradiol concentration in healthy postmenopausal women. The Women's Health Trial Study Group. *J. Natl Cancer Inst.*, **82**, 129–134
- Preston-Martin, S., Jin, F., Duda, M.J. & Mack, W.J. (1993) A case-control study of thyroid cancer in women under age 55 in Shanghai (People's Republic of China). *Cancer Causes Control*, **4**, 431–440
- Prineas, R.J., Folsom, A.R., Zhang, Z.M., Sellers, T.A. & Potter, J. (1997) Nutrition and other risk factors for renal cell carcinoma in postmenopausal women. *Epidemiology*, **8**, 31–36
- Prior, G. (1999) Physical activity. In: Erens, B. & Primatesta, P., eds, *Health Survey for England: Cardiovascular Disease '98*, London, The Stationery Office, pp. 181–219

- Province, M.A., Hadley, E.C., Hornbrook, M.C., Lipsitz, L.A., Miller, J.P., Mulrow, C.D., Ory, M.G., Sattin, R.W., Tinetti, M.E. & Wolf, S.L. (1995) The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT Trials. Frailty and Injuries: Cooperative Studies of Intervention Techniques. *JAMA*, **273**, 1341–1347
- Pugeat, M. & Ducluzeau, P.H. (1999) Insulin resistance, polycystic ovary syndrome and metformin. *Drugs*, **58 Suppl. 1**, 41–46
- Pugeat, M., Crave, J.C., Elmidani, M., Nicolas, M.H., Garoscio-Cholet, M., Lejeune, H., Dechaud, H. & Tourniaire, J. (1991) Pathophysiology of sex hormone binding globulin (SHBG): relation to insulin. *J. Steroid Biochem. Mol. Biol.*, **40**, 841–849
- Pukkala, E., Poskiparta, M., Apter, D. & Vihko, V. (1993) Life-long physical activity and cancer risk among Finnish female teachers. *Eur. J. Cancer Prev.*, **2**, 369–376
- Purdie, D., Green, A., Bain, C., Siskind, V., Ward, B., Hacker, N., Quinn, M., Wright, G., Russell, P. & Susil, B. (1995) Reproductive and other factors and risk of epithelial ovarian cancer: an Australian case-control study. Survey of Women's Health Study Group. *Int. J. Cancer*, **62**, 678–684
- Putnam, S.D., Cerhan, J.R., Parker, A.S., Bianchi, G.D., Wallace, R.B., Cantor, K.P., & Lynch, C.F. (2000) Lifestyle and anthropometric risk factors for prostate cancer in a cohort of Iowa men. *Ann. Epidemiol.*, **10**, 361–369
- Pyne, D.B., Baker, M.S., Fricker, P.A., McDonald, W.A., Telford, R.D. & Weidemann, M.J. (1995) Effects of an intensive 12-wk training program by elite swimmers on neutrophil oxidative activity. *Med. Sci. Sports Exerc.*, **27**, 536–542
- Raastad, T., Bjoro, T. & Hallén, J. (2000) Hormonal responses to high- and moderate-intensity strength exercise. *Eur. J. Appl. Physiol.*, **82**, 121–128
- Radak, Z., Sasvari, M., Nyakas, C., Taylor, A.W., Ohno, H., Nakamoto, H. & Goto, S. (2000) Regular training modulates the accumulation of reactive carbonyl derivatives in mitochondrial and cytosolic fractions of rat skeletal muscle. *Arch. Biochem. Biophys.*, **383**, 114–118
- Radziuk, J. & Pye, S. (1999) The role of the liver in insulin action and resistance. In: Reaven, G.M. & Laws, A., eds, *Insulin Resistance*, Totowa, NJ, Humana Press, pp. 197–231
- Randle, P.J. (1998) Regulatory interactions between lipids and carbohydrates: the glucose fatty acid cycle after 35 years. *Diabetes Metab. Rev.*, **14**, 263–283
- Rao, G., Xia, E., Nadakavukaren, M.J. & Richardson, A. (1990) Effect of dietary restriction on the age-dependent changes in the expression of antioxidant enzymes in rat liver. *J. Nutr.*, **120**, 602–609
- Rasheed, P., Abou-Hozafa, B.M. & Khan, A. (1994) Obesity among young Saudi female adults: a prevalence study on medical and nursing students. *Public Health*, **108**, 289–294
- Rasmussen, M.H., Frystyk, J., Andersen, T., Breum, L., Christiansen, J.S. & Hilsted, J. (1994) The impact of obesity, fat distribution, and energy restriction on insulin-like growth factor-1 (IGF-1), IGF-binding protein-3, insulin, and growth hormone. *Metabolism*, **43**, 315–319
- Rasmussen, M.H., Hvidberg, A., Juul, A., Main, K.M., Gotfredsen, A., Skakkebaek, N.E. & Hilsted, J. (1995) Massive weight loss restores 24-hour growth hormone release profiles and serum insulin-like growth factor-I levels in obese subjects. *J. Clin. Endocrinol. Metab.*, **80**, 1407–1415
- Rasmussen, M.H., Ho, K.K., Kjems, L. & Hilsted, J. (1996) Serum growth hormone-binding protein in obesity: effect of a short-term, very low calorie diet and diet-induced weight loss. *J. Clin. Endocrinol. Metab.*, **81**, 1519–1524
- Raso, E., Timar, J. & Lapis, K. (1992) Development and characterization of a sex-dependent metastatic preputial gland adenocarcinoma in human tumor-bearing immunosuppressed F344 rats. *Carcinogenesis*, **13**, 1281–1284
- Rauh, M.J., Hovell, M.F., Hofstetter, C.R., Sallis, J.F. & Gleghorn, A. (1992) Reliability and validity of self-reported physical activity in Latinos. *Int. J. Epidemiol.*, **21**, 966–971
- Rauramaa, R., Salonen, J.T., Kukkonen-Harjula, K., Seppänen, K., Seppälä, E., Vapaatalo, H. & Huttunen, J.K. (1984) Effects of mild physical exercise on serum lipoproteins and metabolites of arachidonic acid: a controlled randomised trial in middle aged men. *Br. Med. J. (Clin. Res. Ed.)*, **288**, 603–606
- Rauramaa, R., Salonen, J.T., Seppänen, K., Salonen, R., Venäläinen, J.M., Ihanainen, M. & Rissanen, V. (1986) Inhibition of platelet aggregability by moderate-intensity physical exercise: a randomized clinical trial in overweight men. *Circulation*, **74**, 939–944
- Rauscher, G.H., Mayne, S.T. & Janerich, D.T. (2000) Relation between body mass index and lung cancer risk in men and women never and former smokers. *Am. J. Epidemiol.*, **152**, 506–513
- Ravussin, E. & Gautier, J.F. (1999) Metabolic predictors of weight gain. *Int. J. Obes. Relat. Metab. Disord.*, **23 Suppl. 1**, 37–41
- Recker, R.R., Davies, K.M., Henders, S.M., Heaney, R.P., Stegman, M.R. & Kimmel, D.B. (1992) Bone gain in young adult women. *JAMA*, **268**, 2403–2408
- Reddy Avula, C.P., Muthukumar, A. & Fernandes, G. (1999) Calorie restriction increases Fas/Fas-ligand expression and apoptosis in murine splenic lymphocytes. *FEBS Lett.*, **458**, 231–235
- Reddy, B.S., Wang, C.X. & Maruyama, H. (1987) Effect of restricted caloric intake on azoxymethane-induced colon tumor incidence in male F344 rats. *Cancer Res.*, **47**, 1226–1228
- Reddy, B.S., Sugie, S. & Lowenfels, A. (1988) Effect of voluntary exercise on azoxymethane-induced colon carcinogenesis in male F344 rats. *Cancer Res.*, **48**, 7079–7081
- Reeder, B.A., Angel, A., Ledoux, M., Rabkin, S.W., Young, T.K. & Sweet, L.E. (1992) Obesity and its relation to cardiovascular disease risk factors in Canadian adults. Canadian Heart Health Surveys Research Group. *CMAJ*, **146**, 2009–2019
- Regensteiner, J.G., Mayer, E.J., Shetterly, S.M., Eckel, R.H., Haskell, W.L., Marshall, J.A., Baxter, J. & Hamman, R.F. (1991) Relationship between habitual physical activity and insulin levels among nondiabetic men and women. San Luis Valley Diabetes Study. *Diabetes Care*, **14**, 1066–1074
- Rencken, M.L., Chesnut, C.H. & Drinkwater, B.L. (1996) Bone density at multiple skeletal sites in amenorrheic athletes. *JAMA*, **276**, 238–240

- Renehan, A.G., Jones, J., Potten, C.S., Shalet, S.M. & O'Dwyer, S.T. (2000a) Elevated serum insulin-like growth factor (IGF)-II and IGF binding protein-2 in patients with colorectal cancer. *Br. J. Cancer*, **83**, 1344–1350
- Renehan, A.G., Painter, J.E., O'Halloran, D., Atkin, W.S., Potten, C.S., O'Dwyer, S.T. & Shalet, S.M. (2000b) Circulating insulin-like growth factor II and colorectal adenomas. *J. Clin. Endocrinol. Metab.*, **85**, 3402–3408
- Reynolds, M.W., Fredman, L., Langenberg, P. & Magaziner, J. (1999) Weight, weight change, mortality in a random sample of older community-dwelling women. *J. Am. Geriatr. Soc.*, **47**, 1409–1414
- Rhee, K., Bresnahan, W., Hirai, A., Hirai, M. & Thompson, E.A. (1995) c-Myc and cyclin D3 (CcnD3) genes are independent targets for glucocorticoid inhibition of lymphoid cell proliferation. *Cancer Res.*, **55**, 4188–4195
- Rhind, S.G., Shek, P.N., Shinkai, S. & Shephard, R.J. (1994) Differential expression of interleukin-2 receptor alpha and beta chains in relation to natural killer cell subsets and aerobic fitness. *Int. J. Sports Med.*, **15**, 911–918
- Rhind, S.G., Shek, P.N., Shinkai, S. & Shephard, R.J. (1996) Effects of moderate endurance exercise and training on in vitro lymphocyte proliferation, interleukin-2 (IL-2) production, and IL-2 receptor expression. *Eur. J. Appl. Physiol.*, **74**, 348–360
- Rhoads, G.G. & Kagan, A. (1983) The relation of coronary disease, stroke, and mortality to weight in youth and in middle age. *Lancet*, **1**, 492–495
- Riboli, E. & Kaaks, R. (1997) The EPIC Project: rationale and study design. European Prospective Investigation into Cancer and Nutrition. *Int. J. Epidemiol.*, **26** Suppl. 1, S6–S14
- Richardson, M.T., Leon, A.S., Jacobs, D.R., Jr, Ainsworth, B.E. & Serfass, R. (1994) Comprehensive evaluation of the Minnesota Leisure Time Physical Activity Questionnaire. *J. Clin. Epidemiol.*, **47**, 271–281
- Richardson, M.T., Ainsworth, B.E., Wu, H.C., Jacobs, D.R., Jr & Leon, A.S. (1995) Ability of the Atherosclerosis Risk in Communities (ARIC)/Baecke Questionnaire to assess leisure-time physical activity. *Int. J. Epidemiol.*, **24**, 685–693
- Rimm, E.B., Stampfer, M.J., Giovannucci, E., Ascherio, A., Spiegelman, D., Colditz, G.A. & Willett, W.C. (1995) Body size and fat distribution as predictors of coronary heart disease among middle-aged and older US men. *Am. J. Epidemiol.*, **141**, 1117–1127
- Rippe, J.M., Price, J.M., Hess, S.A., Kline, G., DeMers, K.A., Damitz, S., Kreidieh, I. & Freedson, P. (1998) Improved psychological well-being, quality of life, and health practices in moderately overweight women participating in a 12-week structured weight loss program. *Obes Res.*, **6**, 208–218
- Risch, H.A. (1998) Hormonal etiology of epithelial ovarian cancer, with a hypothesis concerning the role of androgens and progesterone. *J. Natl Cancer Inst.*, **90**, 1774–1786
- Rissanen, A.M., Heliövaara, M., Knekt, P., Reunanen, A. & Aromaa, A. (1991) Determinants of weight gain and overweight in adult Finns. *Eur. J. Clin. Nutr.*, **45**, 419–430
- Rivara, F.P., Grossman, D.C. & Cummings, P. (1997a) Injury prevention. First of two parts. *New Engl. J. Med.*, **337**, 543–548
- Rivara, F.P., Grossman, D.C. & Cummings, P. (1997b) Injury prevention. Second of two parts. *New Engl. J. Med.*, **337**, 613–618
- Rizza, R.A., Mandarino, L.J. & Gerich, J.E. (1982) Effects of growth hormone on insulin action in man. Mechanisms of insulin resistance, impaired suppression of glucose production, and impaired stimulation of glucose utilization. *Diabetes*, **31**, 663–669
- Robinson, T.N. (1999) Reducing children's television viewing to prevent obesity: a randomized controlled trial. *JAMA*, **282**, 1561–1567
- Robinson, S., Kiddy, D., Gelding, S.V., Willis, D., Nithyananthan, R., Bush, A., Johnston, D.G. & Franks, S. (1993) The relationship of insulin insensitivity to menstrual pattern in women with hyperandrogenism and polycystic ovaries. *Clin. Endocrinol. (Oxf.)*, **39**, 351–355
- Robson, P.J., Blannin, A.K., Walsh, N.P., Castell, L.M. & Gleeson, M. (1999) Effects of exercise intensity, duration and recovery on *in vitro* neutrophil function in male athletes. *Int. J. Sports Med.*, **20**, 128–135
- Rockhill, B., Willett, W.C., Hunter, D.J., Manson, J.E., Hankinson, S.E., Spiegelman, D. & Colditz, G.A. (1998) Physical activity and breast cancer risk in a cohort of young women. *J. Natl Cancer Inst.*, **90**, 1155–1160
- Rockhill, B., Willett, W.C., Hunter, D.J., Manson, J.E., Hankinson, S.E. & Colditz, G.A. (1999) A prospective study of recreational physical activity and breast cancer risk. *Arch. Intern. Med.*, **159**, 2290–2296
- Roebuck, B.D., McCaffrey, J. & Baumgartner, K.J. (1990) Protective effects of voluntary exercise during the postinitiation phase of pancreatic carcinogenesis in the rat. *Cancer Res.*, **50**, 6811–6816
- Roebuck, B.D., Baumgartner, K.J. & MacMillan, D.L. (1993) Caloric restriction and intervention in pancreatic carcinogenesis in the rat. *Cancer Res.*, **53**, 46–52
- Roelen, C.A., de Vries, W.R., Koppeschaar, H.P., Vervoorn, C., Thijssen, J.H. & Blankenstein, M.A. (1997) Plasma insulin-like growth factor-I and high affinity growth hormone-binding protein levels increase after two weeks of strenuous physical training. *Int. J. Sports Med.*, **18**, 238–241
- Rojdmark, S. (1987) Increased gonadotropin responsiveness to gonadotropin-releasing hormone during fasting in normal subjects. *Metabolism*, **36**, 21–26
- Ron, E., Kleinerman, R.A., Boice, J.D., LiVolsi, V.A., Flannery, J.T. & Fraumeni, J.F., Jr (1987) A population-based case-control study of thyroid cancer. *J. Natl Cancer Inst.*, **79**, 1–12
- Rose, D.P., Boyar, A.P., Cohen, C. & Strong, L.E. (1987) Effect of a low-fat diet on hormone levels in women with cystic breast disease. I. Serum steroids and gonadotropins. *J. Natl Cancer Inst.*, **78**, 623–626
- Rose, D.P., Connolly, J.M., Chlebowski, R.T., Buzzard, I.M. & Wynder, E.L. (1993) The effects of a low-fat dietary intervention and tamoxifen adjuvant therapy on the serum estrogen and sex hormone-binding globulin concentrations of postmenopausal breast cancer patients. *Breast Cancer Res. Treat.*, **27**, 253–262
- Rosen, C.J. (1999) Serum insulin-like growth factors and insulin-like growth factor-binding proteins: clinical implications. *Clin. Chem.*, **45**, 1384–1390
- Rosenfield, R.L. (1999) Ovarian and adrenal function in polycystic ovary syndrome. *Endocrinol. Metab. Clin. North Am.*, **28**, 265–293

- Rosengren, A., Eriksson, H., Larsson, B., Svärdsudd, K., Tibblin, G., Welin, L. & Wilhelmsen, L. (2000) Secular changes in cardiovascular risk factors over 30 years in Swedish men aged 50: the study of men born in 1913, 1923, 1933 and 1943. *J. Intern. Med.*, **247**, 111–118
- Rosenthal, M.B., Barnard, R.J., Rose, D.P., Inkeles, S., Hall, J. & Pritikin, N. (1985) Effects of a high-complex-carbohydrate, low-fat, low-cholesterol diet on levels of serum lipids and estradiol. *Am. J. Med.*, **78**, 23–27
- Ross, R.J. (2000) GH, IGF-I and binding proteins in altered nutritional states. *Int. J. Obes. Relat. Metab. Disord.*, **24 Suppl. 2**, S92–S95
- Ross, R.K., Shimizu, H., Paganini-Hill, A., Honda, G. & Henderson, B.E. (1987) Case-control studies of prostate cancer in blacks and whites in southern California. *J. Natl Cancer Inst.*, **78**, 869–874
- Ross, J.A., Potter, J.D. & Severson, R.K. (1993) Platelet-derived growth factor and risk factors for colorectal cancer. *Eur. J. Cancer Prev.*, **2**, 197–210
- Ross, R.K., Pike, M.C., Coetzee, G.A., Reichardt, J.K., Yu, M.C., Feigelson, H., Stanczyk, F.Z., Kolonel, L.N. & Henderson, B.E. (1998) Androgen metabolism and prostate cancer: establishing a model of genetic susceptibility. *Cancer Res.*, **58**, 4497–4504
- Ross, R., Dagnone, D., Jones, P.J., Smith, H., Paddags, A., Hudson, R. & Janssen, I. (2000a) Reduction in obesity and related comorbid conditions after diet-induced weight loss or exercise-induced weight loss in men. A randomized, controlled trial. *Ann. Intern. Med.*, **133**, 92–103
- Ross, R.K., Paganini-Hill, A., Wan, P.C. & Pike, M.C. (2000b) Effect of hormone replacement therapy on breast cancer risk: estrogen versus estrogen plus progestin. *J. Natl Cancer Inst.*, **92**, 328–332
- Rossing, M.A., Voigt, L.F., Wicklund, K.G. & Daling, J.R. (2000) Reproductive factors and risk of papillary thyroid cancer in women. *Am. J. Epidemiol.*, **151**, 765–772
- Rudolf, M.C., Sahota, P., Barth, J.H. & Walker, J. (2001) Increasing prevalence of obesity in primary school children: cohort study. *BMJ*, **322**, 1094–1095
- Ruggeri, B.A., Klurfeld, D.M., Kritchevsky, D. & Furlanetto, R.W. (1989) Caloric restriction and 7,12-dimethylbenz(a)anthracene-induced mammary tumor growth in rats: alterations in circulating insulin, insulin-like growth factors I and II, and epidermal growth factor. *Cancer Res.*, **49**, 4130–4134
- Rush, H.P. & Kline, B.E. (1944) The effect of exercise on the growth of mouse tumor. *Cancer Res.*, **4**, 116–118
- Russell, D.G. & Wilson, N.C. (1991) *Life in New Zealand Commission Report*. Volume I: *Executive Overview*, Dunedin, University of Otago, pp. 1–28
- Russell, J.B., Mitchell, D., Musey, P.I. & Collins, D.C. (1984) The relationship of exercise to anovulatory cycles in female athletes: hormonal and physical characteristics. *Obstet. Gynecol.*, **63**, 452–456
- Russo, A., Franceschi, S., La Vecchia, C., Dal Maso, L., Montella, M., Conti, E., Giacosa, A., Falcini, F. & Negri, E. (1998) Body size and colorectal-cancer risk. *Int. J. Cancer*, **78**, 161–165
- Rutanen, E.M. (1998) Insulin-like growth factors in endometrial function. *Gynecol. Endocrinol.*, **12**, 399–406
- Rutanen, E.M., Pekonen, F., Nyman, T. & Wahlström, T. (1993) Insulin-like growth factors and their binding proteins in benign and malignant uterine diseases. *Growth Regul.*, **3**, 74–77
- Rutanen, E.M., Nyman, T., Lehtovirta, P., Ämmälä, M. & Pekonen, F. (1994) Suppressed expression of insulin-like growth factor binding protein-1 mRNA in the endometrium: a molecular mechanism associating endometrial cancer with its risk factors. *Int. J. Cancer*, **59**, 307–312
- Sabroe, S. & Olsen, J. (1998) Perinatal correlates of specific histological types of testicular cancer in patients below 35 years of age: a case-cohort study based on midwives' records in Denmark. *Int. J. Cancer*, **78**, 140–143
- Sahi, T., Paffenbarger, R.S., Jr, Hsieh, C.C. & Lee, I.M. (1998) Body mass index, cigarette smoking, and other characteristics as predictors of self-reported, physician-diagnosed gallbladder disease in male college alumni. *Am. J. Epidemiol.*, **147**, 644–651
- Saitoh, H., Kamoda, T., Nakahara, S., Hirano, T. & Nakamura, N. (1998) Serum concentrations of insulin, insulin-like growth factor(IGF)-I, IGF binding protein (IGFBP)-1 and -3 and growth hormone binding protein in obese children: fasting IGFBP-1 is suppressed in normoinsulinaemic obese children. *Clin. Endocrinol. (Oxf.)*, **48**, 487–492
- Salih, M.A., Herbert, D.C. & Kalu, D.N. (1993) Evaluation of the molecular and cellular basis for the modulation of thyroid C-cell hormones by aging and food restriction. *Mech. Ageing Dev.*, **70**, 1–21
- Sallis, J.F. & Saelens, B.E. (2000) Assessment of physical activity by self-report: status, limitations, and future directions. *Res. Q. Exerc. Sport*, **71**, 1–14
- Sallis, J.F., Haskell, W.L., Wood, P.D., Fortmann, S.P., Rogers, T., Blair, S.N. & Paffenbarger, R.S., Jr. (1985) Physical activity assessment methodology in the Five-City Project. *Am. J. Epidemiol.*, **121**, 91–106
- Sallis, J.F., Bauman, A. & Pratt, M. (1998) Environmental and policy interventions to promote physical activity. *Am. J. Prev. Med.*, **15**, 379–397
- Salmon, J., Bauman, A., Crawford, D., Timperio, A. & Owen, N. (2000) The association between television viewing and overweight among Australian adults participating in varying levels of leisure-time physical activity. *Int. J. Obes. Relat. Metab. Disord.*, **24**, 600–606
- Sanderson, M., Williams, M.A., Malone, K.E., Stanford, J.L., Emanuel, I., White, E. & Daling, J.R. (1996) Perinatal factors and risk of breast cancer. *Epidemiology*, **7**, 34–37
- Sandler, R.S., Pritchard, M.L. & Bangdiwala, S.I. (1995) Physical activity and the risk of colorectal adenomas. *Epidemiology*, **6**, 602–606
- Sandvik, L., Erikssen, J., Thaulow, E., Erikssen, G., Mundal, R. & Rodahl, K. (1993) Physical fitness as a predictor of mortality among healthy, middle-aged Norwegian men. *New Engl. J. Med.*, **328**, 533–537
- Saris, W.H. (1998) Fit, fat and fat free: the metabolic aspects of weight control. *Int. J. Obes. Relat. Metab. Disord.*, **22 Suppl. 2**, S15–S21
- Sarkar, N.H., Fernandes, G., Telang, N.T., Kourides, I.A. & Good, R.A. (1982) Low-calorie diet prevents the development of mammary tumors in C3H mice and reduces circulating prolactin level, murine mammary tumor virus expression, and proliferation of mammary alveolar cells. *Proc. Natl Acad. Sci. USA*, **79**, 7758–7762

- Scaglione, R., Averna, M.R., Dichiara, M.A., Barbagallo, C.M., Mazzola, G., Montalto, G., Licata, G. & Notarbartolo, A. (1991) Thyroid function and release of thyroid-stimulating hormone and prolactin from the pituitary in human obesity. *J. Int. Med. Res.*, **19**, 389–394
- Scanga, C.B., Verde, T.J., Paolone, A.M., Andersen, R.E. & Wadden, T.A. (1998) Effects of weight loss and exercise training on natural killer cell activity in obese women. *Med. Sci. Sports Exerc.*, **30**, 1666–1671
- Scarpelli, D.G. (1988) Comparative histopathology of the development of selected neoplasms of the liver, pancreas, and urinary bladder in rodents. *Environ. Health Perspect.*, **77**, 83–92
- Schaefer, E.J., Lichtenstein, A.H., Lamon-Fava, S., McNamara, J.R., Schaefer, M.M., Rasmussen, H. & Ordovas, J.M. (1995) Body weight and low-density lipoprotein cholesterol changes after consumption of a low-fat ad libitum diet. *JAMA*, **274**, 1450–1455
- Schairer, C., Lubin, J., Troisi, R., Sturgeon, S., Brinton, L. & Hoover, R. (2000) Estrogen-progestin replacement and risk of breast cancer. *JAMA*, **284**, 691–694
- Schapira, D.V., Kumar, N.B., Lyman, G.H., Cavanagh, D., Roberts, W.S. & LaPolla, J. (1991) Upper-body fat distribution and endometrial cancer risk. *JAMA*, **266**, 1808–1811
- Schatzkin, A., Lanza, E., Corle, D., Lance, P., Iber, F., Caan, B., Shike, M., Weissfeld, J., Burt, R., Cooper, M.R., Kikendall, J.W. & Cahill, J. (2000) Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. Polyp Prevention Trial Study Group. *New Engl. J. Med.*, **342**, 1149–1155
- Scheett, T.P., Mills, P.J., Ziegler, M.G., Stoppani, J. & Cooper, D.M. (1999) Effect of exercise on cytokines and growth mediators in prepubertal children. *Pediatr. Res.*, **46**, 429–434
- Schenkein, D.P. & Schwartz, R.S. (1997) Neoplasms and transplantation—trading swords for plowshares. *New Engl. J. Med.*, **336**, 949–950
- Schildkraut, J.M., Schwingl, P.J., Bastos, E., Evanoff, A. & Hughes, C. (1996) Epithelial ovarian cancer risk among women with polycystic ovary syndrome. *Obstet. Gynecol.*, **88**, 554–559
- Schmidt, W., Doré, S., Hilgendorf, A., Strauch, S., Gareau, R. & Brisson, G.R. (1995) Effects of exercise during normoxia and hypoxia on the growth hormone-insulin-like growth factor I axis. *Eur. J. Appl. Physiol.*, **71**, 424–430
- Schoeller, D.A., Shay, K. & Kushner, R.F. (1997) How much physical activity is needed to minimize weight gain in previously obese women? *Am. J. Clin. Nutr.*, **66**, 551–556
- Schoen, R.E., Tangen, C.M., Kuller, L.H., Burke, G.L., Cushman, M., Tracy, R.P., Dobs, A. & Savage, P.J. (1999) Increased blood glucose and insulin, body size, and incident colorectal cancer. *J. Natl Cancer Inst.*, **91**, 1147–1154
- Schulz, N., Propst, F., Rosenberg, M.P., Linnoila, R.I., Paules, R.S., Kovatch, R., Ogiso, Y. & Vande Woude, G. (1992) Pheochromocytomas and C-cell thyroid neoplasms in transgenic c-mos mice: a model for the human multiple endocrine neoplasia type 2 syndrome. *Cancer Res.*, **52**, 450–455
- Schulz, T.F., Boshoff, C.H. & Weiss, R.A. (1996) HIV infection and neoplasia. *Lancet*, **348**, 587–591
- Schuurman, A.G., Goldbohm, R.A., Dorant, E. & van den Brandt, P.A. (2000) Anthropometry in relation to prostate cancer risk in the Netherlands cohort study. *Am. J. Epidemiol.*, **6**, 541–549
- Schwartz, R.S. (1990) Exercise training in the treatment of diabetes mellitus in elderly patients. *Diabetes Care*, **14**, 77–85
- Schwartz, R.S., Shuman, W.P., Larson, V., Cain, K.C., Fellingham, G.W., Beard, J.C., Kahn, S.E., Stratton, J.R., Cerqueira, M.D. & Abrass, I.B. (1991) The effect of intensive endurance exercise training on body fat distribution in young and older men. *Metabolism*, **40**, 545–551
- Schwarz, A.J., Brasel, J.A., Hintz, R.L., Mohan, S. & Cooper, D.M. (1996) Acute effect of brief low- and high-intensity exercise on circulating insulin-like growth factor (IGF) I, II, and IGF-binding protein-3 and its proteolysis in young healthy men. *J. Clin. Endocrinol. Metab.*, **81**, 3492–3497
- Sea, M.M., Fong, W.P., Huang, Y. & Chen, Z.Y. (2000) Weight cycling-induced alteration in fatty acid metabolism. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, **279**, R1145–R1155
- Seidell, J.C. (1998) Dietary fat and obesity: an epidemiologic perspective. *Am. J. Clin. Nutr.*, **67**, 546S–550S
- Seidell, J.C. (2001) The epidemiology of obesity. In: Björntorp, P., ed., *International Textbook of Obesity*, Chichester, John Wiley, pp. 23–29
- Seidell, J.C. & Visscher, T.L. (2000) Body weight and weight change and their health implications for the elderly. *Eur. J. Clin. Nutr.*, **54**, Suppl. 3, S33–S39
- Seidell, J.C., Oosterlee, A., Deurenberg, P., Hautvast, J.G. & Ruijs, J.H. (1988) Abdominal fat depots measured with computed tomography: effects of degree of obesity, sex, and age. *Eur. J. Clin. Nutr.*, **42**, 805–815
- Seidell, J.C., Björntorp, P., Sjöström, L., Kvist, H. & Sannerstedt, R. (1990a) Visceral fat accumulation in men is positively associated with insulin, glucose, and C-peptide levels, but negatively with testosterone levels. *Metabolism*, **39**, 897–901
- Seidell, J.C., Cigolini, M., Charzewska, J., Ellsinger, B.M., Di Biase, G., Björntorp, P., Hautvast, J.G., Contaldo, F., Szostak, V. & Scuro, L.A. (1990b) Androgenicity in relation to body fat distribution and metabolism in 38-year-old women — the European Fat Distribution Study. *J. Clin. Epidemiol.*, **43**, 21–34
- Seidell, J.C., Verschuren, W.M. & Kromhout, D. (1995) Prevalence and trends of obesity in The Netherlands 1987–1991. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 924–927
- Seidell, J.C., Verschuren, W.M., van Leer, E.M. & Kromhout, D. (1996) Overweight, underweight, and mortality. A prospective study of 48,287 men and women. *Arch. Intern. Med.*, **156**, 958–963
- Seidell, J.C., Visscher, T.L. & Hoogeveen, R.T. (1999) Overweight and obesity in the mortality rate data: current evidence and research issues. *Med. Sci. Sports Exerc.*, **31**, S597–S601
- Seilkop, S.K. (1995) The effect of body weight on tumor incidence and carcinogenicity testing in B6C3F1 mice and F344 rats. *Fundam. Appl. Toxicol.*, **24**, 247–259
- Sellers, T.A., Kushi, L.H., Potter, J.D., Kaye, S.A., Nelson, C.L., McGovern, P.G. & Folsom, A.R. (1992) Effect of family history, body-fat distribution, and reproductive factors on the risk of postmenopausal breast cancer. *New Engl. J. Med.*, **326**, 1323–1329

- Seng, J.E., Gandy, J., Turturro, A., Lipman, R., Bronson, R.T., Parkinson, A., Johnson, W., Hart, R.W. & Leakey, J.E. (1996) Effects of caloric restriction on expression of testicular cytochrome P450 enzymes associated with the metabolic activation of carcinogens. *Arch. Biochem. Biophys.*, **335**, 42–52
- Senie, R.T., Rosen, P.P., Rhodes, P., Lesser, M.L. & Kinne, D.W. (1992) Obesity at diagnosis of breast carcinoma influences duration of disease-free survival. *Ann. Intern. Med.*, **116**, 26–32
- Sesso, H.D., Paffenbarger, R.S., Jr & Lee, I.M. (1998) Physical activity and breast cancer risk in the College Alumni Health Study (United States). *Cancer Causes Control*, **9**, 433–439
- Severson, R.K., Grove, J.S., Nomura, A.M. & Stemmermann, G.N. (1988) Body mass and prostatic cancer: a prospective study. *BMJ*, **297**, 713–715
- Severson, R.K., Nomura, A.M., Grove, J.S. & Stemmermann, G.N. (1989) A prospective analysis of physical activity and cancer. *Am. J. Epidemiol.*, **130**, 522–529
- Shamoon, H., Hendler, R. & Sherwin, R.S. (1981) Synergistic interactions among anti-insulin hormones in the pathogenesis of stress hyperglycemia in humans. *J. Clin. Endocrinol. Metab.*, **52**, 1235–1241
- Sheldon, W.G., Bucci, T., Blackwell, B. & Turturro, A. (1996) Effect of *ad libitum* feeding and 40% feed restriction on body weight, longevity, and neoplasms in B6C3F₁, C57BL6, and B6D2F₁ mice. In: Mohr, U., Dungworth, D., Capen, C., Carlton, W., Sundberg, J. & Ward, J., eds, *Pathology of the Aging Mouse*, Washington DC, ILSI Press, pp. 21–26
- Shephard, R.J. & Shek, P.N. (1995) Cancer, immune function, and physical activity. *Can. J. Appl. Physiol.*, **20**, 1–25
- Shephard, R.J. & Shek, P.N. (1998) Associations between physical activity and susceptibility to cancer: possible mechanisms. *Sports Med.*, **26**, 293–315
- Sherr, C.J. (2000) The Pezcoller lecture: cancer cell cycles revisited. *Cancer Res.*, **60**, 3689–3695
- Shibata, A., Mack, T.M., Paganini-Hill, A., Ross, R.K. & Henderson, B.E. (1994) A prospective study of pancreatic cancer in the elderly. *Int. J. Cancer*, **58**, 46–49
- Shigenaga, M.K., Hagen, T.M. & Ames, B.N. (1994) Oxidative damage and mitochondrial decay in aging. *Proc. Natl Acad. Sci. USA*, **91**, 10771–10778
- Shimokawa, I. & Higami, Y. (1999) A role for leptin in the antiaging action of dietary restriction: a hypothesis. *Aging (Milano)*, **11**, 380–382
- Shimokawa, I., Yu, B.P. & Masoro, E.J. (1991) Influence of diet on fatal neoplastic disease in male Fischer 344 rats. *J. Gerontol.*, **46**, B228–B232
- Shimokawa, I., Higami, Y., Yu, B.P., Masoro, E.J. & Ikeda, T. (1996) Influence of dietary components on occurrence of and mortality due to neoplasms in male F344 rats. *Aging (Milano)*, **8**, 254–262
- Shimokawa, I., Higami, Y., Okimoto, T., Tomita, M. & Ikeda, T. (1997) Effect of somatostatin-28 on growth hormone response to growth hormone-releasing hormone – impact of aging and lifelong dietary restriction. *Neuroendocrinology*, **65**, 369–376
- Shinchi, K., Kono, S., Honjo, S., Todoroki, I., Sakurai, Y., Imanishi, K., Nishikawa, H., Ogawa, S., Katsurada, M. & Hirohata, T. (1994) Obesity and adenomatous polyps of the sigmoid colon. *Jpn J. Cancer Res*, **85**, 479–484
- Shoff, S.M. & Newcomb, P.A. (1998) Diabetes, body size, and risk of endometrial cancer. *Am. J. Epidemiol.*, **148**, 234–240
- Shoff, S.M., Newcomb, P.A., Trentham-Dietz, A., Remington, P.L., Mittendorf, R., Greenberg, E.R. & Willett, W.C. (2000) Early-life physical activity and postmenopausal breast cancer: effect of body size and weight change. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 591–595
- Shoupe, D., Kumar, D.D. & Lobo, R.A. (1983) Insulin resistance in polycystic ovary syndrome. *Am. J. Obstet. Gynecol.*, **147**, 588–592
- Shu, X.O., Gao, Y.T., Yuan, J.M., Ziegler, R.G. & Brinton, L.A. (1989) Dietary factors and epithelial ovarian cancer. *Br. J. Cancer*, **59**, 92–96
- Shu, X.O., Brinton, L.A., Zheng, W., Gao, Y.T., Fan, J. & Fraumeni, J.F., Jr (1991) A population-based case-control study of endometrial cancer in Shanghai, China. *Int. J. Cancer*, **49**, 38–43
- Shu, X.O., Brinton, L.A., Zheng, W., Swanson, C.A., Hatch, M.C., Gao, Y.T. & Fraumeni, J.F., Jr (1992) Relation of obesity and body fat distribution to endometrial cancer in Shanghai, China. *Cancer Res.*, **52**, 3865–3870
- Shu, X.O., Hatch, M.C., Zheng, W., Gao, Y.T. & Brinton, L.A. (1993) Physical activity and risk of endometrial cancer. *Epidemiology*, **4**, 342–349
- Siconolfi, S.F., Lasater, T.M., Snow, R.C. & Carleton, R.A. (1985) Self-reported physical activity compared with maximal oxygen uptake. *Am. J. Epidemiol.*, **122**, 101–105
- Siiteri, P.K. (1987) Adipose tissue as a source of hormones. *Am. J. Clin. Nutr.*, **45**, 277–282
- Sikand, G., Kondo, A., Foreyt, J.P., Jones, P.H. & Gotto, A.M. (1988) Two-year follow-up of patients treated with a very-low-calorie diet and exercise training. *J. Am. Diet. Assoc.*, **88**, 487–488
- Silver, J.R. (1993) Spinal injuries in sports in the UK. *Br. J. Sports Med.*, **27**, 115–120
- Silverman, D.T., Swanson, C.A., Gridley, G., Wacholder, S., Greenberg, R.S., Brown, L.M., Hayes, R.B., Swanson, G.M., Schoenberg, J.B., Pottern, L.M., Schwartz, A.G., Fraumeni, J.F., Jr & Hoover, R.N. (1998) Dietary and nutritional factors and pancreatic cancer: a case-control study based on direct interviews. *J. Natl Cancer Inst.*, **90**, 1710–1719
- Silverman, D.T., Schiffman, M., Everhart, J., Goldstein, A., Lillemoe, K.D., Swanson, G.M., Schwartz, A.G., Brown, L.M., Greenberg, R.S., Schoenberg, J.B., Pottern, L.M., Hoover, R.N. & Fraumeni, J.F., Jr (1999) Diabetes mellitus, other medical conditions and familial history of cancer as risk factors for pancreatic cancer. *Br. J. Cancer*, **80**, 1830–1837
- Simons-Morton, D.G., Calfas, K.J., Oldenburg, B. & Burton, N.W. (1998) Effects of interventions in health care settings on physical activity or cardiorespiratory fitness. *Am. J. Prev. Med.*, **15**, 413–430
- Singh, P.N. & Lindsted, K.D. (1998) Body mass and 26-year risk of mortality from specific diseases among women who never smoked. *Epidemiology*, **9**, 246–254
- Singh, P. & Rubin, N. (1993) Insulin-like growth factors and binding proteins in colon cancer. *Gastroenterology*, **105**, 1218–1237

- Singh, A., Hamilton-Fairley, D., Koistinen, R., Seppala, M., James, V.H., Franks, S. & Reed, M.J. (1990) Effect of insulin-like growth factor-type I (IGF-I) and insulin on the secretion of sex hormone binding globulin and IGF-I binding protein (IBP-I) by human hepatoma cells. *J. Endocrinol.*, **124**, R1-R3
- Singh, R.B., Rastogi, S.S., Verma, R., Laxmi, B., Singh, R., Ghosh, S. & Niaz, M.A. (1992) Randomised controlled trial of cardioprotective diet in patients with recent acute myocardial infarction: results of one year follow up. *BMJ*, **304**, 1015-1019
- Sinha, D.K., Gebhard, R.L. & Pazik, J.E. (1988) Inhibition of mammary carcinogenesis in rats by dietary restriction. *Cancer Lett.*, **40**, 133-141
- Sinzinger, H. & Virgolini, I. (1988) Effects of exercise on parameters of blood coagulation, platelet function and the prostaglandin system. *Sports Med.*, **6**, 238-245
- Sjöström, L., Rissanen, A., Andersen, T., Boldrin, M., Golay, A., Koppeschaar, H.P. & Krempf, M. (1998) Randomised placebo-controlled trial of orlistat for weight loss and prevention of weight regain in obese patients. European Multicentre Orlistat Study Group. *Lancet*, **352**, 167-172
- Sjöström, C.D., Lissner, L., Wedel, H. & Sjöström, L. (1999) Reduction in incidence of diabetes, hypertension and lipid disturbances after intentional weight loss induced by bariatric surgery: the SOS Intervention Study. *Obes. Res.*, **7**, 477-484
- Sjöström, C.D., Peltonen, M., Wedel, H. & Sjöström, L. (2000) Differentiated long-term effects of intentional weight loss on diabetes and hypertension. *Hypertension*, **36**, 20-25
- Skender, M.L., Goodrick, G.K., Del Junco, D.J., Reeves, R.S., Darnell, L., Gotto, A.M. & Foreyt, J.P. (1996) Comparison of 2-year weight loss trends in behavioral treatments of obesity: diet, exercise, and combination interventions. *J. Am. Diet. Assoc.*, **96**, 342-346
- Slabber, M., Barnard, H.C., Kuyl, J.M., Dannhauser, A. & Schall, R. (1994) Effects of a low-insulin-response, energy-restricted diet on weight loss and plasma insulin concentrations in hyperinsulinemic obese females. *Am. J. Clin. Nutr.*, **60**, 48-53
- Slattery, M.L. & Jacobs, D.R. Jr (1995) Assessment of ability to recall physical activity of several years ago. *Ann. Epidemiol.*, **5**, 292-296
- Slattery, M.L., Schumacher, M.C., Smith, K.R., West, D.W. & Abd-Elghany, N. (1988) Physical activity, diet, and risk of colon cancer in Utah. *Am. J. Epidemiol.*, **128**, 989-999
- Slattery, M.L., Edwards, S.L., Ma, K.N., Friedman, G.D. & Potter, J.D. (1997a) Physical activity and colon cancer: a public health perspective. *Ann. Epidemiol.*, **7**, 137-145
- Slattery, M.L., Potter, J., Caan, B., Edwards, S., Coates, A., Ma, K.N. & Berry, T.D. (1997b) Energy balance and colon cancer—beyond physical activity. *Cancer Res.*, **57**, 75-80
- Slattery, M.L., Benson, J., Berry, T.D., Duncan, D., Edwards, S.L., Caan, B.J. & Potter, J.D. (1997c) Dietary sugar and colon cancer. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 677-685
- Slattery, M.L., Edwards, S.L., Boucher, K.M., Anderson, K. & Caan, B.J. (1999) Lifestyle and colon cancer: an assessment of factors associated with risk. *Am. J. Epidemiol.*, **150**, 869-877
- Smith, S.R. & Zachwieja, J.J. (1999) Visceral adipose tissue: a critical review of intervention strategies. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 329-335
- Smith, C.P., Archibald, H.R., Thomas, J.M., Tarn, A.C., Williams, A.J., Gale, E.A. & Savage, M.O. (1988) Basal and stimulated insulin levels rise with advancing puberty. *Clin. Endocrinol. (Oxf.)*, **28**, 7-14
- Smith, W.J., Underwood, L.E. & Clemmons, D.R. (1995) Effects of caloric or protein restriction on insulin-like growth factor-I (IGF-I) and IGF-binding proteins in children and adults. *J. Clin. Endocrinol. Metab.*, **80**, 443-449
- Sobal, J. & Stunkard, A.J. (1989) Socioeconomic status and obesity: a review of the literature. *Psychol. Bull.*, **105**, 260-275
- Sohal, R.S., Agarwal, S., Candas, M., Forster, M.J. & Lal, H. (1994a) Effect of age and caloric restriction on DNA oxidative damage in different tissues of C57BL/6 mice. *Mech. Ageing Dev.*, **76**, 215-224
- Sohal, R.S., Ku, H.H., Agarwal, S., Forster, M.J. & Lal, H. (1994b) Oxidative damage, mitochondrial oxidant generation and antioxidant defenses during aging and in response to food restriction in the mouse. *Mech. Ageing Dev.*, **74**, 121-133
- Sonnenschein, E., Toniolo, P., Terry, M.B., Bruning, P.F., Kato, I., Koenig, K.L. & Shore, R.E. (1999) Body fat distribution and obesity in pre- and postmenopausal breast cancer. *Int. J. Epidemiol.*, **28**, 1026-1031
- Sönnichsen, A.C., Lindlacher, U., Richter, W.O. & Schwandt, P. (1990) Obesity, body fat distribution and the incidence of breast, cervical, endometrial and ovarian carcinomas. *Dtsch. Med. Wochenschr.*, **115**, 1906-1910
- Sørensen, H.T., Sabroe, S., Gillman, M., Rothman, K.J., Madsen, K.M., Fischer, P. & Sørensen, T.I. (1997) Continued increase in prevalence of obesity in Danish young men. *Int. J. Obes.*, **21**, 712-714
- Sorkin, J.D., Muller, D. & Andres, R. (1994) Body mass index and mortality in Seventh-day Adventist men. A critique and re-analysis. *Int. J. Obes. Relat. Metab. Disord.*, **18**, 752-754
- Soygür, T., Küpeli, B., Aydos, K., Küpeli, S., Arikian, N. & Müftüoğlu, Y.Z. (1996) Effect of obesity on prostatic hyperplasia: its relation to sex steroid levels. *Int. Urol. Nephrol.*, **28**, 55-59
- Spady, T.J., McComb, R.D. & Shull, J.D. (1999) Estrogen action in the regulation of cell proliferation, cell survival, and tumorigenesis in the rat anterior pituitary gland. *Endocrine*, **11**, 217-233
- Spiegelman, D., Israel, R.G., Bouchard, C. & Willett, W.C. (1992) Absolute fat mass, percent body fat, and body-fat distribution: which is the real determinant of blood pressure and serum glucose? *Am. J. Clin. Nutr.*, **55**, 1033-1044
- Srivastava, A. & Kreiger, N. (2000) Relation of physical activity to risk of testicular cancer. *Am. J. Epidemiol.*, **151**, 78-87
- Srivastava, V.K., Tilley, R.D., Hart, R.W. & Busbee, D.L. (1991) Effect of dietary restriction on the fidelity of DNA polymerases in aging mice. *Exp. Gerontol.*, **26**, 453-466
- Stallone, D.D. (1994) The influence of obesity and its treatment on the immune system. *Nutr. Rev.*, **52**, 37-50
- Stallone, D.D., Stunkard, A.J., Zweiman, B., Wadden, T.A. & Foster, G.D. (1994) Decline in delayed-type hypersensitivity response in obese women following weight reduction. *Clin. Diagn. Lab. Immunol.*, **1**, 202-205

- Stamler, R., Stamler, J., Riedlinger, W.F., Algera, G. & Roberts, R.H. (1978) Weight and blood pressure. Findings in hypertension screening of 1 million Americans. *JAMA*, **240**, 1607–1610
- Stam-Moraga, M.C., Kolanowski, J., Dramaix, M., De Henauw, S., De Bacquer, D., De Backer, G. & Kornitzer, M.D. (1998) Trends in the prevalence of obesity among Belgian men at work, 1977–1992. *Int. J. Obes. Relat. Metab. Disord.*, **22**, 988–992
- Stanczyk, F.Z. (1997) Steroid hormones. In: Lobo, R.A., Mishell, D.R., Jr, Paulson, R.J. & Shoupe, D., eds, *Infertility, Contraception, and Reproductive Endocrinology*, Oxford, Blackwell Science, pp. 46–66
- Stanik, S. & Marcus, R. (1980) Insulin secretion improves following dietary control of plasma glucose in severely hyperglycemic obese patients. *Metabolism*, **29**, 346–350
- Stanik, S., Dornfeld, L.P., Maxwell, M.H., Viosca, S.P. & Korenman, S.G. (1981) The effect of weight loss on reproductive hormones in obese men. *J. Clin. Endocrinol. Metab.*, **53**, 828–832
- Stanley, W.C. & Connett, R.J. (1991) Regulation of muscle carbohydrate metabolism during exercise. *FASEB J.*, **5**, 2155–2159
- Stattin, P., Bylund, A., Rinaldi, S., Biessy, C., Déchaud, H., Stenman, U.H., Egevad, L., Riboli, E., Hallmans, G. & Kaaks, R. (2000) Plasma insulin-like growth factor-I, insulin-like growth factor-binding proteins, and prostate cancer risk: a prospective study. *J. Natl Cancer Inst.*, **92**, 1910–1917
- Stattin, P., Soderberg, S., Hallmans, G., Bylund, A., Kaaks, R., Stenman, U.H., Bergh, A. & Olsson, T. (2001) Leptin is associated with increased prostate cancer risk: a nested case-referent study. *J. Clin. Endocrinol. Metab.*, **86**, 1341–1345
- Steenland, K., Nowlin, S. & Palu, S. (1995) Cancer incidence in the National Health and Nutrition Survey I. Follow-up data: diabetes, cholesterol, pulse and physical activity. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 807–811
- Steinbach, G., Kumar, S.P., Reddy, B.S., Lipkin, M. & Holt, P.R. (1993) Effects of caloric restriction and dietary fat on epithelial cell proliferation in rat colon. *Cancer Res.*, **53**, 2745–2749
- Steindorf, K., Tobiasz-Adamczyk, B., Popiela, T., Jedrychowski, W., Penar, A., Matyja, A. & Wahrendorf, J. (2000) Combined risk assessment of physical activity and dietary habits on the development of colorectal cancer. A hospital-based case-control study in Poland. *Eur. J. Cancer Prev.*, **9**, 309–316
- Stene-Larsen, G., Weberg, R., Froyshov-Larsen, I., Bjortuft, O., Hoel, B. & Berstad, A. (1988) Relationship of overweight to hiatus hernia and reflux oesophagitis. *Scand. J. Gastroenterol.*, **23**, 427–432
- Stenius-Aarniala, B., Poussa, T., Kvarnstrom, J., Gronlund, E.L., Ylikahri, M. & Mustajoki, P. (2000) Immediate and long term effects of weight reduction in obese people with asthma: randomised controlled study. *BMJ*, **320**, 827–832
- Stephens, T. (1988) Physical activity and mental health in the United States and Canada: evidence from four population surveys. *Prev. Med.*, **17**, 35–47
- Stephens, T. & Caspersen, C.J. (1994) The demography of physical activity. In: Bouchard, C., Shephard, R.J. & Stephens, T., eds, *Physical Activity, Fitness, and Health: A Consensus of Current Knowledge*, Champaign, Human Kinetics Publishers, pp. 204–213
- Sternfeld, B., Cauley, J., Harlow, S., Liu, G. & Lee, M. (2000) Assessment of physical activity with a single global question in a large, multiethnic sample of midlife women. *Am. J. Epidemiol.*, **152**, 678–687
- Stessman, J., Maaravi, Y., Hammerman-Rozenberg, R. & Cohen, A. (2000) The effects of physical activity on mortality in the Jerusalem 70-Year-Olds Longitudinal Study. *J. Am. Geriatr. Soc.*, **48**, 499–504
- Stevens, J. (2000) Impact of age on associations between weight and mortality. *Nutr. Rev.*, **58**, 129–137
- Stevens, J., Keil, J.E., Waid, L.R. & Gazes, P.C. (1990) Accuracy of current, 4-year, and 28-year self-reported body weight in an elderly population. *Am. J. Epidemiol.*, **132**, 1156–1163
- Stevens, J., Cai, J., Pamuk, E.R., Williamson, D.F., Thun, M.J. & Wood, J.L. (1998) The effect of age on the association between body-mass index and mortality. *New Engl. J. Med.*, **338**, 1–7
- Stevens, V.J., Obarzanek, E., Cook, N.R., Lee, I.M., Appel, L.J., West, D.S., Milas, N.C., Mattfeldt-Beman, M., Belden, L., Bragg, C., Millstone, M., Raczynski, J., Brewer, A., Singh, B. & Cohen, J. (2001) Long-term weight loss and changes in blood pressure: results of the Trials of Hypertension Prevention, Phase II. *Ann. Intern. Med.*, **134**, 1–11
- Stevenson, M.R., Hamer, P., Finch, C.F., Elliot, B. & Kresnow, M. (2000) Sport, age, and sex specific incidence of sports injuries in Western Australia. *Br. J. Sports Med.*, **34**, 188–194
- Stewart, C.E. & Rotwein, P. (1996) Growth, differentiation, and survival: multiple physiological functions for insulin-like growth factors. *Physiol. Rev.*, **76**, 1005–1026
- Stoll, B.A. (1999) Western nutrition and the insulin resistance syndrome: a link to breast cancer. *Eur. J. Clin. Nutr.*, **53**, 83–87
- Strain, G.W., Zumoff, B., Kream, J., Strain, J.J., Deucher, R., Rosenfeld, R.S., Levin, J. & Fukushima, D.K. (1982) Mild hypogonadotropic hypogonadism in obese men. *Metabolism*, **31**, 871–875
- Strain, G.W., Zumoff, B., Miller, L.K., Rosner, W., Levit, C., Kalin, M., Hershcopf, R.J. & Rosenfeld, R.S. (1988) Effect of massive weight loss on hypothalamic-pituitary-gonadal function in obese men. *J. Clin. Endocrinol. Metab.*, **66**, 1019–1023
- Strain, G., Zumoff, B., Rosner, W. & Pinsky, X. (1994) The relationship between serum levels of insulin and sex hormone-binding globulin in men: the effect of weight loss. *J. Clin. Endocrinol. Metab.*, **79**, 1173–1176
- Straus, D.S. (1994) Nutritional regulation of hormones and growth factors that control mammalian growth. *FASEB J.*, **8**, 6–12
- Strom, B.L., Soloway, R.D., Rios-Dalenz, J.L., Rodriguez-Martinez, H.A., West, S.L., Kinman, J.L., Polansky, M. & Berlin, J.A. (1995) Risk factors for gallbladder cancer. An international collaborative case-control study. *Cancer*, **76**, 1747–1756
- Stuart, G.R., Oda, Y., Boer, J.G. & Glickman, B.W. (2000) No change in spontaneous mutation frequency or specificity in dietary restricted mice. *Carcinogenesis*, **21**, 317–319

- Stubbs, R.J., Ritz, P., Coward, W.A. & Prentice, A.M. (1995) Covert manipulation of the ratio of dietary fat to carbohydrate and energy density: effect on food intake and energy balance in free-living men eating ad libitum. *Am. J. Clin. Nutr.*, **62**, 330–337
- Stunkard, A.J., Sørensen, T.I., Hanis, C., Teasdale, T.W., Chakraborty, R., Schull, W.J. & Schulsinger, F. (1986) An adoption study of human obesity. *New Engl. J. Med.*, **314**, 193–198
- Sturgeon, S.R., Brinton, L.A., Berman, M.L., Mortel, R., Twiggs, L.B., Barrett, R.J. & Wilbanks, G.D. (1993) Past and present physical activity and endometrial cancer risk. *Br. J. Cancer*, **68**, 584–589
- Sugden, M.C., Grimshaw, R.M. & Holness, M.J. (1999) Caloric restriction leads to regional specialisation of adipocyte function in the rat. *Biochim. Biophys. Acta*, **1437**, 202–213
- Sugie, S., Reddy, B.S., Lowenfels, A., Tanaka, T. & Mori, H. (1992) Effect of voluntary exercise on azoxymethane-induced hepatocarcinogenesis in male F344 rats. *Cancer Lett.*, **63**, 67–72
- Sugie, S., Tanaka, T., Mori, H. & Reddy, B.S. (1993) Effect of restricted caloric intake on the development of the azoxymethane-induced glutathione S-transferase placental form positive hepatocellular foci in male F344 rats. *Cancer Lett.*, **68**, 67–73
- Suikkari, A.M., Koivisto, V.A., Rutanen, E.M., Yki-Järvinen, H., Karonen, S.L. & Seppälä, M. (1988) Insulin regulates the serum levels of low molecular weight insulin-like growth factor-binding protein. *J. Clin. Endocrinol. Metab.*, **66**, 266–272
- Sung, J.F., Lin, R.S., Pu, Y.S., Chen, Y.C., Chang, H.C. & Lai, M.K. (1999) Risk factors for prostate carcinoma in Taiwan: a case-control study in a Chinese population. *Cancer*, **86**, 484–491
- Suominen, H. (1993) Bone mineral density and long term exercise. An overview of cross-sectional athlete studies. *Sports Med.*, **16**, 316–330
- Svendsen, O.L., Hassager, C. & Christiansen, C. (1995) The response to treatment of overweight in postmenopausal women is not related to fat distribution. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 496–502
- Swanson, C.A., Brinton, L.A., Taylor, P.R., Licitra, L.M., Ziegler, R.G. & Schairer, C. (1989) Body size and breast cancer risk assessed in women participating in the Breast Cancer Detection Demonstration Project. *Am. J. Epidemiol.*, **130**, 1133–1141
- Swanson, C.A., Potischman, N., Wilbanks, G.D., Twiggs, L.B., Mortel, R., Berman, M.L., Barrett, R.J., Baumgartner, R.N. & Brinton, L.A. (1993) Relation of endometrial cancer risk to past and contemporary body size and body fat distribution. *Cancer Epidemiol. Biomarkers Prev.*, **2**, 321–327
- Swanson, C.A., Coates, R.J., Schoenberg, J.B., Malone, K.E., Gammon, M.D., Stanford, J.L., Shorr, I.J., Potischman, N.A. & Brinton, L.A. (1996) Body size and breast cancer risk among women under age 45 years. *Am. J. Epidemiol.*, **143**, 698–706
- Swerdlow, A.J., Huttly, S.R. & Smith, P.G. (1989) Testis cancer: post-natal hormonal factors, sexual behaviour and fertility. *Int. J. Cancer*, **43**, 549–553
- Swinburn, B.A., Ley, S.J., Carmichael, H.E. & Plank, L.D. (1999) Body size and composition in Polynesians. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 1178–1183
- Sylvester, P.W., Aylsworth, C.F. & Meites, J. (1981) Relationship of hormones to inhibition of mammary tumor development by under-feeding during the "critical period" after carcinogen administration. *Cancer Res.*, **41**, 1384–1388
- Sylvester, P.W., Aylsworth, C.F., Van Vugt, D.A. & Meites, J. (1982) Influence of under-feeding during the "critical period" or thereafter on carcinogen-induced mammary tumors in rats. *Cancer Res.*, **42**, 4943–4947
- Syngal, S., Coakley, E.H., Willett, W.C., Byers, T., Williamson, D.F. & Colditz, G.A. (1999) Long-term weight patterns and risk for cholecystectomy in women. *Ann. Intern. Med.*, **130**, 471–477
- Tagliaferro, A.R., Ronan, A.M., Meeker, L.D., Thompson, H.J., Scott, A.L. & Sinha, D. (1996) Cyclic food restriction alters substrate utilization and abolishes protection from mammary carcinogenesis female rats. *J. Nutr.*, **126**, 1398–1405
- Taguchi, T., Kishikawa, H., Motoshima, H., Sakai, K., Nishiyama, T., Yoshizato, K., Shirakami, A., Toyonaga, T., Shirontani, T., Araki, E. & Shichiri, M. (2000) Involvement of bradykinin in acute exercise-induced increase of glucose uptake and GLUT-4 translocation in skeletal muscle: studies in normal and diabetic humans and rats. *Metabolism*, **49**, 920–930
- Taioli, E., Barone, J. & Wynder, E.L. (1995) A case-control study on breast cancer and body mass. The American Health Foundation—Division of Epidemiology. *Eur. J. Cancer*, **31A**, 723–728
- Talamini, R., La Vecchia, C., Decarli, A., Negri, E. & Franceschi, S. (1986) Nutrition, social factors and prostatic cancer in a Northern Italian population. *Br. J. Cancer*, **53**, 817–821
- Talamini, R., Baron, A.E., Barra, S., Bidoli, E., La Vecchia, C., Negri, E., Serraino, D. & Franceschi, S. (1990) A case-control study of risk factors for renal cell cancer in northern Italy. *Cancer Causes Control*, **1**, 125–131
- Tanaka, T., Maesaka, H. & Suwa, S. (1985) Changes in somatomedin activity in anorexia nervosa. *Endocrinol. Jpn.*, **32**, 891–897
- Tanaka, K., Inoue, S., Numata, K., Okazaki, H., Nakamura, S. & Takamura, Y. (1990) Very-low-calorie diet-induced weight reduction reverses impaired growth hormone secretion response to growth hormone-releasing hormone, arginine, and L-dopa in obesity. *Metabolism*, **39**, 892–896
- Tanaka, S., Inoue, S., Isoda, F., Waseda, M., Ishihara, M., Yamakawa, T., Sugiyama, A., Takamura, Y. & Okuda, K. (1993) Impaired immunity in obesity: suppressed but reversible lymphocyte responsiveness. *Int. J. Obes. Relat. Metab. Disord.*, **17**, 631–636
- Tang, R., Wang, J.Y., Lo, S.K. & Hsieh, L.L. (1999) Physical activity, water intake and risk of colorectal cancer in Taiwan: a hospital-based case-control study. *Int. J. Cancer*, **82**, 484–489
- Tannenbaum, A. (1945) The dependence of tumor formation on the degree of caloric restriction. *Cancer Res.*, **5**, 609–615
- Tannenbaum, A. & Silverstone, H. (1953) Nutrition in relation to cancer. *Adv. Cancer Res.*, **1**, 451–501
- Tannenbaum, G.S., Guyda, H.J. & Posner, B.I. (1983) Insulin-like growth factors: a role in growth hormone negative feedback and body weight regulation via brain. *Science*, **220**, 77–79
- Tao, S.C., Yu, M.C., Ross, R.K. & Xiu, K.W. (1988) Risk factors for breast cancer in Chinese women of Beijing. *Int. J. Cancer*, **42**, 495–498

- Tavani, A., Braga, C., La Vecchia, C., Conti, E., Filiberti, R., Montella, M., Amadori, D., Russo, A. & Franceschi, S. (1999) Physical activity and risk of cancers of the colon and rectum: an Italian case-control study. *Br. J. Cancer*, **79**, 1912–1916
- Tavani, A., Gallus, S., La Vecchia, C., Dal Maso, L., Negri, E., Pelucchi, C., Montella, M., Conti, E., Carbone, A. & Franceschi, S. (2001) Physical activity and risk of ovarian cancer: An Italian case-control study. *Int. J. Cancer*, **91**, 407–411
- Taylor, H.L., Jacobs, D.R., Jr, Schucker, B., Knudsen, J., Leon, A.S. & Debacker, G. (1978) A questionnaire for the assessment of leisure time physical activities. *J. Chronic Dis.*, **31**, 741–755
- Taylor, C.B., Coffey, T., Berra, K., Iaffaldano, R., Casey, K. & Haskell, W.L. (1984) Seven-day activity and self-report compared to a direct measure of physical activity. *Am. J. Epidemiol.*, **120**, 818–824
- Taylor, C.B., Fortmann, S.P., Flora, J., Kayman, S., Barrett, D.C., Jatulis, D. & Farquhar, J.W. (1991) Effect of long-term community health education on body mass index. The Stanford Five-City Project. *Am. J. Epidemiol.*, **134**, 235–249
- Taylor, C.B., Jatulis, D.E., Winkleby, M.A., Rockhill, B.J. & Kraemer, H.C. (1994) Effects of life-style on body mass index change. *Epidemiology*, **5**, 599–603
- Taylor, A., Lipman, R.D., Jahngen-Hodge, J., Palmer, V., Smith, D., Padhye, N., Dallal, G.E., Cyr, D.E., Laxman, E., Shepard, D., Morrow, F., Salomon, R., Perrone, G., Asmundsson, G., Meydani, M., Blumberg, J., Mune, M., Harrison, D., Archer, J. & Shigenaga, M.K. (1995) Dietary calorie restriction in the Emory mouse: effects on lifespan, eye lens cataract prevalence and progression, levels of ascorbate, glutathione, glucose, and glycohemoglobin, tail collagen breaktime, DNA and RNA oxidation, skin integrity, fecundity, and cancer. *Mech. Ageing Dev.*, **79**, 33–57
- Taylor, W.C., Baranowski, T. & Young, D.R. (1998) Physical activity interventions in low-income, ethnic minority, and populations with disability. *Am. J. Prev. Med.*, **15**, 334–343
- Tchernof, A., Després, J.P., Bélanger, A., Dupont, A., Prud'homme, D., Moorjani, S., Lupien, P.J. & Labrie, F. (1995) Reduced testosterone and adrenal C₁₉ steroid levels in obese men. *Metabolism*, **44**, 513–519
- Tegelman, R., Johansson, C., Hemmingsson, P., Eklöf, R., Carlström, K. & Pousette, A. (1990) Endogenous anabolic and catabolic steroid hormones in male and female athletes during off season. *Int. J. Sports Med.*, **11**, 103–106
- Telama, R. & Yang, X. (2000) Decline of physical activity from youth to young adulthood in Finland. *Med. Sci. Sports Exerc.*, **32**, 1617–1622
- Terry, P., Baron, J.A., Weiderpass, E., Yuen, J., Lichtenstein, P. & Nyrén, O. (1999) Lifestyle and endometrial cancer risk: a cohort study from the Swedish Twin Registry. *Int. J. Cancer*, **82**, 38–42
- Thissen, J.P., Ketelslegers, J.M. & Underwood, L.E. (1994) Nutritional regulation of the insulin-like growth factors. *Endocr. Rev.*, **15**, 80–101
- Thomas, J., Bertrand, H., Stacy, C. & Herlihy, J.T. (1993) Long-term caloric restriction improves baroreflex sensitivity in aging Fischer 344 rats. *J. Gerontol.*, **48**, B151–B155
- Thomas, H.V., Reeves, G.K. & Key, T.J. (1997) Endogenous estrogen and postmenopausal breast cancer: a quantitative review. *Cancer Causes Control*, **8**, 922–928
- Thompson, H.J. (1997) Effects of physical activity and exercise on experimentally-induced mammary carcinogenesis. *Breast Cancer Res. Treat.*, **46**, 135–141
- Thompson, H.J., Ronan, A.M., Ritacco, K.A., Tagliaferro, A.R. & Meeker, L.D. (1988) Effect of exercise on the induction of mammary carcinogenesis. *Cancer Res.*, **48**, 2720–2723
- Thompson, M.M., Garland, C., Barrett-Connor, E., Khaw, K.T., Friedlander, N.J. & Wingard, D.L. (1989a) Heart disease risk factors, diabetes, and prostatic cancer in an adult community. *Am. J. Epidemiol.*, **129**, 511–517
- Thompson, H.J., Ronan, A.M., Ritacco, K.A. & Tagliaferro, A.R. (1989b) Effect of type and amount of dietary fat on the enhancement of rat mammary tumorigenesis by exercise. *Cancer Res.*, **49**, 1904–1908
- Thompson, H.J., Strange, R. & Schedin, P.J. (1992) Apoptosis in the genesis and prevention of cancer. *Cancer Epidemiol. Biomarkers Prev.*, **1**, 597–602
- Thompson, H.J., Westerlind, K.C., Snedden, J., Briggs, S. & Singh, M. (1995) Exercise intensity dependent inhibition of 1-methyl-1-nitrosourea induced mammary carcinogenesis in female F-344 rats. *Carcinogenesis*, **16**, 1783–1786
- Thomsen, B.L., Ekstrom, C.T. & Sørensen, T.I. (1999) Development of the obesity epidemic in Denmark: cohort, time and age effects among boys born 1930–1975. *Int. J. Obes. Relat. Metab. Disord.*, **23**, 693–701
- Thun, M.J., Calle, E.E., Namboodiri, M.M., Flanders, W.D., Coates, R.J., Byers, T., Boffetta, P., Garfinkel, L. & Heath, C.W., Jr (1992) Risk factors for fatal colon cancer in a large prospective study. *J. Natl Cancer Inst.*, **84**, 1491–1500
- Thune, I. & Lund, E. (1994) Physical activity and the risk of prostate and testicular cancer: a cohort study of 53,000 Norwegian men. *Cancer Causes Control*, **5**, 549–556
- Thune, I. & Lund, E. (1996) Physical activity and risk of colorectal cancer in men and women. *Br. J. Cancer*, **73**, 1134–1140
- Thune, I. & Lund, E. (1997) The influence of physical activity on lung-cancer risk: A prospective study of 81,516 men and women. *Int. J. Cancer*, **70**, 57–62
- Thune, I., Olsen, A., Albrektsen, G. & Tretli, S. (1993) Cutaneous malignant melanoma: association with height, weight and body-surface area. A prospective study in Norway. *Int. J. Cancer*, **55**, 555–561
- Thune, I., Brenn, T., Lund, E. & Gaard, M. (1997) Physical activity and the risk of breast cancer. *New Engl. J. Med.*, **336**, 1269–1275
- Thune, I., Njølstad, I., Løchen, M.L. & Førde, O.H. (1998) Physical activity improves the metabolic risk profiles in men and women: the Tromsø Study. *Arch. Intern. Med.*, **158**, 1633–1640
- Thurman, J.D., Bucci, T.J., Hart, R.W. & Turturro, A. (1994) Survival, body weight, and spontaneous neoplasms in *ad libitum*-fed and food-restricted Fischer-344 rats. *Toxicol. Pathol.*, **22**, 1–9
- Tibblin, G., Eriksson, M., Cnattingius, S. & Ekblom, A. (1995) High birthweight as a predictor of prostate cancer risk. *Epidemiology*, **6**, 423–424
- Tibblin, G., Adlerberth, A., Lindstedt, G. & Björntorp, P. (1996) The pituitary-gonadal axis and health in elderly men: a study of men born in 1913. *Diabetes*, **45**, 1605–1609

- Tikkanen, H.O., Hämäläinen, E., Sarna, S., Adlercreutz, H. & Härkönen, M. (1998) Associations between skeletal muscle properties, physical fitness, physical activity and coronary heart disease risk factors in men. *Atherosclerosis*, **137**, 377–389
- Tischler, A.S., Sheldon, W. & Gray, R. (1996) Immunohistochemical and morphological characterization of spontaneously occurring pheochromocytomas in the aging mouse. *Vet. Pathol.*, **33**, 512–520
- Tomatis, L., ed. (1990) *Cancer: Causes, Occurrence and Control* (IARC Scientific Publications No. 100), Lyon, International Agency for Research on Cancer, pp. 97–107
- Toniolo, P., Bruning, P.F., Akhmedkhanov, A., Bonfrer, J.M., Koenig, K.L., Lukanova, A., Shore, R.E. & Zeleniuch-Jacquotte, A. (2000) Serum insulin-like growth factor-I and breast cancer. *Int. J. Cancer*, **88**, 828–832
- Toode, K., Viru, A. & Eller, A. (1993) Lipolytic actions of hormones on adipocytes in exercise-trained organisms. *Jpn J. Physiol.*, **43**, 253–258
- Torjesen, P.A., Birkeland, K.I., Anderssen, S.A., Hjermann, I., Holme, I. & Urdal, P. (1997) Lifestyle changes may reverse development of the insulin resistance syndrome. The Oslo Diet and Exercise Study: a randomized trial. *Diabetes Care*, **20**, 26–31
- Törnberg, S.A. & Carstensen, J.M. (1994) Relationship between Quetelet's index and cancer of breast and female genital tract in 47,000 women followed for 25 years. *Br. J. Cancer*, **69**, 358–361
- Tran, Z.V. & Weltman, A. (1985) Differential effects of exercise on serum lipid and lipoprotein levels seen with changes in body weight. A meta-analysis. *JAMA*, **254**, 919–924
- Travers, S.H., Jeffers, B.W., Bloch, C.A., Hill, J.O. & Eckel, R.H. (1995) Gender and Tanner stage differences in body composition and insulin sensitivity in early pubertal children. *J. Clin. Endocrinol. Metab.*, **80**, 172–178
- Trentham-Dietz, A., Newcomb, P.A., Storer, B.E., Longnecker, M.P., Baron, J., Greenberg, E.R. & Willett, W.C. (1997) Body size and risk of breast cancer. *Am. J. Epidemiol.*, **145**, 1011–1019
- Trentham-Dietz, A., Newcomb, P.A., Egan, K.M., Titus-Ernstoff, L., Baron, J.A., Storer, B.E., Stampfer, M. & Willett, W.C. (2000) Weight change and risk of postmenopausal breast cancer (United States). *Cancer Causes Control*, **11**, 533–542
- Tretli, S. (1989) Height and weight in relation to breast cancer morbidity and mortality. A prospective study of 570,000 women in Norway. *Int. J. Cancer*, **44**, 23–30
- Tretli, S. & Magnus, K. (1990) Height and weight in relation to uterine corpus cancer morbidity and mortality. A follow-up study of 570,000 women in Norway. *Int. J. Cancer*, **46**, 165–172
- Tretli, S. & Røsbjærg, T.E. (1999) Height, weight and cancer of the oesophagus and stomach: a follow-up study in Norway. *Eur. J. Cancer Prev.*, **8**, 115–122
- Tretli, S., Haldorsen, T. & Ottestad, L. (1990) The effect of pre-morbid height and weight on the survival of breast cancer patients. *Br. J. Cancer*, **62**, 299–303
- Troisi, R., Potischman, N., Hoover, R.N., Siitonen, P. & Brinton, L.A. (1997) Insulin and endometrial cancer. *Am. J. Epidemiol.*, **146**, 476–482
- Troy, L.M., Hunter, D.J., Manson, J.E., Colditz, G.A., Stampfer, M.J. & Willett, W.C. (1995) The validity of recalled weight among younger women. *Int. J. Obes. Relat. Metab. Disord.*, **19**, 570–572
- Tudor-Smith, C., Nutbeam, D., Moore, L. & Catford, J. (1998) Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. *BMJ*, **316**, 818–822
- Tung, H.T., Tsukuma, H., Tanaka, H., Kinoshita, N., Koyama, Y., Ajiki, W., Oshima, A. & Koyama, H. (1999) Risk factors for breast cancer in Japan, with special attention to anthropometric measurements and reproductive history. *Jpn J. Clin. Oncol.*, **29**, 137–146
- Tuomilehto, J., Lindstrom, J., Eriksson, J.G., Valle, T.T., Hamalainen, H., Ilanne-Parikka, P., Keinänen-Kiukkaanniemi, S., Laakso, M., Louheranta, A., Rastas, M., Salminen, V., Uusitupa, M.; Finnish Diabetes Prevention Study Group (2001) Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *New Engl. J. Med.*, **344**, 1343–1350
- Turcato, E., Zamboni, M., De Pergola, G., Armellini, F., Zivelonghi, A., Bergamo-Andreis, I.A., Giorgino, R. & Bosello, O. (1997) Interrelationships between weight loss, body fat distribution and sex hormones in pre- and postmenopausal obese women. *J. Intern. Med.*, **241**, 363–372
- Turturro, A., Duffy, P.H. & Hart, R.W. (1993) Modulation of toxicity by diet and dietary macronutrient restriction. *Mutat. Res.*, **295**, 151–164
- Turturro, A., Duffy, P. & Hart, R. (1995) The effect of caloric modulation on toxicity studies. In: Hart, R., Neuman, D. & Robertson, R., eds. *Dietary Restriction: Implications for the Design and Interpretation of Toxicity and Carcinogenicity Studies*, Washington, DC, ILSI Press, pp. 79–98
- Turturro, A., Duffy, P., Hart, R. & Allaben, W.T. (1996) Rationale for the use of dietary control in toxicity studies – B6C3F1 mouse. *Toxicol. Pathol.*, **24**, 769–775
- Turturro, A., Hass, B.S., Hart, R. & Allaben, W.T. (1998) Body weight impact on spontaneous and agent-induced diseases in chronic bioassays. *Int. J. Toxicol.*, **17**, 79–100
- Turturro, A., Witt, W.W., Lewis, S., Hass, B.S., Lipman, R.D. & Hart, R.W. (1999) Growth curves and survival characteristics of the animals used in the Biomarkers of Aging Program. *J. Gerontol. A Biol. Sci. Med. Sci.*, **54**, B492–B501
- Turturro, A., Hass, B.S. & Hart, R.W. (2000) Does caloric restriction induce hormesis? *Hum. Exp. Toxicol.*, **19**, 320–329
- Tutton, P.J. & Barkla, D.H. (1980) Influence of prostaglandin analogues on epithelial cell proliferation and xenograft growth. *Br. J. Cancer*, **41**, 47–51
- Tvede, N., Kappel, M., Halkjaer-Kristensen, J., Galbo, H. & Pedersen, B.K. (1993) The effect of light, moderate and severe bicycle exercise on lymphocyte subsets, natural and lymphokine activated killer cells, lymphocyte proliferative response and interleukin 2 production. *Int. J. Sports Med.*, **14**, 275–282
- Tymchuk, C.N., Tessler, S.B., Aronson, W.J. & Barnard, R.J. (1998) Effects of diet and exercise on insulin, sex hormone-binding globulin, and prostate-specific antigen. *Nutr. Cancer*, **31**, 127–131
- Ueji, M., Ueno, E., Osei-Hyiaman, D., Takahashi, H. & Kano, K. (1998) Physical activity and the risk of breast cancer: a case-control study of Japanese women. *J. Epidemiol.*, **8**, 116–122

- Uitenbroek, D.G. (1993) Seasonal variation in leisure time physical activity. *Med. Sci. Sports Exerc.*, **25**, 755–760
- Uitenbroek, D.G. (1996) Sports, exercise, and other causes of injuries: results of a population survey. *Res. Q. Exerc. Sport*, **67**, 380–385
- UK Testicular Cancer Study Group (1994a) Social, behavioural and medical factors in the aetiology of testicular cancer: results from the UK study. *Br. J. Cancer*, **70**, 513–520
- UK Testicular Cancer Study Group (1994b) Aetiology of testicular cancer: association with congenital abnormalities, age at puberty, infertility, and exercise. *BMJ*, **308**, 1393–1399
- UKPDS Group (1990) UK Prospective Diabetes Study 7: response of fasting plasma glucose to diet therapy in newly presenting type II diabetic patients. *Metabolism*, **39**, 905–912
- Unger, R. & Foster, D.W. (1998) Diabetes mellitus. In: Wilson, J.D. & Foster, D.W., eds, *Williams Textbook of Endocrinology*, Philadelphia, W.B. Saunders, pp. 1255–1333
- Unterman, T.G. (1993) Insulin-like growth factor binding protein-1: identification, purification, and regulation in fetal and adult life. *Adv. Exp. Med. Biol.*, **343**, 215–226
- Ursin, G., London, S., Stanczyk, F.Z., Gentschein, E., Paganini-Hill, A., Ross, R.K. & Pike, M.C. (1999) Urinary 2-hydroxyestrone/16 α -hydroxyestrone ratio and risk of breast cancer in postmenopausal women. *J. Natl Cancer Inst.*, **91**, 1067–1072
- US Department of Health and Human Services (1996) *Physical Activity and Health: a Report of the Surgeon General*, Atlanta, Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion
- US Department of Labor (1993) *Selected Characteristics of Occupations Defined in the Revised Dictionary of Occupational Titles*, Washington, US Government Printing Office
- Utell, M.J. & Looney, R.J. (1995) Environmentally induced asthma. *Toxicol. Lett.*, **82–83**, 47–53
- Vague, J. (1956) The degree of masculine differentiation of obesities: a factor determining predisposition to diabetes, atherosclerosis, gout and uric calculous disease. *Am. J. Clin. Nutr.*, **4**, 20–34
- van Baak, M.A. & Borghouts, L.B. (2000) Relationships with physical activity. *Nutr. Rev.*, **58**, S16–S18
- van Dale, D., Saris, W.H. & ten Hoor, F. (1990) Weight maintenance and resting metabolic rate 18–40 months after a diet/exercise treatment. *Int. J. Obes.*, **14**, 347–359
- van den Brandt, P.A., Spiegelman, D., Yaun, S.S., Adami, H.O., Beeson, L., Folsom, A.R., Fraser, G., Goldbohm, R.A., Graham, S., Kushi, L., Marshall, J.R., Miller, A.B., Rohan, T., Smith-Warner, S.A., Speizer, F.E., Willett, W.C., Wolk, A. & Hunter, D.J. (2000) Pooled analysis of prospective cohort studies on height, weight, and breast cancer risk. *Am. J. Epidemiol.*, **152**, 514–527
- Van Gaal, L.F., Wauters, M.A., Peiffer, F.W. & De Leeuw, I.H. (1998) Sibutramine and fat distribution: is there a role for pharmacotherapy in abdominal/visceral fat reduction? *Int. J. Obes. Relat. Metab. Disord.*, **22 Suppl. 1**, S38–S40
- Van Itallie, T.B. (1985) Health implications of overweight and obesity in the United States. *Ann. Intern. Med.*, **103**, 983–988
- van Leeuwen, F.E. & Rookus, M.A. (1989) The role of exogenous hormones in the epidemiology of breast, ovarian and endometrial cancer. *Eur. J. Cancer Clin. Oncol.*, **25**, 1961–1972
- van Mechelen, W. (1992) Running injuries. A review of the epidemiological literature. *Sports Med.*, **14**, 320–335
- van Mechelen, W., Twisk, J.W., Post, G.B., Snel, J. & Kemper, H.C. (2000) Physical activity of young people: the Amsterdam Longitudinal Growth and Health Study. *Med. Sci. Sports Exerc.*, **32**, 1610–1616
- Vatten, L.J. & Kvinnsland, S. (1992) Prospective study of height, body mass index and risk of breast cancer. *Acta Oncol.*, **31**, 195–200
- Vatten, L.J., Foss, O.P. & Kvinnsland, S. (1991) Overall survival of breast cancer patients in relation to preclinically determined total serum cholesterol, body mass index, height and cigarette smoking: a population-based study. *Eur. J. Cancer*, **27**, 641–646
- Vaughan, T.L., Davis, S., Kristal, A. & Thomas, D.B. (1995) Obesity, alcohol, and tobacco as risk factors for cancers of the esophagus and gastric cardia: adenocarcinoma versus squamous cell carcinoma. *Cancer Epidemiol. Biomarkers Prev.*, **4**, 85–92
- Vaz de Almeida, M.D., Graca, P., Afonso, C., D'Amicis, A., Lappalainen, R. & Damkjaer, S. (1999) Physical activity levels and body weight in a nationally representative sample in the European Union. *Public Health Nutr.*, **2**, 105–113
- Veierod, M.B., Laake, P. & Thelle, D.S. (1997) Dietary fat intake and risk of prostate cancer: a prospective study of 25,708 Norwegian men. *Int. J. Cancer*, **73**, 634–638
- Veldhuis, J.D., Iranmanesh, A., Ho, K.K., Waters, M.J., Johnson, M.L. & Lizarralde, G. (1991) Dual defects in pulsatile growth hormone secretion and clearance subserve the hyposomatotropism of obesity in man. *J. Clin. Endocrinol. Metab.*, **72**, 51–59
- Veldhuis, J.D., Urban, R.J., Lizarralde, G., Johnson, M.L. & Iranmanesh, A. (1992) Attenuation of luteinizing hormone secretory burst amplitude as a proximate basis for the hypoandrogenism of healthy aging in men. *J. Clin. Endocrinol. Metab.*, **75**, 707–713
- Veldhuis, J.D., Iranmanesh, A., Evans, W.S., Lizarralde, G., Thorner, M.O. & Vance, M.L. (1993) Amplitude suppression of the pulsatile mode of immunoradiometric luteinizing hormone release in fasting-induced hypoandrogenemia in normal men. *J. Clin. Endocrinol. Metab.*, **76**, 587–593
- Veldhuis, J.D., Liem, A.Y., South, S., Weltman, A., Weltman, J., Clemmons, D.A., Abbott, R., Mulligan, T., Johnson, M.L., Pincus, S., Straume, M. & Iranmanesh, A. (1995) Differential impact of age, sex steroid hormones, and obesity on basal versus pulsatile growth hormone secretion in men as assessed in an ultrasensitive chemiluminescence assay. *J. Clin. Endocrinol. Metab.*, **80**, 3209–3222
- Vena, J.E., Graham, S., Zielezny, M., Brasure, J. & Swanson, M.K. (1987) Occupational exercise and risk of cancer. *Am. J. Clin. Nutr.*, **45**, 318–327
- Verloop, J., Rookus, M.A., van der Kooy, K. & van Leeuwen, F.E. (2000) Physical activity and breast cancer risk in women aged 20–54 years. *J. Natl Cancer Inst.*, **92**, 128–135
- Vermeulen, A. (1996) Decreased androgen levels and obesity in men. *Ann. Med.*, **28**, 13–15

- Vermeulen, A., Kaufman, J.M., Deslypere, J.P. & Thomas, G. (1993) Attenuated luteinizing hormone (LH) pulse amplitude but normal LH pulse frequency, and its relation to plasma androgens in hypogonadism of obese men. *J. Clin. Endocrinol. Metab.*, **76**, 1140–1146
- Vermeulen, A., Kaufman, J.M. & Giagulli, V.A. (1996) Influence of some biological indexes on sex hormone-binding globulin and androgen levels in aging or obese males. *J. Clin. Endocrinol. Metab.*, **81**, 1821–1826
- Verreault, R., Brisson, J., Deschênes, L. & Naud, F. (1989) Body weight and prognostic indicators in breast cancer. Modifying effect of estrogen receptors. *Am. J. Epidemiol.*, **129**, 260–268
- Vihko, V.J., Apter, D.L., Pukkala, E.I., Oinonen, M.T., Hakulinen, T.R. & Vihko, R.K. (1992) Risk of breast cancer among female teachers of physical education and languages. *Acta Oncol.*, **31**, 201–204
- Villeneuve, P.J., Johnson, K.C., Kreiger, N. & Mao, Y. (1999) Risk factors for prostate cancer: results from the Canadian National Enhanced Cancer Surveillance System. The Canadian Cancer Registries Epidemiology Research Group. *Cancer Causes Control*, **10**, 355–367
- Vitiello, M.V., Wilkinson, C.W., Merriam, G.R., Moe, K.E., Prinz, P.N., Ralph, D.D., Colasurdo, E.A. & Schwartz, R.S. (1997) Successful 6-month endurance training does not alter insulin-like growth factor-I in healthy older men and women. *J. Gerontol. A Biol. Sci. Med. Sci.*, **52**, M149–M154
- Vogelstein, B., Fearon, E.R., Hamilton, S.R., Kern, S.E., Preisinger, A.C., Leppert, M., Nakamura, Y., White, R., Smits, A.M. & Bos, J.L. (1988) Genetic alterations during colorectal-tumor development. *New Engl. J. Med.*, **319**, 525–532
- Volk, M.J., Pugh, T.D., Kim, M., Frith, C.H., Daynes, R.A., Ershler, W.B. & Weindruch, R. (1994) Dietary restriction from middle age attenuates age-associated lymphoma development and interleukin 6 dysregulation in C57BL/6 mice. *Cancer Res.*, **54**, 3054–3061
- Vuori, I.M. (2001) Dose-response of physical activity and low back pain, osteoarthritis, and osteoporosis. *Med. Sci. Sports Exerc.*, **33**, S551–S586
- Waalder, H.T. (1984) Height, weight and mortality; the Norwegian experience. *Acta Med. Scand., Suppl.*, **679**, 1–56
- Waalder, H.T. (1988) Hazard of obesity—the Norwegian experience. *Acta Med. Scand., Suppl.*, **723**, 17–21
- Wabitsch, M., Hauner, H., Heinze, E., Böckmann, A., Benz, R., Mayer, H. & Teller, W. (1995) Body fat distribution and steroid hormone concentrations in obese adolescent girls before and after weight reduction. *J. Clin. Endocrinol. Metab.*, **80**, 3469–3475
- Wabitsch, M., Blum, W.F., Mucic, R., Heinze, E., Haug, C., Mayer, H. & Teller, W. (1996) Insulin-like growth factors and their binding proteins before and after weight loss and their associations with hormonal and metabolic parameters in obese adolescent girls. *Int. J. Obes. Relat. Metab. Disord.*, **20**, 1073–1080
- Wadden, T.A. & Stunkard, A.J. (1993) Psychosocial consequences of obesity and dieting. In: Stunkard, A.J. & Wadden, T.A., eds, *Obesity: Theory and Therapy*, New York, Raven Press, pp. 163–178
- Wadden, T.A., Vogt, R.A., Foster, G.D. & Anderson, D.A. (1998) Exercise and the maintenance of weight loss: 1-year follow-up of a controlled clinical trial. *J. Consult. Clin. Psychol.*, **66**, 429–433
- Wajchenberg, B.L., Giannella-Neto, D., Lerario, A.C., Marcondes, J.A. & Ohnuma, L.Y. (1988) Role of obesity and hyperinsulinemia in the insulin resistance of obese subjects with the clinical triad of polycystic ovaries, hirsutism and acanthosis nigricans. *Horm. Res.*, **29**, 7–13
- Waldstreicher, J., Santoro, N.F., Hall, J.E., Filicori, M. & Crowley, W.F., Jr (1988) Hyperfunction of the hypothalamic-pituitary axis in women with polycystic ovarian disease: indirect evidence for partial gonadotroph desensitization. *J. Clin. Endocrinol. Metab.*, **66**, 165–172
- Walker, K.Z., Piers, L.S., Putt, R.S., Jones, J.A. & O'Dea, K. (1999) Effects of regular walking on cardiovascular risk factors and body composition in normoglycemic women and women with type 2 diabetes. *Diabetes Care*, **22**, 555–561
- Wallace, J.D., Cuneo, R.C., Baxter, R., Orskov, H., Keay, N., Pentecost, C., Dall, R., Rosen, T., Jorgensen, J.O., Cittadini, A., Longobardi, S., Sacca, L., Christiansen, J.S., Bengtsson, B.A. & Sonksen, P.H. (1999) Responses of the growth hormone (GH) and insulin-like growth factor axis to exercise, GH administration, and GH withdrawal in trained adult males: a potential test for GH abuse in sport. *J. Clin. Endocrinol. Metab.*, **84**, 3591–3601
- Waller, B.F. & Roberts, W.C. (1980) Sudden death while running in conditioned runners aged 40 years or over. *Am. J. Cardiol.*, **45**, 1292–1300
- Wang, H.S. & Chard, T. (1999) IGFs and IGF-binding proteins in the regulation of human ovarian and endometrial function. *J. Endocrinol.*, **161**, 1–13
- Wang, J.T., Ho, L.T., Tang, K.T., Wang, L.M., Chen, Y.D. & Reaven, G.M. (1989) Effect of habitual physical activity on age-related glucose intolerance. *J. Am. Geriatr. Soc.*, **37**, 203–209
- Wang, Q.S., Ross, R.K., Yu, M.C., Ning, J.P., Henderson, B.E. & Kimm, H.T. (1992) A case-control study of breast cancer in Tianjin, China. *Cancer Epidemiol. Biomarkers Prev.*, **1**, 435–439
- Wang, J.S., Jen, C.J., Kung, H.C., Lin, L.J., Hsiue, T.R. & Chen, H.I. (1994) Different effects of strenuous exercise and moderate exercise on platelet function in men. *Circulation*, **90**, 2877–2885
- Wannamethee, G. & Shaper, A.G. (1989) Body weight and mortality in middle aged British men: impact of smoking. *BMJ*, **299**, 1497–1502
- Wannamethee, G. & Shaper, A.G. (1990) Weight change in middle-aged British men: implications for health. *Eur. J. Clin. Nutr.*, **44**, 133–142
- Wannamethee, S.G., Shaper, A.G., Whincup, P.H. & Walker, M. (2000) Characteristics of older men who lose weight intentionally or unintentionally. *Am. J. Epidemiol.*, **151**, 667–675
- Wareham, N.J. & Rennie, K.L. (1998) The assessment of physical activity in individuals and populations: why try to be more precise about how physical activity is assessed? *Int. J. Obes. Relat. Metab. Disord.*, **22 Suppl. 2**, S30–S38
- Warren, M. (1990) Metabolic factors and the onset of puberty. In: Grumbach, M., Sizonenko, P.C. & Aubert, M.L., eds, *Control of the Onset of Puberty*, Baltimore, Williams & Wilkins, pp. 553–573

- Washburn, R.A., Smith, K.W., Goldfield, S.R. & McKinlay, J.B. (1991) Reliability and physiologic correlates of the Harvard Alumni Activity Survey in a general population. *J. Clin. Epidemiol.*, **44**, 1319–1326
- Watson, R.R., Moriguchi, S., Jackson, J.C., Werner, L., Wilmore, J.H. & Freund, B.J. (1986) Modification of cellular immune functions in humans by endurance exercise training during β -adrenergic blockade with atenolol or propranolol. *Med. Sci. Sports Exerc.*, **18**, 95–100
- Watts, N.B., Spanheimer, R.G., DiGirolamo, M., Gebhart, S.S., Musey, V.C., Siddiq, Y.K. & Phillips, L.S. (1990) Prediction of glucose response to weight loss in patients with non-insulin-dependent diabetes mellitus. *Arch. Intern. Med.*, **150**, 803–806
- Weaver, J.U., Holly, J.M., Kopelman, P.G., Noonan, K., Giadom, C.G., White, N., Virdee, S. & Wass, J.A. (1990) Decreased sex hormone binding globulin (SHBG) and insulin-like growth factor binding protein (IGFBP-1) in extreme obesity. *Clin. Endocrinol. (Oxf.)*, **33**, 415–422
- Weber, D.J., Rutala, W.A., Samsa, G.P., Bradshaw, S.E. & Lemon, S.M. (1986) Impaired immunogenicity of hepatitis B vaccine in obese persons. *New Engl. J. Med.*, **314**, 1393
- Weber, R.V., Stein, D.E., Scholes, J. & Kral, J.G. (2000) Obesity potentiates AOM-induced colon cancer. *Dig. Dis. Sci.*, **45**, 890–895
- Wei, M., Gibbons, L.W., Mitchell, T.L., Kampert, J.B., Lee, C.D. & Blair, S.N. (1999) The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men. *Ann. Intern. Med.*, **130**, 89–96
- Weiderpass, E., Gridley, G., Nyrén, O., Ekblom, A., Persson, I. & Adami, H.O. (1997) Diabetes mellitus and risk of large bowel cancer. *J. Natl Cancer Inst.*, **89**, 660–661
- Weiderpass, E., Partanen, T., Kaaks, R., Vainio, H., Porta, M., Kauppinen, T., Ojajarvi, A., Boffetta, P. & Malats, N. (1998) Occurrence, trends and environment etiology of pancreatic cancer. *Scand. J. Work Environ. Health*, **24**, 165–174
- Weiderpass, E., Adami, H.O., Baron, J.A., Magnusson, C., Lindgren, A. & Persson, I. (1999a) Use of oral contraceptives and endometrial cancer risk (Sweden). *Cancer Causes Control*, **10**, 277–284
- Weiderpass, E., Adami, H.O., Baron, J.A., Magnusson, C., Bergström, R., Lindgren, A., Correia, N. & Persson, I. (1999b) Risk of endometrial cancer following estrogen replacement with and without progestins. *J. Natl Cancer Inst.*, **91**, 1131–1137
- Weiderpass, E., Persson, I., Adami, H.O., Magnusson, C., Lindgren, A. & Baron, J.A. (2000) Body size in different periods of life, diabetes mellitus, hypertension, and risk of postmenopausal endometrial cancer (Sweden). *Cancer Causes Control*, **11**, 185–192
- Weiler, H.A., Wang, Z. & Atkinson, S.A. (1995) Dexamethasone treatment impairs calcium regulation and reduces bone mineralization in infant pigs. *Am. J. Clin. Nutr.*, **61**, 805–811
- Weindruch, R. & Walford, R.L. (1982) Dietary restriction in mice beginning at 1 year of age: effect on life-span and spontaneous cancer incidence. *Science*, **215**, 1415–1418
- Weindruch, R. & Walford, R.L. (1988) The retardation of ageing and disease by dietary restriction, New York, Charles C. Thomas
- Weindruch, R., Walford, R.L., Fligiel, S. & Guthrie, D. (1986) The retardation of aging in mice by dietary restriction: longevity, cancer, immunity and lifetime energy intake. *J. Nutr.*, **116**, 641–654
- Weindruch, R., Albanes, D. & Kritchevsky, D. (1991) The role of calories and caloric restriction in carcinogenesis. *Hematol. Oncol. Clin. North Am.*, **5**, 79–89
- Weinstock, R.S., Dai, H. & Wadden, T.A. (1998) Diet and exercise in the treatment of obesity: effects of 3 interventions on insulin resistance. *Arch. Intern. Med.*, **158**, 2477–2483
- Weiss, N.S., Cook, L.S., Farrow, D.C. & Rosenblatt, K.A. (1996) Ovarian cancer. In: Schottenfeld, D. & Fraumeni, J.F., Jr, eds, *Cancer Epidemiology and Prevention*, New York, Oxford University Press, pp. 1040–1057
- Weiss, C., Seitel, G. & Bartsch, P. (1998) Coagulation and fibrinolysis after moderate and very heavy exercise in healthy male subjects. *Med. Sci. Sports Exerc.*, **30**, 246–251
- Weraarchakul, N., Strong, R., Wood, W.G. & Richardson, A. (1989) The effect of aging and dietary restriction on DNA repair. *Exp. Cell Res.*, **181**, 197–204
- Werner, H. & LeRoith, D. (1996) The role of the insulin-like growth factor system in human cancer. *Adv. Cancer Res.*, **68**, 183–223
- West, D.W., Slattery, M.L., Robison, L.M., French, T.K. & Mahoney, A.W. (1991) Adult dietary intake and prostate cancer risk in Utah: a case-control study with special emphasis on aggressive tumors. *Cancer Causes Control*, **2**, 85–94
- Westley, B.R. & May, F.E. (1994) Role of insulin-like growth factors in steroid modulated proliferation. *J. Steroid Biochem. Mol. Biol.*, **51**, 1–9
- Westley, B.R., Clayton, S.J., Daws, M.R., Molloy, C.A. & May, F.E. (1998) Interactions between the oestrogen and insulin-like growth factor signalling pathways in the control of breast epithelial cell proliferation. *Biochem. Soc. Symp.*, **63**, 35–44
- Wetter, T.J., Gazdag, A.C., Dean, D.J. & Cartee, G.D. (1999) Effect of calorie restriction on in vivo glucose metabolism by individual tissues in rats. *Am. J. Physiol.*, **276**, E728–E738
- Wetterau, L.A., Moore, M.G., Lee, K.W., Shim, M.L. & Cohen, P. (1999) Novel aspects of the insulin-like growth factor binding proteins. *Mol. Genet. Metab.*, **68**, 161–181
- Whaley, M.H. & Blair, S.N. (1995) Epidemiology of physical activity, physical fitness and coronary heart disease. *J. Cardiovasc. Risk*, **2**, 289–295
- White, E., Jacobs, E.J. & Daling, J.R. (1996) Physical activity in relation to colon cancer in middle-aged men and women. *Am. J. Epidemiol.*, **144**, 42–50
- Whittal, K.S. & Parkhouse, W.S. (1996) Exercise during adolescence and its effects on mammary gland development, proliferation, and nitrosomethylurea (NMU) induced tumorigenesis in rats. *Breast Cancer Res. Treat.*, **37**, 21–27
- Whittal-Strange, K.S., Chadán, S., Parkhouse, W.S. & Chadau, S. (1998) Exercise during puberty and NMU induced mammary tumorigenesis in rats. *Breast Cancer Res. Treat.*, **47**, 1–8
- Whittemore, A.S. (1993) Personal characteristics relating to risk of invasive epithelial ovarian cancer in older women in the United States. *Cancer*, **71**, 558–565

- Whittemore, A.S., Paffenbarger, R.S., Jr, Anderson, K. & Lee, J.E. (1985) Early precursors of site-specific cancers in college men and women. *J. Natl Cancer Inst.*, **74**, 43–51
- Whittemore, A.S., Wu-Williams, A.H., Lee, M., Zheng, S., Gallagher, R.P., Jiao, D.A., Zhou, L., Wang, X.H., Chen, K., Jung, D., Teh, C.Z., Chengde, L., Yao, X.J., Paffenbarger, R.S., Jr & Henderson, B.E. (1990) Diet, physical activity, and colorectal cancer among Chinese in North America and China. *J. Natl Cancer Inst.*, **82**, 915–926
- Whittemore, A.S., Kolonel, L.N., Wu, A.H., John, E.M., Gallagher, R.P., Howe, G.R., Burch, J.D., Hankin, J., Dreon, D.M., West, D.W., Teh, C.Z. & Paffenbarger, R.S., Jr (1995) Prostate cancer in relation to diet, physical activity, and body size in blacks, whites, and Asians in the United States and Canada. *J. Natl Cancer Inst.*, **87**, 652–661
- WHO Consultation on Obesity (1998) Global prevalence and secular trends in obesity. In: *Obesity. Preventing and Managing the Global Epidemic*, Geneva, WHO, pp. 17–40
- WHO Expert Committee (1995) *Physical Status. The Use and Interpretation of Anthropometry*, Geneva, WHO
- Wideman, L., Weltman, J.Y., Shah, N., Story, S., Veldhuis, J.D. & Weltman, A. (1999) Effects of gender on exercise-induced growth hormone release. *J. Appl. Physiol.*, **87**, 1154–1162
- Wideroff, L., Gridley, G., Møller, L., Chow, W.H., Linet, M., Keehn, S., Borch-Johnsen, K. & Olsen, J.H. (1997) Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J. Natl Cancer Inst.*, **89**, 1360–1365
- Wijnhoven, B.P., Siersema, P.D., Hop, W.C., van Dekken, H. & Tilanus, H.W. (1999) Adenocarcinomas of the distal oesophagus and gastric cardia are one clinical entity. Rotterdam Oesophageal Tumour Study Group. *Br. J. Surg.*, **86**, 529–535
- Wilhelmsen, L., Tibblin, G., Aurell, M., Bjure, J., Ekström-Jodal, B. & Grimby, G. (1976) Physical activity, physical fitness and risk of myocardial infarction. *Adv. Cardiol.*, **18**, 217–230
- Will, J.C., Galuska, D.A., Vinicor, F. & Calle, E.E. (1998) Colorectal cancer: another complication of diabetes mellitus? *Am. J. Epidemiol.*, **147**, 816–825
- Williamson, D.F., Madans, J., Pamuk, E., Flegal, K.M., Kendrick, J.S., Serdula, M.K. (1994) A prospective study of childbearing and 10-year weight gain in US white women 25 to 45 years of age. *Int. J. Obesity*, **18**, 561–569
- Willett, W. (1998) *Nutritional Epidemiology* (Monographs in Epidemiology and Biostatistics, Vol. 30), New York, Oxford University Press
- Willett, W.C., Browne, M.L., Bain, C., Lipnick, R.J., Stampfer, M.J., Rosner, B., Colditz, G.A., Hennekens, C.H. & Speizer, F.E. (1985) Relative weight and risk of breast cancer among premenopausal women. *Am. J. Epidemiol.*, **122**, 731–740
- Willett, W.C., Manson, J.E., Stampfer, M.J., Colditz, G.A., Rosner, B., Speizer, F.E. & Hennekens, C.H. (1995) Weight, weight change, and coronary heart disease in women. Risk within the 'normal' weight range. *JAMA*, **273**, 461–465
- Williams, P.T. (1997) Relationship of distance run per week to coronary heart disease risk factors in 8283 male runners. The National Runners' Health Study. *Arch. Intern. Med.*, **157**, 191–198
- Williams, C.M., Maunder, K. & Theale, D. (1989) The effect of a low-fat diet on luteal-phase prolactin and oestradiol concentrations and erythrocyte phospholipids in normal premenopausal women. *Br. J. Nutr.*, **61**, 651–661
- Williams, N.I., Bullen, B.A., McArthur, J.W., Skrinar, G.S. & Turnbull, B.A. (1999) Effects of short-term strenuous endurance exercise upon corpus luteum function. *Med. Sci. Sports Exerc.*, **31**, 949–958
- Williamson, D.F. & Pamuk, E.R. (1993) The association between weight loss and increased longevity. A review of the evidence. *Ann. Intern. Med.*, **119**, 731–736
- Williamson, D.F., Madans, J., Anda, R.F., Kleinman, J.C., Kahn, H.S. & Byers, T. (1993) Recreational physical activity and ten-year weight change in a US national cohort. *Int. J. Obes. Relat. Metab. Disord.*, **17**, 279–286
- Williamson, D.F., Madans, J., Pamuk, E., Flegal, K.M., Kendrick, J.S. & Serdula, M.K. (1994) A prospective study of childbearing and 10-year weight gain in US white women 25 to 45 years of age. *Int. J. Obes. Relat. Metab. Disord.*, **18**, 561–569
- Williamson, D.F., Pamuk, E., Thun, M., Flanders, D., Byers, T. & Heath, C. (1995) Prospective study of intentional weight loss and mortality in never-smoking overweight US white women aged 40–64 years. *Am. J. Epidemiol.*, **141**, 1128–1141
- Williamson, D.F., Pamuk, E., Thun, M., Flanders, D., Byers, T. & Heath, C. (1999) Prospective study of intentional weight loss and mortality in overweight white men aged 40–64 years. *Am. J. Epidemiol.*, **149**, 491–503
- Williamson, D.F., Thompson, T.J., Thun, M., Flanders, D., Pamuk, E. & Byers, T. (2000) Intentional weight loss and mortality among overweight individuals with diabetes. *Diabetes Care*, **23**, 1499–1504
- Willich, S.N., Lewis, M., Lowel, H., Arntz, H.R., Schubert, F. & Schroder, R. (1993) Physical exertion as a trigger of acute myocardial infarction. Triggers and Mechanisms of Myocardial Infarction Study Group. *New Engl. J. Med.*, **329**, 1684–1690
- Wing, R.R. (1999) Physical activity in the treatment of the adulthood overweight and obesity: current evidence and research issues. *Med. Sci. Sports Exerc.*, **31**, S547–S552
- Wing, R.R., Epstein, L.H., Marcus, M.D. & Kupfer, D.J. (1984) Mood changes in behavioral weight loss programs. *J. Psychosom. Res.*, **28**, 189–196
- Wing, R.R., Koeske, R., Epstein, L.H., Nowalk, M.P., Gooding, W. & Becker, D. (1987) Long-term effects of modest weight loss in type II diabetic patients. *Arch. Intern. Med.*, **147**, 1749–1753
- Wing, R.R., Marcus, M.D., Salata, R., Epstein, L.H., Miasiewicz, S. & Blair, E.H. (1991) Effects of a very-low-calorie diet on long-term glycemic control in obese type 2 diabetic subjects. *Arch. Intern. Med.*, **151**, 1334–1340
- Wing, R.R., Jeffery, R.W., Burton, L.R., Thorson, C., Kuller, L.H. & Folsom, A.R. (1992) Change in waist-hip ratio with weight loss and its association with change in cardiovascular risk factors. *Am. J. Clin. Nutr.*, **55**, 1086–1092
- Wing, R.R., Venditti, E., Jakicic, J.M., Polley, B.A. & Lang, W. (1998) Lifestyle intervention in overweight individuals with a family history of diabetes. *Diabetes Care*, **21**, 350–359

- Wolf, A.M., Hunter, D.J., Colditz, G.A., Manson, J.E., Stampfer, M.J., Corsano, K.A., Rosner, B., Kriska, A. & Willett, W.C. (1994) Reproducibility and validity of a self-administered physical activity questionnaire. *Int. J. Epidemiol.*, **23**, 991–999
- Wolk, A. & Rössner, S. (1995) Effects of smoking and physical activity on body weight: developments in Sweden between 1980 and 1989. *J. Intern. Med.*, **237**, 287–291
- Wolk, A., Mantzoros, C.S., Andersson, S.O., Bergström, R., Signorello, L.B., Laggiou, P., Adami, H.O. & Trichopoulos, D. (1998) Insulin-like growth factor 1 and prostate cancer risk: a population-based, case-control study. *J. Natl Cancer Inst.*, **90**, 911–915
- Wong, Y.C. & Wang, Y.Z. (2000) Growth factors and epithelial-stromal interactions in prostate cancer development. *Int. Rev. Cytol.*, **199**, 65–116
- Woods, J.A., Davis, J.M., Kohut, M.L., Ghaffar, A., Mayer, E.P. & Pate, R.R. (1994) Effects of exercise on the immune response to cancer. *Med. Sci. Sports Exerc.*, **26**, 1109–1115
- Woods, J.A., Davis, J.M., Smith, J.A. & Nieman, D.C. (1999) Exercise and cellular innate immune function. *Med. Sci. Sports Exerc.*, **31**, 57–66
- World Cancer Research Fund (1997) *Food, Nutrition and the Prevention of Cancer: A Global Perspective*, London, WCRF
- Wu, A.H., Paganini-Hill, A., Ross, R.K. & Henderson, B.E. (1987) Alcohol, physical activity and other risk factors for colorectal cancer: a prospective study. *Br. J. Cancer*, **55**, 687–694
- Wu, X., Yu, H., Amos, C.I., Hong, W.K. & Spitz, M.R. (2000) Joint effect of insulin-like growth factors and mutagen sensitivity in lung cancer risk. *J. Natl Cancer Inst.*, **92**, 737–743
- Wynder, E.L., Escher, G.C. & Mantel, N. (1966) An epidemiological investigation of cancer of the endometrium. *Cancer*, **19**, 489–520
- Wynder, E.L., Mabuchi, K. & Whitmore, W.F., Jr (1971) Epidemiology of cancer of the prostate. *Cancer*, **28**, 344–360
- Wyshak, G. & Frisch, R.E. (2000) Breast cancer among former college athletes compared to non-athletes: a 15-year follow-up. *Br. J. Cancer*, **82**, 726–730
- Yaari, S. & Goldbourt, U. (1998) Voluntary and involuntary weight loss: associations with long term mortality in 9,228 middle-aged and elderly men. *Am. J. Epidemiol.*, **148**, 546–555
- Yaktine, A.L., Vaughn, R., Blackwood, D., Duysen, E. & Birt, D.F. (1998) Dietary energy restriction in the SENCAR mouse: elevation of glucocorticoid hormone levels but no change in distribution of glucocorticoid receptor in epidermal cells. *Mol. Carcinog.*, **21**, 62–69
- Yee, D. & Lee, A.V. (2000) Crosstalk between the insulin-like growth factors and estrogens in breast cancer. *J. Mammary Gland Biol. Neoplasia*, **5**, 107–115
- Yee, D., Paik, S., Lebovic, G.S., Marcus, R.R., Favoni, R.E., Cullen, K.J., Lippman, M.E. & Rosen, N. (1989) Analysis of insulin-like growth factor I gene expression in malignancy: evidence for a paracrine role in human breast cancer. *Mol. Endocrinol.*, **3**, 509–517
- Yong, L.C., Brown, C.C., Schatzkin, A. & Schairer, C. (1996) Prospective study of relative weight and risk of breast cancer: the Breast Cancer Detection Demonstration Project follow-up study, 1979 to 1987-1989. *Am. J. Epidemiol.*, **143**, 985–995
- Yoshida, K., Inoue, T., Nojima, K., Hirabayashi, Y. & Sado, T. (1997) Calorie restriction reduces the incidence of myeloid leukemia induced by a single whole-body radiation in C3H/He mice. *Proc. Natl Acad. Sci. USA*, **94**, 2615–2619
- Young, D.R., Haskell, W.L., Taylor, C.B. & Fortmann, S.P. (1996) Effect of community health education on physical activity knowledge, attitudes, and behavior. The Stanford Five-City Project. *Am. J. Epidemiol.*, **144**, 264–274
- Youngman, L.D., Park, J.Y. & Ames, B.N. (1992) Protein oxidation associated with aging is reduced by dietary restriction of protein or calories. *Proc. Natl Acad. Sci USA*, **89**, 9112–9116
- Ytterstad, B. (1996) The Harstad injury prevention study: the epidemiology of sports injuries. An 8 year study. *Br. J. Sports Med.*, **30**, 64–68
- Yu, H. & Berkel, H. (1999) Insulin-like growth factors and cancer. *J. La State Med. Soc.*, **151**, 218–223
- Yu, H. & Rohan, T. (2000) Role of the insulin-like growth factor family in cancer development and progression. *J. Natl Cancer Inst.*, **92**, 1472–1489
- Yu, H., Spitz, M.R., Mistry, J., Gu, J., Hong, W.K. & Wu, X. (1999) Plasma levels of insulin-like growth factor-I and lung cancer risk: a case-control analysis. *J. Natl Cancer Inst.*, **91**, 151–156
- Yuan, J.M., Castela, J.E., Gago-Dominguez, M., Ross, R.K. & Yu, M.C. (1998) Hypertension, obesity and their medications in relation to renal cell carcinoma. *Br. J. Cancer*, **77**, 1508–1513
- Yu-Poth, S., Zhao, G., Etherton, T., Naglak, M., Jonnalagadda, S. & Kris-Etherton, P.M. (1999) Effects of the National Cholesterol Education Program's Step I and Step II dietary intervention programs on cardiovascular disease risk factors: a meta-analysis. *Am. J. Clin. Nutr.*, **69**, 632–646
- Zaadstra, B.M., Seidell, J.C., Van Noord, P.A., te Velde, E.R., Habbema, J.D., Vrieswijk, B. & Karbaat, J. (1993) Fat and female fecundity: prospective study of effect of body fat distribution on conception rates. *BMJ*, **306**, 484–487
- Zainal, T.A., Oberley, T.D., Allison, D.B., Szveda, L.I. & Weindruch, R. (2000) Caloric restriction of rhesus monkeys lowers oxidative damage in skeletal muscle. *FASEB J.*, **14**, 1825–1836
- Zamboni, M., Armellini, F., Turcato, E., Todesco, T., Bissoli, L., Bergamo-Andreis, I.A. & Bosello, O. (1993) Effect of weight loss on regional body fat distribution in premenopausal women. *Am. J. Clin. Nutr.*, **58**, 29–34
- Zatonski, W.A., Lowenfels, A.B., Boyle, P., Maisonneuve, P., Bueno de Mesquita, H.B., Ghadirian, P., Jain, M., Przewozniak, K., Baghurst, P., Moerman, C.J., Simard, A., Howe, G.R., McMichael, A.J., Hsieh, C.C. & Walker, A.M. (1997) Epidemiologic aspects of gallbladder cancer: a case-control study of the SEARCH Program of the International Agency for Research on Cancer. *J. Natl Cancer Inst.*, **89**, 1132–1138
- Zhang, S., Folsom, A.R., Sellers, T.A., Kushi, L.H. & Potter, J.D. (1995) Better breast cancer survival for postmenopausal women who are less overweight and eat less fat. The Iowa Women's Health Study. *Cancer*, **76**, 275–283

- Zhang, Z.F., Kurtz, R.C., Sun, M., Karpeh, M., Yu, G.P., Gargon, N., Fein, J.S., Georgopoulos, S.K. & Harlap, S. (1996) Adenocarcinomas of the esophagus and gastric cardia: medical conditions, tobacco, alcohol, and socioeconomic factors. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 761-768
- Zhang, J., Wu, G., Chapkin, R.S. & Lupton, J.R. (1998) Energy metabolism of rat colonocytes changes during the tumorigenic process and is dependent on diet and carcinogen. *J. Nutr.*, **128**, 1262-1269
- Zheng, T., Boyle, P., Willett, W.C., Hu, H., Dan, J., Evstifeeva, T.V., Niu, S. & MacMahon, B. (1993a) A case-control study of oral cancer in Beijing, People's Republic of China. Associations with nutrient intakes, foods and food groups. *Eur. J. Cancer B, Oral Oncol.*, **29B**, 45-55
- Zheng, W., Shu, X.O., McLaughlin, J.K., Chow, W.H., Gao, Y.T. & Blot, W.J. (1993b) Occupational physical activity and the incidence of cancer of the breast, corpus uteri, and ovary in Shanghai. *Cancer*, **71**, 3620-3624
- Zhu, P., Frei, E., Bunk, B., Berger, M.R. & Schmähl, D. (1991) Effect of dietary calorie and fat restriction on mammary tumor growth and hepatic as well as tumor glutathione in rats. *Cancer Lett.*, **57**, 145-152
- Zhu, Z., Haegele, A.D. & Thompson, H.J. (1997) Effect of caloric restriction on pre-malignant and malignant stages of mammary carcinogenesis. *Carcinogenesis*, **18**, 1007-1012
- Zhu, Z., Jiang, W. & Thompson, H.J. (1999a) Effect of energy restriction on tissue size regulation during chemically induced mammary carcinogenesis. *Carcinogenesis*, **20**, 1721-1726
- Zhu, Z., Jiang, W. & Thompson, H.J. (1999b) Effect of energy restriction on the expression of cyclin D1 and p27 during premalignant and malignant stages of chemically induced mammary carcinogenesis. *Mol. Carcinog.*, **24**, 241-245
- Ziegler, R.G., Hoover, R.N., Nomura, A.M., West, D.W., Wu, A.H., Pike, M.C., Lake, A.J., Horn-Ross, P.L., Kolonel, L.N., Siiteri, P.K. & Fraumeni, J.F., Jr (1996) Relative weight, weight change, height, and breast cancer risk in Asian-American women. *J. Natl Cancer Inst.*, **88**, 650-660
- Zimmet, P. (2000) Globalization, coca-colonization and the chronic disease epidemic: can the Doomsday scenario be averted? *J. Intern. Med.*, **247**, 301-310
- Zmuda, J.M., Thompson, P.D. & Winters, S.J. (1996) Exercise increases serum testosterone and sex hormone-binding globulin levels in older men. *Metabolism*, **45**, 935-939
- Zoratti, R. (1998) A review on ethnic differences in plasma triglycerides and high-density-lipoprotein cholesterol: is the lipid pattern the key factor for the low coronary heart disease rate in people of African origin? *Eur. J. Epidemiol.*, **14**, 9-21
- Zumoff, B., Strain, G.W., Miller, L.K., Rosner, W., Senie, R., Seres, D.S. & Rosenfeld, R.S. (1990) Plasma free and non-sex-hormone-binding-globulin-bound testosterone are decreased in obese men in proportion to their degree of obesity. *J. Clin. Endocrinol. Metab.*, **71**, 929-931