

Chapter 10

References

- Abdel-Fattah, M., Zaki, A., Bassili, A., El-Shazly, M. & Tognoni, G. (2000) Breast self-examination practice and its impact on breast cancer diagnosis in Alexandria, Egypt. *East. Mediterr. Health J.*, **6**, 34–40
- Abdullah, A. & Leung, T. (2001) Factors associated with the use of breast and cervical cancer screening services among Chinese women in Hong Kong. *Public Health*, **115**, 212–217
- Abe, R., Sakuma, A., Yoshida, K., Hariu, T., Kanno, H., Takahashi, K., Kumagai, N. & Sato, T. (1983) Mass screening for breast cancer. *Tohoku J. Exp. Med.*, **141**, 125–131
- Adair, F.E. (1933) Clinical manifestations of early cancer of the breast. *New Engl. J. Med.*, **208**, 1250–1255
- Adami, H.O., Sparen, P., Bergstrom, R., Holmberg, L., Krusemo, U.B. & Ponten, J. (1989) Increasing survival trend after cancer diagnosis in Sweden: 1960–1984. *J. Natl Cancer Inst.*, **81**, 1640–1647
- Agurto, I. (2001) *Preventive Practices among Women: Bridging the Gap*, Washington DC, PAHO, Program on Non-communicable Diseases
- van den Akker-van Marle, M.E., Reep-van den Bergh, C.M., Boer, R., del Moral Aldaz, A., Ascunce, N. & de Koning, H.J. (1997) Breast cancer screening in Navarra: Interpretation of a high detection rate at the first screening round and a low rate at the second round. *Int. J. Cancer*, **73**, 464–469
- van den Akker-van Marle, M.E., de Koning, H., Boer, R. & van der Maas, M.P. (1999) Reduction in breast cancer mortality due to the introduction of mass screening in The Netherlands: Comparison with the United Kingdom. *J. Med. Screen.*, **6**, 30–34
- van den Akker-van Marle, M.E., van Ballegooijen, M., van Oortmarsen, G.J., Boer, R. & Habbema, J.D. (2002) Cost-effectiveness of cervical cancer screening: Comparison of screening policies. *J. Natl Cancer Inst.*, **94**, 193–204
- Alexander, F., Roberts, M.M., Lutz, W. & Hepburn, W. (1989) Randomisation by cluster and the problem of social class bias. *J. Epidemiol. Community Health*, **43**, 29–36
- Alexander, F.E., Anderson, T.J., Brown, H.K., Forrest, A.P., Hepburn, W., Kirkpatrick, A.E., Muir, B.B., Prescott, R.J. & Smith, A. (1999) 14 years of follow-up from the Edinburgh randomized trial of breast-cancer screening. *Lancet*, **353**, 1903–1908
- Ali-Abarghoui, F., Simoes, E.J., Newschaffer, C.J., Tao, X., Mack, N.E. & Brownson, R.C. (1998) Predictors of mammography utilization in Missouri, 1993–1994. *J. Public Health Manag Pract.*, **4**, 29–42
- Alizadeh, A.A., Ross, D.T., Perou, C.M. & van de Rijn, M. (2001) Towards a novel classification of human malignancies based on gene expression patterns. *J. Pathol.*, **195**, 41–52
- Alpers, C.E. & Wellings, S.R. (1985) The prevalence of carcinoma in situ in normal and cancer-associated breasts. *Hum. Pathol.*, **16**, 796–807
- Alveryd, A., Andersson, I., Aspegren, K., Balldin, G., Bjurstam, N., Edstrom, G., Fagerberg, G., Glas, U., Jarlman, O. & Larsson, S.A. (1990) Lightscanning versus mammography for the detection of breast cancer in screening and clinical practice. A Swedish multicenter study. *Cancer*, **65**, 1671–1677
- American College of Radiology (1995) *Breast Imaging and Reporting Data System (BI-RADS)*, 2nd Ed., Reston, Virginia
- American Joint Committee on Cancer (2002) *Cancer Staging Manual*, 6th Ed., New York, Springer
- Amsel, Z., Prakash, L., Grover P.L. & Balsheam A.M. (1984) The impact of physician reinforcement on breast self-examination practice. *J. Fam. Pract.*, **19**, 236–238
- Ancelle-Park, R. & Nicolau, J. (1999) [Breast Cancer Screening, Report on Evaluation of Epidemiological Follow-up], Paris, Institut de la Veille Sanitaire (in French)
- Ancelle-Park, R., Séradour, B., Schaffer, P., Allemand, H. & Tubiana, M. (1997) [National breast screening programme: Organization and results.] *Bull. Epidémiol. Hebd.*, **10**, 39–40 (in French)
- Anderson, T.J., Lamb, J., Donnan, P., Alexander, F.E., Huggins, A., Muir, B.B., Kirkpatrick, A.E., Chetty, U., Hepburn, W. & Smith, A. (1991) Comparative pathology of breast cancer in a randomised trial of screening. *Br. J. Cancer*, **64**, 108–113
- Anderson, E.D., Muir, B.B., Walsh, J.S. & Kirkpatrick, A.E. (1994) The efficacy of double reading mammograms in breast screening. *Clin. Radiol.*, **49**, 248–251
- Andersson, I. (1981) Radiographic screening for breast carcinoma. III. Appearance of carcinoma and number of projections to be used at screening. *Acta Radiol. Diagn.*, **22**, 407–420
- Andersson, I. & Janzon, L. (1997) Reduced breast cancer mortality in women under age 50: Updated results from the Malmö mammographic screening program. *Natl Cancer Inst. Monogr.*, **22**, 63–67
- Andersson, I., Janzon, L. & Pettersson, H. (1981) Radiographic patterns of the mammary parenchyma. Variation with age at examination and age at first birth. *Radiology*, **138**, 59–62
- Andersson, I., Aspegren, K., Janzon, L., Landberg, T., Lindholm, K., Linell, F., Ljungberg, O., Ranstam, J. & Sigfusson, B. (1988) Mammographic screening and mortality from breast cancer: The Malmö mammographic screening trial. *Br. Med. J.*, **297**, 943–948

- Angèle, S. & Hall, J. (2000) The ATM gene and breast cancer: Is it really a risk factor? *Mutat. Res.*, **462**, 167–178
- Anh, P.T., Parkin, D.M., Hanh, N.T. & Duc, N.B. (1993) Cancer in the population of Hanoi, Vietnam, 1988–1990. *Br. J. Cancer*, **68**, 1236–1242
- Anim, J.T. (1993) Breast cancer in sub-Saharan African women. *Afr. J. Med. Sci.*, **22**, 5–10
- Anttilinen, I., Pamilo, M., Soiva, M. & Roihola, M. (1993) Double reading of mammography screening films—One radiologist or two? *Clin. Radiol.*, **48**, 414–421
- Argentina Ministry of Health (2001) Secretaría de Atención Sanitaria, Subsecretaría de Programas de Prevención y Promoción. Programa Nacional de Control de Cáncer; Subprograma de Prevención secundaria de Cáncer de Mama, Buenos Aires
- Armes, J.E., Egan, A.J., Southey, M.C., Dite, G.S., McCredie, M.R., Giles, G.G., Hopper, J.L. & Venter, D.J. (1998) The histologic phenotypes of breast carcinoma occurring before age 40 years in women with and without BRCA1 or BRCA2 germline mutations: A population-based study. *Cancer*, **83**, 2335–2345
- Aro, A.R., de Koning, H.J., Absetz, P. & Schreck, M. (1999) Psychosocial predictors of first attendance for organised mammography screening. *J. Med. Screen.*, **6**, 82–88
- Aro, A.R., de Koning, H.J., Absetz, P. & Schreck, M. (2001) Two distinct groups of non-attenders in an organized mammography screening program. *Breast Cancer Res. Treat.*, **70**, 145–153
- Arredondo, A., Lockett, L. & de Icaza, E. (1995) Cost of diseases in Brazil: Breast cancer, enteritis, cardiac valve disease and bronchopneumonia. *Rev. Saude Publ.*, **29**, 349–354
- Assaf, A., Cummings, K.M. & Walsh, D. (1983) The relationship between breast self-examination frequency, technique, and breast lump detection. *Prog. Clin. Biol. Res.*, **130**, 323–329
- Atkinson, C., Warren, R., Bingham, S.A. & Day, N.E. (1999) Mammographic patterns as a predictive biomarker of breast cancer risk: Effect of tamoxifen. *Cancer Epidemiol. Biomarkers Prev.*, **8**, 863–866
- Atri, J., Falshaw, M., Gregg, R., Robson, J., Omar, R. & Dixon, S. (1997) Improving uptake of breast screening in multiethnic populations: A randomised controlled trial using practice reception staff to contact non-attenders. *Br. Med. J.*, **315**, 1356–1359
- Austoker, J. (1999) Gaining informed consent for screening is difficult but many misconceptions need to be undone. *Br. Med. J.*, **18**, 722–723
- Austoker, J. & Ong, G. (1994) Written information needs of women who are recalled for further investigation of breast screening: Results of a multicentre study. *J. Med. Screen.*, **1**, 238–244
- Australia–New Zealand Breast Cancer Trials Group (1996) Recommendations from the Pathology and Multidisciplinary DCIS Workshops. In: *Diagnosis of DCIS*, Hunter Valley
- Australian Institute of Health and Welfare (1998) *Breast and Cervical Cancer Screening in Australia 1996–1997*, Canberra, pp. 1–94
- Australian Institute of Health and Welfare (2000) *BreastScreen Australia Achievement Report 1997 and 1998*, Canberra, pp. 1–86
- Autier, P., Shannoun, F., Scharpantgen, A., Lux, C., Back, C., Severi, G., Steil, S. & Hansen-Koenig, D. (2002) A breast cancer screening programme operating in a liberal health care system: The Luxembourg mammography programme, 1992–1997. *Int. J. Cancer*, **97**, 828–832
- Auvinen, A., Elovainio, L. & Hakama, M. (1996) Breast self-examination and survival from breast cancer: A prospective follow-up study. *Breast Cancer Res. Treat.*, **38**, 161–168.
- Axelsson, C.K., Mouridsen, H.T. & Zedeler, K. (1992) Axillary dissection of level I and II lymph nodes is important in breast cancer classification. The Danish Breast Cancer Cooperative Group (DBCG). *Eur. J. Cancer*, **28A**, 1415–1418
- Azzopardi, J.G., Ahmed, A. & Millis, R.R. (1979) Problems in breast pathology. *Major Probl. Pathol.*, **11**, 1–466
- Badve, S., A'Hern, R.P., Ward, A.M., Millis, R.R., Pinder, S.E., Ellis, I.O., Gusterson, B.A. & Sloane, J.P. (1998) Prediction of local recurrence of ductal carcinoma in situ of the breast using five histological classifications: A comparative study with long follow-up. *Hum. Pathol.*, **29**, 915–923
- Bailar, J.C., III & MacMahon, B. (1997) Randomization in the Canadian National Breast Screening Study: A review for evidence of subversion. *Can. Med. Assoc. J.*, **156**, 193–199
- Baines, C.J. (1987) Breast palpation technique: What is the finger pad? *J. Chron. Dis.*, **40**, 361–362
- Baines, C.J. (1988) Breast-self-examination: The known and the unknown. In: Day, N.E. & Miller, A.B., eds, *Screening for Breast Cancer*, Toronto, Huber, pp. 85–91
- Baines, C.J. (1989) Breast self-examination. *Cancer*, **64**, 2661–2663
- Baines, C.J. (1992a) Physical examination of the breasts in screening for breast cancer. *J. Gerontol.*, **47** (Special No.), 63–67
- Baines, C.J. (1992b) Breast self-examination. *Cancer*, **69**, 1942–1946
- Baines, C.J. (1994) The Canadian National Breast Screening Study: A perspective on criticisms. *Ann. Intern. Med.*, **120**, 326–334
- Baines, C.J. & Miller, A.B. (1997) Mammography versus clinical examination of the breasts. *Natl. Cancer Inst. Monogr.*, **22**, 125–129
- Baines, C.J. & To, T. (1990) Changes in breast self-examination behavior achieved by 89,835 participants in the Canadian National Breast Screening Study. *Cancer*, **66**, 570–576
- Baines, C.J., McFarlane, D.V. & Wall, C. (1986a) Audit procedures in the National Breast Screening Study: Mammography interpretation. *Can. Assoc. Radiol. J.*, **37**, 256–260
- Baines, C.J., Miller, A.B., Wall, C., McFarlane, D.V., Simor, I.S., Jong, R., Shapiro, B.J., Audet, L., Petitclerc, M. & Ouimet-Oliva, D. (1986b) Sensitivity and specificity of first screen mammography in the Canadian National Breast Screening Study: A preliminary report from five centers. *Radiology*, **160**, 295–298
- Baines, C.J., Wall, C., Risch, H.A., Kuin, J.K. & Fan, I.J. (1986c) Changes in breast self-examination behavior in a cohort of 8214 women in the Canadian National Breast Screening Study. *Cancer*, **57**, 1209–1216
- Baines, C.J., McFarlane, D.V. & Miller, A.B. (1988a) Sensitivity and specificity of first screen mammography in 15 NBSS centres. *Can. Assoc. Radiol. J.*, **39**, 273–276

- Baines, C.J., Krasowski, T.P. & Wall, C. (1988b) Incentives for breast self-examination: Role of the calendar. *Cancer Detect. Prev.*, **13**, 109–114
- Baines, C.J., Miller, A.B. & Bassett, A.A. (1989) Physical examination. Its role as a single screening modality in the Canadian National Breast Screening Study. *Cancer*, **63**, 1816–1822
- Baines, C.J., To, T. & Wall, C. (1990) Women's attitudes to screening after participation in the National Breast Screening Study. A questionnaire survey. *Cancer*, **65**, 1663–1669
- Baines, C.J., Vidmar, M., McKeown-Eyssen, G. & Tibshirani, R. (1997) Impact of menstrual phase on false-negative mammograms in the Canadian National Breast Screening study. *Cancer*, **80**, 720–724.
- Baker, L.H. (1982) Breast Cancer Detection Demonstration Project: Five-year summary report. *CA Cancer J. Clin.*, **32**, 194–225
- Ballard-Barbash, R., Taplin, S.H., Yankaskas, B.C., Ernster, V.L., Rosenberg, R.D., Carney, P.A., Barlow, W.E., Geller, B.M., Kerlikowske, K., Edwards, B.K., Lynch, C.F., Urban, N., Chrvala, C.A., Key, C.R., Poplack, S.P., Worden, J.K. & Kessler, L.G. (1997) Breast Cancer Surveillance Consortium: A national mammography screening and outcomes database. *Am. J. Roentgenol.*, **169**, 1001–1008
- Ballard-Barbash, R., Klabunde, C., Paci, E., Broeders, M., Coleman, E.A., Fracheboud, J., Bouchard, F., Rennert, G. & Shapiro, S. (1999) Breast cancer screening in 21 countries: Delivery of services, notification of results and outcomes ascertainment. *Eur. J. Cancer Prev.*, **8**, 417–426
- Banks, E., Beral, V., Cameron, R., Hogg, A., Langley, N., Barnes, I., Bull, D., Reeves, G., English, R., Taylor, S., Elliman, J. & Lole, H.C. (2002a) Comparison of various characteristics of women who do and do not attend for breast cancer screening. *Breast Cancer Res.*, **4**, R1
- Banks, E., Reeves, G., Beral, V., Bull, D., Crossley, B., Simmonds, M., Hilton, E., Bailey, S., Barrett, N., Briers, P., English, R., Jackson, A., Kutt, E., Lavelle, J., Rockall, L., Wallis, M.G. & Wilson, M. (2002b) Predictors of outcome of mammography in the National Health Service breast screening programme. *J. Med. Screen.*, (in press)
- Barchielli, A. & Paci, E. (2001) Trends in breast cancer mortality, incidence, and survival, and mammographic screening in Tuscany, Italy. *Cancer Causes Control*, **12**, 249–255
- Barnes, G.T. (1999) Mammography imaging physics: X-ray equipment considerations. In: Haus, A.G. & Yaffe, M.J., eds, *Categorical Course in Diagnostic Radiology Physics: Physical Aspects of Breast Imaging—Current and Future Considerations*. Oak Brook, Illinois, Radiological Society of North America, pp. 41–57
- Barnes, G.T. & Brezovich, I.A. (1978) The intensity of scattered radiation in mammography. *Radiology*, **126**, 243–247
- Barnes, G.T., Wu, X., Chakraborty, D.P. & Wagner, A.J. (1989a) Scanning slit mammography: A practical design. *Radiology*, **173**, 164
- Barnes, G.T., Wu, X., Wagner, A.J. & Rubin, E. (1989b) Scatter control in mammography: Past, present and future. *Radiology*, **173**, 472
- Barnes, D.M., Bartkova, J., Camplejohn, R.S., Gullick, W.J., Smith, P.J. & Millis, R.R. (1992) Overexpression of the c-erbB-2 oncogene: Why does this occur more frequently in ductal carcinoma in situ than in invasive mammary carcinoma and is this of prognostic significance? *Eur. J. Cancer*, **28**, 644–648
- Barr, L.C. & Baum, M. (1992) Time to abandon TNM staging of breast cancer? *Lancet*, **339**, 915–917
- Barr, J., Franks, A., Lee, N., Antonucci, D., Rifkind, S. & Schachter, M. (2001) A randomized intervention to improve ongoing participation in mammography. *Am. J. Managed Care*, **7**, 887–894
- Barratt, A.L., Cockburn, J., Redman, S., Paul, C. & Perkins, J. (1997a) Mammographic screening: Results from the 1996 National Breast Health Survey. *Med. J. Aust.*, **167**, 521–524
- Barratt, A., Cockburn, J., Lowe, J., Paul, C., Perkins, J. & Redman, S. (1997b) Report on the 1996 Breast Health Survey, Woolloomooloo (NSW), National Breast Cancer Centre
- Barratt, A., Cockburn, J., Furnival, C., McBride, A. & Mallon, L. (1999) Perceived sensitivity of mammographic screening: Women's views on test accuracy and financial compensation for missed cancers. *J. Epidemiol. Community Health*, **53**, 716–720
- Barton, M.B., Harris, R.H. & Fletcher, S.W. (1999) Does this patient have breast cancer? The screening clinical breast examination: Should it be done? How? *J. Am. Med. Assoc.*, **282**, 1270–1280
- Barton, M.B., Moore, S., Polk, S., Shtatland, E., Elmore, J.G. & Fletcher, S.W. (2001) Increased patient concern after false-positive mammograms: Clinician documentation and subsequent ambulatory visits. *J. Gen. Intern. Med.*, **16**, 150–156
- Bartow, S.A., Pathak, D.R., Black, W.C., Key, C.R. & Teaf, S.R. (1987) Prevalence of benign, atypical, and malignant breast lesions in populations at different risk for breast cancer. *Cancer*, **60**, 2751–2760
- Bassett, A.A. (1985) Physical examination of the breast and breast self-examination. In: Miller, A.B., ed., *Screening for Cancer*, Orlando, FL, Academic Press, pp. 271–291
- Bassett, L.W. (1995) Clinical image evaluation. *Radiol. Clin. N. Am.*, **33**, 1027–1039
- Bassett, L.W., Hendrick, R.E. & Bassford, T.L. (1994a) *Quality Determinants of Mammography* (95-0632), Rockville, MD, Agency for Health Care Policy and Research, Public Health Service, US Department of Health and Human Services
- Bassett, L.W., Shayestehfar, B. & Hirbawi, I. (1994b) Obtaining previous mammograms for comparison: Usefulness and costs. *Am. J. Roentgenol.*, **163**, 1083–1086
- Beahrs, O.H., Shapiro, S. & Smart, C. (1979) Report of the working group to review the National Cancer Institute American Cancer Society Breast Cancer Detection Demonstration Projects. *J. Natl Cancer Inst.*, **62**, 642–709
- Beam, C.A., Layde, P.M. & Sullivan, D.C. (1996a) Variability in the interpretation of screening mammograms by US radiologists. Findings from a national sample. *Arch. Intern. Med.*, **156**, 209–213
- Beam, C.A., Sullivan, D.C. & Layde, P.M. (1996b) Effect of human variability on independent double reading in screening mammography. *Acad. Radiol.*, **3**, 891–897
- Bedwani, R., Vana, J., Rosner, D., Schmitz, R.L. & Murphy, G.P. (1981) Management and survival of female patients with 'minimal' breast cancer: As observed in the long-term and short-term surveys of the American College of Surgeons. *Cancer*, **47**, 2769–2778

- Beemsterboer, P.M., de Koning, H.J., Warmerdam, P.G., Boer, R., Swart, E., Dierks, M.L. & Robra, B.P. (1994) Prediction of the effects and costs of breast-cancer screening in Germany. *Int. J. Cancer*, **58**, 623–628
- Beemsterboer, P.M., Warmerdam, P.G., Boer, R. & de Koning, H.J. (1998a) Radiation risk of mammography related to benefit in screening programmes: A favourable balance? *J. Med. Screen.*, **5**, 81–87
- Beemsterboer, P.M., Warmerdam, P.G., Boer, R. & de Koning, H.J. (1998b) Screening for breast cancer in Catalonia. Which policy is to be preferred? *Eur. J. Public Health*, **8**, 241–246
- Beemsterboer, P.M., de Koning, H.J., Loosman, C.W., Borsboom, G.J., Bartelds, A.I. & van der Maas, P.J. (1999) Mammography requests in general practice during the introduction of nationwide breast cancer screening, 1988–1995. *Eur. J. Cancer*, **35**, 450–454
- Bell, T.S., Branston, L.K., Newcombe, R.G. & Barton, G.R. (1999) Interventions to improve uptake of breast screening in inner city Cardiff general practices with ethnic minority lists. *Ethn. Health*, **4**, 277–284
- Bennett, S.E., Lawrence, R.S., Fleischmann, K.H., Gifford, C.S. & Slack, W.V. (1983) Profile of women practicing breast self-examination. *J. Am. Med. Assoc.*, **249**, 488–491
- Bennett, S.E., Lawrence, R.S., Angiolillo, D.F., Bennett, S.D., Budman, S., Schneider, G.M., Assaf, A.R. & Feldstein, M. (1990) Effectiveness of methods used to teach breast self-examination. *Am. J. Prev. Med.*, **6**, 208–217
- Berkowitz, J.E., Gatewood, O.M., Goldblum, L.E. & Gayler, B.W. (1990) Hormonal replacement therapy: Mammographic manifestations. *Radiology*, **174**, 199–201
- Bernay, T., Porrath, S., Golding-Mather, J.M. & Murray, J. (1982) The impact of breast cancer screening on feminine identity: Implications for patient education. *Breast*, **8**, 2–5
- Bernstein, A.B., Thompson, G.B. & Harlan, L.C. (1991) Differences in rates of cancer screening by usual source of medical care. Data from the 1987 National Health Interview Survey. *Med. Care*, **29**, 196–209
- Berrino, F., Sant, M., Verdecchia, A., Capocaccia, R., Hakulinen, T. & Estève, J., eds (1995) *Survival of Cancer Patients in Europe: The EUROCARE Study* (IARC Scientific Publications No. 132), Lyon, IARCPRESS
- Berry, D.A. (1998) Benefits and risks of screening mammography for women in their forties: A statistical appraisal. *J. Natl. Cancer Inst.*, **90**, 1431–1439
- Berx, G., Cleton-Jansen, A.M., Nollet, F., de Leeuw, W.J., van de Vijver, M., Cornelisse, C. & van Roy, F. (1995) E-cadherin is a tumour/invasion suppressor gene mutated in human lobular breast cancers. *EMBO J.*, **14**, 6107–6115
- Bettelheim, R., Penman, H.G., Thornton-Jones, H. & Neville, A.M. (1984) Prognostic significance of peritumoral vascular invasion in breast cancer. *Br. J. Cancer*, **50**, 771–777
- Bhathal, P.S., Brown, R.W., Lesueur, G.C. & Russell, I.S. (1985) Frequency of benign and malignant breast lesions in 207 consecutive autopsies in Australian women. *Br. J. Cancer*, **51**, 271–278
- Bhatia, S., Robison, L.L., Oberlin, O., Greenberg, M., Bunin, G., Fossati-Bellani, F. & Meadows, A.T. (1996) Breast cancer and other second neoplasms after childhood Hodgkin's disease. *N. Engl. J. Med.*, **334**, 745–751
- Bijker, N., Peterse, J.L., Duchateau, L., Julien, J.P., Fentiman, I.S., Duval, C., Di Palma, S., Simony-Lafontaine, J., de Mascarel, I. & van de Vijver, M.J. (2001a) Risk factors for recurrence and metastasis after breast-conserving therapy for ductal carcinoma-in-situ: Analysis of European Organization for Research and Treatment of Cancer Trial 10853. *J. Clin. Oncol.*, **19**, 2263–2271
- Bijker, N., Peterse, J.L., Duchateau, L., Robanus-Maandag, E.C., Bosch, C.A., Duval, C., Pilotti, S. & van de Vijver, M.J. (2001b) Histological type and marker expression of the primary tumour compared with its local recurrence after breast-conserving therapy for ductal carcinoma in situ. *Br. J. Cancer*, **84**, 539–544
- Bird, J.A., McPhee, S.J., Ha, N.T., Le, B., Davis, T. & Jenkins, C.N. (1998) Opening pathways to cancer screening for Vietnamese-American women: Lay health workers hold a key. *Prev. Med.*, **27**, 821–829
- Birdwell, R.L., Ikeda, D.M., O'Shaughnessy, K.F. & Sickles, E.A. (2001) Mammographic characteristics of 115 missed cancers later detected with screening mammography and the potential utility of computer-aided detection. *Radiology*, **219**, 192–202
- Bjurstam, N., Björnelid, L., Duffy, S.W., Smith, T.C., Cahlin, E., Eriksson, O., Hafström, L.-O., Lingaa, H., Mattsson, J., Persson, S., Rudenstam, C.-M. & Säve-Söderbergh, J. (1997) The Gothenburg breast screening trial. First results on mortality, incidence, and mode of detection for women ages 39–49 years at randomization. *Cancer*, **80**, 2091–2099
- Black, M.M., Barclay, T.H. & Hankey, B.F. (1975) Prognosis in breast cancer utilizing histologic characteristics of the primary tumor. *Cancer*, **36**, 2048–2055
- Black, W.C., Nease, R.F., Jr & Tosteson, A.N. (1995) Perceptions of breast cancer risk and screening effectiveness in women younger than 50 years of age. *J. Natl. Cancer Inst.*, **87**, 720–731
- Black, W.C., Haggstrom, D.A. & Welch, H.G. (2002) All-cause mortality in randomized trials of cancer screening. *J. Natl. Cancer Inst.*, **94**, 167–173
- Blackman, D.K., Bennett, E.M. & Miller, D.S. (1999) Trends in self-reported use of mammograms (1989–1997) and Papanicolaou tests (1991–1997)—Behavioral risk factor surveillance system. *Morbid. Mortal. Weekly Rep.*, **48**, 1–22.
- Blamey, R.W., Elston, C.W., Pinder, S.E. & Ellis, I.O. (2000) When is a patient cured of breast cancer? *J. Pathol.*, **190** (Suppl.), A44
- Blanks, R.G. & Moss, S.M. (1996) Monitoring the performance of the breast screening programmes: Allowing for geographical variation in breast cancer incidence. *J. Med. Screen.*, **3**, 82–84
- Blanks, R.G. & Moss, S.M. (1999) Breast cancer screening sensitivity in the NHSB-SP: Recent results and implications. *Breast*, **8**, 301–302
- Blanks, R.G., Day, N.E. & Moss, S.M. (1996) Monitoring the performance of breast screening programmes: Use of indirect standardisation in evaluating the invasive cancer detection rate. *J. Med. Screen.*, **3**, 79–81
- Blanks, R.G., Moss, S.M. & Wallis, M.G. (1997) Use of two view mammography compared with one view in the detection of

- small invasive cancers; Further results from the National Health Service breast screening programme. *J. Med. Screen.*, **4**, 98–101
- Blanks, R.G., Wallis, M.G. & Moss, S.M. (1998) A comparison of cancer detection rates achieved by breast cancer screening programmes by number of readers, for one and two view mammography: Results from the UK National Health Service breast screening programme. *J. Med. Screen.*, **5**, 195–201
- Blanks, R.G., Moss, S.M. & Patrick, J. (2000a) Results from the UK NHS breast screening programme 1994–1999. *J. Med. Screen.*, **7**, 195–198
- Blanks, R.G., Moss, S.M., McGahan, C.E., Quinn, M.J. & Babb, P.J. (2000b) Effect of NHS breast screening programme on mortality from breast cancer in England and Wales, 1990–8: Comparison of observed with predicted mortality. *Br. Med. J.*, **321**, 665–669
- Blanks, R.G., Moss, S.M. & Wallis, M.G. (2001) Monitoring and evaluating the UK National Health Service Breast Screening Programme: Evaluating the variation in radiological performance between individual programmes using PPV-referral diagrams. *J. Med. Screen.*, **8**, 24–28
- Blanks, R.G., Bennett, R.L., Wallis, M.G. & Moss, S.M. (2002) Does individual programme size affect screening performance? Results from the United Kingdom NHS breast cancer screening programme. *J. Med. Screen.*, **9**, 11–14
- Blichert-Toft, M., Rose, C., Andersen, J.A., Overgaard, M., Axelsson, C.K., Andersen, K.W. & Mouridsen, H.T. (1992) Danish randomized trial comparing breast conservation therapy with mastectomy: Six years of life-table analysis. Danish Breast Cancer Cooperative Group. *J. Natl Cancer Inst. Monogr.*, **19**–25
- Bloom, H.J. (1950a) Prognosis in carcinoma of the breast. *Br. J. Cancer*, **4**, 259–288
- Bloom, H.J. (1950b) Further studies on prognosis of breast carcinoma. *Br. J. Cancer*, **4**, 347–367
- Bloom, H.J. & Richardson, W.W. (1957) Histological grading and prognosis in breast cancer. A study of 1409 cases of which 359 have been followed for 15 years. *Br. J. Cancer*, **11**, 359–377
- Bloom, H.J., Richardson, W.W. & Field, J.R. (1970) Host resistance and survival in carcinoma of breast: A study of 104 cases of medullary carcinoma in a series of 1,411 cases of breast cancer followed for 20 years. *Br. Med. J.*, **3**, 181–188
- Bluman, L.G., Borstelmann, N.A., Rimer, B.K., Iglehart, J.D. & Winer, E.P. (2001) Knowledge, satisfaction, and perceived cancer risk among women diagnosed with ductal carcinoma in situ. *J. Womens Health Gend. Based. Med.*, **10**, 589–598
- Blustein, J. (1995) Medicare coverage, supplemental insurance, and the use of mammography by older women. *N. Engl. J. Med.*, **332**, 1138–1143
- Bobo, J.K., Lee, N.C. & Thames, S.F. (2000) Findings from 752,081 clinical breast examinations reported to a national screening program from 1995 through 1998. *J. Natl Cancer Inst.*, **92**, 971–976
- Bodiya, A., Vorias, D. & Dickson, H.A. (1999) Does telephone contact with a physician's office staff improve mammogram screening rates? *Fam. Med.*, **31**, 324–326
- Boer, R., Warmerdam, P., de Koning, H. & van Oortmarsen, G. (1994) Extra incidence caused by mammographic screening. *Lancet*, **343**, 979
- Boer, R., de Koning, H.J., van Oortmarsen, G.J. & van der Maas, P.J. (1995) In search of the best upper age limit for breast cancer screening. *Eur. J. Cancer*, **31A**, 2040–2043
- Boer, R., de Koning, H., Threlfall, A., Warmerdam, P., Street, A., Friedman, E. & Woodman, C. (1998) Cost effectiveness of shortening screening interval or extending age range of NHS breast screening programme: Computer simulation study. *Br. Med. J.*, **317**, 376–379
- Boer, R., de Koning, H.J. & van der Maas, P.J. (1999a) A longer breast carcinoma screening interval for women age older than 65 years? *Cancer*, **86**, 1506–1510
- Boer, R., de Koning, H., van Oortmarsen, G., Warmerdam, P. & van der Maas, P. (1999b) Stage distribution at first and repeat examinations in breast cancer screening. *J. Med. Screen.*, **6**, 132–138
- Boice, J.D., Jr (2001) Radiation and breast carcinogenesis. *Med. Pediatr. Oncol.*, **36**, 508–513
- Boilen, J.C., Rhodes, L., Powell-Griner, E.E., Bland, S.D. & Holtzman, D. (2000) State-specific prevalence of selected health behaviors, by race and ethnicity—Behavioral Risk Factor Surveillance System, 1997. *Morbid. Mortal. Wkly Rep. CDC Surveill. Summ.*, **49**, 1–60
- Bonadonna, G., Rossi, A., Valagussa, P., Banfi, A. & Veronesi, U. (1977) The CMF program for operable breast cancer with positive axillary nodes. Updated analysis on the disease-free interval, site of relapse and drug tolerance. *Cancer*, **39**, 2904–2915
- Bonadonna, G., Valagussa, P., Moliterni, A., Zambetti, M. & Brambilla, C. (1995) Adjuvant cyclophosphamide, methotrexate, and fluorouracil in node-positive breast cancer: The results of 20 years of follow-up. *New Engl. J. Med.*, **332**, 901–906
- Bonfill, X., Marzo, M., Pladevall, M., Martí, J. & Emparanza, J.I. (2001) Strategies for increasing women participation in community breast cancer screening. *Cochrane Database Syst. Rev.*, **1** (CD002943)
- Bonneterre, J., Buzdar, A., Nabholz, J.M., Robertson, J.F., Thurlimann, B., von Euler, M., Sahmoud, T., Webster, A. & Steinberg, M. (2001) Anastrozole is superior to tamoxifen as first-line therapy in hormone receptor positive advanced breast carcinoma. *Cancer*, **92**, 2247–2258
- Borràs, J.M., Guillén, M., Sánchez, V., Juncà, S. & Vicente, R. (1999) Educational level, voluntary private health insurance and opportunistic cancer screening among women in Catalonia (Spain). *Eur. J. Cancer Prev.*, **8**, 427–434
- Boyd, N.F., Lockwood, G.A., Byng, J.W., Tritchler, D.L. & Yaffe, M.J. (1998) Mammographic densities and breast cancer risk. *Cancer Epidemiol. Biomarkers Prev.*, **7**, 1133–1144
- Boyd, N.F., Lockwood, G.A., Martin, L.J., Byng, J.W., Yaffe, M.J. & Tritchler, D.L. (2001) Mammographic density as a marker of susceptibility to breast cancer: A hypothesis. In: Miller, A.B., Bartsch, H., Boffetta, P., Dragsted, L. & Vainio, H. eds, *Biomarkers in Cancer Chemoprevention* (IARC Scientific Publications No. 154), Lyon: IARCPress, pp. 163–169
- Braddick, M.R. (1991) Audit of a breast cancer screening programme using clinical examination and lightscanning. *Health Bull.*, **49**, 299–303
- Bragg Leight, S., Deiriggi, P., Hursh, D., Miller, D. & Leight, V. (2000) The effect of structured training on breast self-examina-

- tion search behaviors as measured using biomedical instrumentation. *Nurs. Res.*, **49**, 283–289
- Brain, K., Norman, P., Gray, J. & Mansel, R. (1999) Anxiety and adherence to breast self-examination in women with a family history of breast cancer. *Psychosom. Med.*, **61**, 181–187
- te Brake, G.M., Karssemeijer, N. & Hendriks, J.H. (1998) Automated detection of breast carcinomas not detected in a screening program. *Radiology*, **207**, 465–471
- Breast Cancer Linkage Consortium (1997) Pathology of familial breast cancer: Differences between breast cancers in carriers of BRCA1 or BRCA2 mutations and sporadic cases. *Lancet*, **349**, 1505–1510
- BreastScreen Aotearoa (1998) *Background to Breast Screening*. Aotearoa, New Zealand Ministry of Health, pp. 1–10
- BreastScreen Aotearoa Independent Monitoring Group (2001) *Monitoring Report No. 7*. Otago, University of Otago
- Breast Screening Frequency Trial Group (2002) The frequency of breast cancer screening. Results from the UKCCCR Randomised Trial. *Eur. J. Cancer*, **38**, 1458–1464
- Breast Screening Programme (1999) England 1997–98. Available at: www.doh.gov.uk/pub/docs/doh/bcscreen.pdf
- BreastScreen NSW (2000) *Ten Year Statistical Report 1988–1998*, Sydney
- BreastScreen Queensland (2000) *Annual Statistical Report 1998*, Queensland Health, Women's Cancer Screening Services, pp. 1–45
- BreastScreen SA (1999) *BreastScreen SA at 10 Years (Incorporating the 1997 Statistical Report)*, South Australia, pp. 1–56
- BreastScreen Victoria (2001) *Annual Statistical Report 1999*, Carlton South, Victoria, pp. 1–56
- BreastScreen WA (2001) *Statistical Report 1997–1998*, West Australia, pp. 1–39
- Breen, N., Wagener, D.K., Brown, M.L., Davis, W.W. & Ballard-Barbash, R. (2001) Progress in cancer screening over a decade: Results of cancer screening from the 1987, 1991, and 1998 National Health Interview Surveys. *J. Natl Cancer Inst.*, **93**, 1704–1713
- Brekkelmans, C.T., Seynaeve, C., Bartels, C.C., Tilanus-Linthorst, M.M., Meijers-Heijboer, E.J., Crepin, C.M., van Geel, A.A., Menke, M., Verhoog, L.C., van den, O.A., Obdeijn, I.M. & Klijn, J.G. (2001) Effectiveness of breast cancer surveillance in BRCA1/2 gene mutation carriers and women with high familial risk. *J. Clin. Oncol.*, **19**, 924–930
- Brenner, R.J. & Pfaff, J.M. (1996) Mammographic changes after excisional breast biopsy for benign disease. *Am. J. Roentgenol.*, **167**, 1047–1052
- Brett, J., Austoker, J. & Ong, G. (1998) Do women who undergo further investigation for breast screening suffer adverse psychological consequences? A multi-centre follow-up study comparing different breast screening result groups five months after their last breast screening appointment. *J. Public Health Med.*, **20**, 396–403
- Brocca, P.P. (1866) *Traité des Tumeurs*, Paris, Asselin
- Broeders, M.J.M., Peer, P.G.M., Straatman, H., Beex, L.V.A.M., Hendriks, J.H.C.L., Holland, R. & Verbeek, A.L.M. (2001) Diverging breast cancer mortality rates in relation to screening? A comparison of Nijmegen to Arnhem and the Netherlands, 1969–1997. *Int. J. Cancer*, **92**, 303–308
- Brown, M.L. (1992) Sensitivity analysis in the cost-effectiveness of breast cancer screening. *Cancer*, **69**, 1963–1967
- Brown, M.L. & Fintor, L. (1993) Cost-effectiveness of breast cancer screening: Preliminary results of a systematic review of the literature. *Breast Cancer Res. Treat.*, **25**, 113–118
- Brown, M.L., Houn, F., Sickles, E.A. & Kessler, L.G. (1995) Screening mammography in community practice: Positive predictive value of abnormal findings and yield of follow-up diagnostic procedures. *Am. J. Roentgenol.*, **165**, 1373–1377
- Brown, J., Bryan, S. & Warren, R. (1996) Mammography screening: An incremental cost effectiveness analysis of double versus single reading of mammograms. *Br. Med. J.*, **312**, 809–812
- de Bruin, A., de Koning, H. & van Ballegooijen, M. (1993) Pap smears and mammography. HIS 1991. *Mnbar Gezondh.*, **5**, 4–21
- Buchberger, W., Niehoff, A., Obst, P., DeKoekkoek-Doll, P. & Dunser, M. (2000) Clinically and mammographically occult breast lesions: Detection and classification with high-resolution sonography. *Semin. Ultrasound CT MR*, **21**, 325–336
- Buerger, H., Otterbach, F., Simon, R., Poremba, C., Diallo, R., Decker, T., Riethdorf, L., Brinkschmidt, C., Dockhorn-Dworniczak, B. & Boecker, W. (1999) Comparative genomic hybridization of ductal carcinoma in situ of the breast—Evidence of multiple genetic pathways. *J. Pathol.*, **187**, 396–402
- Buerger, H., Mommers, E.C., Littmann, R., Simon, R., Diallo, R., Poremba, C., Dockhorn-Dworniczak, B., van Diest, P.J. & Boecker, W. (2001) Ductal invasive G2 and G3 carcinomas of the breast are the end stages of at least two different lines of genetic evolution. *J. Pathol.*, **194**, 165–170
- Bull, A.R. & Campbell, M.J. (1991) Assessment of the psychological impact of a breast screening programme. *Br. J Radiol.*, **64**, 510–515
- Bundred, N.J. (2001) Prognostic and predictive factors in breast cancer. *Cancer Treat. Rev.*, **27**, 137–142
- Bundred, N.J., Morgan, D.A. & Dixon, J.M. (2000) *ABC of Breast Diseases*, London, BMJ Books, pp. 44–49
- Burack, R.C., Gimotty, P.A., George, J., Stengle, W., Warbasse, L. & Moncrease, A. (1994) Promoting screening mammography in inner-city settings: A randomized controlled trial of computerized reminders as a component of a program to facilitate mammography. *Med. Care*, **32**, 609–624
- Burman, M.L., Taplin, S.H., Herta, D.F. & Elmore, J.G. (1999) Effect of false-positive mammograms on interval breast cancer screening in a health maintenance organization. *Ann. Intern. Med.*, **131**, 1–6
- Burns, R.B., Freund, K.M., Ash, A.S., Shwartz, M., Antab, L. & Hall, R. (1996) As mammography use increases, are some providers omitting clinical breast examination? *Arch. Intern. Med.*, **156**, 741–744
- Burrell, H.C., Pinder, S.E., Wilson, A.R., Evans, A.J., Yeoman, L.J., Elston, C.W. & Ellis, I.O. (1996) The positive predictive value of mammographic signs: A review of 425 non-palpable breast lesions. *Clin. Radiol.*, **51**, 277–281

- Butow, P.N., Kazemi, J.N., Beeney, L.J., Griffin, A.M., Dunn, S.M. & Tattersall, M.H. (1996) When the diagnosis is cancer: Patient communication experiences and preferences. *Cancer*, **77**, 2630–2637
- Cadman, B.A., Ostrowski, J.L. & Quinn, C.M. (1997) Invasive ductal carcinoma accompanied by ductal carcinoma in situ (DCIS): Comparison of DCIS grade with grade of invasive component. *Breast*, **6**, 132–137
- Calle, E., Flanders, W., Thun, M. & Martin, L. (1993) Demography predictors of mammography and Pap smear screening in US women. *Am. J. Public Health*, **83**, 53–60
- Campbell, H.S., Fletcher, S.W., Pilgrim, C.A., Morgan, T.M. & Lin, S. (1991) Improving physicians' and nurses' clinical breast examination: A randomized controlled trial. *Am. J. Prev. Med.*, **7**, 1–8
- Campbell, H.S., McBean, M., Mandin, H. & Bryant, H. (1994) Teaching medical students how to perform a clinical breast examination. *Acad. Med.*, **69**, 993–995
- Carstens, P.H., Greenberg, R.A., Francis, D. & Lyon, H. (1985) Tubular carcinoma of the breast. A long term follow-up. *Histopathology*, **9**, 271–280
- Carter, A.C., Feldman, J.G., Tiefer, L. & Hausdorff, J.K. (1985) Methods of motivating the practice of breast self-examination: A randomized trial. *Prev. Med.*, **14**, 555–572
- Carter, C.L., Allen, C. & Henson, D.E. (1989) Relation of tumor size, lymph node status, and survival in 24,740 breast cancer cases. *Cancer*, **63**, 181–187
- Celentano, D.D. & Holtzman, D. (1983) Breast self-examination competency: An analysis of self-reported practice and associated characteristics. *Am. J. Public Health*, **73**, 1321–1323
- Chamberlain, J., Coleman, D., Ellman, R., Moss, S., Thomas, B., Price, J., Boulter, P.S., Gibbs, N., Forrest, A.P.M., Alexander, F.E., Anderson, T.J., Kirkpatrick, A.E., Hill, A., Vessey, M., Summerly, M., Bradfield, P. & Preece, P. (1991) Sensitivity and specificity of screening in the UK trial of Early Detection of Breast Cancer. In: Miller, A.B., Chamberlain, J., Day, N.E., Hakama, M. & Prorok, P.C., eds, *Cancer Screening*, Cambridge, Cambridge University Press, pp. 3–17
- Champion, V.L. (1987) The relationship of breast self-examination to health belief model variables. *Res. Nurs. Health*, **10**, 375–382
- Chan, S. (1999) Practice of breast self-examination amongst women attending a Malaysian well person's clinic. *Med. J. Malaysia*, **54**, 433–437
- Chan, L.K., Lam, H.S., Chan, E.S., Lau, Y., Chan, M., Gwi, E. & Leung, T.Y. (1998) Mammogram screening of Chinese women in Kwong Wah Hospital, Hong Kong. *Australas. Radiol.*, **42**, 6–9
- Chang, J., Yang, W.T. & Choo, H.F. (1999) Mammography in Asian patients with BRCA1 mutations. *Lancet*, **353**, 2070–2071
- Chappelon, S. & Jestin, C. (1998) [Screening mechanism.] *Act. Dossier Santé Publique*, **25**, 36–39 (in French)
- Chattopadhyay, S.K., Hall, H.I., Wolf, R.B. & Custer, W.S. (1999) Sources of health insurance in the US: Analysis of state-level data and implications for public health programs. *J. Public Health Manag. Pract.*, **5**, 35–46.
- Chenevix-Trench, G., Spurdle, A.B., Gatei, M., Kelly, H., Marsh, A., Chen, X., Donn, K., Cummings, M., Nyholt, D., Jenkins, M.A., Scott, C., Pupo, G.M., Dork, T., Bendix, R., Kirk, J., Tucker, K., McCredie, M.R., Hopper, J.L., Sambrook, J., Mann, G.J. & Khanna, K.K. (2002) Dominant negative ATM mutations in breast cancer families. *J. Natl Cancer Inst.*, **94**, 205–215
- Chie, W.C., Huang, C.S., Chen, J.H. & Chang, K.J. (2000) Utility assessment for different clinical phases of breast cancer in Taiwan. *J. Formosa Med. Assoc.*, **99**, 677–683
- Chow, C.K., Venzon, D., Jones, E.L., Premkumar, A., O'Shaughnessy, J. & Zujewski, J.A. (2000) Effect of tamoxifen on mammographic density. *Cancer Epidemiol. Biomarkers Prev.*, **9**, 917–921
- Christiansen, C.L., Wang, F., Barton, M.B., Kreuter, W., Elmore, J.G., Gelfand, A.E. & Fletcher, S.W. (2000) Predicting the cumulative risk of false-positive mammograms. *J. Natl Cancer Inst.*, **92**, 1657–1666
- Chu, K.C., Tarone, R.E., Kessler, L.G., Ries, L.A., Hanken, B.F., Miller, B.A. & Edwards, B.K. (1996) Recent trends in US breast cancer incidence, survival, and mortality rates. *J. Natl Cancer Inst.*, **88**, 1571–1579
- Chuaqui, R.F., Zhuang, Z., Emmert-Buck, M.R., Liotta, L.A. & Merino, M.J. (1997) Analysis of loss of heterozygosity on chromosome 11q13 in atypical ductal hyperplasia and in situ carcinoma of the breast. *Am. J. Pathol.*, **150**, 297–303
- Ciatto, S., Cecchini, S., Isu, A., Maggi, A. & Cammelli, S. (1992) Determinants of non-attendance to mammographic screening. Analysis of a population sample of the screening program in the district of Florence. *Tumori*, **78**, 22–25
- Ciatto, S., del Turco, M.R., Morrone, D., Catarzi, S., Ambrogetti, D., Cariddi, A. & Zappa, M. (1995) Independent double reading of screening mammograms. *J. Med. Screen.*, **2**, 99–101
- Clark, R.M., McCulloch, P.B., Levine, M.N., Lipa, M., Wilkinson, R.H., Mahoney, L.J., Basrur, V.R., Nair, B.D., McDermot, R.S., Wong, C.S. & Corbett, P.J. (1992) Randomized clinical trial to assess the effectiveness of breast irradiation following lumpectomy and axillary dissection for node-negative breast cancer. *J. Natl Cancer Inst.*, **84**, 683–689
- Clarke, V. & Savage, S. (1999) Breast self-examination training: A brief review. *Cancer Nurs.*, **22**, 320–326
- Clayton, F. (1986) Pure mucinous carcinomas of breast: Morphologic features and prognostic correlates. *Hum. Pathol.*, **17**, 34–38
- Clover, K.A., Redman, S., Forbes, J.F., Sanson-Fisher, R.W. & Dickinson, J.A. (1992) Promotion of attendance for mammographic screening through general practice: A randomised trial of two strategies. *Med. J. Aust.*, **156**, 91–94
- Clover, K., Redman, S., Forbes, J., Sanson-Fisher, R. & Callaghan, T. (1996) Two sequential randomized trials of community participation to recruit women for mammographic screening. *Prev. Med.*, **25**, 126–134
- Coates, M., Kricker, A., & Armstrong, B. (1999) Breast cancer in NSW in 1997. Cancer information update. NSW Cancer Registry. No 7. Available at: <http://www.nswcc.org.au/cncrinfo/research/updatess/updatef.htm>
- Cobleigh, M.A., Vogel, C.L., Tripathy, D., Robert, N.J., Scholl, S., Fehrenbacher, L., Wolter, J.M., Paton, V., Shak, S., Lieberman, G. & Slamon, D.J. (1999) Multinational study of the efficacy and

- safety of humanized anti-HER2 monoclonal antibody in women who have HER2-over-expressing metastatic breast cancer that has progressed after chemotherapy for metastatic disease. *J. Clin. Oncol.*, **17**, 2639–2648
- Cockburn, J., De Luise, T., Hill, D., Hurley, S., Reading, D. & Russell, I. (1990) Boosting recruitment to breast screening programmes. *Medical J. Aust.*, **152**, 332
- Cockburn, J., Staples, M., Hurley, S.F. & De Luise, T. (1994) Psychological consequences of screening mammography. *J. Med. Screen.*, **1**, 7–12
- Cockburn, J., Sutherland, M., Cappiello, M. & Hevern, M. (1997) Predictors of attendance at a relocatable mammography service for rural women. *Aust. NZ J. Public Health*, **21**, 739–742
- Codd, M.B., Laird, O.H., Dowling, M., Dervan, P.A., Gorey, T.F., Stack, J.P., O'Herlihy, B. & Ennis, J.T. (1994) Screening for breast cancer in Ireland: The Eccles breast screening programme. *Eur. J. Cancer Prev.*, **3** (Suppl.), 21–28
- Coe, K., Harmon, M., Castro, F., Campbell, N., Mayer, J. & Elder, J. (1994) Breast self-examination: Knowledge and practices of Hispanic women in two southwestern metropolitan areas. *J. Community Health*, **19**, 433–448
- Cole, C.F. & Coleman, C. (1999) Breast imaging today and tomorrow. *Nurse Pract. Forum*, **10**, 129–136
- Coleman, E.A. & Pennypacker, H. (1991) Measuring breast self-examination proficiency. A scoring system developed from a paired comparison study. *Cancer Nurs.*, **14**, 211–217
- Coleman, E.A., Riley, M.B., Fields, F. & Prior, B. (1991) Efficacy of breast self-examination teaching methods among older women. *Oncol. Nurs. Forum*, **18**, 561–566
- Collaborative Group on Hormonal Factors in Breast Cancer (2001) Familial breast cancer: Collaborative reanalysis of individual data from 52 epidemiological studies including 58 209 women with breast cancer and 101 986 women without the disease. *Lancet*, **358**, 1389–1399
- Collette, H.J., Day, N.E., Rombach, J.J. & de Waard, F. (1984) Evaluation of screening for breast cancer in a non-randomised study (the DOM project) by means of a case-control study. *Lancet*, **1**, 1224–1226
- Collette, H.J., de Waard, F., Rombach, J.J., Collette, C. & Day, N.E. (1992) Further evidence of benefits of a (non-randomised) breast cancer screening programme: The DOM project. *J. Epidemiol. Community Health*, **46**, 382–386
- Commission of the European Communities (1996) *European Guidelines for Quality Assurance in Mammography Screening*, Europe Against Cancer Programme, Luxembourg, Office for Official Publications of the European Communities
- Commission of the European Communities (2000) *Evaluation and Monitoring of Screening Programmes*, Luxembourg, Office for Official Publications of the European Communities
- Commission of the European Communities (2001) *European Guidelines for Quality Assurance in Mammography Screening*, 3rd Ed., Europe Against Cancer Programme, Luxembourg, Office for Official Publications of the European Communities
- Committee on the Biological Effects of Ionizing Radiation (BEIR; 1990) *Health Effects of Exposure to Low Levels of Ionizing Radiation*, Washington DC, National Research Council
- Connolly, J.L., Fechner, R.E., Kempson, R.L., LiVolsi, V.A., Page, D.L., Patchefsky, A.A. & Silverberg, S.G. (1996) Recommendations for the reporting of breast carcinoma. Association of Directors of Anatomic and Surgical Pathology. *Hum. Pathol.*, **27**, 220–224
- Connor, R.J. & Prorok, P.C. (1994) Issues in the mortality analysis of randomized controlled trials of cancer screening. *Control. Clin. Trials*, **15**, 81–99
- Conry, C., Main, D., Miller, R., Iverson, D. & Calonge, B. (1993) Factors influencing mammogram ordering at the time of the office visit. *J. Fam. Pract.*, **37**, 356–360
- Consensus Conference Committee (1997) Consensus Conference on the Classification of Ductal Carcinoma In Situ. *Cancer*, **80**, 1798–1802
- Contesso, G., Mouriesse, H., Friedman, S., Genin, J., Sarrazin, D. & Rouesse, J. (1987) The importance of histologic grade in long-term prognosis of breast cancer: A study of 1,010 patients, uniformly treated at the Institut Gustave-Roussy. *J. Clin. Oncol.*, **5**, 1378–1386
- Cooper, H.S., Patchefsky, A.S. & Krall, R.A. (1978) Tubular carcinoma of the breast. *Cancer*, **42**, 2334–2342
- Cornford, E.J., Wilson, A.R., Athanassiou, E., Galea, M., Ellis, I.O., Elston, C.W. & Blamey, R.W. (1995) Mammographic features of invasive lobular and invasive ductal carcinoma of the breast: A comparative analysis. *Br. J. Radiol.*, **68**, 450–453
- Costa Rica Ministry of Health (2000) Decreto No. 28851-S, *La Gaceta: Diario oficial*, **CXXII** (No. 177), San José
- Cowan, W.K., Angus, B., Henry, J., Corbett, I.P., Reid, W.A. & Horne, C.H. (1991) Immunohistochemical and other features of breast carcinomas presenting clinically compared with those detected by cancer screening. *Br. J. Cancer*, **64**, 780–784
- Cox, B. (1997) Variation in the effectiveness of breast screening by year of follow-up. *Natl Cancer Inst. Monogr.*, **22**, 69–72
- Crane, L., Leakey, T., Rimer, B., Wolfe, P., Woodworth, M. & Warnecke, R. (1998) Effectiveness of a telephone outcall intervention to promote screening mammography among low income women. *Prev. Med.*, **25**, S39–S49
- Craun, A.M. & Deffenbacher, J.L. (1987) The effects of information, behavioral rehearsal, and prompting on breast self-exams. *J. Behav. Med.*, **10**, 351–365
- de Cremoux, P., Salomon, A.V., Liva, S., Dendale, R., Bouchind'homme, B., Martin, E., Sastre-Garau, X., Magdelenat, H., Fourquet, A. & Soussi, T. (1999) p53 mutation as a genetic trait of typical medullary breast carcinoma. *J. Natl Cancer Inst.*, **91**, 641–643
- Cutler, S.J., Black, M.M., Friedell, G.H., Vidone, R.A. & Goldenberg, I.S. (1966) Prognostic factors in cancer of the female breast. II. Reproducibility of histopathologic classification. *Cancer*, **19**, 75–82
- Cutler, S.J., Black, M.M., Mork, T., Harvey, S. & Freeman, C. (1969) Further observations on prognostic factors in cancer of the female breast. *Cancer*, **24**, 653–667
- Cuzick, J., Edwards, R. & Segnan, N. (1997) Adjusting for non-compliance and contamination in randomized clinical trials. *Stat. Med.*, **16**, 1017–1029
- Cuzick, J., Holland, R., Barth, V., Davies, R., Faupel, M., Fentiman, I., Frischbier, H.J., Lamarque, J.L., Merson, M., Sacchini, V., Vanelli, D. & Veronesi, U. (1998) Electropotential measurements as a new

- diagnostic modality for breast cancer. *Lancet*, **352**, 359–363
- Dalton, L.W., Page, D.L. & Dupont, W.D. (1994) Histologic grading of breast carcinoma. A reproducibility study. *Cancer*, **73**, 2765–2770
- Davis, B.W., Gelber, R., Goldhirsch, A., Hartmann, W.H., Hollaway, L., Russell, I. & Rudenstam, C.M. (1985) Prognostic significance of peritumoral vessel invasion in clinical trials of adjuvant therapy for breast cancer with axillary lymph node metastasis. *Hum. Pathol.*, **16**, 1212–1218
- Davis, N., Nash, E., Bailey, C., Lewis, M., Rimer, B. & Koplan, J. (1997) Evaluation of three methods for improving mammography rates in a managed care plan. *Am. J. Prev. Med.*, **13**, 298–302
- Dawson, P.J., Ferguson, D.J. & Garrison, T. (1982) The pathological findings of breast cancer in patients surviving 25 years after radical mastectomy. *Cancer*, **50**, 2131–2138
- Day, N.E. (1985) Estimating the sensitivity of a screening test. *J. Epidemiol. Community Health*, **39**, 364–366
- Day, N.E. (1991) Screening for breast cancer. *Br. Med. Bull.*, **47**, 400–415
- Day, N.E. & Duffy, S.W. (1996) Trial design based on surrogate endpoints—Application to comparison of different screening frequencies. *J. R. Stat. Soc.*, **159**, 49–60
- Day, N.E. & Walter, S.D. (1984) Simplified models of screening for chronic disease: Estimation procedures from mass screening programmes. *Biometrics*, **40**, 1–14
- Day, N.E., Walter, S.D., Tabar, L., Fagerberg, C.J.B. & Collette, H.J.A. (1988) The sensitivity and lead time of breast cancer screening: A comparison of the results of different studies. In: Day, N.E. & Miller, A.B., eds, *Screening for Breast Cancer*, Toronto, Hans Huber, pp. 105–110
- Day, N.E., Williams, D.R.R. & Khaw, K.T. (1989) Breast cancer screening programmes: The development of a monitoring and evaluation system. *Br. J. Cancer*, **59**, 954–958
- Day, N., McCann, J., Camilleri-Ferrante, C., Britton, P., Hurst, G., Cush, S. & Duffy, S. (1995) Monitoring interval cancers in breast screening programmes: The East Anglian experience. Quality assurance management group of the East Anglian breast screening programme. *J. Med. Screen.*, **2**, 180–185
- Dean, L. & Geshchchter, C.F. (1938) Comedocarcinoma of the breast. *Arch. Surg.*, **36**, 225–234
- Dean, P.B. & Pamilo, M. (1999) Screening mammography in Finland—1.5 million examinations with 97 percent specificity. Mammography Working Group, Radiological Society of Finland. *Acta Oncol.*, **38** (Suppl. 13), 47–54
- Demissie, K., Mills, O.F. & Rhoads, G.G. (1998) Empirical comparison of the results of randomized controlled trials and case-control studies in evaluating the effectiveness of screening mammography. *J. Clin. Epidemiol.*, **51**, 81–91
- Denton, E.R. & Field, S. (1997) Just how valuable is double reporting in screening mammography? *Clin. Radiol.*, **52**, 466–468
- Desnick, L., Taplin, S., Taylor, V., Coole, D. & Urban, N. (1999) Clinical breast examination in primary care: Perceptions and predictors among three specialties. *J. Women's Health*, **8**, 389–397
- Diab, S.G., Clark, G.M., Osborne, C.K., Libby, A., Allred, D.C. & Elledge, R.M. (1999) Tumor characteristics and clinical outcome of tubular and mucinous breast carcinomas. *J. Clin. Oncol.*, **17**, 1442–1448
- Dietrich, A., O'Connor, G., Keller, A., Carney, P., Levy, D. & Whaley, F. (1992) Cancer: Improving early detection and prevention. A community practice randomised trial. *Br. Med. J.*, **304**, 687–691
- van Dijck, J.A., Holland, R., Verbeek, A.L., Hendriks, J.H. & Mravunac, M. (1994) Efficacy of mammographic screening of the elderly: A case-referent study in the Nijmegen program in The Netherlands. *J. Natl Cancer Inst.*, **86**, 934–938
- van Dijck, J.A., Verbeek, A.L., Beex, L.V., Hendriks, J.H., Holland, R., Mravunac, M., Straatman, H. & Werre, J.M. (1996) Mammographic screening after the age of 65 years: Evidence for a reduction in breast cancer mortality. *Int. J. Cancer*, **66**, 727–731
- Dinnes, J., Moss, S., Melia, J., Blanks, R., Song, F. & Kleijnen, J. (2001) Effectiveness and cost-effectiveness of double reading of mammograms in breast cancer screening: Findings of a systematic review. *Breast*, **10**, 455–463
- Dixon, J.M., Anderson, T.J., Page, D.L., Lee, D. & Duffy, S.W. (1982) Infiltrating lobular carcinoma of the breast. *Histopathology*, **6**, 149–161
- Dixon, J.M., Page, D.L., Anderson, T.J., Lee, D., Elton, R.A., Stewart, H.J. & Forrest, A.P. (1985) Long-term survivors after breast cancer. *Br. J. Surg.*, **72**, 445–448
- Dixon-Woods, M., Baum, M. & Kurinczuk, J. (2001) Letter to the Editor: Screening for breast cancer with mammography. *Lancet*, **358**, 2166–2167
- Doll, R., Payne, P. & Waterhouse, J., eds (1966) *Cancer Incidence in Five Continents. A Technical Report*, Heidelberg, Springer Verlag
- Doll, R., Muir, C. & Waterhouse, J., eds (1970) *Cancer Incidence in Five Continents, Volume II*, Heidelberg, Springer Verlag
- Donabedian, A. (1980) *Explorations in Quality Assessment and Monitoring*, Vol. I, *The Definition of Quality and Approaches to Its Assessment*, Chicago, Health Administration Press
- Donato, F., Bollani, A., Spiazzi, R., Soldo, M., Pasquale, L., Monarca, S., Lucini, L. & Nardi, G. (1991) Factors associated with non-participation of women in a breast cancer screening programme in a town in northern Italy. *J. Epidemiol. Community Health*, **45**, 59–64
- van Dongen, J.A., Fentiman, I.S., Harris, J.R., Holland, R., Peterse, J.L., Salvadori, B. & Stewart, H.J. (1989) In-situ breast cancer: The EORTC consensus meeting. *Lancet*, **ii**, 25–27
- van Dongen, J.A., Holland, R., Peterse, J.L., Fentiman, I.S., Lagios, M.D., Millis, R.R. & Recht, A. (1992a) Ductal carcinoma in-situ of the breast: Second EORTC consensus meeting. *Eur. J. Cancer*, **28**, 626–629
- van Dongen, J.A., Bartelink, H., Fentiman, I.S., Lerut, T., Mignolet, F., Olthuis, G., van der Scheueren, E., Sylvester, R., Winter, J. & van Zijl, K. (1992b) Randomized clinical trial to assess the value of breast-conserving therapy in stage I and II breast cancer, EORTC 10801 trial. *Natl. Cancer Inst. Monogr.*, **15**–18
- van Dongen, J.A., Voogd, A.C., Fentiman, I.S., Legrand, C., Sylvester, R.J., Tong, D., van der Scheueren, E., Helle, P.A., van Zijl, K. & Bartelink, H. (2000) Long-term results of a randomized trial comparing breast-conserving therapy with mastectomy: European Organization for Research and Treatment of Cancer 10801 trial. *J. Natl. Cancer Inst.*, **92**, 1143–1150

- Dork, T., Bendix, R., Bremer, M., Rades, D., Klopper, K., Nicke, M., Skawran, B., Hector, A., Yamini, P., Steinmann, D., Weise, S., Stuhrmann, M. & Karstens, J.H. (2001) Spectrum of ATM gene mutations in a hospital-based series of unselected breast cancer patients. *Cancer Res.*, **61**, 7608–7615
- Dorsay, R.H., Cuneo, W.D., Somkin, C.P. & Tekawa, I.S. (1988) Breast self-examination: Improving competence and frequency in a classroom setting. *Am. J. Public Health*, **78**, 520–522
- Douglas-Jones, A.G., Gupta, S.K., Attanoos, R.L., Morgan, J.M. & Mansel, R.E. (1996) A critical appraisal of six modern classifications of ductal carcinoma in situ of the breast (DCIS): Correlation with grade of associated invasive carcinoma. *Histopathology*, **29**, 397–409
- Duffy, S.W. & Tabár, L. (2000) Screening mammography re-evaluated. *Lancet*, **355**, 747–748
- Duffy, S.W., Day, N.E., Tabár, L., Chen, H.H. & Smith, T.C. (1997) Markov models of breast tumor progression: Some age-specific results. *Natl Cancer Inst. Monogr.*, **22**, 93–97
- Dupont, W.D. & Page, D.L. (1985) Risk factors for breast cancer in women with proliferative breast disease. *New Engl. J. Med.*, **312**, 146–151
- Dupont, W.D., Parl, F.F., Hartmann, W.H., Brinton, L.A., Winfield, A.C., Worrell, J.A., Schuyler, P.A. & Plummer, W.D. (1993) Breast cancer risk associated with proliferative breast disease and atypical hyperplasia. *Cancer*, **71**, 1258–1265
- Dupont, W.D., Page, D.L., Parl, F.F., Vnencak-Jones, C.L., Plummer, W.D., Jr, Rados, M.S. & Schuyler, P.A. (1994) Long-term risk of breast cancer in women with fibroadenoma. *New Engl. J. Med.*, **331**, 10–15
- Eggertsen, S.C., Berg, A.O. & Moe, R.E. (1983) An evaluation of individual components of breast self-examination. *J. Fam. Pract.*, **17**, 921–922
- Eisinger, F., Jacquemier, J., Charpin, C., Stoppa-Lyonnet, D., Bressac-de Paillerets, B., Peyrat, J.P., Longy, M., Guinebretiere, J.M., Sauvan, R., Noguchi, T., Birnbaum, D. & Sobol, H. (1998) Mutations at BRCA1: The medullary breast carcinoma revisited. *Cancer Res.*, **58**, 1588–1592
- Ellis, L.M. & Fidler, I.J. (1995) Angiogenesis and breast cancer metastasis. *Lancet*, **346**, 388–390
- Ellis, I.O., Galea, M., Broughton, N., Locker, A., Blamey, R.W. & Elston, C.W. (1992) Pathological prognostic factors in breast cancer. II. Histological type. Relationship with survival in a large study with long-term follow-up. *Histopathology*, **20**, 479–489
- Ellis, I.O., Galea, M.H., Locker, A., Rocbuck, E.J., Elston, C.W., Blamey, R.W. & Wilson, A.R. (1993) Early experience in breast cancer screening: Emphasis on development of protocols for triple assessment. *Breast*, **2**, 148–153
- Ellman, R., Angel, N., Christians, A., Moss, S., Chamberlain, J. & Maguire, P. (1989) Psychiatric morbidity associated with screening for breast cancer. *Br. J. Cancer*, **60**, 781–784
- Ellman, R., Moss, S.M., Coleman, D. & Chamberlain, J. (1993) Breast self-examination programmes in the trial of early detection of breast cancer: Ten year findings. *Br. J. Cancer*, **68**, 208–212
- Elmore, J.G., Wells, C.K., Lee, C.H., Howard, D.H. & Feinstein, A.R. (1994) Variability in radiologists' interpretations of mammograms. *New Engl. J. Med.*, **331**, 1493–1499
- Elmore, J.G., Barton, M.B., Moceri, V.M., Polk, S., Arena, P.J. & Fletcher, S.W. (1998) Ten-year risk of false positive screening mammograms and clinical breast examinations. *New Engl. J. Med.*, **338**, 1089–1096
- Elson, B.C., Helvie, M.A., Frank, T.S., Wilson, T.E. & Adler, D.D. (1993) Tubular carcinoma of the breast: Mode of presentation, mammographic appearance, and frequency of nodal metastases. *Am. J. Roentgenol.*, **161**, 1173–1176
- Elston, C.W. & Ellis, I.O. (1991) Pathological prognostic factors in breast cancer. I. The value of histological grade in breast cancer: Experience from a large study with long-term follow-up. *Histopathology*, **19**, 403–410
- Elston, C.W. & Ellis, I.O. (1998) *Systemic Pathology*, London, Churchill Livingstone
- Elston, C.W., Gresham, G.A., Rao, G.S., Zebro, T., Haybittle, J.L., Houghton, J. & Kearney, G. (1982) The Cancer Research Campaign (King's/Cambridge) trial for early breast cancer: Clinico-pathological aspects. *Br. J. Cancer*, **45**, 655–669
- Ernster, V.L., Barclay, J., Kerlikowske, K., Grady, D. & Henderson, C. (1996) Incidence of and treatment for ductal carcinoma in situ of the breast. *J. Am. Med. Assoc.*, **275**, 913–918
- Ernster, V.L., Barclay, J., Kerlikowske, K., Wilkie, H. & Ballard-Barbash, R. (2000) Mortality among women with ductal carcinoma in situ of the breast in the population-based Surveillance, Epidemiology and End Results program. *Arch. Intern. Med.*, **160**, 953–958
- Esserman, L., Cowley, H., Eberle, C., Kirkpatrick, A., Chang, S., Berbaum, K. & Gale, A. (2002) Improving the accuracy of mammography: Volume and outcome relationships. *J. Natl Cancer Inst.*, **94**, 369–375
- European Network of Cancer Registries (2001) *Euromic Version 4.0*, Lyon, IARC
- Eusebi, V., Foschini, M.P., Cook, M.G., Berrino, F. & Azzopardi, J.G. (1989) Long-term follow-up of in situ carcinoma of the breast with special emphasis on clinging carcinoma. *Semin. Diagn. Pathol.*, **6**, 165–173
- Evans, A., Pinder, S., Wilson, R., Sibbering, M., Poller, D., Elston, C. & Ellis, I. (1994a) Ductal carcinoma in situ of the breast: Correlation between mammographic and pathologic findings. *Am. J. Roentgenol.*, **162**, 1307–1311
- Evans, A.J., Pinder, S., Ellis, I.O., Sibbering, M., Elston, C.W., Poller, D.N. & Wilson, R. (1994b) Screening-detected and symptomatic ductal carcinoma in situ: Mammographic features with pathologic correlation. *Radiology*, **191**, 237–240
- Evans, A.J., Pinder, S.E., Snead, D.R., Wilson, A.R., Ellis, I.O. & Elston, C.W. (1997) The detection of ductal carcinoma in situ at mammographic screening enables the diagnosis of small, grade 3 invasive tumours. *Br. J. Cancer*, **75**, 542–544
- Evans, A.J., Pinder, S.E., Burrell, H.C., Ellis, I.O. & Wilson, A.R. (2001a) Detecting which invasive cancers at mammographic screening saves lives? *J. Med. Screen.*, **8**, 86–90
- Evans, A.J., Pinder, S.E., Ellis, I.O., Wilson, A.R. (2001b) Screen detected ductal carcinoma in situ (DCIS): Overdiagnosis or an obligate precursor of invasive disease? *J. Med. Screen.*, **8**, 149–151

- Fajardo, L.L., Hillman, B.J. & Frey, C. (1988) Correlation between breast parenchymal patterns and mammographers' certainty of diagnosis. *Invest. Radiol.*, **23**, 505–508
- Feig, S.A. (1984) Radiation risk from mammography: Is it clinically significant? *Am. J. Roentgenol.*, **143**, 469–475
- Feig, S.A. & Hendrick, R.E. (1997) Radiation risk from screening mammography of women aged 40–49 years. *Natl Cancer Inst. Monogr.*, **22**, 119–124
- Feldman, J.G., Carter, A.C., Nicastri, A.D. & Hosat, S.T. (1981) Breast self-examination, relationship to stage of breast cancer at diagnosis. *Cancer*, **47**, 2740–2745
- Ferguson, D.J., Meier, P., Karrison, T., Dawson, P.J., Straus, F.H. & Lowenstein, F.E. (1982) Staging of breast cancer and survival rates. An assessment based on 50 years of experience with radical mastectomy. *J. Am. Med. Assoc.*, **248**, 1337–1341
- Ferlay, J., Pisani, P. & Parkin, D.M., eds (2001) Globocan 2000 (IARC Cancer Base No 5), Lyon, IARCP
- Ferro, S., Caroli, A., Nanni, O., Biggeri, A. & Gambi, A. (1996) A randomized trial on breast self-examination in Faenza (northern Italy). *Tumori*, **82**, 329–334
- Fine, M., Rimer, B. & Watts, P. (1993) Women's responses to the mammography experience. *J. Am. Board Fam. Pract.*, **6**, 546–555
- Fisher, B. & Saffer, E. (1989) Presence of a growth-stimulating factor in serum following primary tumour removal in mice. *Cancer Res.*, **49**, 1996–2001
- Fisher, B., Carbone, P.C., Economou, S.G., Frelick, R., Glass, A., Lerner, H., Redmond, C., Zelen, M., Band, P., Katrych, D.L., Wolmark, N. & Fisher, E.R. (1975) L-Phenylalanine mustard (L-PAM) in the management of primary breast cancer. A report of early findings. *New Engl. J. Med.*, **292**, 117–122
- Fisher, E.R., Gregorio, R.M., Fisher, B., Redmond, C., Vellios, F. & Sommers, S.C. (1975) The pathology of invasive breast cancer. A syllabus derived from findings of the National Surgical Adjuvant Breast Project (Protocol No. 4). *Cancer*, **36**, 1–85
- Fisher, E.R., Gregorio, R.M., Redmond, C. & Fisher, B. (1977) Tubulolobular invasive breast cancer: A variant of lobular invasive cancer. *Hum. Pathol.*, **8**, 679–683
- Fisher, E.R., Sass, R. & Fisher, B. (1984) Pathologic findings from the National Surgical Adjuvant Project for Breast Cancers (Protocol No. 4). X. Discriminants for tenth year treatment failure. *Cancer*, **53**, 712–723
- Fisher, B., Redmond, C., Poisson, R., Margolese, R., Wolmark, N., Wickerham, L., Fisher, E., Deutsch, M., Caplan, R., Pilch, Y., Glass, A., Shibata, H., Lerner, H., Terz, J. & Sidorovich, L. (1989) Eight-year results of a randomized clinical trial comparing total mastectomy and lumpectomy with or without irradiation in the treatment of breast cancer. *New Engl. J. Med.*, **320**, 822–828
- Fisher, E.R., Kenny, J.P., Sass, R., Dimitrov, N.V., Siderits, R.H. & Fisher, B. (1990) Medullary cancer of the breast revisited. *Breast Cancer Res. Treat.*, **16**, 215–229
- Fisher, B., Wickerham, D.L. & Redmont, C. (1992) Recent developments in the use of systemic adjuvant therapy for the treatment of breast cancer. *Semin. Oncol.*, **19**, 263–277
- Fisher, B., Anderson, S., Redmond, C.K., Wolmark, N., Wickerham, D.L. & Cronin, W.M., (1995) Reanalysis and results after 12 years of follow-up in a randomized clinical trial comparing total mastectomy with lumpectomy with or without irradiation in the treatment of breast cancer. *New Engl. J. Med.*, **333**, 1456–1461
- Fisher, E.R., Costantino, J., Fisher, B., Palekar, A.S., Paik, S.M., Suarez, C.M. & Wolmark, N. (1996) Pathologic findings from the National Surgical Adjuvant Breast Project (NSABP) Protocol B-17. Five-year observations concerning lobular carcinoma in situ. *Cancer*, **78**, 1403–1416
- Fisher, B., Dignam, J., Wolmark, N., DeCillis, A., Emir, B., Wickerham, D.L., Bryant, J., Dimitrov, N.V., Abramson, N., Atkins, J.N., Shibata, H., Deschenes, L. & Margolese, R.G. (1997) Tamoxifen and chemotherapy for lymph node-negative, estrogen receptor-positive breast cancer. *J. Natl Cancer Inst.*, **89**, 1673–1682
- Fisher, E.R., Dignam, J., Tan-Chiu, E., Costantino, J., Fisher, B., Paik, S. & Wolmark, N. (1999) Pathologic findings from the National Surgical Adjuvant Breast Project (NSABP) eight-year update of Protocol B-17: Intraductal carcinoma. *Cancer*, **86**, 429–438
- Fishman, P., Taplin, S., Meyer, D. & Barlow, W. (2000) Cost-effectiveness of strategies to enhance mammography use. *Effective Clin. Pract.*, **3**, 213–220
- Fitzgibbons, P.L., Page, D.L., Weaver, D., Thor, A.D., Allred, D.C., Clark, G.M., Ruby, S.G., O'Malley, F., Simpson, J.F., Connolly, J.L., Hayes, D.F., Edge, S.B., Lichter, A. & Schnitt, S.J. (2000) Prognostic factors in breast cancer. College of American Pathologists Consensus Statement 1999. *Arch. Pathol. Lab. Med.*, **124**, 966–978
- Flagiello, D., Gerbault-Seureau, M., Sastre-Garau, X., Padov, E., Vielh, P., Dutrillaux, B. (1998) Highly recurrent der(1;16)(q10;p10) and other 16q arm alterations in lobular breast cancer. *Genes Chromosomes Cancer*, **23**, 300–306
- Fletcher, S.W. (1997) Whither scientific deliberation in health policy recommendations?—Alice in the wonderland of breast-cancer screening. *New Engl. J. Med.*, **336**, 1180–1183
- Fletcher, S.W., O'Malley, M.S. & Bunce, L.A. (1985) Physicians' abilities to detect lumps in silicone breast models. *J. Am. Med. Assoc.*, **253**, 2224–2228
- Fletcher, S.W., Morgan, T.M., O'Malley, M.S., Earp, J.A. & Degnan, D. (1989) Is breast self-examination predicted by knowledge, attitudes, beliefs, or sociodemographic characteristics? *Am. J. Prev. Med.*, **5**, 207–215
- Fletcher, S.W., O'Malley, M.S., Earp, J.L., Morgan, T.M., Lin, S. & Degnan, D. (1990) How best to teach women breast self-examination. A randomized controlled trial. *Ann. Intern. Med.*, **112**, 772–779
- Fletcher, S.W., Black, W., Harris, R., Rimer, B.K. & Shapiro, S. (1993) Report of the International Workshop on Screening for Breast Cancer. *J. Natl Cancer Inst.*, **85**, 1644–1656
- Flynn, B., Gavin, P., Worden, J., Ashikaga, T., Gautam, S. & Carpenter, J. (1997) Community education programs to promote mammography participation in rural New York State. *Prev. Med.*, **26**, 102–108
- Food & Drug Administration (1997) *Quality Mammography Standards. Final Rule*. 21 CFR Parts 16 and 900 [Docket No. 95N-0192], (RIN 0910-AA24), Washington DC, Department of Health and Human Services, pp. 55852–55873
- Ford, D., Easton, D.F., Stratton, M., Narod, S., Goldgar, D., Devilee, P., Bishop, D.T.,

- Weber, B., Lenoir, G., Chang-Claude, J., Sobol, H., Teare, M.D., Struwing, J., Arason, A., Scherneck, S., Peto, J., Rebbeck, T.R., Tonin, P., Neuhausen, S., Barkardottir, R., Eyfjord, J., Lynch, H., Ponder, B.A., Gayther, S.A. & Zelada-Hedman, M. (1998) Genetic heterogeneity and penetrance analysis of the BRCA1 and BRCA2 genes in breast cancer families. The Breast Cancer Linkage Consortium. *Am. J. Hum. Genet.*, **62**, 676–689
- Forrest, A.P. (1986) *Breast Cancer Screening: Report to the Health Ministers of England, Wales, Scotland and Northern Ireland*, London, Her Majesty's Stationery Office
- Foster, R.S., Jr & Costanza, M.C. (1984) Breast self-examination practices and breast cancer survival. *Cancer*, **53**, 999–1005.
- Foucar, E. (1996) Carcinoma-in-situ of the breast: Have pathologists run amok? *Lancet*, **347**, 707–708
- Fowler, B.A. (2000) Variability in mammography screening legislation across the states. *J. Women's Health Gender-based Med.*, **9**, 175–184
- Fox, S. & Roetzheim, R. (1994) Screening mammography and older Hispanic women: Current status and issues. *Cancer*, **74**, 2028–2033
- Fox, S., Siu, A. & Stein, J. (1994) The importance of physician communication on breast cancer screening of older women. *Arch. Intern. Med.*, **154**, 2058–2068
- Fox, S.A., Pitkin, K., Paul, C., Carson, S. & Duan, N. (1998) Breast cancer screening adherence: Does church attendance matter? *Health Educ. Behav.*, **25**, 742–758
- Fracheboud, J., de Koning, H.J., Beemsterboer, P.M., Boer, R., Hendriks, J.H., Verbeek, A.L., van Ineveld, B.M., de Bruyn, A.E. & van der Maas, P.J. (1998) Nation-wide breast cancer screening in The Netherlands: Results of initial and subsequent screening 1990–1995. National evaluation team for breast cancer screening. *Int. J. Cancer*, **75**, 694–698
- Fracheboud, J., de Koning, H.J., Beemsterboer, P.M., Boer, R., Verbeek, A.L., Hendriks, J.H., van Ineveld, B.M., Broeders, M.J., de Bruyn, A.E. & van der Maas, P.J. (1999) Interval cancers in the Dutch breast cancer screening programme. *Br. J. Cancer*, **81**, 912–917
- Fracheboud, J., Otto, S.J., Groenewoud, J.H., van Ineveld, B.M., Broeders, M.J.M., Verbeek, A.L.M., Hendriks, J.H.C.L., de Bruyn, A.E., van der Maas, P.J. & de Koning, H.J. (2001a) *Nationwide Evaluation of Breast Cancer Screening among the Dutch Population*, Rotterdam, Department of Public Health, Erasmus University
- Fracheboud, J., de Koning, H.J., Boer, R., Groenewoud, J.H., Verbeek, A.L., Broeders, M.J., van Ineveld, B.M., Hendriks, J.H., de Bruyn, A.E., Holland, R. & van der Maas, P.J. (2001b) Nationwide breast cancer screening programme fully implemented in the Netherlands. *Breast*, **10**, 6–11
- Frank, J.W. & Mai, V. (1985) Breast self-examination in young women: More harm than good? *Lancet*, **ii**, 654–657
- Frank, E., Rimer, B., Brogan, D. & Elon, L. (2000) US women physicians' personal and clinical breast cancer screening practices. *J. Women's Health Gender-based Med.*, **9**, 791–801
- Frankel, S.D., Sickles, E.A., Curpen, B.N., Sollitto, R.A., Ominsky, S.H. & Galvin, H.B. (1995) Initial versus subsequent screening mammography: Comparison of findings and their prognostic significance. *Am. J. Roentgenol.*, **164**, 1107–1109
- Frazier, E.L., Jiles, R.B. & Mayberry, R. (1996a) Use of screening mammography and clinical breast examinations among black, Hispanic and white women. *Prev. Med.*, **25**, 118–125
- Frazier, E.L., Okoro, C.A., Smith, C. & McQueen, D.V. (1996b) State- and sex-specific prevalence of selected characteristics—Behavioral Risk Factor Surveillance System, 1992 and 1993. *Morbid. Mortal. Weekly Rep.*, **45**, 1–36
- Freer, T.W. & Ulissey, M.J. (2001) Screening mammography with computer-aided detection: Prospective study of 12,860 patients in a community breast center. *Radiology*, **220**, 781–786
- Friedman, D.R. & Dubin, N. (1991) Case-control evaluation of breast cancer screening efficacy. *Am. J. Epidemiol.*, **133**, 974–984
- Friedman, L., Moore, A., Webb, J. & Puryear, L. (1999) Breast cancer screening among ethnically diverse low-income women in a general hospital psychiatry clinic. *Gen. Hosp. Psychiatry*, **21**, 374–381
- Friedrich, M. (1975) The effect of scatter on film quality in mammography. *RöFo Fortschr. Geb. Röntgenstr. Nuklearmed.*, **123**, 556–566
- Frierson, H.F., Jr, Wolber, R.A., Berean, K.W., Franquemont, D.W., Gaffey, M.J., Boyd, J.C. & Wilbur, D.C. (1995) Interobserver reproducibility of the Nottingham modification of the Bloom and Richardson histologic grading scheme for infiltrating ductal carcinoma. *Am. J. Clin. Pathol.*, **103**, 195–198
- Frisell, J., Glas, U., Hellstrom, L. & Somell, A. (1986) Randomized mammographic screening for breast cancer in Stockholm. Design, first round results and comparisons. *Breast Cancer Res. Treat.*, **8**, 45–54
- Frixen, U.H., Behrens, J., Sachs, M., Eberle, G., Voss, B., Warda, A., Lochner, D., Birchmeier, W. (1991) E-Cadherin-mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. *J. Cell. Biol.*, **113**, 173–185.
- Fujii, H., Szumel, R., Marsh, C., Zhou, W.B. & Gabrielson, E. (1996) Genetic progression, histological grade, and allelic loss in ductal carcinoma in situ of the breast. *Cancer Res.*, **56**, 5260–5265
- Fukuda, M., Shimizu, K., Okamoto, N., Arimura, T., Ohta, T., Yamaguchi, S. & Faupel, M.L. (1996) Prospective evaluation of skin surface electropotentials in Japanese patients with suspicious breast lesions. *Jpn. J. Cancer Res.*, **87**, 1092–1096
- Fung, S. (1998) Factors associated with breast self-examination behaviour among Chinese women in Hong Kong. *Patient Educ. Couns.*, **33**, 233–243
- Galea, M.H., Blamey, R.W., Elston, C.E. & Ellis, I.O. (1992) The Nottingham Prognostic Index in primary breast cancer. *Breast Cancer Res. Treat.*, **22**, 207–219
- Gallager, H.S. & Martin, J.E. (1971) An orientation to the concept of minimal carcinoma. *Cancer*, **28**, 1505–1507
- Gamallo, C., Palacios, J., Suarez, A., Pizarro, A., Navarro, P., Quintanilla, M. & Cano, A. (1993) Correlation of E-cadherin expression with differentiation grade and histological type in breast carcinoma. *Am. J. Pathol.*, **142**, 987–993
- Gao, Y.T., Shu, X.O., Dai, Q., Potter, J.D., Brinton, L.A., Wen, W., Sellers, T.A., Kushi, L.H., Ruan, Z., Bostick, R.M., Jin, F. & Zheng, W. (2000) Association of menstrual

- and reproductive factors with breast cancer risk: Results from the Shanghai breast cancer study. *Int. J. Cancer*, **87**, 295–300
- Garas, I., Pateras, H., Triandafilou, D., Georgountzos, V., Mihas, A., Abatzoglou, M. & Trichopoulos, D. (1994) Breast cancer screening in southern Greece. *Eur. J. Cancer Prev.*, **3** (Suppl.), 35–39
- Gästrin, G. (1981) *Breast Cancer Control*, Stockholm, Almquist & Wilsell International
- Garne, J.P., Aspegren, K. & Balldin, G. (1996) Breast cancer as cause of death—A study over the validity of the officially registered cause of death in 2631 breast cancer patients dying in Malmö, Sweden 1964–1992. *Acta Oncol.*, **35**, 671–675
- Gästrin, G., Miller, A.B., To, T., Aronson, K.J., Wall, C., Hakama, M., Louhivuori, K. & Pukkala, E. (1994) Incidence and mortality from breast cancer in the Mama Program for Breast Screening in Finland, 1973–1986. *Cancer*, **73**, 2168–2174
- Gaudette, L.A., Altmayer, C.A., Nobrega, M.P. & Lee, J. (1996) Trends in mammography utilization, 1981 to 1994. *Health Rep.*, **8**, 17–27
- Geddes, M., Parkin, D.M., Khlat, M., Balzi, D. & Buiatti, E., eds (1993) *Cancer in Italy: Incidence and Mortality* (IARC Scientific Publications No. 123), Lyon, IARCP
- Geoffroy-Perez, B., Janin, N., Ossian, K., Lauge, A., Croquette, M.F., Griselli, C., Debre, M., Bressac-de-Paillerets, B., Aurias, A., Stoppa-Lyonnet, D. & Andrieu, N. (2001) Cancer risk in heterozygotes for ataxia-telangiectasia. *Int. J. Cancer*, **93**, 288–293
- van Gessel-Daukaussen, A. & de Koning, H. (1995) Participating in population survey programme for breast cancer. *Mndbar Gezondh.*, **4**, 1–12
- Gilbert, F.J., Cordiner, C.M., Affleck, I.R., Hood, D.B., Mathieson, D. & Walker, L.G. (1998) Breast screening: The psychological sequelae of false-positive recall in women with and without a family history of breast cancer. *Eur. J. Cancer*, **34**, 2010–2014
- Giles, J., Kennedy, D., Dunn, E., Wallace, W., Meadows, S. & Cafiero, A. (2001) Results of a community pharmacy-based breast cancer risk-assessment and education program. *Pharmacotherapy*, **21**, 243–253
- van Gils, C.H., Otten, J.D., Verbeek, A.L., Hendriks, J.H. & Holland, R. (1998) Effect of mammographic breast density on breast cancer screening performance: A study in Nijmegen, The Netherlands. *J. Epidemiol. Community Health*, **52**, 267–271
- Giordano, L., Giorgi, D., Fasolo, G., Segnan, N. & Rosselli del Turco, M. (1996) Breast cancer screening: Characteristics and results of the Italian programmes in the Italian group for planning and evaluating breast cancer screening programmes (GISMA). *Tumori*, **82**, 31–37
- Giorgi, D., Paci, E., Zappa, M. & Rosselli del Turco, M. (1994) Breast cancer early diagnosis experience in Florence: Can a self referral policy achieve the results of service screening? *J. Epidemiol. Community Health*, **48**, 471–475
- Giorgi, D., Giordano, L., Senore, C., Merlino, G., Negri, R., Cancian, M., Lerda, M., Segnan, N. & Rosselli del Turco, M. (2000) General practitioners and mammographic screening uptake: influence of different modalities of general practitioner participation. Working Group. *Tumori*, **86**, 124–129
- Given-Wilson, R.M. & Blanks, R.G. (1999) Incident screening cancers detected with a second mammographic view: Pathological and radiological features. *Clin. Radiol.*, **54**, 724–735
- Given-Wilson, R., Blanks, R., Moss, S.M., Ansell, J., Carter, R., Cooke, J., Dabon, L., Given-Wilson, R., Horton, P., Kissin, M., Rockall, L., Rust, A., Smee, S., Toon, E. & Vecchi, P. (1999) An evaluation of breast cancer screening in the South West (West) Region of the UK NHS Breast Screening Programme: The first 10 years. *Breast*, **8**, 66–71
- GIVIO (1991) Practice of breast self-examination: Disease extent at diagnosis and patterns of surgical care. A report from an Italian study. *J. Epidemiol. Community Health*, **45**, 112–116
- GIVIO (1994) Impact of follow-up testing on survival and health-related quality of life in breast cancer patients. A multicenter randomized controlled trial. The GIVIO Investigators. *J. Am. Med. Assoc.*, **271**, 1587–1592
- Glanz, K., Resch, N., Lerman, C., Blake, A., Gorchoff, P. & Rimer, B. (1992) Factors associated with adherence to breast cancer screening among working women. *J. Occup. Med.*, **34**, 1071–1078
- Glasziou, P.P. (1992) Meta-analysis adjusting for compliance: The example of screening for breast cancer. *J. Clin. Epidemiol.*, **45**, 1251–1256
- Glasziou, P., Irwig, L., Bain, C. & Colditz, G. (1999) How to review the evidence: Systematic identification and review of the scientific literature. In: *Handbook Series on Preparing Clinical Practice Guidelines*, Cambridge, Cambridge University Press, pp. 1–115
- Glockner, S., Holden, M., Hilton, S. & Norcross, W. (1992) Women's attitudes toward screening mammography. *Am. J. Prev. Med.*, **8**, 69–77
- Goffin, J., Chappuis, P., Wong, N. & Foulkes, W.D. (2001) Magnetic resonance imaging and mammography in women with a high hereditary risk of breast cancer. *J. Natl Cancer Inst.*, **93**, 1754–1755
- Gohagan, J.K., Darby, W.P., Spitznagel, E.L., Monsees, B.S. & Tome, A.E. (1986) Radiogenic breast cancer effects of mammographic screening. *J. Natl Cancer Inst.*, **77**, 71–76
- Goldschmidt, R.A. & Victor, T.A. (1996) Lobular carcinoma in situ of the breast. *Semin. Surg. Oncol.*, **12**, 314–320
- Gornick, M.E., Eggers, P.W., Reilly, T.W., Mentnech, R.M., Fitterman, L.K. & Kucken, L.E. (1996) Effects of race and income on mortality and use of services among Medicare beneficiaries. *New Engl. J. Med.*, **335**, 791–799
- Gotzsche, P.C. & Olsen, O. (2000) Is screening for breast cancer with mammography justifiable? *Lancet*, **355**, 129–134
- Gould-Martin, K., Paganini-Hill, A., Casagrande, C., Mack, T. & Ross, R.K. (1982) Behavioral and biological determinants of surgical stage of breast cancer. *Prev. Med.*, **11**, 429–440
- Goyder, E., Barratt, A. & Irwig, L. (2000) Telling people about screening programmes and screening test results: How can we do it better? *J. Med. Screen.*, **7**, 123–126
- Grabau, D.A., Jensen, M.B., Blichert-Toft, M., Andersen, J.A., Dyreborg, U., Carstensen, B., Al-Suliman, N.N., Graversen, H.P. & Rose, C. (1998) The importance of surgery and accurate axillary staging for survival in breast cancer. *Eur. J. Surg. Oncol.*, **24**, 499–507
- Grady, K.E. (1984) Cue enhancement and the long-term practice of breast

- self-examination. *J. Behav. Med.*, **7**, 191–204
- Grady, K., Lemkau, J., McVay, J. & Reisine, S. (1992) The importance of physician encouragement in breast cancer screening of older women. *Prev. Med.*, **21**, 766–780
- Gram, I.T., Lund, E. & Slenker, S.E. (1990) Quality of life following a false positive mammogram. *Br. J. Cancer*, **62**, 1018–1022
- Greendale, G.A., Reboussin, B.A., Sie, A., Singh, H.R., Olson, L.K., Gatewood, O., Bassett, L.W., Wasilaukas, C., Bush, T. & Barrett-Connor, E. (1999) Effects of estrogen and estrogen-progestin on mammographic parenchymal density. Postmenopausal estrogen/progestin interventions (PEPI) investigators. *Ann. Intern. Med.*, **130**, 262–269
- Greenhough, R.B. (1925) Varying degrees of malignancy in cancer of the breast. *J. Cancer Res.*, **9**, 452–463
- Greenwald, P., Nasca, P.C., Lawrence, C.E., Horton, J., McGarrah, R.P., Gabriele, T. & Carlton, K. (1978) Estimated effect of breast self-examination and routine physician examinations on breast-cancer mortality. *New Engl. J. Med.*, **299**, 271–273
- Gruvberger, S., Ringner, M., Chen, Y., Panavally, S., Saal, L.H., Borg, A., Ferno, M., Peterson, C. & Meltzer, P.S. (2001) Estrogen receptor status in breast cancer is associated with remarkably distinct gene expression patterns. *Cancer Res.*, **61**, 5979–5984
- Güllberg, B., Andersson, I., Janzon, L. & Ranstam, J. (1991) Screening mammography. *Lancet*, **337**, 244
- Gump, F.E. (1993) Lobular carcinoma in situ (LCIS): Pathology and treatment. *J. Cell. Biochem. Suppl.*, **17G**, 53–58
- Gump, F.E., Kinne, D. & Schwartz, G.F. (1998) Current treatment for lobular carcinoma in situ. *Ann. Surg. Oncol.*, **5**, 33–36
- Gunther, K., Merkelbach-Bruse, S., Amo-Takyi, B.K., Handt, S., Schroder, W. & Tietze, L. (2001) Differences in genetic alterations between primary lobular and ductal breast cancers detected by comparative genomic hybridization. *J. Pathol.*, **193**, 40–47
- Haagensen, C.D. (1986) *Diseases of the Breast*, Philadelphia, Saunders
- Haagensen, C.D., Lane, N., Lattes, R. & Bodian, C. (1978) Lobular neoplasia (so-called lobular carcinoma in situ) of the breast. *Cancer*, **42**, 737–769
- Haagensen, C.D., Bodian, C. & Haagensen, D.E. (1981) Physicians' clinical role in the detection and diagnosis of breast carcinoma. In: *Breast Carcinoma: Risk and Detection*, Philadelphia, W.B. Saunders, pp. 395–474
- de Haes, J.C., de Koning, H.J., van Oortmarsen, G.J., van Agt, H.M., de Bruyn, A.E. & van der Maas, P.J. (1991) The impact of a breast cancer screening programme on quality-adjusted life-years. *Int. J. Cancer*, **49**, 538–544
- Hafslund, B. (2000) Mammography and the experience of pain and anxiety. *Radiography*, **6**, 269–272
- Haiart, D.C. & Henderson, J. (1991) A comparison of interpretation of screening mammograms by a radiographer, a doctor and a radiologist: Results and implications. *Br. J. Clin. Pract.*, **45**, 43–45
- Haiart, D.C., McKenzie, L., Henderson, J., Pollock, W., McQueen, D.V., Roberts, M.M. & Forrest, A.P. (1990) Mobile breast screening: Factors affecting uptake, efforts to increase response and acceptability. *Public Health*, **104**, 239–247
- Hakama, M., Elovanino, L., Kajantie, R. & Louhivuori, K. (1991) Breast cancer screening as public health policy in Finland. *Br. J. Cancer*, **64**, 962–964
- Hakama, M., Holli, K., Isola, J., Kallioniemi, O.P., Karkkainen, A., Visakorpi, T., Pukkala, E., Saarenpaa, I., Geiger, U. & Ikkala, J. (1995) Aggressiveness of screen-detected breast cancers. *Lancet*, **345**, 221–224
- Hakama, M., Pukkala, E., Heikkilä, M. & Kallio, M. (1997) Effectiveness of the public health policy for breast cancer screening in Finland: Population based cohort study. *Br. Med. J.*, **314**, 864–867
- Hakama, M., Pukkala, E., Söderman, B. & Day, N. (1999) Implementation of screening as a public health policy: Issues in design and evaluation. *J. Med. Screen.*, **6**, 209–216
- Hall, D.C., Adams, C.K., Stein, G.H., Stephenson, H.S., Goldstein, M.K. & Pennypacker, H.S. (1980) Improved detection of human breast lesions following experimental training. *Cancer*, **46**, 408–414
- Hammerstein, G.R., Miller, D.W., White, D.R., Masterson, M.E., Woodard, H.Q. & Laughlin, J.S. (1979) Absorbed radiation dose in mammography. *Radiology*, **130**, 485–491
- Handley, R.S. (1972) Observations and thoughts on cancer of the breast. *Proc. R. Soc. Med.*, **65**, 437–444
- Hankinson, S.E., Willett, W.C., Colditz, G.A., Hunter, D.J., Michaud, D.S., Deroo, B., Rosner, B., Speizer, F.E. & Pollak, M. (1998a) Circulating concentrations of insulin-like growth factor-I and risk of breast cancer. *Lancet*, **351**, 1393–1396
- Hankinson, S.E., Willett, W.C., Manson, J.E., Colditz, G.A., Hunter, D.J., Spiegelman, D., Barbieri, R.L. & Speizer, F.E. (1998b) Plasma sex steroid hormone levels and risk of breast cancer in postmenopausal women. *J. Natl. Cancer Inst.*, **90**, 1292–1299
- Hartmann, W.H. (1984) Minimal breast cancer. An update. *Cancer*, **53**, 681–684
- Hartveit, F. (1971) Prognostic typing in breast cancer. *Br. Med. J.*, **4**, 253–257
- Harvey, B.J., Miller, A.B., Baines, C.J. & Corey, P.N. (1997) Effect of breast self-examination techniques on the risk of death from breast cancer. *Can. Med. Assoc. J.*, **157**, 1205–1212
- Harvey, J.A., Pinkerton, J.V. & Herman, C.R. (1997) Short-term cessation of hormone replacement therapy and improvement of mammographic specificity. *J. Natl. Cancer Inst.*, **89**, 1623–1625
- Hasert, V. (1988) [Radiation exposure and radiation risk of the patient in mammography]. *Radiol. Diagn. (Berl.)*, **29**, 605–609 (in German)
- Hatzilioannou, K.A., Psarrakos, K., Molvoda-Athanasopoulou, E., Kitis, G., Papanastassiou, E., Sofroniadis, I. & Kimoundri, O. (2000) Dosimetric considerations in mammography. *Eur. Radiol.*, **10**, 1193–1196
- Haughey, B.P., Marshall, J.R., Mettlin, C., Nemoto, T., Kroldart, K. & Swanson, M. (1984) Nurses' ability to detect nodules in silicone breast models. *Oncol. Nurs. Forum*, **11**, 37–42
- Haus, A.G. (1999) Mammography imaging physics: Screen-film processing and viewing condition considerations. In: Haus, A.G. & Yaffe, M.J., eds, *Categorical Course in Diagnostic Radiology Physics: Physical Aspects of Breast Imaging—Current and Future Considerations*, Oak Brook, Illinois, Radiological Society of North America, pp. 59–77
- Haus, A.G. & Yaffe, M.J. (2000) Screen-film and digital mammography.

- Image quality and radiation dose considerations. *Radiol. Clin. North Am.*, **38**, 871–898
- Haybittle, J.L. (1991) Curability of breast cancer. *Br. Med. Bull.*, **47**, 319–323
- Haybittle, J.L., Blamey, R.W., Elston, C.W., Johnson, J., Doyle, P.J., Campbell, F.C., Nicholson, R.I. & Griffiths, K. (1982) A prognostic index in primary breast cancer. *Br. J. Cancer*, **45**, 361–366
- Haybittle, J.L., Brinkley, D., Houghton, J., A'Hern, R.P., Baum, M. (1989) Postoperative radiotherapy and late mortality: Evidence from the Cancer Research Campaign trial for early breast cancer. *Br. Med. J.*, **298**, 1611–1614
- Health Council (1987) [The early detection of breast cancer], The Hague (in Dutch)
- Hedenfalk, I., Duggan, D., Chen, Y., Radmacher, M., Bittner, M., Simon, R., Meltzer, P., Gusterson, B., Esteller, M., Kallioniemi, O.P., Wilfond, B., Borg, A. & Trent, J. (2001) Gene-expression profiles in hereditary breast cancer. *New Engl. J. Med.*, **344**, 539–548
- Hellman, S. (1994) Natural history of small breast cancers. Karnofsky memorial lecture. *J. Clin. Oncol.*, **12**, 2229–2234
- Hendrick, R.E. & Berns, E.A. (1999) Optimizing mammographic techniques. In: Haus, A.G. & Yaffe, M.J., eds, *Categorical Course in Diagnostic Radiology Physics: Physical Aspects of Breast Imaging—Current and Future Considerations*, Oak Brook, Illinois, Radiological Society of North America, pp. 79–89
- Hendrick, R.E., Botsco, M. & Plott, C.M. (1995) Quality control in mammography. *Radiol. Clin. N. Am.*, **33**, 1041–1057
- Hendrick, R.E., Chrvála, C.A., Plott, C.M., Cutter, G.R., Jessop, N.W. & Wilcox-Buchall, P. (1998) Improvement in mammography quality control: 1987–1995. *Radiology*, **207**, 663–668
- Hendrick, E., Klabunde, C., Grivegnée, A., Pou, G. & Ballard-Barbash, R. (2002) Quality control practices in mammography screening programs in 22 countries. *Int. J. Qual. Health Care* (in press)
- Henry-Lee, A. & Yearwood, A. (1999) *Protecting the Poor and the Medically Indigent under Health Insurance: A Case Study of Jamaica* (Small Applied Research, No. 6), Bethesda, Maryland, Partnerships for Health Reform
- Henson, D.E., Ries, L., Freedman, L.S. & Carriaga, M. (1991) Relationship among outcome, stage of disease, and histologic grade for 22,616 cases of breast cancer. The basis for a prognostic index. *Cancer*, **68**, 2142–2149
- Hermon, C. & Beral, V. (1996) Breast cancer mortality rates are leveling off or beginning to decline in many western countries: Analysis of time trends, age-cohort and age-period models of breast cancer mortality in 20 countries. *Br. J. Cancer*, **73**, 955–960.
- Hewitt, M., Breen, N. & Devesa, S.S. (1999) Cancer prevalence and survivorship issues: Analysis of the 1992 national health interview survey. *J. Natl Cancer Inst.*, **91**, 1480–1486
- Heywang-Köbrunner, S.H., Hilbertz, T., Pruss, E., Wolf, A., Permanetter, W., Eiermann, W. & Lissner, J. (1988) [Dynamic contrast medium examination with FLASH during magnetic resonance imaging of the breast]. *Digitale Biddiagn*, **8**, 7–13 (in German)
- Hildreth, N.G., Shore, R.E. & Dvoretzky, P.M. (1989) The risk of breast cancer after irradiation of the thymus in infancy. *New Engl. J. Med.*, **321**, 1281–1284
- Hill, D., Rassaby, J. & Gray, N. (1982) Health education about breast cancer using television and doctor involvement. *Prev. Med.*, **11**, 43–55
- Hislop, T.G., Coldman, A.J. & Skippen, D.H. (1984) Breast self-examination: Importance of technique in early diagnosis. *Can. Med. Assoc. J.*, **131**, 1349–1352
- Hoare, T., Thomas, C., Biggs, A., Booth, M., Bradley, S. & Friedman, E. (1994) Can the uptake of breast screening by Asian women be increased? A randomized controlled trial of a linkworker intervention. *J. Public Health Med.*, **16**, 179–185
- Hoeijmakers, J.H. (2001) Genomic maintenance mechanisms for preventing cancer. *Nature*, **441**, 366–367
- Hoffman-Goetz, L., Breen, N. & Meissner, H. (1998) The impact of social class on the use of cancer screening within three racial/ethnic groups in the United States. *Ethnicity Dis.*, **8**, 43–51
- Holland, R., Hendriks, J.H., Vebeek, A.L., Mravunac, M. & Schuurmans Stekhoven, J.H. (1990) Extent, distribution, and mammographic/histological correlations of breast ductal carcinoma in situ. *Lancet*, **335**, 519–522
- Holland, R., Peterse, J.L., Millis, R.R., Eusebi, V., Faverly, D., van de Vijver, M.J. & Zafrani, B. (1994) Ductal carcinoma in situ: A proposal for a new classification. *Semin. Diagn. Pathol.*, **11**, 167–180
- Holmberg, L., Ekblom, A., Calle, E., Mokdad, A. & Byers, T. (1997) Breast cancer mortality in relation to self-reported use of breast self-examination. A cohort study of 450,000 women. *Breast Cancer Res. Treat.*, **43**, 137–140
- Hopkins, R. & Hensley, K. (1993) Breast cancer screening in Florida. Opportunities for prevention. *J. Florida Med. Assoc.*, **80**, 178–180
- Horton Taylor, D., McPherson, K., Parbhoo, S. & Perry, N. (1996) Response of women aged 65–74 to invitation for screening for breast cancer by mammography: A pilot study in London, UK. *J. Epidemiol. Community Health*, **50**, 77–80
- Howe, H.L. (1980) Proficiency in performing breast self-examination. *Patient Couns. Health Educ.*, **2**, 151–153
- Howe, G.R., Sherman, G.J., Semenciw, R.M. & Miller, A.B. (1981) Estimated benefits and risks of screening for breast cancer. *Can. Med. Assoc. J.*, **124**, 399–403
- Howe, H.L., Wingo, P.A., Thun, M.J., Ries, L.A., Rosenberg, H.M., Feigal, E.G. & Edwards, B.K. (2001) Annual report to the nation on the status of cancer (1973 through 1998), featuring cancers with recent increasing trends. *J. Natl Cancer Inst.*, **93**, 824–842
- Huguley, C.M., Jr, Brown, R.L., Greenberg, R.S. & Clark, W.S. (1988) Breast self-examination and survival from breast cancer. *Cancer*, **62**, 1389–1396
- Hurley, S.F., Huggins, R.M., Jolley, D.J. & Reading, D. (1994) Recruitment activities and sociodemographic factors that predict attendance at a mammographic screening program. *Am. J. Public Health*, **84**, 1655–1658
- IARC (1997) *Biennal Report 1996–1997*, Lyon, IARC Press, p.131
- IARC (2000) *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans*, Vol. 75, *Ionizing Radiation, Part I, X- and Gamma-radiation and Neutrons*, Lyon, IARCPress
- ICRP (1982) *Protection of the Patient in Diagnostic Radiology* (ICRP Publication No. 34), Oxford

- ICRP (1987) *Statement from the 1987 Como Meeting of the ICRP* (ICRP Publication No. 52), Oxford
- ICRP (1991) *Recommendations of the International Commission on Radiological Protection 1990* (ICRP Publication No. 60), Oxford
- Ikeda, D.M., Andersson, I., Wattsgård, C., Janzon, L. & Linell, F. (1992) Interval carcinomas in the Malmö mammographic screening trial: radiographic appearance and prognostic considerations. *Am. J. Roentgenol.*, **159**, 287–294
- Irwig, L., Turnbull, D. & McMurchie, M. (1990) A randomised trial of general practitioner-written invitations to encourage attendance at screening mammography. *Community Health Stud.*, **14**, 357–364
- Isaacs, C., Stearns, V., Hayes, D.F. (2001) New prognostic factors for breast cancer recurrence. *Semin. Oncol.*, **28**, 53–67
- Jacob, T.C., Penn, N.E., Giebink, J. & Bastien, R. (1994) A comparison of breast self-examination and clinical examination. *J. Natl Med. Assoc.*, **86**, 40–45
- Jacobson, J.A., Danforth, D.N., Cowan, K.H., d'Angelo, T., Steinberg, S.M., Pierce, L., Lippman, M.E., Lichter, A.S., Glatstein, E. & Okunieff, P. (1995) Ten-year results of a comparison of conservation with mastectomy in the treatment of stage I and II breast cancer. *New Engl. J. Med.*, **332**, 907–911
- Janz, N.K., Becker, M.H., Anderson, L.A. & Marcoux, B.C. (1989) Interventions to enhance breast self-examination practice: A review. *Public Health Rev.*, **17**, 89–163
- Janz, N.K., Schottenfeld, D., Doerr, K.M., Selig, S.M., Dunn, R.L., Strawderman, M. & Levine, P.A. (1997) A two-step intervention of increase mammography among women aged 65 and older. *Am. J. Public Health*, **87**, 1683–1686
- Janzon, L. & Andersson, I. (1990) *Cancer Screening*, New York, Cambridge University Press, pp. 37–44
- Jenkins, C.N., McPhee, S.J., Bird, J.A., Pham, G.Q., Nguyen, B.H., Nguyen, T., Lai, K.Q., Wong, C. & Davis, T.B. (1999) Effect of a media-led education campaign on breast and cervical cancer screening among Vietnamese-American women. *Prev. Med.*, **28**, 395–406
- Jensen, R.A., Page, D.L., Dupont, W.D. & Rogers, L.W. (1989) Invasive breast cancer risk in women with sclerosing adenosis. *Cancer*, **64**, 1977–1983
- Joensuu, H. & Toikkanen, S. (1995) Cured of breast cancer? *J. Clin. Oncol.*, **13**, 62–69
- Joensuu, H., Klemi, P.J., Tuominen, J., Räsänen, O. & Parvinen, I. (1992) Breast cancer found at screening and previous detection by women themselves. *Lancet*, **339**, 315
- Johnston, K. (2001) Modelling the future costs of breast screening. *Eur. J. Cancer*, **37**, 1752–1758
- Johnston, M. & Voegele, C. (1993) Benefits of psychological preparation for surgery: A meta-analysis. *Ann. Behav. Med.*, **15**, 205–246
- Jonsson, H., Nyström, L., Tornberg, S. & Lenner, P. (2001) Service screening with mammography of women aged 50–69 years in Sweden: Effects on mortality from breast cancer. *J. Med. Screen.*, **8**, 152–160
- Julien, J.P., Bijkker, N., Fentiman, I.S., Peterse, J.L., Delle Donne, V., Rouanet, P., Avril, A., Sylvester, R., Mignolet, F., Bartelink, H. & van Dongen, J.A. (2000) Radiotherapy in breast-conserving treatment for ductal carcinoma in situ: first results of the EORTC randomised phase III trial 10853. EORTC Breast Cancer Cooperative Group and EORTC Radiotherapy Group. *Lancet*, **355**, 528–533
- Jung, H. (2001) [Assessment of usefulness and risk of mammography screening with exclusive attention to radiation risk.] *Radiologe*, **41**, 385–395 (in German)
- Kahn, K.L. & Goldberg, R.J. (1984) Screening for breast cancer in the ambulatory setting. *Clin. Res.*, **32**, A649
- Kaiser, W.A. (1989) [Results of magnetic resonance imaging of the breast on 253 cases] *Dtsch. Med. Wochenschrift*, **114**, 1351–1357 (in German)
- Kanemura, S., Tsuji, I., Ohuchi, N., Takei, H., Yokoe, T., Koibuchi, Y., Ohnuki, K., Fukao, A., Satomi, S. & Hisamichi, S. (1999) A case control study on the effectiveness of breast cancer screening by clinical breast examination in Japan. *Jpn. J. Cancer Res.*, **90**, 607–613
- Kaufman, Z., Garstin, W.I., Hayes, R., Michell, M.J. & Baum, M. (1991) The mammographic parenchymal patterns of women on hormonal replacement therapy. *Clin. Radiol.*, **43**, 389–392
- Kavanagh, A.M., Mitchell, H. & Giles, G.G. (2000) Hormone replacement therapy and accuracy of mammographic screening. *Lancet*, **355**, 270–274
- Kee, F., Telford, A., Donaghy, P. & O'Doherty, A. (1992) Attitude or access: Reasons for not attending mammography in Northern Ireland. *Eur. J. Cancer Prev.*, **1**, 311–315
- Keemers-Gels, M., Groenendijk, R., van den Heuvel, J., Boetes, C., Peer, P. & Wobbes, T. (2000) Pain experienced by women attending breast cancer screening. *Breast Cancer Res. Treat.*, **60**, 235–240
- Kerlikowske, K., Grady, D., Barclay, J., Sickles, E.A., Eaton, A. & Ernster, V. (1993) Positive predictive value of screening mammography by age and family history of breast cancer. *J. Am. Med. Assoc.*, **270**, 2444–2450
- Kerlikowske, K., Grady, D., Rubin, S.M., Sandrock, C. & Ernster, V.L. (1995) Efficacy of screening mammography. A meta-analysis. *J. Am. Med. Assoc.*, **273**, 149–154
- Kerlikowske, K., Salzmann, P., Phillips, K.A., Cauley, J.A. & Cummings, S.R. (1999) Continuing screening mammography in women aged 70 to 79 years: Impact on life expectancy and cost-effectiveness. *J. Am. Med. Assoc.*, **282**, 2156–2163
- Kerlikowske, K., Carney, P.A., Geller, B., Mandelson, M.T., Taplin, S.H., Malvin, K., Ernster, V., Urban, N., Cutter, G., Rosenberg, R. & Ballard-Barbash, R. (2000) Performance of screening mammography among women with and without a first-degree relative with breast cancer. *Ann. Intern. Med.*, **133**, 855–863
- Kimme-Smith, C., Rothschild, P.A., Bassett, L.W., Gold, R.H. & Moler, C. (1989) Mammographic film processor and temperature, development time, and chemistry: Effect on dose, contrast, and noise. *Am. J. Roentgenol.*, **152**, 35–40
- Kirkpatrick, A., Tornberg, S. & Thijssen, M.A. (1993) European Guidelines for Quality Assurance in Mammography Screening (EUR 14821 EN), Brussels, Commission of the European Communities
- Kitahara, O., Furukawa, Y., Tanaka, T., Kihara, C., Ono, K., Yanagawa, R., Nita, M.E., Takagi, T., Nakamura, Y. & Tsunoda, T. (2001) Alterations of gene expression during colorectal carcinogenesis revealed by cDNA microarrays after laser-capture microdissection of tumor tissues and normal epithelia. *Cancer Res.*, **61**, 3544–3549

- Klabunde, C., Bouchard, F., Taplin, S., Scharpantgen, A. & Ballard-Barbash, R. (2001a) Quality assurance for screening mammography: An international comparison. *J. Epidemiol. Community Health*, **55**, 204–212
- Klabunde, C.N., Sancho-Garnier, H., Broeders, M., Thoresen, S., Rodrigues, V.J.L. & Ballard-Barbash, R. (2001b) Quality assurance for screening mammography: Data collection systems in 22 countries. *Int. J. Technol. Assess. Health Care*, **17**, 528–541
- Klein, R., Aichinger, H., Dierker, J., Jansen, J.T., Joite-Barfuss, S., Sabel, M., Schulz-Wendland, R. & Zoetelief, J. (1997) Determination of average glandular dose with modern mammography units for two large groups of patients. *Phys. Med. Biol.*, **42**, 651–671
- Klemi, P.J., Joensuu, H., Toikkanen, S., Tuominen, J., Rasanen, O., Tyrkko, J. & Parvinen, I. (1992) Aggressiveness of breast cancers found with and without screening. *Br. Med. J.*, **304**, 467–469
- Kliewer, E.V. & Smith, K.R. (1995) Breast cancer mortality among immigrants in Australia and Canada. *J. Natl Cancer Inst.*, **87**, 1154–1161
- Kohatsu, N., Cramer, E. & Bohnstedt, M. (1994) Use of a clinician reminder system for screening mammography in a public health clinic. *Am. J. Prev. Med.*, **10**, 348–352
- Koibuchi, Y., Iino, Y., Takei, H., Maemura, M., Horiguchi, J., Yokoe, T. & Morishita, Y. (1998) The effect of mass screening by physical examination combined with regular breast self-examination on clinical stage and course of Japanese women with breast cancer. *Oncol. Rep.*, **5**, 151–155
- Kolb, T.M., Lichy, J. & Newhouse, J.H. (1998) Occult cancer in women with dense breasts: Detection with screening ultrasound—diagnostic yield and tumor characteristics. *Radiology*, **207**, 191–199
- Kollia, J., Sibbering, D.M., Blamey, R.W., Holland, P.A., Obuszko, Z., Wilson, A.R., Evans, A.J., Ellis, I.O. & Elston, C.W. (1998) Screening women aged less than 50 years with a family history of breast cancer. *Eur. J. Cancer*, **34**, 878–883
- de Koning, H.J. (1995) Screening for breast cancer, time to think—and stop? National Evaluation Team for Breast Cancer Screening (NETB). *Lancet*, **346**, 438–439
- de Koning, H.J. (2000a) Assessment of nationwide cancer-screening programmes. *Lancet*, **355**, 80–81
- de Koning, H.J. (2000b) Breast cancer screening: Cost-effective in practice? *Eur. J. Radiol.*, **33**, 32–37
- de Koning, H.J., van Ineveld, B.M., van Oortmarsen, G.J., de Haes, J.C., Collette, H.J., Hendriks, J.H. & van der Maas, P.J. (1991) Breast cancer screening and cost-effectiveness: Policy alternatives, quality of life considerations and the possible impact of uncertain factors. *Int. J. Cancer*, **49**, 531–537
- de Koning, H.J., van Ineveld, B.M., de Haes, J.C., van Oortmarsen, G.J., Klijn, J.G. & van der Maas, P.J. (1992) Advanced breast cancer and its prevention by screening. *Br. J. Cancer*, **65**, 950–955
- de Koning, H.J., Boer, R., Warmerdam, P.G., Beemsterboer, P.M. & van der Maas, P.J. (1995a) Quantitative interpretation of age-specific mortality reductions from the Swedish breast cancer-screening trials. *J. Natl Cancer Inst.*, **87**, 1217–1223
- de Koning, H.J., Fracheboud, J., Boer, R., Verbeek, A.L.M., Collette, H.J.A., Hendriks, J.H.C.L., van Ineveld, B.M., de Bruyn, A.E. & van der Maas, P.J. (1995b) Nation-wide breast cancer screening in The Netherlands: Support for breast-cancer mortality reduction. *Int. J. Cancer*, **60**, 777–780
- Kopans, D.B. (1992) The positive predictive value of mammography. *Am. J. Roentgenol.*, **158**, 521–526
- Kopans, D.B. (1993) Mammography [Letter]. *Lancet*, **341**, 957
- Kopans, D.B. & Feig, S.A. (1993) The Canadian National Breast Cancer Screening Study: A critical review. *Am. J. Roentgenol.*, **161**, 755–760
- Kopans, D.B., Moore, R.H., McCarthy, K.A., Hall, D.A., Hulka, C.A., Whitman, G.J., Slanetz, P.J. & Halpern, E.F. (1996) Positive predictive value of breast biopsy performed as a result of mammography: There is no abrupt change at age 50 years. *Radiology*, **200**, 357–360
- Kotwall, C.A., Covington, D.L., Rutledge, R., Churchill, M.P. & Meyer, A.A. (1996) Patient, hospital and surgeon factors associated with breast conserving surgery. A statewide analysis in North Carolina. *Ann. Surg.*, **224**, 419–429
- Krag, D., Weaver, D., Ashikaga, T., Moffat, F., Klimberg, V.S., Shriner, C., Feldman, S., Kusminsky, R., Gadd, M., Kuhn, J., Harlow, S. & Beitsch, P. (1998) The sentinel node in breast cancer—A multicenter validation study. *New Engl. J. Med.*, **339**, 941–946
- Kramer, W.M. & Rush, B.F. (1973) Mammary duct proliferation in the elderly. A histopathologic study. *Cancer*, **31**, 130–137
- Kricker, A., Farac, K., Smith, D., Sweeny, A., McCredie, M. & Armstrong, B.K. (1999) Breast cancer in New South Wales in 1972–1995: Tumor size and the impact of mammographic screening. *Int. J. Cancer*, **81**, 877–880
- Kroman, N., Jensen, M.B., Wohlfahrt, J., Mouridsen, H.T., Andersen, P.K. & Melbye, M. (2000) Factors influencing the effect of age on prognosis in breast cancer: Population based study. *Br. Med. J.*, **320**, 474–479
- Kuhl, C.K., Schmutzler, R.K., Leutner, C.C., Kempe, A., Wardemann, E., Hocke, A., Maringa, M., Pfeifer, U., Krebs, D. & Schild, H.H. (2000) Breast MR imaging screening in 192 women proved or suspected to be carriers of a breast cancer susceptibility gene: Preliminary results. *Radiology*, **215**, 267–279
- Kuroishi, T., Tominaga, S., Ota, J., Horino, T., Taguchi, T., Ishida, T., Yokoe, T., Izuo, M., Ogita, M., Itoh, S., Abe, R., Yoshida, K., Morimoto, T., Enomoto, K., Tashiro, H., Kashiki, Y., Yamamoto, S., Kido, C., Honda, K., Saskawa, M., Fukuda, M. & Watanabe, H. (1992) The effect of breast self-examination on early detection and survival. *Jpn. J. Cancer Res.*, **83**, 344–350
- Kuroishi, T., Hirose, K., Suzuki, T. & Tominaga, S. (2000) Effectiveness of mass screening for breast cancer in Japan. *Breast Cancer*, **7**, 1–8
- Läärä, E., Day, N. & Hakama, M. (1987) Trends in mortality from cervical cancer in the Nordic countries: Association with organized screening programmes. *Lancet*, **i**, 1247–1249
- Lagerlund, M., Hedin, A., Sparen, P., Thurjell, E. & Lambe, M. (2000a) Attitudes, beliefs, and knowledge as predictors of nonattendance in a Swedish population-based mammography screening program. *Prev. Med.*, **31**, 417–428
- Lagerlund, M., Sparen, P., Thurjell, E., Ekbom, A. & Lambe, M. (2000b) Predictors

- of non-attendance in a population-based mammography screening programme; socio-demographic factors and aspects of health behaviour. *Eur. J. Cancer Prev.*, **9**, 25–33
- Lagerlund, M., Widmark, C., Lambe, M. & Tishleman, C. (2001) Rationales for attending or not attending mammography screening: A focus group study among women in Sweden. *Eur. J. Cancer Prev.*, **10**, 429–442
- Lakhani, S.R., Collins, N., Stratton, M.R. & Sloane, J.P. (1995) Atypical ductal hyperplasia of the breast: Clonal proliferation with loss of heterozygosity on chromosomes 16q and 17p. *J. Clin. Pathol.*, **48**, 611–615
- Lakhani, S.R., Jacquemier, J., Sloane, J.P., Gusterson, B.A., Anderson, T.J., van de Vijver, M.J., Farid, L.M., Venter, D., Antoniou, A., Storfer-Isser, A., Smyth, E., Steel, C.M., Hautes, N., Scott, R.J., Goldgar, D., Neuhausen, S., Daly, P.A., Ormiston, W., McManus, R., Scherneck, S., Ponder, B.A., Ford, D., Peto, J., Stoppa-Lyonnet, D. & Easton, D.F. (1998) Multifactorial analysis of differences between sporadic breast cancers and cancers involving BRCA1 and BRCA2 mutations. *J. Natl. Cancer Inst.*, **90**, 1138–1145
- Lalloo, F., Boggis, C.R., Evans, D.G., Shenton, A., Threlfall, A.G. & Howell, A. (1998) Screening by mammography, women with a family history of breast cancer. *Eur. J. Cancer*, **34**, 937–940
- Lampejo, O.T., Barnes, D.M., Smith, P. & Millis, R.R. (1994) Evaluation of infiltrating ductal carcinomas with a DCIS component: Correlation of the histologic type of the in situ component with grade of the infiltrating component. *Semin. Diagn. Pathol.*, **11**, 215–222
- de Landsheer, J.P., Delanoy-Ortega, O.B. & Jemelin, C. (2000) [Breast cancer screening: Comparative analysis of three Swiss programmes.] *Med. Hyg.*, **2306**, 1407–1410 (in French)
- Lane, D. & Messina, C. (1999) Methodology for targeting physicians for interventions to improve breast cancer screening. *Am. J. Prev. Med.*, **16**, 289–297
- Lane, D.S., Messina, C.R. & Grimson, R. (2001) An educational approach to improving physician breast cancer screening practices and counseling skills. *Patient Educ. Couns.*, **43**, 287–299
- Lantz, P., Stencil, D., Lippert, M., Beversdorf, S., Jaros, L. & Remington, P. (1995) Breast and cervical cancer screening in a low-income managed care sample: The efficacy of physician letters and phone calls. *Am. J. Public Health*, **85**, 834–836
- Larsson, L.G., Andersson, I., Bjurstrom, N., Fagerberg, G., Frisell, J., Tabár, L. & Nyström, L. (1997) Updated overview of the Swedish randomized trials on breast cancer screening with mammography: Age group 40–49 at randomization. *Natl. Cancer Inst. Monogr.*, **22**, 57–61
- Last, J.M. (1995) *A Dictionary of Epidemiology*, New York, Oxford University Press, p. 52
- Lau, Y., Lau, P.Y., Chan, C.M. & Yip, A. (1998) The potential impact of breast cancer screening in Hong Kong. *Aust. N.Z. J. Surg.*, **68**, 707–711
- La Vecchia, C., Negri, E., Levi, F., Decarli, A. & Boyle, P. (1998) Cancer mortality in Europe: Effects of age, cohort of birth and period of death. *Eur. J. Cancer*, **34**, 118–141
- Law, J. (1987) Cancers induced and cancers detected in a mammography screening programme. *Br. J. Radiol.*, **60**, 231–234
- Lawson, H.W., Henson, R., Bobo, J.K. & Kaeser, M.K. (2000) Implementing recommendations for the early detection of breast and cervical cancer among low-income women. *Morbid. Mortal. Weekly Rep.*, **49**, 35–55
- Laya, M.B., Gallagher, J.C., Schreiman, J.S., Larson, E.B., Watson, P. & Weinstein, L. (1995) Effect of postmenopausal hormonal replacement therapy on mammographic density and parenchymal pattern. *Radiology*, **196**, 433–437
- Laya, M.B., Larson, E.B., Taplin, S.H. & White, E. (1996) Effect of oestrogen replacement therapy on the specificity and sensitivity of screening mammography. *J. Natl. Cancer Inst.*, **88**, 643–649
- Le Doussal, V., Tubiana-Hulin, M., Friedman, S., Hacene, K., Spyros, F. & Brunet, M. (1989) Prognostic value of histologic grade nuclear components of Scarff-Bloom-Richardson (SBR). An improved score modification based on a multivariate analysis of 1262 invasive ductal breast carcinomas. *Cancer*, **64**, 1914–1921
- Lee, B.J., Hauser, H. & Pack, G.T. (1934) Gelatinous carcinoma of the breast. *Surg. Gynecol. Obstet.*, **59**, 841–850
- Le Geyte, M., Mant, D., Vessey, M.P., Jones, L. & Yudkin, P. (1992) Breast self-examination and survival from breast cancer. *Br. J. Cancer*, **66**, 917–918
- van Leiden, H.A., Gessel-Dabekaußen, A.A., van der Maas, P.J. & de Koning, H.J. (1999) Trends in mammography 1991–96 and the impact of nationwide screening in The Netherlands. *J. Med. Screen.*, **6**, 94–98
- Leivo, T., Salminen, T., Sintonen, H., Tuominen, R., Auerma, K., Partanen, K., Saari, U., Hakama, M. & Heinonen, O.P. (1999) Incremental cost-effectiveness of double-reading mammograms. *Breast Cancer Res. Treat.*, **54**, 261–267
- Lennér, P. (1990) The excess mortality rate. A useful concept in cancer epidemiology. *Acta Oncol.*, **29**, 573–576
- Lennér, P. & Jonsson, H. (1997) Excess mortality from breast cancer in relation to mammography screening in northern Sweden. *J. Med. Screen.*, **4**, 6–9
- Lerman, C., Trock, B., Rimer, B.K., Boyce, A., Jepson, C. & Engstrom, P.F. (1991) Psychological and behavioral implications of abnormal mammograms. *Ann. Intern. Med.*, **114**, 657–661
- Lewin, J.M., Hendrick, R.E., D'Orsi, C.J., Isaacs, P.K., Moss, L.J., Karella, A., Sisney, G.A., Kuni, C.C. & Cutter, G.R. (2001) Comparison of full-field digital mammography with screen-film mammography for cancer detection: Results of 4,945 paired examinations. *Radiology*, **218**, 873–880
- Liberman, L., LaTrenta, L.R., van Zee, K.J., Morris, E.A., Abramson, A.F. & Dershaw, D.D. (1997) Stereotactic core biopsy of calcifications highly suggestive of malignancy. *Radiology*, **203**, 673–677
- Libstug, A.R., Moravan, V. & Aitken, S.E. (1998) Results from the Ontario breast screening program, 1990–1995. *J. Med. Screen.*, **5**, 73–80
- Lidbrink, E., Elfving, J., Frisell, J. & Jonsson, E. (1996) Neglected aspects of false positive findings of mammography in breast cancer screening: Analysis of false positive cases from the Stockholm trial. *Br. Med. J.*, **312**, 273–276
- Lilford, R.J.B.D., Greenhalgh, R. & Edwards, S.J.L. (2000) Trials and fast changing technologies: The case for tracker studies. *Br. Med. J.*, **320**, 43–46
- Lindfors, K.K., O'Connor, J. & Parker, R.A. (2001) False-positive screening mammo-

- grams: Effect of immediate versus later work-up on patient stress. *Radiology*, **218**, 247–253
- Lindstrom, P., Janzon, L. & Sternby, N.H. (1997) Declining autopsy rate in Sweden: A study of causes and consequences in Malmö, Sweden. *J. Intern. Med.*, **242**, 157–165
- Linver, M.N., Paster, S.B., Rosenberg, R.D., Key, C.R., Stidley, C.A. & King, W.V. (1992) Improvement in mammography interpretation skills in a community radiology practice after dedicated teaching courses: 2-year medical audit of 38,633 cases. *Radiology*, **184**, 39–43
- Little, M.P. (2001) Comparison of the risks of cancer incidence and mortality following radiation therapy for benign and malignant disease with the cancer risks observed in the Japanese A-bomb survivors. *Int. J. Radiat. Biol.*, **77**, 431–464
- Locker, A.P., Ellis, I.O., Morgan, D.A., Elston, C.W., Mitchell, A. & Blamey, R.W. (1989a) Factors influencing local recurrence after excision and radiotherapy for primary breast cancer. *Br. J. Surg.*, **76**, 890–894
- Locker, A.P., Caseldine, J., Mitchell, A.K., Blamey, R.W., Roebuck, E.J. & Elston, C.W. (1989b) Results from a seven-year programme of breast self-examination in 89,010 women. *Br. J. Cancer*, **60**, 401–405
- Lopez-Carrillo, L., Bravo-Alvarado, J., Poblano-Verastegui, O. & Ortega Altamirano, D. (1997) Reproductive determinants of breast cancer in Mexican women. *Ann. N.Y. Acad. Sci.*, **837**, 537–550
- Lopez-Carrillo, L., Torres-Sanchez, L., Lopez-Cervantes, M. & Rueda-Neria, C. (2001) [Identification of malignant breast lesions in Health Mexico]. *Publica Mexico*, **43**, 199–202 (in Spanish)
- Lostao, L. & Joiner, T. (2001) Health-oriented behaviors: Their implication in attending for breast cancer screening. *Am. J. Health Behav.*, **25**, 21–32
- Lostao, L., Joiner, T., Pettit, J., Chorot, P. & Sandin, B. (2001) Health beliefs and illness attitudes as predictors of breast cancer screening attendance. *Eur. J. Public Health*, **11**, 274–279
- Lu, Z. (1995) Variables associated with breast self-examination among Chinese women. *Cancer Nurs.*, **18**, 29–34
- Lu, Y.J., Osin, P., Lakhani, S.R., di Palma, S., Gusterson, B.A. & Shipley, J.M. (1998) Comparative genomic hybridization analysis of lobular carcinoma in situ and atypical lobular hyperplasia and potential roles for gains and losses of genetic material in breast neoplasia. *Cancer Res.*, **58**, 4721–4727
- Lungdren, B. (1977) The oblique view at mammography. *Br. J. Radiol.*, **50**, 626–628
- Ma, L., Fishell, E., Wright, B., Hanna, W., Allan, S. & Boyd, N.F. (1992) Case-control study of factors associated with failure to detect breast cancer by mammography. *J. Natl Cancer Inst.*, **84**, 781–785
- Maddox, W.A., Carpenter, J.T., Jr, Laws, H.L., Soong, S.J., Cloud, G., Urist, M.M. & Balch, C.M. (1983) A randomized prospective trial of radical (Halsted) mastectomy versus modified radical mastectomy in 311 breast cancer patients. *Ann. Surg.*, **198**, 207–212
- Mainiero, M., Schepps, B., Clements, N. & Bird, C. (2001) Mammography-related anxiety: Effect of preprocedural patient education. *Women's Health Issues*, **11**, 110–115
- Malich, A., Boehm, T., Facius, M., Freesmeyer, M.G., Fleck, M., Anderson, R. & Kaiser, W.A. (2001) Differentiation of mammographically suspicious lesions: Evaluation of breast ultrasound, MRI mammography and electrical impedance scanning as adjunctive technologies in breast cancer detection. *Clin Radiol.*, **56**, 278–283
- Mammography Screening Evaluation Group (1998) Mammography screening for breast cancer in Copenhagen 1991–1997. *APMIS*, **83** (Suppl. 106), 1–44
- Mamon, J. & Zapka, J. (1983) Determining the quality of breast self-examination and its relationship to other breast self-examination measures. *Prog. Clin. Biol. Res.*, **130**, 313–322
- Man, S., Ellis, I.O., Sibbering, M., Blamey, R.W. & Brook, J.D. (1996) High levels of allele loss at the FHIT and ATM genes in non-comedo ductal carcinoma in situ and grade I tubular invasive breast cancers. *Cancer Res.*, **56**, 5484–5489
- Mandelblatt, J. & Yabroff, K. (1999) Effectiveness of interventions designed to increase mammography use: A meta-analysis of provider-targeted strategies. *Cancer Epidemiol. Biomarkers Prev.*, **8**, 759–767
- Mandelblatt, J., Traxler, M., Lakin, P., Kanetsky, P. & Kao, R. (1993a) Targeting breast and cervical cancer screening to elderly poor black women: Who will participate? *Prev. Med.*, **22**, 20–33
- Mandelblatt, J., Traxler, M., Lakin, P., Thomas, L., Chauhan, P., Matseane, S. & Kanetsky, P. (1993b) A nurse practitioner intervention to increase breast and cervical cancer screening for poor, elderly black women. The Harlem study team. *J. Gen. Intern. Med.*, **8**, 173–178
- Mandelblatt, J.S., Gold, K., O'Malley, A.S., Taylor, K., Cagney, K., Hopkins, J.S. & Kerner, J. (1999) Breast and cervix cancer screening among multiethnic women: Role of age, health, and source of care. *Prev. Med.*, **28**, 418–425
- Mandelson, M.T., Oestreicher, N., Porter, P.L., White, D., Finder, C.A., Taplin, S.H. & White, E. (2000) Breast density as a predictor of mammographic detection: Comparison of interval- and screen-detected cancers. *J. Natl Cancer Inst.*, **92**, 1081–1087
- Manfredi, C., Czaja, R., Freels, S., Trubitt, M., Warnecke, R. & Lacey, L. (1998) Prescribe for health: Improving cancer screening in physician practices serving low-income and minority populations. *Arch. Fam. Med.*, **7**, 329–337
- Mant, D., Vessey, M.P., Neil, A., Mcpherson, K. & Jones, L. (1987) Breast self examination and breast cancer stage at diagnosis. *Br. J. Cancer*, **55**, 207–211
- Maraste, R., Brandt, L., Olsson, H. & Ryde-Brandt, B. (1992) Anxiety and depression in breast cancer patients at start of adjuvant radiotherapy. Relations to age and type of surgery. *Acta Oncol.*, **31**, 641–643
- Marcus, J.N., Watson, P., Page, D.L., Narod, S.A., Lenoir, G.M., Tonin, P., Linder-Stephenson, L., Salerno, G., Conway, T.A. & Lynch, H.T. (1996) Hereditary breast cancer: Pathobiology, prognosis, and BRCA1 and BRCA2 gene linkage. *Cancer*, **77**, 697–709
- Margolese, R. (1999) Surgical considerations for invasive breast cancer. *Surg. Clin. North Am.*, **79**, 1031–1046
- Margolis, K.L., Lurie, N., McGovern, P. & Slater, J.S. (1993) Predictors of failure to attend scheduled mammography appointments at a public teaching hospital. *J. Gen. Intern. Med.*, **8**, 602–605
- Marshall, L.M., Hunter, D.J., Connolly, J.L., Schnitt, S.J., Byrne, C., London, S.J. & Colditz, G.A. (1997) Risk of breast cancer

- associated with atypical hyperplasia of lobular and ductal types. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 297–301
- Mattsson, A., Leitz, W. & Rutqvist, L.E. (2000) Radiation risk and mammographic screening of women from 40 to 49 years of age: Effect on breast cancer rates and years of life. *Br. J. Cancer*, **82**, 220–226
- Maxwell, C.J., Bancej, C.M. & Snider, J. (2001) Predictors of mammography use among Canadian women aged 50–69: Findings from the 1996/97 National Population Health Survey. *Can. Med. Assoc. J.*, **164**, 329–334
- May, D.S., Lee, N.C., Nadel, M.R., Henson, R.M. & Miller, D.S. (1998) The National Breast and Cervical Cancer Early Detection Program: Report on the first 4 years of mammography provided to medically underserved women. *Am. J. Roentgenol.*, **170**, 97–104
- Mayer, J., Clapp, E., Bartholomew, S. & Offer, J. (1994) Facility-based inreach strategies to promote annual mammograms. *Am. J. Prev. Med.*, **10**, 353–356
- McCann, J., Wait, S., Seradour, B. & Day, N. (1997) A comparison of the performance and impact of breast cancer screening programmes in East Anglia, UK, and Bouches du Rhone, France. *Eur. J. Cancer*, **33**, 429–435
- McCann, J., Stockton, D. & Day, N.E. (1998) Breast cancer in East Anglia: The impact of the breast screening programme on stage at diagnosis. *J. Med. Screen.*, **5**, 42–48
- McCann, J., Duffy, S., Day, N. & Warren, R. (2001) Predicted long-term breast cancer mortality reduction associated with the second round of breast screening in East Anglia. *Br. J. Cancer*, **84**, 423–428
- McDermott, M.M., Dolan, N.C., Huang, J., Reifler, D. & Rademaker, A.W. (1996) Lump detection is enhanced in silicone breast models simulating postmenopausal breast tissue. *J. Gen. Intern. Med.*, **11**, 112–114
- McDivitt, R.W., Boyce, W. & Gersell, D. (1982) Tubular carcinoma of the breast. Clinical and pathological observations concerning 135 cases. *Am. J. Surg. Pathol.*, **6**, 401–411
- McFarlane, M.J., Feinstein, A.R., Wells, C.K. & Chan, C.K. (1987) The ‘epidemiologic necropsy’: Unexpected detections, demographic selections, and changing rates of lung cancer. *J. Am. Med. Assoc.*, **258**, 331–338
- McNicholas, M.M., Heneghan, J.P., Milner, M.H., Tunney, T., Hourihane, J.B. & MacErlaine, D.P. (1994) Pain and increased mammographic density in women receiving hormone replacement therapy: A prospective study. *Am. J. Roentgenol.*, **163**, 311–315
- McNoe, B., Richardson, A.K. & Elwood, J.M. (1996) Factors affecting participation in mammography screening. *N.Z. Med. J.*, **109**, 359–361
- McPhee, S.J., Bird, J.A., Davis, T., Ha, N.T., Jenkins, C.N. & Le, B. (1997) Barriers to breast and cervical cancer screening among Vietnamese-American women. *Am. J. Prev. Med.*, **13**, 205–213
- McPherson, C.P., Swenson, K.K., Jolitz, G. & Murray, C.L. (1997) Survival of women ages 40–49 with breast carcinoma according to method of detection. *Cancer*, **79**, 1923–1932
- Meijers-Heijboer, H., van Geel, B., van Putten, W.L., Henzen-Logmans, S.C., Seynaeve, C., Menke-Pluymers, M.B., Bartels, C.C., Verhoog, L.C., van den Ouweland, A.M., Niermeijer, M.F., Brekelmans, C.T. & Klijn, J.G. (2001) Breast cancer after prophylactic bilateral mastectomy in women with a BRCA1 or BRCA2 mutation. *New Engl. J. Med.*, **345**, 159–164
- Mejia, R.M., Recondo, M.M., Ross, A. & Casal, E. (1999) [Prevention of cancer of the breast with follow-up of patients.] *Medicina*, **59**, 314–315 (in Spanish)
- Metsch, L., McCoy, C., McCoy, H., Pereyra, M., Trapido, E. & Miles, C. (1998) The role of the physician as an information source on mammography. *Cancer Pract.*, **6**, 229–236
- Mettler, F.A., Upton, A.C., Kelsey, C.A., Ashby, R.N., Rosenberg, R.D. & Linver, M.N. (1996) Benefits versus risks from mammography: A critical reassessment. *Cancer*, **77**, 903–909
- Michielutte, R., Dignan, M.B. & Smith, B.L. (1999) Psychosocial factors associated with the use of breast cancer screening by women age 60 years or over. *Health Educ. Behav.*, **26**, 625–647
- Miettinen, O.S., Henschke, C.I., Pasmantier, M.W., Smith, J.P., Libby, D.M. & Yankelevitz, D.F. (2002) Mammographic screening: No reliable supporting evidence? *Lancet*, **359**, 404–405
- Miller, A.B. (1992) Canadian national breast screening study: 1. Breast cancer detection and death rates among women age 40–49 years. [published erratum in *Can. Med. Assoc. J.* 1993, **148**, 718]. *Can. Med. Assoc. J.*, **147**, 1459–1476
- Miller, A.B. (1994) Re: May we agree to disagree, or how do we develop guidelines for breast cancer screening in women? *J. Natl. Cancer Inst.*, **86**, 1729–1731
- Miller, A.B. (2001) Screening for breast cancer with mammography. *Lancet*, **358**, 2164
- Miller, A.B. & Borges, A.M. (2001) Intermediate histologic effect markers for breast cancer. In: Miller, A.B., Bartsch, H., Boffetta, P., Dragsted, L. & Vainio, H., eds, *Biomarkers in Chemoprevention of Cancer* (IARC Scientific Publications No. 154), Lyon, IARCPress, pp. 171–175
- Miller, A.B., Howe, G.R. & Wall, C. (1981) The national study of breast cancer screening. Protocol for a Canadian randomized controlled trial of screening for breast cancer in women. *Clin. Invest. Med.*, **4**, 227–258
- Miller, A.B., Howe, G.R., Sherman, G.J., Lindsay, J.P., Yaffe, M.J., Dinner, P.J., Risch, H.A. & Preston, D.L. (1989) Mortality from breast cancer after irradiation during fluoroscopic examinations in patients being treated for tuberculosis. *New Engl. J. Med.*, **321**, 1285–1289
- Miller, A.B., Baines, C.J. & Sickles, E.A. (1990) Canadian national breast screening study [Letter]. *Am. J. Roentgenol.*, **155**, 1133–1134
- Miller, A.B., Baines, C.J. & Turnbull, C. (1991a) The role of the nurse-examiner in the national breast screening study. *Can. J. Public Health*, **82**, 162–167
- Miller, A.B., Baines, C.J., To, T. & Wall, C. (1991b) The Canadian national breast screening study. In: Miller, A.B., Chamberlain, J., Day, N.E., Hakama, M. & Prorok, P.C., eds, *Cancer Screening*, Cambridge, Cambridge University Press, pp. 45–55
- Miller, A.B., Baines, C.J., To, T. & Wall, C. (1992a) Canadian national breast screening study: 1. Breast cancer detection and death rates among women aged 40 to 49 years. *Can. Med. Assoc. J.*, **147**, 1459–1476
- Miller, A.B., Baines, C.J., To, T. & Wall, C. (1992b) Canadian national breast

- screening study: 2. Breast cancer detection and death rates among women aged 50 to 59 years. *Can. Med. Assoc. J.*, **147**, 1477–1488
- Miller, A.B., To, T., Baines, C.J. & Wall, C. (2000) Canadian national breast screening study-2: 13-year results of a randomized trial in women age 50–59 years. *J. Natl Cancer Inst.*, **92**, 1490–1499
- Miller, A.B., Baines, C.J. & Wall, C. (2002) The Canadian National Breast Screening Study-1. A randomized screening trial of mammography in women age 40–49: Breast cancer mortality after 11–16 years of follow-up. *Ann. Intern. Med.*, **136** (in press)
- Minister of Public Works and Government Services Canada (1999) *Organized Breast Cancer Screening Programs in Canada: 1996 Report* (Cat. No.:H1-9/13-1999), Ottawa, Health Canada
- Ministerio de Salud (1998) Orientaciones para la pesquisa y control del cáncer de mama. *División de Salud de las Personas*, Santiago de Chile
- Ministerio de Salud, Uruguay (2000) Evaluación del impacto del PRONACAM Junio 1999–Mayo 2000, Montevideo
- Mishra, S.I., Luce, P.H. & Hubbell, F.A. (2001) Breast cancer screening among American Samoan women. *Prev. Med.*, **33**, 9–17
- Mitnick, J.S., Vazquez, M.F., Kronovet, S.Z. & Roses, D.F. (1995) Malpractice litigation involving patients with carcinoma of the breast. *J. Am. Coll. Surg.*, **181**, 315–321
- Mittra, I., Baum, M., Thornton, H. & Houghton, J. (2000) Is clinical breast examination an acceptable alternative to mammographic screening? *Br. Med. J.*, **321**, 1071–1073
- Modeste, N.N., Cleb-Drayton, V.L. & Montgomery, S. (1999) Barriers to early detection of breast cancer among women in a Caribbean population. *Rev. Panam. Salud Pública*, **5**, 152–156
- Mohler, P. (1995) Enhancing compliance with screening mammography recommendations: A clinical trial in a primary care office. *Fam. Med.*, **27**, 117–121
- Moore, F.D. (1978) Breast self-examination. *New Engl. J. Med.*, **299**, 304–305
- Moore, J.O.S. & Foote, J.F.W. (1949) The relatively favourable prognosis of medullary carcinoma of the breast. *Cancer*, **2**, 635–642
- Moore, D.F. & Tsiatis, A.A. (1990) Robust examination of the variance in moment methods for extra-binomial and extra-Poisson variation. *Biometrics*, **47**, 383–401
- del Moral Aldaz, A., Aupee, M., Batal-Steil, S., Cecchini, S., Chamberlain, J., Ciatto, S., Elizaga, N.A., Gairard, B., Grazzini, G. & Guldenfels, C. (1994) Cancer screening in the European Union. *Eur. J. Cancer*, **30A**, 860–872
- Morimoto, T., Sasa, M., Yamaguchi, T., Kondo, H., Sagara, Y., Kuwamura, Y., Yamamoto, S. & Tada, T. (1997) Effectiveness of mammographic screening for breast cancer in women aged over 50 years in Japan. *Jpn. J Cancer Res.*, **88**, 778–784
- Morimoto, T., Sasa, M., Yamaguchi, T., Kondo, H., Akaiwa, H. & Sagara, Y. (2000) Breast cancer screening by mammography in women aged under 50 years in Japan. *Anticancer Res.*, **20**, 3689–3694
- Morrison, A.S. (1992) *Screening in Chronic Disease*, 2nd Ed., New York: Oxford University Press, pp. 24, 33–35
- Morrison, A.S., Brisson, J. & Khalid, N. (1988) Breast cancer incidence and mortality in the Breast Cancer Detection Demonstration Project [published erratum appears in *J. Natl Cancer Inst.*, 1989, **81**, 1513]. *J. Natl Cancer Inst.*, **80**, 1540–1547
- Moskowitz, M. (1992) Guidelines for screening for breast cancer. Is a revision in order? *Radiol. Clin. North Am.*, **30**, 221–233
- Moskowitz, M., Pemmaraju, S., Fidler, J.A., Sutorius, D.J., Russell, P., Scheinok, P. & Holle, J. (1976) On the diagnosis of minimal breast cancer in a screenee population. *Cancer*, **37**, 2543–2552
- Moss, S. (1999) A trial to study the effect on breast cancer mortality of annual mammographic screening in women starting at age 40. Trial steering group. *J. Med. Screen.*, **6**, 144–148
- Moss, S., Blanks, R., for the Interval Cancer Working Group (1998) Calculating appropriate target cancer detection rates and expected interval cancer rates for the UK NHS breast screening programme. *J. Epidemiol. Community Health*, **52**, 111–115
- Moss, S.M., Summerley, M.E., Thomas, B.T., Ellman, R. & Chamberlain, J.O. (1992) A case-control evaluation of the effect of breast cancer screening in the United Kingdom trial of early detection of breast cancer. *J. Epidemiol. Community Health*, **46**, 362–364
- Moss, S.M., Coleman, D.A., Ellman, R., Chamberlain, J., Forrest, A.P., Kirkpatrick, A.E., Thomas, B.A. & Price, J.L. (1993) Interval cancers and sensitivity in the screening centres of the UK trial of early detection of breast cancer. *Eur. J. Cancer*, **29A**, 255–258
- Moss, S.M., Michel, M., Patnick, J., Johns, L., Blanks, R. & Chamberlain, J. (1995) Results from the NHS breast screening programme 1990–1993. *J. Med. Screen.*, **2**, 186–190
- Moss, S.M., Brown, J., Garvican, L., Coleman, D.A., Johns, L.E., Blanks, R.G., Rubin, G., Oswald, J., Page, A., Evans, A., Wilson, R., Lee, L., Liston, J., Sturdy, L., Sutton, G., Wardman, G., Patnick, J. & Winder, R. (2001) Routine breast screening for women aged 65–69: Results from evaluation of the demonstration sites. *Br. J. Cancer*, **85**, 1289–1294
- Munn, E. (1993) Nonparticipation in mammography screening: Apathy, anxiety or cost? *N.Z. Med. J.*, **106**, 284–286
- Murali, M.E. & Crabtree, K. (1992) Comparison of two breast self-examination palpation techniques. *Cancer Nurs.*, **15**, 276–282
- Murray, M. & McMillan, C. (1993) Social behavioural predictors of women's cancer screening practices in Northern Ireland. *J. Public Health Med.*, **15**, 147–153
- Muscat, J.E. & Huncharek, M.S. (1991) Breast self-examination and extent of disease: A population-based study. *Cancer Detect. Prev.*, **15**, 155–159
- Narod, S.A. (2002) Modifiers of risk in hereditary breast cancer. *Nature Rev. Cancer*, **2**, 113–123
- Narod, S.A. & Dubé, M.P. (2001) Re: Biologic characteristics of interval and screen-detected breast cancers. *J. Natl Cancer Inst.*, **93**, 151–152
- Nass, S.J., Henderson, I.C. & Lashof, J.C. (2001) *Mammography and Beyond: Breast Imaging and Related Technologies*, Washington DC, National Academy Press
- National Alliance of Breast Cancer Organizations (2001) *NABCO News*, January 2001. Update: *Digital Mammography*, pp. 1–2. Available at: http://www.nabco.org/resources/nabco_news/0101/digitalmammography.html

- National Breast Cancer Centre (2001) *Breast Self-examination and the Early Detection of Breast Cancer: A Summary of the Evidence for Health Professionals*, Sydney
- National Cancer Institute (2001a) *2003 Bypass Budget. Scientific Priorities for Cancer Research: NCI's Extraordinary Opportunities. Cancer Imaging*. Available at: <http://plan.cancer.gov/scipri/imaging.htm>
- National Cancer Institute (2001b) *Surveillance, Epidemiology and End Results, November 2001 Submission (1973–1999)*, Bethesda, Maryland
- National Coordinating Group for Breast Screening Pathology (1995) *Pathology Reporting in Breast Screening Pathology* (NHSBSP Publications No. 3), 2nd Ed., Sheffield, National Health Service Breast Screening Programme
- National Council on Radiation Protection and Measurements (1986) *Mammography, A User Guide* (NCRP Report No. 85), Bethesda, MD
- National Health Service Breast Screening Programme (1993) *Guidelines for Cytology Procedures and Reporting in Breast Cancer Screening* (NHSBSP Publication No. 22), Sheffield
- National Health Service Breast Screening Programme (1997) *Guidelines for Breast Pathology Services* (NHSBSP Publication No. 2), Sheffield
- National Health Service Breast Screening Programme (1998) *Guidelines on Quality Assurance Visits* (NHSBSP Publication No. 40), Sheffield
- National Health Service Breast Screening Programme (2000) *Cancer Screening Programmes: Guidelines on Quality Assurance Visits* (NHSBSP Publications No. 40), 2nd Ed., Sheffield
- National Institutes of Health (1997) Consensus Development Conference Statement: Breast Cancer Screening for Women Ages 40–49, January 21–23, 1997. National Institutes of Health Consensus Developmental Panel. *J. Natl Cancer Inst.*, **89**, 818–822
- National Quality Management Committee of BreastScreen Australia (2001) *National Accreditation Standards BreastScreen Australia Quality Improvement Program*, Canberra, BreastScreen Australia, pp. 1–207
- Nemoto, T., Vana, J., Bedwani, R.N., Baker, H.W., McGregor, F.H. & Murphy, G.P. (1980) Management and survival of female breast cancer: Results of a national survey by the American College of Surgeons. *Cancer*, **45**, 2917–2924
- Neville, A.M., Bettelheim, R., Gelber, R.D., Save-Soderbergh, J., Davis, B.W., Reed, R., Torhorst, J., Golouh, R., Peterson, H.F., Price, K.N., et al. (1992) Factors predicting treatment responsiveness and prognosis in node-negative breast cancer. The International (Ludwig) Breast Cancer Study Group. *J. Clin. Oncol.*, **10**, 696–705
- Newcomb, P.A., Weiss, N.S., Storer, B.E., Scholes, D., Young, B.E. & Voigt, L.F. (1991) Breast self-examination in relation to the occurrence of advanced breast cancer. *J. Natl Cancer Inst.*, **83**, 260–265
- Newcomb, P.A., Olsen, S.J., Roberts, F.D., Storer, B.E. & Love, R.R. (1995) Assessing breast self-examination. *Prev. Med.*, **24**, 255–258
- Ng, E.H., Ng, F.C., Tan, P.H., Low, S.C., Chiang, G., Tan, K.P., Seow, A., Emmanuel, S., Tan, C.H., Ho, G.H., Ng, L.T. & Wilde, C.C. (1998) Results of intermediate measures from a population-based, randomized trial of mammographic screening prevalence and detection of breast carcinoma among Asian women: The Singapore Breast Screening Project. *Cancer*, **82**, 1521–1528
- Nguyen, M.Q., Nguyen, C.H. & Parkin, D.M. (1998) Cancer incidence in Ho Chi Minh City, Viet Nam, 1995–1996. *Int. J. Cancer*, **76**, 472–479
- Nielsen, M., Jensen, J. & Andersen, J. (1984) Precancerous and cancerous breast lesions during lifetime and at autopsy: A study of 83 women. *Cancer*, **54**, 612–615
- Nielsen, M., Thomsen, J.L., Primdahl, S., Dyreborg, U. & Andersen, J.A. (1987) Breast cancer and atypia among young and middle-aged women: A study of 110 medicolegal autopsies. *Br. J. Cancer*, **56**, 814–819
- Nishizaki, T., Chew, K., Chu, L., Isola, J., Kallioniemi, A., Weidner, N., Waldman, F.M. (1997) Genetic alterations in lobular breast cancer by comparative genomic hybridization. *Int. J. Cancer*, **74**, 513–517.
- Nixon, R., Prevost, T.C., Duffy, S.W., Tabár, L., Vitak, B. & Chen, H.H. (2000) Some random-effects models for the analysis of matched-cluster randomized trials: Application to the Swedish two-county trial of breast-cancer screening. *J. Epidemiol. Biostat.*, **5**, 349–358
- Nolvadex Adjuvant Trial Organisation (1985) Controlled trial of tamoxifen as single adjuvant agent in management of early breast cancer. Analysis at six years by Nolvadex Adjuvant Trial Organisation. *Lancet*, **i**, 836–840
- Nolvadex Adjuvant Trial Organisation (1988) Controlled trial of tamoxifen as a single adjuvant agent in the management of early breast cancer. 'Nolvadex' Adjuvant Trial Organisation. *Br. J. Cancer*, **57**, 608–611
- Nyström, L. (2000) Assessment of population screening: The case of mammography. Thesis, Department of Public Health and Clinical Medicine, Umeå University
- Nyström, L., Rutqvist, L.E., Wall, S., Lindgren, A., Lindqvist, M., Ryden, S., Andersson, I., Bjurstam, N., Fagerberg, G. & Frisell, J. (1993) Breast cancer screening with mammography: Overview of Swedish randomised trials. *Lancet*, **341**, 973–978
- Nyström, L., Larsson, L.G., Rutqvist, L.E., Lindgren, A., Lindqvist, M., Ryden, S., Andersson, I., Bjurstam, N., Fagerberg, G., Frisell, J. & Tabár, L. (1995) Determination of cause of death among breast cancer cases in the Swedish randomized mammography screening trials. A comparison between official statistics and validation by an end-point committee. *Acta Oncol.*, **34**, 145–152
- Nyström, L., Larsson, L.G., Wall, S., Rutqvist, L.E., Andersson, I., Bjurstam, N., Fagerberg, G., Frisell, J. & Tabár, L. (1996) An overview of the Swedish randomised mammography trials: Total mortality pattern and the representativity of the study cohorts. *J. Med. Screen.*, **3**, 85–87
- Nyström, L., Andersson, I., Bjurstam, N., Frisell, J., Nordenskjöld, B. & Rutqvist, L.E. (2002) Long-term effects of mammography screening: Updated overview of the Swedish randomised trials. *Lancet*, **359**, 909–919
- O'Byrne, A., Kavanagh, A., Ugoni, A. & Diver, F. (2000) Predictors of non-attendance for second round mammography in an Australian mammographic screening programme. *J. Med. Screen.*, **7**, 190–194
- O'Connor, A., Griffiths, C., Underwood, M. & Eldridge, S. (1998) Can postal prompts from general practitioners improve the

- uptake of breast screening? A randomised controlled trial in one East London general practice. *J. Med. Screen.*, **5**, 49–52
- Ogawa, H., Tominaga, S., Yoshida, M., Kubo, K. & Takeuchi, S. (1987) Breast self-examination practice and clinical stage of breast cancer. *Jpn. J. Cancer Res.*, **78**, 447–452
- Ohuchi, N., Yoshida, K., Kimura, M., Ouchi, A., Kamioki, S., Shiiba, K., Matoba, N., Kojima, S., Takahashi, K. & Matsuno, S. (1993) Improved detection rate of early breast cancer in mass screening combined with mammography. *Jpn. J. Cancer Res.*, **84**, 807–812
- Ohuchi, N., Yoshida, K., Kimura, M., Ouchi, A., Shiiba, K., Ohnuki, K., Fukao, A., Abe, R., Matsuno, S. & Mori, S. (1995) Comparison of false negative rates among breast cancer screening modalities with or without mammography: Miyagi trial. *Jpn. J. Cancer Res.*, **86**, 501–506
- Oliver-Vazquez, M., Sanchez-Ayebdez, M., Suarez-Perez, E. & Velez-Almodovar, H. (1999) Planning a breast cancer health promotion: Qualitative and quantitative data on Puerto Rican elderly women. *Promot. Educ.*, **6**, 16–19
- Olivotto, I.A., Kan, L. & Coldman, A.J. (1998) Letter to the editor: False positive rate of screening mammography. *New Engl. J. Med.*, **339**, 560–564
- Olivotto, I.A., Kan, L., d'Yachkova, Y., Burhenne, L.J., Hayes, M., Hislop, T.G., Worth, A.J., Basco, V.E. & King, S. (2000) Ten years of breast screening in the Screening Mammography Program of British Columbia, 1988–97. *J. Med. Screen.*, **7**, 152–159
- Olsen, O. & Gotzsche, P.C. (2001) Cochrane review on screening for breast cancer with mammography. *Lancet*, **358**, 1340–1342
- Olsen, J.H., Hahnemann, J.M., Børresen-Dale, A.L., Brondum-Nielsen, K., Hammarstrom, L., Kleinerman, R., Kääriäinen, H., Lönnqvist, T., Sankila, R., Seersholm, N., Tretli, S., Yuen, J., Boice, J.D., Jr & Tucker, M. (2001) Cancer in patients with ataxia-telangiectasia and in their relatives in the Nordic countries. *J. Natl Cancer Inst.*, **93**, 121–127
- Olsson, P., Armelius, K., Nordahl, G., Lenner, P. & Westman, G. (1999) Women with false positive screening mammograms: How do they cope? *J. Med. Screen.*, **6**, 89–93
- O'Malley, M.S. (1993) Cost-effectiveness of two nurse-led programs to teach breast self-examination. *Am. J. Prev. Med.*, **9**, 139–145
- Ong, G. & Austoker, J. (1997) Recalling women for further investigation of breast screening: Women's experiences at the clinic and afterwards. *J. Public Health Med.*, **19**, 29–36
- van Oortmarsen, G.J., Habbema, J.D., van der Maas, P.J., de Koning, H.J., Collette, H.J., Verbeek, A.L., Geerts, A.T. & Lubbe, K.T. (1990) A model for breast cancer screening. *Cancer*, **66**, 1601–1612
- Örbo, A., Stalsberg, H. & Kunde, D. (1990) Topographic criteria in the diagnosis of tumor emboli in intramammary lymphatics. *Cancer*, **66**, 972–977
- Ornstein, S., Garr, D., Jenkins, R., Rust, P. & Arnon, A. (1991) Computer-generated physician and patient reminders. Tools to improve population adherence to selected preventive services. *J. Fam. Pract.*, **32**, 82–90
- O'Rourke, S., Galea, M.H., Morgan, D., Euhus, D., Pinder, S., Ellis, I.O., Elston, C.W. & Blamey, R.W. (1994) Local recurrence after simple mastectomy. *Br. J. Surg.*, **81**, 386–389
- Orr, R.K. (1999) The impact of prophylactic node dissection on breast cancer survival—A Bayesian meta-analysis. *Ann. Surg. Oncol.*, **6**, 108–116
- Orton, M., Fitzpatrick, R., Fuller, A., Mant, D., Mlynek, C. & Thorogood, M. (1991) Factors affecting women's response to an invitation to attend for a second breast cancer screening examination. *Br. J. Gen. Pract.*, **41**, 320–323
- Osborne, C.K. (1998) Steroid hormone receptors in breast cancer management. *Breast Cancer Res. Treat.*, **51**, 227–238
- Ota, J., Horino, T., Taguchi, T., Ishida, T., Izuo, M., Ogita, M., Abe, R., Watanabe, H., Morimoto, T., Itoh, S., Tashiro, H., Yoshida, K., Honda, K., Sasakawa, M., Enomoto, K., Kashiki, Y., Kido, C., Kuroishi, T. & Tominaga, S. (1989) Mass screening for breast cancer: Comparison of the clinical stages and prognosis of breast cancer detected by mass screening and in outpatient clinics. *Jpn. J. Cancer Res.*, **80**, 1028–1034
- Overgaard, M., Hansen, P.S., Overgaard, J., Rose, C., Andersson, M., Bach, F., Kjaer, M., Gadeberg, C.C., Mouridsen, H.T., Jensen, M.B. & Zedeler, K. (1997) Postoperative radiotherapy in high-risk premenopausal women with breast cancer who receive adjuvant chemotherapy. Danish Breast Cancer Cooperative Group 82b Trial. *New Engl. J. Med.*, **337**, 949–955
- Owen, W.L., Hoge, A.F., Asal, N.R., Anderson, P.S., Jr, Owen, A.S. & Cucchiara, A.J. (1985) Self-examination of the breast: Use and effectiveness. *South. Med. J.*, **78**, 1170–1173
- van Oyen, H. & Verellen, W. (1994) Breast cancer screening in the Flemish region, Belgium. *Eur. J. Cancer Prev.*, **3**, 7–12
- Page, D.L., Dixon, J.M., Anderson, T.J., Lee, D. & Stewart, H.J. (1983) Invasive cribriform carcinoma of the breast. *Histopathology*, **7**, 525–536
- Page, D.L., Anderson, T.J. & Sakamoto, G. (1987) *Diagnostic Histopathology of the Breast*, London, W.B. Saunders, pp. 193–235
- Page, D.L., Kidd, T.E., Jr, Dupont, W.D., Simpson, J.F. & Rogers, L.W. (1991) Lobular neoplasia of the breast: Higher risk for subsequent invasive cancer predicted by more extensive disease. *Hum. Pathol.*, **22**, 1232–1239
- Page, D.L., Dupont, W.D., Rogers, L.W., Jensen, R.A. & Schuyler, P.A. (1995) Continued local recurrence of carcinoma 15–25 years after a diagnosis of low grade ductal carcinoma in situ of the breast treated only by biopsy. *Cancer*, **76**, 1197–1200
- PAHO (1998) *Health in the Americas 1998* (Scientific Publication No. 562), Washington DC
- Palli, D., Rosselli del Turco, M., Buiatti, E., Carli, S., Ciatto, S., Toscani, L. & Maltoni, G. (1986) A case-control study of the efficacy of a non-randomized breast cancer screening program in Florence (Italy). *Int. J. Cancer*, **38**, 501–504
- Palli, D., Rosselli del Turco, M., Buiatti, E., Ciatto, S., Crocetti, E. & Paci, E. (1989) Time interval since last test in a breast cancer screening programme: A case-control study in Italy. *J. Epidemiol. Community Health*, **43**, 241–248
- Parnilo, M., Anttila, I., Soiva, M., Roiha, M. & Suramo, I. (1990) Mammography screening—Reasons for recall and the influence of experience on recall in the Finnish system. *Clin. Radiol.*, **41**, 384–387

- Pankow, J.S., Vachon, C.M., Kuni, C.C., King, R.A., Arnett, D.K., Grabick, D.M., Rich, S.S., Anderson, V.E. & Sellers, T.A. (1997) Genetic analysis of mammographic breast density in adult women: Evidence of a gene effect. *J. Natl Cancer Inst.*, **89**, 549–556
- Paquette, D., Snider, J., Bouchard, F., Olivotto, I., Bryant, H., Decker, K. & Doyle, G. (2000) Performance of screening mammography in organized programs in Canada in 1996. The database management subcommittee to the national committee for the Canadian breast cancer screening initiative. *Can. Med. Assoc. J.*, **163**, 1133–1138
- Parkin, D.M. (2001) Global cancer statistics in the year 2000. *Lancet Oncol.*, **2**, 533–543
- Parkin, D.M., Muir, C.S., Whelan, S.L., Gao, Y.T., Ferlay, J. & Powell, J., eds (1992) *Cancer Incidence in Five Continents, Volume VI* (IARC Scientific Publications No. 120), Lyon, IARCPress
- Parkin, D.M., Whelan, S.L., Ferlay, J., Raymond, L. & Young, J., eds (1997) *Cancer Incidence in Five Continents, Volume VII* (IARC Scientific Publications No. 143), Lyon, IARCPress
- Parkin, D.M., Pisani, P. & Bautista, A. (2001) Screening for cancer of the breast in the Philippines. In: *Biennial Report 2000–2001*, Lyon, IARCPress
- Paskett, E.D., McMahon, K., Tatum, C., Velez, R., Shelton, B., Case, L.D., Wofford, J., Moran, W. & Wymer, A. (1998) Clinic-based interventions to promote breast and cervical cancer screening. *Prev. Med.*, **27**, 120–128
- Paskett, E.D., Tatum, C.M., D'Agostino, R., Jr, Rushing, J., Velez, R., Michielutte, R. & Dignan, M. (1999) Community-based interventions to improve breast and cervical cancer screening: Results of the Forsyth County Cancer Screening (FoCaS) Project. *Cancer Epidemiol. Biomarkers Prev.*, **8**, 453–459
- Patey, D.H. (1928) The position of histology in the prognosis of carcinoma of the breast. *Lancet*, **i**, 801–804
- Pauli, R., Hammond, S., Cooke, J. & Ansell, J. (1996) Comparison of radiographer–radiologist double film reading with single reading in breast cancer screening. *J. Med. Screen.*, **2**, 18–22
- Pedersen, L., Holck, S. & Schiodt, T. (1988) Medullary carcinoma of the breast. *Cancer Treat. Rev.*, **15**, 53–63
- Peer, P.G., Verbeek, A.L., Straatman, H., Hendriks, J.H. & Holland, R. (1996) Age-specific sensitivities of mammographic screening for breast cancer. *Breast Cancer Res. Treat.*, **38**, 153–160
- Peeters, P.H., Verbeek, A.L., Hendriks, J.H. & van Bon, M.J. (1989a) Screening for breast cancer in Nijmegen. Report of 6 screening rounds, 1975–1986. *Int. J. Cancer*, **43**, 226–230
- Peeters, P.H., Verbeek, A.L., Straatman, H., Holland, R., Hendriks, J.H., Mravunac, M., Rothengatter, C., Dijk-Milatz, A. & Werre, J.M. (1989b) Evaluation of over-diagnosis of breast cancer in screening with mammography: Results of the Nijmegen programme. *Int. J. Epidemiol.*, **18**, 295–299
- Pennypacker, H.S. & Pilgrim, C.A. (1993) Achieving competence in clinical breast examination. *Nurse Pract. Forum*, **4**, 85–90
- Pennypacker, H.S., Bloom, H.S., Criswell, E.L., Neelakantan, P., Goldstein, M.K. & Stein, G.H. (1982) Toward an effective technology of instruction in breast self-examination. *Int. J. Mental Health*, **11**, 98–116
- Pennypacker, H.S., Naylor, L., Sander, A.A. & Goldstein, M.K. (1999) Why can't we do better breast examinations? *Nurse Pract. Forum*, **10**, 122–128
- Pereira, H., Pinder, S.E., Sibbering, D.M., Galea, M.H., Elston, C.W., Blamey, R.W., Robertson, J.F. & Ellis, I.O. (1995) Pathological prognostic factors in breast cancer. IV: Should you be a typer or a grader? A comparative study of two histological prognostic features in operable breast carcinoma. *Histopathology*, **27**, 219–226
- Perou, C.M., Sorlie, T., Eisen, M.B., van de Rijn, M., Jeffrey, S.S., Rees, C.A., Pollack, J.R., Ross, D.T., Johnsen, H., Akslen, L.A., Fluge, O., Pergamenschikov, A., Williams, C., Zhu, S.X., Lonning, P.E., Borresen-Dale, A.L., Brown, P.O. & Botstein, D. (2000) Molecular portraits of human breast tumours. *Nature*, **406**, 747–752
- Perry, N., Broeders, M., de Wolf, C., Törneberg, S. & Schouten, J., eds (2001) *European Guidelines of QA in Mammography Screening*, 3rd Ed., Brussels, Office for Official Publications of the European Communities
- Philip, J., Harris, W.G., Flaherty, C., Joslin, C.A.F., Rustage, J.H. & Wijesinghe, D.P. (1984) Breast self-examination: Clinical results from a population-based prospective study. *Br. J. Cancer*, **50**, 7–12
- Physician Insurers Association of America (1995) *Breast Cancer Study—June 1995*, Washington DC
- Pilgrim, C., Lannon, C., Harris, R.P., Cogburn, W. & Fletcher, S.W. (1993) Improving clinical breast examination training in a medical school: A randomized controlled trial. *J. Gen. Intern. Med.*, **8**, 685–688
- Pilnik, S. & Leis, H.P. (1978) Nipple discharge. In: Gallager, H.S., Leis, H.P., Snyderman, R.K. & Urban, J.A., eds, *The Breast*, St Louis, MO, Mosby Publishing
- Pinder, K.L., Ramirez, A.J., Black, M.E., Richards, M.A., Gregory, W.M. & Rubens, R.D. (1993) Psychiatric disorder in patients with advanced breast cancer: Prevalence and associated factors. *Eur. J. Cancer*, **29A**, 524–527
- Pinder, S.E., Ellis, I.O., Galea, M., O'Rouke, S., Blamey, R.W. & Elston, C.W. (1994) Pathological prognostic factors in breast cancer. III. Vascular invasion: Relationship with recurrence and survival in a large study with long-term follow-up. *Histopathology*, **24**, 41–47
- Pinto, B.M. (1993) Training and maintenance of breast self-examination skills. *Am. J. Prev. Med.*, **9**, 353–358
- Pisano, E.D., Earp, J., Schell, M., Vokaty, K. & Denham, A. (1998) Screening behavior of women after a false-positive mammogram. *Radiology*, **208**, 245–249
- Poblan-Verastegui, O., Lopez-Carrillo, L., Clemenceau-Valdivia, J. & Lopez-Cervantes, M. (2000) The reproducibility of breast cancer diagnosis through mammography. A pilot study in Mexico. *Women Cancer J.*, **2**, 31–36
- Poller, D., Silverstein, M.J., Galea, M., Locker, A.P., Elston, C.W., Blamey, R.W. & Ellis, I.O. (1994) Ductal carcinoma in situ of the breast: A proposal for a new simplified histological classification. *Modern Pathol.*, **7**, 257–262
- Poplack, S.P., Tosteson, A.N., Grove, M.R., Wells, W.A. & Carney, P.A. (2000) Mammography in 53,803 women from the New Hampshire mammography network. *Radiology*, **217**, 832–840

- Porter, P.L., El-Bastawissi, A.Y., Mandelson, M.T., Lin, M.G., Khalid, N., Watney, E.A., Cousens, L., White, D., Taplin, S. & White, E. (1999) Breast tumor characteristics as predictors of mammographic detection: Comparison of interval- and screen-detected cancers. *J. Natl Cancer Inst.*, **91**, 2020–2028
- Potter, S., Mauldin, P. & Hill, H. (1996) Access to and participation in breast cancer screening: A review of recent literature. *Clin. Perform. Qual. Health Care*, **4**, 74–85
- Prorok, P.C., Chamberlain, J., Day, N.E., Hakama, M. & Miller, A.B. (1984) UICC workshop on the evaluation of screening programmes for cancer. *Int. J. Cancer*, **34**, 1–4
- Prorok, P.C., Kramer, B.S. & Gohagan, J.K. (1999) Screening theory and study design: The basics. In: Kramer, B.S., Gohagan, J.K. & Prorok, P.C., eds, *Cancer Screening: Theory and Practice*, New York, Marcel Dekker, pp. 29–53
- Pruthi, S. (2001) Detection and evaluation of a palpable breast mass. *Mayo Clin. Proc.*, **76**, 641–647
- Quinn, M., Allen, E., on behalf of the United Kingdom Association of Cancer Registries (1995) Changes in incidence of and mortality from breast cancer in England and Wales since introduction of screening. *Br. Med. J.*, **311**, 1391–1395
- Quinn, M.J., Martinez-Garcia, C., Berrino, F. & the EUROCARE Working Group (1998) Variations in survival from breast cancer in Europe by age and country, 1978–1989. *Eur. J. Cancer*, **34**, 2204–2211
- Qureshi, M., Thacker, H.L., Litaker, D.G. & Kippes, C. (2000) Differences in breast cancer screening rates: An issue of ethnicity or socioeconomics? *J. Women's Health Gender-based Med.*, **9**, 1025–1031
- Rajakariar, R. & Walker, R.A. (1995) Pathological and biological features of mammographically detected invasive breast carcinomas. *Br. J. Cancer*, **71**, 150–154
- Rapin, V., Contesso, G., Mouriesse, H., Bertin, F., Lacombe, M.J., Piekarski, J.D., Travagli, J.P., Gadenne, C. & Friedman, S. (1988) Medullary breast carcinoma. A reevaluation of 95 cases of breast cancer with inflammatory stroma. *Cancer*, **61**, 2503–2510
- Rasbridge, S.A., Gillett, C.E., Sampson, S.A., Walsh, F.S. & Millis, R.R. (1993) Epithelial (E-) and placental (P-) cadherin cell adhesion molecule expression in breast carcinoma. *J. Pathol.*, **169**, 245–250
- Rathore, S.S., McGreevey, J.D., III, Schulman, K.A. & Atkins, D. (2000) Mandated coverage for cancer-screening services: Whose guidelines do states follow? *Am. J. Prev. Med.*, **19**, 71–78
- Recht, A., van Dongen, J.A., Fentiman, I.S., Holland, R. & Peterse, J.L. (1994) Third meeting of the DCIS Working Party of the EORTC (Fondazione Cini, Isola S. Giorgio, Venezia, 28 February 1994)—Conference report. *Eur. J. Cancer*, **30A**, 1895–1900
- Retsky, M., Demicheli, R. & Hrushesky, W. (2001a) Premenopausal status accelerates relapse in node positive breast cancer: Hypothesis links angiogenesis, screening controversy. *Breast Cancer Res.*, **65**, 217–224
- Retsky, M., Demicheli, R. & Hrushesky, W. (2001b) Breast cancer screening for women aged 40–49 years. Screening may not be the benign process usually thought. *J. Natl Cancer Inst.*, **93**, 1572
- Rezentes, P.S., De Almeida, A. & Barnes, G.T. (1999) Mammography grid performance. *Radiology*, **210**, 227–232
- Richards, M.A., Braysher, S., Gregory, W.M. & Rubens, R.D. (1993) Advanced breast cancer: Use of resources and cost implications. *Br. J. Cancer*, **67**, 856–860
- Richardson, W.W. (1956) Medullary carcinoma of the breast. A distinctive tumour type with a relatively good prognosis following radical mastectomy. *Br. J. Cancer*, **10**, 415–423
- Richardson, J.L., Mondrus, G.T., Danley, K., Deapen, D. & Mack, T. (1996) Impact of a mailed intervention on annual mammography and physician breast examinations among women at high risk of breast cancer. *Cancer Epidemiol. Biomarkers Prev.*, **5**, 71–76
- Rickard, M.T., Taylor, R.J., Fazli, M.A. & El Hassan, N. (1998) Interval breast cancers in an Australian mammographic screening program. *Med. J. Aust.*, **169**, 184–187
- Ridolfi, R.L., Rosen, P.P., Port, A., Kinne, D. & Mike, V. (1977) Medullary carcinoma of the breast: A clinicopathologic study with 10 year follow-up. *Cancer*, **40**, 1365–1385
- Rimer, B.K. & Bluman, L. (1997) The psychosocial consequences of mammography. *J. Natl Cancer Inst. Monogr.*, **22**, 131–138
- Rimer, B.K. & Glassman, B. (1999) Is there a use for tailored print communications in cancer risk information? *J. Natl Cancer Inst. Monogr.*, **25**, 140–148
- Rimer, B., Davis, S., Engstrom, P.F., Myers, R., Rosan, J., Fox, L. & McLaughlin, R. (1988) An examination of compliance and noncompliance in an HMO cancer screening program. *Prog. Clin. Biol. Res.*, **278**, 21–30
- Rimer, B.K., Resch, N., King, E., Ross, E., Lerman, C., Boyce, A., Kessler, H. & Engstrom, P.F. (1992) Multistrategy health education program to increase mammography use among women ages 65 and older. *Public Health Rep.*, **107**, 369–380
- Robbins, P., Pinder, S., de Klerk, N., Dawkins, H., Harvey, J., Sterrett, G., Ellis, I. & Elston, C. (1995) Histological grading of breast carcinomas: A study of interobserver agreement. *Hum. Pathol.*, **26**, 873–879
- Roberts, M.M., Alexander, F.E., Anderson, T.J., Chetty, U., Donnan, P.T., Forrest, P., Hepburn, W., Huggins, A., Kirkpatrick, A.E. & Lamb, J. (1990) Edinburgh trial of screening for breast cancer: Mortality at seven years. *Lancet*, **335**, 241–246
- Roberts, C.S., Cox, C.E., Reintgen, D.S., Baile, W.F. & Gibertini, M. (1994) Influence of physician communication on newly diagnosed breast patients' psychologic adjustment and decision-making. *Cancer*, **74**, 336–341
- Robles, S.C. & Galanis, E. (2002) Breast cancer in Latin America and the Caribbean. *Rev. Panam. Salud Publica* (in press)
- Robra, B.P., Dierks, M.L., Frischbier, H.J. & Hoeffken, W. (1994) *The German Mammography Study—Results and Recommendations*, Hanover, Medizinische Hochschule Hannover
- Rocha Alves, J.G., Cruz, D.B., Rodrigues, V.L., Goncalves, M.L. & Fernandes, E. (1994) Breast cancer screening in the central region of Portugal. *Eur. J. Cancer Prev.*, **3** (Suppl. 1), 49–53
- Rodriguez-Cuevas, S., Macias, C.G., Franceschi, D. & Labastida, S. (2001) Breast carcinoma presents a decade earlier in Mexican women than in the United States or European countries. *Cancer*, **91**, 863–868
- Rosai, J. (1991) Borderline epithelial lesions of the breast. *Am. J. Surg. Pathol.*, **15**, 209–221

- Rosen, P.P. (1983) Tumor emboli in intra-mammary lymphatics in breast carcinoma: Pathologic criteria for diagnosis and clinical significance. *Pathol. Annu.*, **18**, 215–232
- Rosen, P.P. (1991) *Breast Diseases*, Philadelphia, Lippincott, pp. 245–296
- Rosen, P.P. (1997) *Rosen's Breast Pathology*, Philadelphia, Lippincott-Raven
- Rosen, P.P., Saigo, P.E., Braun, D.W., Jr, Weathers, E. & DePalo, A. (1981) Predictors of recurrence in stage I (T1N0M0) breast carcinoma. *Ann. Surg.*, **193**, 15–25
- Rosenberg, R.D., Yankaskas, B.C., Hunt, W.C., Ballard-Barbash, R., Urban, N., Ernster, V.L., Kerlikowske, K., Geller, B., Carney, P.A. & Taplin, S. (2000) Effect of variations in operational definitions on performance estimates for screening mammography. *Acad. Radiol.*, **7**, 1058–1068
- Rosenman, K., Gardiner, J., Swanson, G., Mullan, P. & Zhu, Z. (1995) US farm women's participation in breast cancer screening practices. *Cancer*, **75**, 47–53
- Roses, D.F., Bell, D.A., Flotte, T.J., Taylor, R., Ratech, H. & Dubin, N. (1982) Pathologic predictors of recurrence in stage 1 (T1N0M0) breast cancer. *Am. J. Clin. Pathol.*, **78**, 817–820
- Rosvold, E.O., Hjartaker, A., Bjertness, E. & Lund, E. (2001) Breast self-examination and cervical cancer testing among Norwegian female physicians. A nationwide comparative study. *Soc. Sci. Med.*, **52**, 249–258
- Royal College of Pathologists <http://www.rcpath.org/activities/publications/bcancer.html>
- Royal College of Radiologists (1997) Quality Assurance Guidelines for Radiologists (NHSBSP Publications No. 15), Sheffield, National Health Service Breast Screening Programme
- Roylance, R., Gorman, P., Harris, W., Liebmann, R., Barnes, D., Hanby, A. & Sheer, D. (1999) Comparative genomic hybridization of breast tumors stratified by histological grade reveals new insights into the biological progression of breast cancer. *Cancer Res.*, **59**, 1433–1436
- Rudolf, Z. (1994) Pilot study of breast cancer screening in six communes of Slovenia. In: Sankaranarayanan R., Wahrendorf J. & Demaret E., eds, *Directory of Ongoing Research in Cancer Epidemiology* (IARC Scientific Publications No. 130), Lyon, IARCPress
- Ruffin, M.T., Gorenflo, D.W. & Woodman, B. (2000) Predictors of screening for breast, cervical, colorectal, and prostatic cancer among community-based primary care practices. *J. Am. Board Fam. Pract.*, **13**, 1–10
- Russell, I.J., Hendricson, W.D. & Herbert, R.J. (1984) Effects of lecture information density on medical student achievement. *J. Med. Educ.*, **59**, 881–889
- Rutledge, D.N., Barsevick, A., Knobf, M. & Bookbinder, M. (2001) Breast cancer detection: Knowledge, attitudes, and behaviors of women from Pennsylvania. *Oncol. Nurs. Forum*, **28**, 1032–1040
- Saarenmaa, I., Salminen, T., Geiger, U., Holli, K., Isola, J., Kärkkäinen, A., Pakkanen, J., Piironen, A., Salo, A. & Hakama, M. (1999) The visibility of cancer on earlier mammograms in a population-based screening programme. *Eur. J. Cancer*, **35**, 1118–1122
- Säbel, M. & Aichinger, H. (1996) Recent developments in breast imaging. *Phys. Med. Biol.*, **41**, 315–368
- Säbel, M., Aichinger, U. & Schulz-Wendland, R. (2001) [Radiation exposure in X-ray mammography]. *Fortschr. Röntgenstr.*, **173**, 79–91 (in German)
- Sala, E., Warren, R., McCann, J., Duffy, S., Luben, R. & Day, N. (2000) High-risk mammographic parenchymal patterns, hormone replacement therapy and other risk factors: A case-control study. *Int. J. Epidemiol.*, **29**, 629–636
- Salzmann, P., Kerlikowske, K. & Phillips, K. (1997) Cost-effectiveness of extending screening mammography guidelines to include women 40 to 49 years of age. *Ann. Intern. Med.*, **127**, 955–965
- Sancho-Garnier, H. (1993) Evaluation of cancer screening programmes for breast cancer and uterine cervix in the EC. In: Frechia, G.N. & Theopilatoo, M., eds, *Health Service Research*, Amsterdam, IOS Press, pp. 403–419
- Sankaranarayanan, R., Black, R.J. & Parkin, D.M. (1998) An overview of cancer survival in developing countries. In: Sankaranarayanan, R., Black, R.J., Swaminathan, R. & Parkin, D.M., eds, *Cancer Survival in Developing Countries* (IARC Scientific Publications No. 145), Lyon, IARCPress, pp. 135–173
- Santos Silva, I. & Beral, V. (1997) Socioeconomic differences in reproductive behaviour. In: Kogevinas, M., Pearce, N., Susser, M. & Boffetta, P., eds, *Social Inequalities and Cancer* (IARC Scientific Publications No. 138), Lyon, IARCPress, pp. 285–308
- Sarrazin, D., Le, M.G., Arriagada, R., Contesso, G., Fontaine, F., Spielmann, M., Rochard, F., Le Chevalier, T. & Lacour, J. (1989) Ten-year results of a randomized trial comparing a conservative treatment to mastectomy in early breast cancer. *Radiother. Oncol.*, **14**, 177–184
- Sasco, A.J., Day, N.E. & Walter, S.D. (1986) Case-control studies for the evaluation of screening. *J. Chron. Dis.*, **39**, 399–405
- Saunders, K.J., Pilgrim, C.A. & Pennypacker, H.S. (1986) Increased proficiency of search in breast self-examination. *Cancer*, **58**, 2531–2537
- Scheuer, L., Kauff, N., Robson, M., Kelly, B., Barakat, R., Satagopan, J., Ellis, N., Hensley, M., Boyd, J., Borgen, P., Norton, L. & Offit, K. (2002) Outcome of preventive surgery and screening for breast and ovarian cancer in BRCA mutation carriers. *J. Clin. Oncol.*, **20**, 1260–1268
- Schnitt, S.J. & Morrow, M. (1999) Lobular carcinoma in situ: Current concepts and controversies. *Semin. Diagn. Pathol.*, **16**, 209–223
- Schnitt, S.J., Connolly, J.L., Tavassoli, F.A., Fechner, R.E., Kempson, R.L., Gelman, R. & Page, D.L. (1992) Interobserver reproducibility in the diagnosis of ductal proliferative breast lesions using standardized criteria. *Am. J. Surg. Pathol.*, **16**, 1133–1143
- Schouten, L.J., de Rijke, J.M., Schlangen, J.T. & Verbeek, A.L. (1998) Evaluation of the effect of breast cancer screening by record linkage with the cancer registry, the Netherlands. *J. Med. Screen.*, **5**, 37–41
- Schwartz, C.M., Woloshin, S., Sox, H.C., Fischhoff, B. & Welch, H.G. (2000) US women's attitudes to false positive mammography results and detection of ductal carcinoma in situ: Cross-sectional survey. *Br. Med. J.*, **320**, 1635–1640
- Scott, M.A., Lagios, M.D., Axelsson, K., Rogers, L.W., Anderson, T.J. & Page, D.L. (1997) Ductal carcinoma in situ of the breast: Reproducibility of histological subtype analysis. *Hum. Pathol.*, **28**, 967–973

- Secretariat of Health (2000) [Project NOM-SSA-2000 for the Prevention, Diagnosis, Treatment, Control and Epidemiological Surveillance of Breast Cancer], Mexico City (in Spanish)
- Segura, J.M., Castells, X., Casamitjana, M., Macia, F. & Ferrer, F. (2000) Utilization of screening mammography as a preventive practice prior to initiating a population-based breast cancer screening program. *J. Clin. Epidemiol.*, **53**, 595–603
- Seidman, H., Gelb, S.K., Silverberg, E., LaVerda, N. & Lubera, J.A. (1987) Survival experience in the Breast Cancer Detection Demonstration Project. *CA Cancer J. Clin.*, **37**, 258–290
- Seidman, J.D., Schnaper, L.A. & Aisner, S.C. (1995) Relationship of the size of the invasive component of the primary breast carcinoma to axillary lymph node metastasis. *Cancer*, **75**, 65–71
- Semiglazov, V.F., Moiseyenko, V.M., Bavli, J.L., Migmanova, N.S., Seleznyov, N.K., Popova, R.T., Ivanova, O.A., Orlov, A.A., Chagunava, O.A., Barash, N.J., Matitzin, A.N., Dyatchenko, O.T., Kozhevnikov, S.Y., Alexandrova, G.I., Sanchakova, A.V. & Musayev, B.T. (1992) The role of breast self-examination in early breast cancer detection (Results of the 5-year USSR/WHO randomized study in Leningrad). *Eur. J. Epidemiol.*, **8**, 498–502
- Semiglazov, V.F., Sagaidak, V.N., Moiseyenko, V.M. & Mikhailov, E.A. (1993) Study of the role of breast self-examination in the reduction of mortality from breast cancer. The Russian Federation/World Health Organization Study. *Eur. J. Cancer*, **29A**, 2039–2046
- Semiglazov, V.F., Moiseenka, V.M., Manikhas, A.G., Protsenko, S.A., Kharikova, R.S., Seleznev, I.K., Popov, R.T., Migmanova, N.S., Orlov, A.A., Borash, N.Y., Ivanova, O.A. & Ivanova, V.G. (1999) Interim results of a prospective randomized evaluation of self-examination for early detection of breast cancer (Russia/St Petersburg/WHO). *Vopr. Onkol.*, **45**, 265–271
- Senie, R.T., Rosen, P.P., Lesser, M.L. & Kinne, D.W. (1981) Breast self-examination and medical examination related to breast cancer stage. *Am. J. Public Health*, **71**, 583–590
- Senie, R.T., Lesser, M., Kinne, D.W. & Rosen, P.R. (1994) Method of tumour detection influences disease-free survival of women with breast carcinoma. *Cancer*, **73**, 1666–1672
- Seow, A., Straughan, P.T., Ng, E.H., Emmanuel, S.C., Tan, C.H. & Lee, H.P. (1997) Factors determining acceptability of mammography in an Asian population: A study among women in Singapore. *Cancer Causes Control*, **8**, 771–779
- Shapiro, S. (1994) Screening: Assessment of current studies. *Cancer*, **74**, 231–238
- Shapiro, S. (1997) Periodic screening for breast cancer: The HIP randomized controlled trial. *Health Insurance Plan. J. Natl Cancer Inst. Monogr.*, **22**, 27–30
- Shapiro, S., Strax, P. & Venet, L. (1966) Evaluation of periodic breast cancer screening with mammography. Methodology and early observations. *J. Am. Med. Assoc.*, **195**, 731–738
- Shapiro, S., Strax, P. & Venet, L. (1967) Periodic breast cancer screening—The first two years of screening. *Arch. Environ. Health*, **15**, 547–553
- Shapiro, S., Strax, P. & Venet, L. (1971) Periodic breast cancer screening in reducing mortality from breast cancer. *J. Am. Med. Assoc.*, **215**, 1777–1785
- Shapiro, S., Venet, W., Strax, P., Venet, L. & Roeser, R. (1982) Ten- to fourteen-year effect of screening on breast cancer mortality. *J. Natl Cancer Inst.*, **69**, 349–355
- Shapiro, S., Venet, W., Strax, P. & Venet, L. (1988a) *Periodic Screening for Breast Cancer: The Health Insurance Plan Project, 1963–1986, and Its Sequelae*, Baltimore, The Johns Hopkins University Press
- Shapiro, S., Venet, W., Strax, P. & Venet, L. (1988b) Current results of the breast cancer screening randomized trial. The Health Insurance Plan (HIP) of Greater New York study. In: Day, N.E. & Miller, A.B., eds, *Screening for Breast Cancer*, Bern, Hans Huber, pp. 3–15
- Shapiro, S., Coleman, E.A., Broeders, M., Codd, M., de Koning, H., Fracheboud, J., Moss, S., Paci, E., Stachenko, S. & Ballard-Barbash, R. (1998) Breast cancer screening programmes in 22 countries: Current policies, administration and guidelines. International Breast Cancer Screening Network (IBSN) and the European Network of Pilot Projects for Breast Cancer Screening. *Int. J. Epidemiol.*, **27**, 735–742
- Sharp, D., Peters, T., Bartholomew, J. & Shaw, A. (1996) Breast screening: A randomised controlled trial in UK general practice of three interventions designed to increase uptake. *J. Epidemiol. Community Health*, **50**, 72–76
- Sickles, E.A., Ominsky, S.H., Solitto, R.A., Galvin, H.B. & Monticciolo, D.L. (1990) Medical audit of a rapid-throughput mammography screening practice: Methodology and results of 27,114 examinations. *Radiology*, **175**, 323–327
- Silverstein, M.J., Poller, D.N., Waisman, J.R., Colburn, W.J., Barth, A., Gierson, E.D., Lewinsky, B., Gamagami, P. & Slamon, D.J. (1995) Prognostic classification of breast ductal carcinoma-in-situ. *Lancet*, **345**, 1154–1157
- Silverstein, M.J., Lagios, M.D., Craig, P.H., Waisman, J.R., Lewinsky, B.S., Colburn, W.J. & Poller, D.N. (1996) A prognostic index for ductal carcinoma in situ of the breast. *Cancer*, **77**, 2267–2274
- Sjonell, G. & Stahle, L. (1999) [Mammographic screening does not reduce breast cancer mortality]. *Lakartidningen*, **96**, 904–913 (in Swedish)
- Slamon, D.J., Clark, G.M., Wong, S.G., Levin, W.J., Ullrich, A. & McGuire, W.L. (1987) Human breast cancer: Correlation of relapse and survival with amplification of the HER-2/neu oncogene. *Science*, **235**, 177–182
- Slanetz, P.J., Giardino, A.A., McCarthy, K.A., Hall, D.A., Halpern, E.F., Moore, R.H. & Kopans, D.B. (1998) Previous breast biopsy for benign disease rarely complicates or alters interpretation on screening mammography. *Am. J. Roentgenol.*, **170**, 1539–1541
- Slaytor, E. & Ward, J. (1998) How risks of breast cancer and benefits of screening are communicated to women: Analysis of 58 pamphlets. *Br. Med. J.*, **317**, 263–264
- Sloane, J.P., Ellman, R., Anderson, T.J., Brown, C.L., Coyne, J., Dallimore, N.S., Davies, J.D., Eakins, D., Ellis, I.O., Elston, C.W., Humphreys, S., Lawrence, D., Lowe, J., McGee, J.O'D., Millis, R.R., Nottingham, J., Ryley, N., Scott, D.J., Sloan, J.M., Theaker, J., Trott, P.A., Wells, C.A. & Zakhour, H.D. (1994) Consistency of histopathological reporting of breast lesions detected by screening: Findings of the UK national external quality assessment (EQA) scheme. UK National Coordinating Group for Breast Screening

- Pathology. *Eur. J. Cancer*, **30A**, 1414–1419
- Sloane, J.P., Amendoeira, I., Apostolikas, N., Bellocq, J.P., Bianchi, S., Boecker, W., Bussolati, G., Coleman, D., Connolly, C.E., Eusebi, V., de Miguel, C., Dervan, P., Drijkoningen, R., Elston, C.W., Faverly, D., Gad, A., Jacquemier, J., Lacerda, M., Martinez-Penuela, J., Munt, C., Peterse, J.L., Rank, F., Sylvan, M., Tsakraklides, V. & Zafrani, B. (1999) Consistency achieved by 23 European pathologists from 12 countries in diagnosing breast disease and reporting prognostic features of carcinomas. European Commission Working Group on Breast Screening Pathology. *Virchows Arch.*, **434**, 3–10
- Smith, E.M. & Burns, T.L. (1985) The effects of breast self-examination in a population-based cancer registry. *Cancer*, **55**, 432–437
- Smith, E.M., Francis, A.M. & Polissar, L. (1980) The effect of breast self-exam practices and physician examinations on extent of disease at diagnosis. *Prev. Med.*, **9**, 409–417
- Sneige, N., Lagios, M., Schwerting, R., Colburn, W., Atkinson, E., Weber, D., Sahin, A., Kemp, B., Hoque, A., Risin, S., Sabichi, A., Boone, C., Dhingra, K., Kelloff, G. & Lippman S. (1998) Interobserver reproducibility (IR) of the Lagios nuclear grading system for ductal carcinoma in situ (DCIS). *Modern Pathol.*, **11**, A28
- Socialstyrelsen (1997) Control of Mammography Equipment in the Southern Health Care Region. Sweden (Art.No. 1997-00-31), Solna
- Socialstyrelsen (1998) Mammography Screening for Breast Cancer, Solna
- Solin, L.J., Yeh, I.T., Kurtz, J., Fourquet, A., Recht, A., Kuske, R., McCormick, B., Cross, M.A., Schultz, D.J., Amalric, R., et al. (1993) Ductal carcinoma in situ (intraductal carcinoma) of the breast treated with breast-conserving surgery and definitive irradiation. Correlation of pathologic parameters with outcome of treatment. *Cancer*, **71**, 2532–2542
- Somkin, C., Hiatt, R., Hurley, L., Gruskin, E., Ackerson, L. & Larson, P. (1997) The effect of patient and provider reminders on mammography and Papanicolaou smear screening in a large health maintenance organization. *Arch. Intern. Med.*, **157**, 1658–1664
- Sorlie, T., Perou, C.M., Tibshirani, R., Aas, T., Geisler, S., Johnsen, H., Hastie, T., Eisen, M.B., van de Rijn, M., Jeffrey, S.S., Thorson, T., Quist, H., Matei, J.C., Brown, P.O., Botstein, D., Eystein, L.P. & Borresen-Dale, A.L. (2001) Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implications. *Proc. Natl. Acad. Sci. USA*, **98**, 10869–10874
- Spencer, N.J., Evans, A.J., Galea, M., Sibbering, D.M., Yeoman, L.J., Pinder, S.E., Ellis, I.O., Elston, C.W., Blamey, R.W., Robertson, J.F., et al. (1994) Pathological–radiological correlations in benign lesions excised during a breast screening programme. *Clin. Radiol.*, **49**, 853–856
- Stacey-Clear, A., McCarthy, K.A., Hall, D.A., Pile-Spellman, E., White, G., Hulka, C., Whitman, G.J., Mahoney, E. & Kopans, D.B. (1992) Breast cancer survival among women under age 50: Is mammography detrimental? *Lancet*, **340**, 991–994
- Stanton, L., Villafana, T., Day, J.L. & Lightfoot, D.A. (1984) Dosage evaluation in mammography. *Radiology*, **150**, 577–584
- Stockton, D., Davies, T., Day, N. & McCann, J. (1997) Retrospective study of reasons for improved survival in patients with breast cancer in East Anglia: Earlier diagnosis or better treatment? *Br. Med. J.*, **314**, 472–475
- Stomper, P.C., Van Voorhis, B.J., Ravnikar, V.A. & Meyer, J.E. (1990) Mammographic changes associated with postmenopausal hormone replacement therapy: A longitudinal study. *Radiology*, **174**, 487–490
- Stoner, T.J., Dowd, B., Carr, W.P., Maldonado, G., Church, T.R. & Mandel, J. (1998) Do vouchers improve breast cancer screening rates? Results from a randomized trial. *Health Serv. Res.*, **33**, 11–28
- Stoutjesdijk, M.J., Boetes, C., Jager, G.J., Beex, L., Bult, P., Hendriks, J.H., Laheij, R.J., Massuger, L., van Die, L.E., Wobbes, T. & Barentsz, J.O. (2001) Magnetic resonance imaging and mammography in women with a hereditary risk of breast cancer. *J. Natl. Cancer Inst.*, **93**, 1095–1102
- Stratton, M.R., Collins, N., Lakhani, S.R. & Sloane, J.P. (1995) Loss of heterozygosity in ductal carcinoma in situ of the breast. *J. Pathol.*, **175**, 195–201
- Strickland, C.J., Feigl, P., Upchurch, C., King, D.K., Pierce, H.I., Grevstad, P.K., Bearden, J.D., III, Dawson, M., Loewen, W.C. & Meyskens, F.L., Jr (1997) Improving breast self-examination compliance: A Southwest Oncology Group randomized trial of three interventions. *Prev. Med.*, **26**, 320–332
- Sudharsan, N.M., Ng, E.Y.-K. & Teh, S.L. (1999) Surface temperature distribution of a breast with/without tumor. *Int. J. Computer Meth. Biomech. Biomed. Eng.*, **2**, 187–189
- Sutherland, H.J., Lockwood, G.A., Tritchler, D.L., Sem, F., Brooks, L. & Till, J.E. (1991) Communicating probabilistic information to cancer patients: Is there ‘noise’ on the line? *Soc. Sci. Med.*, **32**, 725–731
- Sutton, S., Bickler, G., Sancho-Aldridge, J. & Saidi, G. (1994) Prospective study of predictors of attendance for breast screening in inner London. *J. Epidemiol. Community Health*, **48**, 65–73
- Tabár, L. & Dean, P.B. (1982) Mammographic parenchymal patterns. Risk indicator for breast cancer? *J. Am. Med. Assoc.*, **247**, 185–189
- Tabár, L., Fagerberg, C.J., Gad, A., Baldetorp, L., Holmberg, L.H., Grontoft, O., Ljungquist, U., Lundstrom, B., Manson, J.C. & Eklund, G. (1985) Reduction in mortality from breast cancer after mass screening with mammography. Randomised trial from the Breast Cancer Screening Working Group of the Swedish National Board of Health and Welfare. *Lancet*, **i**, 829–832
- Tabár, L., Duffy, S.W. & Krusemo, U.B. (1987a) Detection method, tumour size and node metastases in breast cancers diagnosed during a trial of breast cancer screening. *Eur. J. Cancer Clin. Oncol.*, **23**, 959–962
- Tabár, L., Duffy, S.W. & Holmberg, L. (1987b) What is the optimum interval between mammographic screening examinations? An analysis based on the latest results of the Swedish two-county breast cancer screening trial. *Br. J. Cancer*, **55**, 547–551
- Tabár, L., Fagerberg, G., Duffy, S.W. & Holmberg, L. (1989) The Swedish two county trial of mammographic screening for breast cancer: Recent results and calculation of benefit. *J. Epidemiol. Community Health*, **43**, 107–114
- Tabár, L., Fagerberg, G., Duffy, S.W., Day, N.E., Gad, A. & Grontoft, O. (1992) Update of the Swedish two county program of mammographic screening for breast cancer. *Radiol. Clin. N. Am.*, **30**, 187–210

- Tabár, L., Fagerberg, G., Chen, H.H., Duffy, S.W. & Gad, A. (1995) Screening for breast cancer in women aged under 50: Mode of detection, incidence, fatality and histology. *J. Med. Screen.*, **2**, 94–98
- Tabár, L., Chen, H.H., Fagerberg, G., Duffy, S.W. & Smith, T.C. (1997) Recent results from the Swedish two-county trial: The effects of age, histologic type, and mode of detection on the efficacy of breast cancer screening. *Natl. Cancer Inst. Monogr.*, **22**, 43–47
- Tabár, L., Duffy, S.W., Vitak, B., Chen, J.J. & Prevost, T.C. (1999) The natural history of breast carcinoma—What have we learned from screening? *Cancer*, **86**, 449–462
- Tabár, L., Dean, P.B., Kaufman, C.S., Duffy, S.W. & Chen, H.H. (2000a) A new era in the diagnosis of breast cancer. *Surg. Oncol. Clin. N. Am.*, **9**, 233–277
- Tabár, L., Vitak, B., Chen, H.H., Duffy, S.W., Yen, M.F., Chiang, C.F., Krusemo, U.B., Tot, T. & Smith, R.A. (2000b) The Swedish two-county trial twenty years later. Updated mortality results and new insights from long-term follow-up. *Radiol. Clin. N. Am.*, **38**, 625–651
- Tamburini, M., Massara, G., Bertario, L., Re, A. & Di Pietro, S. (1981) Usefulness of breast self-examination for an early detection of breast cancer. Results of a study on 500 breast cancer patients and 652 controls. *Tumori*, **67**, 219–224
- Tan, P.H., Ho, J.T., Ng, E.H., Chiang, G.S., Low, S.C., Ng, F.C. & Bay, B.H. (2000) Pathologic–radiologic correlations in screen-detected ductal carcinoma in situ of the breast: Findings of the Singapore breast screening project. *Int. J. Cancer*, **90**, 231–236
- Tanjasiri, S. & Sablan-Santos, L. (2001) Breast cancer screening among Chamorro women in southern California. *J. Women's Health Gender-based Med.*, **10**, 479–485
- Taplin, S., Anderman, C., Grothaus, L., Curry, S. & Montano, D. (1994) Using physician correspondence and postcard reminders to promote mammography use. *Am. J. Public Health*, **84**, 571–574
- Taplin, S.H., Mandelson, M.T., Anderman, C., White, E., Thompson, R.S., Timlin, D. & Wagner, E.H. (1997) Mammography diffusion and trends in late-stage breast cancer: Evaluating outcomes in a population. *Cancer Epidemiol. Biomarkers Prev.*, **6**, 625–631
- Taplin, S.H., Barlow, W.E., Ludman, E., MacLehose, R., Meyer, D.M., Seger, D., Herta, D., Chin, C. & Curry, S. (2000) Testing reminder and motivational telephone calls to increase screening mammography: A randomized study. *J. Natl. Cancer Inst.*, **92**, 233–242
- Taplin, S.H., Rutter, C.M., Finder, C., Mandelson, M.T., Houn, F. & White, E. (2002) Screening mammography: Clinical image quality and the risk of interval breast cancer. *Am. J. Roentgenol.*, **178**, 797–803
- Tarone, R.E. (1995) The excess of patients with advanced breast cancers in young women screened with mammography in the Canadian national breast screening study. *Cancer*, **75**, 997–1003
- Tavassoli, F.A. & Stratton, M.R. (2002) Pathology and genetics of tumours of the breast and female genital organs. In: *WHO Classification of Tumours*, Lyon, IARCPress (in press)
- Teh, W. & Wilson, A.R. (1998) The role of ultrasound in breast cancer screening. A consensus statement by the European Group for Breast Cancer Screening. *Eur. J. Cancer*, **34**, 449–450
- Teppo, L., Pukkala, E. & Lehtonen, M. (1994) Data quality and quality control of a population-based cancer registry. Experience in Finland. *Acta Oncol.*, **33**, 365–369
- Thilander-Klang, A.C. (1997) *Diagnostic Quality and Absorbed Dose in Mammography: Influence of X-ray Spectra and Breast Anatomy*, Thesis, Göteborg
- Thilander-Klang, A.C., Ackerholm, P.H.R., Berlin, I.C., Bjurstam, I.C., Mattsson, S.L.J., Månnsson, L.G., von Schéele, C. & Thunberg, S.J. (1997) Influence of anode-filter combinations on image quality and radiation dose in 965 women undergoing mammography. *Radiology*, **203**, 348–354
- Thomas, L.R., Fox, S.A., Leake, B.G. & Roetzheim, R.G. (1996) The effects of health beliefs on screening mammography utilization among a diverse sample of older women. *Women Health*, **24**, 77–94
- Thomas, D.B., Gao, D.L., Self, S.G., Allison, C.J., Tao, Y., Mahloch, J., Ray, R., Qin, Q., Presley, R. & Porter, P. (1997) Randomized trial of breast self-examination in Shanghai: Methodology and preliminary results. *J. Natl. Cancer Inst.*, **89**, 355–365
- Thomas, D.B., Gao, D.L., Ray, R.M., Wang, W.W., Allison, C.J., Chen, F.L., Porter, P., Hu, Y.W., Zhou, G.L., Pan, L.D., Li, W., Wu, C., Coriaty, Z., Evans, I., Lin, M.G., Stalsberg, H. & Self, S.G. (2002) Randomized trial of breast self-examination in Shanghai: Final results. *J. Natl. Cancer Inst.*, **94** (in press)
- Thompson, D.E., Mabuchi, K., Ron, E., Soda, M., Tokunaga, M., Ochikubo, S., Sugimoto, S., Ikeda, T., Terasaki, M., Izumi, S. & Preston, D.L. (1994) Cancer incidence in atomic bomb survivors. Part II: Solid tumors, 1958–1987. *Radiat. Res.*, **137**, S17–S67
- Thompson, R.S., Barlow, W.E., Taplin, S.H., Grothaus, L., Immanuel, V., Salazar, A. & Wagner, E.H. (1994) A population-based case-cohort evaluation of the efficacy of mammographic screening for breast cancer. *Am. J. Epidemiol.*, **140**, 889–901
- Thurfjell, E.L. & Lindgren, J.A.A. (1994) Population-based mammography screening in Swedish clinical practice: Prevalence and incidence screening in Uppsala County. *Radiology*, **193**, 351–357
- Thurfjell, E.L., Taube, A. & Tabár, L. (1994a) One-versus two-view mammographic screening. A prospective population based study. *Acta Radiol.*, **35**, 340–344
- Thurfjell, E.L., Lernevall, K.A. & Taube, A.A.S. (1994b) Benefit of independent double reading in a population-based mammography screening program. *Radiology*, **191**, 241–244
- Thurfjell, E.L., Holmberg, L.H. & Persson, I.R. (1997) Screening mammography: Sensitivity and specificity in relation to hormone replacement therapy. *Radiology*, **203**, 339–341
- Tilanus-Linthorst, M.M., Bartels, C.C., Obdeijn, A.I. & Oudkerk, M. (2000a) Earlier detection of breast cancer by surveillance of women at familial risk. *Eur. J. Cancer*, **36**, 514–519
- Tilanus-Linthorst, M.M., Obdeijn, I.M., Bartels, K.C., de Koning, H.J. & Oudkerk, M. (2000b) First experiences in screening women at high risk for breast cancer with MR imaging. *Breast Cancer Res. Treat.*, **63**, 53–60
- Todd, J.H., Dowle, C., Williams, M.R., Elston, C.W., Ellis, I.O., Hinton, C.P., Blamey, R.W. & Haybittle, J.L. (1987) Confirmation of a prognostic index in primary breast cancer. *Br. J. Cancer*, **56**, 489–492

- Tokunaga, M., Land, C.E., Tokuoka, S., Nishimori, I., Soda, M. & Akiba, S. (1994) Incidence of female breast cancer among atomic bomb survivors, 1950–1985. *Radiat. Res.*, **138**, 209–223
- Törnberg, S., Carstensen, J., Hakulinen, T., Lenner, P., Hatschek, T. & Lundgren, B. (1994) Evaluation of the effect on breast cancer mortality of population based mammography screening programmes. *J. Med. Screen.*, **1**, 184–187
- Tsougalis, G.J. & Ried, A., Jr (2001) HER2: The neu prognostic marker for breast cancer. *Crit. Rev. Clin. Lab. Sci.*, **38**, 167–182
- Tsuda, H., Tani, Y., Hasegawa, T. & Fukutomi, T. (2001) Concordance in judgments among c-erbB-2 (HER2/neu) overexpression detected by two immunohistochemical tests and gene amplification detected by Southern blot hybridization in breast carcinoma. *Pathol. Int.*, **51**, 26–32
- Turnbull, D., Irwig, L. & Adelson, P. (1991) A randomised trial of invitations to attend for screening mammography. *Aust. J. Public Health*, **15**, 33–36
- Turnbull, D., Irwig, L., Simpson, J.M., Donnelly, N. & Mock, P. (1995) A prospective cohort study investigating psychosocial predictors of attendance at a mobile breast screening service. *Aust. J. Public Health*, **19**, 172–176
- Turner, L., Swindell, R., Bell, W.G., Hartley, R.C., Tasker, J.H., Wilson, W.W., Alderson, M.R. & Leck, I.M. (1981) Radical versus modified radical mastectomy for breast cancer. *Ann. R. Coll. Surg.*, **63**, 239–243
- Turner, K.M., Wilson, B. & Gilbert, F. (1994) Improving breast screening uptake: Persuading initial non-attenders to attend. *J. Med. Screen.*, **1**, 199–202
- UICC (2002) *TNM Classification of Malignant Tumors*, 6th Ed., New York, Wiley
- UK MRI Breast Screening Study Advisory Group (2000) Magnetic resonance imaging screening in women at genetic risk of breast cancer: Imaging and analysis protocol for the UK multicentre study. *Magn. Reson. Imaging*, **18**, 765–776
- UK Trial of Early Detection of Breast Cancer Group (1988) First results on mortality reduction in the UK Trial of Early Detection of Breast Cancer. *Lancet*, **ii**, 411–416
- UK Trial of Early Detection of Breast Cancer Group (1999) 16-year mortality from breast cancer in the UK Trial of Early Detection of Breast Cancer. *Lancet*, **353**, 1909–1914
- UNSCEAR (1994) *Epidemiologic Studies of Radiation Carcinogenesis*, Annex A, New York
- Urban, N., Anderson, G. & Peacock, S. (1994) Mammography screening: How important is cost as a barrier to use? *Am. J. Public Health*, **84**, 50–55
- US Congress, Office of Technology Assessment (1987) *Breast Cancer Screening for Medicare Beneficiaries: Effectiveness, Costs to Medicare and Medical Resources Required*, Washington DC, US Government Printing Office
- US Preventive Task Force (1996) *Report of the US Preventive Services Task Force, Guide to Clinical Preventive Services*, 2nd Edition, Williams & Wilkins, Baltimore, pp. 73–88
- Valdez, A., Banerjee, K., Ackerson, L., Fernandez, M., Otero-Sabogal, R. & Somkin, C.P. (2001) Correlates of breast cancer screening among low-income, low-education Latinas. *Prev. Med.*, **33**, 495–502
- van't Veer, L.J., Dai, H., van de Vijver, M.J., He, Y.D., Hart, A.A., Mao, M., Peterse, H.L., van der, K.K., Marton, M.J., Witteveen, A.T., Schreiber, G.J., Kerkhoven, R.M., Roberts, C., Linsley, P.S., Bernards, R. & Friend, S.H. (2002) Gene expression profiling predicts clinical outcome of breast cancer. *Nature*, **415**, 530–536
- Verbeek, A.L., Hendriks, J.H., Holland, R., Mravunac, M., Sturmans, F. & Day, N.E. (1984) Reduction of breast cancer mortality through mass screening with modern mammography. First results of the Nijmegen project, 1975–1981. *Lancet*, **1**, 1222–1224
- Verbeek, A.L., Hendriks, J.H., Holland, R., Mravunac, M. & Sturmans, F. (1985) Mammographic screening and breast cancer mortality: Age-specific effects in Nijmegen Project, 1975–82. *Lancet*, **i**, 865–866
- Verbeek, A.L.M., Straatman, H. & Hendriks, J.H.C.L. (1988) Sensitivity of mammography in Nijmegen women under age 50: Some trials with the Eddy model. In: Day, N.E. & Miller, A.B., eds, *Screening for Breast Cancer*, Toronto, Hans Huber, pp. 29–32
- Verbeek, A.L.M., van den Ban, M.C. & Hendriks, J.H.C.L. (1991) A proposal for short-term quality control in breast cancer screening. *Br. J. Cancer*, **63**, 261–264
- Vernon, S.W., Vogel, V., Halabi, S., Jackson, G., Lundy, R. & Peters, G. (1992) Breast cancer screening behaviors and attitudes in three racial/ethnic groups. *Cancer*, **69**, 165–174
- Veronesi, U., Banfi, A., Salvadori, B., Luini, A., Saccozzi, R., Zucali, R., Marubini, E., del Vecchio, M., Boracchi, P., Marchini, S., Merson, M., Sacchini, V., Riboldi, G. & Santoro, G. (1990) Breast conservation is the treatment of choice in small breast cancer: Long-term results of a randomized trial. *Eur. J. Cancer*, **26**, 668–670
- Veronesi, U., Galimberti, V., Zurruda, S. & et al. (1993a) Prognostic significance of number and level of axillary node metastases in breast cancer. *Breast*, **2**, 224–228
- Veronesi, U., Luini, A., del Vecchio, M., Greco, M., Galimberti, V., Merson, M., Rilke, F., Sacchini, V., Saccozzi, R., Savio, T., Zucali, R., Zurruda, S. & Salvadori, B. (1993b) Radiotherapy after breast-preserving surgery in women with localized cancer of the breast. *New Engl. J. Med.*, **328**, 1587–1591
- Veronesi, U., Maisonneuve, P., Costa, A., Sacchini, V., Maltoni, C., Robertson, C., Rotmensz, N. & Boyle, P. (1998) Prevention of breast cancer with tamoxifen: Preliminary findings from the Italian randomised trial among hysterectomised women. *Italian Tamoxifen Prevention Study. Lancet*, **352**, 93–97
- Vincent, A.L., Bradham, D., Hoercherl, S. & McTague, D. (1995) Survey of clinical breast examinations and use of screening mammography in Florida. *South. Med. J.*, **88**, 731–736
- Vleminckx, K., Vakaet, L., Jr, Mareel, M., Fiers, W. & van Roy, F. (1991) Genetic manipulation of E-cadherin expression by epithelial tumor cells reveals an invasion suppressor role. *Cell*, **66**, 107–119
- de Waard, F., Collette, H.J., Rombach, J.J., Baanders-van Halewijn, E.A. & Honing, C. (1984a) The DOM project for the early detection of breast cancer, Utrecht, The Netherlands. *J. Chron. Dis.*, **37**, 1–44
- de Waard, F., Rombach, J.J., Collette, H.J.A. & Slotboom, B. (1984b) Breast cancer risk associated with reproductive

- factors and breast parenchymal patterns. *J. Natl Cancer Inst.*, **72**, 1277–1282
- de Waard, F., Kirkpatrick, A., Perry, N.M., Tornberg, S., Tubiana, M. & de Wolf, C. (1994) Breast cancer screening in the framework of the Europe against Cancer Programme. *Eur. J. Cancer Prev.*, **3**, 3–5
- Wald, N.J., Murphy, P., Major, P., Parkes, C., Townsend, J. & Frost, C. (1995) UKCC- CR multicentre randomised controlled trial of one and two view mammography in breast cancer screening. *Br. Med. J.*, **311**, 1189–1193
- Waldman, F.M., Hwang, E.S., Etzell, J., Eng, C., Devries, S., Bennington, J. & Thor, A. (2001) Genomic alterations in tubular breast carcinomas. *Hum. Pathol.*, **32**, 222–226
- Walker, L.G., Cordner, C.M., Gilbert, F.G., Needham, G., Deans, H.E., Affleck, I.R., Hood, D.B., Mathieson, D., Ah-See, A.K. & Eremin, O. (1994) How distressing is attendance for routine breast screening? *Psych. Oncol.*, **3**, 299–304
- Walter, S.D. & Day, N.E. (1983) Estimation of the duration of a pre-clinical disease state using screening data. *Am. J. Epidemiol.*, **118**, 865–886
- Wang, H., Karesen, R., Hervik, A. & Thoresen, S.O. (2001) Mammography screening in Norway: Results from the first screening round in four counties and cost-effectiveness of a modeled nationwide screening. *Cancer Causes Control*, **12**, 39–45
- Warner, E., Plewes, D.B., Shumak, R.S., Catzavelos, G.C., Di Prospero, L.S., Yaffe, M.J., Goel, V., Ramsay, E., Chart, P.L., Cole, D.E., Taylor, G.A., Cutrara, M., Samuels, T.H., Murphy, J.P., Murphy, J.M. & Narod, S.A. (2001) Comparison of breast magnetic resonance imaging, mammography, and ultrasound for surveillance of women at high risk for hereditary breast cancer. *J. Clin. Oncol.*, **19**, 3524–3531
- Warren, R.M. & Duffy, S.W. (1995) Comparison of single reading with double reading of mammograms, and change in effectiveness with experience. *Br. J. Radiol.*, **68**, 958–962
- Warren Burhenne, L.J., Wood, S.A., D'Orsi, C.J., Feig, S.A., Kopans, D.B., O'Shaughnessy, K.F., Sickles, E.A., Tabar, L., Vyborny, C.J. & Castellino, R.A. (2000) Potential contribution of computer-aided detection to the sensitivity of screening mammography. *Radiology*, **215**, 554–562
- Waterhouse, J., Muir, C., Correa, P. & Powell, J., eds (1976) *Cancer Incidence in Five Continents, Volume III* (IARC Scientific Publications No. 15), Lyon, IARCPress
- Waterhouse, J., Muir, C., Shanmugaratnam, K. & Powell, J., eds (1982) *Cancer Incidence in Five Continents, Volume IV* (IARC Scientific Publications No. 42), Lyon, IARCPress
- Waterhouse, J., Mack, T., Powell, J. & Whelan, S., eds (1987) *Cancer Incidence in Five Continents, Volume V* (IARC Scientific Publications No. 88), Lyon, IARCPress
- Weiss, N.S. (1983) Control definition in case-control studies of the efficacy of screening and diagnostic testing. *Am. J. Epidemiol.*, **118**, 457–460
- Welch, H.G. & Black, W.C. (1997) Using autopsy series to estimate the disease 'reservoir' for ductal carcinoma in situ of the breast: How much more breast cancer can we find? *Ann. Intern. Med.*, **127**, 1023–1028
- Welch, H.G. & Fisher, E.S. (1998) Diagnostic testing following screening mammography in the elderly. *J. Natl Cancer Inst.*, **90**, 1389–1392
- Wellings, S.R., Jensen, H.M. & Marcum, R.G. (1975) An atlas of subgross pathology of the human breast with special reference to possible precancerous lesions. *J. Natl Cancer Inst.*, **55**, 231–273
- Wellman, P.S., Dalton, E.P., Krag, D., Kern, K.A. & Howe, R.D. (2001) Tactile imaging of breast masses: First clinical report. *Arch. Surg.*, **136**, 204–208
- West, M., Blanchette, C., Dressman, H., Huang, E., Ishida, S., Spang, R., Zuzan, H., Olson, J.A., Jr., Marks, J.R. & Nevins, J.R. (2001) Predicting the clinical status of human breast cancer by using gene expression profiles. *Proc. Natl Acad. Sci. USA*, **98**, 11462–11467
- Whelan, C., McLean, D. & Poulos, A. (1999) Investigation of thyroid dose due to mammography. *Australas. Radiol.*, **43**, 307–310
- White, E., Velentgas, P., Mandelson, M.T., Lehman, C.D., Elmore, J.G., Porter, P., Yasui, Y. & Taplin, S.H. (1998) Variation in mammographic breast density by time in menstrual cycle among women aged 40–49 years. *J. Natl Cancer Inst.*, **90**, 906–910
- Whitman, S., Ansell, D., Lacey, L., Chen, E.H., Ebie, N., Dell, J. & Phillips, C.W. (1991) Patterns of breast and cervical cancer screening at three public health centers in an inner-city urban area. *Am. J. Public Health*, **81**, 1651–1653
- WHO Mortality Data Bank. Available at: <http://www-depdb.iarc.fr/who/menu.htm>
- WHO (1999a) *Cancer Database for the Western Pacific Region: Essential Features and Data Analysis*, Manila, Regional Office for the Western Pacific
- WHO (1999b) *1997–1999 World Health: Statistics Annual*, Geneva
- Williams, K.L., Phillips, B.H., Jones, P.A., Beaman, S.A. & Fleming, P.J. (1990) Thermography in screening for breast cancer. *J. Epidemiol. Community Health*, **44**, 112–113
- Williams, R., Boles, M. & Johnson, R. (1998) A patient-initiated system for preventive health care. A randomized trial in community-based primary care practices. *Arch. Fam. Med.*, **7**, 338–345
- de Wolf, C.J.M. (2001) [Summary of EUREF programmes. Group of Epidemiologists of Latin Languages], Neuchatel (in French)
- de Wolf, C.J.M. & Perry, N.M., eds (1996) *European Guidelines for Quality Assurance in Mammography Screening*, 2nd Ed., Europe Against Cancer Programme, Luxembourg, Commission of the European Communities
- Worden, J.K., Solomon, L.J., Flynn, B.S., Costanza, M.C., Foster, R.S., Jr, Dorwaldt, A.L. & Weaver, S.O. (1990) A community-wide program in breast self-examination training and maintenance. *Prev. Med.*, **19**, 254–269
- Workshop Group (1989) Reducing deaths from breast cancer in Canada. *Can. Med. Assoc. J.*, **141**, 199–201
- Wrensch, M.R., Petrakis, N.L., Miike, R., King, E.B., Chew, K., Neuhaus, J., Lee, M.M. & Rhys, M. (2001) Breast cancer risk in women with abnormal cytology in nipple aspirates of breast fluid. *J. Natl Cancer Inst.*, **93**, 1791–1798
- Wright, C.J. (1986) Breast cancer screening: A different look at the evidence. *Surgery*, **100**, 594–598
- Wu, X., Gingold, E.L., Barnes, G.T. & Tucker, D.M. (1994) Normalized average glandular dose in molybdenum target–rhodium filter and rhodium

- target–rhodium filter mammography. *Radiology*, **193**, 83–89
- Yamauchi, H., Stearns, V. & Hayes, D.F. (2001) When is a tumor marker ready for prime time? A case study of c-erbB-2 as a predictive factor in breast cancer. *J. Clin. Oncol.*, **19**, 2334–2356
- Yanovitzky, I. & Blitz, C. (2000) Effect of media coverage and physician advice on utilization of breast cancer screening by women 40 years and older. *J. Health Communication*, **5**, 117–134
- Yasuda, S., Ide, M., Fujii, H., Nakahara, T., Mochizuki, Y., Takahashi, W. & Shohotsu, A. (2000) Application of positron emission tomography imaging to cancer screening. *Br. J. Cancer*, **83**, 1607–1611
- Yester, M.V., Barnes, G.T. & King, M.A. (1981) Experimental measurements of the scatter reduction obtained in mammography with a scanning multiple slit assembly. *Med. Phys.*, **8**, 158–162
- Yokoe, T., Iino, Y., Maemura, M., Takei, H., Horiguchi, J., Matsumoto, H., Morishita, Y. & Koibuchi, Y. (1998) Efficacy of mammography for detecting early breast cancer in women under 50. *Anticancer Res.*, **18**, 4709–4711
- Young, K.C. & Burch, A. (2000) Radiation doses received in the UK breast screening programme in 1997 and 1998. *Br. J. Radiol.*, **73**, 278–287
- Young, K.C., Ramsdale, M.L. & Rust, A. (1996) Dose and image quality in mammography with an automatic beam quality system. *Br. J. Radiol.*, **69**, 555–562
- Young, K.C., Wallis, M.G., Blanks, R.G. & Moss, S.M. (1997) Influence of number of views and mammographic film density on the detection of invasive cancers: Results from the NHS breast screening programme. *Br. J. Radiol.*, **70**, 482–488
- Zambrana, R.E., Breen, N., Fox, S.A. & Gutierrez-Mohamed, M.L. (1999) Use of cancer screening practices by Hispanic women: Analyses by subgroup. *Prev. Med.*, **29**, 466–477
- Zapka, J.G., Hosmer, D., Costanza, M.E., Harris, D.R. & Stoddard, A. (1992) Changes in mammography use: Economic, need, and service factors. *Am. J. Public Health*, **82**, 1345–1351
- Zelen, M. & Feinleib, M. (1969) On the theory of screening for chronic diseases. *Biometrika*, **56**, 601–614
- Ziegler, R.G., Hoover, R.N., Pike, M.C., Hildesheim, A., Nomura, A.M., West, D.W., Wu-Williams, A.H., Kolonel, L.N., Horn-Ross, P.L. & Rosenthal, J.F. (1993) Migration patterns and breast cancer risk in Asian-American women. *J. Natl. Cancer Inst.*, **85**, 1819–1827
- Zoetelief, J., Fitzgerald, M., Leitz, W. & Säbel, M. (1996) *European Protocol on Dosimetry in Mammography* (EUR 16263), Brussels, Commission of the European Communities
- Zuur, C. & Broerse, J.J. (1985) Risk– and cost–benefit analyses of breast screening programs derived from absorbed dose measurements in The Netherlands. *Diagn. Imaging Clin. Med.*, **54**, 211–222