

# IARC STAFF PUBLICATIONS 2010–2011

- Abedi-Ardekani B, Gouas D, Villar S et al. (2011). TP53 Mutations and HBX Status Analysis in Hepatocellular Carcinomas from Iran: Evidence for Lack of Association between HBV Genotype D and TP53 R249S Mutations. *Hepat Res Treat*, 2011:475965. doi:10.1155/2011/475965 PMID:21869931
- Abedi-Ardekani B, Kamangar F, Hewitt SM et al. (2010). Polycyclic aromatic hydrocarbon exposure in oesophageal tissue and risk of oesophageal squamous cell carcinoma in north-eastern Iran. *Gut*, 59:1178–1183. doi:10.1136/gut.2010.210609 PMID:20584779
- Accardi L, Donà MG, Mileo AM et al. (2011). Retinoblastoma-independent antiproliferative activity of novel intracellular antibodies against the E7 oncoprotein in HPV 16-positive cells. *BMC Cancer*, 11:17. doi:10.1186/1471-2407-11-17 PMID:21241471
- Accardi R, Rubino R, Scalise M et al. (2011). E6 and E7 from human papillomavirus type 16 cooperate to target the PDZ protein Na/H exchange regulatory factor 1. *J Virol*, 85:8208–8216. doi:10.1128/JVI.00114-11 PMID:21680517
- Accardi R, Scalise M, Gheit T et al. (2011). IkappaB kinase beta promotes cell survival by antagonizing p53 functions through DeltaNp73alpha phosphorylation and stabilization. *Mol Cell Biol*, 31:2210–2226. doi:10.1128/MCB.00964-10 PMID:21482671
- Aghcheli K, Marjani HA, Nasrollahzadeh D et al. (2011). Prognostic factors for esophageal squamous cell carcinoma—a population-based study in Golestan Province, Iran, a high incidence area. *PLoS One*, 6:e22152. doi:10.1371/journal.pone.0022152 PMID:21811567
- Agostini M, Ferro G, Olsson A et al. (2010). Exposure assessment for a nested case-control study of lung cancer among European asphalt workers. *Ann Occup Hyg*, 54:813–823. doi:10.1093/annhyg/meq059 PMID:20861450
- Aitken Z, McCormack VA, Highnam RP et al. (2010). Screen-film mammographic density and breast cancer risk: a comparison of the volumetric standard mammogram form and the interactive threshold measurement methods. *Cancer Epidemiol Biomarkers Prev*, 19:418–428. doi:10.1158/1055-9965.EPI-09-1059 PMID:20142240
- Aitken Z, Walker K, Stegeman BH et al. (2010). Mammographic density and markers of socioeconomic status: a cross-sectional study. *BMC Cancer*, 10:35. doi:10.1186/1471-2407-10-35 PMID:20144221
- Aleksandrova K, Boeing H, Jenab M et al. (2011). Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. *Cancer Prev Res (Phila)*, 4:1873–1883. doi:10.1158/1940-6207.CAPR-11-0218 PMID:21697276
- Aleksandrova K, Jenab M, Boeing H et al. (2010). Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. *Am J Epidemiol*, 172:407–418. doi:10.1093/aje/kwq135 PMID:20634278
- Alibegashvili T, Clifford GM, Vaccarella S et al. (2011). Human papillomavirus infection in women with and without cervical cancer in Tbilisi, Georgia. *Cancer Epidemiol*, 35:465–470. doi:10.1016/j.cane.2010.12.006 PMID:21292583
- Allen NE, Tsilidis KK, Key TJ et al. (2010). Menopausal hormone therapy and risk of endometrial carcinoma among postmenopausal women in the European Prospective Investigation Into Cancer and Nutrition. *Am J Epidemiol*, 172:1394–1403. doi:10.1093/aje/kwq300 PMID:20961969
- Anaganti S, Fernández-Cuesta L, Langerød A et al. (2011). p53-Dependent repression of focal adhesion kinase in response to estradiol in breast cancer cell-lines. *Cancer Lett*, 300:215–224. doi:10.1016/j.canlet.2010.10.008 PMID:21071137
- Anantharaman D, Marron M, Lagiou P et al. (2011). Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. *Oral Oncol*, 47:725–731. doi:10.1016/j.oraloncology.2011.05.004 PMID:21684805
- Andreotti G, Boffetta P, Rosenberg PS et al. (2010). Variants in blood pressure genes and the risk of renal cell carcinoma. *Carcinogenesis*, 31:614–620. doi:10.1093/carcin/bgp321 PMID:20047954
- Anfinsen KP, Devesa SS, Bray F et al. (2011). Age-period-cohort analysis of primary bone cancer incidence rates in the United States (1976–2005). *Cancer Epidemiol Biomarkers Prev*, 20:1770–1777. doi:10.1158/1055-9965.EPI-11-0136 PMID:21724855
- Antonelli M, Buttarelli FR, Arcella A et al. (2010). Prognostic significance of histological grading, p53 status, YKL-40 expression, and IDH1 mutations in pediatric high-grade gliomas. *J Neurooncol*, 99:209–215. doi:10.1007/s11060-010-0129-5 PMID:20174854
- Appelman HD, Umar A, Orlando RC et al. (2011). Barrett's esophagus: natural history. *Ann N Y Acad Sci*, 1232:292–308. doi:10.1111/j.1749-6632.2011.06057.x PMID:21950819

- Arbyn M, Anttila A, Jordan J et al. (2010). European Guidelines for Quality Assurance in Cervical Cancer Screening. Second edition—summary document. *Ann Oncol*, 21:448–458.doi:10.1093/annonc/mdp471 PMID:20176693
- Arbyn M, Castellsagué X, de Sanjosé S et al. (2011). Worldwide burden of cervical cancer in 2008. *Ann Oncol*, 22:2675–2686.doi:10.1093/annonc/mdr015 PMID:21471563
- Arrossi S, Paolino M, Sankaranarayanan R (2010). Challenges faced by cervical cancer prevention programs in developing countries: a situational analysis of program organization in Argentina. *Rev Panam Salud Publica*, 28:249–257.doi:10.1590/S1020-49892010001000003 PMID:21152712
- Arslan AA, Helzlsouer KJ, Kooperberg C et al.; Pancreatic Cancer Cohort Consortium (PanScan) (2010). Anthropometric measures, body mass index, and pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). *Arch Intern Med*, 170:791–802.doi:10.1001/archinternmed.2010.63 PMID:20458087
- Ashley L, Jones H, Forman D et al. (2011). Feasibility test of a UK-scalable electronic system for regular collection of patient-reported outcome measures and linkage with clinical cancer registry data: The electronic Patient-reported Outcomes from Cancer Survivors (ePOCS) system. *BMC Med Inform Decis Mak*, 11:66.doi:10.1186/1472-6947-11-66 PMID:22029686
- Ateenyi-Agaba C, Franceschi S, Wabwire-Mangen F et al. (2010). Human papillomavirus infection and squamous cell carcinoma of the conjunctiva. *Br J Cancer*, 102:262–267.doi:10.1038/sj.bjc.6605466 PMID:19997105
- Aubin F, Gheit T, Prétet JL et al. (2010). Presence and persistence of human papillomavirus types 1, 2, and 4 on emery boards after scraping off plantar warts. *J Am Acad Dermatol*, 62:151–153. doi:10.1016/j.jaad.2009.04.034 PMID:20082896
- Auclair J, Vaissière T, Desseigne F et al. (2011). Intensity-dependent constitutional MLH1 promoter methylation leads to early onset of colorectal cancer by affecting both alleles. *Genes Chromosomes Cancer*, 50:178–185.doi:10.1002/gcc.20842 PMID:21213371
- Autier P, Boniol M, La Vecchia C et al. (2010). Disparities in breast cancer mortality trends between 30 European countries: retrospective trend analysis of WHO mortality database. *BMJ*, 341 aug11 1;c3620.doi:10.1136/bmj.c3620 PMID:20702548
- Aydin D, Feychtung M, Schüz J et al. (2011). Impact of random and systematic recall errors and selection bias in case-control studies on mobile phone use and brain tumors in adolescents (CEFALO study). *Bioelectromagnetics*, 32:396–407.doi:10.1002/bem.20651 PMID:21294138
- Aydin D, Feychtung M, Schüz J et al. (2011). Predictors and overestimation of recalled mobile phone use among children and adolescents. *Prog Biophys Mol Biol*, 107:356–361. PMID:21907731
- Aydin D, Feychtung M, Schüz J et al. (2011). Mobile phone use and brain tumors in children and adolescents: a multicenter case-control study. *J Natl Cancer Inst*, 103:1264–1276.doi:10.1093/jnci/djr244 PMID:21795665
- Baan R, Grosse Y, Lauby-Secretan B et al.; WHO International Agency for Research on Cancer Monograph Working Group (2011). Carcinogenicity of radiofrequency electromagnetic fields. *Lancet Oncol*, 12:624–626.doi:10.1016/S1470-2045(11)70147-4 PMID:21845765
- Baan RA (2010). Letter of concern. *Mutat Res*, 695:1. doi:10.1016/j.mrgentox.2009.11.004 PMID:19914398
- Bagnardi V, Rota M, Botteri E et al. (2011). Alcohol consumption and lung cancer risk in never smokers: a meta-analysis. *Ann Oncol*, 22:2631–2639.doi:10.1093/annonc/mdr027 PMID:21427064
- Bah E, Sam O, Whittle H et al. (2011). Cancer survival in the Gambia, 1993–1997. *IARC Sci Publ*, 162:97–100. PMID:21675410
- Bakken K, Fournier A, Lund E et al. (2011). Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 128:144–156.doi:10.1002/ijc.25314 PMID:20232395
- Balassiano K, Lima S, Jenab M et al. (2011). Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). *Cancer Lett*, 311:85–95.doi:10.1016/j.canlet.2011.06.038 PMID:21831520
- Baltar VT, Xun WW, Chuang SC et al. (2011). Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. *Cancer Epidemiol Biomarkers Prev*, 20:869–875.doi:10.1158/1055-9965.EPI-10-1235 PMID:21357382
- Bamia C, Halkjaer J, Lagiou P et al. (2010). Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition-Elderly Network on Ageing and Health study. *J Intern Med*, 268:133–144.doi:10.1111/j.1365-2796.2010.02219.x PMID:20210842
- Barraza-Villarreal A, Escamilla-Núñez MC, Hernández-Cadena L et al. (2011). Elemental carbon exposure and lung function in school children from Mexico City. *Eur Respir J*, 38:548–552.doi:10.1183/09031936.00111410 PMID:21310877
- Baverstock K, Karotki AV (2011). Towards a unifying theory of late stochastic effects of ionizing radiation. *Mutat Res*, 718:1–9.doi:10.1016/j.mrgentox.2010.11.003 PMID:21078408
- Beau-Faller M, Degeorges A, Rolland E et al. (2011). Cross-validation study for epidermal growth factor receptor and KRAS mutation detection in 74 blinded non-small cell lung carcinoma samples: a total of 5550 exons sequenced by 15 molecular French laboratories (evaluation of the EGFR mutation status for the administration of EGFR-TKIs in non-small cell lung carcinoma [ERMETIC] project—part 1). *J Thorac Oncol*, 6:1006–1015.doi:10.1097/JTO.0b013e318211dce PMID:21532509
- Benavente Y, Mbisa G, Labo N et al. (2011). Antibodies against lytic and latent Kaposi's sarcoma-associated herpes virus antigens and lymphoma in the European EpiLymph case-control study. *Br J Cancer*, 105:1768–1771.doi:10.1038/bjc.2011.392 PMID:21952625
- Benetou V, Orfanos P, Benetos IS et al. (2011). Anthropometry, physical activity and hip fractures in the elderly. *Injury*, 42:188–193.doi:10.1016/j.injury.2010.08.022 PMID:20863492
- Benetou V, Orfanos P, Zylis D et al. (2011). Diet and hip fractures among elderly Europeans in the EPIC cohort. *Eur J Clin Nutr*, 65:132–139.doi:10.1038/ejcn.2010.226 PMID:20948558
- Bergmann MM, Schütze M, Steffen A et al. (2011). The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. *Eur J Clin Nutr*, 65:1079–1087.doi:10.1038/ejcn.2011.70 PMID:21559044
- Bevilacqua G, Bosman F, Dassesse T et al. (2010). The role of the pathologist in tissue banking: European Consensus Expert Group Report. *Virchows Arch*, 456:449–454.doi:10.1007/s00428-010-0887-7 PMID:20157825

- Bidoli E, Pelucchi C, Zucchetto A et al. (2010). Fiber intake and endometrial cancer risk. *Acta Oncol*, 49:441–446.doi:10.3109/02841860903535996 PMID:2048644
- Biver-Dalle C, Gheit T, Drobacheff-Thiebaut C et al. (2010). Detection of human papillomavirus DNA in plucked eyebrow hair from HIV-infected patients. *J Invest Dermatol*, 130:2499–2502.doi:10.1038/jid.2010.147 PMID:20520627
- Boffetta P, Couto E, Wichmann J et al. (2010). Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). *J Natl Cancer Inst*, 102:529–537. doi:10.1093/jnci/djq072 PMID:20371762
- Boffetta P, Fontana L, Stewart P et al. (2011). Occupational exposure to arsenic, cadmium, chromium, lead and nickel, and renal cell carcinoma: a case-control study from Central and Eastern Europe. *Occup Environ Med*, 68:723–728.doi:10.1136/oem.2010.056341 PMID:21217163
- Bohlus J, Schmidlin K, Boué F et al.; Collaboration of Observational HIV Epidemiological Research Europe (2011). HIV-1-related Hodgkin lymphoma in the era of combination antiretroviral therapy: incidence and evolution of CD4 $\beta$  T-cell lymphocytes. *Blood*, 117:6100–6108.doi:10.1182/blood-2010-08-301531 PMID:21368291
- Boing AF, Antunes JL, de Carvalho MB et al.; Head and Neck Genome Project/GENCAPO (2011). How much do smoking and alcohol consumption explain socioeconomic inequalities in head and neck cancer risk? *J Epidemiol Community Health*, 65:709–714. doi:10.1136/jech.2009.097691 PMID:20724282
- Bosetti C, Scelo G, Chuang SC et al. (2011). High constant incidence rates of second primary cancers of the head and neck: a pooled analysis of 13 cancer registries. *Int J Cancer*, 129:173–179.doi:10.1002/ijc.25652 PMID:20824702
- Bouckaert KP, Slimani N, Nicolas G et al. (2011). Critical evaluation of folate data in European and international databases: recommendations for standardization in international nutritional studies. *Mol Nutr Food Res*, 55:166–180.doi:10.1002/mnfr.201000391 PMID:21207520
- Braschinsky M, Tamm R, Beetz C et al. (2010). Unique spectrum of SPAST variants in Estonian HSP patients: presence of benign missense changes but lack of exonic rearrangements. *BMC Neurol*, 10:17. doi:10.1186/1471-2377-10-17 PMID:20214791
- Bravi F, Edefonti V, Bosetti C et al. (2010). Nutrient dietary patterns and the risk of colorectal cancer: a case-control study from Italy. *Cancer Causes Control*, 21:1911–1918.doi:10.1007/s10552-010-9619-1 PMID:20680437
- Bray F, Lortet-Tieulent J, Ferlay J et al. (2010). Prostate cancer incidence and mortality trends in 37 European countries: an overview. *Eur J Cancer*, 46:3040–3052.doi:10.1016/j.ejca.2010.09.013 PMID:21047585
- Brennan P, Hainaut P, Boffetta P (2011). Genetics of lung-cancer susceptibility. *Lancet Oncol*, 12:399–408.doi:10.1016/S1470-2045(10)70126-1 PMID:20951091
- Broeks A, Schmidt MK, Sherman ME et al.; Genica Network; kConFab; AOCS (2011). Low penetrance breast cancer susceptibility loci are associated with specific breast tumor subtypes: findings from the Breast Cancer Association Consortium. *Hum Mol Genet*, 20:3289–3303.doi:10.1093/hmg/ddr228 PMID:21596841
- Büchner FL, Bueno-de-Mesquita HB, Linseisen J et al. (2010). Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Causes Control*, 21:357–371.doi:10.1007/s10552-009-9468-y PMID:19924549
- Büchner FL, Bueno-de-Mesquita HB, Ros MM et al. (2010). Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. *Cancer Epidemiol Biomarkers Prev*, 19:2278–2286.doi:10.1158/1055-9965.EPI-10-0489 PMID:20807832
- Büchner FL, Bueno-de-Mesquita HB, Ros MM et al. (2011). Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 128:2971–2979.doi:10.1002/ijc.25636 PMID:20979109
- Buckland G, Agudo A, Luján L et al. (2010). Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. *Am J Clin Nutr*, 91:381–390. doi:10.3945/ajcn.2009.28209 PMID:20007304
- Burgess JA, Matheson MC, Gurrin LC et al. (2011). Factors influencing asthma remission: a longitudinal study from childhood to middle age. *Thorax*, 66:508–513.doi:10.1136/thx.2010.146845 PMID:21450787
- Butterbach K, Beckmann L, de Sanjosé S et al. (2011). Association of JAK-STAT pathway related genes with lymphoma risk: results of a European case-control study (EpiLymph). *Br J Haematol*, 153: 318–333.doi:10.1111/j.1365-2141.2011.08632.x PMID:21418178
- Bzhalava D, Bray F, Storm H, Dillner J (2011). Risk of second cancers after the diagnosis of Merkel cell carcinoma in Scandinavia. *Br J Cancer*, 104:178–180.doi:10.1038/sj.bjc.6605989 PMID:21081931
- Campa D, Claus R, Dostal L et al. (2011). Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). *Breast Cancer Res Treat*, 127:761–767.doi:10.1007/s10549-010-1269-1 PMID:21116708
- Campa D, Hüsing A, Chang-Claude J et al. (2011). Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). *Eur J Cancer*, 47:420–427.doi:10.1016/j.ejca.2010.09.029 PMID:20965718
- Campa D, Hüsing A, Dostal L et al. (2011). Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. *Oncol Rep*, 26:979–986. PMID:21725602
- Campa D, Hüsing A, McKay JD et al. (2010). The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. *BMC Cancer*, 10:563.doi:10.1186/1471-2407-10-563 PMID:20955599
- Campa D, Hüsing A, Stein A et al. (2011). Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). *PLoS One*, 6:e16914.doi:10.1371/journal.pone.0016914 PMID:21373201
- Campa D, Kaaks R, Le Marchand L et al. (2011). Interactions between genetic variants and breast cancer risk factors in the breast and prostate cancer cohort consortium. *J Natl Cancer Inst*, 103:1252–1263.doi:10.1093/jnci/djr265 PMID:21791674
- Cardis E, Varsier N, Bowman JD et al. (2011). Estimation of RF energy absorbed in the brain from mobile phones in the Interphone Study. *Occup Environ Med*, 68:686–693.doi:10.1136/oemed-2011-100065 PMID:21659468

- Carsin AE, Drummond FJ, Black A et al. (2010). Impact of PSA testing and prostatic biopsy on cancer incidence and mortality: comparative study between the Republic of Ireland and Northern Ireland. *Cancer Causes Control*, 21:1523–1531. doi:10.1007/s10552-010-9581-y PMID:20514514
- Carstensen B, Plummer M (2011). Using Lexis Objects for Multi-State Models in R. *J Stat Softw*, 38:1–18.
- Carvalho LV, Pereira EM, Frappart L et al. (2010). Molecular characterization of breast cancer in young Brazilian women. *Rev Assoc Med Bras*, 56:278–287. doi:10.1590/S0104-42302010000300010 PMID:20676533
- Castellsagué X, Díaz M, Vaccarella S et al. (2011). Intrauterine device use, cervical infection with human papillomavirus, and risk of cervical cancer: a pooled analysis of 26 epidemiological studies. *Lancet Oncol*, 12:1023–1031. doi:10.1016/S1470-2045(11)70223-6 PMID:21917519
- Cavanaugh JS, Awi D, Mendy M et al. (2011). Partially randomized, non-blinded trial of DNA and MVA therapeutic vaccines based on hepatitis B virus surface protein for chronic HBV infection. *PLoS One*, 6:e14626. doi:10.1371/journal.pone.0014626 PMID:21347224
- Chadeau-Hyam M, Athersuch TJ, Keun HC et al. (2011). Meeting-in-the-middle using metabolic profiling - a strategy for the identification of intermediate biomarkers in cohort studies. *Biomarkers*, 16:83–88. doi:10.3109/1354750X.2010.533285 PMID:21114379
- Chajès V, Biessy C, Byrnes G et al. (2011). Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). *Nutr Cancer*, 63:1235–1250. doi:10.1080/01635581.2011.617530 PMID:22043987
- Chajès V, Jenab M, Romieu I et al. (2011). Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). *Am J Clin Nutr*, 94:1304–1313. doi:10.3945/ajcn.110.005892 PMID:21993438
- Chajès V, Joulin V, Clavel-Chapelon F (2011). The fatty acid desaturation index of blood lipids, as a biomarker of hepatic stearoyl-CoA desaturase expression, is a predictive factor of breast cancer risk. *Curr Opin Lipidol*, 22:6–10. doi:10.1097/MOL.0b013e3283404552 PMID:20935562
- Chaloupka FJ, Straif K, Leon ME; Working Group, International Agency for Research on Cancer (2011). Effectiveness of tax and price policies in tobacco control. *Tob Control*, 20:235–238. doi:10.1136/tc.2010.039982 PMID:21115556
- Chang AH, Haggerty TD, de Martel C et al. (2011). Effect of Helicobacter pylori infection on symptoms of gastroenteritis due to enteropathogenic Escherichia coli in adults. *Dig Dis Sci*, 56:457–464. doi:10.1007/s10620-010-1309-z PMID:20635147
- Chang JS, Wiemels JL, Chokkalingam AP et al. (2010). Genetic polymorphisms in adaptive immunity genes and childhood acute lymphoblastic leukemia. *Cancer Epidemiol Biomarkers Prev*, 19:2152–2163. doi:10.1158/1055-9965.EPI-10-0389 PMID:20716621
- Chargari C, Comperat E, Magné N et al. (2011). Prostate needle biopsy examination by means of virtual microscopy. *Pathol Res Pract*, 207:366–369. doi:10.1016/j.prp.2011.03.005 PMID:21570778
- Chatenoud L, Bertuccio P, Bosetti C et al. (2010). Trends in cancer mortality in Brazil, 1980–2004. *Eur J Cancer Prev*, 19:79–86. doi:10.1097/CEJ.0b013e3283233be PMID:20009937
- Chen D, McKay JD, Clifford G et al. (2011). Genome-wide association study of HPV seropositivity. *Hum Mol Genet*, 20:4714–4723. doi:10.1093/hmg/ddr383 PMID:21896673
- Chen D, Truong T, Gaborieau V et al. (2011). A sex-specific association between a 15q25 variant and upper aerodigestive tract cancers. *Cancer Epidemiol Biomarkers Prev*, 20:658–664. doi:10.1158/1055-9965.EPI-10-1008 PMID:21335511
- Cho LY, Yang JJ, Ko KP et al. (2011). Coinfection of hepatitis B and C viruses and risk of hepatocellular carcinoma: systematic review and meta-analysis. *Int J Cancer*, 128:176–184. doi:10.1002/ijc.25321 PMID:20232388
- Chokkalingam AP, Bartley K, Wiemels JL et al. (2011). Haplotypes of DNA repair and cell cycle control genes, X-ray exposure, and risk of childhood acute lymphoblastic leukemia. *Cancer Causes Control*, 22:1721–1730. doi:10.1007/s10552-011-9848-y PMID:21987080
- Chu A, Heck JE, Ribeiro KB et al. (2010). Wilms' tumour: a systematic review of risk factors and meta-analysis. *Paediatr Perinat Epidemiol*, 24:449–469. doi:10.1111/j.1365-3016.2010.01133.x PMID:20670226
- Chuang SC, Gallo V, Michaud D et al. (2011). Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European Prospective Investigation into Cancer and Nutrition. *Cancer Causes Control*, 22:487–494. doi:10.1007/s10552-010-9723-2 PMID:21279734
- Chuang SC, Lee YC, Hashibe M et al. (2010). Interaction between cigarette smoking and hepatitis B and C virus infection on the risk of liver cancer: a meta-analysis. *Cancer Epidemiol Biomarkers Prev*, 19:1261–1268. doi:10.1158/1055-9965.EPI-09-1297 PMID:20447919
- Chuang SC, Scélo G, Lee YC et al. (2010). Risks of second primary cancer among patients with major histological types of lung cancers in both men and women. *Br J Cancer*, 102:1190–1195. doi:10.1038/sj.bjc.6605616 PMID:20354532
- Chuang SC, Stolzenberg-Solomon R, Ueland PM et al. (2011). A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Eur J Cancer*, 47:1808–1816. doi:10.1016/j.ejca.2011.02.007 PMID:21411310
- Chung SH, Franceschi S, Lambert PF (2010). Estrogen and ERalpha: culprits in cervical cancer? *Trends Endocrinol Metab*, 21:504–511. doi:10.1016/j.tem.2010.03.005 PMID:20456973
- Clément-Duchêne C, Vignaud JM, Stoufflet A et al. (2010). Characteristics of never smoker lung cancer including environmental and occupational risk factors. *Lung Cancer*, 67:144–150. doi:10.1016/j.lungcan.2009.04.005 PMID:19464070
- Clifford GM, Howell-Jones R, Franceschi S (2011). Judging the carcinogenicity of human papillomavirus types by single/multiple infection ratio in cervical cancer. *Int J Cancer*, 129:1792–1794. doi:10.1002/ijc.25833 PMID:21140454
- Cocco P, t'Mannetje A, Fadda D et al. (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. *Occup Environ Med*, 67:341–347. doi:10.1136/oem.2009.046839 PMID:20447988
- Cogliano V, Straif K (2010). Re: False-positive results in cancer epidemiology: a plea for epistemological modesty. *J Natl Cancer Inst*, 102:134, author reply 134–135. PMID:20007526
- Cogliano VJ (2010). Identifying carcinogenic agents in the workplace and environment. *Lancet Oncol*, 11:602. doi:10.1016/S1470-2045(09)70363-8 PMID:20522386

- Coglianò VJ, Baan R, Straif K; IARC Monographs programme staff (2011). Updating IARC's carcinogenicity assessment of benzene. *Am J Ind Med*, 54:165–167.doi:10.1002/ajim.20916 PMID:21259300
- Coleman MP, Forman D, Bryant H et al.; ICBP Module 1 Working Group (2011). Cancer survival in Australia, Canada, Denmark, Norway, Sweden, and the UK, 1995–2007 (the International Cancer Benchmarking Partnership): an analysis of population-based cancer registry data. *Lancet*, 377:127–138.doi:10.1016/S0014-0736(10)62231-3 PMID:21183212
- Conde L, Halperin E, Akers NK et al. (2010). Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. *Nat Genet*, 42:661–664.doi:10.1038/ng.626 PMID:20639881
- Conway DI, McKinney PA, McMahon AD et al. (2010). Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. *Eur J Cancer*, 46:588–598.doi:10.1016/j.ejca.2009.09.028 PMID:19857956
- Cortot AB, Italiano A, Burel-Vandenbos F et al. (2010). KRAS mutation status in primary nonsmall cell lung cancer and matched metastases. *Cancer*, 116:2682–2687.doi:10.1002/cncr.25014 PMID:20336783
- Coste I, Le Corf K, Kfouri A et al. (2010). Dual function of MyD88 in RAS signaling and inflammation, leading to mouse and human cell transformation. *J Clin Invest*, 120:3663–3667.doi:10.1172/JCI42771 PMID:20941850
- Couto E, Boffetta P, Lagiou P et al. (2011). Mediterranean dietary pattern and cancer risk in the EPIC cohort. *Br J Cancer*, 104:1493–1499.doi:10.1038/bjc.2011.106 PMID:21468044
- Crispim SP, de Vries JH, Geelen A et al. (2011). Two non-consecutive 24 h recalls using EPIC-Soft software are sufficiently valid for comparing protein and potassium intake between five European centres—results from the European Food Consumption Validation (EFCOVAL) study. *Br J Nutr*, 105:447–458.doi:10.1017/S0007114510003648 PMID:20875188
- Crispim SP, Geelen A, Souverein OW et al.; EFCOVAL Consortium (2011). Biomarker-based evaluation of two 24-h recalls for comparing usual fish, fruit and vegetable intakes across European centers in the EFCOVAL Study. *Eur J Clin Nutr*, 65 Suppl 1:S38–S47.doi:10.1038/ejcn.2011.86 PMID:21731004
- Cross AJ, Freedman ND, Ren J et al. (2011). Meat consumption and risk of esophageal and gastric cancer in a large prospective study. *Am J Gastroenterol*, 106:432–442.doi:10.1038/ajg.2010.415 PMID:20978481
- Crowe FL, Key TJ, Allen NE et al. (2011). A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Ann Hum Biol*, 38:194–202.doi:10.3109/03014460.2010.507221 PMID:20731527
- Crowe FL, Roddam AW, Key TJ et al.; European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart Study Collaborators (2011). Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. *Eur Heart J*, 32:1235–1243.doi:10.1093/eurheartj/ehq465 PMID:21245490
- Curado MP, Pontes T, Guerra-Yi ME, Cancela MdeC (2011). Leukemia mortality trends among children, adolescents, and young adults in Latin America. *Rev Panam Salud Publica*, 29:96–102.doi:10.1590/S1020-49892011000200004 PMID:21437366
- da Silva EM, Wachatz MI, Martel-Planche G et al. (2011). TP53 mutation p.R337H in gastric cancer tissues of a 12-year-old male child - evidence for chimerism involving a common mutant founder haplotype: case report. *BMC Cancer*, 11:449.doi:10.1186/1471-2407-11-449 PMID:22004116
- Dal Maso L, Franceschi S, Lise M et al. (2010). Re: Papillary thyroid cancer incidence in the volcanic area of Sicily. *J Natl Cancer Inst*, 102:914–915, author reply 915–916.doi:10.1093/jnci/djq157 PMID:20484104
- Dal Maso L, Franceschi S, Lise M et al.; Screening of HIV-positive women in Emilia-Romagna (SHER) Study (2010). Self-reported history of Pap-smear in HIV-positive women in Northern Italy: a cross-sectional study. *BMC Cancer*, 10:310. PMID:20565935
- Dal Maso L, Lise M, Franceschi S; AIRTUM Working Group (2011). [1991–2005: surveillance increases and thyroid cancer incidence doubles]. *Epidemiol Prev*, 35:161. PMID:21628764
- Dal Maso L, Lise M, Zambon P et al.; AIRTUM Working Group (2011). Incidence of thyroid cancer in Italy, 1991–2005: time trends and age-period-cohort effects. *Ann Oncol*, 22:957–963.doi:10.1093/annonc/mdq467 PMID:20952599
- Dal Maso L, Tavani A, Zucchetto A et al. (2011). Anthropometric measures at different ages and endometrial cancer risk. *Br J Cancer*, 104:1207–1213.doi:10.1038/bjc.2011.63 PMID:21386846
- Dalton SO, Frederiksen BL, Jacobsen E et al. (2011). Socioeconomic position, stage of lung cancer and time between referral and diagnosis in Denmark, 2001–2008. *Br J Cancer*, 105:1042–1048.doi:10.1038/bjc.2011.342 PMID:21897390
- de Boer EJ, Slimani N, van 't Veer P et al.; EFCOVAL Consortium (2011). Rationale and methods of the European Food Consumption Validation (EFCOVAL) Project. *Eur J Clin Nutr*, 65 Suppl 1:S1–S4.doi:10.1038/ejcn.2011.82 PMID:21731000
- de Boer EJ, Slimani N, van 't Veer P et al.; EFCOVAL Consortium (2011). The European Food Consumption Validation Project: conclusions and recommendations. *Eur J Clin Nutr*, 65 Suppl 1:S102–S107.doi:10.1038/ejcn.2011.94 PMID:21731001
- de Camargo Cancela M, Chapuis F, Curado MP (2010). Abstracting stage in population-based cancer registries: the example of oral cavity and oropharynx cancers. *Cancer Epidemiol*, 34:501–506. doi:10.1016/j.canep.2010.04.012 PMID:20452853
- de Camargo Cancela M, Voti L, Guerra-Yi M et al. (2010). Oral cavity cancer in developed and in developing countries: population-based incidence. *Head Neck*, 32:357–367. PMID:19644932
- de Camargo Cancela M, Stayner LT, Straif K et al. (2011). Occupational exposure to asbestos and ovarian cancer: a meta-analysis. *Environ Health Perspect*, 119:1211–1217.doi:10.1289/ehp.1003283 PMID:21642044
- De Keyzer W, Huybrechts I, De Maeyer M et al. (2011). Food photographs in nutritional surveillance: errors in portion size estimation using drawings of bread and photographs of margarine and beverages consumption. *Br J Nutr*, 105:1073–1083.doi:10.1017/S0007114510004551 PMID:21092383
- de Martel C, Plummer M, Franceschi S (2010). Cholangiocarcinoma: descriptive epidemiology and risk factors. *Gastroenterol Clin Biol*, 34:173–180. doi:10.1016/j.gcb.2010.01.008 PMID:20202771
- de Martel C, Plummer M, van Doorn LJ et al. (2010). Comparison of polymerase chain reaction and histopathology for the detection of Helicobacter pylori in gastric biopsies. *Int J Cancer*, 126:1992–1996. PMID:19795444

- de Souza DL, Bernal Pérez MM, Curado MP (2011). Predicted incidence of oral cavity, oropharyngeal, laryngeal, and hypopharyngeal cancer in Spain and implications for cancer control. *Cancer Epidemiol*, 35:510–514.doi:10.1016/j.canep.2011.02.012 PMID:21470934
- de Souza DL, Pérez MM, Curado MP (2011). Gender differences in the incidence of laryngeal and hypopharyngeal cancers in Spain. *Cancer Epidemiol*, 35:328–333.doi:10.1016/j.canep.2011.02.003 PMID:21474407
- De Stefani E, Ronco AL, Deneo-Pellegrini H et al. (2010). Dietary patterns and risk of advanced prostate cancer: a principal component analysis in Uruguay. *Cancer Causes Control*, 21:1009–1016. doi:10.1007/s10552-010-9527-4 PMID:20198507
- de Vathaire F, Drozdovitch V, Brindel P et al. (2010). Thyroid cancer following nuclear tests in French Polynesia. *Br J Cancer*, 103:1115–1121.doi:10.1038/sj.bjc.6605862 PMID:20808313
- De Vuyst H, Parisi MR, Karani A et al. (2010). The prevalence of human papillomavirus infection in Mombasa, Kenya. *Cancer Causes Control*, 21:2309–2313.doi:10.1007/s10552-010-9645-z PMID:20938733
- Deltour I, Wiart J, Taki M et al. (2011). Analysis of three-dimensional SAR distributions emitted by mobile phones in an epidemiological perspective. *Bioelectromagnetics*, 32:634–643.doi:10.1002/bem.20684 PMID:21695709
- Dey S, Hablas A, Seifeldin IA et al. (2010). Urban-rural differences of gynaecological malignancies in Egypt (1999–2002). *BJOG*, 117:348–355.doi:10.1111/j.1471-0528.2009.02447.x PMID:20015310
- Dey S, Soliman AS, Hablas A et al. (2010). Urban-rural differences in breast cancer incidence by hormone receptor status across 6 years in Egypt. *Breast Cancer Res Treat*, 120:149–160.doi:10.1007/s10549-009-0427-9 PMID:19548084
- Dhillon PK, Yeole BB, Dikshit R et al. (2011). Trends in breast, ovarian and cervical cancer incidence in Mumbai, India over a 30-year period, 1976–2005: an age-period-cohort analysis. *Br J Cancer*, 105:723–730.doi:10.1038/bjc.2011.301 PMID:21829198
- Díaz-Apodaca BA, Ebrahim S, McCormack V et al. (2010). Prevalence of type 2 diabetes and impaired fasting glucose: cross-sectional study of multiethnic adult population at the United States-Mexico border. *Rev Panam Salud Pública*, 28:174–181.doi:10.1590/S1020-49892010000900007 PMID:20963264
- Does M, Scélo G, Metayer C et al. (2011). Exposure to electrical contact currents and the risk of childhood leukemia. *Radiat Res*, 175:390–396. doi:10.1667/RR2357.1 PMID:21388283
- Dondog B, Lise M, Dondov O et al. (2011). Hepatitis B and C virus infections in hepatocellular carcinoma and cirrhosis in Mongolia. *Eur J Cancer Prev*, 20:33–39.doi:10.1097/CEJ.0b013e32833f0c8e PMID:21166097
- Dossus L, Allen N, Kaaks R et al. (2010). Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 127:442–451. PMID:19924816
- Dossus L, Becker S, Rinaldi S et al. (2010). Tumor necrosis factor (TNF)-α, soluble TNF receptors and endometrial cancer risk: The EPIC study. *Int J Cancer*, 8:2037. PMID:21154749
- Dossus L, Rinaldi S, Becker S et al. (2010). Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. *Endocr Relat Cancer*, 17:1007–1019.doi:10.1677/ERC-10-0053 PMID:20843938
- Downing A, Gilthorpe MS, Dodwell D et al. (2011). Waiting times for radiotherapy after breast-conserving surgery and the association with survival: a path analysis. *Clin Oncol (R Coll Radiol)*, 23:442–448.doi:10.1016/j.clon.2011.02.004 PMID:21377846
- Downing A, West RM, Gilthorpe MS et al. (2011). Using routinely collected health data to investigate the association between ethnicity and breast cancer incidence and survival: what is the impact of missing data and multiple ethnicities? *Ethn Health*, 16:201–212.doi:10.1080/13557858.2011.561301 PMID:21462016
- Doyle AM, Ross DA, Maganja K et al.; MEMA kwa Vijana Trial Study Group (2010). Long-term biological and behavioural impact of an adolescent sexual health intervention in Tanzania: follow-up survey of the community-based MEMA kwa Vijana Trial. *PLoS Med*, 7:e1000287.doi:10.1371/journal.pmed.1000287 PMID:20543994
- Drozdovitch V, Khrouch V, Maceika E et al. (2010). Reconstruction of radiation doses in a case-control study of thyroid cancer following the Chernobyl accident. *Health Phys*, 99:1–16.doi:10.1097/HP.0b013e3181c910dd PMID:20539120
- Duell EJ, Holly EA, Kelsey KT, Bracci PM (2010). Genetic variation in CYP17A1 and pancreatic cancer in a population-based case-control study in the San Francisco Bay Area, California. *Int J Cancer*, 126:790–795.doi:10.1002/ijc.24792 PMID:19642097
- Duell EJ, Travier N, Lujan-Barroso L et al. (2010). Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. *Am J Epidemiol*, 172:1384–1393.doi:10.1093/aje/kwq321 PMID:21051447
- Duell EJ, Travier N, Lujan-Barroso L et al. (2011). Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. *Am J Clin Nutr*, 94:1266–1275.doi:10.3945/ajcn.111.012351 PMID:21993435
- Dumontet C, Landi S, Reiman T et al. (2010). Genetic polymorphisms associated with outcome in multiple myeloma patients receiving high-dose melphalan. *Bone Marrow Transplant*, 45:1316–1324.doi:10.1038/bmt.2009.335 PMID:19966851
- Edefonti V, Bravi F, Garavello W et al. (2010). Nutrient-based dietary patterns and laryngeal cancer: evidence from an exploratory factor analysis. *Cancer Epidemiol Biomarkers Prev*, 19:18–27.doi:10.1158/1055-9965.EPI-09-0900 PMID:20056619
- Edefonti V, Bravi F, La Vecchia C et al. (2010). Nutrient-based dietary patterns and the risk of oral and pharyngeal cancer. *Oral Oncol*, 46:343–348.doi:10.1016/j.oraloncology.2009.11.017 PMID:20226721
- Ekburanawat W, Ekpanyaskul C, Brennan P et al. (2010). Evaluation of non-viral risk factors for nasopharyngeal carcinoma in Thailand: results from a case-control study. *Asian Pac J Cancer Prev*, 11:929–932. PMID:21133603
- Ekelund U, Besson H, Luan J et al. (2011). Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. *Am J Clin Nutr*, 93:826–835.doi:10.3945/ajcn.110.006593 PMID:21346093
- Elliott KS, Zeggini E, McCarthy MI et al.; Australian Melanoma Family Study Investigators; PanScan Consortium (2010). Evaluation of association of HNF1B variants with diverse cancers: collaborative analysis of data from 19 genome-wide association studies. *PLoS One*, 5:e10858.doi:10.1371/journal.pone.0010858 PMID:20526366
- Engholm G, Ferlay J, Christensen N et al. (2010). NORDCAN—a Nordic tool for cancer information, planning, quality control and research. *Acta Oncol*, 49:725–736.doi:10.3109/02841861003782017 PMID:20491528

- Eussen SJ, Vollset SE, Hustad S *et al.* (2010). Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev*, 19:2549–2561.doi:10.1158/1055-9965.EPI-10-0407 PMID:20813848
- Eussen SJ, Vollset SE, Hustad S *et al.* (2010). Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. *Cancer Epidemiol Biomarkers Prev*, 19:28–38.doi:10.1158/1055-9965.EPI-08-1096 PMID:20056620
- Eussen SJ, Vollset SE, Igland J *et al.* (2010). Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. *Cancer Epidemiol Biomarkers Prev*, 19:1328–1340.doi:10.1158/1055-9965.EPI-09-0841 PMID:20447924
- Eyre R, Feltbower RG, James PW *et al.* (2010). The epidemiology of bone cancer in 0 - 39 year olds in northern England, 1981 - 2002. *BMC Cancer*, 10:357. doi:10.1186/1471-2407-10-357 PMID:20604931
- Fathallah I, Parroche P, Gruffat H *et al.* (2010). EBV latent membrane protein 1 is a negative regulator of TLR9. *J Immunol*, 185:6439–6447.doi:10.4049/jimmunol.0903459 PMID:20980631
- Fedirko V, Riboli E, Bueno-de-Mesquita HB *et al.* (2011). Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. *Cancer Epidemiol Biomarkers Prev*, 20:767–778.doi:10.1158/1055-9965.EPI-10-1212 PMID:21378267
- Fedirko V, Tramacere I, Bagnardi V *et al.* (2011). Alcohol drinking and colorectal cancer risk: an overall and dose-response meta-analysis of published studies. *Ann Oncol*, 22:1958–1972. doi:10.1093/annonc/mdq653 PMID:21307158
- Ferlay J, Parkin DM, Steliarova-Foucher E (2010). Estimates of cancer incidence and mortality in Europe in 2008. *Eur J Cancer*, 46:765–781.doi:10.1016/j.ejca.2009.12.014 PMID:20116997
- Ferlay J, Shin HR, Bray F *et al.* (2010). Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *Int J Cancer*, 127:2893–2917.doi:10.1002/ijc.25516 PMID:21351269
- Ferlay J, Shin HR, Bray F *et al.* (2011). Author's reply to: Lung cancer mortality in sub-Saharan Africa. *Int J Cancer*, 129:1539. doi:10.1002/ijc.25805
- Fernández-Cuesta L, Anaganti S, Hainaut P, Olivier M (2011). Estrogen levels act as a rheostat on p53 levels and modulate p53-dependent responses in breast cancer cell lines. *Breast Cancer Res Treat*, 125:35–42.doi:10.1007/s10549-010-0819-x PMID:20221692
- Fernandez-Cuesta L, Anaganti S, Hainaut P, Olivier M (2011). p53 status influences response to tamoxifen but not to fulvestrant in breast cancer cell lines. *Int J Cancer*, 128:1813–1821.doi:10.1002/ijc.25512 PMID:20549698
- Fiaschetti G, Castelletti D, Zoller S *et al.* (2011). Bone morphogenetic protein-7 is a MYC target with prosurvival functions in childhood medulloblastoma. *Oncogene*, 30:2823–2835.doi:10.1038/onc.2011.10 PMID:21317922
- Figueroa JD, Garcia-Closas M, Humphreys M *et al.*; The GENICA Network; for the kConFab AOCS Management Group (2011). Associations of common variants at 1p11.2 and 14q24.1 (RAD51L1) with breast cancer risk and heterogeneity by tumor subtype: findings from the Breast Cancer Association Consortium. *Hum Mol Genet*, 20:4693–4706.doi:10.1093/hmg/ddr368 PMID:21852249
- Foschi R, Pelucchi C, Dal Maso L *et al.* (2010). Citrus fruit and cancer risk in a network of case-control studies. *Cancer Causes Control*, 21:237–242.doi:10.1007/s10552-009-9454-4 PMID:19856118
- Founta C, Arbyn M, Valasoulis G *et al.* (2010). Proportion of excision and cervical healing after large loop excision of the transformation zone for cervical intraepithelial neoplasia. *BJOG*, 117:1468–1474.doi:10.1111/j.1471-0528.2010.02709.x PMID:20840527
- Franceschi S (2010). Monitoring HPV16/18 immunisation in England and elsewhere. *Br J Cancer*, 103:157–158.doi:10.1038/sj.bjc.6605758 PMID:20628394
- Franceschi S, Denny L, Irwin KL *et al.* (2011). Eurogin 2010 roadmap on cervical cancer prevention. *Int J Cancer*, 128:2765–2774.doi:10.1002/ijc.25915 PMID:21207409
- Franceschi S, Lise M, Clifford GM *et al.*; Swiss HIV Cohort Study (2010). Changing patterns of cancer incidence in the early- and late-HAART periods: the Swiss HIV Cohort Study. *Br J Cancer*, 103:416–422. doi:10.1038/sj.bjc.6605756 PMID:20588274
- Franceschi S, Lise M, Trépo C *et al.* (2011). Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Epidemiol Biomarkers Prev*, 20:208–214.doi:10.1158/1055-9965.EPI-10-0889 PMID:21098651
- Franceschi S, Ronco G (2010). The prevention of cervical cancer in HIV-infected women. *AIDS*, 24:2579–2580.doi:10.1097/QAD.0b013e32833f39b2 PMID:20940536
- Frei P, Poulsen AH, Johansen C *et al.* (2011). Use of mobile phones and risk of brain tumours: update of Danish cohort study. *BMJ*, 343 oct19 4;d6387. doi:10.1136/bmj.d6387 PMID:22016439
- Freisling H, Fahey MT, Moskal A *et al.* (2010). Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. *J Nutr*, 140:1280–1286.doi:10.3945/jn.110.121152 PMID:20484545
- Freitas R Jr, Freitas NM, Curado MP *et al.* (2010). Incidence trend for breast cancer among young women in Goiânia, Brazil. *Sao Paulo Med J*, 128:81–84. PMID:20676574
- Furberg H, Kim YJ, Dackor J *et al.*; Tobacco and Genetics Consortium (2010). Genome-wide meta-analyses identify multiple loci associated with smoking behavior. *Nat Genet*, 42:441–447.doi:10.1038/ng.571 PMID:20418890
- Galeone C, Tavani A, Pelucchi C *et al.* (2010). Coffee and tea intake and risk of head and neck cancer: pooled analysis in the international head and neck cancer epidemiology consortium. *Cancer Epidemiol Biomarkers Prev*, 19:1723–1736.doi:10.1158/1055-9965.EPI-10-0191 PMID:20570908
- Gallo V, Egger M, McCormack V *et al.* (2011). STRENGTHENING THE REPORTING OF OBSERVATIONAL STUDIES IN EPIDEMIOLOGY - MOLECULAR EPIDEMIOLOGY (STROBE-ME): An Extension of the STROBE Statement. *PLoS Med*, 8:e1001117.doi:10.1371/journal.pmed.1001117 PMID:22039356
- Gallo V, Egger M, McCormack V *et al.* (2011). STRENGTHENING THE REPORTING OF OBSERVATIONAL STUDIES IN EPIDEMIOLOGY - MOLECULAR EPIDEMIOLOGY STROBE-ME: an extension of the STROBE statement. *J Clin Epidemiol*, 64:1350–1363.doi:10.1016/j.jclinepi.2011.07.010 PMID:22030070

- Gallo V, Egger M, McCormack V et al. (2011). STrengthening the reporting of OBservational studies in Epidemiology-Molecular Epidemiology (STROBE-ME): an extension of the STROBE statement. *Eur J Epidemiol*, 26:797–810.doi:10.1007/s10654-011-9622-1 PMID:22037796
- Gallo V, Neasham D, Airoldi L et al. (2010). Second-hand smoke, cotinine levels, and risk of circulatory mortality in a large cohort study of never-smokers. *Epidemiology*, 21:207–214.doi:10.1097/EDE.0b013e3181c9fdad PMID:20081539
- Gallus S, Turati F, Tavani A et al. (2011). Soft drinks, sweetened beverages and risk of pancreatic cancer. *Cancer Causes Control*, 22:33–39.doi:10.1007/s10552-010-9665-8 PMID:20981481
- Galy O, Chemin I, Le Roux E et al. (2011). Mutations in TP53 and CTNNB1 in Relation to Hepatitis B and C Infections in Hepatocellular Carcinomas from Thailand. *Hepat Res Treat*, 2011:697162.doi:10.1155/2011/697162 PMID:21760996
- Gandini S, Boniol M, Haukka J et al. (2011). Meta-analysis of observational studies of serum 25-hydroxyvitamin D levels and colorectal, breast and prostate cancer and colorectal adenoma. *Int J Cancer*, 128:1414–1424.doi:10.1002/ijc.25439 PMID:20473927
- Ganesh B, Swaminathan R, Mathew A et al. (2011). Loss-adjusted hospital and population-based survival of cancer patients. *IARC Sci Publ*, 162:15–21. PMID:21675402
- Garritano S, Gemignani F, Palmero EI et al. (2010). Detailed haplotype analysis at the TP53 locus in p.R337H mutation carriers in the population of Southern Brazil: evidence for a founder effect. *Hum Mutat*, 31:143–150.doi:10.1002/humu.21151 PMID:19877175
- Gaudet MM, Olshan AF, Chuang SC et al. (2010). Body mass index and risk of head and neck cancer in a pooled analysis of case-control studies in the International Head and Neck Cancer Epidemiology (INHANCE) Consortium. *Int J Epidemiol*, 39:1091–1102.doi:10.1093/ije/dyp380 PMID:20123951
- Geller AC, Greinert R, Sinclair C et al. (2010). A nationwide population-based skin cancer screening in Germany: proceedings of the first meeting of the International Task Force on Skin Cancer Screening and Prevention (September 24 and 25, 2009). *Cancer Epidemiol*, 34:355–358.doi:10.1016/j.canep.2010.03.006 PMID:20381443
- Gheit T, Cornet I, Clifford GM et al. (2011). Risks for persistence and progression by human papillomavirus type 16 variant lineages among a population-based sample of Danish women. *Cancer Epidemiol Biomarkers Prev*, 20:1315–1321.doi:10.1158/1055-9965.EPI-10-1187 PMID:21527576
- Gheit T, Tommasino M (2011). Detection of high-risk mucosal human papillomavirus DNA in human specimens by a novel and sensitive multiplex PCR method combined with DNA microarray. *Methods Mol Biol*, 665:195–212.doi:10.1007/978-1-60761-817-1\_12 PMID:21116803
- Ghittoni R, Accardi R, Hasan U et al. (2010). The biological properties of E6 and E7 oncoproteins from human papillomaviruses. *Virus Genes*, 40:1–13.doi:10.1007/s11262-009-0412-8 PMID:19838783
- Gibson LJ, Héry C, Mitton N et al. (2010). Risk factors for breast cancer among Filipino women in Manila. *Int J Cancer*, 126:515–521.doi:10.1002/ijc.24769 PMID:19626603
- Gibson TM, Brennan P, Han S et al. (2011). Comprehensive evaluation of one-carbon metabolism pathway gene variants and renal cell cancer risk. *PLoS One*, 6:e26165.doi:10.1371/journal.pone.0026165 PMID:22039442
- Giles LV, Barn P, Künzli N et al. (2011). From good intentions to proven interventions: effectiveness of actions to reduce the health impacts of air pollution. *Environ Health Perspect*, 119:29–36.doi:10.1289/ehp.1002246 PMID:20729178
- Gilthorpe MS, Harrison WJ, Downing A et al. (2011). Multilevel latent class casemix modelling: a novel approach to accommodate patient casemix. *BMC Health Serv Res*, 11:53.doi:10.1186/1472-6963-11-53 PMID:21362172
- Goldstein I, Marcel V, Olivier M et al. (2011). Understanding wild-type and mutant p53 activities in human cancer: new landmarks on the way to targeted therapies. *Cancer Gene Ther*, 18:2–11.doi:10.1038/cgt.2010.63 PMID:20966976
- Golozar A, Khademi H, Kamangar F et al. (2011). Diabetes mellitus and its correlates in an Iranian adult population. *PLoS One*, 6:e26725.doi:10.1371/journal.pone.0026725 PMID:22053206
- González CA, Travier N, Luján-Barroso L et al. (2011). Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. *Int J Cancer*, 129:449–459.doi:10.1002/ijc.25679 PMID:20853322
- Gospodinov A, Vaissiere T, Krastev DB et al. (2011). Mammalian Ino80 Mediates Double-Strand Break Repair through Its Role in DNA End Strand Resection. *Mol Cell Biol*, 31:4735–4745.doi:10.1128/MCB.06182-11 PMID:21947284
- Gouas DA, Shi H, Hautefeuille AH et al. (2010). Effects of the TP53 p.R249S mutant on proliferation and clonogenic properties in human hepatocellular carcinoma cell lines: interaction with hepatitis B virus X protein. *Carcinogenesis*, 31:1475–1482.doi:10.1093/carcin/bgq118 PMID:20538734
- Greenwood DC, Alwan N, Boylan S et al. (2010). Caffeine intake during pregnancy, late miscarriage and stillbirth. *Eur J Epidemiol*, 25:275–280.doi:10.1007/s10654-010-9443-7 PMID:20306287
- Grosse Y, Baan R, Secretan-Baumal B et al.; WHO International Agency for Research on Cancer Monograph Working Group (2011). Carcinogenicity of chemicals in industrial and consumer products, food contaminants and flavourings, and water chlorination byproducts. *Lancet Oncol*, 12:328–329.doi:10.1016/S1470-2045(11)70088-2 PMID:21598447
- Grote VA, Rohrmann S, Nieters A et al. (2011). Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. *Diabetologia*, 54:3037–3046.doi:10.1007/s00125-011-2316-0 PMID:21953276
- Grotmol T, Bray F, Holte H et al. (2011). Frailty modeling of the bimodal age-incidence of Hodgkin lymphoma in the Nordic countries. *Cancer Epidemiol Biomarkers Prev*, 20:1350–1357.doi:10.1158/1055-9965.EPI-10-1014 PMID:21558495
- Grulich AE, Vajdic CM, Falster MO et al. (2010). Birth order and risk of non-hodgkin lymphoma—true association or bias? *Am J Epidemiol*, 172:621–630. doi:10.1093/aje/kwq167 PMID:20720098
- Grunder E, D'Ambrosio R, Fiaschetti G et al. (2011). MicroRNA-21 suppression impedes medulloblastoma cell migration. *Eur J Cancer*, 47:2479–2490.doi:10.1016/j.ejca.2011.06.041 PMID:21775132
- Gu F, Schumacher FR, Canzian F et al. (2010). Eighteen insulin-like growth factor pathway genes, circulating levels of IGF-I and its binding protein, and risk of prostate and breast cancer. *Cancer Epidemiol Biomarkers Prev*, 19:2877–2887.doi:10.1158/1055-9965.EPI-10-0507 PMID:20810604

- Guerrini JS, Bouvard V, Oswald E et al. (2011). E6 and E7 proteins from different beta-papillomaviruses types do not interfere in UVB-induced apoptosis of HaCaT keratinocytes. *Exp Dermatol*, 20:71–73.doi: 10.1111/j.1600-0625.2010.01197.x PMID:21158941
- Gugliesi F, Dell'oste V, De Andrea M et al. (2011). Tumor-derived endothelial cells evade apoptotic activity of the interferon-inducible IFI16 gene. *J Interferon Cytokine Res*, 31:609–618.doi:10.1089/jir.2011.0001 PMID:21488755
- Guha N, Merletti F, Steenland NK et al. (2010). Lung cancer risk in painters: a meta-analysis. *Environ Health Perspect*, 118:303–312.doi:10.1289/ehp.0901402 PMID:20064777
- Guha N, Merletti F, Steenland NK et al. (2011). Lung cancer risk in painters: a meta-analysis. *Cien Saude Colet*, 16:3613–3632.doi:10.1590/S1413-8123201100900029 PMID:21860961
- Guha N, Steenland NK, Merletti F et al. (2010). Bladder cancer risk in painters: a meta-analysis. *Occup Environ Med*, 67:568–573.doi:10.1136/oem.2009.051565 PMID:20647380
- Guha N, Straif K, Benbrahim-Tallaa L (2011). The IARC Monographs on the carcinogenicity of crystalline silica. *Med Lav*, 102:310–320. PMID:21834268
- Hafsi H, Hainaut P (2011). Redox control and interplay between p53 isoforms: roles in the regulation of basal p53 levels, cell fate, and senescence. *Antioxid Redox Signal*, 15:1655–1667. doi:10.1089/ars.2010.3771 PMID:21194382
- Hafsi H, Hainaut P (2011). Pharmacological rescue of p53 in cancer cells: the soloist meets the PRIMA donna. *Cell Cycle*, 10:875–876.doi:10.4161/cc.10.6.15120 PMID:21358263
- Hainaut P, Plymoth A (2011). Biomarkers in cancer research and treatment: promises and challenges. *Curr Opin Oncol*, 23:61.doi:10.1097/CCO.0b013e328341623e PMID:21321519
- Hainaut P, Vozar B, Rinaldi S et al. (2011). The European Prospective Investigation into Cancer and Nutrition biobank. *Methods Mol Biol*, 675:179–191. doi:10.1007/978-1-59745-423-0\_7 PMID:20949388
- Hakulinen T, Arbyn M, Brewster DH et al. (2011). Harmonization may be counterproductive—at least for parts of Europe where public health research operates effectively. *Eur J Public Health*, 21:686–687.doi:10.1093/eurpub/ckr149 PMID:22080476
- Hammouda D, Clifford GM, Pallardy S et al. (2011). Human papillomavirus infection in a population-based sample of women in Algiers, Algeria. *Int J Cancer*, 128:2224–2229.doi:10.1002/ijc.25539 PMID:20607828
- Haukka J, Byrnes G, Boniol M, Autier P (2011). Trends in breast cancer mortality in Sweden before and after implementation of mammography screening. *PLoS One*, 6:e22422.doi:10.1371/journal.pone.0022422 PMID:21966354
- Haukka J, Sankila R, Klaukka T et al. (2010). Incidence of cancer and statin usage—record linkage study. *Int J Cancer*, 126:279–284.doi:10.1002/ijc.24536 PMID:19739258
- Haukka J, Sankila R, Klaukka T et al. (2010). Incidence of cancer and antidepressant medication: record linkage study. *Int J Cancer*, 126:285–296. doi:10.1002/ijc.24537 PMID:19739257
- Heck JE, Berthiller J, Vaccarella S et al. (2010). Sexual behaviours and the risk of head and neck cancers: a pooled analysis in the International Head and Neck Cancer Epidemiology (INHANCE) consortium. *Int J Epidemiol*, 39:166–181.doi:10.1093/ije/dyp350 PMID:20022926
- Heck JE, Charbotel B, Moore LE et al. (2010). Occupation and renal cell cancer in Central and Eastern Europe. *Occup Environ Med*, 67:47–53.doi: 10.1136/oem.2009.046250 PMID:19737732
- Heck JE, Stücker I, Allwright S et al. (2010). Home and workplace smoking bans in Italy, Ireland, Sweden, France and the Czech Republic. *Eur Respir J*, 35:969–979.doi:10.1183/09031936.00066809 PMID:19926747
- Herceg Z, Hernandez-Vargas H (2011). New concepts of old epigenetic phenomena and their implications for selecting specific cell populations for epigenomic research. *Epigenomics*, 3:383–386. doi:10.2217/epi.11.64 PMID:22126196
- Herceg Z, Paliwal A (2011). Epigenetic mechanisms in hepatocellular carcinoma: how environmental factors influence the epigenome. *Mutat Res*, 727:55–61.doi:10.1016/j.mrrev.2011.04.001 PMID:21514401
- Herceg Z, Ushijima T (2010). Epigenetics is a fascinating field of modern biology. Preface. *Adv Genet*, 71:xi–xii.doi:10.1016/B978-0-12-380864-6.00014-6 PMID:20933123
- Herceg Z, Ushijima T (2010). Introduction: epigenetics and cancer. *Adv Genet*, 70:1–23.doi:10.1016/B978-0-12-380866-0.60001-0 PMID:20920743
- Herceg Z, Vaissière T (2011). Epigenetic mechanisms and cancer: an interface between the environment and the genome. *Epigenetics*, 6:804–819.doi:10.4161/epi.6.7.16262 PMID:21758002
- Hermann S, Rohrmann S, Linseisen J et al. (2010). Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. *J Cancer Res Clin Oncol*, 136:71–77. doi:10.1007/s00432-009-0638-9 PMID:19582474
- Hermann S, Rohrmann S, Linseisen J et al. (2011). The association of education with body mass index and waist circumference in the EPIC-PANACEA study. *BMC Public Health*, 11:169.doi:10.1186/1471-2458-11-169 PMID:21414225
- Hernandez-Vargas H, Lambert MP, Le Calvez-Kelm F et al. (2010). Hepatocellular carcinoma displays distinct DNA methylation signatures with potential as clinical predictors. *PLoS One*, 5:e9749. doi:10.1371/journal.pone.0009749 PMID:20305825
- Hernandez-Vargas H, Ouzounova M, Le Calvez-Kelm F et al. (2011). Methylome analysis reveals Jak-STAT pathway deregulation in putative breast cancer stem cells. *Epigenetics*, 6:428–439.doi:10.4161/epi.6.4.14515 PMID:21266853
- Herrero R, Wacholder S, Rodriguez AC et al. (2011). Prevention of Persistent Human Papillomavirus Infection by an HPV16/18 Vaccine: A Community-Based Randomized Clinical Trial in Guanacaste, Costa Rica. *Cancer Discovery*, 1:408–419. doi:10.1158/2159-8290.CD-11-0131
- Héry C, Tryggvadóttir L, Sigurdsson T et al. (2010). A melanoma epidemic in Iceland: possible influence of sunbed use. *Am J Epidemiol*, 172:762–767.doi:10.1093/aje/kwq238 PMID:20813801
- Hewitt R, Hainaut P (2011). Biobanking in a fast moving world: an international perspective. *J Natl Cancer Inst Monogr*, 2011:50–51.doi:10.1093/jncimonographs/lgr005 PMID:21672898
- Hoeft B, Linseisen J, Beckmann L et al. (2010). Polymorphisms in fatty-acid-metabolism-related genes are associated with colorectal cancer risk. *Carcinogenesis*, 31:466–472.doi:10.1093/carcin/bgp325 PMID:20042636
- Hollstein M, Hainaut P (2010). Massively regulated genes: the example of TP53. *J Pathol*, 220:164–173. PMID:19918835

- Hosgood HD 3<sup>rd</sup>, Boffetta P, Greenland S et al. (2010). In-home coal and wood use and lung cancer risk: a pooled analysis of the International Lung Cancer Consortium. *Environ Health Perspect*, 118:1743–1747.doi:10.1289/ehp.1002217 PMID:20846923
- Hsiung CA, Lan Q, Hong YC et al. (2010). The 5p15.33 locus is associated with risk of lung adenocarcinoma in never-smoking females in Asia. *PLoS Genet*, 6:e1001051.doi:10.1371/journal.pgen.1001051 PMID:20700438
- Hudson TJ, Anderson W, Artez A et al.; International Cancer Genome Consortium (2010). International network of cancer genome projects. *Nature*, 464:993–998.doi:10.1038/nature08987 PMID:20393554
- Huerta JM, Navarro C, Chirlaque MD et al. (2010). Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. *Cancer Causes Control*, 21:657–669.doi:10.1007/s10552-009-9493-x PMID:20052611
- Hughes DJ, Hlavatá I, Soucek P et al. (2011). Variation in the vitamin D receptor gene is not associated with risk of colorectal cancer in the Czech Republic. *J Gastrointest Cancer*, 42:149–154. doi:10.1007/s12029-010-9168-6 PMID:20585998
- Hussain I, Fathallah I, Accardi R et al. (2011). NF-kappaB protects human papillomavirus type 38 E6/E7-immortalized human keratinocytes against tumor necrosis factor alpha and UV-mediated apoptosis. *J Virol*, 85:9013–9022.doi:10.1128/JVI.00002-11 PMID:21715489
- Huybrechts I, Casagrande C, Nicolas G et al.; EFCOVAL Consortium (2011). Inventory of experiences from national/regional dietary monitoring surveys using EPIC-Soft. *Eur J Clin Nutr*, 65 Suppl 1:S16–S28.doi:10.1038/ejcn.2011.84 PMID:21731002
- Huybrechts I, Geelen A, de Vries JH et al.; EFCOVAL Consortium (2011). Respondents' evaluation of the 24-h dietary recall method (EPIC-Soft) in the EFCOVAL Project. *Eur J Clin Nutr*, 65 Suppl 1:S29–S37.doi:10.1038/ejcn.2011.85 PMID:21731003
- Huybrechts I, Lin Y, De Keyzer W et al. (2011). Dietary sources and sociodemographic and economic factors affecting vitamin D and calcium intakes in Flemish preschoolers. *Eur J Clin Nutr*, 65:1039–1047.doi:10.1038/ejcn.2011.71 PMID:21559036
- Illner AK, Hartig U, Tognon G et al. (2011). Feasibility of innovative dietary assessment in epidemiological studies using the approach of combining different assessment instruments. *Public Health Nutr*, 14:1055–1063.doi:10.1017/S1368980010003587 PMID:21385523
- InterAct Consortium (2011). Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. *Diabetologia*, 54:2272–2282.doi:10.1007/s00125-011-2182-9 PMID:21717116
- INTERPHONE Study Group (2010). Brain tumour risk in relation to mobile telephone use: results of the INTERPHONE international case-control study. *Int J Epidemiol*, 39:675–694.doi:10.1093/ije/dyq079 PMID:20483835
- Islami F, Fedirko V, Tramacere I et al. (2011). Alcohol drinking and esophageal squamous cell carcinoma with focus on light-drinkers and never-smokers: a systematic review and meta-analysis. *Int J Cancer*, 129:2473–2484.doi:10.1002/ijc.25885 PMID:21190191
- Islami F, Sheikhattari P, Ren JS, Kamangar F (2011). Gastric atrophy and risk of oesophageal cancer and gastric cardia adenocarcinoma—a systematic review and meta-analysis. *Ann Oncol*, 22:754–760. doi:10.1093/annonc/mdq411 PMID:20860989
- Islami F, Tramacere I, Rota M et al. (2010). Alcohol drinking and laryngeal cancer: overall and dose-risk relation—a systematic review and meta-analysis. *Oral Oncol*, 46:802–810.doi:10.1016/j.oraloncology.2010.07.015 PMID:20833578
- Jacobs EJ, Chanock SJ, Fuchs CS et al. (2010). Family history of cancer and risk of pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). *Int J Cancer*, 127:1421–1428. doi:10.1002/ijc.25148 PMID:20049842
- Jakobsen MU, Dethlefsen C, Due KM et al. (2011). Plasmaphospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. *Obes Facts*, 4:312–318.doi:10.1159/000330710 PMID:21921655
- Jakszyn P, González CA, Luján-Barroso L et al. (2011). Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Epidemiol Biomarkers Prev*, 20:555–559.doi:10.1158/1055-9965.EPI-10-0971 PMID:21239687
- James RE, Lukanova A, Dossus L et al. (2011). Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. *Cancer Prev Res (Phila)*, 4:1626–1635.doi:10.1158/1940-6207.CAPR-11-0090 PMID:21813404
- Jaworowska E, Trubicka J, Lener MR et al. (2011). Smoking related cancers and loci at chromosomes 15q25, 5p15, 6p22.1 and 6p21.33 in the Polish population. *PLoS One*, 6:e25057.doi:10.1371/journal.pone.0025057 PMID:21966413
- Jemal A, Bray F, Center MM et al. (2011). Global cancer statistics. *CA Cancer J Clin*, 61:69–90. doi:10.3322/caac.20107 PMID:21296855
- Jenab M, Boffetta P (2010). Glycemic index and glycemic load: application in observational studies and association with hepatocellular carcinoma risk. Meaningful or error prone? *Ann Oncol*, 21:437–439. doi:10.1093/annonc/mdq016 PMID:20176692
- Jenab M, Bueno-de-Mesquita HB, Ferrari P et al. (2010). Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. *BMJ*, 340 jan21 3;b5500. doi:10.1136/bmj.b5500 PMID:20093284
- Johansson I, Van Guelpen B, Hultdin J et al. (2010). Validity of food frequency questionnaire estimated intakes of folate and other B vitamins in a region without folic acid fortification. *Eur J Clin Nutr*, 64:905–913.doi:10.1038/ejcn.2010.80 PMID:20502473
- Johansson M, Relton C, Ueland PM et al. (2010). Serum B vitamin levels and risk of lung cancer. *JAMA*, 303:2377–2385.doi:10.1001/jama.2010.808 PMID:20551408
- Johnson NW, Warnakulasuriya S, Gupta PC et al. (2011). Global oral health inequalities in incidence and outcomes for oral cancer: causes and solutions. *Adv Dent Res*, 23:237–246. doi:10.1177/0022034511402082 PMID:21490236
- Jung KW, Park S, Kong HJ et al. (2010). Cancer statistics in Korea: incidence, mortality and survival in 2006–2007. *J Korean Med Sci*, 25:1113–1121. doi:10.3346/jkms.2010.25.8.1113 PMID:20676319
- Kang J, Cho JH, Suh CW et al. (2011). High prevalence of hepatitis B and hepatitis C virus infections in Korean patients with hematopoietic malignancies. *Ann Hematol*, 90:159–164.doi:10.1007/s00277-010-1055-5 PMID:20821327

- Karami S, Boffetta P, Brennan P et al. (2011). Renal cancer risk and occupational exposure to polycyclic aromatic hydrocarbons and plastics. *J Occup Environ Med*, 53:218–223.doi:10.1097/JOM.0b013e31820a40a3 PMID:21270648
- Karami S, Boffetta P, Stewart P et al. (2010). Occupational sunlight exposure and risk of renal cell carcinoma. *Cancer*, 116:2001–2010.doi:10.1002/cncr.24939 PMID:20213683
- Karami S, Boffetta P, Stewart PS et al. (2011). Occupational exposure to dusts and risk of renal cell carcinoma. *Br J Cancer*, 104:1797–1803.doi:10.1038/bjc.2011.148 PMID:21540858
- Karami S, Brennan P, Navratilova M et al. (2010). Vitamin d pathway genes, diet, and risk of renal cell carcinoma. *Int J Endocrinol*, 2010:879362.doi:10.1155/2010/879362 PMID:20049159
- Kaur P, Paliwal A, Durantel D et al. (2010). DNA methylation of hepatitis B virus (HBV) genome associated with the development of hepatocellular carcinoma and occult HBV infection. *J Infect Dis*, 202:700–704.doi:10.1086/655398 PMID:20653444
- Keshtkar AA, Semnani S, Pourshams A et al. (2010). Pictogram use was validated for estimating individual's body mass index. *J Clin Epidemiol*, 63:655–659.doi:10.1016/j.jclinepi.2009.08.014 PMID:19913386
- Key TJ, Appleby PN, Reeves GK et al.; Endogenous Hormones and Breast Cancer Collaborative Group (2011). Circulating sex hormones and breast cancer risk factors in postmenopausal women: reanalysis of 13 studies. *Br J Cancer*, 105:709–722.doi:10.1038/bjc.2011.254 PMID:21772329
- Khademi H, Etemadi A, Kamangar F et al. (2010). Verbal autopsy: reliability and validity estimates for causes of death in the Golestan Cohort Study in Iran. *PLoS One*, 5:e11183.doi:10.1371/journal.pone.0011183 PMID:20567597
- Khan NF, Mant D, Carpenter L et al. (2011). Long-term health outcomes in a British cohort of breast, colorectal and prostate cancer survivors: a database study. *Br J Cancer*, 105 Suppl 1:S29–S37. doi:10.1038/bjc.2011.420 PMID:22048030
- Kilfoy BA, Zheng T, Lan Q et al. (2010). Genetic variation in N-acetyltransferases 1 and 2, cigarette smoking, and risk of non-Hodgkin lymphoma. *Cancer Causes Control*, 21:127–133.doi:10.1007/s10552-009-9442-8 PMID:19809881
- Kim MA, Oh JK, Chay DB et al. (2010). Prevalence and seroprevalence of high-risk human papillomavirus infection. *Obstet Gynecol*, 116:932–940.doi:10.1097/AOG.0b013e3181edbeba PMID:20859158
- Kim YH, Lachuer J, Mittelbronn M et al. (2011). Alterations in the RB1 pathway in low-grade diffuse gliomas lacking common genetic alterations. *Brain Pathol*, 21:645–651.doi:10.1111/j.1750-3639.2011.00492.x PMID:21470325
- Kim YH, Nobusawa S, Mittelbronn M et al. (2010). Molecular classification of low-grade diffuse gliomas. *Am J Pathol*, 177:2708–2714.doi:10.2353/ajpath.2010.100680 PMID:21075857
- Kim YH, Pierscianek D, Mittelbronn M et al. (2011). TET2 promoter methylation in low-grade diffuse gliomas lacking IDH1/2 mutations. *J Clin Pathol*, 64:850–852.doi:10.1136/jclinpath-2011-200133 PMID:21690245
- Kiran S, Cocco P, Mannetje A et al. (2010). Occupational exposure to ethylene oxide and risk of lymphoma. *Epidemiology*, 21:905–910.doi:10.1097/EDE.0b013e3181f4cc0f PMID:20811284
- Kirsch-Volders M, Bonassi S, Herceg Z et al. (2010). Gender-related differences in response to mutagens and carcinogens. *Mutagenesis*, 25:213–221.doi:10.1093/mutage/geq008 PMID:20194421
- Ko KP, Park SK, Park B et al. (2010). Isoflavones from phytoestrogens and gastric cancer risk: a nested case-control study within the Korean Multicenter Cancer Cohort. *Cancer Epidemiol Biomarkers Prev*, 19:1292–1300.doi:10.1158/1055-9965.EPI-09-1004 PMID:20447921
- Konno R, Sagae S, Yoshikawa H et al. (2010). Cervical Cancer Working Group report. *Jpn J Clin Oncol*, 40 Suppl 1:i44–i50.doi:10.1093/jjco/hyq126 PMID:20870919
- Korobova E, Anoshko Y, Kesminiene A et al. (2010). Evaluation of stable iodine status of the areas affected by the Chernobyl accident in an epidemiological study in Belarus and the Russian Federation. *J Geochem Explor*, 107:124–135. doi:10.1016/j.gexplo.2010.08.005
- Krais AM, Hautefeuille AH, Cros MP et al. (2011). CHRNA5 as negative regulator of nicotine signaling in normal and cancer bronchial cells: effects on motility, migration and p63 expression. *Carcinogenesis*, 32:1388–1395.doi:10.1093/carcin/bgr090 PMID:21586512
- Kreimer AR, Rodriguez AC, Hildesheim A et al.; CVT Vaccine Group (2011). Proof-of-principle evaluation of the efficacy of fewer than three doses of a bivalent HPV16/18 vaccine. *J Natl Cancer Inst*, 103:1444–1451.doi:10.1093/jnci/djr319 PMID:21908768
- Krutovskikh VA, Herceg Z (2010). Oncogenic microRNAs (OncomiRs) as a new class of cancer biomarkers. *Bioessays*, 32:894–904.doi:10.1002/bies.201000040 PMID:21105295
- Kuempel ED, Schulte PA, Sorahan T et al. (2011). Carbon Black: Kuempel et al. Respond. *Environ Health Perspect*, 119:a333–a334. doi:10.1289/ehp.1103444R
- Kyrø C, Skeie G, Dragsted LO et al. (2011). Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. *Public Health Nutr*, 14:1787–1795.doi:10.1017/S1368980011000206 PMID:21338557
- Laantri N, Jalbout M, Khyatti M et al. (2011). XRCC1 and hOGG1 genes and risk of nasopharyngeal carcinoma in North African countries. *Mol Carcinog*, 50:732–737.doi:10.1002/mc.20754 PMID:21520294
- Lacroix M, Caramel J, Goguet-Rubio P et al. (2010). Transcription factor E4F1 is essential for epidermal stem cell maintenance and skin homeostasis. *Proc Natl Acad Sci U S A*, 107:21076–21081.doi:10.1073/pnas.1010167107 PMID:21088222
- Lahmann PH, Cust AE, Friedenreich CM et al. (2010). Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 126:2404–2415. PMID:19821492
- Lambert JM, Moshfegh A, Hainaut P et al. (2010). Mutant p53 reactivation by PRIMA-1MET induces multiple signaling pathways converging on apoptosis. *Oncogene*, 29:1329–1338.doi:10.1038/onc.2009.425 PMID:19946333
- Lambert MP, Paliwal A, Vaissière T et al. (2011). Aberrant DNA methylation distinguishes hepatocellular carcinoma associated with HBV and HCV infection and alcohol intake. *J Hepatol*, 54:705–715.doi:10.1016/j.jhep.2010.07.027 PMID:21146512
- Lambert PC, Holmberg L, Sandin F et al. (2011). Quantifying differences in breast cancer survival between England and Norway. *Cancer Epidemiol*, 35:526–533.doi:10.1016/j.canep.2011.04.003 PMID:21606014
- Lambert R (2010). Accreditation in digestive endoscopy. *Acta Gastroenterol Latinoam*, 40:278–282. PMID:21049772

- Lambert R (2010). Gastric and rectal carcinoids. *Endoscopy*, 42:661–663.doi:10.1055/s-0030-1255592 PMID:20669077
- Lambert R, Sauvaget C, de Camargo Cancela M, Sankaranarayanan R (2011). Epidemiology of cancer from the oral cavity and oropharynx. *Eur J Gastroenterol Hepatol*, 23:633–641.doi:10.1097/MEG.0b013e3283484795 PMID:21654320
- Landi MT, Chatterjee N, Caporaso NE et al. (2010). GPC5 rs2352028 variant and risk of lung cancer in never smokers. *Lancet Oncol*, 11:714–716, author reply 716.doi:10.1016/S1470-2045(10)70096-6 PMID:20688270
- Lavogiez C, Delaporte E, Darras-Vercambre S et al. (2010). Clinicopathological study of 13 cases of squamous cell carcinoma complicating hidradenitis suppurativa. *Dermatology*, 220:147–153.doi:10.1159/000269836 PMID:20029163
- Le Calvez-Kelm F, Lesueur F, Damiola F et al.; Breast Cancer Family Registry (2011). Rare, evolutionarily unlikely missense substitutions in CHEK2 contribute to breast cancer susceptibility: results from a breast cancer family registry case-control mutation-screening study. *Breast Cancer Res*, 13:R6.doi:10.1186/bcr2810 PMID:21244692
- Le Marchand L, Wang H, Rinaldi S et al. (2010). Associations of plasma C-peptide and IGFBP-1 levels with risk of colorectal adenoma in a multiethnic population. *Cancer Epidemiol Biomarkers Prev*, 19:1471–1477.doi:10.1158/1055-9965.EPI-10-0128 PMID:20501760
- Lee TJ, Clifford GM, Rajasekhar P et al. (2011). High yield of colorectal neoplasia detected by colonoscopy following a positive faecal occult blood test in the NHS Bowel Cancer Screening Programme. *J Med Screen*, 18:82–86.doi:10.1258/jms.2011.011032 PMID:21852700
- Lenters V, Basinas I, Beane-Freeman L et al. (2010). Endotoxin exposure and lung cancer risk: a systematic review and meta-analysis of the published literature on agriculture and cotton textile workers. *Cancer Causes Control*, 21:523–555. doi:10.1007/s10552-009-9483-z PMID:20012774
- Leon ME, Beane Freeman LE, Douwes J et al. (2011). AGRICOH: a consortium of agricultural cohorts. *Int J Environ Res Public Health*, 8:1341–1357.doi:10.3390/ijerph8051341 PMID:21655123
- Leufkens AM, Van Duijnhoven FJ, Siersma PD et al. (2011). Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. *Clin Gastroenterol Hepatol*, 9:137–144.doi:10.1016/j.cgh.2010.10.012 PMID:21029790
- Li N, Franceschi S, Howell-Jones R et al. (2011). Human papillomavirus type distribution in 30,848 invasive cervical cancers worldwide: Variation by geographical region, histological type and year of publication. *Int J Cancer*, 128:927–935.doi:10.1002/ijc.25396 PMID:20473886
- Li Q, Dresler C, Heck JE et al. (2010). Knowledge and beliefs about smoking and cancer among women in five European countries. *Cancer Epidemiol Biomarkers Prev*, 19:2811–2820.doi:10.1158/1055-9965.EPI-10-0432 PMID:20870735
- Li Q, Zheng T, Holford TR et al. (2010). Light at night and breast cancer risk: results from a population-based case-control study in Connecticut, USA. *Cancer Causes Control*, 21:2281–2285.doi:10.1007/s10552-010-9653-z PMID:20927578
- Liao LM, Brennan P, van Bemmel DM et al. (2011). LINE-1 Methylation Levels in Leukocyte DNA and Risk of Renal Cell Cancer. *PLoS One*, 6:e27361 PMID:22076155 doi:10.1371/journal.pone.0027361
- Lima SC, Hernandez-Vargas H, Herceg Z (2010). Epigenetic signatures in cancer: Implications for the control of cancer in the clinic. *Curr Opin Mol Ther*, 12:316–324. PMID:20521220
- Lindstrom S, Schumacher F, Siddiq A et al. (2011). Characterizing associations and SNP-environment interactions for GWAS-identified prostate cancer risk markers—results from BPC3. *PLoS One*, 6:e17142. doi:10.1371/journal.pone.0017142 PMID:21390317
- Linseisen J, Rohrmann S, Bueno-de-Mesquita B et al. (2011). Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. *Cancer Causes Control*, 22:909–918.doi:10.1007/s10552-011-9764-1 PMID:21479828
- Lips EH, Gaborieau V, McKay JD et al. (2010). Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. *Int J Epidemiol*, 39:563–577. doi:10.1093/ije/dyp288 PMID:19776245
- Lipworth L, Zucchetto A, Bosetti C et al. (2011). Diabetes mellitus, other medical conditions and pancreatic cancer: a case-control study. *Diabetes Metab Res Rev*, 27:255–261.doi:10.1002/dmrr.1162 PMID:21309046
- Lissowska J, Foretova L, Dabek J et al. (2010). Family history and lung cancer risk: international multicentre case-control study in Eastern and Central Europe and meta-analyses. *Cancer Causes Control*, 21:1091–1104.doi:10.1007/s10552-010-9537-2 PMID:20306329
- López RV, Zago MA, Eluf-Neto J et al. (2011). Education, tobacco smoking, alcohol consumption, and IL-2 and IL-6 gene polymorphisms in the survival of head and neck cancer. *Braz J Med Biol Res*, 44:1006–1012.doi:10.1590/S0100-879X2011007500097 PMID:21845339
- Lubin JH, Gaudet MM, Olshan AF et al. (2010). Body mass index, cigarette smoking, and alcohol consumption and cancers of the oral cavity, pharynx, and larynx: modeling odds ratios in pooled case-control data. *Am J Epidemiol*, 171:1250–1261. doi:10.1093/aje/kwq088 PMID:20494999
- Lubin JH, Muscat J, Gaudet MM et al. (2011). An examination of male and female odds ratios by BMI, cigarette smoking, and alcohol consumption for cancers of the oral cavity, pharynx, and larynx in pooled data from 15 case-control studies. *Cancer Causes Control*, 22:1217–1231.doi:10.1007/s10552-011-9792-x PMID:21744095
- Lucenteforte E, Talamini R, Bosetti C et al. (2010). Macronutrients, fatty acids, cholesterol and pancreatic cancer. *Eur J Cancer*, 46:581–587. doi:10.1016/j.ejca.2009.09.024 PMID:19850469
- Lucenteforte E, Zucchetto A, Bosetti C et al. (2011). Reproductive and hormonal factors and pancreatic cancer risk in women. *Pancreas*, 40:460–463.doi:10.1097/MPA.0b013e31820bf986 PMID:21343831
- Macfarlane TV, Macfarlane GJ, Oliver RJ et al. (2010). The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAge study. *Cancer Causes Control*, 21:2213–2221.doi:10.1007/s10552-010-9641-3 PMID:20835759
- Maisonneuve P, Lowenfels AB, Bueno-de-Mesquita HB et al. (2010). Past medical history and pancreatic cancer risk: Results from a multicenter case-control study. *Ann Epidemiol*, 20:92–98.doi:10.1016/j.annepidem.2009.11.010 PMID:20123159
- Mani S, Herceg Z (2010). DNA demethylating agents and epigenetic therapy of cancer. *Adv Genet*, 70:327–340.doi:10.1016/B978-0-12-380866-0.60012-5 PMID:20920754

- Marcel V, Dichtel-Danjoy ML, Sagne C et al. (2011). Biological functions of p53 isoforms through evolution: lessons from animal and cellular models. *Cell Death Differ*, 18:1815–1824.doi:10.1038/cdd.2011.120 PMID:21941372
- Marcel V, Olivier M, Mollereau B et al. (2011). First International p53 Isoforms Meeting: 'p53 isoforms through evolution: from identification to biological function'. *Cell Death Differ*, 18:563–564. doi:10.1038/cdd.2010.156 PMID:21151028
- Marcel V, Tran PL, Sagne C et al. (2011). G-quadruplex structures in TP53 intron 3: role in alternative splicing and in production of p53 mRNA isoforms. *Carcinogenesis*, 32:271–278.doi:10.1093/carcin/bgg253 PMID:21112961
- Marcel V, Vijayakumar V, Fernández-Cuesta L et al. (2010). p53 regulates the transcription of its Delta133p53 isoform through specific response elements contained within the TP53 P2 internal promoter. *Oncogene*, 29:2691–2700.doi:10.1038/onc.2010.26 PMID:20190805
- Marron M, Boffetta P, Zhang ZF et al. (2010). Cessation of alcohol drinking, tobacco smoking and the reversal of head and neck cancer risk. *Int J Epidemiol*, 39:182–196.doi:10.1093/ije/dyp291 PMID:19805488
- Maslanyj M, Lightfoot T, Schüz J et al. (2010). A precautionary public health protection strategy for the possible risk of childhood leukaemia from exposure to power frequency magnetic fields. *BMC Public Health*, 10:673.doi:10.1186/1471-2458-10-673 PMID:21054823
- Maucort-Boulch D, Plummer M, Castle PE et al. (2010). Predictors of human papillomavirus persistence among women with equivocal or mildly abnormal cytology. *Int J Cancer*, 126:684–691. doi:10.1002/ijc.24752 PMID:19609952
- Maule M, Scélo G, Pastore G et al. (2011). Second malignancies after childhood noncentral nervous system solid cancer: Results from 13 cancer registries. *Int J Cancer*, 129:1940–1952. PMID:21520035
- McCormack VA, Agudo A, Dahm CC et al. (2010). Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Int J Cancer*, 127:2402–2411. doi:10.1002/ijc.25252 PMID:20162568
- McCormack VA, Boffetta P (2011). Today's lifestyles, tomorrow's cancers: trends in lifestyle risk factors for cancer in low- and middle-income countries. *Ann Oncol*, 22:2349–2357.doi:10.1093/annonc/mdq763 PMID:21378201
- McCormack VA, Hung RJ, Brenner DR et al. (2011). Aspirin and NSAID use and lung cancer risk: a pooled analysis in the International Lung Cancer Consortium (ILCCO). *Cancer Causes Control*, 22:1709–1720.doi:10.1007/s10552-011-9847-z PMID:21987079
- McCormack VA, Perry NM, Vinnicombe SJ, Dos Santos Silva I (2010). Changes and tracking of mammographic density in relation to Pike's model of breast tissue aging: a UK longitudinal study. *Int J Cancer*, 127:452–461. PMID:19924817
- McKay JD, Truong T, Gaborieau V et al. (2011). A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. *PLoS Genet*, 7:e1001333. doi:10.1371/journal.pgen.1001333 PMID:21437268
- Mellemkjær L, Christensen J, Frederiksen K et al. (2011). Risk of primary non-breast cancer after female breast cancer by age at diagnosis. *Cancer Epidemiol Biomarkers Prev*, 20:1784–1792.doi:10.1158/1055-9965.EPI-11-0009 PMID:21653644
- Mendy ME, Welzel T, Lesi OA et al. (2010). Hepatitis B viral load and risk for liver cirrhosis and hepatocellular carcinoma in The Gambia, West Africa. *J Viral Hepat*, 17:115–122.doi:10.1111/j.1365-2893.2009.01168.x PMID:19874478
- Menvielle G, Boshuizen H, Kunst AE et al. (2010). Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. *Int J Cancer*, 126:1928–1935. PMID:19810107
- Menvielle G, Kunst AE, van Gils CH et al. (2011). The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. *Am J Epidemiol*, 173:26–37.doi:10.1093/aje/kwq319 PMID:21084553
- Metayer C, Scélo G, Chokkalingam AP et al. (2011). Genetic variants in the folate pathway and risk of childhood acute lymphoblastic leukemia. *Cancer Causes Control*, 22:1243–1258.doi:10.1007/s10552-011-9795-7 PMID:21748308
- Michaud DS, Bové G, Gallo V et al. (2011). Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. *Cancer Prev Res (Phila)*, 4:1385–1392.doi:10.1158/1940-6207.CAPR-11-0014 PMID:21685234
- Michaud DS, Gallo V, Schlehofer B et al. (2010). Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. *Cancer Epidemiol Biomarkers Prev*, 19:2562–2569.doi:10.1158/1055-9965.EPI-10-0447 PMID:20802020
- Michaud DS, Gallo V, Schlehofer B et al. (2010). Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. *Am J Clin Nutr*, 92:1145–1150.doi:10.3945/ajcn.2010.29876 PMID:20844074
- Michaud DS, Vrieling A, Jiao L et al. (2010). Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). *Cancer Causes Control*, 21:1213–1225. doi:10.1007/s10552-010-9548-z PMID:20373013
- Miller DL, Simon SL, Thierry-Chef I, Land CE (2010). Stochastic and deterministic risk in children undergoing neurointerventional procedures. *AJR Am J Roentgenol*, 195:W87–8, author reply W89. doi:10.2214/AJR.09.4180 PMID:20566788
- Milne RL, Goode EL, García-Closas M et al.; GENICA Network; kConFab Investigators; AOCS Group (2011). Confirmation of 5p12 as a susceptibility locus for progesterone-receptor-positive, lower grade breast cancer. *Cancer Epidemiol Biomarkers Prev*, 20:2222–2231.doi:10.1158/1055-9965.EPI-11-0569 PMID:21795498
- Min W, Cortes U, Herceg Z et al. (2010). Deletion of the nuclear isoform of poly(ADP-ribose) glycohydrolase (PARP) reveals its function in DNA repair, genomic stability and tumorigenesis. *Carcinogenesis*, 31:2058–2065.doi:10.1093/carcin/bgg205 PMID:20926829
- Mirabello L, Pfeiffer R, Murphy G et al. (2011). Height at diagnosis and birth-weight as risk factors for osteosarcoma. *Cancer Causes Control*, 22:899–908.doi:10.1007/s10552-011-9763-2 PMID:21465145
- Mirzaagha F, Azali SH, Islami F et al. (2010). Coeliac disease in autoimmune liver disease: a cross-sectional study and a systematic review. *Dig Liver Dis*, 42:620–623.doi:10.1016/j.dld.2010.02.006 PMID:20236872
- Missaoui N, Hmissa S, Sankaranarayanan R et al. (2010). [p16INK4A overexpression is a useful marker for uterine cervix lesions]. *Ann Biol Clin (Paris)*, 68:409–414. PMID:20650735
- Montesano R (2011). Preventing primary liver cancer: the HBV vaccination project in the Gambia (West Africa). *Environ Health*, 10 Suppl 1:S6. doi:10.1186/1476-069X-10-S1-S6 PMID:21489216

- Moore HM, Kelly A, Jewell SD et al. (2011). Biospecimen Reporting for Improved Study Quality. *Biopreserv Biobank*, 9:57–70.doi:10.1089/bio.2010.0036 PMID:21826252
- Moore HM, Kelly AB, Jewell SD et al. (2011). Biospecimen reporting for improved study quality (BRISQ). *J Proteome Res*, 10:3429–3438.doi:10.1021/pr00021n PMID:21574648
- Moore HM, Kelly AB, Jewell SD et al. (2011). Biospecimen reporting for improved study quality (BRISQ). *Cancer Cytopathol*, 119:92–101.doi:10.1002/cncy.20147 PMID:21433001
- Moore LE, Boffetta P, Karami S et al. (2010). Occupational trichloroethylene exposure and renal carcinoma risk: evidence of genetic susceptibility by reductive metabolism gene variants. *Cancer Res*, 70:6527–6536.doi:10.1158/0008-5472.CAN-09-4167 PMID:20663906
- Moore LE, Nickerson ML, Brennan P et al. (2011). Von Hippel-Lindau (VHL) inactivation in sporadic clear cell renal cancer: associations with germline VHL polymorphisms and etiologic risk factors. *PLoS Genet*, 7:e1002312.doi:10.1371/journal.pgen.1002312 PMID:22022277
- Moreno-Macias H, Romieu I, London SJ, Laird NM (2010). Gene-environment interaction tests for family studies with quantitative phenotypes: A review and extension to longitudinal measures. *Hum Genomics*, 4:302–326. PMID:20650819
- Morris EJ, Sandin F, Lambert PC et al. (2011). A population-based comparison of the survival of patients with colorectal cancer in England, Norway and Sweden between 1996 and 2004. *Gut*, 60:1087–1093.doi:10.1136/gut.2010.229575 PMID:21303917
- Mouchawar J, Korch C, Byers T et al. (2010). Population-based estimate of the contribution of TP53 mutations to subgroups of early-onset breast cancer: Australian Breast Cancer Family Study. *Cancer Res*, 70:4795–4800.doi:10.1158/0008-5472.CAN-09-0851 PMID:20501846
- Muwonge R, da Ganda Manuel M, Filipe AP et al. (2010). Visual screening for early detection of cervical neoplasia in Angola. *Int J Gynaecol Obstet*, 111:68–72.doi:10.1016/j.ijgo.2010.04.024 PMID:20570259
- Nagel G, Linseisen J, van Gils CH et al. (2010). Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Breast Cancer Res Treat*, 119:753–765.doi:10.1007/s10549-009-0444-8 PMID:19565333
- Najafi I, Attari F, Islami F et al. (2010). Renal function and risk factors of moderate to severe chronic kidney disease in Golestan Province, northeast of Iran. *PLoS One*, 5:e14216.doi:10.1371/journal.pone.0014216 PMID:21151983
- Namuju PB, Waterboer T, Banura C et al. (2011). Risk of seropositivity to multiple oncogenic human papillomavirus types among human immunodeficiency virus-positive and -negative Ugandan women. *J Gen Virol*, 92:2776–2783.doi:10.1099/vir.0.035923-0 PMID:21832008
- Naska A, Orfanos P, Trichopoulou A et al. (2011). Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. *Int J Obes (Lond)*, 35:416–426.doi:10.1038/ijo.2010.142 PMID:20661252
- Nasrollahzadeh D, Aghcheli K, Sotoudeh M et al. (2011). Accuracy and Cut-Off Values of Pepsinogens I, II and Gastrin 17 for Diagnosis of Gastric Fundic Atrophy: Influence of Gastritis. *PLoS One*, 6:e26957.doi:10.1371/journal.pone.0026957 PMID:22066020
- Neasham D, Sifi A, Nielsen KR et al. (2011). Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). *Occup Environ Med*, 68:77–81.doi:10.1136/oem.2009.048173 PMID:20884795
- Nessa A, Hussain MA, Rahman JN et al. (2010). Screening for cervical neoplasia in Bangladesh using visual inspection with acetic acid. *Int J Gynaecol Obstet*, 111:115–118.doi:10.1016/j.ijgo.2010.06.004 PMID:20674919
- Ngoma T, Muwonge R, Mwaiselage J et al. (2010). Evaluation of cervical visual inspection screening in Dar es Salaam, Tanzania. *Int J Gynaecol Obstet*, 109:100–104.doi:10.1016/j.ijgo.2009.11.025 PMID:20152973
- Nguyen-Dumont T, Jordheim LP, Michelon J et al.; Kathleen Cunningham Foundation Consortium for Research into Familial Aspects of Breast Cancer (2011). Detecting differential allelic expression using high-resolution melting curve analysis: application to the breast cancer susceptibility gene CHEK2. *BMC Med Genomics*, 4:39.doi:10.1186/1755-8794-4-39 PMID:21569354
- Nieters A, Bracci PM, de Sanjose S et al. (2011). A functional TNFRSF5 polymorphism and risk of non-Hodgkin lymphoma, a pooled analysis. *Int J Cancer*, 128:1481–1485.doi:10.1002/ijc.25420 PMID:20473910
- Nobusawa S, Lachuer J, Wierinckx A et al. (2010). Intratumoral patterns of genomic imbalance in glioblastomas. *Brain Pathol*, 20:936–944. PMID:20406234
- Nobusawa S, Stawski R, Kim YH et al. (2011). Amplification of the PDGFRA, KIT and KDR genes in glioblastoma: a population-based study. *Neuropathology*, 31:583–588.doi:10.1111/j.1440-1789.2011.01204.x PMID:21382095
- Nogueira da Costa A, Keen JN, Wild CP, Findlay JBC (2011). An analysis of the phosphoproteome of immune cell lines exposed to the immunomodulatory mycotoxin deoxynivalenol. *Biochim Biophys Acta*, 1814:850–857.doi:10.1016/j.bbapap.2011.04.001 PMID:21513824
- Nogueira da Costa A, Mijal RS, Keen JN et al. (2011). Proteomic analysis of the effects of the immunomodulatory mycotoxin deoxynivalenol. *Proteomics*, 11:1903–1914.doi:10.1002/pmic.20100580 PMID:21462343
- Ocké MC, Slimani N, Brants H et al.; EFCOVAL Consortium (2011). Potential and requirements for a standardized pan-European food consumption survey using the EPIC-Soft software. *Eur J Clin Nutr*, 65 Suppl 1:S48–S57.doi:10.1038/ejcn.2011.87 PMID:21731005
- Odefrey F, Stone J, Gurrin LC et al.; Australian Twins and Sisters Mammographic Density Study (2010). Common genetic variants associated with breast cancer and mammographic density measures that predict disease. *Cancer Res*, 70:1449–1458.doi:10.1158/0008-5472.CAN-09-3495 PMID:20145138
- Oh DL, Heck JE, Dresler C et al. (2010). Determinants of smoking initiation among women in five European countries: a cross-sectional survey. *BMC Public Health*, 10:74.doi:10.1186/1471-2458-10-74 PMID:20163736
- Oh JK, Alemany L, Suh JI et al. (2010). Type-specific human papillomavirus distribution in invasive cervical cancer in Korea, 1958–2004. *Asian Pac J Cancer Prev*, 11:993–1000. PMID:21133613
- Oh JK, Lim MK, Yun EH et al. (2010). Awareness of and attitude towards human papillomavirus infection and vaccination for cervical cancer prevention among adult males and females in Korea: a nationwide interview survey. *Vaccine*, 28:1854–1860.doi:10.1016/j.vaccine.2009.11.079 PMID:20005860

- Ohgaki H, Kim YH, Steinbach JP (2010). Nervous system tumors associated with familial tumor syndromes. *Curr Opin Neurol*, 23:583–591.doi:10.1097/WCO.0b013e3283405b5f PMID:21042217
- Ohgaki H, Kleihues P (2011). Genetic profile of astrocytic and oligodendroglial gliomas. *Brain Tumor Pathol*, 28:177–183.doi:10.1007/s10014-011-0029-1 PMID:21442241
- Okolo C, Franceschi S, Adewole I et al. (2010). Human papillomavirus infection in women with and without cervical cancer in Ibadan, Nigeria. *Infect Agent Cancer*, 5:24.doi:10.1186/1750-9378-5-24 PMID:21129194
- Olivier M, Hollstein M, Hainaut P (2010). TP53 mutations in human cancers: origins, consequences, and clinical use. *Cold Spring Harb Perspect Biol*, 2:a001008.doi:10.1101/csdperspect.a001008 PMID:20182602
- Olivier M, Taniere P (2011). Somatic mutations in cancer prognosis and prediction: lessons from TP53 and EGFR genes. *Curr Opin Oncol*, 23:88–92.doi:10.1097/CCO.0b013e3283412dfa PMID:21045690
- Olsson A, Kromhout H, Agostini M et al. (2010). A case-control study of lung cancer nested in a cohort of European asphalt workers. *Environ Health Perspect*, 118:1418–1424.doi:10.1289/ehp.0901800 PMID:20529766
- Olsson AC, Fevotte J, Fletcher T et al. (2010). Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. *Occup Environ Med*, 67:98–103. doi:10.1136/oem.2009.046680 PMID:19773276
- Olsson AC, Gustavsson P, Kromhout H et al. (2011). Exposure to diesel motor exhaust and lung cancer risk in a pooled analysis from case-control studies in Europe and Canada. *Am J Respir Crit Care Med*, 183:941–948.doi:10.1164/rccm.201006-0940OC PMID:21037020
- Olsson AC, Gustavsson P, Zaridze D et al. (2011). Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. *J Occup Environ Med*, 53:1262–1267.doi:10.1097/JOM.0b013e318234e2d2 PMID:22068130
- Olsson CA, Foley DL, Parkinson-Bates M et al. (2010). Prospects for epigenetic research within cohort studies of psychological disorder: a pilot investigation of a peripheral cell marker of epigenetic risk for depression. *Biol Psychol*, 83:159–165.doi:10.1016/j.biopsych.2009.12.003 PMID:20018225
- Pakseresht M, Forman D, Malekzadeh R et al. (2011). Dietary habits and gastric cancer risk in northwest Iran. *Cancer Causes Control*, 22:725–736. doi:10.1007/s10552-011-9744-5 PMID:21347819
- Paliwal A, Vaissière T, Herceg Z (2010). Quantitative detection of DNA methylation states in minute amounts of DNA from body fluids. *Methods*, 52:242–247.doi:10.1016/j.ymeth.2010.03.008 PMID:20362673
- Paliwal A, Vaissière T, Krais A et al. (2010). Aberrant DNA methylation links cancer susceptibility locus 15q25.1 to apoptotic regulation and lung cancer. *Cancer Res*, 70:2779–2788.doi:10.1158/0008-5472.CAN-09-4550 PMID:20332232
- Palmero EI, Achatz MI, Ashton-Prolla P et al. (2010). Tumor protein 53 mutations and inherited cancer: beyond Li-Fraumeni syndrome. *Curr Opin Oncol*, 22:64–69.doi:10.1097/CCO.0b013e328333bf00 PMID:19952748
- Paris C, Clement-Duchene C, Vignaud JM et al. (2010). Relationships between lung adenocarcinoma and gender, age, smoking and occupational risk factors: A case-case study. *Lung Cancer*, 68:146–153. doi:10.1016/j.lungcan.2009.06.007 PMID:19586681
- Park SL, Lee YC, Marron M et al. (2011). The association between change in body mass index and upper aerodigestive tract cancers in the ARCAge project: multicenter case-control study. *Int J Cancer*, 128:1449–1461.doi:10.1002/ijc.25468 PMID:20506380
- Parkin DM, Ferlay J, Curado MP et al. (2010). Fifty years of cancer incidence: CI5 I–IX. *Int J Cancer*, 127:2918–2927.doi:10.1002/ijc.25517 PMID:21351270
- Parroche P, Touka M, Mansour M et al. (2011). Human papillomavirus type 16 E6 inhibits p21(WAF1) transcription independently of p53 by inactivating p150(Sal2). *Virology*, 417:443–448. doi:10.1016/j.virol.2011.05.016 PMID:21791360
- Patel K, Mining S, Wakhisi J et al. (2011). TP53 mutations, human papilloma virus DNA and inflammation markers in esophageal squamous cell carcinoma from the Rift Valley, a high-incidence area in Kenya. *BMC Res Notes*, 4:469.doi:10.1186/1756-0500-4-469 PMID:22040862
- Paternoster L, Evans DM, Nohr EA et al. (2011). Genome-wide population-based association study of extremely overweight young adults—the GOYA study. *PLoS One*, 6:e24303.doi:10.1371/journal.pone.0024303 PMID:21935397
- Pelucchi C, Negri E, Talamini R et al. (2010). Metabolic syndrome is associated with colorectal cancer in men. *Eur J Cancer*, 46:1866–1872. doi:10.1016/j.ejca.2010.03.010 PMID:20395126
- Peluso M, Srivatanakul P, Munnia A et al. (2010). Malondialdehyde-deoxyguanosine adducts among workers of a Thai industrial estate and nearby residents. *Environ Health Perspect*, 118:55–59. PMID:20056580
- Pereira SM, McCormack VA, Hipwell JH et al. (2011). Localized fibroglandular tissue as a predictor of future tumor location within the breast. *Cancer Epidemiol Biomarkers Prev*, 20:1718–1725.doi:10.1158/1055-9965.EPI-11-0423 PMID:21693627
- Persson C, Canedo P, Machado JC et al. (2011). Polymorphisms in inflammatory response genes and their association with gastric cancer: A HuGE systematic review and meta-analyses. *Am J Epidemiol*, 173:259–270.doi:10.1093/aje/kwq370 PMID:21178102
- Pesch B, Harth V, Rabstein S et al. (2010). Night work and breast cancer - results from the German GENICA study. *Scand J Work Environ Health*, 36:134–141. PMID:20039012
- Peters S, Vermeulen R, Cassidy A et al.; INCO Group (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med*, 68:148–153.doi:10.1136/oem.2010.055608 PMID:20871102
- Petersen GM, Amundadottir L, Fuchs CS et al. (2010). A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. *Nat Genet*, 42:224–228.doi:10.1038/ng.522 PMID:20101243
- Pfeifer GP, Hainaut P (2011). Next-generation sequencing: emerging lessons on the origins of human cancer. *Curr Opin Oncol*, 23:62–68.doi:10.1097/CCO.0b013e3283414d00 PMID:21119514
- Pimple S, Muwonge R, Amin G et al. (2010). Cytology versus HPV testing for the detection of high-grade cervical lesions in women found positive on visual inspection in Mumbai, India. *Int J Gynaecol Obstet*, 108:236–239.doi:10.1016/j.ijgo.2009.10.005 PMID:19945105

- Pinto Pereira SM, Hipwell JH, McCormack VA et al. (2010). Automated registration of diagnostic to prediagnostic x-ray mammograms: evaluation and comparison to radiologists' accuracy. *Med Phys*, 37:4530–4539.doi:10.1118/1.3457470 PMID:20964170
- Pira E, Piolatto G, Negri E et al. (2010). Bladder cancer mortality of workers exposed to aromatic amines: a 58-year follow-up. *J Natl Cancer Inst*, 102:1096–1099.doi:10.1093/jnci/djq214 PMID:20548022
- Plummer M, Carstensen B (2011). Lexis: An R Class for Epidemiological Studies with Long-Term Follow-Up. *J Stat Soft*, 38
- Plummer M, Vaccarella S, Franceschi S (2011). Multiple human papillomavirus infections: the exception or the rule? *J Infect Dis*, 203:891–893. doi:10.1093/infdis/jiq146 PMID:21402540
- Plymoth A, Hainaut P (2011). Proteomics beyond proteomics: toward clinical applications. *Curr Opin Oncol*, 23:77–82.doi:10.1097/CCO.0b013e32834179c1 PMID:21107258
- Polesel J, Franceschi S, Suligoi B et al.; Cancer and AIDS Registries Linkage Study Cancer; AIDS Registries Linkage Study (2010). Cancer incidence in people with AIDS in Italy. *Int J Cancer*, 127:1437–1445.doi:10.1002/ijc.25153 PMID:20049835
- Polesel J, Franceschi S, Talamini R et al. (2011). Tobacco smoking, alcohol drinking, and the risk of different histological types of nasopharyngeal cancer in a low-risk population. *Oral Oncol*, 47:541–545.doi:10.1016/j.oraloncology.2011.03.017 PMID:21478046
- Polesel J, Talamini R, Montella M et al. (2011). Re: Association of meat and fat intake with liver disease and hepatocellular carcinoma in the NIH-AARP cohort. *J Natl Cancer Inst*, 103:446–448. doi:10.1093/jnci/djq560 PMID:21289300
- Polesel J, Talamini R, Negri E et al. (2010). Dietary habits and risk of pancreatic cancer: an Italian case-control study. *Cancer Causes Control*, 21:493–500. doi:10.1007/s10552-009-9480-2 PMID:20091114
- Pourshams A, Khademi H, Malekshah AF et al. (2010). Cohort Profile: The Golestan Cohort Study—a prospective study of oesophageal cancer in northern Iran. *Int J Epidemiol*, 39:52–59. doi:10.1093/ije/dyp161 PMID:19332502
- Price AJ, Allen NE, Appleby PN et al. (2010). Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr*, 91:1769–1776.doi:10.3945/ajcn.2009.28831 PMID:20427733
- Primrose S, Draper J, Elsom R et al. (2011). Metabolomics and human nutrition. *Br J Nutr*, 105:1277–1283.doi:10.1017/S0007114510004812 PMID:21255470
- Purdue MP, Johansson M, Zelenika D et al. (2011). Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. *Nat Genet*, 43:60–65.doi:10.1038/ng.723 PMID:21131975
- Quirke P, Risio M, Lambert R et al. (2011). Quality assurance in pathology in colorectal cancer screening and diagnosis—European recommendations. *Virchows Arch*, 458:1–19. doi:10.1007/s00428-010-0977-6 PMID:21061133
- Ramadas K, Sauvaget C, Thomas G et al. (2010). Effect of tobacco chewing, tobacco smoking and alcohol on all-cause and cancer mortality: a cohort study from Trivandrum, India. *Cancer Epidemiol*, 34:405–412.doi:10.1016/j.canep.2010.04.006 PMID:20444665
- Raza SA, Franceschi S, Pallardy S et al. (2010). Human papillomavirus infection in women with and without cervical cancer in Karachi, Pakistan. *Br J Cancer*, 102:1657–1660.doi:10.1038/sj.bjc.6605664 PMID:20407442
- Reis AA, Silva DM, Curado MP, da Cruz AD (2010). Involvement of CYP1A1, GST, 72TP53 polymorphisms in the pathogenesis of thyroid nodules. *Genet Mol Res*, 9:2222–2229.doi:10.4238/vol9-4gmr807 PMID:21086258
- Ren JS, Chen WQ, Shin HR et al. (2010). A comparison of two methods to estimate the cancer incidence and mortality burden in China in 2005. *Asian Pac J Cancer Prev*, 11:1587–1594. PMID:21338201
- Renard F, Vankrunkelsven P, Van Eycken L et al. (2010). Decline in breast cancer incidence in the Flemish region of Belgium after a decline in hormonal replacement therapy. *Ann Oncol*, 21:2356–2360. doi:10.1093/annonc/mdq240 PMID:20439342
- Rey G, Boniol M, Jouglé E (2010). Estimating the number of alcohol-attributable deaths: methodological issues and illustration with French data for 2006. *Addiction*, 105:1018–1029.doi:10.1111/j.1360-0443.2010.02910.x PMID:20331552
- Rey JF, Lambert R, Aabakken L et al. (2011). Proceedings of a preliminary workshop at Gastro 2009—narrow banding imaging in digestive endoscopy: clinical outcome of classification (Omed-Jges Educational Meeting held on 22 November, 2009). *Dig Endosc*, 23:251–266.doi:10.1111/j.1443-1661.2010.01083.x PMID:21699571
- Ribeiro KB, Levi JE, Pawlita M et al. (2011). Low human papillomavirus prevalence in head and neck cancer: results from two large case-control studies in high-incidence regions. *Int J Epidemiol*, 40:489–502.doi:10.1093/ije/dyq249 PMID:21224273
- Rinaldi S, Cleveland R, Norat T et al. (2010). Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. *Int J Cancer*, 126:1702–1715. PMID:19810099
- Rio Frio T, Bahubeshi A, Kanelloupolou C et al. (2011). DICER1 mutations in familial multinodular goiter with and without ovarian Sertoli-Leydig cell tumors. *JAMA*, 305:68–77.doi:10.1001/jama.2010.1910 PMID:21205968
- Rojas-Rodriguez H, Schilmann A, Marron-Mares AT et al. (2011). Impact of the improved patsari biomass stove on urinary polycyclic aromatic hydrocarbon biomarkers and carbon monoxide exposures in rural mexican women. *Environ Health Perspect*, 119:1301–1307.doi:10.1289/ehp.1002927 PMID:21622083
- Rohrmann S, Linseisen J, Becker S et al. (2011). Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiol Biomarkers Prev*, 20:2174–2182.doi:10.1158/1055-9965.EPI-11-0179 PMID:21788435
- Rohrmann S, Linseisen J, Jakobsen MU et al. (2011). Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 128:623–634. doi:10.1002/ijc.25387 PMID:20473877
- Romaguera D, Norat T, Vergnaud AC et al. (2010). Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. *Am J Clin Nutr*, 92:912–921. doi:10.3945/ajcn.2010.29482 PMID:20810975
- Ronco G, Franceschi S, Segnan N (2011). HPV16 and HPV18 genotyping in cervical cancer screening. *Lancet Oncol*, 12:831–832.doi:10.1016/S1470-2045(11)70195-4 PMID:21865085

- Ros MM, Bas Bueno-de-Mesquita HB, Büchner FL et al. (2011). Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Int J Cancer*, 128:2695–2708.doi:10.1002/ijc.25592 PMID:20715171
- Rosato V, Zucchetto A, Bosetti C et al. (2011). Metabolic syndrome and endometrial cancer risk. *Ann Oncol*, 22:884–889.doi:10.1093/annonc/mdq464 PMID:20937645
- Rossi M, Bosetti C, Talamini R et al. (2010). Glycemic index and glycemic load in relation to body mass index and waist to hip ratio. *Eur J Nutr*, 49:459–464. doi:10.1007/s00394-010-0104-0 PMID:20390288
- Rossi M, Negri E, Parpinel M et al. (2010). Proanthocyanidins and the risk of colorectal cancer in Italy. *Cancer Causes Control*, 21:243–250. doi:10.1007/s10552-009-9455-3 PMID:20012183
- Rota M, Bellocchio R, Scotti L et al. (2010). Random-effects meta-regression models for studying nonlinear dose-response relationship, with an application to alcohol and esophageal squamous cell carcinoma. *Stat Med*, 29:2679–2687.doi:10.1002/sim.4041 PMID:20809481
- Rothman N, Garcia-Closas M, Chatterjee N et al. (2010). A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. *Nat Genet*, 42:978–984.doi:10.1038/ng.687 PMID:20972438
- Royce SG, Alsop K, Haydon A et al. (2010). The role of SMAD4 in early-onset colorectal cancer. *Colorectal Dis*, 12:213–219.doi:10.1111/j.1463-1318.2009.01779.x PMID:19183329
- Rubio I, Seitz H, Canali E et al. (2011). The N-terminal region of the human papillomavirus L2 protein contains overlapping binding sites for neutralizing, cross-neutralizing and non-neutralizing antibodies. *Virology*, 409:348–359.doi:10.1016/j.virol.2010.10.017 PMID:21074234
- Rundle A, Richie J, Steindorf K et al. (2010). Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. *Biomarkers*, 15:20–30.doi:10.3109/13547500903186452 PMID:20050820
- Ruptier C, De Gaspéris A, Ansieau S et al. (2011). TP63 P2 promoter functional analysis identifies β-catenin as a key regulator of ΔNp63 expression. *Oncogene*, 30:4656–4665.doi:10.1038/onc.2011.171 PMID:21643019
- Russell FM, Carapetis JR, Balloch A et al. (2010). Hyporesponsiveness to re-challenge dose following pneumococcal polysaccharide vaccine at 12 months of age, a randomized controlled trial. *Vaccine*, 28:3341–3349.doi:10.1016/j.vaccine.2010.02.087 PMID:20206670
- Saberi Hosnijeh F, Krop EJ, Scoccianti C et al. (2010). Plasma cytokines and future risk of non-Hodgkin lymphoma (NHL): a case-control study nested in the Italian European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiol Biomarkers Prev*, 19:1577–1584.doi:10.1158/1055-9965.EPI-09-1237 PMID:20501772
- Samoli E, Lagiou A, Nikolopoulos E et al. (2010). Mediterranean diet and upper aerodigestive tract cancer: the Greek segment of the Alcohol-Related Cancers and Genetic Susceptibility in Europe study. *Br J Nutr*, 104:1369–1374.doi:10.1017/S000711451002205 PMID:20500931
- Sanchez GI, Kleter B, Gheit T et al. (2011). Clinical evaluation of polymerase chain reaction reverse hybridization assay for detection and identification of human papillomavirus type 16 variants. *J Clin Virol*, 51:165–169.doi:10.1016/j.jcv.2011.03.013 PMID:21561803
- Sánchez-Zamorano LM, Flores-Luna L, Angeles-Llerenas A et al. (2011). Healthy lifestyle on the risk of breast cancer. *Cancer Epidemiol Biomarkers Prev*, 20:912–922.doi:10.1158/1055-9965.EPI-10-1036 PMID:21335508
- Sankaranarayanan R (2011). Cancer survival in Africa, Asia, the Caribbean and Central America. Introduction. *IARC Sci Publ*, 162:1–5. PMID:21675400
- Sankaranarayanan R, Boffetta P (2010). Research on cancer prevention, detection and management in low- and medium-income countries. *Ann Oncol*, 21:1935–1943.doi:10.1093/annonc/mdq049 PMID:20231304
- Sankaranarayanan R, Ramadas K, Thara S et al. (2011). Clinical breast examination: preliminary results from a cluster randomized controlled trial in India. *J Natl Cancer Inst*, 103:1476–1480.doi:10.1093/jnci/djr304 PMID:21862730
- Sankaranarayanan R, Sauvaget C, Ramadas K et al. (2011). Clinical trials of cancer screening in the developing world and their impact on cancer healthcare. *Ann Oncol*, 22 Suppl 7:vii20–vii28. doi:10.1093/annonc/mdr422 PMID:22039141
- Sankaranarayanan R, Swaminathan R, Brenner H et al. (2010). Cancer survival in Africa, Asia, and Central America: a population-based study. *Lancet Oncol*, 11:165–173.doi:10.1016/S1470-2045(09)70335-3 PMID:20005175
- Sankaranarayanan R, Swaminathan R, Jayant K, Brenner H (2011). An overview of cancer survival in Africa, Asia, the Caribbean and Central America: the case for investment in cancer health services. *IARC Sci Publ*, 162:257–291. PMID:21675431
- Sauvaget C, Fayette JM, Muwonge R et al. (2011). Accuracy of visual inspection with acetic acid for cervical cancer screening. *Int J Gynaecol Obstet*, 113:14–24.doi:10.1016/j.ijgo.2010.10.012 PMID:21257169
- Sauvaget C, Nene BM, Jayant K et al. (2011). Prevalence and determinants of high-risk human papillomavirus infection in middle-aged Indian women. *Sex Transm Dis*, 38:902–906.doi:10.1097/OLQ.0b013e318223be5f PMID:21934560
- Sauvaget C, Ramadas K, Fayette JM et al. (2011). Socio-economic factors & longevity in a cohort of Kerala State, India. *Indian J Med Res*, 133:479–486. PMID:21623031
- Sauvaget C, Ramadas K, Thomas G et al. (2010). Prognosis criteria of casual systolic and diastolic blood pressure values in a prospective study in India. *J Epidemiol Community Health*, 64:366–372. doi:10.1136/jech.2008.086777 PMID:19692728
- Sawan C, Herceg Z (2010). Histone modifications and cancer. *Adv Genet*, 70:57–85.doi:10.1016/B978-0-12-380866-0.60003-4 PMID:20920745
- Scalbert A, Andres-Lacueva C, Arita M et al. (2011). Databases on food phytochemicals and their health-promoting effects. *J Agric Food Chem*, 59:4331–4348.doi:10.1021/jf200591d PMID:21438636
- Schauberger EM, Ewart SL, Arshad SH et al. (2011). Identification of ATPAF1 as a novel candidate gene for asthma in children. *J Allergy Clin Immunol*, 128:753–760, e11.doi:10.1016/j.jaci.2011.04.058 PMID:21696813
- Schlehofer B, Siegmund B, Linseisen J et al. (2011). Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. *Allergy*, 66:1434–1441.doi:10.1111/j.1365-9955.2011.02670.x PMID:21726235

- Schmeisser N, Conway DI, McKinney PA et al. (2010). Life course social mobility and risk of upper aerodigestive tract cancer in men. *Eur J Epidemiol*, 25:173–182.doi:10.1007/s10654-010-9429-5 PMID:20143252
- Schmiedel S, Jacquez GM, Blettner M, Schüz J (2011). Spatial clustering of leukemia and type 1 diabetes in children in Denmark. *Cancer Causes Control*, 22:849–857.doi:10.1007/s10552-011-9755-2 PMID:21437632
- Schmitt M, Dondog B, Waterboer T et al. (2010). Abundance of multiple high-risk human papillomavirus (HPV) infections found in cervical cells analyzed by use of an ultrasensitive HPV genotyping assay. *J Clin Microbiol*, 48:143–149. doi:10.1128/JCM.00991-09 PMID:19864475
- Schumacher FR, Berndt SI, Siddiq A et al. (2011). Genome-wide association study identifies new prostate cancer susceptibility loci. *Hum Mol Genet*, 20:3867–3875.doi:10.1093/hmg/ddr295 PMID:21743057
- Schütze M, Boeing H, Pischon T et al. (2011). Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. *BMJ*, 342:d1584. PMID:21474525
- Schüz J (2011). Exposure to extremely low-frequency magnetic fields and the risk of childhood cancer: Update of the epidemiological evidence. *Prog Biophys Mol Biol*, 107:339–342. PMID:21946043
- Schüz J, Steding-Jessen M, Hansen S et al. (2011). Long-term mobile phone use and the risk of vestibular schwannoma: a Danish nationwide cohort study. *Am J Epidemiol*, 174:416–422.doi:10.1093/aje/kwr112 PMID:21712479
- Sebastian S, Azzariti A, Silvestris N et al. (2010). p53 as the main traffic controller of the cell signaling network. *Front Biosci*, 15:1172–1190. doi:10.2741/3669 PMID:20515749
- Seigne C, Fontanière S, Carreira C et al. (2010). Characterisation of prostate cancer lesions in heterozygous Men1 mutant mice. *BMC Cancer*, 10:395.doi:10.1186/1471-2407-10-395 PMID:20663219
- Serraino D, Ronco G, Franceschi S (2010). Infections and cancer: the contribution of European research in recent progresses. *Epidemiol Prev*, 34:56–61. PMID:21220819
- Sherpa AT, Clifford GM, Vaccarella S et al. (2010). Human papillomavirus infection in women with and without cervical cancer in Nepal. *Cancer Causes Control*, 21:323–330.doi:10.1007/s10552-009-9467-z PMID:20217467
- Shin A, Park S, Shin HR et al. (2011). Population attributable fraction of infection-related cancers in Korea. *Ann Oncol*, 22:1435–1442.doi:10.1093/annonc/mdq592 PMID:20974652
- Shin HR, Boniol M, Joubert C et al. (2010). Secular trends in breast cancer mortality in five East Asian populations: Hong Kong, Japan, Korea, Singapore and Taiwan. *Cancer Sci*, 101:1241–1246.doi:10.1111/j.1349-7006.2010.01519.x PMID:20219071
- Shin HR, Joubert C, Boniol M et al. (2010). Recent trends and patterns in breast cancer incidence among Eastern and Southeastern Asian women. *Cancer Causes Control*, 21:1777–1785.doi:10.1007/s10552-010-9604-8 PMID:20559704
- Shin HR, Lee DH, Lee SY et al. (2011). Cancer survival in Busan, Republic of Korea, 1996–2001. *IARC Sci Publ*, 162:155–162. PMID:21675419
- Shin HR, Masuyer E, Ferlay J, Curado MP; Asian Contributors to CI5 IX4 (2010). Cancer in Asia - Incidence rates based on data in cancer incidence in five continents IX (1998–2002). *Asian Pac J Cancer Prev*, 11 Suppl 2:11–16. PMID:20553065
- Shin HR, Oh JK, Lim MK et al. (2010). Descriptive epidemiology of cholangiocarcinoma and clonorchiasis in Korea. *J Korean Med Sci*, 25:1011–1016.doi:10.3346/jkms.2010.25.7.1011 PMID:20592891
- Shin HR, Oh JK, Masuyer E et al. (2010). Comparison of incidence of intrahepatic and extrahepatic cholangiocarcinoma—focus on East and South-Eastern Asia. *Asian Pac J Cancer Prev*, 11:1159–1166. PMID:21198257
- Shin HR, Oh JK, Masuyer E et al. (2010). Epidemiology of cholangiocarcinoma: an update focusing on risk factors. *Cancer Sci*, 101:579–585.doi:10.1111/j.1349-7006.2009.01458.x PMID:20085587
- Shlien A, Baskin B, Achatz MI et al. (2010). A common molecular mechanism underlies two phenotypically distinct 17p13.1 microdeletion syndromes. *Am J Hum Genet*, 87:631–642. doi:10.1016/j.ajhg.2010.10.007 PMID:21056402
- Shuga J, Zeng Y, Novak R et al. (2010). Selected technologies for measuring acquired genetic damage in humans. *Environ Mol Mutagen*, 51:851–870.doi:10.1002/em.20630 PMID:20872848
- Shukla R, Yue J, Siouda M et al. (2011). Proinflammatory cytokine TNF- $\alpha$  increases the stability of hepatitis B virus X protein through NF- $\kappa$ B signaling. *Carcinogenesis*, 32:978–985. doi:10.1093/carcin/bgr057 PMID:21459755
- Shukla V, Cuenin C, Dubey N, Herceg Z (2011). Loss of histone acetyltransferase cofactor transformation/transcription domain-associated protein impairs liver regeneration after toxic injury. *Hepatology*, 53:954–963.doi:10.1002/hep.24120 PMID:21319192
- Sighoko D, Bah E, Haukka J et al. (2010). Population-based breast (female) and cervix cancer rates in the Gambia: evidence of ethnicity-related variations. *Int J Cancer*, 127:2248–2256.doi:10.1002/ijc.25244 PMID:20162609
- Sighoko D, Curado MP, Bourgeois D et al. (2011). Increase in female liver cancer in the Gambia, West Africa: evidence from 19 years of population-based cancer registration (1988–2006). *PLoS One*, 6:e18415.doi:10.1371/journal.pone.0018415 PMID:21490972
- Sinčić N, Herceg Z (2011). DNA methylation and cancer: ghosts and angels above the genes. *Curr Opin Oncol*, 23:69–76.doi:10.1097/CCO.0b013e3283412eb4 PMID:21119515
- Skibola CF, Bracci PM, Nierter A et al. (2010). Tumor necrosis factor (TNF) and lymphotoxin-alpha (LTA) polymorphisms and risk of non-Hodgkin lymphoma in the InterLymph Consortium. *Am J Epidemiol*, 171:267–276.doi:10.1093/aje/kwp383 PMID:20047977
- Slimani N, Casagrande C, Nicolas G et al.; EFCOVAL Consortium (2011). The standardized computerized 24-h dietary recall method EPIC-Soft adapted for pan-European dietary monitoring. *Eur J Clin Nutr*, 65 Suppl 1:S5–S15.doi:10.1038/ejcn.2011.83 PMID:21731006
- Sofat R, Hingorani AD, Smeeth L et al. (2010). Separating the mechanism-based and off-target actions of cholestrylo ester transfer protein inhibitors with CETP gene polymorphisms. *Circulation*, 121:52–62.doi:10.1161/CIRCULATIONAHA.109.865444 PMID:20026784
- Sortino-Rachou AM, Curado MP, Cancela MdeC (2011). Cutaneous melanoma in Latin America: a population-based descriptive study. *Cad Saude Publica*, 27:565–572.doi:10.1590/S0102-311X2011000300016 PMID:21519706

- Southey MC, Ramus SJ, Dowty JG *et al.* (2011). Morphological predictors of BRCA1 germline mutations in young women with breast cancer. *Br J Cancer*, 104:903–909.doi:10.1038/bjc.2011.41 PMID:21343941
- Southey MC, Teo ZL, Dowty JG *et al.*; kConFab for the Beast Cancer Family Registry (2010). A PALB2 mutation associated with high risk of breast cancer. *Breast Cancer Res*, 12:R109.doi:10.1186/bcr2796 PMID:21182766
- Spurdle AB, Marquart L, McGuffog L *et al.*; GEMO Study Collaborators; SWE-BRCA (2011). Common genetic variation at BARD1 is not associated with breast cancer risk in BRCA1 or BRCA2 mutation carriers. *Cancer Epidemiol Biomarkers Prev*, 20:1032–1038.doi:10.1158/1055-9965.EPI-10-0909 PMID:21393566
- Stevens RG, Hansen J, Costa G *et al.* (2011). Considerations of circadian impact for defining 'shift work' in cancer studies: IARC Working Group Report. *Occup Environ Med*, 68:154–162. doi:10.1136/oem.2009.053512 PMID:20962033
- Stone J, Gurrin LC, Hayes VM *et al.* (2010). Sibship analysis of associations between SNP haplotypes and a continuous trait with application to mammographic density. *Genet Epidemiol*, 34:309–318.doi:10.1002/gepi.20462 PMID:19918759
- Straif K (2011). IARC Response. *Microw Mag IEEE*, 12(6):32–36.
- Sullivan SG, Hirsch HH, Franceschi S *et al.*; Swiss HIV Cohort Study (2010). Kaposi sarcoma herpes virus antibody response and viremia following highly active antiretroviral therapy in the Swiss HIV Cohort study. *AIDS*, 24:2245–2252.doi:10.1097/QAD.0b013e32833b7830 PMID:20543658
- Swaminathan R, Lucas E, Sankaranarayanan R (2011). Cancer survival in Africa, Asia, the Caribbean and Central America: database and attributes. *IARC Sci Publ*, 162:23–31. PMID:21675403
- Swaminathan R, Sankaranarayanan R (2010). Under-diagnosis and under-ascertainment of cases may be the reasons for low childhood cancer incidence in rural India. *Cancer Epidemiol*, 34:107–108. doi:10.1016/j.canep.2009.11.006 PMID:20022839
- Swaminathan R, Shanta V, Ferlay J *et al.* (2011). Trends in cancer incidence in Chennai city (1982–2006) and statewide predictions of future burden in Tamil Nadu (2007–16). *Natl Med J India*, 24:72–77. PMID:21668047
- Szymańska K, Hung RJ, Wünsch-Filho V *et al.* (2011). Alcohol and tobacco, and the risk of cancers of the upper aerodigestive tract in Latin America: a case-control study. *Cancer Causes Control*, 22:1037–1046.doi:10.1007/s10552-011-9779-7 PMID:21607590
- Szymańska K, Levi JE, Menezes A *et al.* (2010). TP53 and EGFR mutations in combination with lifestyle risk factors in tumours of the upper aerodigestive tract from South America. *Carcinogenesis*, 31:1054–1059.doi:10.1093/carcin/bgp212 PMID:19955396
- Szymańska K, Matos E, Hung RJ *et al.* (2010). Drinking of maté and the risk of cancers of the upper aerodigestive tract in Latin America: a case-control study. *Cancer Causes Control*, 21:1799–1806. doi:10.1007/s10552-010-9606-6 PMID:20623173
- Szymańska K, Moore LE, Rothman N *et al.* (2010). TP53, EGFR, and KRAS mutations in relation to VHL inactivation and lifestyle risk factors in renal-cell carcinoma from central and eastern Europe. *Cancer Lett*, 293:92–98.doi:10.1016/j.canlet.2009.11.024 PMID:20137853
- 't Mannetje A, Bencko V, Brennan P *et al.* (2011). Occupational exposure to metal compounds and lung cancer. Results from a multi-center case-control study in Central/Eastern Europe and UK. *Cancer Causes Control*, 22:1669–1680.doi:10.1007/s10552-011-9843-3 PMID:21960145
- Talamini R, Polesel J, Gallus S *et al.* (2010). Tobacco smoking, alcohol consumption and pancreatic cancer risk: a case-control study in Italy. *Eur J Cancer*, 46:370–376.doi:10.1016/j.ejca.2009.09.002 PMID:19782561
- Tavani A, Scotti L, Bosetti C *et al.* (2010). Aspirin and risk of renal cell cancer in Italy. *Eur J Cancer Prev*, 19:272–274.doi:10.1097/CEJ.0b013e3283394750 PMID:20351553
- Taverne CW, Verheus M, McKay JD *et al.* (2010). Common genetic variation of insulin-like growth factor-binding protein 1 (IGFBP-1), IGFBP-3, and acid labile subunit in relation to serum IGF-I levels and mammographic density. *Breast Cancer Res Treat*, 123:843–855.doi:10.1007/s10549-010-0778-2 PMID:20155489
- Textor S, Accardi R, Havlova T *et al.* (2011). NF-κ B-dependent upregulation of ICAM-1 by HPV16-E6/E7 facilitates NK cell/target cell interaction. *Int J Cancer*, 128:1104–1113.doi:10.1002/ijc.25442 PMID:20473930
- Thépot A, Desanlis A, Venet E *et al.* (2011). Assessment of transformed properties in vitro and of tumorigenicity in vivo in primary keratinocytes cultured for epidermal sheet transplantation. *J Skin Cancer*, 2011 :doi:10.1155/2011/936546 PMID:21188234
- Thépot A, Hautefeuille A, Cros MP *et al.* (2010). Intraepithelial p63-dependent expression of distinct components of cell adhesion complexes in normal esophageal mucosa and squamous cell carcinoma. *Int J Cancer*, 127:2051–2062.doi:10.1002/ijc.25221 PMID:20127860
- Thépot A, Morel AP, Justin V *et al.* (2010). Evaluation of tumorigenic risk of tissue-engineered oral mucosal epithelial cells by using combinational examinations. *Cell Transplant*, 19:999–1006. doi:10.3727/096368910X515854 PMID:20977830
- Timofeeva MN, McKay JD, Smith GD *et al.* (2011). Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. *Cancer Epidemiol Biomarkers Prev*, 20:2250–2261.doi:10.1158/1055-9965.EPI-11-0496 PMID:21862624
- Timpson NJ, Brennan P, Gaborieau V *et al.* (2010). Can lactase persistence genotype be used to reassess the relationship between renal cell carcinoma and milk drinking? Potentials and problems in the application of Mendelian randomization. *Cancer Epidemiol Biomarkers Prev*, 19:1341–1348.doi:10.1158/1055-9965.EPI-09-1019 PMID:20447925
- Toedt G, Barbus S, Wolter M *et al.* (2011). Molecular signatures classify astrocytic gliomas by IDH1 mutation status. *Int J Cancer*, 128:1095–1103. doi:10.1002/ijc.25448 PMID:20473936
- Tokar EJ, Benbrahim-Tallaa L, Waalkes MP (2011). Metal ions in human cancer development. *Met Ions Life Sci*, 8:375–401. PMID:21473387
- Tokar EJ, Benbrahim-Tallaa L, Ward JM *et al.* (2010). Cancer in experimental animals exposed to arsenic and arsenic compounds. *Crit Rev Toxicol*, 40:912–927.doi:10.3109/10408444.2010.506641 PMID:20812815

- Torgerson DG, Ampleford EJ, Chiu GY et al.; Mexico City Childhood Asthma Study (MCAAS); Children's Health Study (CHS) and HARBORS study; Genetics of Asthma in Latino Americans (GALA) Study, Study of Genes-Environment and Admixture in Latino Americans (GALA2) and Study of African Americans, Asthma, Genes & Environments (SAGE); Childhood Asthma Research and Education (CARE) Network; Childhood Asthma Management Program (CAMP); Study of Asthma Phenotypes and Pharmacogenomic Interactions by Race-Ethnicity (SAPPHIRE); Genetic Research on Asthma in African Diaspora (GRAAD) Study (2011). Meta-analysis of genome-wide association studies of asthma in ethnically diverse North American populations. *Nat Genet*, 43:887–892.doi:10.1038/ng.888 PMID:21804549
- Tramacere I, Negri E, Bagnardi V et al. (2010). A meta-analysis of alcohol drinking and oral and pharyngeal cancers. Part 1: overall results and dose-risk relation. *Oral Oncol*, 46:497–503.doi:10.1016/j.oncology.2010.03.024 PMID:20444641
- Tramacere I, Scotti L, Jenab M et al. (2010). Alcohol drinking and pancreatic cancer risk: a meta-analysis of the dose-risk relation. *Int J Cancer*, 126:1474–1486. PMID:19816941
- Trichopoulos D, Bamia C, Lagiou P et al. (2011). Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. *J Natl Cancer Inst*, 103:1686–1695. doi:10.1093/jnci/djr395 PMID:22021666
- Truong T, Hung RJ, Amos CI et al. (2010). Replication of lung cancer susceptibility loci at chromosomes 15q25, 5p15, and 6p21: a pooled analysis from the International Lung Cancer Consortium. *J Natl Cancer Inst*, 102:959–971.doi:10.1093/jnci/djq178 PMID:20548021
- Truong T, Sauter W, McKay JD et al.; EPIC-lung (2010). International Lung Cancer Consortium: coordinated association study of 10 potential lung cancer susceptibility variants. *Carcinogenesis*, 31:625–633. doi:10.1093/carcin/bgq001 PMID:20106900
- Tsilidis KK, Allen NE, Key TJ et al. (2010). Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. *Br J Cancer*, 103:1755–1759.doi:10.1038/sj.bjc.6605965 PMID:21045829
- Tsilidis KK, Allen NE, Key TJ et al. (2011). Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. *Br J Cancer*, 105:1436–1442.doi:10.1038/bjc.2011.371 PMID:21915124
- Tsilidis KK, Allen NE, Key TJ et al. (2011). Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 128:1881–1889.doi:10.1002/ijc.25504 PMID:20533550
- Tsilidis KK, Allen NE, Key TJ et al. (2011). Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. *Cancer Causes Control*, 22:1075–1084.doi:10.1007/s10552-011-9782-z PMID:21637986
- Turati F, Edefonti V, Bravi F et al. (2011). Nutrient-based dietary patterns, family history, and colorectal cancer. *Eur J Cancer Prev*, 20:456–461.doi:10.1097/CEJ.0b013e328348fc0f PMID:21701387
- Turati F, Galeone C, Talamini R et al. (2011). Coffee, decaffeinated coffee, tea, and pancreatic cancer risk: a pooled-analysis of two Italian case-control studies. *Eur J Cancer Prev*, 20:287–292.doi:10.1097/CEJ.0b013e32834572e7 PMID:21403521
- Turati F, Gallus S, Tavani A et al. (2010). Alcohol and endometrial cancer risk: a case-control study and a meta-analysis. *Cancer Causes Control*, 21:1285–1296.doi:10.1007/s10552-010-9556-z PMID:20396942
- Turati F, Garavello W, Tramacere I et al. (2010). A meta-analysis of alcohol drinking and oral and pharyngeal cancers. Part 2: results by subsites. *Oral Oncol*, 46:720–726.doi:10.1016/j.oncology.2010.07.010 PMID:20728401
- Turner PC, Hopton RP, White KL et al. (2011). Assessment of deoxynivalenol metabolite profiles in UK adults. *Food Chem Toxicol*, 49:132–135. doi:10.1016/j.fct.2010.10.007 PMID:20934480
- Turner PC, White KL, Burley VJ et al. (2010). A comparison of deoxynivalenol intake and urinary deoxynivalenol in UK adults. *Biomarkers*, 15:553–562.doi:10.3109/1354750X.2010.495787 PMID:20572795
- Umoh NJ, Lesi OA, Mendy M et al. (2011). Aetiological differences in demographical, clinical and pathological characteristics of hepatocellular carcinoma in The Gambia. *Liver Int*, 31:215–221.doi:10.1111/j.1478-3231.2010.02418.x PMID:21143369
- Urayama KY, Buffler PA, Gallagher ER et al. (2010). A meta-analysis of the association between day-care attendance and childhood acute lymphoblastic leukaemia. *Int J Epidemiol*, 39:718–732.doi:10.1093/ije/dyp378 PMID:20110276
- Urayama KY, Holcatova I, Janout V et al. (2011). Body mass index and body size in early adulthood and risk of pancreatic cancer in a central European multicenter case-control study. *Int J Cancer*, 129:2875–2884.doi:10.1002/ijc.25959 PMID:21520034
- Vaccarella S, Clifford GM, Howell-Jones R et al.; International Agency for Research on Cancer Multicentric Cervical Cancer Study Group (2011). Author's reply to: Multiple human papillomavirus genotype infections in cervical cancer progression in the study to understand cervical cancer early endpoints and determinants. *Int J Cancer*, 129:1283–1285.doi:10.1002/ijc.25774 PMID:21080437
- Vaccarella S, Franceschi S, Clifford GM et al.; IARC HPV Prevalence Surveys Study Group (2010). Seroprevalence of antibodies against human papillomavirus (HPV) types 16 and 18 in four continents: the International Agency for Research on Cancer HPV Prevalence Surveys. *Cancer Epidemiol Biomarkers Prev*, 19:2379–2388.doi:10.1158/1055-9965.EPI-10-0336 PMID:20826835
- Vaccarella S, Franceschi S, Herrero R et al. (2011). Clustering of multiple human papillomavirus infections in women from a population-based study in Guanacaste, Costa Rica. *J Infect Dis*, 204:385–390.doi:10.1093/infdis/jir286 PMID:21742837
- Vaccarella S, Franceschi S, Snijders PJ et al.; IARC HPV Prevalence Surveys Study Group (2010). Concurrent infection with multiple human papillomavirus types: pooled analysis of the IARC HPV Prevalence Surveys. *Cancer Epidemiol Biomarkers Prev*, 19:503–510.doi:10.1158/1055-9965.EPI-09-0983 PMID:20142247
- Vaccarella S, Plummer M, Franceschi S (2011). Reply to Cervantes. *J Infect Dis*, 204:1816–1817. doi:10.1093/infdis/jir627 PMID:21987665
- Vaccarella S, Plummer M, Franceschi S (2011). Multiple Human Papillomavirus Infection: Don't Forget the Genetic Background Reply. *J Infect Dis*, 204.
- Vaccarella S, Plummer M, Franceschi S et al. (2011). Clustering of human papillomavirus (HPV) types in the male genital tract: the HPV in men (HIM) study. *J Infect Dis*, 204:1500–1504.doi:10.1093/infdis/jir595 PMID:21908729
- Vaissière T, Herceg Z (2010). Histone code in the cross-talk during DNA damage signaling. *Cell Res*, 20:113–115.doi:10.1038/cr.2010.14 PMID:20118964

- Valdman A, Jaraj SJ, Compérat E et al. (2010). Distribution of Foxp3-, CD4- and CD8-positive lymphocytic cells in benign and malignant prostate tissue. *APMIS*, 118:360–365.doi:10.1111/j.1600-0463.2010.02604.x PMID:20477811
- van Bemmel DM, Boffetta P, Liao LM et al. (2011). Comprehensive analysis of 5-aminolevulinic acid dehydrogenase (ALAD) variants and renal cell carcinoma risk among individuals exposed to lead. *PLoS One*, 6:e20432.doi:10.1371/journal.pone.0020432 PMID:21799727
- van Boeckel PG, Boshuizen HC, Siersema PD et al. (2010). No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiol*, 34:696–701.doi:10.1016/j.canep.2010.08.004 PMID:20829145
- van der Westhuizen L, Shephard GS, Burger HM et al. (2011). Fumonisin B1 as a urinary biomarker of exposure in a maize intervention study among South African subsistence farmers. *Cancer Epidemiol Biomarkers Prev*, 20:483–489.doi:10.1158/1055-9965.EPI-10-1002 PMID:21266524
- van der Westhuizen L, Shephard GS, Rheeder JP et al. (2010). Simple intervention method to reduce fumonisin exposure in a subsistence maize-farming community in South Africa. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*, 27:1582–1588. PMID:20835935
- van der Westhuizen L, Shephard GS, Rheeder JP et al. (2011). Optimising sorting and washing of home-grown maize to reduce fumonisin contamination under laboratory-controlled conditions. *Food Contr*, 22:396–400. doi:10.1016/j.foodcont.2010.09.009
- van Duijnhoven FJ, Bueno-De-Mesquita HB, Calligaro M et al. (2011). Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Gut*, 60:1094–1102.doi:10.1136/gut.2010.225011 PMID:21383385
- van Veldhoven CM, Khan AE, Teucher B et al. (2011). Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). *Eur J Cancer*, 47:748–760. doi:10.1016/j.ejca.2010.11.010 PMID:21159506
- Vaught JB, Caboux E, Hainaut P (2010). International efforts to develop biospecimen best practices. *Cancer Epidemiol Biomarkers Prev*, 19:912–915.doi:10.1158/1055-9965.EPI-10-0058 PMID:20233852
- Velkova A, Carvalho MA, Johnson JO et al. (2010). Identification of Filamin A as a BRCA1-interacting protein required for efficient DNA repair. *Cell Cycle*, 9:1421–1433.doi:10.4161/cc.9.7.11256 PMID:20305393
- Vergnaud AC, Norat T, Romaguera D et al. (2010). Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. *Am J Clin Nutr*, 92:398–407.doi:10.3945/ajcn.2009.28713 PMID:20592131
- Viarisio D, Mueller-Decker K, Kloz U et al. (2011). E6 and E7 from beta HPV38 cooperate with ultraviolet light in the development of actinic keratosis-like lesions and squamous cell carcinoma in mice. *PLoS Pathog*, 7:e1002125.doi:10.1371/journal.ppat.1002125 PMID:21779166
- Viel JF, Tiv M, Moissonnier M et al. (2011). Variability of radiofrequency exposure across days of the week: a population-based study. *Environ Res*, 111:510–513.doi:10.1016/j.envres.2011.02.015 PMID:21411077
- Vieth M, Quirke P, Lambert R et al. (2011). Annex to Quirke et al. Quality assurance in pathology in colorectal cancer screening and diagnosis: annotations of colorectal lesions. *Virchows Arch*, 458:21–30.doi:10.1007/s00428-010-0997-2 PMID:21061132
- Villar S, Le Roux-Goglin E, Gouas DA et al. (2011). Seasonal Variation in TP53 R249S-Mutated Serum DNA with Aflatoxin Exposure and Hepatitis B Virus Infection. *Environ Health Perspect*, 119:1635–1640. doi:10.1289/ehp.1103539 PMID:21768053
- Vincent IE, Zannetti C, Lucifora J et al. (2011). Hepatitis B Virus Impairs TLR9 Expression and Function in Plasmacytoid Dendritic Cells. *PLoS One*, 6:e26315.doi:10.1371/journal.pone.0026315 PMID:22046272
- Vineis P, Chuang SC, Vaissière T et al.; Genair-EPIC Collaborators (2011). DNA methylation changes associated with cancer risk factors and blood levels of vitamin metabolites in a prospective study. *Epigenetics*, 6:195–201.doi:10.4161/epi.6.2.13573 PMID:20978370
- Vlaanderen J, Lan Q, Rothman N et al. (2011). Occupational benzene exposure and lymphoma risks: Vlaanderen et al. Respond. *Environ Health Perspect*, 119:a468–a469.doi:10.1289/ehp.1104167R PMID:22063266
- Voegele C, Alteyrac L, Caboux E et al. (2010). A sample storage management system for biobanks. *Bioinformatics*, 26:2798–2800.doi:10.1093/bioinformatics/btq502 PMID:20807837
- von Karsa LV, Lignini TA, Patnick J et al. (2010). The dimensions of the CRC problem. *Best Pract Res Clin Gastroenterol*, 24:381–396.doi:10.1016/j.bpg.2010.06.004 PMID:20833343
- Voortman J, Goto A, Mendiboure J et al. (2010). MicroRNA expression and clinical outcomes in patients treated with adjuvant chemotherapy after complete resection of non-small cell lung carcinoma. *Cancer Res*, 70:8288–8298.doi:10.1158/0008-5472.CAN-10-1348 PMID:20978195
- Vrieling A, Bueno-de-Mesquita HB, Boshuizen HC et al. (2010). Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer*, 126:2394–2403. PMID:19790196
- Wakefield J, De Vocht F, Hung RJ (2010). Bayesian mixture modeling of gene-environment and gene-gene interactions. *Genet Epidemiol*, 34:16–25. PMID:19492346
- Walters S, Quaresma M, Coleman MP et al. (2011). Geographical variation in cancer survival in England, 1991–2006: an analysis by Cancer Network. *J Epidemiol Community Health*, 65:1044–1052. doi:10.1136/jech.2010.126656 PMID:21321064
- Ward EM, Schulte PA, Straif K et al. (2010). Research recommendations for selected IARC-classified agents. *Environ Health Perspect*, 118:1355–1362. doi:10.1289/ehp.0901828 PMID:20562050
- Wei S, Niu J, Zhao H et al. (2011). Association of a novel functional promoter variant (rs2075533 C>T) in the apoptosis gene TNFSF8 with risk of lung cancer—a finding from Texas lung cancer genome-wide association study. *Carcinogenesis*, 32:507–515.doi:10.1093/carcin/bgr014 PMID:21292647
- Wiemels JL, Kang M, Chang JS et al. (2010). Backtracking RAS mutations in high hyperdiploid childhood acute lymphoblastic leukemia. *Blood Cells Mol Dis*, 45:186–191.doi:10.1016/j.bcmd.2010.07.007 PMID:20688547
- Wild CP (2010). OMICS technologies: an opportunity for “two-way” translation from basic science to both clinical and population-based research. *Occup Environ Med*, 67:75–76.doi:10.1136/oem.2009.051219 PMID:19914910

- Wild CP (2011). Cancer survival in Africa, Asia, the Caribbean and Central America. Foreword. *IARC Sci Publ*, 162:VII. PMID:21675399
- Wild CP (2011). How much of a contribution do exposures experienced between conception and adolescence make to the burden of cancer in adults? *Cancer Epidemiol Biomarkers Prev*, 20:580–581.doi:10.1158/1055-9965.EPI-11-0187 PMID:21454421
- Wild CP (2011). Future research perspectives on environment and health: the requirement for a more expansive concept of translational cancer research. *Environ Health*, 10 Suppl 1:S15.doi:10.1186/1476-069X-10-S1-S15 PMID:21489211
- Wild CP, Cogliano VJ (2011). A plea on behalf of expert evaluation and the experts involved. *Int J Epidemiol*, 40:253–261.doi:10.1093/ije/dyq038 PMID:20223796
- Wild CP, Gong YY (2010). Mycotoxins and human disease: a largely ignored global health issue. *Carcinogenesis*, 31:71–82.doi:10.1093/carcin/bgp264 PMID:19875698
- Winawer SJ, Krabshuis J, Lambert R et al.; World Gastroenterology Organization Guidelines Committee (2011). Cascade colorectal cancer screening guidelines: a global conceptual model. *J Clin Gastroenterol*, 45:297–300.doi:10.1097/MCG.0b013e3182098e07 PMID:21301355
- Wolpin BM, Kraft P, Gross M et al. (2010). Pancreatic cancer risk and ABO blood group alleles: results from the pancreatic cancer cohort consortium. *Cancer Res*, 70:1015–1023.doi:10.1158/0008-5472.CAN-09-2993 PMID:20103627
- Wolpin BM, Kraft P, Xu M et al. (2010). Variant ABO blood group alleles, secretor status, and risk of pancreatic cancer: results from the pancreatic cancer cohort consortium. *Cancer Epidemiol Biomarkers Prev*, 19:3140–3149.doi:10.1158/1055-9965.EPI-10-0751 PMID:20971884
- Xun WW, Brennan P, Tjønneland A et al. (2011). Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Mutagenesis*, 26:657–666. doi:10.1093/mutage/ger030 PMID:21750227
- Yang XR, Chang-Claude J, Goode EL et al. (2011). Associations of breast cancer risk factors with tumor subtypes: a pooled analysis from the Breast Cancer Association Consortium studies. *J Natl Cancer Inst*, 103:250–263.doi:10.1093/jnci/djq526 PMID:21191117
- Yoon SO, Suh C, Lee DH et al. (2010). Distribution of lymphoid neoplasms in the Republic of Korea: analysis of 5318 cases according to the World Health Organization classification. *Am J Hematol*, 85:760–764.doi:10.1002/ajh.21824 PMID:20806229
- Yu H, Zhao H, Wang LE et al. (2011). An analysis of single nucleotide polymorphisms of 125 DNA repair genes in the Texas genome-wide association study of lung cancer with a replication for the XRCC4 SNPs. *DNA Repair (Amst)*, 10:398–407. doi:10.1016/j.dnarep.2011.01.005 PMID:21296624
- Yue J, Shukla R, Accardi R et al. (2011). Cutaneous human papillomavirus type 38 E7 regulates actin cytoskeleton structure for increasing cell proliferation through CK2 and the eukaryotic elongation factor 1A. *J Virol*, 85:8477–8494.doi:10.1128/JVI.02561-10 PMID:21697493
- Zamora-Ros R, Knaze V, Luján-Barroso L et al. (2011). Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Br J Nutr*, 106:1090–1099.doi:10.1017/S0007114511001437 PMID:21481290
- Zannetti C, Bonnay F, Takeshita F et al. (2010). C/EBPdelta and STAT-1 are required for TLR8 transcriptional activity. *J Biol Chem*, 285:34773–34780.doi:10.1074/jbc.M110.133884 PMID:20829351
- Zatloukal K, Hainaut P (2010). Human tissue biobanks as instruments for drug discovery and development: impact on personalized medicine. *Biomark Med*, 4:895–903.doi:10.2217/bmm.10.104 PMID:21133710
- Zehbe I, Lichtig H, Westerback A et al. (2011). Rare human papillomavirus 16 E6 variants reveal significant oncogenic potential. *Mol Cancer*, 10:77. doi:10.1186/1476-4598-10-77 PMID:21702904
- Zhao FH, Lin MJ, Chen F et al.; Cervical Cancer Screening Group in China (2010). Performance of high-risk human papillomavirus DNA testing as a primary screen for cervical cancer: a pooled analysis of individual patient data from 17 population-based studies from China. *Lancet Oncol*, 11:1160–1171.doi:10.1016/S1470-2045(10)70256-4 PMID:21075054
- Zheng W, McLerran DF, Rolland B et al. (2011). Association between body-mass index and risk of death in more than 1 million Asians. *N Engl J Med*, 364:719–729.doi:10.1056/NEJMoa1010679 PMID:21345101
- Zischka H, Lichtmannegger J, Schmitt S et al. (2011). Liver mitochondrial membrane crosslinking and destruction in a rat model of Wilson disease. *J Clin Invest*, 121:1508–1518.doi:10.1172/JCI45401 PMID:21364284
- Zou L, Bao YP, Li N et al. (2011). Life-style and genital human papillomavirus in a cross-sectional survey in Shanxi Province, China. *Asian Pac J Cancer Prev*, 12:781–786. PMID:21627383
- Zucchetto A, Franceschi S, Clagnan E et al.; Friuli Venezia Giulia Cancer Registry Working Group (2010). Screening history of women with invasive cervical cancer in north-east Italy. *Eur J Obstet Gynecol Reprod Biol*, 152:200–204.doi:10.1016/j.ejogrb.2010.06.005 PMID:20667643