

References

- Abass AB, Ndunguru G, Mamiro P, Alenkhe B, Mlingi N, Bekunda M (2014). Post-harvest food losses in a maize-based farming system of semi-arid savannah area of Tanzania. *J Stored Prod Res.* 57:49–57. <http://dx.doi.org/10.1016/j.jspr.2013.12.004>
- Abbas HK (2011). Introduction to the toxin reviews special issue “*Aspergillus flavus*, aflatoxin, cyclopiazonic acid, and biological control”. *Toxin Rev.* 30(3):31–2. <http://dx.doi.org/10.3109/15569543.2011.590624>
- Abbas HK, Weaver MA, Horn BW, Carbone I, Monacell JT, Shier WT (2011). Selection of *Aspergillus flavus* isolates for biological control of aflatoxins in corn. *Toxin Rev.* 30(2–3):59–70. <http://dx.doi.org/10.3109/15569543.2011.591539>
- Abbas HK, Zablotowicz RM, Weaver MA, Shier WT, Bruns HA, Bellaloui N, et al. (2013). Implications of Bt traits on mycotoxin contamination in maize: overview and recent experimental results in southern United States. *J Agric Food Chem.* 61(48):11759–70. <http://dx.doi.org/10.1021/jf400754g> PMID:23750911
- Abdulrazzaq YM, Osman N, Ibrahim A (2002). Fetal exposure to aflatoxins in the United Arab Emirates. *Ann Trop Paediatr.* 22(1):3–9. <http://dx.doi.org/10.1179/02724930212500094> PMID:11926047
- Abdulrazzaq YM, Osman N, Yousif ZM, Trad O (2004). Morbidity in neonates of mothers who have ingested aflatoxins. *Ann Trop Paediatr.* 24(2):145–51. <http://dx.doi.org/10.1179/027249304225013420> PMID:15186543
- Abia WA, Warth B, Sulyok M, Krska R, Tchana A, Njobeh PB, et al. (2013). Bio-monitoring of mycotoxin exposure in Cameroon using a urinary multi-biomarker approach. *Food Chem Toxicol.* 62:927–34. <http://dx.doi.org/10.1016/j.fct.2013.10.003> PMID:24128729
- Adair LS, Fall CH, Osmond C, Stein AD, Martorell R, Ramirez-Zea M, et al.; COHORTS group (2013). Associations of linear growth and relative weight gain during early life with adult health and human capital in countries of low and middle income: findings from five birth cohort studies. *Lancet.* 382(9891):525–34. [http://dx.doi.org/10.1016/S0140-6736\(13\)60103-8](http://dx.doi.org/10.1016/S0140-6736(13)60103-8) PMID:23541370
- Adegoke GO, Letuma P (2013). Strategies for the prevention and reduction of mycotoxins in developing countries. In: Makun HA, editor. *Mycotoxin and food safety in developing countries.* Rijeka, Croatia: InTech; pp. 123–36. <http://dx.doi.org/10.5772/52542>
- Adetunji MC, Atanda OO, Ezekiel CN, Dipeolu AO, Uzochukwu SVA, Oyedepo J, et al. (2014). Distribution of mycotoxins and risk assessment of maize consumers in five agro-ecological zones of Nigeria. *Eur Food Res Technol.* 239(2):287–96. <http://dx.doi.org/10.1007/s00217-014-2221-0>
- Adetunji M, Atanda O, Ezekiel CN, Sulyok M, Warth B, Beltrán E, et al. (2014). Fungal and bacterial metabolites of stored maize (*Zea mays*, L.) from five agro-ecological zones of Nigeria. *Mycotoxin Res.* 30(2):89–102. <http://dx.doi.org/10.1007/s12550-014-0194-2> PMID:24643458
- Adu-Gyamfi A (2013). The role of women in post-harvest handling of peanuts: the case of reducing aflatoxin along the supply chain in Ghana [dissertation]. Auburn (AL): Auburn University.
- Afolabi CG, Ojiambo PS, Ekpo EJA, Menkir A, Bandyopadhyay R (2007). Evaluation of maize inbred lines for resistance to Fusarium ear rot and fumonisin accumulation in grain in tropical Africa. *Plant Dis.* 91(3):279–86. <http://dx.doi.org/10.1094/PDIS-91-3-0279>
- Aguilar F, Harris CC, Sun T, Hollstein M, Cerutti P (1994). Geographic variation of p53 mutational profile in nonmalignant human liver. *Science.* 264(5163):1317–9. <http://dx.doi.org/10.1126/science.8191284> PMID:8191284
- Amoako-Attah I, Awuah RT, Kpodo KA, Fialor SC, Jolly CM (2007). Cost effectiveness of selected post harvest pod handling techniques against damage, mouldiness and aflatoxin contamination of shelled groundnut in Ghana. *J Sci Technol (Ghana).* 27(1):17–27. <http://dx.doi.org/10.4314/jst.v27i1.33020>
- Anankware PJ, Fatunbi AO, Afreh-Nuamah K, Obeng-Ofori D, Ansah AF (2012). Efficacy of the multiple-layer hermetic storage bag for biorational management of primary beetle pests of stored maize. *Acad J Entomol.* 5(1):47–53. Available from: <http://idosi.org/aje/5%281%2912/8.pdf>.
- Ansher SS, Dolan P, Bueding E (1983). Chemoprotective effects of two dithiolthiones and of butylhydroxyanisole against carbon tetrachloride and acetaminophen toxicity. *Hepatology.* 3(6):932–5. <http://dx.doi.org/10.1002/hep.1840030608> PMID:6629324
- Ansher SS, Dolan P, Bueding E (1986). Biochemical effects of dithiolthiones. *Food Chem Toxicol.* 24(5):405–15. [http://dx.doi.org/10.1016/0272-0710\(86\)90205-X](http://dx.doi.org/10.1016/0272-0710(86)90205-X) PMID:3744194
- Barros G, Magnoli C, Reynoso M, Ramirez M, Farnochi M, Torres A, et al. (2009). Fungal and mycotoxin contamination in Bt maize and non-Bt maize grown in Argentina. *World Mycotoxin J.* 2(1):53–60. <http://dx.doi.org/10.3920/WMJ2008.1029>
- Arunyanark A, Jogloy S, Wongkaew S, Akksaeng C, Vorasoot N, Kesmala T, et al. (2010). Heritability of aflatoxin resistance traits and correlation with drought tolerance traits in peanut. *Field Crops Res.* 117(2–3):258–64. <http://dx.doi.org/10.1016/j.fcr.2010.03.011>
- Atehnkeng J, Ojiambo PS, Cotty PJ, Bandyopadhyay R (2014). Field efficacy of a mixture of atoxigenic *Aspergillus flavus* Link:Fr vegetative compatibility groups in preventing aflatoxin contamination in maize (*Zea mays* L.). *Biol Control.* 72:62–70. <http://dx.doi.org/10.1016/j.bioc.2014.02.009>
- Autrup H, Bradley KA, Shamsuddin AK, Wakhisi J, Wasunna A (1983). Detection of putative adduct with fluorescence characteristics identical to 2,3-dihydro-2-(7'-guanyl)-3-hydroxyaflatoxin B₁ in human urine collected in Murang'a district, Kenya. *Carcinogenesis.* 4(9):1193–5. <http://dx.doi.org/10.1093/carcin/4.9.1193> PMID:6411378
- Autrup H, Seremet T, Wakhisi J, Wasunna A (1987). Aflatoxin exposure measured by urinary excretion of aflatoxin B₁-guanine adduct and hepatitis B virus infection in areas with different liver cancer incidence in Kenya. *Cancer Res.* 47(13):3430–3. PMID:3034416
- Azziz-Baumgartner E, Lindblade K, Giesecker K, Rogers HS, Kieszak S, Njapau H, et al.; Aflatoxin Investigative Group (2005). Case-control study of an acute aflatoxicosis outbreak, Kenya, 2004. *Environ Health Perspect.* 113(12):1779–83. <http://dx.doi.org/10.1289/ehp.8384> PMID:16330363
- Bandyopadhyay R, Kumar M, Leslie JF (2007). Relative severity of aflatoxin contamination of cereal crops in West Africa. *Food Addit Contam.* 24(10):1109–14. <http://dx.doi.org/10.1080/02652030701553251> PMID:17886182
- Baoua IB, Amadou L, Ousmane B, Baributsa D, Murdock LL (2014). PICS bags for post-harvest storage of maize grain in West Africa. *J Stored Prod Res.* 58:20–8. <http://dx.doi.org/10.1016/j.jspr.2014.03.001>
- Baptista AS, Horii J, Calori-Domingues MA, da Glória EM, Salgado JM, Vizioli MR (2002). Thermolyzed and active yeast to reduce the toxicity of aflatoxin. *Sci Agric.* 59(2):257–60. <http://dx.doi.org/10.1590/S0103-90162002000200008>

- Bhat RV, Krishnamachari KA (1977). Follow-up study of aflatoxic hepatitis in parts of western India. Indian J Med Res. 66(1):55–8. PMID:924585
- Bhutta ZA, Das JK, Rizvi A, Gaffey MF, Walker N, Horton S, et al.; Lancet Nutrition Interventions Review Group; Maternal and Child Nutrition Study Group (2013). Evidence-based interventions for improvement of maternal and child nutrition: what can be done and at what cost? Lancet. 382(9890):452–77. [http://dx.doi.org/10.1016/S0140-6736\(13\)60996-4](http://dx.doi.org/10.1016/S0140-6736(13)60996-4) PMID:23746776
- Black RE, Victora CG, Walker SP, Bhutta ZA, Christian P, de Onis M, et al.; Maternal and Child Nutrition Study Group (2013). Maternal and child undernutrition and overweight in low-income and middle-income countries. Lancet. 382(9890):427–51. [http://dx.doi.org/10.1016/S0140-6736\(13\)60937-X](http://dx.doi.org/10.1016/S0140-6736(13)60937-X) PMID:23746772
- Bock CH, Cotty PJ (1999). Wheat seed colonized with atoxigenic *Aspergillus flavus*: characterization and production of a biopesticide for aflatoxin control. Biocontrol Sci Technol. 9(4):529–43. <http://dx.doi.org/10.1080/09583159929497>
- Bolger M, Coker RD, DiNovi M, Gaylor D, Gelderblom W, Olsen M, et al. (2001). Fumonisins. In: Safety evaluation of certain mycotoxins in food: prepared by the fifty-sixth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). Geneva, Switzerland: World Health Organization (WHO Food Additives Series, No. 47). Available from: <http://www.inchem.org/documents/jecfa/jecmono/v47je03.htm>.
- Bondy GS, Pestka JJ (2000). Immunomodulation by fungal toxins. J Toxicol Environ Health B Crit Rev. 3(2):109–43. <http://dx.doi.org/10.1080/10937400028113> PMID:10834078
- Bouhet S, Hourcade E, Loiseau N, Fikry A, Martinez S, Roselli M, et al. (2004). The mycotoxin fumonisin B₁ alters the proliferation and the barrier function of porcine intestinal epithelial cells. Toxicol Sci. 77(1):165–71. <http://dx.doi.org/10.1093/toxsci/kfh006> PMID:14600282
- Bouhet S, Le Dorze E, Peres S, Fairbrother JM, Oswald IP (2006). Mycotoxin fumonisin B₁ selectively down-regulates the basal IL-8 expression in pig intestine: *in vivo* and *in vitro* studies. Food Chem Toxicol. 44(10):1768–73. <http://dx.doi.org/10.1016/j.fct.2006.05.018> PMID:16843581
- Bracarense AP, Lucioli J, Grenier B, Drocenas Pacheco G, Moll WD, Schatzmayr G, et al. (2012). Chronic ingestion of deoxynivalenol and fumonisin, alone or in interaction, induces morphological and immunological changes in the intestine of piglets. Br J Nutr. 107(12):1776–86. <http://dx.doi.org/10.1017/S0007114511004946> PMID:21936967
- Breinholt V, Schimerlik M, Dashwood R, Bailey G (1995). Mechanisms of chlorophyllin anticarcinogenesis against aflatoxin B₁: complex formation with the carcinogen. Chem Res Toxicol. 8(4):506–14. <http://dx.doi.org/10.1021/tx00046a004> PMID:7548730
- Brekke OL, Peplinski AJ, Griffin EL (1975). Cleaning trials for corn containing aflatoxin. Cereal Chem. 52:198–204.
- Bressac B, Kew M, Wands J, Ozturk M (1991). Selective G to T mutations of p53 gene in hepatocellular carcinoma from southern Africa. Nature. 350(6317):429–31. <http://dx.doi.org/10.1038/350429a0> PMID:1672732
- Brown RL, Menkir A, Chen ZY, Bhatnagar D, Yu J, Yao H, et al. (2013). Breeding aflatoxin-resistant maize lines using recent advances in technologies – a review. Food Addit Contam Part A Chem Anal Control Expo Risk Assess. 30(8):1382–91. <http://dx.doi.org/10.1080/19440049.2013.812808> PMID:23859902
- Bruneau JC, Stack E, O'Kennedy R, Loscher CE (2012). Aflatoxins B₁, B₂ and G₁ modulate cytokine secretion and cell surface marker expression in J774A.1 murine macrophages. Toxicol In Vitro. 26(5):686–93. <http://dx.doi.org/10.1016/j.tiv.2012.03.003> PMID:22445859
- Bryden WL (2007). Mycotoxins in the food chain: human health implications. Asia Pac J Clin Nutr. 16 Suppl 1:95–101. PMID:17392084
- Bulatao-Jayne J, Almero EM, Castro MC, Jardeleza MT, Salamat LA (1982). A case-control dietary study of primary liver cancer risk from aflatoxin exposure. Int J Epidemiol. 11(2):112–9. <http://dx.doi.org/10.1093/ije/11.2.112> PMID:7095960
- Bulder AS, Arcella D, Bolger M, Carrington C, Kpodo K, Resnik S, et al. (2012). Fumonisins (addendum). In: Safety evaluation of certain food additives and contaminants: prepared by the seventy-fourth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). Geneva, Switzerland: World Health Organization (WHO Food Additives Series, No. 65); pp. 325–794. Available from: <http://www.inchem.org/documents/jecfa/jecmono/v65je01.pdf>.
- Burdock GA, Flamm WG (2000). Review article: Safety assessment of the mycotoxin cyclopiazonic acid. Int J Toxicol. 19(3):195–218. <http://dx.doi.org/10.1080/10915810050074964>
- Burger HM, Lombard MJ, Shephard GS, Rheeder JR, van der Westhuizen L, Gelderblom WCA (2010). Dietary fumonisin exposure in a rural population of South Africa. Food Chem Toxicol. 48(8–9):2103–8. <http://dx.doi.org/10.1016/j.fct.2010.05.011> PMID:20488220
- Callahan P, Zitomer NC, Stoeling MV, Kennedy PC, Lynch KR, Riley RT, et al. (2012). Distinct generation, pharmacology, and distribution of sphingosine 1-phosphate and dihydro sphingosine 1-phosphate in human neural progenitor cells. Neuropharmacology. 62(2):988–96. <http://dx.doi.org/10.1016/j.neuropharm.2011.10.005>
- Campbell DI, Elia M, Lunn PG (2003). Growth faltering in rural Gambian infants is associated with impaired small intestinal barrier function, leading to endotoxemia and systemic inflammation. J Nutr. 133(5):1332–8. PMID:12730419
- Campbell TC, Caedo JP Jr, Bulatao-Jayne J, Salamat L, Engel RW (1970). Aflatoxin M₁ in human urine. Nature. 227(5256):403–4. <http://dx.doi.org/10.1038/227403a0> PMID:5428445
- Campos-Bermudez VA, Fauguel CM, Tronconi MA, Casati P, Presello DA, Andreo CS (2013). Transcriptional and metabolic changes associated to the infection by *Fusarium verticillioides* in maize inbreds with contrasting ear rot resistance. PLoS One. 8(4):e61580. <http://dx.doi.org/10.1371/journal.pone.0061580> PMID:23637860
- Cannon RE, Peart JC, Hawkins BT, Campos CR, Miller DS (2012). Targeting blood-brain barrier sphingolipid signalling reduces basal P-glycoprotein activity and improves drug delivery to the brain. Proc Natl Acad Sci U S A. 109(39):15930–5. <http://dx.doi.org/10.1073/pnas.1203534109>
- Castelino JM, Routledge MN, Wilson S, Dunne DW, Mwatha JK, Gachuhi K, et al. (2015). Aflatoxin exposure is inversely associated with IGF1 and IGFBP3 levels in vitro and in Kenyan schoolchildren. Mol Nutr Food Res. 59(3):574–81. PMID:24668606
- Centers for Disease Control and Prevention (CDC) (2004). Outbreak of aflatoxin poisoning – Eastern and Central Provinces, Kenya, January–July 2004. MMWR Morb Mortal Wkly Rep. 53(34):790–3. PMID:15343146
- Checkley W, Buckley G, Gilman RH, Assis AM, Guerrant RL, Morris SS, et al.; Childhood Malnutrition and Infection Network (2008). Multi-country analysis of the effects of diarrhoea on childhood stunting. Int J Epidemiol. 37(4):816–30. <http://dx.doi.org/10.1093/ije/dyn099> PMID:18567626
- Chen JG, Egner PA, Ng D, Jacobson LP, Muñoz A, Zhu YR, et al. (2013). Reduced aflatoxin exposure presages decline in liver cancer mortality in an endemic region of China. Cancer Prev Res (Phila). 6(10):1038–45. <http://dx.doi.org/10.1158/1940-6207.CAPR-13-0168> PMID:23963804
- Chen JG, Zhu J, Parkin DM, Zhang YH, Lu JH, Zhu YR, et al. (2006). Trends in the incidence of cancer in Qidong, China, 1978–2002. Int J Cancer. 119(6):1447–54. <http://dx.doi.org/10.1002/ijc.21952> PMID:16596645
- Choudhary AK, Kumari P (2010). Management of mycotoxin contamination in preharvest and post harvest crops: present status and future prospects. J Phycol. 2(7):37–52. Available from: <http://journal-phytology.com/index.php/phyto/article/view/4472/2206>.

- Christian P, Lee SE, Donahue Angel M, Adair LS, Arifeen SE, Ashorn P, et al. (2013). Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. *Int J Epidemiol.* 42(5):1340–55. <http://dx.doi.org/10.1093/ije/dyt109> PMID:23920141
- Chulze SN (2010). Strategies to reduce mycotoxin levels in maize during storage: a review. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 27(5):651–7. <http://dx.doi.org/10.1080/19440040903573032> PMID:20349375
- Cotty PJ (1994). Influence of field application of an atoxigenic strain of *Aspergillus flavus* on the populations of *A. flavus* infecting cotton bolls and on the aflatoxin content of cottonseed. *Phytopathology.* 84(11):1270–7. <http://dx.doi.org/10.1094/Phyto-84-1270>
- Cruz-Orengo L, Daniels BP, Dorsey D, Basak SA, Grajales-Reyes JG, McCandless EE, et al. (2014). Enhanced sphingosine-1-phosphate receptor 2 expression underlies female CNS autoimmunity susceptibility. *J Clin Invest.* 124(6):2571–84. <http://dx.doi.org/10.1172/JCI73408>
- Cucullu AF, Lee LS, Mayne RY, Goldblatt LA (1966). Determination of aflatoxins in individual peanuts and peanut sections. *J Am Oil Chem Soc.* 43(2):89–92. <http://dx.doi.org/10.1007/BF02641022> PMID:5902882
- Cukrová V, Kurita N, Akao M (1992). An early effect of aflatoxin B₁ administered in vivo on the growth of bone marrow CFU-GM and the production of some cytokines in rats. *Mycopathologia.* 120(2):113–9. <http://dx.doi.org/10.1007/BF00578296> PMID:1480208
- Dalié DKD, Deschamps AM, Richard-Forget F (2010). Lactic acid bacteria – potential for control of mould growth and mycotoxins: a review. *Food Contr.* 21(4):370–80. <http://dx.doi.org/10.1016/j.foodcont.2009.07.011>
- Dangour AD, Watson L, Cumming O, Boisson S, Che Y, Velleman Y, et al. (2013). Interventions to improve water quality and supply, sanitation and hygiene practices, and their effects on the nutritional status of children. *Cochrane Database Syst Rev.* 8:CD009382. <http://dx.doi.org/10.1002/14651858.CD009382> PMID:23904195
- Dashwood R, Negishi T, Hayatsu H, Breinholt V, Hendricks J, Bailey G (1998). Chemopreventive properties of chlorophylls towards aflatoxin B₁: a review of the antimutagenicity and anticarcinogenicity data in rainbow trout. *Mutat Res.* 399(2):245–53. [http://dx.doi.org/10.1016/S0027-5107\(97\)00259-5](http://dx.doi.org/10.1016/S0027-5107(97)00259-5) PMID:9672663
- De Arriola MC, De Porres E, De Cabrera S, De Zepeda M, Rolz C (1988). Aflatoxin fate during alkaline cooking of corn for tortilla preparation. *J Agric Food Chem.* 36(3):530–3. <http://dx.doi.org/10.1021/jf00081a030>
- De Groot H, Kimenju SC, Likhayo P, Kanampiu F, Tefera T, Hellin J (2013). Effectiveness of hermetic systems in controlling maize storage pests in Kenya. *J Stored Prod Res.* 53:27–36. <http://dx.doi.org/10.1016/j.jspr.2013.01.001>
- de la Campa R, Hooker DC, Miller JD, Schaafsma AW, Hammond BG (2005). Modeling effects of environment, insect damage, and Bt genotypes on fumonisin accumulation in maize in Argentina and the Philippines. *Mycopathologia.* 159(4):539–52. <http://dx.doi.org/10.1007/s11046-005-2150-3> PMID:15983741
- De La Campa R, Miller JD, Hendricks K (2004). Fumonisin in tortillas produced in small-scale facilities and effect of traditional masa production methods on this mycotoxin. *J Agric Food Chem.* 52(14):4432–7. <http://dx.doi.org/10.1021/jf035160j> PMID:15237948
- De Vries HR, Maxwell SM, Hendrickse RG (1989). Foetal and neonatal exposure to aflatoxins. *Acta Paediatr Scand.* 78(3):373–8. <http://dx.doi.org/10.1111/j.1651-2227.1989.tb11095.x> PMID:2741679
- De Waal EJ (2002). Safety assessment of cyclopiazonic acid. *Int J Toxicol.* 21(5):425–7, discussion 429–31. <http://dx.doi.org/10.1080/10915810290096658> PMID:12396689
- Desjardins AE, Manandhar G, Plattner RD, Maragos CM, Shrestha K, McCormick SP (2000). Occurrence of *Fusarium* species and mycotoxins in Nepalese maize and wheat and the effect of traditional processing methods on mycotoxin levels. *J Agric Food Chem.* 48(4):1377–83. <http://dx.doi.org/10.1021/jf991022b> PMID:10775401
- Diaz DE, Hagler WM Jr, Blackwelder JT, Eve JA, Hopkins BA, Anderson KL, et al. (2004). Aflatoxin binders II: reduction of aflatoxin M₁ in milk by sequestering agents of cows consuming aflatoxin in feed. *Mycopathologia.* 157(2):233–41. <http://dx.doi.org/10.1023/B:MYCO.0000020587.93872.59> PMID:15119861
- Dickens JW, Welty RE (1969). Detecting farmers' stock peanuts containing aflatoxin by examination for visible growth of *Aspergillus flavus*. *Mycopathol Mycol Appl.* 37(1):65–9 <http://dx.doi.org/10.1007/BF02051332> PMID:5768610
- Dinkova-Kostova AT, Fahey JW, Wade KL, Jenkins SN, Shapiro TA, Fuchs EJ, et al. (2007). Induction of the phase 2 response in mouse and human skin by sulforaphane-containing broccoli sprout extracts. *Cancer Epidemiol Biomarkers Prev.* 16(4):847–51. <http://dx.doi.org/10.1158/1055-9965.EPI-06-0934> PMID:17416783
- Dolezal AL, Obrian GR, Nielsen DM, Woloshuk CP, Boston RS, Payne GA (2013). Localization, morphology and transcriptional profile of *Aspergillus flavus* during seed colonization. *Mol Plant Pathol.* 14(9):898–909. <http://dx.doi.org/10.1111/mpp.12056> PMID:23834374
- Dolezal AL, Shu X, Obrian GR, Nielsen DM, Woloshuk CP, Boston RS, et al. (2014). *Aspergillus flavus* infection induces transcriptional and physical changes in developing maize kernels. *Front Microbiol.* 5:384. <http://dx.doi.org/10.3389/fmicb.2014.00384> PMID:25132833
- Dombrink-Kurtzman MA, Dvorak TJ (1999). Fumonisin content in masa and tortillas from Mexico. *J Agric Food Chem.* 47(2):622–7. <http://dx.doi.org/10.1021/jf9807162> PMID:10563942
- Dorner JW, Cole RJ, Wicklow DT (1999). Aflatoxin reduction in corn through field application of competitive fungi. *J Food Prot.* 62(6):650–6. <http://dx.doi.org/10.4377/jfp.10382655>
- Dorner JW, Lamb MC (2006). Development and commercial use of afla-Guard®, an aflatoxin biocontrol agent. *Mycotoxin Res.* 22(1):33–8. <http://dx.doi.org/10.1007/BF02954555>
- Doster MA, Cotty PJ, Michailides TJ (2014). Evaluation of the atoxigenic *Aspergillus flavus* strain AF36 in pistachio orchards. *Plant Dis.* 98(7):948–56. <http://dx.doi.org/10.1094/PDIS-10-13-1053-RE>
- Drescher LS, Thiele S, Mensink GB (2007). A new index to measure healthy food diversity better reflects a healthy diet than traditional measures. *J Nutr.* 137(3):647–51. <http://dx.doi.org/10.1093/jn/137.3.647> PMID:17311954
- Dvorak NJ, Riley RT, Harris M, McGregor JA (2008). Fumonisin mycotoxin contamination of corn-based foods consumed by potentially pregnant women in southern California. *J Reprod Med.* 53(9):672–6. <http://dx.doi.org/10.1083/jrm.2008.0183> PMID:18839819
- Ediage EN, Hell K, De Saeger S (2014). A comprehensive study to explore differences in mycotoxin patterns from agro-ecological regions through maize, peanut, and cassava products: a case study, Cameroon. *J Agric Food Chem.* 62(20):4789–97. <http://dx.doi.org/10.1021/jf501710u> PMID:24796244
- Egal S, Hounsa A, Gong YY, Turner PC, Wild CP, Hall AJ, et al. (2005). Dietary exposure to aflatoxin from maize and groundnut in young children from Benin and Togo, West Africa. *Int J Food Microbiol.* 104(2):215–24. <http://dx.doi.org/10.1016/j.ijfoodmicro.2005.03.004> PMID:15979184
- Egner PA, Wang JB, Zhu YR, Zhang BC, Wu Y, Zhang QN, et al. (2001). Chlorophyllin intervention reduces aflatoxin-DNA adducts in individuals at high risk for liver cancer. *Proc Natl Acad Sci U S A.* 98(25):14601–6. <http://dx.doi.org/10.1073/pnas.251536898> PMID:11724948
- Ekechukwu OV, Norton B (1999). Review of solar-energy drying systems II: an overview of solar drying technology. *Energy Convers Manag.* 40(6):615–55. [http://dx.doi.org/10.1016/S0196-8904\(98\)00093-4](http://dx.doi.org/10.1016/S0196-8904(98)00093-4)

- El-Nezami HS, Mykkänen H, Kankaanpää P, Suomalainen T, Ahokas JT, Salminen S (2000). The ability of a mixture of *Lactobacillus* and *Propionibacterium* to influence the faecal recovery of aflatoxins in healthy Egyptian volunteers: a pilot clinical study. *Biosci Microflora*. 19(1):41–5. <http://dx.doi.org/10.12938/bifidus1996.19.41>
- El-Nezami HS, Polychronaki NN, Ma J, Zhu H, Ling W, Salminen EK, et al. (2006). Probiotic supplementation reduces a biomarker for increased risk of liver cancer in young men from Southern China. *Am J Clin Nutr*. 83(5):1199–203. [PMID:16685066](http://dx.doi.org/10.1668/5066)
- Eller MS, Holland JB, Payne GA (2008). Breeding for improved resistance to fumonisin contamination in maize. *Toxin Rev*. 27(3–4):371–89. <http://dx.doi.org/10.1080/15569540802450326>
- Enongene EN, Sharma RP, Bhandari N, Miller JD, Meredith FI, Voss KA, et al. (2002). Persistence and reversibility of the elevation in free sphingoid bases induced by fumonisin inhibition of ceramide synthase. *Toxicol Sci*. 67(2):173–81. <http://dx.doi.org/10.1093/toxsci/67.2.173> [PMID:12011476](#)
- Enongene EN, Sharma RP, Bhandari N, Voss KA, Riley RT (2000). Disruption of sphingolipid metabolism in small intestines, liver and kidney of mice dosed subcutaneously with fumonisin B₁. *Food Chem Toxicol*. 38(9):793–9. [http://dx.doi.org/10.1016/S0028-6915\(00\)00065-X](http://dx.doi.org/10.1016/S0028-6915(00)00065-X) [PMID:10930700](#)
- European Commission (2010). Commission Regulation (EU) No. 165/2010 of 26 February 2010 amending Regulation (EC) No. 1881/2006 setting maximum levels for certain contaminants in foodstuffs as regards aflatoxins. *Off J Eur Union*. L 50:8–12. Available from: <http://faolex.fao.org/docs/pdf/eur92874.pdf>.
- Ezekiel CN, Warth B, Ogara IM, Abia WA, Ezekiel VC, Atehnkeng J, et al. (2014). Mycotoxin exposure in rural residents in northern Nigeria: a pilot study using multi urinary biomarkers. *Environ Int*. 66:138–45. <http://dx.doi.org/10.1016/j.envint.2014.02.003> [PMID:24583186](#)
- Fahy JW, Haristoy X, Dolan PM, Kensler TW, Scholtus I, Stephenson KK, et al. (2002). Sulforaphane inhibits extracellular, intracellular, and antibiotic-resistant strains of *Helicobacter pylori* and prevents benzo[a]pyrene-induced stomach tumors. *Proc Natl Acad Sci U S A*. 99(11):7610–5. <http://dx.doi.org/10.1073/pnas.112203099> [PMID:12032331](#)
- Fahy JW, Kensler TW (2007). Role of dietary supplements/nutraceuticals in chemoprevention through induction of cytoprotective enzymes. *Chem Res Toxicol*. 20(4):572–6. <http://dx.doi.org/10.1021/tx7000459> [PMID:17362031](#)
- Fandohan P, Hell K, Marasas W (2008). Food processing to reduce mycotoxins in Africa. In: Leslie J, Bandyopadhyay R, Visconti A, editors. *Mycotoxins: detection methods, management, public health and agricultural trade*. Trowbridge, UK: CAB; pp. 309–16. <http://dx.doi.org/10.1079/9781845930820.0309>
- Fandohan P, Zoumenou D, Hounhouigan DJ, Marasas WFO, Wingfield MJ, Hell K (2005). Fate of aflatoxins and fumonisins during the processing of maize into food products in Benin. *Int J Food Microbiol*. 98(3):249–59. <http://dx.doi.org/10.1016/j.ijfoodmicro.2004.07.007> [PMID:15698686](#)
- FAO (1997). Promotion of food and dietary diversification strategies to enhance and sustain household food security. In: Agriculture, food and nutrition for Africa – a resource book for teachers of agriculture. Rome, Italy: Food and Agriculture Organization of the United Nations. Available from: http://www.fao.org/docrep/w0078e/w0078e06.htm#P3651_241672
- Verlay J, Soerjomataram I, Ervik M, Dikshit R, Eser S, Mathers C, et al. (2013). GLOBOCAN 2012 v1.0, Cancer incidence and mortality worldwide: IARC CancerBase No. 11 [Internet]. Lyon, France: International Agency for Research on Cancer. Available from: <http://globocan.iarc.fr>
- Filbert ME, Brown DL (2012). Aflatoxin contamination in Haitian and Kenyan peanut butter and two solutions for reducing such contamination. *J Hunger Environ Nutr*. 7(2–3):321–32. <http://dx.doi.org/10.1080/19320248.2012.707109>
- Flint-Garcia SA, Thuillet AC, Yu J, Pressoir G, Romero SM, Mitchell SE, et al. (2005). Maize association population: a high-resolution platform for quantitative trait locus dissection. *Plant J*. 44(6):1054–64. <http://dx.doi.org/10.1111/j.1365-313X.2005.02591.x> [PMID:16359397](#)
- Frison EA, Smith IF, Johns T, Cherfas J, Eyzaguirre PB (2006). Agricultural biodiversity, nutrition, and health: making a difference to hunger and nutrition in the developing world. *Food Nutr Bull*. 27(2):167–79. [PMID:16786983](#)
- Fruhauf S, Schwartz H, Ottner F, Krksa R, Vejkuru E (2012). Yeast cell based feed additives: studies on aflatoxin B₁ and zearalenone. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 29(2):217–31. <http://dx.doi.org/10.1080/19440049.2011.630679> [PMID:22145855](#)
- Galvez FC, Francisco ML, Villarino BJ, Lustre AO, Resurreccion AV (2003). Manual sorting to eliminate aflatoxin from peanuts. *J Food Prot*. 66(10):1879–84. [PMID:14572227](#)
- Gan LS, Skipper PL, Peng XC, Groopman JD, Chen JS, Wogan GN, et al. (1988). Serum albumin adducts in the molecular epidemiology of aflatoxin carcinogenesis: correlation with aflatoxin B₁ intake and urinary excretion of aflatoxin M₁. *Carcinogenesis*. 9(7):1323–5. <http://dx.doi.org/10.1093/carcin/9.7.1323> [PMID:3133131](#)
- Gelineau-van Waes J, Rainey MA, Maddox JR, Voss KA, Sachs AJ, Gardner NM, et al. (2012). Increased sphingoid base-1-phosphates and failure of neural tube closure after exposure to fumonisin or FTY720. *Birth Defects Res A Clin Mol Teratol*. 94(10):790–803. <http://dx.doi.org/10.1002/bdra.23074> [PMID:22991331](#)
- Gelineau-van Waes J, Starr L, Maddox J, Aleman F, Voss KA, Wilberding J, et al. (2005). Maternal fumonisin exposure and risk for neural tube defects: mechanisms in an *in vivo* mouse model. *Birth Defects Res A Clin Mol Teratol*. 73(7):487–97. <http://dx.doi.org/10.1002/bdra.20148> [PMID:15959874](#)
- Gelineau-van Waes J, Voss KA, Stevens VL, Speer MC, Riley RT (2009). Maternal fumonisin exposure as a risk factor for neural tube defects. *Adv Food Nutr Res*. 56:145–81. [http://dx.doi.org/10.1016/S1043-4526\(08\)00605-0](http://dx.doi.org/10.1016/S1043-4526(08)00605-0)
- Girdthai T, Jogloy S, Vorasoot N, Akkasaeng C, Wongkaew S, Holbrook CC, et al. (2010a). Associations between physiological traits for drought tolerance and aflatoxin contamination in peanut genotypes under terminal drought. *Plant Breed*. 129(6):693–9. <http://dx.doi.org/10.1111/j.1439-0523.2009.01738.x>
- Girdthai T, Jogloy S, Vorasoot N, Akkasaeng C, Wongkaew S, Holbrook CC, et al. (2010b). Heritability of, and genotypic correlations between, aflatoxin traits and physiological traits for drought tolerance under end of season drought in peanut (*Arachis hypogaea* L.). *Field Crops Res*. 118(2):169–76. <http://dx.doi.org/10.1016/j.fcr.2010.05.007>
- Gitonga ZM, De Groot H, Kassie M, Tefera T (2013). Impact of metal silos on households' maize storage, storage losses and food security: an application of a propensity score matching. *Food Policy*. 43:44–55. <http://dx.doi.org/10.1016/j.foodpol.2013.08.005>
- Gnonlonfin GJ, Hell K, Adjovi Y, Fandohan P, Koudande DO, Mensah GA, et al. (2013). A review on aflatoxin contamination and its implications in the developing world: a sub-Saharan African perspective. *Crit Rev Food Sci Nutr*. 53(4):349–65. <http://dx.doi.org/10.1080/1048398.2010.535718> [PMID:23320907](#)
- Goldblatt LA (1973). Learning to live with mycotoxins: aflatoxin – a case history. In: Krogh P, editor. *Control of mycotoxins: special lectures presented at the Symposium on the Control of Mycotoxins held at Göteborg, Sweden, 21–22 August 1972*. London: Butterworth-Heinemann; pp. 223–38; CP1–2. Available from: <http://www.iupac.org/publications/pac/1973/pdf/3503x0223.pdf>.
- Gong Y, Hounsa A, Egal S, Turner PC, Sutcliffe AE, Hall AJ, et al. (2004). Postweaning exposure to aflatoxin results in impaired child growth: a longitudinal study in Benin, West Africa. *Environ Health Perspect*. 112(13):1334–8. <http://dx.doi.org/10.1289/ehp.6954> [PMID:15345349](#)
- Gong YY, Cardwell K, Hounsa A, Egal S, Turner PC, Hall AJ, et al. (2002). Dietary aflatoxin exposure and impaired growth in young children from Benin and Togo: cross sectional study. *BMJ*. 325(7354):20–1. <http://dx.doi.org/10.1136/bmj.325.7354.20> [PMID:12098724](#)

- Gong YY, Egal S, Hounsa A, Turner PC, Hall AJ, Cardwell KF, et al. (2003). Determinants of aflatoxin exposure in young children from Benin and Togo, West Africa: the critical role of weaning. *Int J Epidemiol.* 32(4):556–62. <http://dx.doi.org/10.1093/ije/dyg109> PMID:12913029
- Gong YY, Torres-Sanchez L, Lopez-Carrillo L, Peng JH, Sutcliffe AE, White KL, et al. (2008a). Association between tortilla consumption and human urinary fumonisin B1 levels in a Mexican population. *Cancer Epidemiol Biomarkers Prev.* 17(3):688–94. <http://dx.doi.org/10.1158/1055-9965.EPI-07-2534> PMID:18349288
- Gong YY, Turner PC, Hall AJ, Wild CP (2008b). Aflatoxin exposure and impaired child growth in West Africa: an unexplored international public health burden? In: Leslie JF, Bandyopadhyay R, Visconti A, editors. *Mycotoxins: detection methods, management, public health and agricultural trade.* Trowbridge, UK: CABI; pp. 53–66. <http://dx.doi.org/10.1079/9781845930820.0053>
- Gratz S, Wu QK, El-Nezami H, Juvonen RO, Mykkänen H, Turner PC (2007). *Lactobacillus rhamnosus* strain GG reduces aflatoxin B₁ transport, metabolism, and toxicity in Caco-2 cells. *Appl Environ Microbiol.* 73(12):3958–64. <http://dx.doi.org/10.1128/AEM.02944-06> PMID:17449679
- Greenblatt MS, Bennett WP, Hollstein M, Harris CC (1994). Mutations in the p53 tumor suppressor gene: clues to cancer etiology and molecular pathogenesis. *Cancer Res.* 54(18):4855–78. PMID:8069852
- Grenier B, Applegate TJ (2013). Modulation of intestinal functions following mycotoxin ingestion: meta-analysis of published experiments in animals. *Toxins (Basel).* 5(2):396–430. <http://dx.doi.org/10.3390/toxins5020396> PMID:23430606
- Groopman JD, Hall AJ, Whittle H, Hudson GJ, Wogan GN, Montesano R, et al. (1992). Molecular dosimetry of aflatoxin-N⁷-guanine in human urine obtained in The Gambia, West Africa. *Cancer Epidemiol Biomarkers Prev.* 1(3):221–7. PMID:1339082
- Groopman JD, Kensler TW, Wild CP (2008). Protective interventions to prevent aflatoxin-induced carcinogenesis in developing countries. *Annu Rev Public Health.* 29(1):187–203. <http://dx.doi.org/10.1146/annurev.publhealth.29.020907.090859> PMID:17914931
- Groschwitz KR, Hogan SP (2009). Intestinal barrier function: molecular regulation and disease pathogenesis. *J Allergy Clin Immunol.* 124(1):3–20, quiz 21–2. <http://dx.doi.org/10.1016/j.jaci.2009.05.038> PMID:19560575
- Guillou M, Matheron G (2014). Reducing post-harvest losses in developing nations. In: *The world's challenge: feeding 9 billion people.* Heidelberg: Springer; pp. 59–75.
- Guzmán-de-Peña D (2010). The destruction of aflatoxins in corn by “nixtamalización”. In: Rai M, Varma A, editors. *Mycotoxins in food, feed and bioweapons.* Berlin, Heidelberg: Springer; pp. 39–49.
- Hait NC, Allegood J, Maceyka M, Strub GM, Harikumar KB, Singh SK, et al. (2009). Regulation of histone acetylation in the nucleus by sphingosine-1-phosphate. *Science.* 325(5945):1254–7. <http://dx.doi.org/10.1126/science.1176709>
- Halloy DJ, Gustin PG, Bouhet S, Oswald IP (2005). Oral exposure to culture material extract containing fumonisins predisposes swine to the development of pneumonitis caused by *Penicillium* sp. *Toxicology.* 213(1–2):34–44. <http://dx.doi.org/10.1016/j.tox.2005.05.012> PMID:15979225
- Hamidou F, Rathore A, Waliyar F, Vadez V (2014). Although drought intensity increases aflatoxin contamination, drought tolerance does not lead to less aflatoxin contamination. *Field Crops Res.* 156:103–10. <http://dx.doi.org/10.1016/j.fcr.2013.10.019>
- Hansen H, Trifković N (2014). Food standards are good – for middle-class farmers. *World Dev.* 56:226–42. <http://dx.doi.org/10.1016/j.worlddev.2013.10.027>
- Hell K, Edoh Ognakossan K, Lamboni Y (2014). PICS hermetic storage bags ineffective in controlling infestations of *Prostephanus truncatus* and *Dinoderus* spp. in traditional cassava chips. *J Stored Prod Res.* 58:53–8. <http://dx.doi.org/10.1016/j.jspr.2014.03.003>
- Hell K, Fandohan P, Bandyopadhyay R, Kiewnick S, Sikora R, Cotty PJ (2008). Pre- and postharvest management of aflatoxin in maize: an African perspective. In: Leslie JF, Bandyopadhyay R, Visconti A, editors. *Mycotoxins: detection methods, management, public health and agricultural trade.* Trowbridge, UK: CABI; pp. 219–30. <http://dx.doi.org/10.1079/9781845930820.0219>
- Hell K, Mutegi C, Fandohan P (2010). Aflatoxin control and prevention strategies in maize for sub-Saharan Africa. *Julius-Kühn-Archiv.* 425:534–41. <http://dx.doi.org/10.5073/jka.2010.425.388>
- Henry SH, Whitaker T, Rabbani I, Bowers J, Park D, Price W, et al. (2001). Aflatoxin M₁. In: Safety evaluation of certain mycotoxins in food: prepared by the fifty-sixth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). Geneva, Switzerland: World Health Organization (WHO Food Additives Series, No. 47). Available from: <http://www.inchem.org/documents/jecfa/ecmono/v47je02.htm>.
- Henry WB, Windham GL, Rowe DE, Blanco MH, Murray SC, Williams WP (2013). Diallel analysis of diverse maize germplasm lines for resistance to aflatoxin accumulation. *Crop Sci.* 53(2):394–402. <http://dx.doi.org/10.2135/cropsci2012.04.0240>
- Hernandez-Mendoza A, Garcia HS, Steele JL (2009). Screening of *Lactobacillus casei* strains for their ability to bind aflatoxin B₁. *Food Chem Toxicol.* 47(6):1064–8. <http://dx.doi.org/10.1016/j.fct.2009.01.042> PMID:19425181
- Hinton DM, Myers MJ, Raybourne RA, Francke-Carroll S, Sotomayor RE, Shaddock J, et al. (2003). Immunotoxicity of aflatoxin B₁ in rats: effects on lymphocytes and the inflammatory response in a chronic intermittent dosing study. *Toxicol Sci.* 73(2):362–77. <http://dx.doi.org/10.1093/toxsci/kfg074> PMID:12700391
- Holbrook C, Ozias-Akins P, Timper P, Wilson DM, Cantonwine E, Guo BZ, et al. (2008). Research from the Coastal Plain Experiment Station, Tifton, Georgia, to minimize aflatoxin contamination in peanut. *Toxin Rev.* 27(3–4):391–410. <http://informahealthcare.com/doi/abs/10.1080/15569540802497673>
- Horn BW, Sorenson RB, Lamb MC, Sobolev VS, Olarte RA, Worthington CJ, et al. (2014). Sexual reproduction in *Aspergillus flavus* sclerotia naturally produced in corn. *Phytopathology.* 104(1):75–85. <http://dx.doi.org/10.1094/PHYTO-05-13-0129-R> PMID:23883157
- Hsu IC, Metcalf RA, Sun T, Welsh JA, Wang NJ, Harris CC (1991). Mutational hotspot in the p53 gene in human hepatocellular carcinomas. *Nature.* 350(6317):427–8. <http://dx.doi.org/10.1038/350427a0> PMID:1849234
- IARC (1993). Some naturally occurring substances: food items and constituents, heterocyclic aromatic amines and mycotoxins. *IARC Monogr Eval Carcinog Risks Hum.* 56:1–599. Available from: <http://monographs.iarc.fr/ENG/Monographs/vol56/index.php>.
- IARC (2002). Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. *IARC Monogr Eval Carcinog Risks Hum.* 82:1–556. PMID:12687954. Available from: <http://monographs.iarc.fr/ENG/Monographs/vol82/index.php>.
- IARC (2012). Chemical agents and related occupations. *IARC Monogr Eval Carcinog Risks Hum.* 100F:1–599. PMID:23189753. Available from: <http://monographs.iarc.fr/ENG/Monographs/vol100F/index.php>.
- Jackson PE, Kuang SY, Wang JB, Strickland PT, Muñoz A, Kensler TW, et al. (2003). Prospective detection of codon 249 mutations in plasma of hepatocellular carcinoma patients. *Carcinogenesis.* 24(10):1657–63. <http://dx.doi.org/10.1093/carcin/bgg101> PMID:12869416
- Jackson PE, Qian GS, Friesen MD, Zhu YR, Lu P, Wang JB, et al. (2001). Specific p53 mutations detected in plasma and tumors of hepatocellular carcinoma patients by electrospray ionization mass spectrometry. *Cancer Res.* 61(1):33–5. PMID:11196182
- James B, Adda C, Cardwell K, Annang D, Hell K, Korie S, et al. (2007). Public information campaign on aflatoxin contamination of maize grains in market stores in Benin, Ghana and Togo. *Food Addit Contam.* 24(11):1283–91. <http://dx.doi.org/10.1080/02652030701416558> PMID:17852397
- Jayas DS (2012). Storing grains for food security and sustainability. *Agric Res.* 1(1):21–4. <http://dx.doi.org/10.1007/s40003-011-0004-4>

- Jennemann R, Gröne H-J (2013). Cell-specific *in vivo* functions of glycosphingolipids: lessons from genetic deletions of enzymes involved in glycosphingolipid synthesis. *Prog Lipid Res.* 52(2):231–48. <http://dx.doi.org/10.1016/j.plipres.2013.02.001>
- Jiang Y, Jolly PE, Ellis WO, Wang JS, Phillips TD, Williams JH (2005). Aflatoxin B₁ albumin adduct levels and cellular immune status in Ghanaians. *Int Immunol.* 17(6):807–14. <http://dx.doi.org/10.1093/intimm/dxh262> PMID:15944194
- Johnson NM, Afriyie-Gyawu E, Huebner H, Marroquin-Cardona A, Robinson A, Tang L, et al. (2009). PAH exposure in a Ghanaian population at high risk for aflatoxicosis. *Sci Total Environ.* 407(6):1886–91. <http://dx.doi.org/10.1016/j.scitotenv.2008.11.060> PMID:19144392
- Johnson VJ, Bhandari N, Sharma RP (2001). Fumonisin B₁-induced immunosuppression in BALB/c mice is more pronounced in females than in males. *FASEB J.* 15(4):A566, Ch 7.
- Johnson VJ, Sharma RP (2001). Gender-dependent immunosuppression following subacute exposure to fumonisin B₁. *Int Immunopharmacol.* 1(11):2023–34. [http://dx.doi.org/10.1016/S1567-5769\(01\)00131-X](http://dx.doi.org/10.1016/S1567-5769(01)00131-X) PMID:11606033
- Jolly CM, Bayard B, Awuah RT, Fialor SC, Williams JT (2009). Examining the structure of awareness and perceptions of groundnut aflatoxin among Ghanaian health and agricultural professionals and its influence on their actions. *J Socio Econ.* 38(2):280–7. <http://dx.doi.org/10.1016/j.socloc.2008.05.013>
- Jones M, Alexander C, Lowenberg-DeBoer J (2014). A simple methodology for measuring profitability of on-farm storage pest management in developing countries. *J Stored Prod Res.* 58:67–76. <http://dx.doi.org/10.1016/j.jspr.2013.12.006>
- Jubert C, Mata J, Bench G, Dashwood R, Pereira C, Tracewell W, et al. (2009). Effects of chlorophyll and chlorophyllin on low-dose aflatoxin B₁ pharmacokinetics in human volunteers. *Cancer Prev Res (Phila).* 2(12):1015–22. <http://dx.doi.org/10.1158/1940-6207.CAPR-09-0099> PMID:19952359
- Kaaya AN, Kyamuhangire W (2010). Drying maize using biomass-heated natural convection dryer improves grain quality during storage. *J Appl Sci.* 10(11):967–74. <http://dx.doi.org/10.3923/jas.2010.967.974>
- Katz J, Lee AC, Kozuki N, Lawn JE, Cousens S, Blencowe H, et al; CHERG Small-for-Gestational-Age-Prematurity Birth Working Group (2013). Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. *Lancet.* 382(9890):417–25. [http://dx.doi.org/10.1016/S0140-6736\(13\)60993-9](http://dx.doi.org/10.1016/S0140-6736(13)60993-9) PMID:23746775
- Kensler TW, Chen JG, Egner PA, Fahey JW, Jacobson LP, Stephenson KK, et al. (2005). Effects of glucosinolate-rich broccoli sprouts on urinary levels of aflatoxin-DNA adducts and phenanthrene tetraols in a randomized clinical trial in He Zuo township, Qidong, People's Republic of China. *Cancer Epidemiol Biomarkers Prev.* 14(11):2605–13. <http://dx.doi.org/10.1158/1055-9965.EPI-05-0368> PMID:16284385
- Kensler TW, Groopman JD, Egner PA, Muñoz A, Qian G, Chen J (2013). Chemoprevention of hepatic cancer in aflatoxin endemic areas. In: Gu J, editor. Primary liver cancer: challenges and perspectives. Hangzhou: Zhejiang University Press, and Berlin, Heidelberg: Springer-Verlag; pp. 339–65.
- Kensler TW, He X, Otieno M, Egner PA, Jacobson LP, Chen B, et al. (1998). Oltipraz chemoprevention trial in Qidong, People's Republic of China: modulation of serum aflatoxin albumin adduct biomarkers. *Cancer Epidemiol Biomarkers Prev.* 7(2):127–34. PMID:9488587
- Kensler TW, Roebuck BD, Wogan GN, Groopman JD (2011). Aflatoxin: a 50-year odyssey of mechanistic and translational toxicology. *Toxicol Sci.* 120 Suppl 1:S28–48. <http://dx.doi.org/10.1093/toxsci/kfq283> PMID:20881231
- Keusch GT, Rosenberg IH, Denno DM, Duggan C, Guerrant RL, Lavery JV, et al. (2013). Implications of acquired environmental enteric dysfunction for growth and stunting in infants and children living in low- and middle-income countries. *Food Nutr Bull.* 34(3):357–64. PMID:24167916
- Khangwiset P, Shephard GS, Wu F (2011). Aflatoxins and growth impairment: a review. *Crit Rev Toxicol.* 41(9):740–55. <http://dx.doi.org/10.3109/10408444.2011.575766> PMID:21711088
- Khangwiset P, Wu F (2010). Costs and efficacy of public health interventions to reduce aflatoxin-induced human disease. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 27(7):998–1014. <http://dx.doi.org/10.1080/19440041003677475> PMID:20419532
- Khoury CK, Bjorkman AD, Dempewolf H, Ramirez-Villegas J, Guarino L, Jarvis A, et al. (2014). Increasing homogeneity in global food supplies and the implications for food security. *Proc Natl Acad Sci U S A.* 111(11):4001–6. <http://dx.doi.org/10.1073/pnas.1313490111> PMID:24591623
- Kimanya ME, De Meulenaer B, Roberfroid D, Lachat C, Kolsteren P (2010). Fumonisin exposure through maize in complementary foods is inversely associated with linear growth of infants in Tanzania. *Mol Nutr Food Res.* 54(11):1659–67. <http://dx.doi.org/10.1002/mnfr.200900483> PMID:20521269
- Kimanya ME, De Meulenaer B, Tiisekwa B, Ndomondo-Sigonda M, Devlieghere F, Van Camp J, et al. (2008). Co-occurrence of fumonisins with aflatoxins in home-stored maize for human consumption in rural villages of Tanzania. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 25(11):1353–64. <http://dx.doi.org/10.1080/02652030802112601> PMID:19680843
- Kimanya ME, De Meulenaer B, Tiisekwa B, Ugulum C, Devlieghere F, Van Camp J, et al. (2009). Fumonisins exposure from freshly harvested and stored maize and its relationship with traditional agronomic practices in Rombo district, Tanzania. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 26(8):1199–208. <http://dx.doi.org/10.1080/02652030902922784>
- Kimanya ME, Shirima CP, Magoha H, Shewiyo DH, De Meulenaer B, Kolsteren P, et al. (2014). Co-exposures of aflatoxins with deoxynivalenol and fumonisins from maize based complementary foods in Rombo, Northern Tanzania. *Food Contr.* 41:76–81. <http://dx.doi.org/10.1016/j.foodcont.2013.12.034>
- Kimatu JN, McConchie R, Xie X, Ngulu SN (2012). The significant role of post-harvest management in farm management, aflatoxin mitigation and food security in sub-Saharan Africa. *GJAS.* 2(6):279–88. Available from: <http://www.gjournals.org/GJAS/GJAS%20Pdf/2012/October/Kimatu%20and%20McConchie.pdf>.
- King ED, Bobby Bassi AB Jr, Ross DC, Dreibusch B (2011). An industry perspective on the use of "atoxigenic" strains of *Aspergillus flavus* as biological control agents and the significance of cyclopiazonic acid. *Toxin Rev.* 30(2–3):33–41. <http://dx.doi.org/10.3109/15569543.2011.588818> PMID:22844262
- Kirk GD, Camus-Randon AM, Mendy M, Goedert JJ, Merle P, Trépo C, et al. (2000). Ser-249 p53 mutations in plasma DNA of patients with hepatocellular carcinoma from The Gambia. *J Natl Cancer Inst.* 92(2):148–53. <http://dx.doi.org/10.1093/jnci/92.2.148> PMID:10639517
- Krishnamachari KA, Bhat RV, Nagarajan V, Tilak TB (1975). Hepatitis due to aflatoxicosis. An outbreak in Western India. *Lancet.* 1(7915):1061–3. [http://dx.doi.org/10.1016/S0140-6736\(75\)91829-2](http://dx.doi.org/10.1016/S0140-6736(75)91829-2) PMID:48730
- Kumar GDS, Popat MN (2010). Farmers' perceptions, knowledge and management of aflatoxins in groundnuts (*Arachis hypogaea L.*) in India. *Crop Prot.* 29(12):1534–41. <http://dx.doi.org/10.1016/j.cropro.2010.08.019>
- Kussaga JB, Jacksens L, Tiisekwa BP, Luning PA (2014). Food safety management systems performance in African food processing companies: a review of deficiencies and possible improvement strategies. *J Sci Food Agric.* 94(11):2154–69. <http://dx.doi.org/10.1002/jsfa.6575> PMID:24425418

- Kutz RE, Sampson JD, Pompeu LB, Ledoux DR, Spain JN, Vázquez-Añón M, et al. (2009). Efficacy of Solis, NovasilPlus, and MTB-100 to reduce aflatoxin M₁ levels in milk of early to mid lactation dairy cows fed aflatoxin B₁. *J Dairy Sci.* 92(8):3959–63. <http://dx.doi.org/10.3168/jds.2009-2031> PMID:19620679
- Lanubile A, Pasini L, Marocco A (2010). Differential gene expression in kernels and silks of maize lines with contrasting levels of ear rot resistance after *Fusarium verticillioides* infection. *J Plant Physiol.* 167(16):1398–406. <http://dx.doi.org/10.1016/j.jplph.2010.05.015> PMID:20650545
- Lanyasunya TP, Wamae LW, Musa HH, Olowofeso O, Lokwaleput IK (2005). The risk of mycotoxins contamination of dairy feed and milk on smallholder dairy farms in Kenya. *Pakistan J Nutr.* 4:162–9. <http://dx.doi.org/10.3923/pjn.2005.162.169>
- Lee ACC, Katz J, Blencowe H, Cousens S, Kozuki N, Vogel JP, et al.; CHERG SGA-Preterm Birth Working Group (2013). National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. *Lancet Glob Health.* 1(1):e26–36. [http://dx.doi.org/10.1016/S2214-109X\(13\)70006-8](http://dx.doi.org/10.1016/S2214-109X(13)70006-8) PMID:25103583
- Lewis L, Onsongo M, Njapau H, Schurz-Rogers H, Luber G, Kieszak S, et al.; Kenya Aflatoxicosis Investigation Group (2005). Aflatoxin contamination of commercial maize products during an outbreak of acute aflatoxicosis in eastern and central Kenya. *Environ Health Perspect.* 113(12):1763–7. <http://dx.doi.org/10.1289/ehp.7998> PMID:16330360
- Li R, Kang M, Moreno O, Pollak L (2002). Field resistance to *Aspergillus flavus* from exotic maize (*Zea mays* L.) germplasm. *Plant Genet Resour Newslett.* 130:11–5. Available from: http://www.bioversityinternational.org/fileadmin/PGR/article-issue_130-art_53-lang_en.html.
- Liang X, Luo M, Guo B (2006). Resistance mechanisms to *Aspergillus flavus* infection and aflatoxin contamination in peanut (*Arachis hypogaea*). *Plant Pathol J.* 5(1):115–24. Available from: http://eprints.icrisat.ac.in/7393/1/PPJ_5_1_115-124_2006.pdf.
- Lindenmayer GW, Stoltzfus RJ, Prendergast AJ (2014). Interactions between zinc deficiency and environmental enteropathy in developing countries. *Adv Nutr.* 5(1):1–6. <http://dx.doi.org/10.3945/an.113.004838> PMID:24425714
- Liu Y, Wu F (2010). Global burden of aflatoxin-induced hepatocellular carcinoma: a risk assessment. *Environ Health Perspect.* 118(6):818–24. <http://dx.doi.org/10.1289/ehp.0901388> PMID:20172840
- Lovo S, Veronesi M (2014). Crop diversification and child health: empirical evidence from Tanzania. European Association of Agricultural Economists International Congress, 26–29 August 2014, Ljubljana, Slovenia; No. 182735. Available from: <http://econpapers.repec.org/paper/agseaae14/182735.htm>.
- Lunn PG (2000). The impact of infection and nutrition on gut function and growth in childhood. *Proc Nutr Soc.* 59(1):147–54. <http://dx.doi.org/10.1017/S0029665100000173> PMID:10828184
- Lunn RM, Zhang YJ, Wang LY, Chen CJ, Lee PH, Lee CS, et al. (1997). p53 mutations, chronic hepatitis B virus infection, and aflatoxin exposure in hepatocellular carcinoma in Taiwan. *Cancer Res.* 57(16):3471–7. PMID:9270015
- Luo H, Tang L, Tang M, Billam M, Huang T, Yu J, et al. (2006). Phase IIa chemoprevention trial of green tea polyphenols in high-risk individuals of liver cancer: modulation of urinary excretion of green tea polyphenols and 8-hydroxydeoxyguanosine. *Carcinogenesis.* 27(2):262–8. <http://dx.doi.org/10.1093/carcin/bgi147> PMID:15930028
- Lye MS, Ghazali AA, Mohan J, Alwin N, Nair RC (1995). An outbreak of acute hepatic encephalopathy due to severe aflatoxicosis in Malaysia. *Am J Trop Med Hyg.* 53(1):68–72. PMID:7625536
- Ma Y, Kong Q, Hua H, Luo T, Jiang Y (2012). Aflatoxin B1 up-regulates insulin receptor substrate 2 and stimulates hepatoma cell migration. *PLoS One.* 7(10):e47961. <http://dx.doi.org/10.1371/journal.pone.0047961> PMID:23112878
- Magoha H, Kimanya M, De Meulenaer B, Roberfroid D, Lachat C, Kolsteren P (2014). Association between aflatoxin M₁ exposure through breast milk and growth impairment in infants from Northern Tanzania. *World Mycotoxin J.* 7(3):277–84. <http://dx.doi.org/10.3920/WMJ2014.1705>
- Mahdavi R, Nikniaz L, Arefhosseini SR, Vahed Jabbari M (2010). Determination of aflatoxin M₁ in breast milk samples in Tabriz-Iran. *Matern Child Health J.* 14(1):141–5. <http://dx.doi.org/10.1007/s10995-008-0439-9> PMID:19093194
- Malone BM, Richard JL, Romer T, Johansson AJ, Whitaker TB (1998). Fumonisins reduction in corn by cleaning during storage discharge. In: O'Brian L, Blakeney AB, Ross AS, Wrigley CW, editors. Proceedings of the 48th Australian Cereal Chemistry Conference, Cairns, Australia; pp. 372–9. Available from: <http://www.bae.ncsu.edu/usda/www/x1pub/paper76.pdf>.
- Marasas WF, Riley RT, Hendricks KA, Stevens VL, Sadler TW, Gelineau-van Waes J, et al. (2004). Fumonisins disrupt sphingolipid metabolism, folate transport, and neural tube development in embryo culture and *in vivo*: a potential risk factor for human neural tube defects among populations consuming fumonisin-contaminated maize. *J Nutr.* 134(4):711–6. PMID:15051815
- Marin DE, Tararu I, Pascale F, Lionide A, Burlacu R, Bailly JD, et al. (2006). Sex-related differences in the immune response of weanling piglets exposed to low doses of fumonisin extract. *Br J Nutr.* 95(6):1185–92. <http://dx.doi.org/10.1079/BJN20061773> PMID:16768843
- Marin S, Magan N, Ramos AJ, Sanchis V (2004). Fumonisin-producing strains of *Fusarium*: a review of their ecophysiology. *J Food Prot.* 67(8):1792–805. PMID:15330553
- Martin JL, Lin MZ, McGowan EM, Baxter RC (2009). Potentiation of growth factor signalling by insulin-like growth factor-binding protein-3 in breast epithelial cells requires sphingosine kinase activity. *J Biol Chem.* 284(38):25542–52. <http://dx.doi.org/10.1074/jbc.M109.007120>
- Mayfield K, Betrán FJ, Isakeit T, Odvody G, Murray SC, Rooney WL, et al. (2012). Registration of maize germplasm lines Tx736, Tx739, and Tx740 for reducing preharvest aflatoxin accumulation. *J. Plant Reg.* 6(1):88–94. <http://dx.doi.org/10.3198/jpr2010.12.0675crg>
- Mboya RM, Kolanisi U (2014). Subsistence farmers' mycotoxin contamination awareness in the SADC region: implications on Millennium Development Goal 1, 4 and 6. *J Hum Ecol.* 46(1):21–31. Available from: [http://www.krepublishers.com/02-Journals/JHE/JHE-46-0-000-14-Web/JHE-46-1-000-14-Abst-PDF/JHE-46-1-021-14-2592-Mboya-R-JHE-46-1-021-14-2592-Mboya-R-Tx\[3\].pmd.pdf](http://www.krepublishers.com/02-Journals/JHE/JHE-46-0-000-14-Web/JHE-46-1-000-14-Abst-PDF/JHE-46-1-021-14-2592-Mboya-R-JHE-46-1-021-14-2592-Mboya-R-Tx[3].pmd.pdf).
- Mehl HL, Jaime R, Callicott KA, Probst C, Garber NP, Ortega-Beltran A, et al. (2012). *Aspergillus flavus* diversity on crops and in the environment can be exploited to reduce aflatoxin exposure and improve health. *Ann NY Acad Sci.* 1273(1):7–17. <http://dx.doi.org/10.1111/j.1749-6632.2012.06800.x> PMID:23230832
- Meissonnier GM, Marin DE, Galtier P, Bertin G, Tararu I, Oswald IP (2006). Modulation of the immune response by a group of fungal food contaminants, the aflatoxins. In: Mengheri E, Roselli M, Britti MS, Finamore A, editors. *Nutrition and immunity*. Trivandrum, India: Research Signpost; pp. 147–66.
- Meissonnier GM, Pinton P, Laffitte J, Cossalter AM, Gong YY, Wild CP, et al. (2008). Immunotoxicity of aflatoxin B1: impairment of the cell-mediated response to vaccine antigen and modulation of cytokine expression. *Toxicol Appl Pharmacol.* 231(2):142–9. <http://dx.doi.org/10.1016/j.taap.2008.04.004> PMID:18501398
- Méndez-Albores JA, Arámbula-Villa G, Loarca-Piña MG, González-Hernández J, Castaño-Tostado E, Moreno-Martínez E (2004). Aflatoxins' fate during the nixtamalization of contaminated maize by two tortilla-making processes. *J Stored Prod Res.* 40(1):87–94. [http://dx.doi.org/10.1016/S0022-474X\(02\)00080-2](http://dx.doi.org/10.1016/S0022-474X(02)00080-2)

- Menkir A, Brown RL, Bandyopadhyay R, Chen ZY, Cleveland TE (2006). A USA-Africa collaborative strategy for identifying, characterizing, and developing maize germplasm with resistance to aflatoxin contamination. *Mycopathologia*. 162(3):225–32. <http://dx.doi.org/10.1007/s11046-006-0056-3> PMID:16944289
- Menkir A, Brown RL, Bandyopadhyay R, Cleveland TE (2008). Registration of six tropical maize germplasm lines with resistance to aflatoxin contamination. *J Plant Reg*. 2(3):246–50. <http://dx.doi.org/10.3198/jpr2008.01.0028crg>
- Meredith FI, Torres OR, Saenz de Tejada S, Riley RT, Merrill AH Jr (1999). Fumonisin B₁ and hydrolyzed fumonisin B₁ (AP₁) in tortillas and nixtamalized corn (*Zea mays* L.) from two different geographic locations in Guatemala. *J Food Prot*. 62(10):1218–22. PMID:10528731
- Mesterházy Á, Lemmens M, Reid LM (2012). Breeding for resistance to ear rots caused by *Fusarium* spp. in maize – a review. *Plant Breed*. 131(1):1–19. <http://dx.doi.org/10.1111/j.1439-0523.2011.01936.x>
- Miller JD (2001). Factors that affect the occurrence of fumonisins. *Environ Health Perspect*. 109 Suppl 2:321–4. <http://dx.doi.org/10.1289/ehp.01109s2321> PMID:11359702
- Miller JD, Schaafsma AW, Bhatnagar D, Bondy G, Carbone I, Harris LJ, et al. (2014). Mycotoxins that affect the North American agri-food sector: state of the art and directions for the future. *World Mycotoxin J*. 7(1):63–82. <http://dx.doi.org/10.3920/WMJ2013.1624>
- Miracle MP (1966). Maize in tropical Africa. Madison (WI): University of Wisconsin Press.
- Mitchell NJ, Kumi J, Aleser M, Elmore SE, Rychlik KA, Zychowski KE, et al. (2014). Short-term safety and efficacy of calcium montmorillonite clay (UPSN) in children. *Am J Trop Med Hyg*. 91(4):777–85. <http://dx.doi.org/10.4269/ajtmh.14-0093> PMID:25135766
- Mitchell NJ, Kumi J, Johnson NM, Dotse E, Marroquin-Cardona A, Wang JS, et al. (2013). Reduction in the urinary aflatoxin M₁ biomarker as an early indicator of the efficacy of dietary interventions to reduce exposure to aflatoxins. *Biomarkers*. 18(5):391–8. <http://dx.doi.org/10.3109/1354750X.2013.798031> PMID:23697800
- Moreno OJ, Kang MS (1999). Aflatoxins in maize: the problem and genetic solutions. *Plant Breed*. 118(1):1–16. <http://dx.doi.org/10.1046/j.1439-0523.1999.118001001.x>
- Moyers SB, Kumar NB (2004). Green tea polyphenols and cancer chemoprevention: multiple mechanisms and endpoints for phase II trials. *Nutr Rev*. 62(5):204–11. <http://dx.doi.org/10.1111/j.1753-4887.2004.tb00041.x> PMID:15212320
- Munkvold GP (2003). Cultural and genetic approaches to managing mycotoxins in maize. *Annu Rev Phytopathol*. 41(1):99–116. <http://dx.doi.org/10.1146/annurev.phyto.41.052002.095510> PMID:12730397
- Mutegi C, Wagacha J, Christie M, Kimani J, Karanja L (2013). Effect of storage conditions on quality and aflatoxin contamination of peanuts (*Arachis hypogaea* L.). *Int J AgriSci*. 3:746–58. Available from: <http://oar.icrisat.org/7288/>
- Narrod C (2013). Reducing aflatoxins in Africa's crops: experiences from the Aflacontrol Project. 2020 Focus 20, Brief 10. Washington (DC): International Food Policy Research Institute (IFPRI). Available from: <http://ebrary.ifpri.org/cdm/ref/collection/p15738coll2/id/127880>
- Navarro H, Navarro S, Finkelman S (2012). Hermetic and modified atmosphere storage of shelled peanuts to prevent free fatty acid and aflatoxin formation. *Integrated Protection of Stored Products IOBC-WPRS Bull*. 81:183–92.
- Ngindu A, Johnson BK, Kenya PR, Ngira JA, Ocheng DM, Nandwa H, et al. (1982). Outbreak of acute hepatitis caused by aflatoxin poisoning in Kenya. *Lancet*. 1(8285):1346–8. [http://dx.doi.org/10.1016/S0140-6736\(82\)92411-4](http://dx.doi.org/10.1016/S0140-6736(82)92411-4) PMID:6123648
- Njumbe Ediage E, Diana Di Mavungu J, Song S, Sioen I, De Saeger S (2013). Multimycotoxin analysis in urines to assess infant exposure: a case study in Cameroon. *Environ Int*. 57–58:50–9. <http://dx.doi.org/10.1016/j.envint.2013.04.002> PMID:23669720
- Ogunkoya AK, Eng M, Ukoba KO, Olunlade BA (2011). Development of a low cost solar dryer. *Pacific J Sci Technol*. 12:98–101.
- Available from: http://www.akamaiuniversity.us/PJST12_1_98.pdf.
- Ogunlela YI, Mukhtar AA (2009). Gender issues in agriculture and rural development in Nigeria: the role of women. *Hum Soc Sci J*. 4(1):19–30. Available from: <http://idosi.org/hssi/hssi4%281%2909/3.pdf>.
- Okoth SA, Ohingo M (2004). Dietary aflatoxin exposure and impaired growth in young children from Kisumu District, Kenya: cross sectional study. *Afr J Health Sci*. 11(1–2):43–54. PMID:17298116
- Olarre RA, Horn BW, Dorner JW, Monacell JT, Singh R, Stone EA, et al. (2012). Effect of sexual recombination on population diversity in aflatoxin production by *Aspergillus flavus* and evidence for cryptic heterokaryosis. *Mol Ecol*. 21(6):1453–76. <http://dx.doi.org/10.1111/j.1365-294X.2011.05398.x> PMID:22212063
- Ostry V, Ovesna J, Skarkova J, Pouchova V, Ruprich J (2010). A review on comparative data concerning *Fusarium* mycotoxins in Bt maize and non-Bt isogenic maize. *Mycotoxin Res*. 26(3):141–5. <http://dx.doi.org/10.1007/s12550-010-0056-5> PMID:23605378
- Oswald IP, Desautels C, Laffitte J, Fournout S, Peres SY, Odin M, et al. (2003). Mycotoxin fumonisin B₁ increases intestinal colonization by pathogenic *Escherichia coli* in pigs. *Appl Environ Microbiol*. 69(10):5870–4. <http://dx.doi.org/10.1128/AEM.69.10.5870-5874.2003> PMID:14532038
- Ozturk M (1991). p53 mutation in hepatocellular carcinoma after aflatoxin exposure. *Lancet*. 338(8779):1356–9. [http://dx.doi.org/10.1016/0140-6736\(91\)92236-U](http://dx.doi.org/10.1016/0140-6736(91)92236-U) PMID:1682737
- Pacin AM, Resnik SL (2012). Reduction of mycotoxin contamination by segregation with sieves prior to maize milling. In: McElhatton A, do Amaral Sobral PJ, editors. *Novel technologies in food science: their impact on products, consumer trends and the environment*. New York: Springer; pp. 219–34.
- Pappu R, Schwab SR, Cornelissen I, Pereira JP, Regard JB, Xu Y, et al. (2007). Promotion of lymphocyte egress into blood and lymph by distinct sources of sphingosine-1-phosphate. *Science*. 316(5822):295–8. <http://dx.doi.org/10.1126/science.1139221>
- Park JW, Park WJ, Futerman AH (2014). Ceramide synthases as potential targets for therapeutic intervention in human diseases. *Biochim Biophys Acta*. 1841(5):671–81. <http://dx.doi.org/10.1016/j.bbapap.2013.08.019>
- Parkin DM, Bray F, Ferlay J, Pisani P (2005). Global cancer statistics, 2002. *CA Cancer J Clin*. 55(2):74–108. <http://dx.doi.org/10.3322/canjclin.55.2.74> PMID:15761078
- Peers FG, Gilman GA, Linsell CA (1976). Dietary aflatoxins and human liver cancer. A study in Swaziland. *Int J Cancer*. 17(2):167–76. PMID:1248903
- Phillips TD, Afriyie-Gyawu E, Williams J, Huebner H, Ankrah NA, Ofori-Adjei D, et al. (2008). Reducing human exposure to aflatoxin through the use of clay: a review. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 25(2):134–45. <http://dx.doi.org/10.1080/02652030701567467> PMID:18286403
- Pitt JI, Taniwaki MH, Cole MB (2013). Mycotoxin production in major crops as influenced by growing, harvesting, storage and processing, with emphasis on the achievement of Food Safety Objectives. *Food Contr*. 32(1):205–15. <http://dx.doi.org/10.1016/j.foodcont.2012.11.023>
- Pizzolitto RP, Bueno DJ, Armando MR, Cavaglieri L, Dalcerio AM, Salvano MA (2011). Binding of aflatoxin B₁ to lactic acid bacteria and *Saccharomyces cerevisiae* in vitro: a useful model to determine the most efficient microorganism. In: Guevara-Gonzalez RG, editor. *Aflatoxins – biochemistry and molecular biology*. Rijeka, Croatia: InTech; pp. 323–46. <http://dx.doi.org/10.5772/23717>
- Pray CE, Rheeder JP, Gouse M, Volkwyn Y, van der Westhuizen L, Shephard GS (2013). Bt maize and fumonisin reduction in South Africa: potential health impacts. In: Falck-Zepeda JB, Gruère GP, Sithole-Niang I, editors. *Genetically modified crops in Africa: economic and policy lessons from countries south of the Sahara*. Washington (DC): International Food Policy Research Institute (IFPRI); pp. 43–59. Available from: <http://ebrary.ifpri.org/cdm/ref/collection/p15738coll2/id/127819>

- Prendergast AJ, Rukobo S, Chasekwa B, Mutasa K, Ntozini R, Mbuya MN, et al. (2014). Stunting is characterized by chronic inflammation in Zimbabwean infants. *PLoS One*. 9(2):e86928. <http://dx.doi.org/10.1371/journal.pone.0086928> PMID:24558364
- Presello DA, Pereyra AO, Iglesias J, Fauguel CM, Sampietro DA, Eyhébade GH (2011). Responses to selection of *S₅* inbreds for broad-based resistance to ear rots and grain mycotoxin contamination caused by *Fusarium* spp. in maize. *Euphytica*. 178(1):23–9. <http://dx.doi.org/10.1007/s10681-010-0255-3>
- Probst C, Bandyopadhyay R, Cotty PJ (2014). Diversity of aflatoxin-producing fungi and their impact on food safety in sub-Saharan Africa. *Int J Food Microbiol.* 174:113–22. <http://dx.doi.org/10.1016/j.ijfoodmicro.2013.12.010> PMID:24480188
- Probst C, Njapau H, Cotty PJ (2007). Outbreak of an acute aflatoxicosis in Kenya in 2004: identification of the causal agent. *Appl Environ Microbiol.* 73(8):2762–4. <http://dx.doi.org/10.1128/AEM.02370-06> PMID:17308181
- Qian G, Tang L, Guo X, Wang F, Massey ME, Su J, et al. (2014). Aflatoxin B₁ modulates the expression of phenotypic markers and cytokines by splenic lymphocytes of male F344 rats. *J Appl Toxicol.* 34(3):241–9. <http://dx.doi.org/10.1002/jat.2866> PMID:23508487
- Qian GS, Ross RK, Yu MC, Yuan JM, Gao YT, Henderson BE, et al. (1994). A follow-up study of urinary markers of aflatoxin exposure and liver cancer risk in Shanghai, People's Republic of China. *Cancer Epidemiol Biomarkers Prev.* 3(1):3–10. <http://dx.doi.org/10.1153/cancer.0.811382> PMID:811382
- Qin G, Gopalan-Kriczky P, Su J, Ning Y, Lotlikar PD (1997). Inhibition of aflatoxin B₁-induced initiation of hepatocarcinogenesis in the rat by green tea. *Cancer Lett.* 112(2):149–54. [http://dx.doi.org/10.1016/S0304-3835\(96\)04568-5](http://dx.doi.org/10.1016/S0304-3835(96)04568-5) PMID:9066721
- Reardon T, Codron J-M, Busch L, Bingen J, Harris C (1999). Global change in agri-food grades and standards: agribusiness strategic responses in developing countries. *Int Food Agribus Manage Rev.* 2(3–4):421–35. [http://dx.doi.org/10.1016/S1096-7508\(01\)00035-0](http://dx.doi.org/10.1016/S1096-7508(01)00035-0)
- Riley RT, Showker JL, Lee CM, Zipperer CE, Mitchell TR, Voss KA, et al. (2015). A blood spot method for detecting fumonisin-induced changes in putative sphingolipid biomarkers in LM/Bc mice and humans. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 32:1–16. <http://dx.doi.org/10.1080/19440049.2015.1027746>
- Riley RT, Torres O, Showker JL, Zitomer NC, Matute J, Voss KA, et al. (2012). The kinetics of urinary fumonisin B₁ excretion in humans consuming maize-based diets. *Mol Nutr Food Res.* 56(9):1445–55. <http://dx.doi.org/10.1002/mnfr.201200166> PMID:22815244
- Riley RT, Voss KA (2006). Differential sensitivity of rat kidney and liver to fumonisin toxicity: organ-specific differences in toxin accumulation and sphingoid base metabolism. *Toxicol Sci.* 92(1):335–45. <http://dx.doi.org/10.1093/toxsci/kf1198>
- Riley RT, Voss KA, Speer M, Stevens VL, Gelineau-van Waes J (2006). Fumonisin inhibition of ceramide synthase: a possible risk factor for human neural tube defects. In: Hirabayashi Y, Igarashi Y, Merrill AH Jr, editors. *Sphingolipid biology*. Tokyo: Springer; pp. 345–61.
- Robertson LA, Kleinschmidt CE, White DG, Payne GA, Maragos CM, Holland JB (2006). Heritabilities and correlations of *Fusarium* ear rot resistance and fumonisin contamination resistance in two maize populations. *Crop Sci.* 46(1):353–61. <http://dx.doi.org/10.2135/cropsci2005.0139>
- Robinson A, Johnson NM, Strey A, Taylor JF, Marroquin-Cardona A, Mitchell NJ, et al. (2012). Calcium montmorillonite clay reduces urinary biomarkers of fumonisin B₁ exposure in rats and humans. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 29(5):809–18. <http://dx.doi.org/10.1080/19440049.2011.651628> PMID:22324939
- Roda E, Coccini T, Acerbi D, Castoldi AF, Manzo L (2010). Comparative *in vitro* and *ex-vivo* myelotoxicity of aflatoxins B₁ and M₁ on haematopoietic progenitors (BFU-E, CFU-E, and CFU-GM): species-related susceptibility. *Toxicol In Vitro.* 24(1):217–23. <http://dx.doi.org/10.1016/j.tiv.2009.09.005> PMID:19747537
- Rodrigues I, Handl J, Binder EM (2011). Mycotoxin occurrence in commodities, feeds and feed ingredients sourced in the Middle East and Africa. *Food Addit Contam Part B Surveill.* 4(3):168–79. <http://dx.doi.org/10.1080/19393210.2011.589034> PMID:24786003
- Ross RK, Yuan JM, Yu MC, Wogan GN, Qian GS, Tu JT, et al. (1992). Urinary aflatoxin biomarkers and risk of hepatocellular carcinoma. *Lancet.* 339(8799):943–6. [http://dx.doi.org/10.1016/0140-6736\(92\)91528-G](http://dx.doi.org/10.1016/0140-6736(92)91528-G) PMID:1348796
- Rychetnik L, Frommer M, Hawe P, Shiell A (2002). Criteria for evaluating evidence on public health interventions. *J Epidemiol Community Health.* 56(2):119–27. <http://dx.doi.org/10.1136/jech.56.2.119> PMID:11812811
- Sadeghi N, Oveisir MR, Jannat B, Hajimahmoodi M, Bonyani H, Jannat F (2009). Incidence of aflatoxin M₁ in human breast milk in Tehran, Iran. *Food Contr.* 20(1):75–8. <http://dx.doi.org/10.1016/j.foodcont.2008.02.005>
- Sadler TW, Merrill AH, Stevens VL, Sullards MC, Wang E, Wang P (2002). Prevention of fumonisin B₁-induced neural tube defects by folic acid. *Teratology.* 66(4):169–76. <http://dx.doi.org/10.1002/tera.10089>
- Santiago R, Cao A, Malvar RA, Reid LM, Butrón A (2013). Assessment of corn resistance to fumonisin accumulation in a broad collection of inbred lines. *Field Crops Res.* 149:193–202. <http://dx.doi.org/10.1016/j.fcr.2013.04.011>
- Schatzmayr G, Streit E (2013). Global occurrence of mycotoxins in the food and feed chain: facts and figures. *World Mycotoxin J.* 6(3):213–22. <http://dx.doi.org/10.3920/WMJ2013.1572>
- Schleicher RL, McCoy LF, Powers CD, Sternberg MR, Pfeiffer CM (2013). Serum concentrations of an aflatoxin-albumin adduct in the National Health and Nutrition Examination Survey (NHANES) 1999–2000. *Clin Chim Acta.* 423:46–50. <http://dx.doi.org/10.1016/j.cca.2013.04.011> PMID:23611894
- Schulzen GG (1982). Post-harvest losses in tropical Africa and their prevention. *Food Nutr Bull.* 4(2):1–24.
- Shank RC, Bourgeois CH, Kescharnas N, Chandavimal P (1971). Aflatoxins in autopsy specimens from Thai children with an acute disease of unknown aetiology. *Food Cosmet Toxicol.* 9(4):501–7. [http://dx.doi.org/10.1016/0015-6264\(71\)90080-0](http://dx.doi.org/10.1016/0015-6264(71)90080-0) PMID:5157307
- Sharma A, Chen CR, Vu Lan N (2009). Solar-energy drying systems: a review. *Renew Sustain Energy Rev.* 13(6–7):1185–210. <http://dx.doi.org/10.1016/j.rser.2008.08.015>
- Shephard GS (2003). Aflatoxin and food safety: recent African perspectives. *Toxin Rev.* 22(2–3):267–86. <http://dx.doi.org/10.1081/TXR-120024094>
- Shephard GS (2004). Mycotoxins worldwide: current issues in Africa. In: Barug D, van Egmond HP, Lopez-Garcia R, van Osenbruggen WA, Visconti A, editors. *Meeting the mycotoxin menace*. Wageningen, Netherlands: Wageningen Academic Publishers; pp. 81–8.
- Shephard GS, Burger HM, Gambacorta L, Gong YY, Krksa R, Rheeider JP, et al. (2013). Multiple mycotoxin exposure determined by urinary biomarkers in rural subsistence farmers in the former Transkei, South Africa. *Food Chem Toxicol.* 62:217–25. <http://dx.doi.org/10.1016/j.fct.2013.08.040> PMID:23985452
- Shephard GS, Van Der Westhuizen L, Sewram V (2007). Biomarkers of exposure to fumonisin mycotoxins: a review. *Food Addit Contam.* 24(10):1196–201. <http://dx.doi.org/10.1080/02652030701513818> PMID:17886192
- Shirima CP, Kimanya ME, Kinabo JL, Routledge MN, Srey C, Wild CP, et al. (2013). Dietary exposure to aflatoxin and fumonisin among Tanzanian children as determined using biomarkers of exposure. *Mol Nutr Food Res.* 57(10):1874–81. <http://dx.doi.org/10.1002/mnfr.20130058> PMID:23776058
- Shirima CP, Kimanya ME, Routledge MN, Srey C, Kinabo JL, Humpf HU, et al. (2015). A prospective study of growth and biomarkers of exposure to aflatoxin and fumonisin during early childhood in Tanzania. *Environ Health Perspect.* 123(2):173–8. <http://dx.doi.org/10.1289/ehp.1408097> PMID:25325363

- Shouman BO, El Morsi D, Shabaan S, Abdel-Hamid AH, Mehrim A (2012). Aflatoxin B1 level in relation to child's feeding and growth. *Indian J Pediatr.* 79(1):56–61. <http://dx.doi.org/10.1007/s12098-011-0493-y> PMID:21643863
- Shuaib FM, Jolly PE, Ehiri JE, Ellis WO, Yatich NJ, Funkhouser E, et al. (2012). Socio-demographic determinants of aflatoxin B₁-lysine adduct levels among pregnant women in Kumasi, Ghana. *Ghana Med J.* 46(4):179–88. PMID:23661836
- Shuaib FM, Jolly PE, Ehiri JE, Yatich N, Jiang Y, Funkhouser E, et al. (2010). Association between birth outcomes and aflatoxin B₁ biomarker blood levels in pregnant women in Kumasi, Ghana. *Trop Med Int Health.* 15(2):160–7. <http://dx.doi.org/10.1111/j.1365-3156.2009.02435.x> PMID:20003033
- Shupe T, Sell S (2004). Low hepatic glutathione S-transferase and increased hepatic DNA adduction contribute to increased tumorigenicity of aflatoxin B₁ in newborn and partially hepatectomized mice. *Toxicol Lett.* 148(1–2):1–9. <http://dx.doi.org/10.1016/j.toxlet.2003.11.008>
- Sidransky D, Hollstein M (1996). Clinical implications of the p53 gene. *Annu Rev Med.* 47(1):285–301. <http://dx.doi.org/10.1146/annurev.med.47.1.285> PMID:8712782
- Small IM, Flett BC, Marasas WFO, McLeod A, Stander MA, Viljoen A (2011). Resistance in maize inbred lines to *Fusarium verticillioides* and fumonisin accumulation in South Africa. *Plant Dis.* 96(6):881–8. <http://dx.doi.org/10.1094/PDIS-08-11-0695>
- Smith LE, Stoltzfus RJ, Prendergast A (2012). Food chain mycotoxin exposure, gut health, and impaired growth: a conceptual framework. *Adv Nutr.* 3(4):526–31. <http://dx.doi.org/10.3945/an.112.002188> PMID:22797988
- Sobowale AA, Cardwell KF, Odebone AC, Bandyopadhyay R, Jonathan SG (2007). Persistence of *Trichoderma* species within maize stem against *Fusarium verticillioides*. *Arch Phytopathol Plant Protect.* 40(3):215–31. <http://dx.doi.org/10.1080/03235400500424596>
- Solfrizzo M, Gambacorta L, Lattanzio VM, Powers S, Visconti A (2011). Simultaneous LC-MS/MS determination of aflatoxin M₁, ochratoxin A, deoxynivalenol, de-epoxydeoxynivalenol, α and β-zearalenols and fumonisin B₁ in urine as a multi-biomarker method to assess exposure to mycotoxins. *Anal Bioanal Chem.* 401(9):2831–41. <http://dx.doi.org/10.1007/s00216-011-5354-z> PMID:21892639
- Spears D (2013). How much international variation in child height can sanitation explain? Policy Research Working Paper No. WPS6351. Washington (DC): The World Bank. Available from: <http://documents.worldbank.org/curated/en/2013/01/17211398/much-international-variation-child-height-can-sanitation-explain>.
- Strosnider H, Azziz-Baumgartner E, Banziger M, Bhat RV, Breiman R, Brune MN, et al. (2006). Workgroup report: public health strategies for reducing aflatoxin exposure in developing countries. *Environ Health Perspect.* 114(12):1898–903. PMID:17185282
- Stroud JS (2006). The effect of feed additives on aflatoxin in milk of dairy cows fed aflatoxin-contaminated diets [dissertation]. Raleigh (NC): North Carolina State University.
- Sun Z, Lu P, Gail MH, Pee D, Zhang Q, Ming L, et al. (1999). Increased risk of hepatocellular carcinoma in male hepatitis B surface antigen carriers with chronic hepatitis who have detectable urinary aflatoxin metabolite M1. *Hepatology.* 30(2):379–83. <http://dx.doi.org/10.1002/hep.510300204> PMID:10421643
- Talalay P, Fahey JW (2001). Phytochemicals from cruciferous plants protect against cancer by modulating carcinogen metabolism. *J Nutr.* 131(11 Suppl):3027S–33S. PMID:11694642
- Tang L, Tang M, Xu L, Luo H, Huang T, Yu J, et al. (2008). Modulation of aflatoxin biomarkers in human blood and urine by green tea polyphenols intervention. *Carcinogenesis.* 29(2):411–7. <http://dx.doi.org/10.1093/carcin/bgn008> PMID:18192689
- Taranu I, Marin DE, Bouhet S, Pascale F, Bailly JD, Miller JD, et al. (2005). Mycotoxin fumonisin B₁ alters the cytokine profile and decreases the vaccinal antibody titer in pigs. *Toxicol Sci.* 84(2):301–7. <http://dx.doi.org/10.1093/toxsci/kfi086> PMID:15659571
- Torres O, Matute J, Gelineau-van Waes J, Maddox JR, Gregory SG, Ashley-Koch AE, et al. (2014). Urinary fumonisin B₁ and estimated fumonisin intake in women from high- and low-exposure communities in Guatemala. *Mol Nutr Food Res.* 58(5):973–83. <http://dx.doi.org/10.1002/mnfr.201300481> PMID:24375966
- Torres O, Matute J, Gelineau-van Waes J, Maddox JR, Gregory SG, Ashley-Koch AE, et al. (2015). Human health implications from co-exposure to aflatoxins and fumonisins in maize-based foods in Latin America: Guatemala as a case study. *World Mycotoxin J.* 8(2):143–59. <http://dx.doi.org/10.3920/WMJ2014.1736>
- Turner JR (2009). Intestinal mucosal barrier function in health and disease. *Nat Rev Immunol.* 9(11):799–809. <http://dx.doi.org/10.1038/nri2653> PMID:19855405
- Turner PC (2013). The molecular epidemiology of chronic aflatoxin driven impaired child growth. *Scientifica (Cairo).* 2013:152879. <http://dx.doi.org/10.1155/2013/152879> PMID:24455429
- Turner PC, Collinson AC, Cheung YB, Gong Y, Hall AJ, Prentice AM, et al. (2007). Aflatoxin exposure *in utero* causes growth faltering in Gambian infants. *Int J Epidemiol.* 36(5):1119–25. <http://dx.doi.org/10.1093/ije/dym122> PMID:17576701
- Turner PC, Flannery B, Isitt C, Ali M, Pestka J (2012). The role of biomarkers in evaluating human health concerns from fungal contaminants in food. *Nutr Res Rev.* 25(1):162–79. <http://dx.doi.org/10.1017/S095422441200008X> PMID:22651937
- Turner PC, Moore SE, Hall AJ, Prentice AM, Wild CP (2003). Modification of immune function through exposure to dietary aflatoxin in Gambian children. *Environ Health Perspect.* 111(2):217–20. <http://dx.doi.org/10.1289/ehp.5753> PMID:12573908
- Turner PC, Sylla A, Gong YY, Diallo MS, Sutcliffe AE, Hall AJ, et al. (2005). Reduction in exposure to carcinogenic aflatoxins by postharvest intervention measures in west Africa: a community-based intervention study. *Lancet.* 365(9475):1950–6. [http://dx.doi.org/10.1016/S0140-6736\(05\)66661-5](http://dx.doi.org/10.1016/S0140-6736(05)66661-5) PMID:15936422
- Udoh JM, Cardwell KF, Iketun T (2000). Storage structures and aflatoxin content of maize in five agroecological zones of Nigeria. *J Stored Prod Res.* 36(2):187–201. [http://dx.doi.org/10.1016/S0022-474X\(99\)00042-9](http://dx.doi.org/10.1016/S0022-474X(99)00042-9)
- UNICEF-WHO-The World Bank (2012). Levels and trends in child malnutrition. UNICEF-WHO-The World Bank joint child malnutrition estimates. Available from: http://www.who.int/nutgrowthdb/jme_unicef_who_wb.pdf.
- van der Westhuizen L, Shephard GS, Burger HM, Rheeeder JP, Gelderblom WC, Wild CP, et al. (2011). Fumonisin B₁ as a urinary biomarker of exposure in a maize intervention study among South African subsistence farmers. *Cancer Epidemiol Biomarkers Prev.* 20(3):483–9. <http://dx.doi.org/10.1158/1055-9965.EPI-10-1002> PMID:21266524
- van der Westhuizen L, Shephard GS, Rheeeder JP, Burger HM, Gelderblom WCA, Wild CP, et al. (2010). Simple intervention method to reduce fumonisin exposure in a subsistence maize-farming community in South Africa. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 27(11):1582–8. <http://dx.doi.org/10.1080/19440049.2010.508050> PMID:20835935
- Van Rensburg SJ, Cook-Mozaffari P, Van Schalkwyk DJ, Van der Watt JJ, Vincent TJ, Purchase IF (1985). Hepatocellular carcinoma and dietary aflatoxin in Mozambique and Transkei. *Br J Cancer.* 51(5):713–26. <http://dx.doi.org/10.1038/bjc.1985.107> PMID:2986667
- Victora CG, Adair L, Fall C, Hallal PC, Martorell R, Richter L, et al.; Maternal and Child Undernutrition Study Group (2008). Maternal and child undernutrition: consequences for adult health and human capital. *Lancet.* 371(9609):340–57. [http://dx.doi.org/10.1016/S0140-6736\(07\)61692-4](http://dx.doi.org/10.1016/S0140-6736(07)61692-4) PMID:18206223
- Victora CG, de Onis M, Hallal PC, Blössner M, Shrimpton R (2010). Worldwide timing of growth faltering: revisiting implications for interventions. *Pediatrics.* 125(3):e473–80. <http://dx.doi.org/10.1542/peds.2009-1519> PMID:20156903

- Voss KA, Poling SM, Meredith FI, Bacon CW, Saunders DS (2001). Fate of fumonisins during the production of fried tortilla chips. *J Agric Food Chem.* 49(6):3120–6. <http://dx.doi.org/10.1021/jf001165u> PMID:11410018
- Waliyar F, Osiru M, Sudini HK, Njoroge S (2013). Reducing aflatoxins in groundnuts through integrated management and biocontrol. *2020 Focus* 20, Brief 18. Washington (DC): International Food Policy Research Institute (IFPRI). Available from: http://www.ifpri.org/sites/default/files/publications/focus20_18.pdf.
- Wang JS, Shen X, He X, Zhu YR, Zhang BC, Wang JB, et al. (1999). Protective alterations in phase 1 and 2 metabolism of aflatoxin B₁ by oltipraz in residents of Qidong, People's Republic of China. *J Natl Cancer Inst.* 91(4):347–54. <http://dx.doi.org/10.1093/jnci/91.4.347> PMID:10050868
- Wang LY, Hatch M, Chen CJ, Levin B, You SL, Lu SN, et al. (1996). Aflatoxin exposure and risk of hepatocellular carcinoma in Taiwan. *Int J Cancer.* 67(5):620–5. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19960904\)67:5<620::AID-IJC5>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0215(19960904)67:5<620::AID-IJC5>3.0.CO;2-W) PMID:8782648
- Warburton ML, Williams WP (2014). Aflatoxin resistance in maize: what have we learned lately? *Adv Bot.* 2014:352831. <http://dx.doi.org/10.1155/2014/352831>
- Warburton ML, Williams WP, Windham GL, Murray SC, Xu W, Hawkins LK, et al. (2013). Phenotypic and genetic characterization of a maize association mapping panel developed for the identification of new sources of resistance to *Aspergillus flavus* and aflatoxin accumulation. *Crop Sci.* 53(6):2374–83. <http://dx.doi.org/10.2135/cropsci2012.10.0616>
- Warth B, Sulyok M, Fruhmann P, Mikula H, Berthiller F, Schuhmacher R, et al. (2012). Development and validation of a rapid multi-biomarker liquid chromatography/tandem mass spectrometry method to assess human exposure to mycotoxins. *Rapid Commun Mass Spectrom.* 26(13):1533–40. <http://dx.doi.org/10.1002/rcm.6255> PMID:22638970
- Wattanawaraporn R, Woo LL, Belanger C, Chang SC, Adams JE, Trudel LJ, et al. (2012). A single neonatal exposure to aflatoxin B₁ induces prolonged genetic damage in two loci of mouse liver. *Toxicol Sci.* 128(2):326–33. <http://dx.doi.org/10.1093/toxsci/kfs151>
- Whitaker TB, Dorner JW, Lamb M, Andrew B (2005). The effect of sorting farmers' stock peanuts by size and color on partitioning aflatoxin into various shelled peanut grade sizes. *Peanut Sci.* 32(2):103–18. [http://dx.doi.org/10.3146/0095-3679\(2005\)32\[103:TEOSFS\]2.0.CO;2](http://dx.doi.org/10.3146/0095-3679(2005)32[103:TEOSFS]2.0.CO;2)
- Whitaker TB, Hagler WM Jr, Giesbrecht FG, Dorner JW, Dowell FE, Cole RJ (1998). Estimating aflatoxin in farmers' stock peanut lots by measuring aflatoxin in various peanut-grade components. *J AOAC Int.* 81(1):61–7. PMID:9477563
- WHO Multicentre Growth Reference Study Group (2006). WHO Child Growth Standards based on length/height, weight and age. *Acta Paediatr Suppl.* 450:76–85. PMID:16817681
- Wild CP, Gong YY (2010). Mycotoxins and human disease: a largely ignored global health issue. *Carcinogenesis.* 31(1):71–82. <http://dx.doi.org/10.1093/carcin/bgp264> PMID:19875698
- Wild CP, Hudson GJ, Sabbioni G, Chapot B, Hall AJ, Wogan GN, et al. (1992). Dietary intake of aflatoxins and the level of albumin-bound aflatoxin in peripheral blood in The Gambia, West Africa. *Cancer Epidemiol Biomarkers Prev.* 1(3):229–34. PMID:1339083
- Wild CP, Montesano R (2009). A model of interaction: aflatoxins and hepatitis viruses in liver cancer aetiology and prevention. *Cancer Lett.* 286(1):22–8. <http://dx.doi.org/10.1016/j.canlet.2009.02.053>
- Wilde JJ, Petersen JR, Niswander L (2014). Genetic, epigenetic, and environmental contributions to neural tube closure. *Annu Rev Genet.* 48(1):583–611. <http://dx.doi.org/10.1146/annurev-genet-120213-092208>
- Williams WP, Windham GL (2012). Registration of Mp718 and Mp719 germplasm lines of maize. *J Plant Reg.* 6(2):200–2. <http://dx.doi.org/10.3198/jpr2011.09.0489crg>
- Wogan GN, Kensler TW, Groopman JD (2012). Present and future directions of translational research on aflatoxin and hepatocellular carcinoma. A review. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 29(2):249–57. <http://dx.doi.org/10.1080/19440049.2011.563370> PMID:21623489
- Wogan GN, Newberne PM (1967). Dose-response characteristics of aflatoxin B₁ carcinogenesis in the rat. *Cancer Res.* 27(12):2370–6. PMID:4295478
- Woo LL, Egner PA, Belanger CL, Wattanawaraporn R, Trudel LJ, Croy RG, et al. (2011). Aflatoxin B₁-DNA adduct formation and mutagenicity in livers of neonatal male and female B6C3F1 mice. *Toxicol Sci.* 122(1):38–44. <http://dx.doi.org/10.1093/toxsci/kfr087>
- Wu F, Stacy SL, Kensler TW (2013). Global risk assessment of aflatoxins in maize and peanuts: are regulatory standards adequately protective? *Toxicol Sci.* 135(1):251–9. <http://dx.doi.org/10.1093/toxsci/kft132> PMID:23761295
- Xu L, Cai Q, Tang L, Wang S, Hu X, Su J, et al. (2010). Evaluation of fumonisin biomarkers in a cross-sectional study with two high-risk populations in China. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 27(8):1161–9. <http://dx.doi.org/10.1080/19440049.2010.481638> PMID:20589550
- Yang CS, Lambert JD, Hou Z, Ju J, Lu G, Hao X (2006). Molecular targets for the cancer preventive activity of tea polyphenols. *Mol Carcinog.* 45(6):431–5. <http://dx.doi.org/10.1002/mc.20228> PMID:16652355
- Yeh FS, Shen KN (1986). Epidemiology and early diagnosis of primary liver cancer in China. *Adv Cancer Res.* 47:297–329. PMID:2430432
- Yeh FS, Yu MC, Mo CC, Luo S, Tong MJ, Henderson BE (1989). Hepatitis B virus, aflatoxins, and hepatocellular carcinoma in southern Guangxi, China. *Cancer Res.* 49(9):2506–9. PMID:2539905
- Yu MW, Lien JP, Chiu YH, Santella RM, Liaw YF, Chen CJ (1997). Effect of aflatoxin metabolism and DNA adduct formation on hepatocellular carcinoma among chronic hepatitis B carriers in Taiwan. *J Hepatol.* 27(2):320–30. [http://dx.doi.org/10.1016/S0168-8278\(97\)80178-X](http://dx.doi.org/10.1016/S0168-8278(97)80178-X) PMID:9288607
- Zarba A, Wild CP, Hall AJ, Montesano R, Hudson GJ, Groopman JD (1992). Aflatoxin M₁ in human breast milk from The Gambia, West Africa, quantified by combined monoclonal antibody immunoaffinity chromatography and HPLC. *Carcinogenesis.* 13(5):891–4. <http://dx.doi.org/10.1093/carcin/13.5.891>
- Zila CT, Samayoa LF, Santiago R, Butrón A, Holland JB (2013). A genome-wide association study reveals genes associated with Fusarium ear rot resistance in a maize core diversity panel. G3 (Bethesda). 3(11):2095–104. <http://dx.doi.org/10.1534/g3.113.007328> PMID:24048647